




## GENERAL INFORMATION


The SAVOIARDI is a streamlined acoustic pendant crafted to unify balanced illumination with effective sound control in contemporary interiors. Its elongated, softly sculpted profile couples a precision-formed aluminum body with high-density acoustic fiber, reducing ambient noise while delivering a clean, comfortable light distribution. Offered in multiple lengths, outputs, and finish options, SAVOIARDI provides designers with a versatile, architecturally refined solution that elevates spatial clarity, atmosphere, and modern visual rhythm.



## SPECIFICATIONS

Material	Aluminum, 100% P.E.T. Felt
Lens	Polycarbonate
Length	52" / 96" / 102"
Width	15.7" / 24" / 43"
Height	4" / 6"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	15W / 70W / 150W / 180W
LED Output	120 lm/W
CCT	2700K / 3000K / 3500K / 4000K
CRI	90
Dimming & Driver	Integral, 0-10V
Light Distribution	Direct
IP Rating	IP 20
Finishes	27 acoustic fiber finishes
Warranty	5 years

## OTHER VERSIONS AVAILABLE



## CERTIFICATION



Project

Notes

## Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.


Code	Length / Width / Height / Wattage / Lumens	CCT	Light Distribution
<input checked="" type="checkbox"/> <b>SVD</b> Acoustic / Pendant	<input type="checkbox"/> <b>12</b> 52" / 15.7" / 4" / 15 W / 1275 lm <input type="checkbox"/> <b>59</b> 96" / 24" / 6" / 70 W / 5950 lm <input type="checkbox"/> <b>127</b> 102" / 43" / 6" / 150 W / 12,750 lm <input type="checkbox"/> <b>Cus</b> Custom on request	<input type="checkbox"/> <b>27</b> 2700K <input type="checkbox"/> <b>30</b> 3000K <input type="checkbox"/> <b>35</b> 3500K <input type="checkbox"/> <b>40</b> 4000K <input type="checkbox"/> <b>Cus</b> Custom on request	<input checked="" type="checkbox"/> <b>DR</b> Direct
Dimming	Acoustic Fiber Finish Option	Canopy Finish Option	Cord Finish Option
<input type="checkbox"/> <b>NN</b> Non-Dimmable <input type="checkbox"/> <b>DM</b> 0-10V	<input type="checkbox"/> <b>AF</b> Acoustic fibers	<input type="checkbox"/> <b>ST</b> Standard <input type="checkbox"/> <b>MC</b> Metallic <input type="checkbox"/> <b>Cus</b> Custom on request	<input type="checkbox"/> <b>SV</b> Standard Vinyl <input type="checkbox"/> <b>DB</b> Decorative Braided <input type="checkbox"/> <b>Cus</b> Custom on request
Cord Length	Mounting		
<input type="checkbox"/> <b>L5</b> 59" (adjustable) <input type="checkbox"/> <b>L11</b> 118" (adjustable) <input type="checkbox"/> <b>Cus</b> Custom on request	<input checked="" type="checkbox"/> <b>MO</b> Multi-Point Suspension		

# Finishes

## Acoustic fiber finishes



## Standard finishes



## Wood-effect finishes



## Metallic finishes




## Cord finishes

### Standard Vinyl



### Decorative Braided



**RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL\_ \_ \_ \_**

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

