




GENERAL INFORMATION

CALESSA is an acoustic pendant that combines soft materiality with a clean, sculptural form. The felt shade gently surrounds a central frosted glass globe, creating a balanced composition that delivers both visual warmth and functional illumination. Designed to enhance acoustic comfort while providing a soft 360° diffused light, CALESSA is ideal for dining areas, offices, and hospitality environments. The P.E.T. felt surface helps reduce ambient noise, while the integrated light source produces a calm and evenly distributed glow. With a wide range of finishes, the fixture adapts seamlessly to different interiors, functioning as both a lighting solution and an acoustic element within the space.



SPECIFICATIONS

Material	Stainless Steel, 100% P.E.T. Felt
Diffuser	Glass, Frosted
Glass Diameter	9.84"
Body Diameter	18.1"
Height	12.8"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	6W / 10W / 15W / 18W
LED Output	90 lm/W
CCT	2700K / 3000K / 3500K / 4000K
CRI	90
Dimming & Driver	Integral, 0-10V
Light Distribution	360°, Diffused
IP Rating	IP 20
Finishes	27 acoustic fiber finishes
Warranty	5 years

OTHER VERSIONS AVAILABLE



CERTIFICATION



Project

Notes

Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Body Diameter Ø / Height	Wattage / Lumens	CCT
<input checked="" type="checkbox"/> CLS Acoustic / Pendant	<input checked="" type="checkbox"/> 18 18.1" / 12.8"	<input type="checkbox"/> 6 6W / 540 lm	<input type="checkbox"/> 27 2700K
		<input type="checkbox"/> 10 10W / 900 lm	<input type="checkbox"/> 30 3000K
		<input type="checkbox"/> 15 15W / 1350 lm	<input type="checkbox"/> 35 3500K
		<input type="checkbox"/> 18 18W / 1620 lm	<input type="checkbox"/> 40 4000K
		<input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> Cus Custom on request
Dimming	Acoustic Fiber Finish Option	Canopy Finish Option	Cord Finish Option
<input type="checkbox"/> NN Non-Dimmable	<input type="checkbox"/> AF Acoustic fibers	<input type="checkbox"/> ST Standard	<input type="checkbox"/> SV Standard Vinyl
<input type="checkbox"/> DM 0-10V		<input type="checkbox"/> MC Metallic	<input type="checkbox"/> DB Decorative Braided
		<input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> Cus Custom on request
Cord Length			
<input type="checkbox"/> L5 59" (adjustable)			
<input type="checkbox"/> Cus Custom on request			

Project


Notes

Finishes


Acoustic fiber finishes



Standard finishes




Metallic finishes



Cord finishes

Standard Vinyl



Decorative Braided



RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

