




## GENERAL INFORMATION

SKYLARK is a sculptural linear pendant defined by its dynamic geometric composition and minimalist architectural form. The intersecting illuminated elements create a sense of movement and balance, transforming the fixture into both a functional light source and a contemporary design statement. Designed for dining areas, hospitality environments, offices, and modern residential interiors, SKYLARK delivers comfortable direct illumination through integrated LED technology. Its clean lines, customizable dimensions, and wide range of finishes allow the fixture to adapt seamlessly to a variety of architectural settings while maintaining a distinctive visual presence.



## SPECIFICATIONS

Material	Aluminum
Diffuser	Acrylic, Frosted
Overall Length	34" / 49" / 71" / 92"
Overall Height	7" / 10" / 14.5" / 19"
Overall Width	10.5" / 15" / 21.75" / 28.25"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	20W / 30W / 40W / 55W
LED Output	90 lm/W
CCT	2700K / 3000K / 3500K / 4000K
Dimming & Driver	Integral, 0-10V
CRI	90
Light Distribution	Direct, Diffused
IP Rating	IP 20
Warranty	5 years
Finishes	34 RAL finishes 12 metallic finishes Custom on request*

## OTHER VERSIONS AVAILABLE



## CERTIFICATION



## Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.


Code	Length / Height / Width	Wattage / Lumens	CCT
<input checked="" type="checkbox"/> <b>SKL</b> Pendant	<input type="checkbox"/> <b>34</b> 34" / 7" / 10.5" <input type="checkbox"/> <b>49</b> 49" / 10" / 15" <input type="checkbox"/> <b>71</b> 71" / 14.5" / 21.75" <input type="checkbox"/> <b>92</b> 92" / 19" / 28.25" <input type="checkbox"/> <b>Cus</b> Custom on request	<input type="checkbox"/> <b>20</b> LED / 20W / 1800 lm <input type="checkbox"/> <b>30</b> LED / 30W / 2700 lm <input type="checkbox"/> <b>40</b> LED / 40W / 3600 lm <input type="checkbox"/> <b>55</b> LED / 55W / 4950 lm <input type="checkbox"/> <b>Cus</b> Custom on request	<input type="checkbox"/> <b>27</b> 2700K <input type="checkbox"/> <b>30</b> 3000K <input type="checkbox"/> <b>35</b> 3500K <input type="checkbox"/> <b>40</b> 4000K <input type="checkbox"/> <b>Cus</b> Custom on request
Dimming	Body Finish Option	Canopy Finish Option	Connector Joint Finish Option
<input type="checkbox"/> <b>NN</b> Non-Dimmable <input type="checkbox"/> <b>DM</b> 0-10V	<input type="checkbox"/> <b>ST</b> Standard <input type="checkbox"/> <b>MC</b> Metallic <input type="checkbox"/> <b>Cus</b> Custom on request	<input type="checkbox"/> <b>ST</b> Standard <input type="checkbox"/> <b>MC</b> Metallic <input type="checkbox"/> <b>Cus</b> Custom on request	<input type="checkbox"/> <b>ST</b> Standard <input type="checkbox"/> <b>MC</b> Metallic <input type="checkbox"/> <b>Cus</b> Custom on request
Finish Type	Cord Length	Cord Finish Option	Mounting
<input type="checkbox"/> <b>GL</b> Glossy <input type="checkbox"/> <b>MT</b> Matte	<input type="checkbox"/> <b>L59</b> 59" <input type="checkbox"/> <b>L118</b> 118" <input type="checkbox"/> <b>Cus</b> Custom on request	<input type="checkbox"/> <b>SV</b> Standard Vinyl <input type="checkbox"/> <b>DB</b> Decorative Braided <input type="checkbox"/> <b>Cus</b> Custom on request	<input type="checkbox"/> <b>CT</b> Central Canopy Suspension <input type="checkbox"/> <b>MO</b> Multi-Point Suspension

Project


Notes

# Finishes

## Standard finishes




## Metallic finishes



## Cord finishes

### Standard Vinyl



### Decorative Braided



### RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL\_ \_ \_ \_

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

