


GENERAL INFORMATION

SUNWAVE is an acoustic pendant defined by its flowing wave-like form and layered P.E.T. felt construction. The sculptural silhouette introduces movement and softness to the space while helping reduce ambient noise, creating a comfortable and visually engaging environment. Designed for offices, hospitality venues, collaborative spaces, and contemporary interiors, SUNWAVE combines acoustic performance with integrated illumination. The frosted acrylic diffuser provides comfortable direct light, while the organic geometry transforms the fixture into a distinctive architectural feature that enhances both aesthetics and occupant comfort.



SPECIFICATIONS

| | |
|--------------------|-----------------------------------|
| Material | Stainless Steel, 100% P.E.T. Felt |
| Diffuser | Acrylic, Frosted |
| Diameter | 47.2" |
| Height | 8" |
| Input Voltage | 110-277V, 50-60 Hz |
| Light Source Type | LED |
| Power | 15W / 20W / 25W / 30W |
| LED Output | 90 lm/W |
| CCT | 2700K / 3000K / 3500K / 4000K |
| CRI | 90 |
| Dimming & Driver | Integral, 0-10V |
| Light Distribution | Direct, Diffused |
| IP Rating | IP 20 |
| Finishes | 27 acoustic fiber finishes |
| Warranty | 5 years |

OTHER VERSIONS AVAILABLE



CERTIFICATION



Project

Notes

Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

| Code | Diameter Ø / Height | Wattage / Lumens | CCT |
|--|--|--|--|
| <input checked="" type="checkbox"/> SNW Acoustic / Pendant | <input type="checkbox"/> 47 47.2" / 8" <input type="checkbox"/> Cus Custom on request | <input type="checkbox"/> 15 15W / 1350 lm <input type="checkbox"/> 20 20W / 1800 lm <input type="checkbox"/> 25 25W / 2250 lm <input type="checkbox"/> 30 30W / 3150 lm <input type="checkbox"/> Cus Custom on request | <input type="checkbox"/> 27 2700K <input type="checkbox"/> 30 3000K <input type="checkbox"/> 35 3500K <input type="checkbox"/> 40 4000K <input type="checkbox"/> Cus Custom on request |
| Dimming | Acoustic Fiber Finish Option | Canopy Finish Option | Cord Finish Option |
| <input type="checkbox"/> NN Non-Dimmable <input type="checkbox"/> DM 0-10V | <input type="checkbox"/> AF Acoustic fibers | <input type="checkbox"/> ST Standard <input type="checkbox"/> MC Metallic <input type="checkbox"/> Cus Custom on request | <input type="checkbox"/> SV Standard Vinyl <input type="checkbox"/> DB Decorative Braided <input type="checkbox"/> Cus Custom on request |
| Cord Length | | | |
| <input type="checkbox"/> L6 60" (adjustable) <input type="checkbox"/> L11 118" (adjustable) <input type="checkbox"/> Cus Custom on request | | | |

Project


Notes

Finishes


Acoustic fiber finishes



Standard finishes



Metallic finishes



Cord finishes

Standard Vinyl

Decorative Braided



RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

