




GENERAL INFORMATION

BRUME LASER P is an outdoor pendant characterized by its clean geometric form and precision laser-cut patterning. The integrated perforations soften the emitted light, creating a subtle ambient glow that enhances surrounding architectural surfaces with depth and texture. Constructed from extruded aluminum, BRUME LASER P is designed for exterior hospitality spaces, covered walkways, and contemporary architectural applications. Its minimalist silhouette and decorative illumination provide a balanced combination of durability, visual comfort, and modern outdoor aesthetics.



SPECIFICATIONS

Material	Extruded Aluminum
Lens	N/A
Length / Width	4" x 4"
Height	10" / 14"
Light Source Type	LED
Power	8W / 15W / 20W
Input Voltage	110-277V, 50-60 Hz
LED Output	60 lm/W
CCT	2200K / 3000K / 3500K / 4000K / 5000K
CRI	90
Dimming & Driver	Integral, 0-10V
Light Distribution	Soft Diffused Ambient
IP Rating	IP 65
Warranty	5 years
Finishes	28 standard finishes 8 wood-effect finishes 12 metallic finishes Custom on request*
Operating Temp.	-25°C to +45°C (-13°F to +113°F)

OTHER VERSIONS AVAILABLE



CERTIFICATION




Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Length / Width	Height	Material
☒ BRML-P Outdoor Pendant	☐ 4 4" x 4" ☐ Cus Custom on request	☐ 10 10" ☐ 16 16" ☐ Cus Custom on request	☐ AL Extruded Aluminum ☐ Cus Custom on request
CCT	Wattage / Lumens	Light Distribution	Dimming
☐ 22 2200K ☐ 30 3000K ☐ 35 3500K ☐ 40 4000K ☐ 50 5000K ☐ Cus Custom on request	☐ 8 8W / 480 lm ☐ 15 15W / 900 lm ☐ 20 20W / 1200 lm ☐ Cus Custom on request	☒ SDA Soft Diffused Ambient	☐ NN Non-Dimmable ☐ DM 0-10V
Top Housing Finish Option	Main Body Finish Option	Canopy Finish Option	Suspension Option
☐ ST Standard ☐ WE Wood effect ☐ MC Metallic ☐ Cus Custom on request	☐ ST Standard ☐ WE Wood effect ☐ MC Metallic ☐ Cus Custom on request	☐ ST Standard ☐ WE Wood effect ☐ MC Metallic ☐ Cus Custom on request	☐ RGS Rigid Stem ☐ MCH Metal Chain
Stem/Chain Finish Option	Stem/Chain Length		
☐ ST Standard ☐ MC Metallic ☐ Cus Custom on request	☐ L8 8" ☐ L16 16" ☐ L24 24" ☐ L32 32" ☐ Cus Custom on request		

Finishes


Standard finishes



Wood-effect finishes



Metallic finishes



RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

