




GENERAL INFORMATION

BRENOR is an outdoor wall luminaire defined by its clean geometric frame and refined architectural presence. Combining metal and glass elements, the fixture creates a balanced composition that delivers both visual clarity and functional illumination. Designed to provide direct diffused light, BRENOR offers comfortable, glare-controlled illumination suitable for exterior walls, entrances, and façade applications. Its durable construction and weather-resistant performance ensure reliability in outdoor environments, while a range of finishes allows the fixture to integrate seamlessly into both modern and classic architectural settings.



SPECIFICATIONS

Material	Metal + Glass
Height	13"
Length	7.3"
Width	5.75"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	8W / 10W / 12W / 16W
LED Output	80 lm/W
CCT	2700K / 3000K / 3500K / 4000K / 5000K
CRI	80
Dimming & Driver	Integral, 0-10V
Light Distribution	Direct, Diffused
IP Rating	IP 65
Warranty	5 years
Finishes	16 standard finishes 12 metallic finishes
Operating Temp.	-25°C to +45°C (-13°F to +113°F)

OTHER VERSIONS AVAILABLE



CERTIFICATION



Project

Notes


Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.


Code	Height / Length / Width	Material	CCT
<input checked="" type="checkbox"/> BRN-W Outdoor Wall	<input type="checkbox"/> 13 13" / 7.3" / 5.75"	<input type="checkbox"/> MG Metal + Glass	<input type="checkbox"/> 27 2700K
	<input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> 30 3000K
			<input type="checkbox"/> 35 3500K
			<input type="checkbox"/> 40 4000K
			<input type="checkbox"/> 50 5000K
			<input type="checkbox"/> Cus Custom on request
Wattage / Lumens	Dimming	Body Finish Option	Canopy Finish Option
<input type="checkbox"/> 8 8W / 640 lm	<input type="checkbox"/> NN Non-Dimmable	<input type="checkbox"/> ST Standard	<input type="checkbox"/> ST Standard
<input type="checkbox"/> 10 10W / 800 lm	<input type="checkbox"/> DM 0-10V	<input type="checkbox"/> MC Metallic	<input type="checkbox"/> MC Metallic
<input type="checkbox"/> 12 12W / 960 lm		<input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> Cus Custom on request
<input type="checkbox"/> 16 16W / 1280 lm			
<input type="checkbox"/> Cus Custom on request			

Finishes

Standard finishes




Metallic finishes



RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).



Project

Notes

Inspiration Palette

1. 023 OBSIDIAN STEEL +
023 OBSIDIAN STEEL



2. 023 OBSIDIAN STEEL +
019 CARAMEL BRASS



3. 023 OBSIDIAN STEEL +
001 SUNLIT GOLD



4. 023 OBSIDIAN STEEL +
021 CHARRED OAK



5. 020 CEDAR FLAME +
020 CEDAR FLAME



6. 019 CARAMEL BRASS +
019 CARAMEL BRASS



7. 018 ARCTIC STEEL +
018 ARCTIC STEEL



8. 009 SIENNA BRONZE +
014 REDWOOD GLOW



9. 005 DESERT BRONZE +
005 DESERT BRONZE



10. 007 AMBER ALLOY +
007 AMBER ALLOY



11. 017 AGED CITRON +
017 AGED CITRON



12. 020 CEDAR FLAME +
019 CARAMEL BRASS

