




GENERAL INFORMATION

The SILEX pendant is a minimalist architectural lighting element defined by its slender cylindrical form and precise proportions. Designed for visual clarity and compositional flexibility, SILEX delivers soft 360° diffused illumination through a refined acrylic diffuser, creating an even and comfortable ambient glow. Its modular construction allows for multiple height and lens length configurations, making it ideal for both single pendants and clustered installations. With a wide range of finish options and subtle detailing, SILEX integrates seamlessly into contemporary residential, hospitality, and commercial interiors, offering a balanced combination of function, customization, and modern design restraint.

SPECIFICATIONS

Material	Aluminum + Acrylic
Diffuser	Frosted / Bubbled Acrylic
Diameter	1.5"
Base Height	6" / 8" / 10" / 12" / 14"
Lens Height	2" / 4" / 6"/ 8" / 12" / 14" / 18" / 22" / 24"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	8W / 12W / 16W
LED Output	80 lm/W
CCT	2700K / 3500K / 3000K / 4000K
CRI	90
Dimming & Driver	Integral, 0-10V
Light Distribution	360° Diffused Beam
IP Rating	IP 20
Warranty	5 years
Finishes	28 RAL finishes 8 wood-effect finishes 12 metallic finishes Custom on request*



CERTIFICATION



Project

Notes

Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Base Height	Lens Height	Wattage / Lumens
☒ SLX Pendant	☐ 6 6" ☐ 8 8" ☐ 10 10" ☐ 12 12" ☐ 14 14" ☐ Cus Custom on request	☐ 2 2" ☐ 4 4" ☐ 6 6" ☐ 8 8" ☐ 12 12" ☐ Cus Custom on request	☐ 6 8W / 640 lm ☐ 9 12W / 960 lm ☐ 12 16W / 1280 lm ☐ Cus Custom on request
CCT	Dimming	Lens Type	Base Finish Option
☐ 27 2700K ☐ 30 3000K ☐ 35 3500K ☐ 40 4000K ☐ Cus Custom on request	☐ NN Non-Dimmable ☐ DM 0-10V	☐ FR Frosted ☐ BD Bubbled ☐ Cus Custom on request	☐ ST Standard ☐ WE Wood effect ☐ MC Metallic ☐ Cus Custom on request
Canopy Finish Option	Cord Finish Option	Cord Length	
☐ ST Standard ☐ WE Wood effect ☐ MC Metallic ☐ Cus Custom on request	☐ SV Standard Vinyl ☐ DB Decorative Braided ☐ Cus Custom on request	☐ L11 118" (adjustable) ☐ Cus Custom on request	

Finishes

Standard finishes

RAL 4012	RAL 4005	RAL 4010	RAL 1012	RAL 1021	RAL 2000	RAL 2008	RAL 2002	RAL 3003	RAL 3011	RAL 3014	RAL 3017
RAL 3018	RAL 5007	RAL 5019	RAL 5024	RAL 6011	RAL 6001	RAL 6017	RAL 3012	RAL 1001	RAL 1015	RAL 9010	RAL 9016
RAL 9003	RAL 9022	RAL 7004	RAL 9005								

Wood-effect finishes

WO WHITE OAK	OA OAK	HO HONEY OAK	MP MAPLE	WT WALNUT	MG MAHOGANY	DO DARK OAK	ES ESPRESSO
-----------------	-----------	-----------------	-------------	--------------	----------------	----------------	----------------

Metallic finishes

001 SUNLIT GOLD	003 IMPERIAL GOLD	005 DESERT BRONZE	007 AMBER ALLOY	009 SIENNA BRONZE	014 REDWOOD GLOW	017 AGED CITRON	018 ARCTIC STEEL	019 CAMEL BRASS	020 CEDAR FLAME	021 CHARRED OAK	023 OBSIDIAN STEEL
--------------------	----------------------	----------------------	--------------------	----------------------	---------------------	--------------------	---------------------	--------------------	--------------------	--------------------	-----------------------

Cord finishes

Standard Vinyl

Decorative Braided

SVB BLACK	SVW WHITE	DBL BLACK	DBW WHITE	DBU BURGUNDY	DBR RED	DBG GRAY	DBS SMOKY GRAY	DBO ORANGE	DBY YELLOW	DBE PASTEL YELLOW	DBI MILK
SVT TRANSPARENT		DBO OCEAN BLUE	DBH GOLDEN HONEY	DBF FOREST GREEN	DBM MUSTARD	DBP GLOSSY PINK	DBL SALMON PINK	RSC RASPBERRY COTTON	DBA MARSALA	DBO GLOSSY RUST	DBW ESPRESSO BROWN

RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

