





GENERAL INFORMATION


MELLOW is an acoustic linear pendant that combines efficient LED illumination with integrated sound-absorbing performance in a clean, minimalist form. Crafted from high-quality P.E.T. felt, it helps reduce ambient noise while providing soft, comfortable direct illumination for modern architectural spaces. Its slim profile makes it ideal for offices, conference rooms, educational facilities, hospitality, and collaborative environments where both visual comfort and acoustic performance are essential. Available in a wide range of acoustic felt colors, MELLOW offers the flexibility to complement virtually any interior design concept while enhancing comfort and productivity.



SPECIFICATIONS

Material	Stainless Steel, Acrylic, 100% P.E.T. Felt
Diffuser	Acrylic, Frosted
Length	40" / 46" / 52"
Height	5.2" / 6" / 6.8"
Width	6.1" / 7" / 7.9"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	20W / 30W / 40W / 50W
LED Output	80 lm/W
CCT	2700K / 3000K / 3500K / 4000K
CRI	90
Dimming & Driver	Integral, 0-10V
Light Distribution	Direct, Diffused
IP Rating	IP 20
Finishes	27 acoustic fiber finishes
Warranty	5 years

OTHER VERSIONS AVAILABLE



CERTIFICATION



Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.


Code	Length / Height / Width	Wattage / Lumens	CCT
☒ MLW Acoustic / Pendant	☐ 40 40" / 5.2" / 6.1" ☐ 46 46" / 6" / 7" ☐ 52 52" / 6.8" / 7.9" ☐ CUS Custom on request	☐ 20 20W / ↓1600 lm ☐ 30 30W / ↓2400 lm ☐ 40 40W / ↓3200 lm ☐ 50 50W / ↓4000 lm ☐ CUS Custom on request	☐ 27 2700K ☐ 30 3000K ☐ 35 3500K ☐ 40 4000K ☐ CUS Custom on request
Dimming	Acoustic Fiber Finish Option	Inner Trim Finish Option	Canopy Finish Option
☐ NN Non-Dimmable ☐ DM 0-10V	☐ AF Acoustic fibers	☐ ST Standard ☐ MC Metallic ☐ CUS Custom on request	☐ ST Standard ☐ MC Metallic ☐ CUS Custom on request
Cord Finish Option	Cord Length		
☐ SV Standard Vinyl ☐ DB Decorative Braided ☐ CUS Custom on request	☐ L59 59" (adjustable) ☐ L118 118" (adjustable) ☐ CUS Custom on request		

Finishes


Acoustic fiber finishes



Standard finishes




Metallic finishes




Cord finishes

Standard Vinyl



Decorative Braided



RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL _ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

