




## GENERAL INFORMATION

CAIRIS is an acoustic pendant luminaire that combines soft, 360° diffused illumination with integrated sound-absorbing performance in a distinctive sculptural form. Precision-cut P.E.T. felt panels reduce ambient noise while creating a refined architectural feature for modern interiors. Designed for offices, hospitality, educational, and collaborative environments, CAIRIS enhances both visual comfort and acoustic quality. Available in multiple sizes and a wide selection of acoustic felt colors, it can be customized to complement a variety of contemporary interior concepts.



## SPECIFICATIONS

|                    |                                   |
|--------------------|-----------------------------------|
| Material           | Stainless Steel, 100% P.E.T. Felt |
| Diffuser           | Acrylic, Frosted                  |
| Sphere Diameter    | 8" / 12" / 16"                    |
| Overall Diameter   | 16" / 24" / 32"                   |
| Overall Height     | 22" / 30" / 39"                   |
| Input Voltage      | 110-277V, 50-60 Hz                |
| Light Source Type  | LED                               |
| Power              | 8W / 18W / 32W                    |
| LED Output         | 80 lm/W                           |
| CCT                | 2700K / 3000K / 3500K / 4000K     |
| CRI                | 90                                |
| Dimming & Driver   | Integral, 0-10V                   |
| Light Distribution | 360° Diffused                     |
| IP Rating          | IP20                              |
| Finishes           | 27 acoustic fiber finishes        |
| Warranty           | 5 years                           |

## OTHER VERSIONS AVAILABLE



## CERTIFICATION



## Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.


| Code                                                                 | Diameter / Height / Wattage / Lumens                                                                                                                                                                                                                            | CCT                                                                                                                                                                                                                                                  | Dimming                                                                                                                                                                          |
|----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> <b>CAR</b><br>Acoustic / Pendant | <input type="checkbox"/> <b>16</b><br>16" / 22" / 8W / 640 lm<br><input type="checkbox"/> <b>24</b><br>24" / 30" / 18W / 1440 lm<br><input type="checkbox"/> <b>32</b><br>32" / 39" / 32W / 2560 lm<br><input type="checkbox"/> <b>CUS</b><br>Custom on request | <input type="checkbox"/> <b>27</b><br>2700K<br><input type="checkbox"/> <b>30</b><br>3000K<br><input type="checkbox"/> <b>35</b><br>3500K<br><input type="checkbox"/> <b>40</b><br>4000K<br><input type="checkbox"/> <b>Cus</b><br>Custom on request | <input type="checkbox"/> <b>NN</b><br>Non-Dimmable<br><input type="checkbox"/> <b>DM</b><br>0-10V                                                                                |
| Acoustic Fiber Finish Option                                         | Canopy Finish Option                                                                                                                                                                                                                                            | Cord Finish Option                                                                                                                                                                                                                                   | Cord Length                                                                                                                                                                      |
| <input type="checkbox"/> <b>AF</b><br>Acoustic fibers                | <input type="checkbox"/> <b>ST</b><br>Standard<br><input type="checkbox"/> <b>MC</b><br>Metallic<br><input type="checkbox"/> <b>Cus</b><br>Custom on request                                                                                                    | <input type="checkbox"/> <b>SV</b><br>Standard Vinyl<br><input type="checkbox"/> <b>DB</b><br>Decorative Braided<br><input type="checkbox"/> <b>Cus</b><br>Custom on request                                                                         | <input type="checkbox"/> <b>L59</b><br>59" (adjustable)<br><input type="checkbox"/> <b>L118</b><br>118" (adjustable)<br><input type="checkbox"/> <b>CUS</b><br>Custom on request |

## Finishes


### Acoustic fiber finishes



### Standard finishes



### Metallic finishes



### Cord finishes

#### Standard Vinyl



#### Decorative Braided



**RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL\_ \_ \_ \_**

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

