




## GENERAL INFORMATION

SLENDER is a minimalist linear pendant that combines natural wood, metal, and frosted acrylic into a refined architectural lighting solution. Its slim profile and clean proportions create a light visual presence while delivering comfortable illumination for contemporary interiors. Designed for residential, hospitality, workplace, and commercial environments, SLENDER is available in multiple lengths to accommodate a wide range of applications. Offering both direct and direct/indirect light distribution, the fixture provides functional illumination while enhancing the architectural character of the space through its warm material palette and understated design.



## SPECIFICATIONS

|                    |                                                            |
|--------------------|------------------------------------------------------------|
| Material           | Natural Oak + Metal + Acrylic                              |
| Diffuser           | Acrylic, Frosted                                           |
| Diameter           | 2.36"                                                      |
| Length             | 36" / 48" / 60" / 72" / 96"                                |
| Input Voltage      | 110-277V, 50-60 Hz                                         |
| Light Source Type  | LED                                                        |
| Power              | 20W / 27W / 33W / 40W / 53W<br>30W / 40W / 50W / 60W / 80W |
| LED Output         | 90 lm/W                                                    |
| CCT                | 2700K / 3000K / 3500K / 4000K                              |
| Dimming & Driver   | Integral, 0-10V                                            |
| CRI                | 90                                                         |
| Light Distribution | Direct / Direct + Indirect                                 |
| IP Rating          | IP 20                                                      |
| Warranty           | 5 years                                                    |
| Finishes           | 4 wood finishes<br>34 RAL finishes<br>12 metallic finishes |

## OTHER VERSIONS AVAILABLE



## CERTIFICATION



## Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.


| Code                                                      | Length / Wattage / Lumens                                     |                                                                          | Profile Diameter Ø                                        |
|-----------------------------------------------------------|---------------------------------------------------------------|--------------------------------------------------------------------------|-----------------------------------------------------------|
| <input checked="" type="checkbox"/> <b>SLD</b><br>Pendant | <input type="checkbox"/> <b>36-DR</b><br>36" / 20W / ↓1800 lm | <input type="checkbox"/> <b>36-DI</b><br>36" / 30W / ↓1800 lm + ↑900 lm  | <input type="checkbox"/> <b>2</b><br>2.36"                |
|                                                           | <input type="checkbox"/> <b>48-DR</b><br>48" / 27W / ↓2400 lm | <input type="checkbox"/> <b>48-DI</b><br>48" / 40W / ↓2400 lm + ↑1200 lm | <input type="checkbox"/> <b>Cus</b><br>Custom on request  |
|                                                           | <input type="checkbox"/> <b>60-DR</b><br>60" / 33W / ↓3000 lm | <input type="checkbox"/> <b>60-DI</b><br>60" / 50W / ↓3000 lm + ↑1500 lm |                                                           |
|                                                           | <input type="checkbox"/> <b>72-DR</b><br>72" / 40W / ↓3600 lm | <input type="checkbox"/> <b>72-DI</b><br>72" / 60W / ↓3600 lm + ↑1800 lm |                                                           |
|                                                           | <input type="checkbox"/> <b>96-DR</b><br>96" / 53W / ↓4800 lm | <input type="checkbox"/> <b>96-DI</b><br>96" / 80W / ↓4800 lm + ↑2400 lm |                                                           |
|                                                           | <input type="checkbox"/> <b>CUS</b><br>Custom on request      | <input type="checkbox"/> <b>CUS</b><br>Custom on request                 |                                                           |
| CCT                                                       | Light Distribution                                            | Dimming                                                                  | Body Finish Option                                        |
| <input type="checkbox"/> <b>27</b><br>2700K               | <input type="checkbox"/> <b>DR</b><br>Direct                  | <input type="checkbox"/> <b>NN</b><br>Non-Dimmable                       | <input type="checkbox"/> <b>WD</b><br>Wood                |
| <input type="checkbox"/> <b>30</b><br>3000K               | <input type="checkbox"/> <b>DI</b><br>Direct + Indirect       | <input type="checkbox"/> <b>DM</b><br>0-10V                              | <input type="checkbox"/> <b>CUS</b><br>Custom on request  |
| <input type="checkbox"/> <b>35</b><br>3500K               | <input type="checkbox"/> <b>CUS</b><br>Custom on request      |                                                                          |                                                           |
| <input type="checkbox"/> <b>40</b><br>4000K               |                                                               |                                                                          |                                                           |
| <input type="checkbox"/> <b>CUS</b><br>Custom on request  |                                                               |                                                                          |                                                           |
| End Caps Finish Option                                    | Canopy Finish Option                                          | Cord Finish Option                                                       | Cord Length                                               |
| <input type="checkbox"/> <b>ST</b><br>Standard            | <input type="checkbox"/> <b>ST</b><br>Standard                | <input type="checkbox"/> <b>SV</b><br>Standard Vinyl                     | <input type="checkbox"/> <b>L59</b><br>59" (adjustable)   |
| <input type="checkbox"/> <b>MC</b><br>Metallic            | <input type="checkbox"/> <b>MC</b><br>Metallic                | <input type="checkbox"/> <b>DB</b><br>Decorative Braided                 | <input type="checkbox"/> <b>L118</b><br>118" (adjustable) |
| <input type="checkbox"/> <b>Cus</b><br>Custom on request  | <input type="checkbox"/> <b>Cus</b><br>Custom on request      | <input type="checkbox"/> <b>Cus</b><br>Custom on request                 | <input type="checkbox"/> <b>Cus</b><br>Custom on request  |

# Finishes


## Wood finishes



## Standard finishes



## Metallic finishes



## Cord finishes

### Standard Vinyl



### Decorative Braided



**RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL\_ \_ \_ \_**

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

