




GENERAL INFORMATION

The STIPPLA pendant features a sculptural tapered metal shade defined by clean geometry and subtle perforated detailing. Its open lower profile directs illumination downward while the perforated surface introduces a soft decorative glow, adding visual depth without compromising functional light. Available in a broad range of RAL and metallic finishes, STIPPLA is well suited for hospitality, dining, lounge, and contemporary residential environments.



SPECIFICATIONS

Material	Stainless Steel
Diameter	20"
Height	28.3"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	E26 (bulb not included)
Power	3 x max. 60W (per bulb)
IP Rating	IP 20
Warranty	1 year
Finishes	34 RAL finishes 12 metallic finishes

OTHER VERSIONS AVAILABLE



CERTIFICATION



Project

Notes


Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.


Code	Diameter Ø / Height	Material	Light Source
☒ STP Pendant	☐ 20 20" / 28.3"	☐ SS Stainless Steel	☐ E26 E26, 3 x max. 60W (per bulb)
	☐ CUS Custom on request	☐ CUS Custom on request	☐ CUS Custom on request
Exterior Finish Option	Interior Finish Option	Canopy Finish Option	Finish Type
☐ ST Standard	☐ ST Standard	☐ ST Standard	☐ GL Glossy
☐ MC Metallic	☐ MC Metallic	☐ MC Metallic	☐ MT Matte
☐ CUS Custom on request	☐ CUS Custom on request	☐ CUS Custom on request	
Cord Finish Option	Cord Length		
☐ ST Standard Vinyl	☐ L59 59"		
☐ DB Decorative Braided	☐ L118 118"		
☐ CUS Custom on request	☐ CUS Custom on request		

Finishes

Standard finishes




Metallic finishes



Cord finishes

Standard Vinyl



Decorative Braided



RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

