




GENERAL INFORMATION

The KYNTRA Pendant transforms intersecting linear elements into a sculptural architectural composition, creating a dynamic sense of movement while maintaining a visually lightweight presence. Integrated LED illumination with frosted acrylic diffusion delivers comfortable direct light with 90 CRI and multiple CCT options. Suspended from a centralized canopy, KYNTRA is well suited for hospitality, high-end residential, reception, lounge, and statement commercial interiors.

SPECIFICATIONS

Material	Natural Wood + Metal + Acrylic
Diffuser	Acrylic, Frosted
Diameter	15.7" / 21.7" / 25.6"
Height	14.3" / 19.7" / 23.3"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	12W / 18W / 24W
LED Output	90 lm/W
CCT	2700K / 3000K / 3500K / 4000K
CRI	90
Dimming & Driver	Integral, 0-10V
Light Distribution	Direct, Diffused
IP Rating	IP 20
Warranty	5 years
Finishes	4 wood finishes 34 RAL finishes 12 metallic finishes



CERTIFICATION



Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.


Code	Diameter Ø / Height	Wattage / Lumens	CCT
☒ BCR Pendant	☐ 15 15.7" / 14.3" ☐ 21 21.7" / 19.7" ☐ 25 25.6" / 23.3" ☐ CUS Custom on request	☐ 12 12W / 1080 lm ☐ 18 18W / 1620 lm ☐ 24 24W / 2160 lm ☐ CUS Custom on request	☐ 27 2700K ☐ 30 3000K ☐ 35 3500K ☐ 40 4000K ☐ CUS Custom on request
Dimming	Body Finish Option	Top Collar Finish Option	Canopy Finish Option
☐ NN Non-Dimmable ☐ DM 0-10V	☐ WD Wood ☐ CUS Custom on request	☐ ST Standard ☐ MC Metallic ☐ CUS Custom on request	☐ ST Standard ☐ MC Metallic ☐ CUS Custom on request
Cord Finish Option	Cord Length		
☐ SV Standard Vinyl ☐ DB Decorative Braided ☐ CUS Custom on request	☐ L59 59" ☐ L118 118" ☐ CUS Custom on request		

Finishes


Wood finishes



Standard finishes




Metallic finishes



Cord finishes

Standard Vinyl



Decorative Braided



RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

