




GENERAL INFORMATION


The MODARI CIRQON is a circular magnetic track system designed to combine modern form with functional adaptability. Engineered from precision-crafted aluminum, it supports multiple magnetic lighting heads that can be positioned and adjusted with ease. Ideal for contemporary architectural spaces, the system allows for flexible configurations and tailored illumination within a cohesive design.



SPECIFICATIONS

Material	Aluminum
Diameter	35.4"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	58W
LED Output	4044 lm
CCT	2700K / 3000K / 4000K
CRI	80 / 90
Dimming & Driver	Integral, 0-10V / DALI
IP Rating	IP 20
Warranty	5 years
Finishes	30 RAL finishes 2 metallic finishes Custom on request*

OTHER VERSIONS AVAILABLE



CERTIFICATION




Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Diameter Ø	Wattage / Lumens	CCT
☒ CRO-MT Magnetic Track System	☐ 35.4 35.4"	☐ 58 58W / 4044 lm	☐ 27 2700K
	☐ Cus Custom on request	☐ Cus Custom on request	☐ 30 3000K
			☐ 40 4000K
			☐ Cus Custom on request
Dimming	CRI	Profile Finish Option	Heads Finish Option
☐ NN Non-Dimmable	☐ CR8 80	☐ ST Standard	☐ ST Standard
☐ DM 0-10V	☐ CR9 90	☐ MC Metallic	☐ MC Metallic
☐ DL DALI		☐ AWE A We Lighting Palette*	☐ AWE A We Lighting Palette*
		☐ Cus Custom on request	☐ Cus Custom on request
Canopy Finish Option	Cord Finish Option	Mounting	Cord Length
☐ ST Standard	☐ WH White	☐ PN Pendant	☐ L118 118" (adjustable)
☐ MC Metallic	☐ BL Black	☐ MM Surface-mounted	☐ Cus Custom on request
☐ AWE A We Lighting Palette*	☐ Cus Custom on request	☐ RD Recessed	*Available for Pendant models only.
☐ Cus Custom on request	*Available for Pendant models only.		
A-FOCUS SHIFT 1 Beam Angle Option	A-FOCUS SHIFT 1D Beam Angle Option	Note: The color combination shown in the photo on the first page of this spec sheet is part of the exclusive A We Lighting Design Palette. This custom palette reflects our brand's identity and is available as a special finish option — A We Lighting Palette*.	
☐ FCS-SF-1-20 20°	☐ FCS-SF-1D-20 20°		
☐ FCS-SF-1-30 30°	☐ FCS-SF-1D-30 30°		
☐ FCS-SF-1-40 40°	☐ FCS-SF-1D-40 40°		

Compatible Heads for This Track System

LINE-X SHIFT



A-FOCUS SHIFT 1











A-FOCUS SHIFT 1D




Finishes

Standard finishes

 RAL 4012	 RAL 4005	 RAL 4010	 RAL 1012	 RAL 1021	 RAL 2000	 RAL 2008	 RAL 2002	 RAL 3003	 RAL 3011	 RAL 3015	 RAL 3014
 RAL 3017	 RAL 3018	 RAL 5007	 RAL 5019	 RAL 5024	 RAL 6011	 RAL 6001	 RAL 6017	 RAL 6035	 RAL 3012	 RAL 1001	 RAL 1015
 RAL 9010	 RAL 9016	 RAL 9003	 RAL 9022	 RAL 7004	 RAL 9005						

Metallic finishes

 SB SHINY BRONZE	 GL GOLD
--	--

RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

