





GENERAL INFORMATION


The SIDERIS AXIAL CIRCLE Pendant is a minimalist ring luminaire defined by its slender circular profile and continuous illuminated edge. Its suspended form creates a clean architectural presence while delivering soft, bidirectional diffused illumination for balanced ambient lighting. Available in multiple diameters from 24" to 60", with several wattage and CCT options, integral 0-10V dimming, and an extensive selection of standard, wood-effect, and metallic finishes, SIDERIS AXIAL CIRCLE is ideal for offices, hospitality spaces, lounges, reception areas, residential interiors, and contemporary commercial environments.



SPECIFICATIONS

Material	Stainless Steel, Acrylic
Lens	Acrylic
Diameter	24" / 31.5" / 39.5" / 48" / 60"
Profile Height	2.8"
Profile Width	1.6"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	2 x 10W / 2 x 15W / 2 x 20W / 2 x 25W
LED Output	80 lm/w
CCT	2700K / 3000K / 3500K / 4000K
CRI	90
Dimming & Driver	Integral, 0-10V
Light Distribution	Bidirectional, Diffused
IP Rating	IP 20
Warranty	5 years
Finishes	30 standard finishes 8 wood-effect finishes 12 metallic finishes

OTHER VERSIONS AVAILABLE



CERTIFICATION



Project

Notes

Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Diameter Ø / Dual Wattage & Lumens	CCT	Light Distribution
☒ SDR-AX Circle / Pendant	☐ 24 24" / 2 x 10W / 2 x 800 lm ☐ 36 36" / 2 x 15W / 2 x 1,200 lm ☐ 48 48" / 2 x 20W / 2 x 1,700 lm ☐ 60 60" / 2 x 25W / 2 x 2,000 lm ☐ CUS Custom on request	☐ 27 2700K ☐ 30 3000K ☐ 40 4000K ☐ 50 5000K ☐ CUS Custom on request	☐ BI Bidirectional, Diffused ☐ CUS Custom on request
Dimming	Profile Finish Option	Canopy Finish Option	Cord Finish Option
☐ NN Non-Dimmable ☐ DM 0-10V	☐ ST Standard ☐ WE Wood effect ☐ MC Metallic ☐ CUS Custom on request	☐ ST Standard ☐ WE Wood effect ☐ MC Metallic ☐ CUS Custom on request	☐ SV Standard Vinyl ☐ DB Decorative Braided ☐ CUS Custom on request
Cord Length			
☐ L60 60" (adjustable) ☐ L118 118" (adjustable) ☐ CUS Custom on request			

Finishes

Standard finishes

RAL 4012	RAL 4005	RAL 4010	RAL 1012	RAL 1021	RAL 2000	RAL 2008	RAL 2002	RAL 3003	RAL 3011	RAL 3015	RAL 3014
RAL 3017	RAL 3018	RAL 5007	RAL 5019	RAL 5024	RAL 6011	RAL 6001	RAL 6017	RAL 6035	RAL 3012	RAL 1001	RAL 1015
RAL 9010	RAL 9016	RAL 9003	RAL 9022	RAL 7004	RAL 9005						

Wood-effect finishes

WO WHITE OAK	OA OAK	HO HONEY OAK	MP MAPLE	WT WALNUT	MG MAHOGANY	DO DARK OAK	ES ESPRESSO
-----------------	-----------	-----------------	-------------	--------------	----------------	----------------	----------------

Metallic finishes

001 SUNLIT GOLD	003 IMPERIAL GOLD	005 DESERT BRONZE	007 AMBER ALLOY	009 SIENNA BRONZE	014 REDWOOD GLOW	017 AGED CITRON	018 ARCTIC STEEL	019 CARAMEL BRASS	020 CEDAR FLAME	021 CHARRED OAK	023 OBSIDIAN STEEL
--------------------	----------------------	----------------------	--------------------	----------------------	---------------------	--------------------	---------------------	----------------------	--------------------	--------------------	-----------------------

Cord finishes

Standard Vinyl

SVB BLACK	SVW WHITE
SVT TRANSPARENT	

Decorative Braided

IVC IVORY	SNC SAND	LNC LEMON	ORC CORAL	RBC RUBY	BLC BLUSH	FRC FROST	AZC AZURE	LMC LIME	OLC OLIVE
UMC UMBER	EDC CEDAR	NRC NOIR							

RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

