




GENERAL INFORMATION

The TULLE Pendant brings a soft, handcrafted character to interior spaces through its lightweight textile shade and distinctive architectural silhouette. The cylindrical body is topped by a gently tapered conical form, creating a warm, relaxed expression while allowing light to softly filter through the textile surface. Offered in three sizes and a selection of textile finishes, TULLE works beautifully as a single statement pendant or in grouped compositions for hospitality, dining, lounge, and residential environments.



SPECIFICATIONS

Material	Stainless Steel, Textilene
Diffuser	N/A
Shade Diameter	17" / 21.5" / 28"
Shade Height	20" / 23" / 30"
Input Voltage	110–277V AC, 50/60 Hz
Light Source Type	E26 (bulb not included)
Power	1 x max. 60W
IP Rating	IP 20
Warranty	5 years
Finishes	18 Textilene finishes

CERTIFICATION



Project

Notes


Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.


Code	Shade: Diameter Ø / Height	Light Source	Textilene Finish Option
☒ TLE Pendant	☐ 17 17" / 20	☐ E26 E26, 1 x max. 60W	☐ ST Standard
	☐ 21 21.5" / 23	☐ CUS Custom on request	☐ CUS Custom on request
	☐ 28 28" / 30		
	☐ CUS Custom on request		
Canopy Finish Option	Cord Finish Option	Cord Length	
☐ RAL RAL finishes	☐ SV Standard Vinyl	☐ L59 59"	
☐ MC Metallic	☐ DB Decorative Braided	☐ L118 118"	
☐ CUS Custom on request	☐ CUS Custom on request	☐ CUS Custom on request	

Finishes


Standard finishes



RAL finishes




Metallic finishes




Cord finishes

Standard Vinyl



Decorative Braided



RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

