




GENERAL INFORMATION


The WHISPA Acoustic Pendant transforms sound-absorbing PET felt into a sculptural lighting centerpiece. Its layered radial panels create a dramatic flower-like composition while helping reduce reflected sound in open interiors. Available with either a replaceable E26 lamp or integrated LED illumination, WHISPA combines decorative lighting and acoustic performance in one expressive fixture. With a generous 47.2" diameter and an extensive palette of acoustic felt finishes, it is designed for hospitality, workplace, education, dining, and other acoustically sensitive spaces.



SPECIFICATIONS

Material	Aluminum Housing + 100% PET Felt
Diffuser	Acrylic Frosted (available for LED model only)
Diameter	47.2"
Height	11"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	E26 / LED
Power	E26, 1 × max. 20W (bulb not included) LED, 15W / 20W / 30W / 40W
LED Output	80 lm/W (LED version only)
CCT	2700K / 3000K / 3500K / 4000K (LED version only)
CRI	90 (LED version only)
Dimming & Driver	Integral, 0-10V (LED version only)
Appliance Class	Class I
IP Rating	IP 20
Finishes	65 acoustic fiber finishes
Warranty	5 years

OTHER VERSIONS AVAILABLE



CERTIFICATION



Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Diameter Ø	Height	Light Source
☒ WSP Acoustic / Pendant	☐ 47 47.2" ☐ CUS Custom on request _____	☐ 11 11" ☐ CUS Custom on request _____	☐ E26-20 1 x max. 20 W ☐ LED-15 15W / ↓1200 lm ☐ LED-20 20W / ↓1600 lm ☐ LED-30 30W / ↓2400 lm ☐ LED-40 40W / ↓3200 lm ☐ CUS Custom on request _____
CCT	Dimming	Acoustic Fiber Finish Option	Canopy Finish Option
☐ 27 2700K ☐ 30 3000K ☐ 35 3500K ☐ 40 4000K ☐ CUS Custom on request _____ (available for LED model only*)	☐ NN Non-Dimmable ☐ DM 0-10V (available for LED model only*)	☐ AF Acoustic fibers _____	☐ ST Standard _____ ☐ RAL RAL finishes _____
Cord Finish Option (E26 Version)	Cord Finish Option (LED Version)	Cord Length	
☐ SVW White ☐ SVB Black ☐ SVT Transparent	☐ SV Standard Vinyl _____ ☐ DB Decorative Braided _____ ☐ CUS Custom on request _____	☐ L5 59" (adjustable) ☐ L11 118" (adjustable) ☐ CUS Custom on request _____	

Finishes


Acoustic fiber finishes (E26 Version)



Acoustic fiber finishes (LED Version)



Standard finishes



Cord finishes

Standard Vinyl



Decorative Braided



RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

