




## GENERAL INFORMATION

The FOLDA is an acoustic linear pendant that combines sculpted, folded geometry with high-performance sound absorption. Its slim aluminum frame wrapped in 100% P.E.T. felt softens reverberation while delivering a comfortable 120° beam ideal for tables, counters, and collaboration zones. Offered in multiple lengths, color temperatures, and acoustic finishes, FOLDA gives designers a versatile tool for adding both visual expression and acoustic control to contemporary interiors.



## SPECIFICATIONS

|                    |                            |
|--------------------|----------------------------|
| Material           | Aluminum, 100% P.E.T. Felt |
| Lens               | Polycarbonate              |
| Length             | 49.2" / 61" / 96.1"        |
| Width              | 8.8"                       |
| Height             | 6.3"                       |
| Input Voltage      | 110-277V, 50-60 Hz         |
| Light Source Type  | LED                        |
| Power              | 40W / 50W / 80W            |
| LED Output         | 105 lm/W                   |
| CCT                | 3000K / 3500K / 4000K      |
| CRI                | 90                         |
| Dimming & Driver   | Integral, 0-10V            |
| Light Distribution | Direct                     |
| IP Rating          | IP 20                      |
| Finishes           | 27 acoustic fiber finishes |
| Warranty           | 5 years                    |

## OTHER VERSIONS AVAILABLE



## CERTIFICATION



## Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.


| Code                                                                                                                                                                                           | Length / Wattage / Lumens                                                                                                                                                                                                                                 | CCT                                                                                                                                                                                                                                                        | Light Distribution                                                                                                                                                                   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> <b>FLD</b><br>Acoustic / Pendant                                                                                                                           | <input type="checkbox"/> <b>42</b><br>49.2" / 40W / 4200 lm<br><input type="checkbox"/> <b>52</b><br>61" / 50W / 5250 lm<br><input type="checkbox"/> <b>84</b><br>96.1" / 80W / 8400 lm<br><input type="checkbox"/> <b>Cus</b><br>Custom on request _____ | <input type="checkbox"/> <b>27</b><br>2700K<br><input type="checkbox"/> <b>30</b><br>3000K<br><input type="checkbox"/> <b>35</b><br>3500K<br><input type="checkbox"/> <b>40</b><br>4000K<br><input type="checkbox"/> <b>Cus</b><br>Custom on request _____ | <input checked="" type="checkbox"/> <b>DR</b><br>Direct                                                                                                                              |
| <b>Dimming</b>                                                                                                                                                                                 | <b>Acoustic Fiber Finish Option</b>                                                                                                                                                                                                                       | <b>Canopy Finish Option</b>                                                                                                                                                                                                                                | <b>Cord Length</b>                                                                                                                                                                   |
| <input type="checkbox"/> <b>NN</b><br>Non-Dimmable<br><input type="checkbox"/> <b>DM</b><br>0-10V                                                                                              | <input type="checkbox"/> <b>AF</b><br>Acoustic fibers _____                                                                                                                                                                                               | <input type="checkbox"/> <b>ST</b><br>Standard _____<br><input type="checkbox"/> <b>MC</b><br>Metallic _____<br><input type="checkbox"/> <b>Cus</b><br>Custom on request _____                                                                             | <input type="checkbox"/> <b>L5</b><br>59" (adjustable)<br><input type="checkbox"/> <b>L11</b><br>118" (adjustable)<br><input type="checkbox"/> <b>Cus</b><br>Custom on request _____ |
| <b>Cord Finish Option</b>                                                                                                                                                                      | <b>Mounting</b>                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                            |                                                                                                                                                                                      |
| <input type="checkbox"/> <b>SV</b><br>Standard Vinyl _____<br><input type="checkbox"/> <b>DB</b><br>Decorative Braided _____<br><input type="checkbox"/> <b>Cus</b><br>Custom on request _____ | <input checked="" type="checkbox"/> <b>MO</b><br>Multi-Point Suspension                                                                                                                                                                                   |                                                                                                                                                                                                                                                            |                                                                                                                                                                                      |

## Finishes


### Acoustic fiber finishes



### Standard finishes



### Metallic finishes



### Cord finishes

#### Standard Vinyl



#### Decorative Braided



**RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL\_ \_ \_ \_**

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

