




GENERAL INFORMATION


The CINDER SP Pendant is a contemporary architectural pendant defined by its layered circular geometry and compact sculptural profile. Crafted from ceramic with a frosted acrylic diffuser, the fixture combines clean horizontal forms with soft direct and indirect illumination. Available in three shade heights, multiple wattage and CCT options, integral 0-10V dimming, and 34 RAL finishes, CINDER SP is well suited for hospitality, dining, residential, lounge, and contemporary commercial interiors.

SPECIFICATIONS

Material	Ceramic + Acrylic
Diffuser	Acrylic, Frosted
Shade Diameter	14"
Shade Height	2.56" / 4.65" / 6.77"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	6W / 8W / 10W
LED Output	90 lm/W
CCT	2700K / 3000K / 3500K / 4000K
CRI	90
Dimming & Driver	Integral, 0-10V
Light Distribution	Direct + Indirect, Diffused
IP Rating	IP 20
Warranty	5 years
Finishes	34 RAL finishes



OTHER VERSIONS AVAILABLE



CERTIFICATION



Project

Notes


Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.


Code	Diameter Ø / Height / Wattage / Lumens	CCT	Dimming
☒ CNR-SP Pendant	☐ 14-2 14" / 2.5" / 10W / ↓630 lm, ↑370 lm ☐ 14-4 14" / 4.65" / 8W / ↓490 lm, ↑210 lm ☐ 14-6 14" / 6.77" / 6W / ↓385 lm, ↑165 lm ☐ CUS Custom on request _____	☐ 27 2700K ☐ 30 3000K ☐ 35 3500K ☐ 40 4000K ☐ CUS Custom on request _____	☐ NN Non-Dimmable ☐ DM 0-10V
Shade Finish Option	Canopy Finish Option	Cord Finish Option	Cord Length
☐ ST Standard _____ ☐ Cus Custom on request _____	☐ ST Standard _____ ☐ MC Metallic _____ ☐ Cus Custom on request _____	☐ SV Standard Vinyl _____ ☐ DB Decorative Braided _____ ☐ CUS Custom on request _____	☐ L59 59" (adjustable) ☐ L118 118" (adjustable) ☐ CUS Custom on request _____

Finishes

Standard finishes




Metallic finishes



Cord finishes

Standard Vinyl



Decorative Braided



RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL _ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

