




GENERAL INFORMATION


The ALUNA RAINBOW Pendant is a playful architectural pendant defined by a rhythmic sequence of curved metal arches paired with three luminous glass globes. Its repeating geometry creates a distinctive graphic silhouette, while the frosted glass diffusers provide soft 360° illumination. Available with either integrated LED or E26 lamping, ALUNA RAINBOW combines decorative character with flexible lighting performance and is well suited for hospitality, dining, residential, lounge, and creative commercial interiors.



SPECIFICATIONS

Material	Stainless Steel + Glass
Diffuser	Glass, Frosted
Glass Diameter	8"
Overall Length	39.5"
Overall Height	10.5"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED / E26
Power	24W / 32W / 48W / 4 x max. 40W
LED Output	70 lm/W (available only for LED version*)
CCT	2700K / 3000K / 3500K / 4000K (available only for LED version*)
Dimming & Driver	Integral, 0-10V (available only for LED version*)
CRI	90 (available only for LED version*)
Light Distribution	360° Diffused Beam
IP Rating	IP 20
Warranty	5 years
Finishes	34 RAL finishes 12 metallic finishes

OTHER VERSIONS AVAILABLE



CERTIFICATION



Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Overall: Length / Height	Light Source	CCT
☒ ALN-RB Pendant	☐ 39 39.5" / 10.5" ☐ Cus Custom on request _____	☐ E26 4 x max. 40W (per globe) ☐ LED-24 4 x 6W / 420 lm (per globe) ☐ LED-32 4 x 8W / 560 lm (per globe) ☐ LED-48 4 x 12W / 840 lm (per globe) ☐ Cus Custom on request _____	☐ 27 2700K ☐ 30 3000K ☐ 35 3500K ☐ 40 4000K ☐ Cus Custom on request _____ <i>*CCT options apply to LED version only.</i>
Dimming	Glass Type	Body Finish Option	Metal Cap Finish Option
☐ NN Non-Dimmable ☐ DM 0-10V <i>*Dimming options apply to LED version only.</i>	☐ CL Clear ☐ FR Frosted ☐ Cus Custom on request _____	☐ ST Standard _____ ☐ MC Metallic _____ ☐ CUS Custom on request _____	☐ ST Standard _____ ☐ MC Metallic _____ ☐ CUS Custom on request _____
Canopy Finish Option	Cord Length	Cord Finish Option	
☐ ST Standard _____ ☐ MC Metallic _____ ☐ CUS Custom on request _____	☐ L59 59" ☐ L118 118" ☐ Cus Custom on request _____	☐ SV Standard Vinyl _____ ☐ DB Decorative Braided _____ ☐ CUS Custom on request _____	

Finishes

Standard finishes

RAL 4012	RAL 4003	RAL 4005	RAL 4010	RAL 1012	RAL 1018	RAL 1021	RAL 2000	RAL 2008	RAL 2002	RAL 3003	RAL 3011
RAL 3014	RAL 3017	RAL 3018	RAL 5007	RAL 5019	RAL 5024	RAL 6011	RAL 6001	RAL 6017	RAL 6021	RAL 6027	RAL 6033
RAL 6039	RAL 3012	RAL 1001	RAL 1015	RAL 9010	RAL 9016	RAL 9003	RAL 9022	RAL 7004	RAL 9005		

Metallic finishes

001 SUNLIT GOLD	003 IMPERIAL GOLD	005 DESERT BRONZE	007 AMBER ALLOY	009 SIENNA BRONZE	014 REDWOOD GLOW	017 AGED CITRON	018 ARCTIC STEEL	019 CAMEL BRASS	020 CEDAR FLAME	021 CHARRED OAK	023 OBSIDIAN STEEL
-----------------------	-------------------------	-------------------------	-----------------------	-------------------------	------------------------	-----------------------	------------------------	-----------------------	-----------------------	-----------------------	--------------------------

Cord finishes

Standard Vinyl

SVB BLACK	SVW WHITE
SVT TRANSPARENT	

Decorative Braided

IVC IVORY	SNC SAND	LNC LEMON	ORC CORAL	RBC RUBY	BLC BLUSH	FRC FROST	AZC AZURE	LMC LIME	OLC OLIVE
UMC UMBER	EDC CEDAR	NRC NOIR							

RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

