




SPECIFICATIONS

Material	Stainless Steel + Glass
Glass Diameter	4"
Overall Length	36" / 44" / 52" / 80"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	3W / 5W / 7W
LED Output	70 lm/W
CCT	2700K / 3000K / 3500K / 4000K
Dimming & Driver	Integral, 0-10V
CRI	90
Light Distribution	360° Diffused Beam
IP Rating	IP 20
Warranty	5 years
Finishes	34 RAL finishes 12 metallic finishes Custom on request*

GENERAL INFORMATION

ALUNA RAINDROP H reimagines the classic globe pendant in a clean horizontal composition, combining opal glass spheres with a refined linear frame. The balanced arrangement creates a sculptural presence while delivering soft, 360° diffused illumination that enhances both intimate and open spaces. Designed for residential, hospitality, and commercial interiors, ALUNA RAINDROP H is available in multiple lengths, finishes, and color temperatures. Its modular design and minimalist aesthetic make it an elegant solution for dining areas, kitchen islands, reception desks, and collaborative spaces.




CERTIFICATION




Finishes

Standard finishes




Metallic finishes



Cord finishes

Standard Vinyl



Decorative Braided



RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

