






GENERAL INFORMATION

The ALUNA RAINDROP RING Pendant expands the ALUNA family into a circular composition of illuminated glass spheres arranged along a slender architectural ring. The combination of repeated globe elements and open negative space creates a playful yet refined sculptural presence, while the diffused glass provides soft 360° illumination. Available in four diameters, multiple CCT options, CRI 90, integral 0-10V dimming, and an extensive selection of finishes, ALUNA RAINDROP RING is ideal for hospitality, dining, lounge, residential, and statement commercial interiors.



***Note:** Globe quantity varies by ring diameter to maintain proper spacing and overall fixture proportions.

OTHER VERSIONS AVAILABLE



SPECIFICATIONS

Material	Stainless Steel + Glass
Glass Diameter	4"
Ring Diameter	31.5" / 47.5" / 59" / 71"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	3W / 5W / 7W (per globe)
LED Output	70 lm/W
CCT	2700K / 3000K / 3500K / 4000K
Dimming & Driver	Integral, 0-10V
CRI	90
Light Distribution	360° Diffused Beam
IP Rating	IP 20
Warranty	5 years
Finishes	34 RAL finishes 12 metallic finishes Custom on request*

CERTIFICATION




Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.


Code	Glass Diameter Ø	Ring Diameter Ø	Wattage / Lumens
☒ ALN-RNG Pendant	☐ 4 4" ☐ Cus Custom on request _____	☐ 31 31.5" (9 globes) ☐ 47 47.5" (15 globes) ☐ 59 59" (18 globes) ☐ 71 71" (20 globes) ☐ Cus Custom on request _____	☐ LED-3 1 x 3W / 210 lm ☐ LED-5 1 x 5W / 350 lm ☐ LED-7 1 x 7W / 490 lm ☐ Cus Custom on request _____
CCT	Dimming	Body Finish Option	Canopy Finish Option
☐ 27 2700K ☐ 30 3000K ☐ 35 3500K ☐ 40 4000K ☐ Cus Custom on request _____	☐ NN Non-Dimmable ☐ DM 0-10V	☐ ST Standard _____ ☐ MC Metallic _____ ☐ Cus Custom on request _____	☐ ST Standard _____ ☐ MC Metallic _____ ☐ Cus Custom on request _____
Cord Finish Option	Cord Length	Note: Custom configurations are available upon request. Our design team can prepare a project-specific drawing based on your layout and design requirements.	
☐ SV Standard Vinyl _____ ☐ DB Decorative Braided _____ ☐ Cus Custom on request _____	☐ L59 59" ☐ L118 118" ☐ Cus Custom on request _____		

Finishes

Standard finishes




Metallic finishes



Cord finishes

Standard Vinyl



Decorative Braided



RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

