




## GENERAL INFORMATION


The QUADREL SP Pendant Light combines architectural precision with contemporary minimalist elegance. Featuring a distinctive square aluminum frame with clean geometric lines and an integrated illuminated acrylic diffuser, the fixture creates a refined floating effect. Its slim profile and continuous perimeter illumination emphasize the purity of its architectural form while providing comfortable, evenly distributed downward lighting. Available in multiple sizes, QUADREL SP is ideal for modern offices, conference rooms, dining areas, restaurants, boutique hotels, and sophisticated residential interiors.



## SPECIFICATIONS

|                    |                                  |
|--------------------|----------------------------------|
| Material           | Aluminum, Acrylic                |
| Lens               | Acrylic                          |
| Profile Length     | 11.8" / 23.6" / 47.2"            |
| Profile Width      | 11.8" / 23.6" / 47.2" / 94.5"    |
| Profile Height     | 3"                               |
| Input Voltage      | 110-277V, 50-60 Hz               |
| Light Source Type  | LED                              |
| Power              | 15W / 40W / 80W / 160W / 320W    |
| LED Output         | 105 lm/W                         |
| CCT                | 3000K / 3500K / 4000K            |
| CRI                | 80 / 90                          |
| Dimming & Driver   | Integral, 0-10V                  |
| Light Distribution | Direct, Diffused                 |
| IP Rating          | IP 20                            |
| Warranty           | 5 years                          |
| Finishes           | White / Black<br>23 RAL finishes |

## OTHER VERSIONS AVAILABLE



## CERTIFICATION



Project

Notes

## Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

| Code                                                                                                                | Length / Width / Wattage / Lumens                                                                                                                                                                                                                                                                                                                                                                                                               | CCT                                                                                                                                                                                                                    | Dimming                                                                                                                                                  |
|---------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> <b>QDR-SP</b><br>Pendant                                                        | <input type="checkbox"/> <b>11</b><br>11.8" / 11.8" / 15W / ↓1,575 lm<br><input type="checkbox"/> <b>23-23</b><br>23.6" / 23.6" / 40W / ↓4,200 lm<br><input type="checkbox"/> <b>47-23</b><br>47.2" / 23.6" / 80W / ↓8,400 lm<br><input type="checkbox"/> <b>47</b><br>47.2" / 47.2" / 160W / ↓16,800 lm<br><input type="checkbox"/> <b>94</b><br>94.5" / 47.2" / 320W / ↓33,600 lm<br><input type="checkbox"/> <b>CUS</b><br>Custom on request | <input type="checkbox"/> <b>30</b><br>3000K<br><input type="checkbox"/> <b>35</b><br>3500K<br><input type="checkbox"/> <b>40</b><br>4000K<br><input type="checkbox"/> <b>CUS</b><br>Custom on request                  | <input type="checkbox"/> <b>NN</b><br>Non-Dimmable<br><input type="checkbox"/> <b>DM</b><br>0-10V                                                        |
| CRI                                                                                                                 | Profile Finish Option                                                                                                                                                                                                                                                                                                                                                                                                                           | Canopy Finish Option                                                                                                                                                                                                   | Cord Finish Option                                                                                                                                       |
| <input type="checkbox"/> <b>CR8</b><br>80<br><input type="checkbox"/> <b>CR9</b><br>90                              | <input type="checkbox"/> <b>ST</b><br>Standard<br><input type="checkbox"/> <b>WE</b><br>Wood effect<br><input type="checkbox"/> <b>RAL</b><br>RAL finishes<br><input type="checkbox"/> <b>CUS</b><br>Custom on request                                                                                                                                                                                                                          | <input type="checkbox"/> <b>ST</b><br>Standard<br><input type="checkbox"/> <b>WE</b><br>Wood effect<br><input type="checkbox"/> <b>RAL</b><br>RAL finishes<br><input type="checkbox"/> <b>CUS</b><br>Custom on request | <input type="checkbox"/> <b>SVW</b><br>White<br><input type="checkbox"/> <b>SVB</b><br>Black<br><input type="checkbox"/> <b>CUS</b><br>Custom on request |
| Cord Length                                                                                                         | Mounting                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                        |                                                                                                                                                          |
| <input type="checkbox"/> <b>L60</b><br>60" (adjustable)<br><input type="checkbox"/> <b>CUS</b><br>Custom on request | <input type="checkbox"/> <b>CT</b><br>Central Canopy Suspension<br><input type="checkbox"/> <b>MO</b><br>Multi-Point Suspension                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                        |                                                                                                                                                          |

Project


Notes

# Finishes


## Standard finishes




## RAL finishes



## Wood-effect finishes



## Cord finishes



DBI  
MILK

**RAL K7 CLASSIC COLORS (80-95% GLOSS):** RAL\_ \_ \_ \_

All RAL Classic colors are available.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

