

FREE

millboard®

Live. Life. Outside.

Get inspired!
**12+ Colours
Cladding + Decking**

[Request Free Samples](#)

The world's finest 100% wood-free composite

In this issue
**We take a
look at:**

NEW Modello Decking
**New board style with
inlay, Linear & Contour**

Feature Project
**'The Shack'
Soffit Cladding**



The world's most advanced composite decking. Virtually maintenance free.



The perfect deck.

Enhance your outdoors with the beauty of nature but the performance of contemporary outdoor flooring. Millboard decking is unlike conventional composite decking. Hand-moulded from natural timbers in a unique combination of resin and mineral stone, it is almost indistinguishable from real wood, yet designed to outperform it.

Key Features



Made & designed in England for outstanding quality and reliability



UV & weathering stability. Tested at temperatures from -20° to 70°



Certified for Australian Bushfire Resistance - BAL A19



Splinter-free. Millboard does not contain any wood so no splinters



Stain resistant. Non-porous, so will not absorb dirt, drinks, food, fats etc



Certified P5 Anti-Slip. Millboard achieves Australia's highest slip resistance



Resistant to algae. Unlike wood, there is no protein content to assist algal growth



Environmentally friendly. No trees are cut down to make Millboard



Moulded from real oak for incredibly realistic finish. Not extruded like plastics



Low maintenance. Millboard never needs to be oiled or sealed



Does not warp or rot. No timber content that will rot or can be eaten by insects



'Lost Head' hidden fixing using DuraFix stainless steel trimhead screws

Who is Millboard?

Millboard® is made and designed by The Millboard Company Pty Ltd in England. A family-run business, the company has been marrying British craftsmanship to the inspiration of nature since 1976. Millboard decking demonstrates the company's commitment to quality and visual distinction. In 2022 The Millboard Company celebrated the 15 Year Anniversary of the release of Millboard into the UK market - Truly standing the test of time.

Approved Global Distributors

Millboard approved global distributors provide a way for international customers to live life outside. From the heat and extreme temperature changes of Western Australia, to the freezing temperatures of a Russian winter. In Australia Millboard is imported by Concept Materials, the approved Global Distributor for Australia since 2012. Working in partnership with Timber Distributors we supply

and promote Millboard® decking to the Australian market and are responsible for producing this magazine featuring local content.

Wherever you are in Australia please contact us on 1300 626 273 or www.conceptmaterials.com.au Our team look forward to helping assist in achieving your outdoor dream.



What is Millboard?

Millboard is a resin mineral composite, cast from the natural beauty of real wood and crafted with the high performance of polyurethane & fibreglass - materials widely recognised for their strength. Polyurethane is used in many industries where durability and strength is required, eliminating the inevitable rotting, warping and deterioration of natural wood. Millboard maintains a functional and highly attractive deck for years to come.

Tough

The unique Lastane® layer resists scratches and stains and is designed to withstand more demanding outdoor environments than timber can.

Enduring

The dual-tone surface layer is hand coloured using pigments designed to improve resistance to sun damage and fading

Beautiful

Each length is hand moulded using specially selected timber masters for an unrivalled organic wood-grain appearance in a composite material.

Safer

Millboard is wood-free and non-porous, which means high resistance to algae growth and excellent anti-slip properties.

Stronger

The structural core is a blend of natural minerals bonded in a polymer resin with long fibre reinforcement for added strength.

Durable

Millboard decking is solid, not hollow. This makes it strong and means it won't warp, rot or harbour insects and pests like timber would.



Enhanced Grain

176mm x 32mm x 3600mm







126mm x 32mm x 3600mm

Millboard Enhanced Grain collection is moulded from selected smooth timber that provides a stylish dignity, with hand colouring recreating the subtle nuances that only natural wood can give. Highly durable with exceptional anti-slip properties, each of the shades showcase the grain beautifully.



Now available in
two widths.





These swatches are representative only; due to the replications of natural hardwood the complete deck may have slight variations in colour tone and graining. We recommend requesting a free sample so you can see the colours in real life.



millboard®

Live.Life.Outside.



Smoked Oak

Enhanced Grain

Size: 176mm x 32mm x 3600mm

Size: 126mm x 32mm x 3600mm

Colour Type: Standard

Timeless appeal & Enduring Beauty.

One of the most popular colours in the range - Smoked Oak is a classic silver grey ideal for contemporary & coastal settings. Recreating the nuanced look of time seasoned hardwoods without the wait. Unlike real timber Millboard won't warp, rot or splinter and never needs to be oiled or sealed so you can enjoy your deck for years to come.



Smoked Oak

Enhanced Grain

Size: 176mm x 32mm x 3600mm

Size: 126mm x 32mm x 3600mm

Location: Kiama NSW

Photographer: Sue Ferris



millboard®

Live.Life.Outside.



Get the grey look from day one.

Allowing quality hardwoods such as Spotted Gum to weather off in the sun and turn silver grey can be a slow and treacherous process. Timber may look patchy as it gradually leaches brown tannins (potentially staining nearby areas) and covered or shaded areas may not go uniformly grey. Then your unprotected grey deck can go too far, suffering from mould, splinters, rot etc...


Avoid the hassle! Get the look and virtually maintenance free with Millboard Smoked Oak.

Left: Overlooking the southern ocean this pool deck features glass balustrade and an infinity edge.

Right: Miami beach vibes by Adelaide Pool Patrol.

Below: Pools big and small - this suburban backyard pool punches above with careful landscaping, neatly enclosed using Millboard Fascia. Install by Cronulla Pools NSW.



A high-angle photograph of an outdoor dining area. In the foreground, a wicker chair with a light blue cushion is positioned next to a table. The table has a light blue tablecloth and a white plate with a yellow lemon wedge. In the background, another similar chair and table are visible. The floor is made of dark grey wooden planks arranged in a herringbone pattern. The overall atmosphere is modern and sophisticated.

Antique Oak

Enhanced Grain

Size: 176mm x 32mm x 3600mm

Size: 126mm x 32mm x 3600mm

Colour Type: Premium

(Pictured Right)

Location: Narre Warren VIC

Designer: Creative Image Landscapes

Installer: Outdoor Spaces VIC

millboard®

Live.Life.Outside.



Introducing Antique Oak, inspired by the deep natural hues of tropical hardwood & historic timber flooring.

Reminiscent of fine hardwoods such as English Walnut or Mahogany enriched over years of care. Antique Oak boasts more tonal variation per individual board than any of the other colours in the Millboard range, providing a beautiful and organic look. Ideally suited for both heritage designs or to complement the new, bolder colour palettes of today's contemporary homes and gardens.

Realistic variation in colour.

One of Millboard's goals is that no two boards should be the same. The authentic hand colouring and secondary toning recreates the natural differences seen in timber. There may be variance within the same board or from board to board in colour tone. This means that samples cut from boards may vary from the general colour of the decking. Expect your boards to be unique!





millboard®

Live.Life.Outside.



Limed Oak

Enhanced Grain

Size: 176mm x 32mm x 3600mm

Size: 126mm x 32mm x 3600mm

Colour type: Standard

Location: Cottesloe Beach WA

Developer: Zorzi Builders

Photography: Joel Barbitta
D-Max Photography

Light & breezy Hampton-style.

Limed Oak Enhanced Grain decking offers a breathtaking mix of limestone colours with subtle crème hues. Add the perfect amount of sophistication to a hampton-style outdoor space - all while maintaining a relaxed, light and airy feel. Limed Oak also transitions seamlessly from indoor to outdoor spaces - complimenting many popular interior flooring choices and concrete aesthetics.

Main: Dream home at Cottesloe Beach WA featuring Limed Oak deck around pool with sunken seating area. Perfect for taking in the panorama oceanfront views.

This architectural home also features Millboard Burnt Cedar decking boards as vertical cladding to add contrast to the raw concrete aesthetic. Construction by HIA & Master Builder Award winning Perth based Zorzi Builders.

Limed Oak

Enhanced Grain

Size: 176mm x 32mm x 3600mm

Size: 126mm x 32mm x 3600mm

Colour Type: Standard

(Pictured Right)

Location: Burleigh Beach QLD

Builder: Hennessy Building
Projects

Design: BDA Architecture

Photography: Kristian van der Beek

millboard®

Live.Life.Outside.

Above: Features alternating pattern of
126mm & 176mm Enhanced Grain Boards

Coastal vibes, along the Burleigh canals.

PROJECT HIGHLIGHT



Stunning location, perfect for outdoor entertaining with the peace of mind Millboard decking provides.

Selamanya House can be found on the beautiful Burleigh canals, only minutes from Burleigh Beach on the Gold Coast QLD. This architecturally designed home features a modern design that plays on the simplicity of the expression of materials, structure and form. A simple material palette of weatherboards, stone, timber screens and large glazing panels create a luxury coastal feel.



Three hampton tones, find your perfect deck.

[Request free samples online.](#)



Enhanced Grain - Limed Oak

15

Ashwood

Enhanced Grain

Size: 176mm x 32mm x 3600mm

Size: 126mm x 32mm x 3600mm

Colour Type: Premium

(Pictured Left)

Location: Woronora NSW

Builder: Venom Construction

millboard®

Live.Life.Outside.






Designer looks, our most requested new colour is here.

Nestled impossibly between the white hampton hues of Limed Oak and the warm sandy tones of Golden Oak - Ashwood offers a Scandinavian timber feel. Effortlessly complimenting a range of popular stone finishes, native coastal plantings and olive greens. Low-maintenance yet natural and architectural in it's feel. Ashwood's subtle refinement creates an impression, adding sophistication to the space.



Design by
Stephanie Micoud

ADHRA Deck of the Year
Winner: South Sea Decking



Bottom: Credit to The Great Outdaws Landscaping,
Adelaide SA. Photography by Jim Dawson.

Golden Oak

Enhanced Grain

Size: 176mm x 32mm x 3600mm

Size: 126mm x 32mm x 3600mm

Colour Type: Standard

Location: Auchenflower
Brisbane QLD

Installer: Q1 Projects



“With limited outdoor space available, a new deck became the perfect solution for creating an additional living and entertaining area. Millboard decking was the obvious choice, seamlessly complementing the home’s internal oak flooring while delivering the warmth and beauty of timber without the ongoing maintenance. The result is a cohesive indoor-outdoor space that maximises every square metre and enhances the home’s contemporary design.”

Hayley Farmer - Q1 Projects

millboard®

Live.Life.Outside.



Left/ Above: Perched on a steep, compact block, this renovation and extension transformed a challenging site into a functional and inviting family home. Courtesy of Q1 Projects.

Middle: Did you know Millboard can even be used on boats? Pictured above middle is the SEADECK Sydney, making berth on Sydney Harbour. Top right is the Lilypad Palm Beach floating villa - an truly indulgent getaway! Masterfully installed by Tactical Carpentry.

Below: True master craftsmanship on display here. Sunken curved seating. Courtesy of Forte Flooring NZ.

Golden Oak
is a versatile classic.
With an enduring light
blonde timber aesthetic,
like blackbutt or teak,
with a soft sandy hue.



millboard®

Live.Life.Outside.

Golden Oak

Enhanced Grain

Size: 176mm x 32mm x 3600mm

Size: 126mm x 32mm x 3600mm

Colour Type: Standard

(Pictured Left)

Location: Kangaroo Valley NSW

Architect: Scott Buscall
Design Studio Group



millboard®

Live.Life.Outside.

PROJECT HIGHLIGHT

Embrace panoramic tranquillity,
Architect designed home Mountain Springs,
Kangaroo Valley NSW.

Circled by the undulating Barrengarry mountain ranges, this stunning luxury home is designed to fully live within the surrounding landscape. Featuring a beautiful wrap-around deck in the Golden Oak that instantly becomes a showpiece of the home. The light timber tones recreate the look of popular blonde hardwoods such as teak or blackbutt. Seamlessly transitioning from indoors to outdoors, the deck areas open up almost every room around the house. Combined with a cantilevered roof for a covered space, the design blends nature & architecture, with functionality & low maintenance.

Architect: Scott Buscall of Design Studio Group



Penthouse apartment overlooking Noosa QLD -
Courtesy of Renegade Design Studio. Photo by Emma Bourn.

Brushed Basalt

Enhanced Grain

Size: 176mm x 32mm x 3600mm

Size: 126mm x 32mm x 3600mm

Colour Type: Standard

(Pictured Right)

Location: Lake Macquarie NSW


Install: Norm Jones

Photography: Joshua Glover

Optional Finish: Mitred Borders & Alternate Patterns

Size: 126mm x 32mm x 3600mm


Check out these ideas for a unique deck layout using a mix of 176mm & 126mm boards.





Brushed Basalt
is a dark stormy
grey with a subtle
blue hue. Modern
& on-trend.

Whatever the season, you can never underestimate the feeling outside space provides. With grey the colour of choice for today's cutting-edge homes, Brushed Basalt is designed to compliment contemporary lifestyles. Finished using a unique brushed process to mimic painted wood (but that never needs to be painted!). For a surface that's satisfyingly dull, not artificially shiny. Perfect for seamless transitions between indoor and outdoor spaces with its tasteful interior styling.



Coppered Oak

Enhanced Grain

Size: 176mm x 32mm x 3600mm

Size: 126mm x 32mm x 3600mm

Colour Type: Standard

Location: Brookfield QLD

Architect: Dion Seminara Architecture

Supplied by: East Coast Decking Sales



millboard®

Live.Life.Outside.



A beautiful, traditional tawny brown.

Reminiscent of high-quality hardwoods such as Ipe and Teak, Millboard Coppered Oak decking presents an incredible realistic look that captures the warmth & charm of the original. Yet, unlike traditional timber, Millboard is virtually maintenance free and never needs to be oiled or sealed. Suitable for modern or classic homes, Coppered Oak is a definitive hue that is always in style.

Left: This amazing multi-generational home by Dion Seminara Architecture embraces outdoor living and low maintenance, freeing up time for the more important things like family & friends.

Right: Stunning design by Project Artichoke in Adelaide SA. Photography credit to Kerri Fennell



Coppered Oak

Enhanced Grain

Size: 176mm x 32mm x 3600mm

Colour Type: Standard

Location: Toowong QLD

Developer: Mosaic Property Group

Architect: DKO

Rooftop Install: Greenscope Building



COMMERCIAL PROJECT HIGHLIGHT

The Prescott - By Mosaic

High rise rooftop overlooking the Brisbane skyline, this 100 residence project offers a new standard for inner-city living. Featuring rooftop resort style pool, dining and relaxation areas.

“Working with Mosaic on The Prescott was an absolute pleasure. Delivering a luxury rooftop space requires a sharp eye for detail, careful planning and uncompromising quality. We are proud to have contributed to a project where great design, premium materials and quality workmanship came together so well.”

Erkan (Greenscope Managing Director)



millboard®

Live.Life.Outside.

DuoLift™

Modular Joist Cradles by Millboard®
for Ultra Low Height Decks



Clicks into place

DuoLift 15-60mm Modular Joist Cradles

The base cradle is height adjustable. Joists sit inside and can be fixed at the screw tabs. Extensions pict. below are optional and only needed for when greater height and function is required.



Twist-lock

DuoLift Self-Levelling Joint 20mm

Clip in to add 20mm height and up to 5° degrees of slope correction. Must be used before Riser or Foot can be added.



Twist-lock


DuoLift Riser 45mm

Twist on to add a further 45mm height. Up to 2 risers may be used before we recommend adding a DuoLift Foot.



DuoLift Foot 45mm

Twist on the Foot to distribute load, allowing up to 5 Risers to be used (up to max 350mm overall height.)



Acoustic Separation Pad 3mm


Cork & rubber pad offers a layer of protection between joist cradles & waterproof membranes, in addition to acoustic dampening properties.

Recommended for:
Low-height decks,
installs over concrete
& waterproof
membranes.

Size: 15-60mm DuoLift Joist Cradles
Modular range extendible up to 350mm height.

Rated for both residential and commercial application loads - DuoLift offers a comprehensive solution for subframes where height is restricted or there is waterproofing that prevents the use of traditional substructures.

Frequently used in rooftop decks and balconies to protect membranes, DuoLift also excels in alfrescos and courtyards where available height to door thresholds is minimal; Requiring only 15mm + joist height effectively eliminating the need for bulky bearers and stumps. Combine with LOWDECK H4 joists for the best results.



Burnt Cedar

Enhanced Grain

Size: 176mm x 32mm x 3600mm

Size: 126mm x 32mm x 3600mm

Colour Type: Premium

Location: Como WA

Design: Avera Homes

Photography: Joel Barbita

D-Max Photography



millboard®

Live.Life.Outside.

Burnt Cedar, a flame kissed charcoal.

Leaning on the dark charcoals of the Japanese Yakisugi style (also known as Shou-Sugi-Ban) the Burnt Cedar colour recreates the look of cedar that has been flame sealed. This modern look melds ancient tradition and is popular for both decking and cladding.



COMMERCIAL PROJECT HIGHLIGHT

Stunning rooftop bar boasting the best view of Sydney and viewing deck to match.

Located on the top most level of the Intercontinental Hotel in Sydney's CBD, Aster Bar boasts not only expansive views of Sydney Harbour and beyond, but fine dining, drinks and feeling of being on top of the world. Architecturally designed by global architecture studio Woods Bagot and installed by Built. Photography by Joshua Glover.



Garden beds don't
need to be boring -
South Sea Decking



Ebony Grey Enhanced Grain

Size: 176mm x 32mm x 3600mm

Size: 126mm x 32mm x 3600mm

Colour Type: Premium

Location: North West Brisbane QLD

Builder: Green Side Up
Landscapes

Supplied by: East Coast Decking Sales



millboard®

Live.Life.Outside.

Introducing Ebony Grey. Dark yet warm, low-maintenance yet natural.

The Earthy hues of Ebony Grey fit perfectly into any retreat-style outdoor space due to its richness and depth in colour and grain. Combining just the right amount of grey and brown tones, Ebony Grey can make any home feel closer to nature.

Left: Incredible work by Green Side Up Landscapes in Upper Kedron QLD. The Ebony Grey was chosen to create a warm contrast to the colours of the home and pop against the considered plantings of Australian natives, coastals and ferns. Completely transforming this backyard space into a centrepiece of the home.



Jarrah

Enhanced Grain

Size: 176mm x 32mm x 3600mm

Colour Type: Standard

Location: Adelaide SA

Builder: Creative Outdoors

Location: Sydney NSW

Builder: Fairlie Good
Constructions



millboard®

Live.Life.Outside.



Warm, earthy tones inspired by the real thing.

Millboard Jarrah decking offers a rich, rust-red hue inspired by the native Australian Eucalyptus tree of the same name. Jarrah has a deep warmth that feels at home in a variety of situations. Rather than cut down these old giants Millboard recreates this popular hardwood look - without the regular cost & upkeep of oiling and sealing.

Above: The ultimate alfresco living area complete with fire place, sports entertaining, outdoor kitchen and built in BBQs. Designed and installed by Creative Outdoors.

Left: Beautifully installed Jarrah decking and 150mm Bullnose boards for the entry steps to this home in Sydney. Installation expertly carried out by Fairlie Good Constructions.

Finishing Accessories

The Millboard range includes special finishing accessories that can take your project to the next level. Including rolled face Bullnose Boards which are perfect for stairs, bench seating and framing the perimeter of the deck. There are also flexible versions available for curved decks as well as Fascia boards for screening or enclosing the deck.

Millboard recommends that these purpose-made edgings are fitted to all steps and perimeters of the deck, as they're coated with extra Lastane for added resilience on these areas.



Smoked Oak - Bullnose Boards



Limed Oak

150mm Bullnose Board

Size: 150mm x 32mm x 3600mm

Profile: Rounded Bullnose


Finish: Enhanced Grain

Uses: Edging, Mitred borders
Leading Stair Treads

Below: "Millboard decking at it's finest." Masterful Limed Oak install at inner city Potts Point in Sydney by the innovative team at 5 Star Decking. Photo courtesy of www.5stardecking.com



Bullnose Profile



Recommended for: Stairs, Borders & Bench Seating

Size: 150mm x 32mm x 3600mm
Available in all Enhanced Grain colours

Millboard's Bullnose boards are perfect for stairtreads, framing the decking within a border, bench seating, planter boxes and more. Providing additional durability and an unmatched level of distinction to any project.

Bullnose Board - Limed Oak

35

146mm Fascia Board

Size: 146mm x 16mm x 3600mm

Finish: Enhanced Grain

Uses: Screening, Stair risers,
Enclosing decks



Left: Stunning herringbone screening design using the Golden Oak Fascia takes centre stage, perfectly complementing the decking. The fascia's natural beauty and exquisite craftsmanship draw the eye and create a truly captivating atmosphere.


Design by Urbane Projects, photography by Joe Baritta, D-Max Photography located in Applecross WA.



Optional Finish: Screening

Size: 146mm x 16mm x 3600mm
Available in all colours

Millboard Fascia board are perfect for stair risers, privacy screening or enclosing in decks. They can also be curved for architectural applications.



Courtesy of
Stilus Design & Construction

Fascia - Golden Oak

Recommended for: Curves

Size: 50mm x 32mm x 2400mm
Available in all colours

Millboard's Flexible Edging is perfect for curved edges and available in two profiles, a rounded Bullnose finish and more modern Square Edge. Ideal for step treads, framing the deck in a border, bench seating, planter boxes and more. Can also be used along straight edges.



Left: Golden Oak Flexible Edging in the bull-nose profile creates a unique curved step.
Top: Antique Oak Flexible Edging in the Square profile.

Below: The Flexible edging looks stunning when combined with the Weathered Oak decking, Masterful installation by Deck.me.uk.



50mm Flexible Edging

Size: 50mm x 32mm x 2400mm

Profile: Bullnose or Square
Finish: Enhanced Grain
Uses: Edging, Curves

Vintage Oak

NEW

200mm Lasta-Grip

Size: 200mm x 32mm x 3600mm

Profile: Integrated Grip Strips
Finish: Enhanced Grain
Uses: Jetties / Wharf, Ramps
Aged Care, Feature Border

Optional Finish: Extra Grip

Size: 200mm x 32mm x 3600mm
Available in Coppered Oak & Golden Oak only

The beautiful wood grain is still clearly evident between the integrated grip strips. Although both the Enhanced Grain & Weathered Oak standard decking profiles are already P5 Anti-Slip rated - if you need extra safety and assurance, Lasta-Grip is the perfect solution.

Golden Oak

Coppered Oak

Quick & easy fixing solution for a clean finish.

This innovative tool provides a quick and easy solution to fix the boards from the side, resulting in a clean, hidden fixing finish, keeping the face of the board clear of screw holes. This quality gives a clean look, even when used with lighter coloured boards.

To use, the Guide simply lays over the decking board and is adjustable to board widths of 145-200mm, making it compatible with Millboard decking boards, and even some softwood decking boards. When used in combination with Durafix® screws and the complimentary driver bit, the Guide aligns the screws perfectly and controls the fixing depth too, providing a 6mm spacing between boards.

NEW

OPTIONAL DuoFix Side-Fixing Guide





Watch the screws disappear!

Durafix® Screws provide a quick and easy fixing solution with their unique 'lost-head' hidden fixing. There's no need to pre-drill, countersink or use clip fixings, simply fix the boards in accordance with our installation guide. Once the screws have been applied, the innovative Lastane coating on the board flexes back over the screw-heads, leaving a minimal witness mark. The Durafix fixings can also be used with the DuoFix Side-Fixing Guide for a clean, hidden finish.



CHECK
OUT
THE
VIDEO

← SCAN QR

Durafix® Stainless Steel Screws

Size: 60mm x 4.5 gauge Box of 250
Size: 45mm x 4.5 gauge Box of 250
Size: 35mm x 4.5 gauge Box of 100

Profile: Twin-Grip
Grade: 304 Stainless

timberdistributors.com.au/millboard/fixings.html



Weathered Oak - Vintage Oak

Weathered Oak

200mm x 32mm x 3600mm

Beautifully aged and utterly timeless, Millboard's Weathered Oak collection is moulded from 100-year-old reclaimed oak timber, and hand-coloured with authentic tones. Providing an instant worn look, it retains its natural beauty for decades and offers an almost maintenance-free surface with very high slip-resistance.



These swatches are representative only; due to the replications of natural hardwood, the complete deck may have slight variations in colour tone and graining.

Driftwood Weathered Oak

Size: 200mm x 32mm x 3600mm

Colour Type: Standard

Location: Nelsons Dockyard,
Antigua, Caribbean.

Supplied by: Living Style Antigua

The incredible silver
grey of sea, salt &
sun-drenched
100 year old timbers.

Millboard Driftwood recreates the incomparable look of sea-washed timber. The subtle grey hue and characterful texture lend an easy, relaxed style, ideal for laid-back coastal living. Driftwood is truly a one-of-a-kind decking.

Effortlessly able to craft a beach vibe and so realistic you may struggle to convince friends it isn't real timber. But unlike real timber Millboard will never split, warp or rot and it's best-in-class slip resistance makes it the perfect choice for marine applications.

millboard®

Live.Life.Outside.

PROJECT HIGHLIGHT

Melbourne's award-winning landscape designer Inge Jabara features Millboard Driftwood decking in her Show Garden design.

The Melbourne International Flower and Garden Show offers breathtaking floral displays and spectacular Show Gardens and 2023 was no exception.

Inge Jabara Landscapes featured the rustic Driftwood decking in her award-winning 'Lunaria Pods' show garden. The design, inspired by the Lunaria biennis plant, included bespoke garden statues and vibrant flora. The rustic, grey, sea-washed style of the Millboard Weathered Oak decking was used along the boardwalk that tied the three pod design together.

Photography by Saga Creative, Kendall Monk & Titus Dartnall





Raw & rustic aged timber look.

Weathered Oak Vintage is a bold, unique look that captures dark earthy tones & charm inspired by the worn wood of old railway sleepers. Perfect for country getaways or chic inner city spaces. Vintage has also proven a popular choice for landscaping, garden paths and walkways through the rainforest.

Pictured: This incredible garden by landscape designer Philip Johnson (of Chelsea Flower Show Best in Show 2013 award winning fame) was created with tranquillity and sustainability in mind. The raw & natural Vintage hues blend effortlessly with the native Australian planting. Decking install by Leisure Decking.

Vintage Oak Weathered Oak

Size: 200mm x 32mm x 3600mm

Colour Type: Standard

Location: The Basin Melbourne

Builder: Leisure Decking

Photography: Saga Creative
Kendall Monk



Carbonised Embered Weathered Oak

Size: 200mm x 32mm x 3600mm

Colour Type: Premium

Location: London UK

Design: Writtle College

Entry: 'Beyond the Wood'

millboard®

Live.Life.Outside.

Inspired by the dark charcoals of the Japanese Shou-Sugi-Ban tradition of flame sealing wood.

Left: Award winning Writtle College's 2015 London design - This incredible feature wall and with built-in alcoves and planters in the Weathered Oak Embered style has since inspired many to recreate the look.

Bottom: One such example from Newcastle NSW taking the finish to the next level with stainless steel built in BBQ and range hood contrasting spectacularly with the dark tones and green fern planting.

Below: Outstanding Embered pool deck by Aramus Living in NZ features 50mm Square Edging to create a defined & modern pool edge.

Right: Backyard Splashes bold use of the Embered decking around a spa taking advantage of the boards non-porous surface and high anti-slip rating.

Photo courtesy of www.backyardsplashes.com.au





MODELLO Linear - Golden Oak


MODELLO®

196mm x 32mm
x 3600mm

Introducing a new style of decking board - Modello® by Millboard is available in two distinct styles and 10 colours. The boards can be laid to create over 50 unique patterns. Endless design possibilities & customisation makes Modello a deck that leaves an impression.



Linear



Contour



MODELLO®

Contour

Size: 196mm x 32mm x 3600mm

Pictured Below & Far Right:
Ebony Grey laid in Pattern 11.11

millboard®

Live.Life.Outside.


Residential or Commercial - use Modello to elevate your next project to a showstopper.

Drawing from the graceful arcs of nature, the Contour pattern introduces a soft and organic flow to decking design.

Inspiring movement and fluidity, the Contour pattern excels in zonal areas, feature inlays, or as a striking centrepiece for a full deck. Its distinctive curvature adds a sense of depth and artistry, making your outdoor environment truly one of a kind.



Pattern 11.3
Golden Oak (Pictured)



Pattern 11.11



MODELLO®

Linear

Size: 196mm x 32mm x 3600mm

Pictured Right:

Limed Oak laid in Pattern 1.16

(See pattern book at millboard.com)

Pictured Bottom / Page 48-49:

Golden Oak laid in Pattern 1.3



For a deck that's as individual as you.

The Linear pattern captures the precision and harmony of geometry, bringing a sleek and structured aesthetic to any outdoor space. Perfect for modern designs, its clean lines create a sophisticated canvas for decking projects. Whether used as a seamless full-deck layout, to delineate zones, or as an elegant inlay feature, the Linear style offers endless versatility. Modello's Linear pattern invites creativity, transforming simple layouts into architectural statements.



Pattern 1.11
Antique Oak



Pattern 1.3

See the full range online.

www.millboard.com/modello



Modello Catalogue



Linear/Contour Installation Guide



Explore Pattern Possibilities

Frequently Asked Questions

Where can I use Millboard?

Millboard is extremely versatile and can be used in practically every outdoor space. Create decks, cladding, balconies, roof gardens, boardwalks, bridges, pontoons, seating, steps, screening, planters and more.

What does Millboard look like?

Its appearance is a highly convincing timber decking board, with realistic wood grain, tone and texture. This look is achieved through a process of hand-moulding genuine timber boards, which are then hand-tinted, making each piece of Millboard unique.

What is it made from?

Millboard is a composite material produced from polyurethane resin and mineral stone flour, more commonly referred to as a resin mineral composite (RMC). The RMC is reinforced with glass fibres for exceptional strength, and contains high-quality pigments and UV inhibitors for durability and lasting beauty.

Where can I see Millboard?

All around Australia there are places that you can see Millboard - Including full size decks at display homes, accessible commercial projects, public spaces such as council boardwalks, public and private schools as well as showrooms run by our retail partners that feature all the colours in the range. Contact us and we can let you know the nearest location.

What does 'Low Maintenance' or 'Virtually Maintenance Free' mean?

Unlike natural timber Millboard never needs to be oiled, sealed or sanded - ever. We don't say 'No Maintenance' because you will still want to give your deck an occasional clean to keep it looking fresh, but as Millboard is non-porous dirt/stains are not absorbed into the boards so usually just a light brush with some soapy water and a garden hose and you're done!

Is Millboard Anti-Slip?

Yes, all styles of Millboard achieve the highest anti-slip rating available in Australia even in wet conditions and is certified for P5 use. Report available to AS4586: 2013.

Are Millboard colours consistent?

As with all flooring, we advise buying all the Millboard you need at the same time to help ensure that the colour is as consistent as possible. If you don't order all your Millboard at once, you can blend different batches to create only subtle variation throughout your space.

Can Millboard be cut just like wood?

Millboard can be cut with standard saw blades, although we recommend a carbon-tipped, multi-purpose chop saw. As the formed end of the board is lost when cut, these can be placed in less visual areas against a wall or edging. Matching Touch-Up Coating for exposed ends is available to buy separately.

Does Millboard have a hidden fixing?

Yes, the DuraFix® stainless steel screws are designed specifically for Millboard and are designed to sink into the surface of the boards. There is no need to pre-drill or countersink Millboard and the unique Lastane® material self-heals, leaving a virtually indistinguishable mark on the surface. Hard to believe? Watch the video online to see in action. See www.timberdistributors.com.au/millboard/fixings.html

How do I clean Millboard?

Because Millboard is made of non-porous composite, it resists mossy build-up and stains, so needs very little maintenance. To remove spills and marks - or just generally give your deck a clean - simply use a mild detergent, garden hose and a brush. Steer clear of solvents, chemicals or abrasive cleaners that could damage your Millboard. Similarly, Pressure Washing is usually not necessary and may damage the boards at high pressure.

Does Millboard have a fire rating?

Yes - Millboard has been tested and certified in Australia for Australian Bushfire Resistance AS 1530.8.1 - 2007 - The boards achieve a BAL A19 Rating. Report available on request.

Is Millboard suitable for coastal environments? How will salt water effect Millboard decking?

Millboard is perfect for use in marine environments or by the beach. Salt water will not corrode Millboard decking.

Does Millboard fade?

Millboard has a very high resistance to fading, this is because it contains no wood fibres which typically fade and leach tannins. Millboard has been UV Stability tested to BS EN ISO 4892-2: 2006 with a result of 2% LRV (shift over 5000hrs) (Exceptional). In Australia's extreme conditions everything fades - both natural & man-made. With that said compared to timber or other composites - Millboard offers best-in-class outdoor performance.

Can Millboard be laid on the ground? Does it require minimum clearance?

Millboard is chemically inert & does not contain any timber so the boards will not absorb moisture, swell, warp or rot in the way that timber does. As such Millboard does not require any ventilation or minimum clearance from the ground making it perfect solution for ultra-low decks.

Can the Millboard be used on a flat roof or over balconies / concrete slabs with waterproof membranes?

Yes, Millboard is perfectly suited for use as roof decking. For a single ply membrane roof, use the Millboard DuoLift adjustable plastic pedestal system to avoid any point loading and raise the joists above any standing water, prolonging their life while also acting to reduce sound transfer. The DuoLift pedestal systems allow water to flow freely across and then off the roof membrane. Recommend using in combination with the LOW-DECK H4 Joists.

Can I get samples?

Absolutely - There's nothing quite like seeing Millboard for yourself. Let us know what your favourite colours or styles are and we'll post out a piece of each straight to your door - free of charge. We also have Architect Sample Packs available which have one of each colour in the complete range - Fantastic for showing clients. To order free samples simply call or contact us on online at: www.timberdistributors.com.au/millboard

Do you have official installers?

Yes - we do have Approved Millboard Installers. Get in touch with us to find an approved installer in your area who are very experienced working with Millboard. Contact us for more details below.

Does it expand and contract?

As Millboard is made from a resin mineral composition it is stable in comparison to timber or composites based on timber, the amount of movement that is acceptable is up to 0.2%. We recommend a 4mm gap between the sides of boards and a 1mm gap between the ends of boards, a 10mm gap should be left between the boards and any solid surface to aid drainage.

How much does Millboard cost?

Please contact us for pricing.

Phone: 1300 626 273

www.timberdistributors.com.au/millboard

Email: info@timberdistributors.com.au



1300 626 273

NSW, VIC, QLD, SA, ACT, TAS

timberdistributors.com.au/millboard

WA, NT: conceptmaterials.com.au



Enhanced Grain - Golden Oak

55

Millboard decking range at a glance...

Enhanced Grain

176mm x 32mm x 3600mm



Code	Size/Colour
MILDECEAO	176mm Enhanced Grain Antique Oak*
MILDECEAW	176mm Enhanced Grain Ashwood*
MILDECEBB	176mm Enhanced Grain Brushed Basalt
MILDECEBC	176mm Enhanced Grain Burnt Cedar*
MILDECECO	176mm Enhanced Grain Coppered Oak
MILDECEEG	176mm Enhanced Grain Ebony Grey*
MILDECEGO	176mm Enhanced Grain Golden Oak
MILDECEJA	176mm Enhanced Grain Jarrah
MILDECELO	176mm Enhanced Grain Limed Oak
MILDECESO	176mm Enhanced Grain Smoked Oak

*Premium pigment colours

Enhanced Grain

126mm x 32mm x 3600mm



Code	Size/Colour
MILDECSAO	126mm Enhanced Grain Antique Oak*
MILDECSAW	126mm Enhanced Grain Ashwood*
MILDECSBB	126mm Enhanced Grain Brushed Basalt
MILDECSBC	126mm Enhanced Grain Burnt Cedar*
MILDECSCO	126mm Enhanced Grain Coppered Oak
MILDECSEG	126mm Enhanced Grain Ebony Grey*
MILDECSGO	126mm Enhanced Grain Golden Oak
MILDECSLO	126mm Enhanced Grain Limed Oak
MILDECSSO	126mm Enhanced Grain Smoked Oak

*Premium pigment colours

Weathered Oak

200mm x 32mm x 3600mm



Code	Size/Colour
MILDECWDR	200mm Weathered Oak Driftwood
MILDECWEM	200mm Weathered Oak Embered*
MILDECWVI	200mm Weathered Oak Vintage

*Premium pigment colours

Lasta-Grip

200mm x 32mm x 3600mm



Code	Size/Colour
MILDELGCO	200mm Lasta-Grip Coppered Oak
MILDELGGO	200mm Lasta-Grip Golden Oak

Touch Up Coatings

500ml Tins



Code	Size/Colour
MILCOAT	500ml Tin
Available in all colours	

Bullnose Boards

150mm x 32mm x 3600mm



Code	Size/Colour
MILBB36AO	150mm Bullnose Board Antique Oak*
MILBB36AW	150mm Bullnose Board Ashwood*
MILBB36BB	150mm Bullnose Board Brushed Basalt
MILBB36BC	150mm Bullnose Board Burnt Cedar*
MILBB36CO	150mm Bullnose Board Coppered Oak
MILBB36EG	150mm Bullnose Board Ebony Grey*
MILBB36GO	150mm Bullnose Board Golden Oak
MILBB36JA	150mm Bullnose Board Jarrah
MILBB36LO	150mm Bullnose Board Limed Oak
MILBB36SO	150mm Bullnose Board Smoked Oak

*Premium pigment colours

Fascia Boards

146mm x 16mm x 3600mm



Code	Size/Colour
MILFAS6AO	146mm Fascia Board Antique Oak*
MILFAS6AW	146mm Fascia Board Ashwood*
MILFAS6BB	146mm Fascia Board Brushed Basalt
MILFAS6BC	146mm Fascia Board Burnt Cedar/Embered*
MILFAS6CO	146mm Fascia Board Coppered Oak
MILFAS6EG	146mm Fascia Board Ebony Grey*
MILFAS6GO	146mm Fascia Board Golden Oak
MILFAS6JA	146mm Fascia Board Jarrah
MILFAS6LO	146mm Fascia Board Limed Oak
MILFAS6SO	146mm Fascia Board Smoked Oak/Driftwood
MILFAS6VI	146mm Fascia Board Vintage

*Premium pigment colours

Bullnose Flexible Edging

50mm x 32mm x 2400mm



Code **MILBFLX** Available in all colours

Square Flexible Edging

50mm x 32mm x 2400mm



Code **MILBSQF** Available in all colours

DuraFix® Stainless Steel Trimhead Screws



Code	Size
MILFX35	35mm Box of 100
MILFX45	45mm Box of 250
MILFX60	60mm Box of 250

DuoFix Side-Fixing Guide Multi-spaces & Spare Drivers



Code	Size
MILDUOFIX	DuoFix Tool Inc. 1 Drillbit and 2 Multi-Spacers
MILDUOSPA	Set of 2 Spare Driver Bits
MILMULTISP	Bag of 10 Multi-Spacers

**Need help ordering?
Give us a call on 1300 626 273**




Photo courtesy of Forté Flooring NZ

See it, Feel it, Love it!

Where can I see Millboard?

Whether you're in Sydney, Melbourne, Perth, Brisbane, Adelaide or anywhere in between we can help you find the nearest place to see Millboard. In addition to a growing number of commercial and public installations where you can see a Millboard deck 'in the wild', many of our retail partners and recommended installers have showrooms which feature all the colours in the range. Contact us to find out more on 1300 62 62 73 or email us info@timberdistributors.com.au



Request Free Samples

Use the sample request form online or simply call us & let us know which colours & styles you'd like to see and we'll post them out free of charge.

Decking, cladding, or both!
We also have full Architect Sample packs available which have one of each colour in the range, perfect for showing clients.

What's next?

Find more resources online,
Request free samples or get in touch
with us about your next Millboard project.



Millboard Look Book



Millboard Installation Guide



Technical Specifications



Millboard Sustainability Guide



Test Reports - Bushfire Resistance
/ Anti-Slip Ratings



Millboard Installation Videos

www.timberdistributors.com.au/millboard
Call 1300 626 273 info@timberdistributors.com.au

LOWDECK



**FINALLY TIMBER BEARERS & JOISTS
MADE FOR **ULTRA LOW** DECKS.**

H4

ON GROUND
APPROVED

F7

STRUCTURAL
STRENGTH

2x

PRIMER
SEALED

50

YEAR TREATMENT
GUARANTEE*

**NEW Darker Colour
+ Bigger Spans**

*50 Year Limited Warranty on Koppers MicroPro® Wood Treatment Technology against rot & insect attack.

Why use LOWDECK?

Framing timbers on the ground or lower than 150 mm should be termite resistant and in-ground durability Class 1 or treated to **H4 or better**.

(Source: Technical Design Guide - Forest & Wood Products Australia - Domestic Timber Deck Design)



Treated to H4 with Koppers Micro® Timber Treatment Technology, Lowdeck is protected from fungal decay, termites and insect attack. Suitable for on ground use and supported by a treatment warranty of 50 years.

Engineered F7 structural grade and double sealed with a high-quality oil-based primer to provide further protection.

LOWDECK is an affordable, easy to work with alternative to steel or aluminium and is a smart upgrade from regular H3 Treated pine joists.



These environmental certifications have been awarded to Koppers MicroPro® Wood Treatment Technology

LOWDECK is made to last.

Joist, Bearer & Post Sizes

SIZES - H4 F7 Double Primed	3.6m	4.2m	4.8m	5.4m	6.0m
30 x 44 LOWDECK H4 Joists	●			●	
44 x 44 LOWDECK H4 Joists	●			●	●
68 x 44 LOWDECK H4 Joists	●		●	●	●
88 x 44 LOWDECK H4 Joists	●		●	●	●
138 x 44 LOWDECK H4 Joist/Bearer	●		●	●	●
188 x 44 LOWDECK H4 Joist/Bearer	●		●	●	●
88 x 65 LOWDECK H4 Joist/Bearer	●		●	●	●

SIZES - H4 GL8 Double Primed	2.4m	3.0m	3.6m	4.2m	4.8m	5.4m	6.0m
88 x 88 LOWDECK H4 Posts	●	●	●		●	●	●
115 x 115 LOWDECK H4 Posts	●	●	●		●	●	●
135 x 135 LOWDECK H4 Posts	●	●	●		●	●	●

Refer to AS/NZS1170 – Structural Design Actions for loadings and load combinations.
NOTE: Span information provided is strictly applicable to Structural F7 LOWDECK.
For GL8 LOWDECK refer to the spans on the website.
Look for the label below:



Joist Spans

Residential - Continuous across 2 or more spans			
Maximum span - Live Load 2.0kPa			
Size	Deck joist spacing		
	300	400	450
44 x 44*	400	400	350
68 x 44	1500	1200	1000
88 x 44	1950	1900	1550
138 x 44	3050	3000	2850
188 x 44	4100	4050	4000

*44x44 joists are to be continuous over 3 or more spans.

Commercial - Continuous across 2 or more spans			
Maximum span - Live Load 4.0kPa			
Size	Deck joist spacing		
	300	400	450
44 x 44*	400	400	350
68 x 44	1250	1000	850
88 x 44	1650	1430	1325
138 x 44	2650	2250	2100
188 x 44	3600	3100	2900

*44x44 joists are to be continuous over 3 or more spans.

Bearer Spans

Residential Deck Bearers - Continuous across 2 or more spans						
Maximum span - Live Load 2.0kPa						
Size	Bearer spacing (joist span) (mm) / Floor load Width					
	900	1200	1800	2400	3000	3600
2/138 x 44	2600	2400	2100	1800	1600	1500
2/ 188 x 44	3600	3400	2800	2400	2200	2000
90 x 65	1600	1400	1100	1000	850	800



For wholesale enquiries contact (02) 49 735544

Get the full Spans
& Specifications

www.timberdistributors.com.au/lowdeck

Scan or visit the website to see installation guides, full span tables including single spans +use as bearers for both residential and commercial use.



Millboard Envello Cladding

Each length of Millboard Envello cladding is the result of a long process of craftsmanship and attention to visual detail. Just like the specially selected Oak timbers used to create the unique moulds, the fine details and natural imperfections in the original timber has been recreated to be highly durable.




Antique Oak - Shadow Line+

Perfectly imperfect

From the initial laying of the elastomeric surface, right through to the pouring of the fibre-reinforced resin mineral, Millboard focuses on achieving a quality of finish, reflecting the true random and natural characteristics of the original timber.

Millboard's passion is to accurately reproduce the original whilst adding to the benefits of our unique board technology. This is why many of our processes are carried out manually. For example, each piece is hand coloured to establish the authentic wood finish our boards are renowned for.



Tough

The unique Lastane® layer resists scratches and is designed to withstand more demanding outdoor environments

Enduring

The dual-tone surface layer is hand coloured using pigments designed to improve resistance to sun damage and fading

Beautiful

Each length is hand moulded using specially selected timber masters for an unrivalled organic wood-grain appearance in a composite material.

Durable

Millboard cladding is solid, not hollow. This makes it strong and means it won't warp, rot or harbour insects and pests like timber would.

Lightweight

Our unique closed 'cellular' internal structure reduces weight while maintaining strength and increasing thermal performance.

Stronger

The structural core is a blend of natural minerals bonded in a polymer resin with long fibre reinforcement for added strength.

Wood free

Millboard cladding is wood-free and non-porous which, in comparison to timber, means there's no leaching or releasing of tannins to other surfaces.

Shadow Line+ Envello Cladding

Size: 200mm x 18mm x 3600mm

Installed cover: 181mm

Boards per m2: 1.53

Profile:



Ashwood - Shadow Line+

Natural timber grain & hand moulded details create elegance and distinction.

Millboard Envello Shadow Line+ has been designed to perfectly replicate smooth timber with a flat grained finish, giving a clean authentic look.

Shadow Line can be installed either vertically or horizontally. The increased width of the board allows the oak grain detail to come to the forefront. This gives an enhanced visual impact, without the risk of twisting or warping over time. Shadow Line+ boards are profiled with oblique angles giving visual definition to the individual grain patterns and allowing rain to run off.



FINISHING ACCESSORIES






Corners & Trims

Add a finishing touch to your Millboard Cladding project. With Millboard's specially designed edging profiles, the corners are dressed to make the whole project come together.

38mm x 38mm x 3050mm Internal Corner
50mm x 50mm x 3050mm External Corner




Envello® Shadow Line+



These swatches are representative only; due to the replications of natural hardwood, the complete cladding may have slight variations in colour tone and graining.

PROJECT HIGHLIGHT:

Bold, considered &
impossible to overlook.



millboard®

Cladding



‘The Shack’ Broadbeach Waters QLD.

Millboard Shadow Line cladding in Golden Oak creates a truly showstopping feature for this waterfront facade. The double-tiered alfresco ceiling, punctuated by a dramatic light void, is a masterpiece of sculptural form. Golden Oak’s natural coastal tones, authentic texture and rich grain elevate the soffit, while exceptional durability, longevity and low-maintenance performance ensure lasting appeal. Credit to Paul Uhlmann Architects; Built by HNKN, Install by Tom the Timberman, Supply & On-site technical support by East Coast Decking Sales.

The material story continues inside the custom wine cellar, where Antique Oak Shadow Line defines the ceiling and floor, complemented by Board & Batten walls. Together, the rich, dark oak tones create an intimate space filled with mood and character.





millboard®

Cladding

Envello® Shadow Line

Golden
Oak




Board & Batten+ Envello Cladding

Size: 200mm x 26mm x 3600mm

Installed cover: 181mm

Boards per m2: 1.53

Profile:



Sophisticated yet bold, Timber grain look.




The Millboard Board & Batten collection has been moulded from individual pieces of timber with a range of different masters, designed with differing angles to create shadow definition between the grain patterns. With a tongue and groove profile that only requires fixings through the tongue, the install time is dramatically reduced compared to the traditional method of timber batten-on-board cladding.

millboard®

Cladding

Golden Oak - Board & Batten+

Envello® Board & Batten+



These swatches are representative only; due to the replications of natural hardwood, the complete cladding may have slight variations in colour tone and graining.



Limed Oak - Shadow Line+




Antique Oak - Board & Batten+





Golden Oak - Shadow Line+

Envello® Board & Batten




Envello® Shadow Line



PROJECT HIGHLIGHT:

Timeless Elegance.

Architectural design meets modern living. Burnt Cedar Board & Batten takes this coastal home to the next level.




millboard®

Cladding

Burnt Cedar Shadow Line highlights the fascia eaves, perfectly framing the Board & Batten feature cladding.



Enjoying panoramic waterfront views - Millboard's Envello cladding range stands out from the crowd. The dark Burnt Cedar was a spectacular choice against muted concrete and hebel tones - adding vibrancy to the considered landscaping.





NEW
Modello & Cladding
ranges out now!

millboard®

Cladding

Millboard Australia
Call 1300 626 273
timberdistributors.com.au/millboard
(Western Australia/NT): **conceptmaterials.com.au**

Millboard is available Australia Wide. Due to printing restraints, and variation in lighting and replications of natural hardwood, actual colours may vary from those shown. Products, colours and sizes may change without notice. This publication may not be reproduced or copied without written permission from © 2026 Waverley Consulting Pty Ltd, The Millboard Company Ltd. Concept Products Pty Ltd

Scan Here
timberdistributors.com.
au/millboard

