

S-CAM SHAFTS



GAP Code	Type	WAP#	Spline	Effective Length	Dia. Of Bushing	CROSS REF	Application
908101	LH	WAE2479B	10	8-35/64"	1-1/2"	E-2479ALH / CS41028	Meritor 16-1/2" T&Q
908102	RH	WAE2478B	10	8-35/64"	1-1/2"	E-2478ARH / CS41029	Meritor 16-1/2" T&Q
908103	LH	WAE1774B	10	11-1/8"	1-1/2"	E-1774BLH / CS41014	Meritor 16-1/2" P&Q
908104	RH	WAE1773	10	11-1/8"	1-1/2"	E-1773BRH / CS41015	Meritor 16-1/2" P&Q
908105	LH	WAE1148C	10	11-33/64"	1-1/2"	E-1148BLH / CS41016	Meritor 16-1/2" P&Q
908106	RH	WAE1147C	10	11-33/64"	1-1/2"	E-1147BRH / CS41017	Meritor 16-1/2" P&Q
908107	LH	WAE2413	10	18-5/8"	1-1/2"	E-2413LH / CS41162	Multiple
908108	RH	WAE2412	10	18-5/8"	1-1/2"	E-2412RH / CS41163	Multiple
908109	LH	WAE685	10	21-1/8"	1-1/2"	E-685LH / CS41514	Multiple
908110	RH	WAE684	10	21-1/8"	1-1/2"	E-684RH / CS41515	Multiple
908111	LH	WAE4884	10	22-5/16"	1-1/2"	E-4884LH / CS41542	Multiple
908112	RH	WAE4885	10	22-5/16"	1-1/2"	E-4885RH / CS41543	Multiple
908113	LH	WAE1425A	10	20-7/16"	1-1/2"	E-1425LH / CS41506	Multiple
908114	RH	WAE1424A	10	20-7/16"	1-1/2"	E-1424RH / CS41507	Multiple
908115	LH	WAE2800	10	8-19/32"	1-1/2"	E-2800LH / CS41026	Eaton 16-1/2"
908116	RH	WAE2799	10	8-19/32"	1-1/2"	E-2799RH / CS41027	Eaton 16-1/2"
908117	LH	WAE1776	10	11-33-64"	1-1/2"	E-1776LH / CS41760	Eaton 16-1/2"
908118	RH	WAE1775	10	11-33-64"	1-1/2"	E-1775RH / CS41761	Eaton 16-1/2"
908119	LH	WAE2693	10	19-1/2"	1-5/8"	E-2693LH / CS41292	Eaton 16-1/2"
908120	RH	WAE2694	10	19-1/2"	1-5/8"	E-2694RH / CS41293	Eaton 16-1/2"
908121	LH	WAE4721	10	23-3/4"	1-5/8"	E-4721LH / CS41544	Eaton 16-1/2"
908122	RH	WAE4720	10	23-3/4"	1-5/8"	E-4720RH / CS41545	Eaton 16-1/2"
908123	LH	WAE1411	10	21-1/8"	1-1/2"	E-1411LH / CS41762	Spicer 12-1/4"
908124	RH	WAE1410	10	21-1/8"	1-1/2"	E-1410RH / CS41763	Spicer 12-1/4"
908125	LH	WAE1423	10	23-1/4"	1-1/2"	E-1423LH / CS41718	Spicer 12-1/4"
908126	RH	WAE1422	10	23-1/4"	1-1/2"	E-1422RH / CS41719	Spicer 12-1/4"
908127	LH	WAE1095	10	23-15/32"	1-1/2"	E-1095LH / CS41522	Multiple
908128	RH	WAE1094	10	23-15/32"	1-1/2"	E-1094RH / CS41523	Multiple

S-CAM SHAFTS



GAP Code	Type	WAP#	Spline	Effective Length	Dia. Of Bushing	CROSS REF	Application
908129	LH	WAE4717	10	24"	1-1/2"	E-4717LH / CS41524	Multiple
908130	RH	WAE4716	10	24"	1-1/2"	E-4716RH / CS41525	Multiple
908201	LH	WAE4731	28	13-13/64"	1-1/2"	E-4731LH / CS41568	Meritor 16-1/2" Q
908202	RH	WAE4730	28	13-13/64"	1-1/2"	E-4730RH / CS41569	Meritor 16-1/2" Q
908203	LH	WAE9659	28	11-13/64"	1-1/2"	E-9659LH / CS40182	Meritor 16-1/2" Q-Plus
908204	RH	WAE9660	28	11-13/64"	1-1/2"	E-9660RH / CS40183	Meritor 16-1/2" Q-Plus
908205	LH	WAE9661	28	11-19/32"	1-1/2"	E-9661LH / CS40184	Meritor 16-1/2" Q-Plus
908206	RH	WAE9662	28	11-19/32"	1-1/2"	E-9662RH / CS40185	Meritor 16-1/2" Q-Plus
908207	LH	WAE2441B	28	17-5/16"	1-5/8"	E-2441ALH / CS41504	Meritor 16-1/2" Q
908208	RH	WAE2442B	28	17-5/16"	1-5/8"	E-2442ARH / CS41505	Meritor 16-1/2" Q
908209	LH	WAE5506	28	17-5/16"	1-5/8"	E-5506LH / CS41110	Meritor 16-1/2" Q-Plus
908210	RH	WAE5507	28	17-5/16"	1-5/8"	E-5507RH / CS41111	Meritor 16-1/2" Q-Plus
908211	LH	WAE2443B	28	20-13/32"	1-5/8"	E-2443ALH / CS41526	Meritor 16-1/2" Q
908212	RH	WAE2444B	28	20-13/32"	1-5/8"	E-2444ARH / CS41527	Meritor 16-1/2" Q
908213	LH	WAE2445B	28	24-1/16"	1-5/8"	E-2445ALH / CS41758	Meritor 16-1/2" Q
908214	RH	WAE2446B	28	24-1/16"	1-5/8"	E-2446ARH / CS41759	Meritor 16-1/2" Q
908215	LH	WAE5510	28	24-1/16"	1-5/8"	E-5510LH / CS41114	Meritor 16-1/2" Q-Plus
908216	RH	WAE5511	28	24-1/16"	1-5/8"	E-5511RH / CS41115	Meritor 16-1/2" Q-Plus
908217	LH	WAE3854	28	20-3/8"	1-1/2"	E-3854LH / CS41053	Spicer 16-1/2"
908218	RH	WAE3855	28	20-3/8"	1-1/2"	E-3855RH / CS41052	Spicer 16-1/2"
908219	LH	WAE6884	28	22-13/16"	1-1/2"	E-6884LH	Spicer 16-1/2"
908220	RH	WAE6885	28	22-13/16"	1-1/2"	E-6885RH	Spicer 16-1/2"
908221	LH	WAE3856	28	23-1/2"	1-1/2"	E-3856LH / CS41164	Spicer 16-1/2"
908222	RH	WAE3857	28	23-1/2"	1-1/2"	E-3857RH / CS41165	Spicer 16-1/2"
908223	LH	WAE9733	28	20-7/16"	1-5/8"	E-9733LH / CS41416	Spicer 16-1/2" XL
908224	RH	WAE9734	28	20-7/16"	1-5/8"	E-9734RH / CS41417	Spicer 16-1/2" XL
908225	LH	WAE9735	28	23-9/16"	1-5/8"	E-9735LH / CS41420	Spicer 16-1/2" XL
908226	RH	WAE9736	28	23-9/16"	1-5/8"	E-9736RH / CS41421	Spicer 16-1/2" XL

S-CAM SHAFTS



GAP Code	Type	WAP#	Spline	Effective Length	Dia. Of Bushing	CROSS REF	Application
908227	LH	WAE5522	28	17-7/16"	1-1/2"	E-5522LH / CS41398	Spicer 16-1/2" XL
908228	RH	WAE5523	28	17-7/16"	1-1/2"	E-5523RH / CS41399	Spicer 16-1/2" XL
908229	LH	WAE5524	28	20-7/16"	1-1/2"	E-5524LH / CS41400	Spicer 16-1/2" XL
908230	RH	WAE5525	28	20-7/16"	1-1/2"	E-5525RH / CS41401	Spicer 16-1/2" XL
908231	LH	WAE9098	28	22-15/16"	1-1/2"	E-9098LH / CS41402	Spicer 16-1/2" XL
908232	RH	WAE9099	28	22-15/16"	1-1/2"	E-9099RH / CS41403	Spicer 16-1/2" XL
908233	LH	WAE5526	28	23-9/16"	1-1/2"	E-5526LH / CS41404	Spicer 16-1/2" XL
908234	RH	WAE5527	28	23-9/16"	1-1/2"	E-5527RH / CS41405	Spicer 16-1/2" XL
908235	LH	WAE9100	28	24-1/16"	1-1/2"	E-9100LH / CS41408	Spicer 16-1/2" XL
908236	RH	WAE9101	28	24-1/16"	1-1/2"	E-9101RH / CS41409	Spicer 16-1/2" XL
908301	LH	WAE1563	37	16-1/8"	1-5/8"	E-1563LH / CS41528	Fruehauf 16-1/2"
908302	RH	WAE1564	37	16-1/8"	1-5/8"	E-1564RH / CS41529	Fruehauf 16-1/2"
908303	LH	WAE2099	37	21-1/8"	1-5/8"	E-2099LH / CS41512	Fruehauf 16-1/2"
908304	RH	WAE2100	37	21-1/8"	1-5/8"	E-2100RH / CS41513	Fruehauf 16-1/2"
908305	LH		37	460	41	103413	FRUEHAUF
908306	RH		37	460	41	103403	FRUEHAUF
908307	LH		37	590	41	10376	FRUEHAUF
908308	RH		37	590	41	10375	FRUEHAUF
908309	LH		37	650	41	10407	FRUEHAUF
908310	RH		37	650	41	10406	FRUEHAUF
908311	LH		37	645	41	21521	FRUEHAUF
908312	RH		37	645	41	21522	FRUEHAUF
908313	LH		37	473	41	21510	FRUEHAUF
908314	RH		37	473	41	21511	FRUEHAUF
908315	LH		37	597	41	9010394	FRUEHAUF
908316	RH		37	597	41	9010395	FRUEHAUF
908401	LH		10	477	42	0509705090	BPW
908402	RH		10	477	42	0509705100	BPW

S-CAM SHAFTS



GAP Code	Type	WAP#	Spline	Effective Length	Dia. Of Bushing	CROSS REF	Application
908403	LH		10	585	42	0509705171	BPW
908404	RH		10	585	42	0509705181	BPW
908405	LH		10	625	42	0509705211	BPW
908406	RH		10	625	42	0509705221	BPW
908407	LH		10	731	42	0509705291	BPW
908408	RH		10	731	42	0509705301	BPW
908409	LH		10	641	42	0509705231	BPW
908410	RH		10	641	42	0509705241	BPW
908411	LH		10	676	42	0509705391	BPW
908412	RH		10	676	42	0509705401	BPW
908413	LH		10	603	42	0509705471	BPW
908414	RH		10	603	42	0509705481	BPW
908441	LH		8	640	38	9939408	ILASA
908442	RH		8	640	38	9939407	ILASA
908443	LH		8	480	38	9944408	ILASA
908444	RH		8	480	38	9944407	ILASA
908471	LH		10	505	45	3120012210	LECINENA
908472	RH		10	505	45	3120022210	LECINENA
908473	LH		10	662	45	3120072210	LECINENA
908474	RH		10	662	45	3120082210	LECINENA
908475	LH		10	625	45	3120032210	LECINENA
908476	RH		10	625	45	3120042210	LECINENA
908477	LH		10	645	45	3122022210	LECINENA
908478	RH		10	645	45	3122012210	LECINENA
908501	LH		19	242	42	62344210136	MAN
908502	RH		19	242	42	62344210236	MAN
908503	LH		26	540	42	81503010113	MAN
908504	RH		26	540	42	81503010112	MAN

S-CAM SHAFTS



GAP Code	Type	WAP#	Spline	Effective Length	Dia. Of Bushing	CROSS REF	Application
908531	LH		19	242	42	3354210336	MERCEDES
908532	RH		19	242	42	3345210436	MERCEDES
908533	LH		26	253	45	6254210136	MERCEDES
908534	RH		26	253	45	6254210236	MERCEDES
908535	LH		26	540	42	3464231136	MERCEDES
908536	RH		26	540	42	3464231236	MERCEDES
908537	LH		19	536	42	3354230236	MERCEDES
908538	RH		19	536	42	3354230336	MERCEDES
908561	LH		10	460	38	0601057	MONTENEGRO
908562	RH		10	460	38	0601056	MONTENEGRO
908563	LH		10	535	38	0601017	MONTENEGRO
908564	RH		10	535	38	0601016	MONTENEGRO
908565	LH		10	600	38	0601357	MONTENEGRO
908566	RH		10	600	38	0601356	MONTENEGRO
908601	LH		10	570	38	21205406	R.O.R.
908602	RH		10	570	38	21205407	R.O.R.
908603	LH		10	570	42	21202755	R.O.R.
908604	RH		10	570	42	21202754	R.O.R.
908605	LH		10	635	42	21224796	R.O.R.
908606	RH		10	635	42	21224795	R.O.R.
908607	LH		10	567	42	21221071	R.O.R.
908608	RH		10	567	42	21221072	R.O.R.
908609	LH		10	650	42	21219337	R.O.R.
908610	RH		10	650	42	21219338	R.O.R.
908611	LH		10	575	38	21220833	R.O.R.
908612	RH		10	575	38	21220834	R.O.R.
908625	LH		10	585	38	3262033101	SAF - SAUER
908626	RH		10	585	38	3262033201	SAF - SAUER

S-CAM SHAFTS



GAP Code	Type	WAP#	Spline	Effective Length	Dia. Of Bushing	CROSS REF	Application
908627	LH		10	573	38	3262025301	SAF - SAUER
908628	RH		10	573	38	3262025401	SAF - SAUER
908641	LH		10	635	41	M044465	SMB
908642	RH		10	635	41	M044473	SMB
908651	LH		10	580	38	1660000	TRAILOR
908652	RH		10	580	38	1659000	TRAILOR



广东盖普汽车配件有限公司

GUANGDONG GAP AUTO PARTS CO.,LTD

Address: 101,BLD#16, Huazhi Science and Technology Innovation Center,
Center, No 28 Sanle E. Rd, Beijiao,
Shunde, Guangdong 528311

Phones: +86 18602021144

Website: www.gapasa.com