EXPERIENCE THE FUTURE OF HOME MOBILITY TODAY



CONTACT US FOR A FREE CONSULTATION & DEMO

TOP-MECH ELEVATOR SDN. BHD.

Sunsuria Forum, No. C-G-02 & C-1-02, No. 1,
Jalan Setia Dagang AL U13/AL, Setia Alam, Seksyen U13,
40170 Shah Alam, Selangor, Malaysia
www.topmechelevator.my

Email: info@topmech.com.my Tel: +603 3291 2689 Mobile: +6012 797 5388

TOP-MECH ELEVATOR ELEVATING HEIGHTS. ESCALATING HORIZONS

Home Elevator

i520Pro-II i520S-G

A Promise Of Happiness For Your Family

XIZI ELEVATOR

Preface

XIZI Elevator Co., Ltd. is a comprehensive elevator manufacturing enterprise that integrates R&D, manufacturing, sales, installation, and after-sales service. Drawing on the four decades of elevator industry experience accumulated by the XIZI 157° brand, the company possesses three major platforms: a R&D center, a smart manufacturing center, and a quality inspection center. Guided by green manufacturing and intelligent digital technology, the company remains committed to its corporate mission of "creating infinite possibilities for building transportation."





The Minimalist Geometry - 235 Series



(Standard Decoration) Model: U-CR235-C

Front Wall:Light Yellow Silver Sand Panel
Ceiling: Mirror Stainless Steel Frame + Track
Lights + Recessed LED Strip
Side Walls:Light Yellow Silver Sand Panel
Rear Wall: Light Yellow Silver Sand Panel +
Stainless Steel Trim + Recessed LED Strip



Floor: White Slate Tile



(Optional Decoration) Model: U-CR235-A

Front Wall: Artistic Aluminum Decorative Panel
Ceiling: Mirror Stainless Steel Frame + Track
Lights

Side Walls: Artistic Aluminum Decorative Panel
Rear Wall: Artistic Aluminum Decorative Panel +
Stainless Steel Trim + Recessed LED Strip

Floor: Grey Slate Tile



* The pictures on this page are for reference only.

Wood Grain Style



(Standard Decoration)

U-CR223

Front wall: Hairline stainless steel

Ceiling: Round & square ceiling

Side walls: Mirror stainless steel + wood grain art plate.

Rear wall: Mirror stainless steel +wood grain art plate

Skirting line: Matteless black + welcome light

Floor: White marble

Recommended car door: Hairlines stainless steel





(Standard Decoration)

U-CR224

Front wall: Hairline stainless steel

Ceiling: Square ceiling

Side walls: Mirror stainless steel + wood grain art plate

Rear wall: Mirror stainless steel + wood grain art plate +

hidden light strip

Floor: Beige marble

Recommended car door: Hairline stainless steel





(Standard Decoration)

U-CR225

Front wall: Hairline stainless steel

Ceiling: Round & square ceiling

Side walls: Mirror stainless steel +wood grain art plate

Rear wall: Mirror stainless steel +wood grain art plate

Handrail: Mirror stainless steel


Floor: White marble

Recommended car door: Hairline stainless steel









Luxury Style



(Optional Decoration)

U-CR226

Front wall: Bronzed hairline stainless steel

Ceiling: Mirror stainless steel bronze plated frame

+ hidden light strip + downlight

Side wall: Leather pattern hard roll + hairline stainless steel

Back wall: Hairline stainless steel bronze plated decorative

Skirting line: Bronzed hairline stainless steel

Floor: Marble

Recommended car door: Bronzed hairline

stainless ste





(Optional Decoration)

U-CR227

Front wall: Rose gold mirror stainless steel

Ceiling: Rose gold mirror stainless steel frame

- transparent acrylic

Side wall: Leather hard roll + rose gold mirror stainless

Rear wall: Leather hard roll + rose gold mirror stainless

steel inlaid strip + decorative luminaire

Skirting line: Rose gold mirror stainless steel inlaid

strip + hidden light strip

Floor: Marble

Recommended car door: Rose gold mirror

stainless steel



Glass Style



U-CR228

Front wall: Black titanium sandblasted stainless steel

Ceiling: Starry sky ceiling

Side wall: Sandblasted stainless steel + Lacquered glass (Matte black)

Rear wall: Paint glass (Matte black) + sandblasted stainless steel frame

+ paint glass (warm white) + hidden sandblasted armrest + hidden light st

Skirting line: Sandblasted stainless steel + welcome light

Floor: Marble

Recommended car door:Black titanium sandblasted stainless steel



* The pictures on this page are for reference only.

Ins Style



Model: U-CR241

Ceiling: Round & Square ceiling

Front wall: Wood grain art plate(straight grain oak)

Side wall: Wood grain veneer (straight oak) + aluminum profile insert (dark gray)

Rear wall: White art plate (moonlight white) + aluminum profile insert (dark gray)

+ splicing art plate (moonlight white splicing Cara gold marble)

Handrail: Champagne gold hairline stainless steel square handrail + hidden light strip

Floor: Marble





Model: U-CR240

Ceiling: Mirror stainless steel frame + strip floodlights

+ hidden light str

Front wall: Wood grain art plate (zebra walnut)

Side wall: Wood grain art plate (zebra walnut)

Rear wall: Wood grain art plate (zebra walnut) + mirror stainless steel with titanium black insert + hidden light strip + marble art plate (cara gold marble) + curved art

Floor: Marble (black and white)





Model: U-CR257

Ceiling: Positive white art steel plate + black trim frame

potlight + hidden light stric

Front wall: Original color anti-fingerprint sandblasted

nless steel

Side wall: Elegant light fabric art plate

Back wall: Elegant light fabric art plate + yellow and white oak art plate + hidden light strip (rounded corner transitions

at side and rear wall junctions)

Handrail: Black titanium hairline stainless steel

- hidden light strip

Floor: Art slate tile



* The pictures on this page are for reference only.

07

Modern Style



Model: U-CR258

Ceiling: Rose gold mirror stainless steel + spotlight

+ hidden light strip

Front wall: Rose gold sandblasted color plated anti-fingerprint stainless steel

Side wall: Elegant walnut art plate + rose gold sandblasted color plated anti-fingerprint stainless steel Rear wall: Elegant walnut art plate + fish maw white

transitions at side and rear wall junctions)

Floor: Slate tile





Model: U-CR252

Ceiling: Rough textured leather + mirrored stainless steel with antique brass plated frame +transparent acrylic

Front wall: Mirror stainless steel plated bronze

Side wall: Rough textured leather + black perforated

breathable leather + stainless steel bronze insert + sandblasted titanium black stainless steel

Rear wall: Color-plated iridescent glass + hidden light strip

Handrail: Black perforated breathable leather + stainless

steet copper plated mental cap

Skirting line: Mirror stainless steel plated bronze

Floor: Light brown embossed cashmere carpet





Model: U-CR251

Ceiling: Apple sandblasted stainless steel + Apple sandblasted stainless steel insert

+ transparent acrylic

Front wall: Apple sandblasted stainless steel

Side wall: Apple sandblasted stainless steel + sandblasted stainless steel inserts

+ brushed and cross-grained stainless steel

Rear wall: Apple sandblasted stainless steel + sandblasted stainless steel insert

+ champagne gold brushed perforated stainless steel + transparent acrylic

+ brushed and cross-grained stainless steel (rear wall arc transition)

Skirting line: Champagne gold sandblasted stainless steel

Floor: Marble





Elegant Style



Model: U-CR253

Ceiling: Porcelain white brushed stainless steel plate

rose gold mirror stainless steel + hidden light strip

Front wall: Rose gold mirror stainless steel

Side wall: Porcelain white brushed stainless steel plate

+ rose gold mirror stainless steel + iridescent glas

Rear wall: Rose gold mirror stainless steel

+ gilt age slate til

Handrail: Rose gold mirror stainless steel
Floor: Marble





Model: U-CR254

Ceiling: Anti-fingerprint sandblasted stainless steel bronze

Front wall: Anti-fingerprint sandblasted stainless steel bronze plated

Side wall: Mirror stainless steel bronze plated

- + anti-fingerprint sandblasted stainless steel bronze plate
- + hidden light stri

Rear wall: Translucent marble + mirror stainless steel bronze

Handrail: Bronze aluminum oxidation

Floor: Marble





Warm Style



Model: U-CR255

Ceiling: Mirror stainless steel + mirror stainless steel plated bronze insert

+ transparent acrylic + hidden light stri

Front wall: Mirror stainless steel bronze plated

Side wall: Horizontal light wood grain solid wood panel

+ mirror stainless steel bronze plated inser

Rear wall: Vertical light wood grain solid wood panel + mirror stainless

Handrail: Concave mirror stainless steel bronze plated

+ hidden light strip + leather wrappe

Skirting line: Mirror stainless steel bronze plated + hidden light strip

Floor: Marble





Ceiling: Warm white lacquered steel plate + spotlight

Front wall: Black titanium mirrored stainless steel

Side wall: Black lacquered steel plate frame + warm white lacquered glass

Rear wall: Black lacquered steel plate frame + warm white lacquered glass

Hermes orange nard teath

Handrail: Black lacquered steel plate frame + hidden light strip

Skirting line: Black lacquered steel plate

Floor: Marble





Simple



U-CR202



U-CR162





Neo-chinese Style



U-CR219-1





U-CR212



* The pictures on this page are for reference only.

U-CR161

U-CR205

Optional Flooring



U-FL101 (Carpet)



U-FL300



U-FL102 (Carpet)



U-FL301





U-FL091






















Human Interface

Rhyme Series

Interpreting minimalist aesthetics through curved lines



COP

Model: U-CF6000 Display: 4.3-inch TFT Display Buttons: Mechanical Buttons Panel: Glass

U-CF6000



LOP

Model: U-ZW6000 Display: 4.3-inch LED Segment Display Buttons: Mechanical Buttons Panel: Glass + Aluminum Alloy Housing

U-ZW6000

Human Interface

Ultimate Vision Series Textured Glass





СОР

Model: U-CE3000

Panel: Glass Panel

Buttons: Touch Buttons

Display: 4.3-inch TFT LCD Display





Model: U-CF3001

СОР

Display: 4.3-inch TFT LCD Display Buttons: Touch Buttons Panel: Metal Frame + Glass Panel

*Optional Mechanical Buttons

*Optional Mechanical Buttons

LOP Model: TL-200 Display: LED Segment Display Buttons: Microswitch Buttons

Display: LED Segment Display Buttons: Touch Buttons Panel: Frosted Glass Panel

Model: TL-400N

LOP



Model: U-ZW2300 Display: 4.3-inch LED Segment Display

Panel: Acrylic + Stainless Steel Housing

* The pictures on this page are for reference only.



Human Interface





СОР

Model: U-CY1800

Display: 7-inch TFT Vertical Display - White Elegance

Buttons: BR34G

Installation Position: Side Mounted

Panel Material: Matches the Material of the Car Wall



Model: U-CF3700

Display: 10.1 "TFT LCD touch display Button: Virtual + touch button

LOP

LOP

Model: U-ZW4200

Display: 4.3 "LED segment code display

Button: Touch button

Panel: Glass panel + aluminum

LOP

Model: U-ZW4100 Button: Mechanical button Panel: Black glass + aluminum



LOP (With Base Box) Model: U-ZY8800

Panel Material: Glass + Aluminum Alloy Frame

Display: TFT LCD Touch Display Buttons: Virtual Buttons



LOP (With Base Box)

Model: TL-500

Panel: TFT LCD touch display



520S-GBASIC OVERVIEW

Designed with transparent car decoration, the i520S-G series sightseeing home lift provides passengers with a broader field of vision, present an excellent and efficient sightseeing experience.

The safety system has been fully upgraded and adopts high-quality parametric design to meet the individual needs of different passengers.

The i520S-G series sightseeing home lift is committed to providing passengers with a safer and more comfortable riding experience.

Market positioning

Villa、Townhouse etc. private premises

Duty Load range

0.3-0.4m/s

250kg-400kg

Rise

Speed Range

15m

6/6

Floors



U-CR935-A (Std)

Front Cabin: Champagne Gold Sheet Metal Painted

Ceiling: White Translucent Acrylic + Black Aluminium Alloy

ame

Three Cabins(except side middle): Champagne

Gold Aluminium

Alloy + Laminated Tempered Glass

Side Middle Cabin: Black Titanium Mirror + Strip Lights

on Both Sides

Outer Sealing Plate/Lintel: Sheet Metal (Galvanized) Painted

Kick Plate: Champagne Gold Aluminium Alloy

Floor: Jazz White Marble





U-CR935-B

Front Cabin: Black Titanium Sheet Metal Painted

Ceiling: White Translucent Acrylic + Black Aluminium Alloy

Frame

Three Cabins(except side middle):Titanium

Black Aluminium Alloy + Laminated Tempered Gla

Side Middle Cabin:Black Titanium Mirror + Strip Lights

on both Sides

Outer Sealing Plate/Lintel: Sheet Metal

(Galvanized) Painte

Kick Plate: Titanium Black Aluminium Alloy

Floor: Jazz White Marble





Decoration



U-CR935-C

Front Cabin: Warm White Sheet Metal Painted

Ceiling: White Translucent Acrylic + Black Aluminium Alloy

Three Cabins(except side middle):Warm White

Aluminium Alloy + Laminated Tempered Glass

Side Middle Cabin:Black Titanium Mirror + Strip Lights

Outer Sealing Plate/Lintel: Sheet Metal

(Galvanized) Painted

Kick Plate: Warm White Aluminium Alloy

Floor: Jazz White Marble





U-CR935-D

Front Cabin: Violet-blue Sheet Metal Painted

Ceiling: White Translucent Acrylic + Black Aluminium Alloy

Three Cabins(except side middle):Violet-blue

Aluminium Alloy + Laminated Tempered Glass

Side Middle Cabin: Black Titanium Mirror + Strip Lights

Outer Sealing Plate/Lintel: Sheet Metal

Kick Plate: Violet-blue Aluminium Alloy

Floor: Jazz White Marble



Optional Car Decoration



Front Cabin: Mirror Stainless Steel

Ceiling: Lower Hanging Painted Steel + Upper Painted Steel

+ Hidden Lamp (neutral light) + Spotlights

Door Sills: Outer Powder-coated steel plate (color

consistent with hoistway),Inner Mirror Stainless Steel

Cabins: Mirror Stainless Steel + Mirror Stainless Steel Insert

+ Cloth Texture Film Plate + Laminated Tempered Glass

Handrail:Mirror Stainless Steel + Cloth Texture Steel Plate

Kick Plate: Mirror Stainless Steel

Floor: Marble

U-CR927-1

Front Cabin: Apple Sand Stainless Steel

Ceiling: Aluminium Profile Drawing Film

Cabin & Door Sills Inner: Apple Sand Stainless Steel

+ Laminated Tempered Glass

Outer wrapped:Color consistent with Hoistway

Floor:Marble

U-CR929-A

Front Cabin: Mirror Stainless Steel

Ceiling: Upper Painted Steel(Crescent white)(+ Hidden

Lamp (warm light) + Painted Steel Plate Frame(Crescent

Cabins: Mirror Stainless Steel + Laminated Tempered Glass

Outer wrapped:Color consistent with Hoistway

Floor: Carpet



U-CL301-A Starry Sky Ceiling


*Only available for U-CR935 Series Decoration Option


Landing Door



*The optional colors for the hoistway door are consistent with the optional colors for the hoistway frame.

Hoistway Options








Black Titanium



Warm White



Violet-blue

Optional Colors for the Hoistway




Antique Copper Rose Gold XZ-LHJ-02

















Deep Silver Grey* XZ-LHJ-10

Note: When configuring the hoistway frame colors with an asterisk (*), the elevator components inside the hoistway will be sprayed with RAL9005 Titanium Black.

^{*}All the hoistway doors mentioned above are aluminum alloy framed glass doors.

Standard Optional Interface



COP (Std)

Type: U-CF3001N Display: 4.3' TFTL LCD

Button: Touch Button(Mechanical Button Optional)

Panel: Metal Frame + Glass Panel



LOP (Std)

Type: TL-400N

Display: LED Segment Display Button: Push Button Panel: Frosted Glass Panel



COP(Optional)

Type: U-CY1800

Display: 7-inch TFT Vertical Display - White Elegance

Panel Material:Consistent with Cabin Material

Button: BR34G

Installed Position: Side Positioned

COP(Optional) Type: U-CF2700-1

Button: BR34G Apple Sand Panel Material: Apple Sand Metal



COP(Optional)

Type: U-CF3700

Display: 10.1' TFT LCD Touch Display
Button: Dummy + Touch Button



LOP(Optional) Type: TL-200 Display: LED Segment Display TL-200-A TL-200-D Panel: Glass



LOP(Optional) Type: TL-500 Panel: Glass Display: TFT LCD Touch Display



LOP(Optional) Type: BR36F

Button: Mechanical Button LOP



Landing Door Preferences

Door Jamb Options:





Small Door Jamb (Standard) Wide Jamb (Optional)

Finish Process Options for Landing Door:







Sandblasted Stainless Steel

Color Coating Options for Landing Door:













Landing Door Preferences

Metal landing door (For Center Opening Door Only):



U-D031 Champagne Gold Hairline Etching St. Steel



U-D033 Rose Gold Hairline Etching St. Steel



U-D034 Bronze Mirror Etching St. Steel



U-D031 Champagne Gold Hairline Etching St. Steel

Aluminum Panel Hall Doors:



U-D302 Material: Fabric Texture Coffee



U-D303 Material: Matte Light Coffee





Controller

Installation

Improve Space Utilization

Energy saving and environmental protection

Enjoy the Exclusive Configuration

Traction Machine

High Efficiency and Energy Saving

With the low power consumption traction and the standby power

Space Optimization

Energy Saving

gearless energy-saving traction, the size is 70%-80% smaller than that of

Stable Operation

Steel Belt




Absolute Position Control System (Standard)

The leveling switch, reduction switch, bracket, strike bow and other components are intergrated, which makes the shaft more good looking.

The control is more precise and stable, the control accuracy reaches 0.0625mm; the speed detection

Comfortable And Exclusive Experience



COP Self-Rescue Function (Standard)

When the elevator has a specific fault and the passengers trapped in the car, the nearest door can be opened by the operation on the cop panel.



COP function (optional)

- ·VIP floor service function
- · Connect to WIFI for real-time weather upda
- · DIY music and wallpar



Abnormal monitoring function in the car (optional)

After entering the elevator, the elevator will be actively monitore



ARD Automatic Rescue Device (Standard)

Built-in lithium battery, effectively release the cabin to the nearest floor.



LOP function (optional)

- ·Child lock function
- ·Voice call function
- · Automatic ladder locking function



Elevator Energy Management System (Optional)

- Ensures normal operation of the elevator for a certain period of time during a power outage. Effectively eliminates the impact of fluctuations in the power grid, maintaining normal elevator operation
- ·The system comes with a low battery protection function to eliminate the risk of passengers being trapped
- · Saves electricity, with a comprehensive power saving rate of 20%-45% (option



Automatic monitoring of door area safety (optional)

· Laser light curtain recognition for landing doors, which can accurately confirm the status of string object



Intelligent Maintenance Reminder (Optional)

·You can set the next maintenance time, and take the initiative to remind you before the maintenance expires.



Intelligent Variable Speed (Optional)

The elevator intelligent speed change function can be operated according to specific scenarios.



Function List

	• Standard	O Optional
Function	Description	Note
Self-rescue leveling running	When the elevator is not in maintenance mode, and did not stop on the leveling area, when meeting the safety requirements, the elevator will automatically run at slow to a leveling area, and then open the door.	
Emergency rescue running	When manual winding required over 400N, set up the emergency electric operation switch and operation, to replace manual winding	
One-click distress function	Call the intercom host on the COP through the talk button. When there is no answer, the intercom host will automatically dial the 3 phone numbers (or mobile phones) set in turn until it is connected.	
ARD Automatic rescue function	When the running car is not in the door area and the person is trapped due to the power failure of the building, the power failure emergency leveling device will start, driving the elevator to run to the door area at a low speed to open the door and release the person.	
In-Car autonomous rescue function	When the passenger is trapped in the cabin, if the elevator fault is a recoverable fault and does not affect the safe operation of the elevator, the passenger can press the top and bottom buttons at the same time and hold it for more than 10 seconds. In this way, the elevator can temporarily shield the fault and run to the leveling position automatically, open the door to release people, and lock the elevator.	
Child safety lock	The HOP has the function of password setting and elevator locking to prevent children from operating the elevator and avoid the possible danger.	0
Absolute position system	The control cabinet can be configured with an absolute position system, which can greatly reduce the hoistway components and optimize the hoistway space	
VIP floor service function	After setting a password for a specified floor, if you want to register for that floor, you need to enter the password before you can register successfully	0
Abnormal monitoring function in the car	After entering the elevator, the elevator will be actively monitored and reminded if it has not been moved for a long time.	0
Automatic monitoring of door area safety	Laser light curtain recognition for landing doors, which can accurately confirm the status of string objects.	•
Intelligent Maintenance Reminder	You can set the next maintenance time, and take the initiative to remind you before the maintenance expires.	0
Intelligent Variable Speed	The elevator intelligent speed change function can be operated according to specific scenarios.	•

More functions please contact our sales.


·Scan code to understand the XIZI Elevator ·





More products are at hand

 $\underline{39}$

i520 Pro II Civil Engineering Drawings Counterweight Rear-Mounted Side-Opening Door









1.Buttons and Displays
It is recommended that users use PVC pipes with an inner diameter of \$30 to reserve wire routing holes.

	L (Load Capacity)	DS (Door System)	CP (Counterweight Position)	HW (Hoistway Clear Width)	HD (Hoistway Clear Depth)	CW (Car Clear Width)	CD (Car Clear Depth)	OP (Net Door Opening)	CRH (Car Clear Height)	K (Overhead Height)	S (Pit Depth)
	250			1300	1500	950	950	650			
i520 Pro II		Side-Ope ning Door	Counterweight rear-mounted	1350	1600	1000	1050	700	2200	3000	250
	400	Time Door	rear mounted	1450	1650	1100	1100	800			


Landing door diagram

i520 Pro II Civil Engineering Drawings Counterweight Rear-Mounted Center-Opening Door





Top la<u>mding floor dia</u>gram





1.Buttons and Displays It is recommended that users use PVC pipes with an inner diameter of Φ 30 to reserve wire routing holes.


Landi<u>ng door dia</u>gram

	L (Load Capacity)	DS (Door System)	CP (Counterweight Position)		HD (Hoistway Clear Depth)	CW (Car Clear Width)	CD (Car Clear Depth)	OP (Net Door Opening)	CRH (Car Clear Height)	K (Overhead Height)	S (Pit Depth)
	250			1300	1450	950	950	600	2200	3000	250
i520 Pro II	320		Center-Open- Counterweight ing Door rear-mounted	1350	1550	1000	1050	600			
	400	ilig Dool	rear-mounted	1450	1600	1100	1100	650			

i520 Pro II Civil Engineering Drawings Counterweight Side-Mounted Side-Opening Door









1.Buttons and Displays It is recommended that users use PVC pipes with an inner diameter of $\Phi 30$ to reserve wire routing holes.


Landing door diagram

	L (Load Capacity)	DS (Door System)	CP (Counterweight Position)	HW (Hoistway Clear Width)	HD (Hoistway Clear Depth)	CW (Car Clear Width)	CD (Car Clear Depth)	OP (Net Door Opening)	CRH (Car Clear Height)	K (Overhead Height)	S (Pit Depth)
	250			1400	1350	900	1000	650			
i520 Pro II	320	Side opening	Counterweight side mounted	1500	1400	1000	1050	800	2200	2850	250
	400	opening	side modifica	1600	1450	1100	1100	800			

i520 Pro II Civil Engineering Drawings Counterweight Side-Mounted Center-Opening Door









1.Buttons and Displays It is recommended that users use PVC pipes with an inner diameter of Φ 30 to reserve wire routing holes.


Landi<u>ng door diag</u>ram

	L (Load Capacity)	DS (Door System)	CP (Counterweight Position)	HW (Hoistway Clear Width)	HD (Hoistway Clear Depth)	CW (Car Clear Width)	CD (Car Clear Depth)	OP (Net Door Opening)	CRH (Car Clear Height)	K (Overhead Height)	S (Pit Depth)
	250			1400	1250	900	1000	650			
i520 Pro II	320	Center opening	Counterweight side mounted	1500	1300	1000	1050	700	2200	2850	250
	400	opening	side illoditted	1600	1350	1100	1100	750			

i520S-G Center Opening Door with Counterweight Side Located










		Speed (m/s)	Car Outer Size Width x Depth(mm)	Car Net Size Width x Depth(mm)	Opening Net Size Width x Height(mm)	Hoistway Net Size Width x Depth(mm)	Car Height (mm)	Pit Depth (mm)	Overhead Height(mm)
	400		1150×1215	1100×1100	750×2000	1600×1350			
	320	0.4	1050×1165	1000×1050	700×2000	1500×1300	2200	300	3000
ſ	250		950×1115	900×1000	650×2000	1400×1250			

i520S-G Side Opening Door with Counterweight Side Located










L	Speed (m/s)	Car Outer Size Width x Depth (mm)	Car Net Size Width x Depth(mm)	Opening Net Size Width x Height(mm)	Hoistway Net Size Width x Depth(mm)	Car Height (mm)	Pit Depth (mm)	Overhead Height(mm)
400		1150×1270	1100×1100	800×2000	1600×1450			
320	0.4	1050×1220	1000×1050	750×2000	1500×1400	2200	300	3000
250		950×1170	900×1000	650×2000	1400×1350			

45

i520S-G 4-P Center Opening Door with Counterweight Side Located









L	Speed (m/s)	Car Outer Size Width x Depth(mm)	Car Net Size Width x Depth(mm)	Opening Net Size Width x Height(mm)	Hoistway Net Size Width x Depth(mm)	Car Height (mm)	Pit Depth (mm)	Overhead Height(mm)
400		1150×1270	1100×1100	800×2000	1600×1450			
320	0.4	1050×1220	1000×1050	700×2000	1500×1400	2200	300	3000
250		950×1170	900×1000	650×2000	1400×1350			

i520S-G Hand Sliding Door with Counterweight Side Located












L	Speed (m/s)	Car Outer Size Width x Depth (mm)	Car Net Size Width x Depth(mm)	Opening Net Size Width x Height(mm)	Hoistway Net Size Width x Depth(mm)	Car Height (mm)	Pit Depth (mm)	Overhead Height(mm)
400		1150×1175	1100×1100	800×2000	1600×1250			
320		1050×1125	1000×1050	750×2000	1500×1200	2200	300	3000
250		950×1075	900×1000	650×2000	1400×1150			

i520S-G Center Opening Door with Counterweight Rear Located










L	Speed (m/s)	Car Outer Size Width x Depth (mm)	Car Net Size Width x Depth(mm)	Opening Net Size Width x Height(mm)	Hoistway Net Size Width x Depth(mm)	Car Height (mm)	Pit Depth (mm)	Overhead Height(mm)
400		1150×1215	1100×1100	650×2000	1450×1600			
320	0.4	1050×1165	1000×1050	600×2000	1350×1550	2200	300	3200
250		1000×1115	900×1000	600×2000	1300×1500			

i520S-G Side Opening Door with Counterweight Rear Located









L	Speed (m/s)	Car Outer Size Width x Depth (mm)	Car Net Size Width x Depth(mm)	Opening Net Size Width x Height(mm)	Hoistway Net Size Width x Depth(mm)	Car Height (mm)	Pit Depth (mm)	Overhead Height(mm)
400		1150×1270	1100×1100	800×2000	1450×1700			
320	0.4	1050×1220	1000×1050	700×2000	1350×1650	2200	300	3200
250		1000×1170	900×1000	650×2000	1300×1600			

40

i520S-G 4-P Center Opening Door with Counterweight Rear Located







L	Speed (m/s)	Car Outer Size Width x Depth(mm)	Car Net Size Width x Depth(mm)	Opening Net Size Width x Height(mm)	Hoistway Net Size Width x Depth(mm)	Car Height (mm)	Pit Depth (mm)	Overhead Height(mm)
400		1150×1270	1100×1100	800×2000	1450×1700			
320	0.4	1050×1220	1000×1050	700×2000	1350×1650	2200	300	3200
250		1000×1170	900×1000	650×2000	1300×1600			

Hoistway Elevation Section

i520S-G Hand Sliding Door with Counterweight Rear Located





L	Speed (m/s)	Car Outer Size Width x Depth (mm)	Car Net Size Width x Depth(mm)	Opening Net Size Width x Height(mm)	Hoistway Net Size Width x Depth(mm)	Car Height (mm)	Pit Depth (mm)	Overhead Height(mm)
400		1150×1175	1100×1100	800×2000	1450×1500			
320	0.3	1050×1225	1000×1050	800×2000	1350×1450	2200	300	3200
250		1000×1075	900×1000	750×2000	1300×1400			

51