



# TETRIX

## PET ACOUSTICAL PANEL

**When It's About More Than Sound.** Our Poly-Coustix product line is a designer's dream. A beautifully crafted solution to meet any acoustical needs.

### FEATURES:

- Easy install
- Lightweight and easy to handle
- Wide variety of color choices
- Chamfered edge detail

### COMPOSITION:

- 100% Polyethylene Terephthalate (PET)
- 55% recycled content

### ENVIRONMENTAL FACTORS:

- 100% recyclable
- Low VOC emissions
- ASTM – D5116
- LEED – MRc4



# TETRIX ACOUSTICAL WALL PANEL

## SPECIFICATIONS

- **Standard Panel Sizes:** 23 -1/2" x 23 -1/2" or 23 -1/2" x 47"
- **Thickness:** 9mm
- **Weight:** .25lbs/SF
- **Edge Detail:** Chamfered
- **Fire Rating:** Class A per ASTM E-84

## HARDWARE OPTIONS

Construction panel adhesive, carpet glue or nail clips with adhesive

## COLORS

See color chart for wide variety of color options:

## ACOUSTICAL PERFORMANCE

Frequency (Hz)	125	250	500	1K	2K	4K	NRC
9mm Thickness	.04	.04	.16	.40	.63	.82	.30

Tested as Type "A" Mounting

## INSTALLATION OPTIONS




See following page for details





# TETRIX ACOUSTICAL WALL PANEL

## INSTALLATION OPTIONS



**MORE SPECIFICATIONS:**  
Visit [memtechacoustics.com](http://memtechacoustics.com)  
or call **248.289.1123**

