

EchoWool™

ACOUSTICAL WALL & CEILING PANELS


EchoWool is a highly durable acoustic board made from aspen wood fibers, portland cement and water. Eco-friendly and moisture-resistant, EchoWool is highly versatile. With a variety of options to choose from including sizes, patterns and shapes, it is easy to create the perfect solution for your reverberation sound problems.

FEATURES:

- High-quality, eco-friendly multi-purpose panels
- Excellent acoustical performance
- Class A fire rated
- Manufactured from natural products
- An economical alternative to fiberglass, foam, polystyrene and rock wool

APPLICATIONS:

- Education
- Hospitality
- Restaurants
- Commercial spaces
- Fitness/recreation
- Shooting ranges





EchoWool ACOUSTICAL WALL & CEILING PANELS

SIZING

All panels are custom made with standard widths up to 24", lengths up to 96" and thicknesses of 1" (standard), 1-3/8" and 2".

FINISHES

Available in a standard, natural finish, EchoWool can be custom painted in-house or in the field.

PATTERNS

Choose from an array of patterns to add character to your wall and ceiling panels. See pattern chart for options.

SHAPES

Available in circle, hexagon, rectangle, square, trapezoid and triangle

EDGE DETAIL



MOUNTING OPTIONS

EchoWool panels are designed to be installed on furring, existing structure, or plywood of sufficient thickness to support the product. They can be directly attached using the appropriate screws. See installation instructions for more information.

ACOUSTICAL PERFORMANCE

NRC: 0.45 (1" thickness)
0.55 (1-3/8" thickness)
0.75 (2" thickness)



MORE SPECIFICATIONS:
Visit memtechacoustics.com
or call **248.289.1123**



www.memtechacoustics.com

