

PROBASE SPORT

# Impacta ProBase® Sport XL

## ProBase Sports Flooring Tiles





www.memtechacoustics.com


# PROBASE SPORT XL


## Amateur Series



ProBase Black



ProBase Gray



ProBase Blue



ProBase Blue Swirl



ProBase Tan


ProBase Fire Red



ProBase Lava Storm



ProBase Green



ProBase Yellow



ProBase Purple


## Professional Series



ProBase Storm Gray



ProBase Dark & Stormy


ProBase Blue Lagoon


ProBase Amethyst Haze



ProBase Tan Blast



ProBase Emerald Green


ProBase Red Rose

## Hall of Fame Series


ProBase Brown Cycle


ProBase Ash Gray


ProBase Charcoal Fury

# PROBASE SPORT XL

## Customization Capabilities

Your floor can be an extension of your company, team or your own personal designs. Memtech Acoustics offers options for customizing ProBase Sport XL so that your floor can continuously market your brand.

## Custom Colors. Invent Your Own.

The manufacturer will combine its own vibrant EPDM color granules to create a custom look, just for you (minimums apply). For more information, contact Memtech Acoustics.


Dark Red


Bright Red


Red Sangria


Orange


Gold


Yellow



Dark Green


Very Green


Olive Green


Teal


Dark Blue


Ocean Blue


Blue


Blue Gray


Blueberry


Purple


Black


Charcoal Gray


Light Black


Light Gray


Silver


Tan


White Tint


Pearl


Brown


Chocolate


Beige


Light Brown


Eggshell

## Precision Personalization.

Using precision water-jet cutting, your facility logo or a marketing or inspirational message can be incorporated into your ProBase Sport L floor. Contact Memtech Acoustics for details.

# PROBASE SPORT XL

## Product Specifications

### Product Form Dimensions:

- Standard Tile Dimensions: 24” x 24” x 1”
- Standard Tile Weight: 18 lbs. per tile
- Standard Reducer Dimensions: 1” x 4” x 48”
- Standard Reducer Weight: 6 lbs. per reducer
- ADA Reducer Dimensions: 1” x 12” x 48”
- ADA Reducer Weight: 18 lbs. per reducer

| Product Performance Data | | |
|---|---|---|
| Density | ASTM D3676 (top layer) | 65-80 pcf (depends on surface color) |
| Hardness | ASTM D2240 (Shore A) | 65 +/-5 |
| Tear Strength | ASTM D624 | 70 pli min |
| Elongation | ASTM D412 | >150% |
| Tensile Strength | ASTM D412 | >200 PSI |
| Resistance to Chemicals | ASTM F925 | No change |
| Coefficient of Friction | ASTM D2047 | >0.95 |
| Impact Insulation Class (IIC) | E492 | >50 |
| Critical Radiant Flux | ASTM E648 | Class II |
| LEED Qualification | Qualifies for material & resources credit | Qualifies for material & resources credit |

## ProBase Sport XL Accessories


Top


Bottom


Dowel


Reducer with Tile


Reducer


Dowel in Tile

IMPACTA®

Memtech Acoustics

**www.memtechacoustics.com | 248-289-1123 | sales@memtechacoustics.com**