

StreetBond® SB120, StreetBond® SB150, and StreetBond® SB150 AL Pavement Coating by GAF

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 140356632576  
CLASSIFICATION: 32 12 16 Asphalt Paving  
PRODUCT DESCRIPTION: This HPD covers StreetBond® SB120 Pavement Coating, StreetBond® SB150 Pavement Coating, and StreetBond® SB150 AL Pavement Coating. StreetBond colorant sold separately.

Section 1: Summary Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
<input type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	<input type="radio"/> Completed	<b>Characterized</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
<input checked="" type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm	<input type="radio"/> Partially Completed	<i>Provided weight and role.</i>
<b>Threshold Disclosed Per</b>	<input type="radio"/> Per GHS SDS	<input checked="" type="radio"/> Not Completed	<b>Screened</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other	<b>Explanation(s) provided :</b>	<i>Provided screening results using HPDC-approved methods.</i>
<input checked="" type="radio"/> Product		<input checked="" type="radio"/> Yes <input type="radio"/> No	<b>Identified</b> <input type="radio"/> Yes <input checked="" type="radio"/> No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY  
GREENSCREEN SCORE | HAZARD TYPE

STREETBOND® SB120, STREETBOND® SB150, AND STREETBOND® SB150 AL PAVEMENT COATING [ QUARTZ BM-1 ] CAN | MAM | GEN  
WATER BM-4 2-PROPENOIC ACID, 2-METHYL-, METHYL ESTER, POLYMER WITH BUTYL 2-PROPENOATE, 2-ETHYLHEXYL 2-PROPENOATE AND 2-METHYL-2-[(1-OXO-2-PROPEN-1-YL)AMINO]-1-PROPANESULFONIC ACID NoGS UNDISCLOSED LT-UNK ] MUL | EYE | MAM CELLULOSE, ETHYL 2-HYDROXYETHYL ETHER LT-UNK ALCOHOLS, C9-11-ISO-, C10-RICH, ETHOXYLATED LT-UNK ] SKI | EYE UNDISCLOSED LT-P1 ] EYE | SKI | MUL | | MAM | AQU TRIAZINETRIETHANOL LT-P1 ] SKI | MUL | MAM | EYE DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC LT-1 ] CAN | MUL | SKI | DEV DISTILLATES (PETROLEUM), SOLVENT-REFINED LIGHT PARAFFINIC LT-1 ] CAN | MUL | SKI | DEV UNDISCLOSED LT-UNK ] MUL | | MAM | DEV POLYCARBOXYLIC ACID, SODIUM SALT NoGS POLY(OXY-1,2-ETHANEDIYL), α-[3,5-DIMETHYL-1-( 2-METHYLPROPYL)HEXYL]-ω-HYDROXY- LT-UNK ] MUL AMMONIUM HYDROXIDE, NOS LT-P1 ] MUL | SKI | AQU | MAM | EYE | PHY ]

Number of Greenscreen BM-4/BM3 contents ... 1  
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-P1, LT-1  
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

All substances above 1000 ppm were considered for this HPD. Some substances are marked as undisclosed due because the data is proprietary

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material Regulatory (g/l): <100 g/L SCAQMD traffic coating (g/l): 11 g/L threshold; <250 g/L EPA traffic coating threshold  
Does the product contain exempt VOCs: No  
Are colorants available that do not increase the VOC content of the base paint when tinted: Yes

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.  
VOC emissions: CDPH Standard Method - Not tested  
VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.  
Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

- ☐ Yes
- ☒ No

PREPARER: Self-Prepared  
VERIFIER:  
VERIFICATION #:

SCREENING DATE: 2024-06-12  
PUBLISHED DATE: 2024-06-24  
EXPIRY DATE: 2027-06-12

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

STREETBOND® SB120, STREETBOND® SB150, AND STREETBOND® SB150 AL  
PAVEMENT COATING

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were not considered	
OTHER PRODUCT NOTES:	

QUARTZ				ID: 14808-60-7
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-06-12 11:13:03		
%: 40.4000 - 61.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)		
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man		
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources		
CAN	IARC	Group 1 - Agent is Carcinogenic to humans		
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen		
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]		
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]		
CAN	GHS - New Zealand	Carcinogenicity category 1		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]		
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]		
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Based on the three products covered by this HPD, the variation of quartz present differs by more than 20%.		

WATER

ID: 7732-18-5

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2024-06-12 11:13:03</b>		
%: <b>30.0000 - 40.0000</b>	GreenScreen: <b>BM-4</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Carrier</b>
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Commission (EU EC)		EU - REACH Exemptions	
			Exempted from REACH Annex IV listing due to intrinsic safety	
SUBSTANCE NOTES:				

2-PROPENOIC ACID, 2-METHYL-, METHYL ESTER, POLYMER WITH BUTYL 2-PROPENOATE, 2-ETHYLHEXYL 2-PROPENOATE AND 2-METHYL-2-[(1-OXO-2-PROPEN-1-YL)AMINO]-1-PROPANESULFONIC ACID

ID: 68698-67-9

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2024-06-12 11:13:03</b>		
%: <b>9.0000 - 13.0000</b>	GreenScreen: <b>NoGS</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Polymer species</b>
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: <b>Toxnot Chemical Hazard Screening Library</b>			HAZARD SCREENING DATE: <b>2024-06-04 11:49:13</b>	
%: <b>0.5000 - 3.0000</b>	GreenScreen: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Solvent</b>

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Mult*
EYE	New Zealand - GHS	Eye Irritation/Corrosivity
MAM	Korea - GHS	Acute Mammalian Toxicity
MUL	Japan - GHS	Mult*
MAM	New Zealand - GHS	Acute Mammalian Toxicity
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: This substance is considered proprietary		

CELLULOSE, ETHYL 2-HYDROXYETHYL ETHER
ID: 9004-58-4

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>			HAZARD SCREENING DATE: <b>2024-06-12 11:13:03</b>	
%: <b>0.0000 - 2.5000</b>	GreenScreen: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Viscosity modifier</b>
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

ALCOHOLS, C9-11-ISO-, C10-RICH, ETHOXYLATED
ID: 78330-20-8

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>			HAZARD SCREENING DATE: <b>2024-06-12 11:13:04</b>	
%: <b>0.1000 - 2.0000</b>	GreenScreen: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Solvent</b>
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - Australia		H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]	
EYE	GHS - Australia		H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

HAZARD DATA SOURCE: Toxnot Chemical Hazard Screening Library		HAZARD SCREENING DATE: 2024-06-04 11:49:19		
%: 1.3000 - 2.0000	GreenScreen: LT-P1	RC: None	NANO: Unknown	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
EYE	EU - GHS (H-Statements)	Eye Irritation/Corrosivity		
SKI	EU - GHS (H-Statements)	Skin Sensitization		
SKI	EU - GHS (H-Statements)	Skin Irritation/Corrosivity		
MUL	German FEA - Substances Hazardous to Waters	Mult*		
	EC - CEPA DSL	Persistence		
EYE	New Zealand - GHS	Eye Irritation/Corrosivity		
MAM	New Zealand - GHS	Systemic Toxicity/Organ Effects (Repeated Exposure)		
MUL	EC - CEPA DSL	Mult*		
MUL	Japan - GHS	Mult*		
MUL	Korea - GHS	Mult*		
SKI	Korea - GHS	Skin Irritation/Corrosivity		
MUL	Australia - GHS	Mult*		
AQU	Australia - GHS	Chronic Aquatic Toxicity		
AQU	Japan - GHS	Acute Aquatic Toxicity		
EYE	Australia - GHS	Eye Irritation/Corrosivity		
EYE	Japan - GHS	Eye Irritation/Corrosivity		
MUL	EU - GHS (H-Statements)	Mult*		
SKI	Japan - GHS	Skin Irritation/Corrosivity		
SKI	Japan - GHS	Skin Sensitization		
AQU	New Zealand - GHS	Chronic Aquatic Toxicity		
SKI	Australia - GHS	Skin Irritation/Corrosivity		
SKI	New Zealand - GHS	Skin Sensitization		
SKI	Australia - GHS	Skin Sensitization		
SKI	Korea - GHS	Skin Sensitization		
AQU	EU - GHS (H-Statements)	Chronic Aquatic Toxicity		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-06-12 11:13:05

%: 0.1000 - 2.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]		
SKI	GHS - New Zealand	Skin sensitisation category 1		
MAM	GHS - Australia	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]		
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List		
		Antimicrobials		

SUBSTANCE NOTES:

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-06-12 11:13:05

%: 0.1000 - 1.3000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence		
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]		
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]		
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]		
CAN	EU - REACH Annex XVII CMRs	Carcinogens: Category 1B		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Formulated Consumer Products

SUBSTANCE NOTES:

DISTILLATES (PETROLEUM), SOLVENT-REFINED LIGHT PARAFFINIC

ID: 64741-89-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-06-12 11:13:05

%: 0.1000 - 1.3000

GreenScreen: LT-1

RC: None

NANO: No

SUBSTANCE ROLE: Defoamer

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
CAN	EU - REACH Annex XVII CMRs	Carcinogens: Category 1B

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Formulated Consumer Products

SUBSTANCE NOTES:



HAZARD DATA SOURCE: <b>Toxnot Chemical Hazard Screening Library</b>		HAZARD SCREENING DATE: <b>2024-06-04 11:49:23</b>		
%: <b>0.5000 - 1.0000</b>	GreenScreen: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Polymer species</b>
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
MUL	German FEA - Substances Hazardous to Waters	Mult*		
	EC - CEPA DSL	Persistence		
MAM	Korea - GHS	Acute Mammalian Toxicity		
MUL	EC - CEPA DSL	Mult*		
DEV	MAK	Developmental Toxicity		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: This substance is considered proprietary				

POLYCARBOXYLIC ACID, SODIUM SALT

ID: 62601-60-9

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>			HAZARD SCREENING DATE: <b>2024-06-12 11:13:04</b>	
%: <b>0.0000 - 0.6000</b>	GreenScreen: <b>NoGS</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Surfactant</b>
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

POLY(OXY-1,2-ETHANEDIYL), α-[3,5-DIMETHYL-1-( 2-METHYLPROPYL)HEXYL]-ω-HYDROXY-

ID: 60828-78-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-06-12 11:13:05	
%: 0.0080 - 0.1730	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

AMMONIUM HYDROXIDE, NOS

ID: 1336-21-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-06-12 11:13:05**

%: **0.0000 - 0.1000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Buffer**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
MAM	GHS - Australia	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
PHY	GHS - Korea	H220 - Extremely flammable gas [Flammable gases - Category 1]
AQU	GHS - Australia	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
MAM	GHS - Korea	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Cosmetics & Personal Care Products



## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method - Not tested	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2024-06-04 00:00:00	CERTIFIER OR LAB: None
APPLICABLE FACILITIES: All	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: VOC emissions testing has not been performed for this product		
VOC CONTENT	SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2024-06-04 00:00:00	CERTIFIER OR LAB: Internal
APPLICABLE FACILITIES: All	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: VOC values are calculated as per ASTM D5201 to comply with EPA Method 24. - Reference Document: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007		

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

STREETBOND COLORANT
MANUFACTURER (OR GENERIC): GAF
HPD URL: No HPD Available
ACCESSORY TYPE: Colorant System
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Colorants sold separately

## Section 5: General Notes

This HPD covers StreetBond® SB120 Pavement Coating, StreetBond® SB150 Pavement Coating, and StreetBond® SB150 AL Pavement Coating.

---

**MANUFACTURER INFORMATION**

MANUFACTURER: **GAF**  
ADDRESS: **1 Campus Drive**  
**Parsippany, NJ - New Jersey 07054**  
COUNTRY: **United States**

WEBSITE: **www.gaf.com**  
CONTACT NAME: **Aly Perez**  
TITLE: **Sr. Product Sustainability Specialist**  
PHONE: **973-385-8108**  
EMAIL: **alyson.perez@gaf.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

---

**KEY**

---

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

<b>PreC</b> Pre-consumer recycled content
<b>PostC</b> Post-consumer recycled content
<b>UNK</b> Inclusion of recycled content is unknown
<b>None</b> Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

<b>Nested Method / Material Threshold</b> Substances listed within each material per threshold indicated per material
<b>Nested Method / Product Threshold</b> Substances listed within each material per threshold indicated per product
<b>Basic Method / Product Threshold</b> Substances listed individually per threshold indicated per product

<b>Nano</b> Composed of nano scale particles or nanotechnology
<b>Third Party Verified</b> Verification by independent certifier approved by HPDC
<b>Preparer</b> Third party preparer, if not self-prepared by manufacturer
<b>Applicable facilities</b> Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and*

