

Certification holder : **Kurt Obermeier GmbH**

Product trade name : **Korasit NG**  
(colorless or yellow)

Use category : **Timber preventive treatment**

Formulation type : Water based emulsion  
Concentrate

Users category : Industrials

The CTB-P+ certification attests to :

- ✓ **The efficacy of the product** to prevent the attacks of the wood (or wood-based products) by biological organisms destroying or altering its appearance.
- ✓ **The validation** of the product / process couple.
- ✓ **The maintenance of the product quality** by regular technical audits of the manufacture and the control on the production site.
- ✓ **The relevance of the technical information** from the product supplier.



FCBA attests to the conformity of the product described above, under the conditions provided for by the general operating rules of our certifications and of the reference document of the CTB-P+ mark:

This certificate is based on constant supervision and cannot take into account the evolutions or decisions taken during its validity period.

The latest updates of the following documentation are available on [www.fcba.fr](http://www.fcba.fr) and [www.ctbplus.fr](http://www.ctbplus.fr): The general operating rules of our certifications / the CTB-P+ mark reference document / the list of certification holders / the lists of certified products. This certificate only applies to products labelled with the certification mark logo.

In case of dispute, only the French version of this certificate is the authentic text.



INSTITUT  
TECHNOLOGIQUE

Siège Social  
10, rue Galilée  
CS 81050 Champs sur Marne  
77447 Mame la Vallée Cedex 02  
[www.fcba.fr](http://www.fcba.fr)

Certificate n : 17380-En  
*Cancel and replace certificate n°502-23-2084*  
Date of issue : 30/03/2026  
Expiration date : 29/03/2029  
nb of pages : 2

Le Directeur certification  
**Alain HOCQUET**

## Korasit NG

CERTIFICATION PRERQUISITE	Biocidal Products Regulation (BPR, Regulation (EU) 528/2012) : France : MA FR-2021-0001-01-01 (uncolored) / MA FR-2021-0001-01-02 (yellow) (authorisation end : 01/10/2028) (other valid European MA : see ECHA website )
---------------------------	--

COMPOSITION ( w/w)	Propiconazole	1,50%
	Tebuconazole	1,50%
	Permethrine	2,50%

## SURFACE TREATMENT

Use class	Critical value (g/m <sup>2</sup> )	
	Softwood	Hardwood
1	5,0	5,0
2	5,0	5,0
3.1	7,5	/

**BIOLOGICAL RISK COVERED\***

Fungi:	Brown rot
Insects:	All beetles spp (I)
Termites:	Antitermite (T) qualification

\* according to EN 599-1

## PROCESS

Short dipping  
Spray tunnel

## USE DETAILS

Timber temporary not yet covered:	Efficacy according to leaching test done for use class 2 products
Outside uses for surface treated timber:	additional coating needed (treatment for timber uses without coating is not covered by the certification)

