

Total projection: 16-Oct-2025 / Hrs 2,079.93 / Ldg 1,437 / APUH 1,079.9 / APUS 362

Company

Owner: ABS Jets, a.s.
Operator:

Major Assemblies

Airframe	560XL (Citation XLS 560-6325 +)	13-Oct-2024	1359:56 Hrs	957 Ldg	923:54 Hrs(APU)	26 Start(APU)
Eng 1	PW545C PCE-DF0667	13-Oct-2024	1359:56 Hrs	957 Enc		
Eng 2	PW545C PCE-DF0666	13-Oct-2024	1026:48 Hrs	742 Enc		
APU 1	RE100[XL] P-1131	01-Oct-2024	923:54 Hrs	26 APUS		

Additional Information

Program Type: MSG-3, Earliest due: 16 DAYS, 82 HRS, 4,043 LDG, 76 APUHRS, General Categories: FAR 91,Extended TBO,Honeywell Avionics,Extended HSI

Cost:
Man Hrs: 7.5+

Analyst: Laurence Kirk lkirk@jetsupport.com

Task No SEQ PN/SN	Description MOC Note or Component Condition	TSNI	TSOI	TSRI	TSI	CW	REQ	TOL	Categories DUE	Time Remaining
28-00-02-2200  28 A/F	Microbiological Contamination Inspection (Airlanes Not Using the Biocidal Preventative Treatment) Ref:Chapter 28, Fuel Contamination - Inspection/Check (SOURCE: 560 XL MM Section 5-19-00)					Mos Hrs Ldg	24-Jul-2024 1180:34 819	RE 3	Discretionary Maintenance 31-Oct-2024	16 Days
Engine data download  0 A/F	Engine data download					Mos Hrs Ldg	10-Oct-2024 1356:53 955	RE 1	10-Nov-2024	26 Days
 KGR-WP-010 START 11-NOV-2024										
SL560XL-27-39  27 A/F Eff: 03-Sep-2024 (AVG MAN HRS: 7.5)	Flight Controls - Control Lock Cable Assembly Swivel Seal Inspection					Mos Hrs Ldg		T (A/R)	Recommended [12-Nov-2024]	28 Days
 KGR-WP-010 START 11-NOV-2024										
72-00-PW-063  72 ENG2	Check Time Limited Dispatch Annunciations					Mos Hrs Enc	16-Sep-2024 959:11 683	RE 150	EMM - Requirement 1109:11	≈23-Nov-2024 82:23 Hrs (+20)
 KGR-WP-010 START 11-NOV-2024										
72-00-PW-063  72 ENG1	Check Time Limited Dispatch Annunciations					Mos Hrs Enc	16-Sep-2024 1292:19 898	RE 150	EMM - Requirement 1442:19	≈23-Nov-2024 82:23 Hrs (+20)
 KGR-WP-010 START 11-NOV-2024										
12-26-00-6003  12 A/F	90 Day Low Exposure Area Wash Ref:Chapter 51, Corrosion - Description and Operation, Ref:Chapter 51, Corrosion Severity Maps - Description and Operation, Ref:Chapter 20, Exterior Cleaning/Washing/Rinse - Servicing (SOURCE: 560 XL MM Section 5-19-00)					Days Hrs Ldg	31-Aug-2024 1259:01 874	RE 90	Discretionary Maintenance 29-Nov-2024	45 Days
32-30-09-7800  32 A/F 40005347-3 10806 Hydrostatic Tested Date 01-Nov-2021 (SOURCE: 560 XL MM Section 5-13-00) Note: Regulation: US DOT CFR 49 Part 180.209 Requirements for Re-qualification of Specification Cylinders. NOTE: The pneumatic storage bottle is manufactured under U.S. DOT 3HT	Emergency Gear Extension/Brake Pneumatic Storage Bottle (Hydrostatic Test) Restoration					Mos Hrs Ldg	06-Jun-2022	RE 36	Regulatory Inspections/Time Limits 30-Nov-2024	46 Days
 KGR-WP-010 START 11-NOV-2024										

OK-KGR DUE LIST

CESSNA

Total projection: 16-Oct-2025 / Hrs 2,079.93 / Ldg 1,437 / APUH 1,079.9 / APUS 362

560XL (Citation XLS+) OK-KGR,SN 560-6325

Task No		Description							Categories		Time
SEQ	PN/SN	MOC Note or Component Condition	TSNI	TSOI	TSRI	TSI	CW	REQ	TOL	DUE	Remaining
33-50-00-7200		Emergency Battery Pack (Capacity Check) Functional Check									
	33 A/F	Fwd				Mos	09-Nov-2023	12	-/+1m	30-Nov-2024	46 Days (+30)
	9913-1					Hrs	777:40				
	103130					Ldg	514				
	MRBR Task:33-50-00-701 (ZONE: 251, 252) (SOURCE: 560XL MM Section 5-10-01, 5-10-02, 5-12-01)										
	KGR-WP-010 START 11-NOV-2024										
80-11-00-2200		Auxiliary Power Unit Starter - Generator Detailed Inspection									
	80 A/F					Mos	27-Oct-2023				
	300SGL138Q-6					Hrs	763:53				
	S00280					Ldg	505				
	(ZONE: 322) (Tol. Adjustment: -21.5 Hrs(APU)) (SOURCE: 560 XL MM Section 5-10-02, 5-12-00, 5-18-00)										
	Note: NOTE:Per Supplier Recommendation. Reference Skurka Aerospace Incorporated 300SGL Series Installation Maintenance Manual.										
	KGR-WP-010 START 11-NOV-2024										
80-11-00-9600		Auxiliary Power Unit Starter - Generator (Bearings Discard and Armature Functional Check) Restoration									
	80 A/F					Mos					
	300SGL138Q-6					Hrs					
	S00280					Ldg					
	MRBR Task:80-10-00-902 (SOURCE: 560XL MM)										
	KGR-WP-010 START 11-NOV-2024										
73-11-00-901		Fuel Filter Element Discard: Install the new fuel filter element.									
	73 ENG2					Mos					
						Hrs		1,200	-/+25	1200	173:12 Hrs (+25)
	Ref:73-10-05-mp					Enc					
	KGR-WP-011 START 21-JAN-2025										
79-10-00-901		Oil Filter Discard: Install the new oil filter element.									
	79 ENG2					Mos					
						Hrs		1,200	-/+25	1200	173:12 Hrs (+25)
	(SOURCE: PW545C MM (P/N 30J2302))					Enc					
	KGR-WP-011 START 21-JAN-2025										
72EH0800		800 Engine Hours Periodic Inspection (For MSG-3 Scheduled Maintenance Program)									
	72 ENG1					Mos	27-Oct-2023				
						Hrs	763:53	800	-/+25	1563:53	203:57 Hrs (+25)
						Enc	505				
	KGR-WP-011 START 21-JAN-2025										
5-12-19		Inspection Document 19 (Every 300 Flight Hours)									
	5 A/F					Mos	16-Sep-2024				
						Hrs	1292:19	300	-/+25	1592:19	232:23 Hrs (+25)
	(SOURCE: 560 XL MM Section 5-12-00)					Ldg	898				
	KGR-WP-011 START 21-JAN-2025										
49-CUS-001		APU SOAP Sample									
	49 A/F					Mos	16-Sep-2024				
						Hrs	1292:19	300		1592:19	232:23 Hrs
						Ldg	898				
						Hrs (APU)	703:54	500		1203:54	280 Hrs(APU)
	KGR-WP-011 START 21-JAN-2025										

OK-KGR DUE LIST

CESSNA

Total projection: 16-Oct-2025 / Hrs 2,079.93 / Ldg 1,437 / APUH 1,079.9 / APUS 362

560XL (Citation XLS+) OK-KGR,SN 560-6325

Task No	Description	TSNI	TSOI	TSRI	TSI	CW	REQ	TOL	Categories	Time
SEQ PN/SN	MOC Note or Component Condition								DUE	Remaining
5-12-07	Inspection Document 7 (Every 1600 Hrs)								RE 5-91-01 MSG-3 INSPECTION TIME LIMITS	≈12-Feb-2025
 5 A/F						Mos				
	(SOURCE: 560 XL MM Section 5-12-00)					Hrs	1,600	-/+25	1600	240:04 Hrs (+25)
 KGR-WP-011 START 21-JAN-2025						Ldg				
78-10-00-202	Emergency Fuel Shut Off Lever and Cable Detailed Inspection: Do an inspection through hole in theexhaust cone for - Security of control lever - Signs of oil leaks or carbon at No.5 bearing area - Examine the cable and linkages.						RE		EMM - Periodic Inspection	≈12-Feb-2025
 78 ENG1						Mos				
	Ref:73-10-07-mp					Hrs	1,600	-/+25	1600	240:04 Hrs (+25)
 KGR-WP-011 START 21-JAN-2025						Enc				
24-32-00-7202	42 Amp-Hour Concorde Lead Acid Main Battery (Capacity Check) Functional Check						RE		5-91-02 MSG-3 SYSTEMS, APU, AND POWERPLANT TASKS	≈22-Feb-2025
 24 A/F	5-12-21					Mos	22-May-2024	12	-/+1m	31-May-2025
	S3597-8					Hrs	1020:11	600	-/+25	1620:11
	41223048					Ldg	698			260:15 Hrs (+25)
	(ZONE: 311) (SOURCE: 560 XL MM Section 5-10-02, 5-18-00)									
	Note: Per Supplier Recommendation. Reference Concorde Battery Corp. 24-30-71 Component Maintenance Manual. The recurring interval may be adjusted after the useful battery life is established, based on operations									
 KGR-WP-011 START 21-JAN-2025										
23-00-CUS-001	VHF navigational check (IFR check)						RE			
 23 A/F						Mos	22-May-2024	12		22-May-2025
						Hrs	1020:11			7.3 Months
	Note: CAA Requirement					Ldg	698			
25-00-CUS-001	ELT test and inspection per National Authority						RE			
 25 A/F						Mos	22-May-2024	12		22-May-2025
						Hrs	1020:11			7.3 Months
	Note: CAA Requirement					Ldg	698			
34-00-CUS-001	Compass swing						RE			
 34 A/F						Mos	22-May-2024	12		22-May-2025
						Hrs	1020:11			7.3 Months
	Note: CAA Requirement					Ldg	698			
49-70-01-2200-AF	Auxiliary Power Unit Magnetic Chip Collector Detailed Inspection						RE		5-91-02 MSG-3 SYSTEMS, APU, AND POWERPLANT TASKS	≈22-May-2025
 49 A/F						Mos	22-May-2024	12		31-May-2025
						Hrs	1020:11			7.6 Months
	MRBR Task:49-01-00-202 (SOURCE: 560 XL MM Section 5-10-01, 5-10-02, 5-12-00, 5-18-00)					Ldg	698			
	Note: NOTE: Per Supplier Recommendation. Reference Honeywell 49-25-85 RE100 (XL) Maintenance Manual.					Hrs (APU)	703:54	450	1153:54	230 Hrs(APU)
5-12-01	Inspection Document 1 (Every 12 Mos)						RE 5-91-01 MSG-3 INSPECTION TIME LIMITS			
 5 A/F						Mos	22-May-2024	12	-/+1m	31-May-2025
	(SOURCE: 560 XL MM Section 5-12-00)					Hrs	1020:11			7.6 Months (+30 Days)
						Ldg	698			
	First Aid Kit						RE (O/C)			
 25 A/F						Mos	22-May-2024		31-May-2025	7.6 Months
	Unknown	0				Hrs	1020:11			
	032822004	0				Ldg	698			
	Expiration Date 31-May-2025									

OK-KGR DUE LIST

CESSNA

Total projection: 16-Oct-2025 / Hrs 2,079.93 / Ldg 1,437 / APUH 1,079.9 / APUS 362

560XL (Citation XLS+) OK-KGR,SN 560-6325

Task No	Description	TSNI	TSOI	TSRI	TSI	CW	REQ	TOL	Categories	Time
SEQ PN/SN	MOC Note or Component Condition								DUE	Remaining
25-60-10-7203	Artex C406-N Emergency Locator Transmitter System Detailed Inspection and Functional Check (Airplanes -5565 and On)						RE	5-91-02 MSG-3 SYSTEMS, APU, AND POWERPLANT TASKS		
 25 A/F					Mos	22-May-2024	12	31-May-2025	7.6 Months	
453-5060					Hrs	1020:11				
252-06961					Ldg	698				
(SOURCE: 560 XL MM Section 5-10-02, 5-13-00)										
Note: NOTE: National Requirements may exist with a different interval										
26-22-00-2200	Portable Fire Extinguisher Detailed and (Weight) Functional Check						RE	5-91-02 MSG-3 SYSTEMS, APU, AND POWERPLANT TASKS		
 26 A/F	Cabin				Mos	22-May-2024	12	31-May-2025	7.6 Months	
P3APP003010D					Hrs	1020:11				
042276					Ldg	698				
(ZONE: 242) (SOURCE: 560 XL MM Section 5-10-02, 5-13-00)										
Note: NOTE: Per Supplier Recommendation and/or Local Regulatory Requirement. Reference NFPA 10										
26-22-00-2200	Portable Fire Extinguisher Detailed and (Weight) Functional Check						RE	5-91-02 MSG-3 SYSTEMS, APU, AND POWERPLANT TASKS		
 26 A/F	Cockpit				Mos	22-May-2024	12	31-May-2025	7.6 Months	
P3APP003010D					Hrs	1020:11				
041518					Ldg	698				
(ZONE: 262) (SOURCE: 560 XL MM Section 5-10-02, 5-13-00)										
Note: NOTE: Per Supplier Recommendation and/or Local Regulatory Requirement. Reference NFPA 10										
32-41-00-2200	Right Main Landing Gear Wheel and Tire Detailed Inspection							REMSG-3 Structures Inspection Tasks		
 32 A/F					Mos	10-May-2023	24	-/+1m 31-May-2025	7.6 Months (+30 Days)	
					Hrs	441:12				
					Ldg	301				
(ZONE: 730) (SOURCE: 560 XL MM Section 5-10-01, 5-10-03, 5-12-00)										
Note: Every Wheel										
Removal not to										
Exceed 24										
Months										
49-70-01-2200	Auxiliary Power Unit Magnetic Chip Collector Detailed Inspection						RE	5-91-02 MSG-3 SYSTEMS, APU, AND POWERPLANT TASKS		
 49 APU1					Mos	22-May-2024	12	31-May-2025	7.6 Months	
					Hrs	703:54	450	1153:54	230 Hrs	
					APUS					
MRBR Task:49-01-00-202 (SOURCE: 560 XL MM Section 5-10-01, 5-10-02, 5-12-00, 5-18-00)										
Note: NOTE: Per Supplier Recommendation. Reference Honeywell 49-25-85 RE100 (XL) Maintenance Manual.										
72EH0800	800 Engine Hours Periodic Inspection (For MSG-3 Scheduled Maintenance Program)						RE	EMM - Periodic Inspection	≈03-Jun-2025	
 72 ENG2					Mos	22-May-2024				
					Hrs	687:03	800	-/+25 1487:03	460:15 Hrs (+25)	
					Enc	483				
05-00-00-001	Airworthiness Review Certificate Renewal/Extension						RE (Due)	Custom Task		
 5 A/F					Mos	31-May-2024		23-Jun-2025	8.4 Months	
	Expiration Date 23-Jun-2025				Hrs					
					Ldg					
32-41-00-2200	Left Main Landing Gear Wheel and Tire Detailed Inspection							REMSG-3 Structures Inspection Tasks		
 32 A/F					Mos	20-Jun-2023	24	-/+1m 30-Jun-2025	8.6 Months (+30 Days)	
					Hrs	509				
					Ldg	343				
(ZONE: 720) (SOURCE: 560 XL MM Section 5-10-01, 5-10-03, 5-12-00)										
Note: Every Wheel										
Removal not to										
Exceed 24										
Months										
78-10-00-202	Emergency Fuel Shut Off Lever and Cable Detailed Inspection: Do an inspection through hole in theexhaust cone for - Security of control lever - Signs of oil leaks or carbon at No.5 bearing area - Examine the cable and linkages.						RE	EMM - Periodic Inspection	≈31-Jul-2025	
 78 ENG2					Mos					
					Hrs		1,600	-/+25 1600	573:12 Hrs (+25)	
	Ref:73-10-07-mp				Enc					

OK-KGR DUE LIST

CESSNA

Total projection: 16-Oct-2025 / Hrs 2,079.93 / Ldg 1,437 / APUH 1,079.9 / APUS 362

560XL (Citation XLS+) OK-KGR,SN 560-6325

Task No		Description								Categories	Time
SEQ	PN/SN	MOC Note or Component Condition	TSNI	TSOI	TSRI	TSI	CW	REQ	TOL	DUE	Remaining
73-11-00-901		Fuel Filter Element Discard: Install the new fuel filter element.								RE	EMM - Periodic Inspection
73 ENG1							Mos	27-Oct-2023			
							Hrs	763:53	1,200	-/+25	1963:53
Ref:73-10-05-mp							Enc	505			
										1963:53	603:57 Hrs (+25)
74-08-09 R3 Paragraph (k)		Equipment/furnishings - improper disposal of smoking materials in lavatory waste receptacles - Inspect all lavatory paper and linen waste receptacle enclosure access doors and disposal doors for proper operation, fit, sealing, and latching for the containment of possible trash fires.								RE	Mandatory
25 A/F							Mos	18-Apr-2024			
Eff: 06-Aug-1974 Complied		AD Not Adopted by EASA					Hrs	979:20	1,000		1979:20
With							Ldg	667			
(ISSUING AUTHORITY: FAA)											619:24 Hrs
80-10-00-9600		Engine Starter - Generator (Bearings Discard and Armature Functional Check) Restoration								RE	05-10-01, 05-10-02, Category 6
80 A/F		Left					Mos	18-Apr-2024			
300SGL138Q-4							Hrs	979:20	1,000	-/+25	2000
S00256							Ldg	667			
MRBR Task:80-10-00-901 (Tol. Adjustment: 20.7 Hrs) (SOURCE: 560XL MM)											640:04 Hrs (+25)
80-10-00-9600		Engine Starter - Generator (Bearings Discard and Armature Functional Check) Restoration								RE	05-10-01, 05-10-02, Category 6
80 A/F		Right					Mos	18-Apr-2024			
300SGL138Q-4							Hrs	979:20	1,000	-/+25	2000
6499XL							Ldg	667			
MRBR Task:80-10-00-901 (Tol. Adjustment: 20.7 Hrs) (SOURCE: 560XL MM)											640:04 Hrs (+25)