



StatusReport(Life Limit & Overhaul Items Only)

560XLS+CITATION
XLS+ (MSG)

S/N 560XL-6295 OK-WND

OWNER: AEROPARTNER A.S.
ADDRESS: K LETISTI / HANGAR C
PRAGUE 161 00
OFFICE:
FAX:

OPERATOR: AEROPARTNER A.S.
ADDRESS: K LETISTI / HANGAR C
PRAGUE 161 00
OFFICE:
FAX:

ANALYST: COLIN DE MEYER
EMAIL: COLIN.DEMEYER@CAMPSYSTEMS.EU

+33-1.55.93.45.91 (DIRECT)
+33-1.55.93.45.80 (MAIN)
WWW.CAMPSYSTEMS.COM

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL/REGNO: 560XL-6295/OK-WND	MODEL: 560XLS+CITATION XLS+ (MSG)	MANUFACTURER: TEXTRON AVIATION INC.
CERTIFICATION DATE: 17-DEC-2020		LAST ACTUALS: 2092:44 A/C HRS as of 30-JAN-2025 1368 AFL as of 30-JAN-2025 783:06 APH as of 07-JAN-2025 1327 APS as of 07-JAN-2025	
APU	SERIAL/PART: P-1098/3800722-1	MODEL: RE100 (XL)	MANUFACTURER: HONEYWELL
INSTALLED ON: 01-JAN-2021 0 APU HRS 0 A/C HRS 0 APUS		LAST ACTUALS: 783:06 APU HRS as of 07-JAN-2025 1327 APUS as of 07-JAN-2025	
ENGINE NO. 1	SERIAL/PART: PCE-DF0599/30J2934-01	MODEL: PW545C	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
INSTALLED ON: 01-JAN-2021 0 ENG. HRS 0 A/C HRS 0 ENC		LAST ACTUALS: 2092:44 ENG. HRS as of 30-JAN-2025 1368 ENC as of 30-JAN-2025	
ENGINE NO. 2	SERIAL/PART: PCE-DF0598/30J2934-01	MODEL: PW545C	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
INSTALLED ON: 01-JAN-2021 0 ENG. HRS 0 A/C HRS 0 ENC		LAST ACTUALS: 2092:44 ENG. HRS as of 30-JAN-2025 1368 ENC as of 30-JAN-2025	



StatusReport(Life Limit & Overhaul Items Only)

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2092:44 AFL:
1368 As Of: 30-Jan-2025

30-Jan-2025 10:07 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition
ATA 23 - COMMUNICATIONS								
23-70-00-9600	DK120 OR DK120/90 COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON BATTERY DISCARD							Component ATA:23
PN:147-E5542-00	MOS		72 (+1m/-1m)	TSN 0	01-Feb-26 (M)	01-Mar-26	367 d (+28)	DISCARD
SN:ULB033080	HRS			TSN 0				
WC#: 23.210	AFL			TSN 0				
PROC. REF: AMM 23-70-00PROC. REF: AMM 23-70-00								
ATA 24 - ELECTRICAL POWER								
24-32-00-9600	NO. 1 SECURAPLANE BATTERY DISCARD							Service ATA:24
PN:100-2410-04	MOS	08-Aug-24	48 (+1m/-1m)		31-Aug-28	30-Sep-28	1309 d (+30)	DISCARD
SN:1009	HRS	1783:08						
	AFL	1157						
PROC. REF: AMM 24-32-00PROC. REF: AMM 24-32-00								
ATA 25 - EQUIPMENT/FURNISHINGS								
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 1							Component ATA:25
PN:P01074-207	MOS	17-Dec-20	120	TSN 5	31-Jul-30		2008 d	RESTORE
SN:20070240035	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 10							Component ATA:25
PN:P01074-207	MOS	17-Dec-20	120	TSN 5	31-Jul-30		2008 d	RESTORE
SN:20070240070	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 11							Component ATA:25
PN:P01074-207	MOS	17-Dec-20	120	TSN 5	31-Jul-30		2008 d	RESTORE
SN:20070240076.	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



StatusReport(Life Limit & Overhaul Items Only)

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2092:44 AFL:
1368 As Of: 30-Jan-2025

30-Jan-2025 10:07 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 2							Component ATA:25
PN:P01074-207	MOS	17-Dec-20	120	TSN 5	31-Jul-30		2008 d	RESTORE
SN:20070240149	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 3							Component ATA:25
PN:P01074-207	MOS	17-Dec-20	120	TSN 5	31-Jul-30		2008 d	RESTORE
SN:20070240074	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 4							Component ATA:25
PN:P01074-207	MOS	17-Dec-20	120	TSN 5	31-Jul-30		2008 d	RESTORE
SN:20070240069	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 5							Component ATA:25
PN:P01074-207	MOS	17-Dec-20	120	TSN 5	31-Jul-30		2008 d	RESTORE
SN:20070240075	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 6							Component ATA:25
PN:P01074-207	MOS	17-Dec-20	120	TSN 5	31-Jul-30		2008 d	RESTORE
SN:20070240066	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 7							Component ATA:25
PN:P01074-207	MOS	17-Dec-20	120	TSN 5	31-Jul-30		2008 d	RESTORE
SN:20070240081	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



StatusReport(Life Limit & Overhaul Items Only)

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2092:44 AFL:
1368 As Of: 30-Jan-2025

30-Jan-2025 10:07 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 8							Component ATA:25
PN:P01074-207	MOS	17-Dec-20	120	TSN 5	31-Jul-30		2008 d	RESTORE
SN:20070240114	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 9							Component ATA:25
PN:P01074-207	MOS	17-Dec-20	120	TSN 5	31-Jul-30		2008 d	RESTORE
SN:20070240153	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								
25-60-10-9600	EMERGENCY LOCATOR TRANSMITTER BATTERY DISCARD							Component ATA:25
PN:452-0133	MOS	01-Apr-20	60 (+1m/-1m)	TSN 0	31-Jul-25 (M)	31-Aug-25	182 d (+31)	DISCARD
SN:386262-018	HRS			TSN 0				
WC#: 25.020	AFL			TSN 0				
PROC. REF: AMM 25-60-10PROC. REF: AMM 25-60-10								
ATA 26 - FIRE PROTECTION								
26-21-01-9600	13083-5 AFT ENGINE FIRE EXTINGUISHER AFT CARTRIDGE SQUIB DISCARD - TOTAL LIFE							Service ATA:26
PN:13083-5	MOS	01-May-20	108 (+1m/-1m)		31-May-29	30-Jun-29	1582 d (+30)	LIFE LIMIT
SN:NSN	HRS							
	AFL							
Manufacture Date:: 01-May-20								
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
26-21-01-9600	13083-5 AFT ENGINE FIRE EXTINGUISHER FORWARD CARTRIDGE SQUIB DISCARD - TOTAL LIFE							Service ATA:26
PN:13083-5	MOS	01-Jun-20	108 (+1m/-1m)		30-Jun-29	31-Jul-29	1612 d (+31)	LIFE LIMIT
SN:NSN	HRS							
	AFL							
Manufacture Date:: 01-Jun-20								
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



StatusReport(Life Limit & Overhaul Items Only)

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2092:44 AFL:
1368 As Of: 30-Jan-2025

30-Jan-2025 10:07 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition
ATA 26 - FIRE PROTECTION								
26-21-01-9600	13083-5 FORWARD ENGINE FIRE EXTINGUISHER AFT CARTRIDGE SQUIB DISCARD - TOTAL LIFE							Service ATA:26
PN:13083-5	MOS	01-Nov-19	108 (+1m/-1m)		30-Nov-28	31-Dec-28	1400 d (+31)	LIFE LIMIT
SN:NSN	HRS							
	AFL							
			Manufacture Date:: 01-Nov-19					
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
26-21-01-9600	13083-5 FORWARD ENGINE FIRE EXTINGUISHER FORWARD CARTRIDGE SQUIB DISCARD - TOTAL LIFE							Service ATA:26
PN:13083-5	MOS	01-Aug-19	108 (+1m/-1m)		31-Aug-28	30-Sep-28	1309 d (+30)	LIFE LIMIT
SN:NSN	HRS							
	AFL							
			Manufacture Date:: 01-Aug-19					
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
26-21-01-9600.1	13083-5 AFT ENGINE FIRE EXTINGUISHER AFT CARTRIDGE SQUIB DISCARD - SERVICE LIFE							Service ATA:26
PN:13083-5	MOS	01-Oct-20	72 (+1m/-1m)		31-Oct-26	30-Nov-26	639 d (+30)	SERVICE LIFE LIMIT
SN:NSN	HRS							
	AFL							
			PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01					
26-21-01-9600.1	13083-5 AFT ENGINE FIRE EXTINGUISHER FORWARD CARTRIDGE SQUIB CARTRIDGE - SERVICE LIFE							Service ATA:26
PN:13083-5	MOS	01-Oct-20	72 (+1m/-1m)		31-Oct-26	30-Nov-26	639 d (+30)	SERVICE LIFE LIMIT
SN:NSN	HRS							
	AFL							
			PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01					
26-21-01-9600.1	13083-5 FORWARD ENGINE FIRE EXTINGUISHER FORWARD CARTRIDGE SQUIB DISCARD - SERVICE LIFE							Service ATA:26
PN:13083-5	MOS	01-Oct-20	72 (+1m/-1m)		31-Oct-26	30-Nov-26	639 d (+30)	SERVICE LIFE LIMIT
SN:NSN	HRS							
	AFL							
			PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01					

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



StatusReport(Life Limit & Overhaul Items Only)

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2092:44 AFL:
1368 As Of: 30-Jan-2025

30-Jan-2025 10:07 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition
ATA 26 - FIRE PROTECTION								
26-21-01-9600.1	13083-5 FORWARD ENGINE FIRE EXTINGUISHER AFT CARTRIDGE SQUIB DISCARD - SERVICE LIFE							Service ATA:26
PN:13083-5	MOS	01-Oct-20	72 (+1m/-1m)		31-Oct-26	30-Nov-26	639 d (+30)	SERVICE LIFE LIMIT
SN:NSN	HRS							
	AFL							
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
26-21-01-9601	13083-5 AUXILIARY POWER UNIT FIRE EXTINGUISHER CARTRIDGE SQUIB DISCARD - TOTAL LIFE							Service ATA:26
PN:13083-5	MOS	01-Aug-20	108 (+1m/-1m)		31-Aug-29	30-Sep-29	1674 d (+30)	LIFE LIMIT
SN:96090A1	HRS							
	AFL							
Manufacture Date:: 01-Aug-20								
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
26-21-01-9601.1	13083-5 AUXILIARY POWER UNIT FIRE EXTINGUISHER CARTRIDGE SQUIB DISCARD - SERVICE LIFE							Service ATA:26
PN:13083-5	MOS	01-Oct-20	72 (+1m/-1m)		31-Oct-26	30-Nov-26	639 d (+30)	SERVICE LIFE LIMIT
SN:96090A1	HRS							
	AFL							
Installation Date: : 01-Oct-20								
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-30-04-9600	DK120 OR DK120/90 FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON BATTERY DISCARD							Component ATA:31
PN:266E5542-00	MOS/MSC	15-Aug-22	DUE	TSN 0	31-Aug-26 (M)		578 d	DISCARD
SN:ULB034585	HRS	680		TSN 0				
WC#: 31.100	AFL	422		TSN 0				
Expiry Date: : 31-Aug-26								
PROC. REF: AMM 31-30-04PROC. REF: AMM 31-30-04								
ATA 32 - LANDING GEAR								
32-10-00-9601	LEFT MAIN LANDING GEAR TRUNNION SUBASSEMBLY DISCARD							Component ATA:32
PN:6641630-41	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:29777274	HRS	0		TSN 0				
WC#: 32.030	AFL	0	33300	TSN 0	33300		31932	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



StatusReport(Life Limit & Overhaul Items Only)

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2092:44 AFL:
1368 As Of: 30-Jan-2025

30-Jan-2025 10:07 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition
ATA 32 - LANDING GEAR								
32-10-00-9601	RIGHT MAIN LANDING GEAR TRUNNION SUBASSEMBLY DISCARD							Component ATA:32
PN:6641630-42	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:29662374	HRS	0		TSN 0				
WC#: 32.030	AFL	0	33300	TSN 0	33300		31932	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
32-10-00-9602	LEFT MAIN LANDING GEARTRAILING LINK ASSEMBLY DISCARD							Component ATA:32
PN:6641530-3	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:29777274	HRS	0		TSN 0				
WC#: 32.120	AFL	0	33300	TSN 0	33300		31932	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
32-10-00-9602	RIGHT MAIN LANDING GEARTRAILING LINK ASSEMBLY DISCARD							Component ATA:32
PN:6641530-4	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:29662374	HRS	0		TSN 0				
WC#: 32.120	AFL	0	33300	TSN 0	33300		31932	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
32-10-00-9603	LEFT MAIN LANDING GEAR TRAILING LINK SPACER DISCARD							Component ATA:32
PN:6641533-2	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:29777274	HRS	0		TSN 0				
WC#: 32.050	AFL	0	33300	TSN 0	33300		31932	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
32-10-00-9603	RIGHT MAIN LANDING GEAR TRAILING LINK SPACER DISCARD							Component ATA:32
PN:6641533-2	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:29662374	HRS	0		TSN 0				
WC#: 32.050	AFL	0	33300	TSN 0	33300		31932	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
32-10-00-9604	LEFT (EXCEPT UPPER CAP) MAIN LANDING GEAR OLEO ASSEMBLY DISCARD							Component ATA:32
PN:6641615-7	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:29786427	HRS	0		TSN 0				
WC#: 32.040	AFL	0	38000	TSN 0	38000		36632	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



StatusReport(Life Limit & Overhaul Items Only)

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2092:44 AFL:
1368 As Of: 30-Jan-2025

30-Jan-2025 10:07 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition
ATA 32 - LANDING GEAR								
32-10-00-9604	RIGHT (EXCEPT UPPER CAP) MAIN LANDING GEAR OLEO ASSEMBLY DISCARD							Component ATA:32
PN:6641615-7	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:29786399	HRS	0		TSN 0				
WC#: 32.040	AFL	0	38000	TSN 0	38000		36632	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
32-10-00-9604.1	LEFT UPPER CAP MAIN LANDING GEAR OLEO ASSEMBLY DISCARD							Component ATA:32
PN:6641616-5	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:29786427	HRS	0		TSN 0				
WC#: 32.060	AFL	0	14900	TSN 0	14900		13532	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
32-10-00-9604.1	RIGHT UPPER CAP MAIN LANDING GEAR OLEO ASSEMBLY DISCARD							Component ATA:32
PN:6641616-5	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:29786399	HRS	0		TSN 0				
WC#: 32.060	AFL	0	14900	TSN 0	14900		13532	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
32-10-00-9605	LEFT MAIN LANDING GEAR ACTUATOR ASSEMBLY DISCARD							Component ATA:32
PN:1550000-7	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:2140	HRS	0		TSN 0				
WC#: 32.180	AFL	0	70200	TSN 0	70200		68832	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
32-10-00-9605	RIGHT MAIN LANDING GEAR ACTUATOR ASSEMBLY DISCARD							Component ATA:32
PN:1550000-8	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:2148	HRS	0		TSN 0				
WC#: 32.180	AFL	0	70200	TSN 0	70200		68832	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
32-20-00-9600	NOSE LANDING GEAR ASSEMBLY DISCARD							Component ATA:32
PN:6642635-6	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:29905338	HRS	0		TSN 0				
WC#: 32.130	AFL	0	33300	TSN 0	33300		31932	
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



StatusReport(Life Limit & Overhaul Items Only)

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2092:44 AFL:
1368 As Of: 30-Jan-2025

30-Jan-2025 10:07 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition
ATA 32 - LANDING GEAR								
32-20-00-9601	NOSE LANDING GEAR ACTUATOR DISCARD							Component ATA:32
PN:1549300-11	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:1282	HRS	0		TSN 0				
WC#: 32.190	AFL	0	33300	TSN 0	33300		31932	
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								
32-30-09-9600	EMERGENCY GEAR EXTENSION / BRAKE PNEUMATIC STORAGE BOTTLE ASSEMBLY DISCARD							Component ATA:32
PN:40005347-3	MOS	13-Sep-23	288	TSO 199	28-Feb-31		2220 d	LIFE LIMIT
SN:5306	HRS	1148:25						
WC#: 32.230	AFL	745						
	APH	494:42						
Manufacture Date:: 28-Feb-07								
PROC. REF: AMM 32-30-09PROC. REF: AMM 32-30-09								
ATA 35 - OXYGEN								
35-10-00-9600	MC10-16-150, MC10-16-100, OR MLD20-505 COPILOT CREW MASK (ACCOMPLISH SUPPLIER TESTING AND FAULT ISOLATION TASK) RESTORATION							Component ATA:35
PN:MC10-16-150	MOS	20-Jul-20	72	TSN 0	31-Jul-26		547 d	OVERHAUL
SN:B162921	HRS			TSN 0				
WC#: 35.020	AFL			TSN 0				
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00								
35-10-00-9600	MC10-16-150, MC10-16-100, OR MLD20-505 PILOT CREW MASK (ACCOMPLISH SUPPLIER TESTING AND FAULT ISOLATION TASK) RESTORATION							Component ATA:35
PN:MC10-16-150	MOS	20-Jul-20	72	TSN 0	31-Jul-26		547 d	OVERHAUL
SN:B163030	HRS			TSN 0				
WC#: 35.020	AFL			TSN 0				
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00								
35-90-00-9600	OXYGEN BOTTLE ASSEMBLY (DISCARD)							Component ATA:35
PN:804882-14	MOS	01-Mar-20	180	TSN 0	31-Mar-35		3712 d	LIFE LIMIT
SN:C20030409	HRS			TSN 0				
WC#: 35.010	AFL			TSN 0				
Manufacture Date:: 01-Mar-20								
PROC. REF: AMM 35-90-00PROC. REF: AMM 35-90-00								

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



StatusReport(Life Limit & Overhaul Items Only)

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2092:44 AFL:
1368 As Of: 30-Jan-2025

30-Jan-2025 10:07 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
49-00-00-9600	APU - COMPRESSOR ROTOR							Component ATA:49
PN:70722359-1	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:19-162053-41860	HRS	0		TSN 0				
WC#: 49.040	APUS	0	9000	TSN 0	9000		7673	
PROC. REF: AMM 49-00-00PROC. REF: AMM 49-00-00								
49-00-00-9601	APU - TURBINE ROTOR							Component ATA:49
PN:70722360-1	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:19-156101-10886	HRS	0		TSN 0				
WC#: 49.050	APUS	0	4000	TSN 0	4000		2673	
PROC. REF: AMM 49-00-00PROC. REF: AMM 49-00-00								
ATA 53 - FUSELAGE								
53-00-00-9600	LEFT NOSE LANDING GEAR TRUNNION SUPPORT ASSEMBLY DISCARD							Component ATA:53
PN:6613020-63	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:127046-022	HRS	0		TSN 0				
WC#: 53.090	AFL	0	25500	TSN 0	25500		24132	
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								
53-00-00-9600	RIGHT NOSE LANDING GEAR TRUNNION SUPPORT ASSEMBLY DISCARD							Component ATA:53
PN:6613020-64	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:127873-002	HRS	0		TSN 0				
WC#: 53.090	AFL	0	25500	TSN 0	25500		24132	
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								
53-00-00-9601	NOSE LANDING GEAR ACTUATOR FITTING ASSEMBLY DISCARD							Component ATA:53
PN:6211191-3-1	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:6295	HRS	0		TSN 0				
WC#: 53.100	AFL	0	25500	TSN 0	25500		24132	
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								
ATA 57 - WINGS								
57-10-00-9600	LEFT MAIN LANDING GEAR FORWARD TRUNNION FITTING DISCARD							Component ATA:57
PN:6622123-5	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:455601-5	HRS	0		TSN 0				

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



StatusReport(Life Limit & Overhaul Items Only)

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2092:44 AFL:
1368 As Of: 30-Jan-2025

30-Jan-2025 10:07 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition
ATA 57 - WINGS								
WC#: 57.070	AFL	0	23800	TSN 0	23800		22432	
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00								
57-10-00-9600	RIGHT MAIN LANDING GEAR FORWARD TRUNNION FITTING DISCARD							Component ATA:57
PN:6622123-6	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:452158-1	HRS	0		TSN 0				
WC#: 57.070	AFL	0	23800	TSN 0	23800		22432	
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00								
57-10-00-9601	LEFT MAIN LANDING GEAR AFT TRUNNION FITTING DISCARD							Component ATA:57
PN:6622124-5	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:446693-5	HRS	0		TSN 0				
WC#: 57.060	AFL	0	23800	TSN 0	23800		22432	
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00								
57-10-00-9601	RIGHT MAIN LANDING GEAR AFT TRUNNION FITTING DISCARD							Component ATA:57
PN:6622124-6	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:453846-2	HRS	0		TSN 0				
WC#: 57.060	AFL	0	23800	TSN 0	23800		22432	
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00								
57-10-00-9602	LEFT MAIN LANDING GEAR ACTUATOR FITTING DISCARD							Component ATA:57
PN:6621125-9	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:446050-2	HRS	0		TSN 0				
WC#: 57.120	AFL	0	23800	TSN 0	23800		22432	
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00								
57-10-00-9602	RIGHT MAIN LANDING GEAR ACTUATOR FITTING DISCARD							Component ATA:57
PN:6621125-10	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:441307-5	HRS	0		TSN 0				
WC#: 57.120	AFL	0	23800	TSN 0	23800		22432	
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00								

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



StatusReport(Life Limit & Overhaul Items Only)

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2092:44 AFL:
1368 As Of: 30-Jan-2025

30-Jan-2025 10:07 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition
ATA 57 - WINGS								
57-50-04-9600	LEFT WING LEFT INBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.130	AFL	0	5000	TSN 0	5000		3632	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
57-50-04-9600	LEFT WING LEFT OUTBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.130	AFL	0	5000	TSN 0	5000		3632	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
57-50-04-9600	LEFT WING RIGHT INBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.140	AFL	0	5000	TSN 0	5000		3632	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
57-50-04-9600	LEFT WING RIGHT OUTBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.140	AFL	0	5000	TSN 0	5000		3632	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
57-50-04-9600	RIGHT WING LEFT INBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.150	AFL	0	5000	TSN 0	5000		3632	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
57-50-04-9600	RIGHT WING LEFT OUTBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.150	AFL	0	5000	TSN 0	5000		3632	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



StatusReport(Life Limit & Overhaul Items Only)

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2092:44 AFL:
1368 As Of: 30-Jan-2025

30-Jan-2025 10:07 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition
ATA 57 - WINGS								
57-50-04-9600	RIGHT WING RIGHT INBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.160	AFL	0	5000	TSN 0	5000		3632	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
57-50-04-9600	RIGHT WING RIGHT OUTBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.160	AFL	0	5000	TSN 0	5000		3632	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
57-50-04-9600.1	LEFT WING LEFT INBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.280	AFL	0	5000	TSN 0	5000		3632	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
57-50-04-9600.1	LEFT WING LEFT OUTBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.280	AFL	0	5000	TSN 0	5000		3632	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
57-50-04-9600.1	LEFT WING RIGHT INBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.290	AFL	0	5000	TSN 0	5000		3632	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
57-50-04-9600.1	LEFT WING RIGHT OUTBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.290	AFL	0	5000	TSN 0	5000		3632	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



StatusReport(Life Limit & Overhaul Items Only)

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2092:44 AFL:
1368 As Of: 30-Jan-2025

30-Jan-2025 10:07 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition
ATA 57 - WINGS								
57-50-04-9600.1	RIGHT WING LEFT INBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.300	AFL	0	5000	TSN 0	5000		3632	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
57-50-04-9600.1	RIGHT WING LEFT OUTBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.300	AFL	0	5000	TSN 0	5000		3632	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
57-50-04-9600.1	RIGHT WING RIGHT INBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.310	AFL	0	5000	TSN 0	5000		3632	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
57-50-04-9600.1	RIGHT WING RIGHT OUTBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.310	AFL	0	5000	TSN 0	5000		3632	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
ATA 71 - POWER PLANT								
71-22-00-9600	LEFT AFT ENGINE ISOLATOR MOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHING FUNCTIONAL CHECK) RESTORATION							Component ATA:71
PN:LM451-SA2	MOS	17-Dec-20		TSN 0				ENGINE OVERHAUL
SN:LK2147	HRS	0	10000	TSN 0	10000		7907:16	
WC#: 71.010	AFL	0		TSN 0				
PROC. REF: AMM 71-22-00PROC. REF: AMM 71-22-00								

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



StatusReport(Life Limit & Overhaul Items Only)

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2092:44 AFL:
1368 As Of: 30-Jan-2025

30-Jan-2025 10:07 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition
ATA 71 - POWER PLANT								
71-22-00-9600	LEFT BOTTOM FORWARD ENGINE ISOLATORMOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHINGFUNCTIONAL CHECK) RESTORATION							Component ATA:71
PN:LM451-SA4	MOS	17-Dec-20		TSN 0				ENGINE OVERHAUL
SN:LK4731	HRS	0	10000	TSN 0	10000		7907:16	
WC#: 71.030	AFL	0		TSN 0				
PROC. REF: AMM 71-22-00PROC. REF: AMM 71-22-00								
71-22-00-9600	LEFT UPPER FORWARD ENGINE ISOLATORMOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHINGFUNCTIONAL CHECK) RESTORATION							Component ATA:71
PN:LM451-SA4	MOS	17-Dec-20		TSN 0				ENGINE OVERHAUL
SN:LK4745	HRS	0	10000	TSN 0	10000		7907:16	
WC#: 71.020	AFL	0		TSN 0				
PROC. REF: AMM 71-22-00PROC. REF: AMM 71-22-00								
71-22-00-9600	RIGHT AFT ENGINE ISOLATOR MOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHING FUNCTIONAL CHECK) RESTORATION							Component ATA:71
PN:LM451-SA2	MOS	17-Dec-20		TSN 0				ENGINE OVERHAUL
SN:LK2146	HRS	0	10000	TSN 0	10000		7907:16	
WC#: 71.010	AFL	0		TSN 0				
PROC. REF: AMM 71-22-00PROC. REF: AMM 71-22-00								
71-22-00-9600	RIGHT BOTTOM FORWARD ENGINE ISOLATORMOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHINGFUNCTIONAL CHECK) RESTORATION							Component ATA:71
PN:LM451-SA4	MOS	17-Dec-20		TSN 0				ENGINE OVERHAUL
SN:LK4738	HRS	0	10000	TSN 0	10000		7907:16	
WC#: 71.030	AFL	0		TSN 0				
PROC. REF: AMM 71-22-00PROC. REF: AMM 71-22-00								
71-22-00-9600	RIGHT UPPER FORWARD ENGINE ISOLATORMOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHINGFUNCTIONAL CHECK) RESTORATION							Component ATA:71
PN:LM451-SA4	MOS	17-Dec-20		TSN 0				ENGINE OVERHAUL
SN:LK4741	HRS	0	10000	TSN 0	10000		7907:16	
WC#: 71.020	AFL	0		TSN 0				
PROC. REF: AMM 71-22-00PROC. REF: AMM 71-22-00								

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



StatusReport(Life Limit & Overhaul Items Only)

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2092:44 AFL: 1368 As Of: 30-Jan-2025

30-Jan-2025 10:07 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition
ATA 72 - ENGINE								
723000	NO. 1 ENGINE - LP COMPRESSOR SHAFT							Component ATA:72
PN:30J3206-01	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:PKAAA854713	HRS	0		TSN 0				
	ENC	0		TSN 0	(20000) 20000 (M)		18632	
	ACCCYC	0	20000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723000	NO. 2 ENGINE - LP COMPRESSOR SHAFT							Component ATA:72
PN:30J3206-01	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:PKAAA854708	HRS	0		TSN 0				
	ENC	0		TSN 0	(20000) 20000 (M)		18632	
	ACCCYC	0	20000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723010	NO. 1 ENGINE - LP COMPRESSOR FAN ROTOR							Component ATA:72
PN:30J2921-01	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:A004NYNB	HRS	0		TSN 0				
	ENC	0		TSN 0	(10000) 10000 (M)		8632	
	ACCCYC	0	10000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723010	NO. 2 ENGINE - LP COMPRESSOR FAN ROTOR							Component ATA:72
PN:30J2921-01	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:A004NN9F	HRS	0		TSN 0				
	ENC	0		TSN 0	(10000) 10000 (M)		8632	
	ACCCYC	0	10000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



StatusReport(Life Limit & Overhaul Items Only)

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2092:44 AFL:
1368 As Of: 30-Jan-2025

30-Jan-2025 10:07 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition
ATA 72 - ENGINE								
723020	NO. 1 ENGINE - LP COMPRESSOR BOOST ROTOR							Component ATA:72
PN:30J2210-01	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:A004AH44	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		12132	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723020	NO. 2 ENGINE - LP COMPRESSOR BOOST ROTOR							Component ATA:72
PN:30J2210-01	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:A004NBH7	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		12132	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723030	NO. 1 ENGINE - 1ST STAGE HP COMPRESSOR ROTOR							Component ATA:72
PN:30J2821-01	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:A004KTP1	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		12132	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723030	NO. 2 ENGINE - 1ST STAGE HP COMPRESSOR ROTOR							Component ATA:72
PN:30J2821-01	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:A004KTPR	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		12132	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



StatusReport(Life Limit & Overhaul Items Only)

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2092:44 AFL:
1368 As Of: 30-Jan-2025

30-Jan-2025 10:07 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition
ATA 72 - ENGINE								
723040	NO. 1 ENGINE - 2ND STAGE HP COMPRESSOR ROTOR							Component ATA:72
PN:30J2429-01	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:EAAE000Y201	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		12132	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723040	NO. 2 ENGINE - 2ND STAGE HP COMPRESSOR ROTOR							Component ATA:72
PN:30J2429-01	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:EAAE000Y132	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		12132	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723060	NO. 1 ENGINE - CENTRIFUGAL IMPELLER							Component ATA:72
PN:30J1450-01	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:A004FFAW	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		12132	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723060	NO. 2 ENGINE - CENTRIFUGAL IMPELLER							Component ATA:72
PN:30J1450-01	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:A004NBP2	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		12132	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



StatusReport(Life Limit & Overhaul Items Only)

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2092:44 AFL:
1368 As Of: 30-Jan-2025

30-Jan-2025 10:07 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition
ATA 72 - ENGINE								
725010	NO. 1 ENGINE - 1ST-STAGE TURBINE DISK							Component ATA:72
PN:30J3461-01	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:A004NBHA	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		12132	
	ACCCYC	0	13500	TSN 0				
PROC. REF: EMM 72-50-01PROC. REF: EMM 72-50-01								
725010	NO. 2 ENGINE - 1ST-STAGE TURBINE DISK							Component ATA:72
PN:30J3461-01	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:A004NBH8	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		12132	
	ACCCYC	0	13500	TSN 0				
PROC. REF: EMM 72-50-01PROC. REF: EMM 72-50-01								
725020	NO. 1 ENGINE - 2ND-STAGE TURBINE DISK							Component ATA:72
PN:30H3172	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:ABT06622	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		12132	
	ACCCYC	0	13500	TSN 0				
PROC. REF: EMM 72-50-01PROC. REF: EMM 72-50-01								
725020	NO. 2 ENGINE - 2ND-STAGE TURBINE DISK							Component ATA:72
PN:30H3172	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:ABT06624	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		12132	
	ACCCYC	0	13500	TSN 0				
PROC. REF: EMM 72-50-01PROC. REF: EMM 72-50-01								

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



StatusReport(Life Limit & Overhaul Items Only)

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2092:44 AFL:
1368 As Of: 30-Jan-2025

30-Jan-2025 10:07 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition
ATA 72 - ENGINE								
725030	NO. 1 ENGINE - 3RD-STAGE TURBINE DISK							Component ATA:72
PN:30H3173	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:ABT05560	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		12132	
	ACCCYC	0	13500	TSN 0				
PROC. REF: EMM 72-50-01PROC. REF: EMM 72-50-01								
725030	NO. 2 ENGINE - 3RD-STAGE TURBINE DISK							Component ATA:72
PN:30H3173	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:ABT05562	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		12132	
	ACCCYC	0	13500	TSN 0				
PROC. REF: EMM 72-50-01PROC. REF: EMM 72-50-01								
725040	NO. 1 ENGINE - 4TH-STAGE TURBINE DISK							Component ATA:72
PN:30H3174	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:ABT06376	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		12132	
	ACCCYC	0	13500	TSN 0				
PROC. REF: EMM 72-50-01PROC. REF: EMM 72-50-01								
725040	NO. 2 ENGINE - 4TH-STAGE TURBINE DISK							Component ATA:72
PN:30H3174	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:ABT06544	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		12132	
	ACCCYC	0	13500	TSN 0				
PROC. REF: EMM 72-50-01PROC. REF: EMM 72-50-01								

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



StatusReport(Life Limit & Overhaul Items Only)

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2092:44 AFL: 1368 As Of: 30-Jan-2025

30-Jan-2025 10:07 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition
ATA 79 - OIL								
79-10-00-901	NO. 1 ENGINE - OVERHAUL ENGINE							Service ATA:79
	MOS	17-Dec-20						ENGINE OVERHAUL
	HRS	0	5000 (+100)		(5000) 5000	5100	2907:16 (+100)	
	ENC	0						
PROC. REF: EMM 79-20-01PROC. REF: EMM 79-20-01								
79-10-00-901	NO. 2 ENGINE - OVERHAUL ENGINE							Service ATA:79
	MOS	17-Dec-20						ENGINE OVERHAUL
	HRS	0	5000 (+100)		(5000) 5000	5100	2907:16 (+100)	
	ENC	0						
PROC. REF: EMM 79-20-01PROC. REF: EMM 79-20-01								
ATA 80 - STARTING								
80-10-00-9600	LEFT ENGINE STARTER - GENERATOR (BEARINGS DISCARD AND ARMATURE FUNCTIONAL CHECK) RESTORATION							Component ATA:80
PN:300SGL138Q-4	MOS	01-Oct-24		TSO 0				OVERHAUL
SN:3080XL	HRS	1926:45	1000 (+25/-25)	TSO 0	2926:45	2951:45	834:01 (+25)	
WC#: 80.010	AFL	1258		TSO 0				
	APH							
PROC. REF: AMM 80-10-00PROC. REF: AMM 80-10-00								
80-10-00-9600	RIGHT ENGINE STARTER - GENERATOR (BEARINGS DISCARD AND ARMATURE FUNCTIONAL CHECK) RESTORATION							Component ATA:80
PN:300SGL138Q-4	MOS	01-Oct-24		TSO 0				OVERHAUL
SN:S00026	HRS	1926:45	1000 (+25/-25)	TSO 0	2926:45	2951:45	834:01 (+25)	
WC#: 80.010	AFL	1258		TSO 0				
	APH							
PROC. REF: AMM 80-10-00PROC. REF: AMM 80-10-00								
80-11-00-9600	AUXILIARY POWER UNIT STARTER - GENERATOR (BEARINGS DISCARD AND ARMATURE FUNCTIONAL CHECK) RESTORATION							Component ATA:80
PN:9912499-31	MOS	05-Sep-24		TSO 0				OVERHAUL
SN:3332XL	HRS	1862:57		TSO 0				
WC#: 80.020	AFL	1211		TSO 0				
	APH	697:06	1000 (+25/-25)	TSO 0	1697:06	1722:06	914 (+25)	
PROC. REF: AMM 80-11-00PROC. REF: AMM 80-11-00								

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task