

OWNER: ABS JETS

OPERATOR: ABS JETS

ADDRESS: ABS JETS C/O CAIMITO
ENTERPRISES LIMITED
PRAGUE 6 161 00ADDRESS: ABS JETS C/O CAIMITO
ENTERPRISES LIMITED
PRAGUE 6 161 00

OFFICE: +420 220 111 196

OFFICE: +420 220 111 196

FAX: +420 220 112 623

FAX: +420 220 112 623

ANALYST: GARY LEEVER

+44 (790) 312-5319 (DIRECT)

EMAIL: GARY.LEEVER@CAMPSYSTEMS.COM

+1-631-588-3200 (MAIN)

WWW.CAMPSYSTEMS.COM

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL / REGNO: 6160/OK-EVO	MODEL: G650	MANUFACTURER: GULFSTREAM AEROSPACE CORPORATION
CERTIFICATION DATE: 24-AUG-2015		LAST ACTUALS: 2718.9 A/C HRS as of 27-JUN-2025 989 AFL as of 27-JUN-2025 2050 APH as of 27-JUN-2025 0 APS as of 27-JUN-2025	
APU	SERIAL / PART: P-269/WE3800700-1	MODEL: RE220(GVI)	MANUFACTURER: HONEYWELL
INSTALLED ON: 13-AUG-2015		LAST ACTUALS: 2050 APU HRS as of 27-JUN-2025 0 APUS as of 27-JUN-2025	
0 APU HRS 0 A/C HRS			
0 APUS			
ENGINE NO. 1	SERIAL / PART: 26163/DEL116	MODEL: BR725A1-12 (G650)	MANUFACTURER: ROLLS-ROYCE DERBY PLC
INSTALLED ON: 28-NOV-2022		LAST ACTUALS: 667.2 ENG. HRS as of 27-JUN-2025 264 ENC as of 27-JUN-2025	
0 ENG. HRS 2051.7 A/C HRS			
0 ENC			
ENGINE NO. 2	SERIAL / PART: 26162/DER116	MODEL: BR725A1-12 (G650)	MANUFACTURER: ROLLS-ROYCE DERBY PLC
INSTALLED ON: 28-NOV-2022		LAST ACTUALS: 667.2 ENG. HRS as of 27-JUN-2025 264 ENC as of 27-JUN-2025	
0 ENG. HRS 2051.7 A/C HRS			
0 ENC			

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
216141	ZONE TRIM AIR VALVE CUP ASSEMBLY (COCKPIT) - DISCARD							Component ATA:21
PN:4000091-600-BT	MOS	25-Nov-24		TSN 14				DISCARD
SN:NSN	HRS	2483.7	600 (+50/-50)	TSN 0	3083.7	3133.7	364.8 (+50)	
	AFL	900		TSN 0				
PROC. REF: AMM 21-61-05PROC. REF: AMM 21-61-05								
216142	ZONE TRIM AIR VALVE CUP ASSEMBLY (FORWARD CABIN) - DISCARD							Component ATA:21
PN:4000091-600-BT	MOS	25-Nov-24		TSN 14				DISCARD
SN:NSN	HRS	2483.7	600 (+50/-50)	TSN 0	3083.7	3133.7	364.8 (+50)	
	AFL	900		TSN 0				
PROC. REF: AMM 21-61-05PROC. REF: AMM 21-61-05								
216143	ZONE TRIM AIR VALVE CUP ASSEMBLY (AFT CABIN) - DISCARD							Component ATA:21
PN:4000091-600-BT	MOS	25-Nov-24		TSN 14				DISCARD
SN:NSN	HRS	2483.7	600 (+50/-50)	TSN 0	3083.7	3133.7	364.8 (+50)	
	AFL	900		TSN 0				
PROC. REF: AMM 21-61-05PROC. REF: AMM 21-61-05								
ATA 23 - COMMUNICATIONS								
237220	COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON BATTERY - DISCARD							Component ATA:23
PN:DK120/90	MOS	11-Jan-21	84		01-Mar-26 (M)		235 d	LIFE LIMIT
SN:AT129703	HRS	1594.1						
	AFL	547						
Expiry Date: : 01-Mar-26								
PROC. REF: AMM 23-72-11PROC. REF: AMM 23-72-11								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
256143		LIFE RAFT (NO. 1) - RESTORE						Component ATA:25
PN: 1320FAUL-6K4-1-904	MOS	21-Dec-23	36		31-Oct-26 (M)		479 d	OVERHAUL
SN: 13UL-01602	HRS	2315.6						
	AFL	802						
			Expiry Date: : 31-Oct-26					
PROC. REF: AMM 25-61-03PROC. REF: AMM 25-61-03								
256144		LIFE RAFT (NO. 2) - RESTORE						Component ATA:25
PN: 1320FAUL-6K4-1-904	MOS	21-Dec-23	36		31-Oct-26 (M)		479 d	OVERHAUL
SN:13UL-01603	HRS	2315.6						
	AFL	802						
			Expiry Date: : 31-Oct-26					
PROC. REF: AMM 25-61-03PROC. REF: AMM 25-61-03								
256308		EMERGENCY LOCATOR TRANSMITTER BATTERY PACK - DISCARD						Component ATA:25
PN:452-0133	MOS	08-Oct-23	60	TSN 14	31-Oct-27 (M)		844 d	LIFE LIMIT
SN:397417-034	HRS	2315.6		TSN 0				
	AFL	802		TSN 0				
			Expiry Date: : 31-Oct-27					
PROC. REF: AMM 25-63-08-SEPROC. REF: AMM 25-63-08-SE								
256406		FIRST AID KIT (NO. 1) TIME LIMITED SUPPLIES - DISCARD						Component ATA:25
PN:AFAK 1.0	MOS	25-Sep-24	12		31-Aug-25 (M)		53 d	DISCARD
SN:2521	HRS	2450.2		TSR 0				
	AFL	880		TSR 0				
Special Properties: TRACKED ITEM			Expiry Date: : 31-Aug-25					
PROC. REF: AMM 25-64-01PROC. REF: AMM 25-64-01								
256419		DEFIBRILLATOR TIME LIMITED SUPPLIES - DISCARD						Component ATA:25
PN:502861	MOS	04-Dec-24	12		04-Dec-25 (M)		148 d	DISCARD
SN:B15H-00458	HRS	2483.7						
	AFL	900						
Special Properties: TRACKED ITEM								
PROC. REF: AMM 25-64-03-SEPROC. REF: AMM 25-64-03-SE								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
262132	ENGINE FIRE BOTTLE CARTRIDGE (LEFT BOTTLE, LEFT SQUIB, SERVICE LIFE) - DISCARD							Component ATA:26
PN:30903876	MOS	06-Dec-24	120	TSN 0	06-Dec-34		3437 d	SERVICE LIFE LIMIT
SN:0672DE	HRS	2483.7		TSN 0				
	AFL	900		TSN 0				
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
262133	ENGINE FIRE BOTTLE CARTRIDGE (LEFT BOTTLE, LEFT SQUIB, MANUFACTURERS LIFE) - DISCARD							Component ATA:26
PN:30903876	MOS	06-Dec-24	180	TSN 116	01-Mar-37		4253 d	LIFE LIMIT
SN:0672DE	HRS	0		TSN 0				
	AFL	0		TSN 0				
Manufacture Date:: 01-Mar-22								
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
262134	ENGINE FIRE BOTTLE CARTRIDGE (LEFT BOTTLE, RIGHT SQUIB, SERVICE LIFE) - DISCARD							Component ATA:26
PN:30903824	MOS	06-Dec-24	120	TSN 0	06-Dec-34		3437 d	SERVICE LIFE LIMIT
SN:1120CM	HRS	2483.7		TSN 0				
	AFL	900		TSN 0				
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
262135	ENGINE FIRE BOTTLE CARTRIDGE (LEFT BOTTLE, RIGHT SQUIB, MANUFACTURERS LIFE) - DISCARD							Component ATA:26
PN:30903824	MOS	06-Dec-24	180	TSN 116	01-Mar-37		4253 d	LIFE LIMIT
SN:1120CM	HRS	0		TSN 0				
	AFL	0		TSN 0				
Manufacture Date:: 01-Mar-22								
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
262136	ENGINE FIRE BOTTLE CARTRIDGE (LEFT BOTTLE, APU SQUIB, SERVICE LIFE) - DISCARD							Component ATA:26
PN:30903852	MOS	06-Dec-24	120	TSN 0	06-Dec-34		3437 d	SERVICE LIFE LIMIT
SN:0061CC	HRS	2483.7		TSN 0				
	AFL	900		TSN 0				
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
262137	ENGINE FIRE BOTTLE CARTRIDGE (LEFT BOTTLE, APU SQUIB, MANUFACTURERS LIFE) - DISCARD							Component	ATA:26
PN:30903852	MOS	06-Dec-24	180	TSN 116	01-Mar-37		4253 d	LIFE LIMIT	
SN:0061CC	HRS	2483.7		TSN 0					
	AFL	900		TSN 0					
Manufacture Date:: 01-Mar-22									
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01									
262138	ENGINE FIRE BOTTLE CARTRIDGE (RIGHT BOTTLE, LEFT SQUIB, SERVICE LIFE) - DISCARD							Component	ATA:26
PN:30903876	MOS	06-Dec-24	120	TSN 0	06-Dec-34		3437 d	SERVICE LIFE LIMIT	
SN:2641DB	HRS	2483.7		TSN 0					
	AFL	900		TSN 0					
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01									
262139	ENGINE FIRE BOTTLE CARTRIDGE (RIGHT BOTTLE, LEFT SQUIB, MANUFACTURERS LIFE) - DISCARD							Component	ATA:26
PN: 30903876	MOS	06-Dec-24	180	TSN 116	01-Feb-38		4590 d	LIFE LIMIT	
SN:2641DB	HRS	2483.7		TSN 0					
	AFL	900		TSN 0					
Manufacture Date:: 01-Feb-23									
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01									
262140	ENGINE FIRE BOTTLE CARTRIDGE (RIGHT BOTTLE, RIGHT SQUIB, SERVICE LIFE) - DISCARD							Component	ATA:26
PN:30903828	MOS	06-Dec-24	120	TSN 0	06-Dec-34		3437 d	SERVICE LIFE LIMIT	
SN:1082CM	HRS	2483.7		TSN 0					
	AFL	900		TSN 0					
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01									
262141	ENGINE FIRE BOTTLE CARTRIDGE (RIGHT BOTTLE, RIGHT SQUIB, MANUFACTURERS LIFE) - DISCARD							Component	ATA:26
PN:30903828	MOS	06-Dec-24	180	TSN 116	01-Dec-37		4528 d	LIFE LIMIT	
SN:1082CM	HRS	2483.7		TSN 0					
	AFL	900		TSN 0					
Manufacture Date:: 01-Dec-22									
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
262142	ENGINE FIRE BOTTLE CARTRIDGE (RIGHT BOTTLE, SPARE SQUIB, SERVICE LIFE) - DISCARD							Component ATA:26
PN:30908552	MOS	06-Dec-24	120	TSN 0	06-Dec-34		3437 d	SERVICE LIFE LIMIT
SN:0099CC	HRS	2483.7		TSN 0				
	AFL	900		TSN 0				
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
262143	ENGINE FIRE BOTTLE CARTRIDGE (RIGHT BOTTLE, SPARE SQUIB, MANUFACTURERS LIFE) - DISCARD							Component ATA:26
PN:30908552	MOS	06-Dec-24	180	TSN 116	01-Mar-37		4253 d	LIFE LIMIT
SN:0099CC	HRS	2483.7		TSN 0				
	AFL	900		TSN 0				
Manufacture Date:: 01-Mar-22								
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
ATA 27 - FLIGHT CONTROLS								
275058	A TRACK FLAP ROLLER (LEFT INBOARD) - DISCARD							Component ATA:27
PN:60P5755371Z019	MOS	25-Feb-25		TSN 6				DISCARD
SN:NSN	HRS	2573.1	2400 (+50/-50)	TSN 0	4973.1	5023.1	2254.2 (+50)	
	AFL	932		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275059	A TRACK FLAP ROLLER (LEFT OUTBOARD) - DISCARD							Component ATA:27
PN:60P5755371Z019	MOS	25-Feb-25		TSN 6				DISCARD
SN:NSN	HRS	2573.1	2400 (+50/-50)	TSN 0	4973.1	5023.1	2254.2 (+50)	
	AFL	932		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275060	A TRACK FLAP ROLLER (LEFT TRAILING EDGE) - DISCARD							Component ATA:27
PN:KRP505-04VT	MOS	21-Dec-23		TSN 4				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1996.7 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275061	A TRACK FLAP ROLLER (RIGHT INBOARD) - DISCARD							Component ATA:27
PN:60P5755371Z019	MOS	25-Feb-25		TSN 6				DISCARD
SN:NSN	HRS	2573.1	2400 (+50/-50)	TSN 0	4973.1	5023.1	2254.2 (+50)	
	AFL	932		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

StatusReport(Life Limit & Overhaul Items Only)

Model: G650 Serial: 6160 RegNo: OK-EVO HRS: 2718.9 AFL: 989 As Of: 27-Jun-2025

09-Jul-2025 08:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275062	A TRACK FLAP ROLLER (RIGHT OUTBOARD) - DISCARD							Component ATA:27
PN:60P5755371Z019	MOS	25-Feb-25		TSN 6				DISCARD
SN:NSN	HRS	2573.1	2400 (+50/-50)	TSN 0	4973.1	5023.1	2254.2 (+50)	
	AFL	932		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275063	A TRACK FLAP ROLLER (RIGHT TRAILING EDGE) - DISCARD							Component ATA:27
PN:KRP505-04VT	MOS	21-Dec-23		TSN 4				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1996.7 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275064	B TRACK FLAP ROLLER (LEFT INBOARD UPPER AFT) - DISCARD							Component ATA:27
PN:60P5755371Z014	MOS	25-Feb-25		TSN 4				DISCARD
SN:NSN	HRS	2573.1	2400 (+50/-50)	TSN 0	4973.1	5023.1	2254.2 (+50)	
	AFL	932		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275065	B TRACK FLAP ROLLER (LEFT OUTBOARD UPPER AFT) - DISCARD							Component ATA:27
PN:60P5755371Z014	MOS	25-Feb-25		TSN 4				DISCARD
SN:NSN	HRS	2573.1	2400 (+50/-50)	TSN 0	4973.1	5023.1	2254.2 (+50)	
	AFL	932		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275066	B TRACK FLAP ROLLER (LEFT INBOARD UPPER FORWARD) - DISCARD							Component ATA:27
PN:60P5755371Z002	MOS	25-Feb-25		TSN 20				DISCARD
SN:NSN	HRS	2573.1	2400 (+50/-50)	TSN 0	4973.1	5023.1	2254.2 (+50)	
	AFL	932		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275067	B TRACK FLAP ROLLER (LEFT OUTBOARD UPPER FORWARD) - DISCARD							Component ATA:27
PN:60P5755371Z002	MOS	21-Dec-23		TSN 7				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1996.7 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275068	B TRACK FLAP ROLLER (LEFT INBOARD LOWER FORWARD) - DISCARD							Component ATA:27
PN:60P5755371Z003	MOS	21-Dec-23		TSN 6				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1996.7 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275069	B TRACK FLAP ROLLER (LEFT OUTBOARD LOWER FORWARD) - DISCARD							Component ATA:27
PN:60P5755371Z003	MOS	21-Dec-23		TSN 6				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1996.7 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275070	B TRACK FLAP ROLLER (RIGHT INBOARD UPPER AFT) - DISCARD							Component ATA:27
PN:60P5755371Z014	MOS	21-Dec-23		TSN 6				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1996.7 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275071	B TRACK FLAP ROLLER (RIGHT OUTBOARD UPPER AFT) - DISCARD							Component ATA:27
PN:60P5755371Z001	MOS	02-Oct-19						DISCARD
SN:NSN	HRS	1201.5	2400 (+50/-50)	TSN 0	3601.5	3651.5	882.6 (+50)	
	AFL	351		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275072	B TRACK FLAP ROLLER (RIGHT INBOARD UPPER FORWARD) - DISCARD							Component ATA:27
PN:60P5755371Z002	MOS	21-Dec-23						DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)		4800 (M)	4850	2081.1 (+50)	
	AFL	802						
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275073	B TRACK FLAP ROLLER (RIGHT OUTBOARD UPPER FORWARD) - DISCARD							Component ATA:27
PN:60P5755371Z002	MOS	21-Dec-23		TSN 7				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1996.7 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275074	B TRACK FLAP ROLLER (RIGHT INBOARD LOWER FORWARD) - DISCARD							Component ATA:27
PN:60P5755371Z003	MOS	21-Dec-23		TSN 6				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1996.7 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275075	B TRACK FLAP ROLLER (RIGHT OUTBOARD LOWER FORWARD) - DISCARD							Component ATA:27
PN:60P5755371Z003	MOS	21-Dec-23		TSN 5				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1996.7 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275076	C TRACK FLAP ROLLER (LEFT INBOARD UPPER AFT) - DISCARD							Component ATA:27
PN:60P5755371Z011	MOS	11-Jan-21						DISCARD
SN:NSN	HRS	1594.1	2400 (+50/-50)	TSN 0	3994.1	4044.1	1275.2 (+50)	
	AFL	547		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275077	C TRACK FLAP ROLLER (LEFT INBOARD LOWER FORWARD) - DISCARD							Component ATA:27
PN:60P5755371Z003	MOS	21-Dec-23		TSN 6				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1996.7 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275078	C TRACK FLAP ROLLER (LEFT INBOARD UPPER FORWARD) - DISCARD							Component ATA:27
PN:60P5755371Z007	MOS	21-Dec-23		TSN 19				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1996.7 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275079	C TRACK FLAP ROLLER (LEFT OUTBOARD UPPER FORWARD) - DISCARD							Component ATA:27
PN:60P5755371Z007	MOS	15-Jan-21						DISCARD
SN:NSN	HRS	1594.1	2400 (+50/-50)	TSN 0	3994.1	4044.1	1275.2 (+50)	
	AFL	547		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275080	C TRACK FLAP ROLLER (LEFT OUTBOARD UPPER AFT) - DISCARD							Component ATA:27
PN:60P5755371Z011	MOS	15-Jan-21						DISCARD
SN:NSN	HRS	1594.1	2400 (+50/-50)	TSN 0	3994.1	4044.1	1275.2 (+50)	
	AFL	547		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275081	C TRACK FLAP ROLLER (LEFT OUTBOARD LOWER FORWARD) - DISCARD							Component ATA:27
PN:60P5755371Z003	MOS	21-Dec-23						DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)		4800 (M)	4850	2081.1 (+50)	
	AFL	802						
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275082	C TRACK FLAP ROLLER (RIGHT INBOARD UPPER AFT) - DISCARD							Component ATA:27
PN:60P5755371Z011	MOS	12-Jan-21						DISCARD
SN:NSN	HRS	1594.1	2400 (+50/-50)	TSN 0	3994.1	4044.1	1275.2 (+50)	
	AFL	547		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275083	C TRACK FLAP ROLLER (RIGHT INBOARD LOWER FORWARD) - DISCARD							Component ATA:27
PN:60P5755371Z003	MOS	21-Dec-23						DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)		4800 (M)	4850	2081.1 (+50)	
	AFL	802						
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275084	C TRACK FLAP ROLLER (RIGHT INBOARD UPPER FORWARD) - DISCARD							Component ATA:27
PN:60P5755371Z007	MOS	21-Dec-23		TSN 19				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1996.7 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275085	C TRACK FLAP ROLLER (RIGHT OUTBOARD UPPER FORWARD) - DISCARD							Component ATA:27
PN:60P5755371Z007	MOS	15-Jan-21						DISCARD
SN:NSN	HRS	1594.1	2400 (+50/-50)	TSN 0	3994.1	4044.1	1275.2 (+50)	
	AFL	547		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275086	C TRACK FLAP ROLLER (RIGHT OUTBOARD UPPER AFT) - DISCARD							Component ATA:27
PN:60P5755371Z011	MOS	15-Jan-21						DISCARD
SN:NSN	HRS	1594.1	2400 (+50/-50)	TSN 0	3994.1	4044.1	1275.2 (+50)	
	AFL	547		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275087	C TRACK FLAP ROLLER (RIGHT OUTBOARD LOWER FORWARD) - DISCARD							Component ATA:27
PN:60P5755371Z003	MOS	21-Dec-23		TSN 7				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1996.7 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275088	D TRACK FLAP ROLLER (LEFT INBOARD UPPER) - DISCARD							Component ATA:27
PN:60P5755371Z010	MOS	21-Dec-23		TSN 4				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1996.7 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275089	D TRACK FLAP ROLLER (LEFT OUTBOARD UPPER) - DISCARD							Component ATA:27
PN:60P5755371Z010	MOS	21-Dec-23		TSN 18				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1996.7 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275090	D TRACK FLAP ROLLER (LEFT TRAILING EDGE FORWARD) - DISCARD							Component ATA:27
PN:60P5755371Z004	MOS	21-Dec-23						DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)		4800 (M)	4850	2081.1 (+50)	
	AFL	802						
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275091	D TRACK FLAP ROLLER (LEFT TRAILING EDGE AFT) - DISCARD							Component ATA:27
PN:60P5755371Z004	MOS	21-Dec-23		TSN 18				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1996.7 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275092	D TRACK FLAP ROLLER (RIGHT INBOARD UPPER) - DISCARD							Component ATA:27
PN:60P5755371Z010	MOS	21-Dec-23		TSN 18				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1996.7 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275093	D TRACK FLAP ROLLER (RIGHT OUTBOARD UPPER) - DISCARD							Component ATA:27
PN:60P5755371Z010	MOS	21-Dec-23		TSN 4				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1996.7 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275094	D TRACK FLAP ROLLER (RIGHT TRAILING EDGE FORWARD) - DISCARD							Component ATA:27
PN:60P5755371Z004	MOS	21-Dec-23						DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)		4800 (M)	4850	2081.1 (+50)	
	AFL	802						
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275095	D TRACK FLAP ROLLER (RIGHT TRAILING EDGE AFT) - DISCARD							Component ATA:27
PN:60P5755371Z004	MOS	21-Dec-23		TSN 18				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1996.7 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275096	D TRACK FLAP DOWN LOAD CATCH ROLLER (LEFT INBOARD) - DISCARD							Component ATA:27
PN:60P5755371Z008	MOS	21-Dec-23		TSN 20				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1996.7 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275097	D TRACK FLAP DOWN LOAD CATCH ROLLER (LEFT OUTBOARD) - DISCARD							Component ATA:27
PN:60P5755371Z008	MOS	21-Dec-23						DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)		4800 (M)	4850	2081.1 (+50)	
	AFL	802						
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275098	D TRACK FLAP DOWN LOAD CATCH ROLLER (RIGHT INBOARD) - DISCARD							Component ATA:27
PN:60P5755371Z008	MOS	21-Dec-23		TSN 20				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1996.7 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275099	D TRACK FLAP DOWN LOAD CATCH ROLLER (RIGHT OUTBOARD) - DISCARD							Component ATA:27
PN:60P5755371Z008	MOS	21-Dec-23		TSN 20				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1996.7 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
ATA 29 - HYDRAULIC POWER								
291487	LEFT SYSTEM MANIFOLD FILTER (RETURN) - DISCARD							Component ATA:29
PN:339913	MOS	22-Jan-22		TSN 0				DISCARD
SN:NSN	HRS	1745.4	3600 (+50/-50)	TSN 0	5345.4	5395.4	2626.5 (+50)	
	AFL	610		TSN 0				
PROC. REF: AMM 29-14-19PROC. REF: AMM 29-14-19								
291488	LEFT SYSTEM MANIFOLD FILTER (ENGINE-DRIVEN PUMP PRESSURE) - DISCARD							Component ATA:29
PN:339913	MOS	22-Jan-22		TSN 0				DISCARD
SN:NSN	HRS	1745.4	3600 (+50/-50)	TSN 0	5345.4	5395.4	2626.5 (+50)	
	AFL	610		TSN 0				
PROC. REF: AMM 29-14-19PROC. REF: AMM 29-14-19								
291489	LEFT SYSTEM MANIFOLD FILTER (ENGINE-DRIVEN PUMP CASE DRAIN) - DISCARD							Component ATA:29
PN:339482	MOS	22-Jan-22		TSN 0				DISCARD
SN:NSN	HRS	1745.4	3600 (+50/-50)	TSN 0	5345.4	5395.4	2626.5 (+50)	
	AFL	610		TSN 0				
PROC. REF: AMM 29-14-19PROC. REF: AMM 29-14-19								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
291490	LEFT SYSTEM MANIFOLD FILTER (POWER TRANSFER UNIT CASE DRAIN) - DISCARD							Component ATA:29
PN:339482	MOS	22-Jan-22		TSN 0				DISCARD
SN:NSN	HRS	1745.4	3600 (+50/-50)	TSN 0	5345.4	5395.4	2626.5 (+50)	
	AFL	610		TSN 0				
PROC. REF: AMM 29-14-19PROC. REF: AMM 29-14-19								
291491	LEFT SYSTEM MANIFOLD FILTER (POWER TRANSFER UNIT PRESSURE) - DISCARD							Component ATA:29
PN:339474	MOS	22-Jan-22		TSN 0				DISCARD
SN:NSN	HRS	1745.4	3600 (+50/-50)	TSN 0	5345.4	5395.4	2626.5 (+50)	
	AFL	610		TSN 0				
PROC. REF: AMM 29-14-19PROC. REF: AMM 29-14-19								
291492	LEFT SYSTEM MANIFOLD FILTER (AUXILIARY PUMP CASE DRAIN) - DISCARD							Component ATA:29
PN:339482	MOS	22-Jan-22		TSN 0				DISCARD
SN:NSN	HRS	1745.4	3600 (+50/-50)	TSN 0	5345.4	5395.4	2626.5 (+50)	
	AFL	610		TSN 0				
PROC. REF: AMM 29-14-19PROC. REF: AMM 29-14-19								
291525	RIGHT SYSTEM MANIFOLD FILTER (RETURN) - DISCARD							Component ATA:29
PN:339913	MOS	22-Jan-22		TSN 0				DISCARD
SN:NSN	HRS	1745.4	3600 (+50/-50)	TSN 0	5345.4	5395.4	2626.5 (+50)	
	AFL	610		TSN 0				
PROC. REF: AMM 29-14-20PROC. REF: AMM 29-14-20								
291526	RIGHT SYSTEM MANIFOLD FILTER (ENGINE-DRIVEN PUMP PRESSURE) - DISCARD							Component ATA:29
PN:339913	MOS	22-Jan-22		TSN 0				DISCARD
SN:NSN	HRS	1745.4	3600 (+50/-50)	TSN 0	5345.4	5395.4	2626.5 (+50)	
	AFL	610		TSN 0				
PROC. REF: AMM 29-14-20PROC. REF: AMM 29-14-20								
291527	RIGHT SYSTEM MANIFOLD FILTER (ENGINE-DRIVEN PUMP CASE DRAIN) - DISCARD							Component ATA:29
PN:339482	MOS	22-Jan-22		TSN 0				DISCARD
SN:NSN	HRS	1745.4	3600 (+50/-50)	TSN 0	5345.4	5395.4	2626.5 (+50)	
	AFL	610		TSN 0				
PROC. REF: AMM 29-14-20PROC. REF: AMM 29-14-20								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
292511	AUXILIARY HYDRAULIC PUMP MANIFOLD FILTER - DISCARD							Component ATA:29
PN:339980	MOS	21-Dec-23						DISCARD
SN:NSN	HRS	2315.6	600 (+50/-50)	Adj 29.8	3000 (M)	3050	281.1 (+50)	
	AFL	802						
PROC. REF: AMM 29-14-19PROC. REF: AMM 29-14-19								
ATA 31 - INDICATING/RECORDING SYSTEMS								
313117	FDR UNDERWATER LOCATOR BEACON BATTERY (DK120, DK120/90 OR DK290) - DISCARD							Component ATA:31
PN:DK120/90	MOS	21-Dec-23	84	TSN 2	31-Dec-30 (M)		2001 d	LIFE LIMIT
SN:AT197300	HRS	2315.6		TSN 0				
	AFL	802		TSN 0				
Expiry Date: : 31-Dec-30								
PROC. REF: AMM 31-31-05PROC. REF: AMM 31-31-05								
ATA 32 - LANDING GEAR								
321008	MAIN LANDING GEAR (LEFT) - RESTORE							Component ATA:32
PN:60P3212010A019	MOS	24-Aug-15	192	TSN 0	24-Aug-31		2237 d	OVERHAUL
SN:GLG0164	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		9011	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
321009	MAIN LANDING GEAR (RIGHT) - RESTORE							Component ATA:32
PN:60P3212011A017	MOS	24-Aug-15	192	TSN 0	24-Aug-31		2237 d	OVERHAUL
SN:GLG0164	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		9011	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
321013	MAIN LANDING GEAR POST MACHINING (LEFT) - DISCARD							Component ATA:32
PN:C1A5300LA003	MOS	24-Aug-15		TSN 0				DISCARD
SN:CD0346	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321014	MAIN LANDING GEAR POST MACHINING (RIGHT) - DISCARD							Component ATA:32
PN:C1A5300RA003	MOS	24-Aug-15		TSN 0				DISCARD
SN:CD0380	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
321238	MAIN LANDING GEAR SHOCK ABSORBER CYLINDER BODY (LEFT) - DISCARD							Component ATA:32
PN:C1M5210CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:GK0385	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-12-01PROC. REF: AMM 32-12-01								
321239	MAIN LANDING GEAR SHOCK ABSORBER CYLINDER BODY (RIGHT) - DISCARD							Component ATA:32
PN:C1M5210CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:GK0353	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-12-01PROC. REF: AMM 32-12-01								
321240	MAIN LANDING GEAR SHOCK ABSORBER PISTON MACHINING (LEFT) - DISCARD							Component ATA:32
PN:C1A5201CA001	MOS	24-Aug-15		TSN 0				LIFE LIMIT
SN:GK0407	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-12-01PROC. REF: AMM 32-12-01								
321241	MAIN LANDING GEAR SHOCK ABSORBER PISTON MACHINING (RIGHT) - DISCARD							Component ATA:32
PN:C1A5201CA001	MOS	24-Aug-15		TSN 0				LIFE LIMIT
SN:GK0368	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-12-01PROC. REF: AMM 32-12-01								
321244	MAIN LANDING GEAR SHOCK ABSORBER ATTACH PIN (LEFT UPPER) - DISCARD							Component ATA:32
PN:C1M5415CA002	MOS	24-Aug-15		TSN 0				LIFE LIMIT
SN:EXC0719	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-12-01PROC. REF: AMM 32-12-01								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321245	MAIN LANDING GEAR SHOCK ABSORBER ATTACH PIN (LEFT LOWER) - DISCARD							Component ATA:32
PN:C1M5415CA002	MOS	24-Aug-15		TSN 0				LIFE LIMIT
SN:EXC0718	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-12-01PROC. REF: AMM 32-12-01								
321246	MAIN LANDING GEAR SHOCK ABSORBER ATTACH PIN (RIGHT UPPER) - DISCARD							Component ATA:32
PN:C1M5415CA002	MOS	24-Aug-15		TSN 0				LIFE LIMIT
SN:EXC0720	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-12-01PROC. REF: AMM 32-12-01								
321247	MAIN LANDING GEAR SHOCK ABSORBER ATTACH PIN (RIGHT LOWER) - DISCARD							Component ATA:32
PN:C1M5415CA002	MOS	24-Aug-15		TSN 0				LIFE LIMIT
SN:EXC0735	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-12-01PROC. REF: AMM 32-12-01								
321248	MAIN LANDING GEAR SIDE BRACE ACTUATOR CYLINDER END CAP (LEFT) - DISCARD							Component ATA:32
PN:C1M5601CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT0248	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-14-01PROC. REF: AMM 32-14-01								
321249	MAIN LANDING GEAR SIDE BRACE ACTUATOR CYLINDER END CAP (RIGHT) - DISCARD							Component ATA:32
PN:C1M5601CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT0262	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-14-01PROC. REF: AMM 32-14-01								
321313	MAIN LANDING GEAR KNEE JOINT PIN (LEFT) - DISCARD							Component ATA:32
PN:C1A5425CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:EXC0361	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-13-01PROC. REF: AMM 32-13-01								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321314	MAIN LANDING GEAR KNEE JOINT PIN (RIGHT) - DISCARD							Component ATA:32
PN:C1A5425CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:EXC0339	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-13-01PROC. REF: AMM 32-13-01								
321433	MAIN LANDING GEAR SPINDLE PIN (LEFT) - DISCARD							Component ATA:32
PN:C1A5315CA002	MOS	24-Aug-15		TSN 0				LIFE LIMIT
SN:EXC0360	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-14-03PROC. REF: AMM 32-14-03								
321434	MAIN LANDING GEAR SPINDLE PIN (RIGHT) - DISCARD							Component ATA:32
PN:C1A5315CA002	MOS	24-Aug-15		TSN 0				LIFE LIMIT
SN:EXC0357	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-14-03PROC. REF: AMM 32-14-03								
321437	MAIN LANDING GEAR SIDE BRACE FITTING PIN (LEFT) - DISCARD							Component ATA:32
PN:C1M5640CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:EXC0353	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-14-03PROC. REF: AMM 32-14-03								
321438	MAIN LANDING GEAR SIDE BRACE FITTING PIN (RIGHT) - DISCARD							Component ATA:32
PN:C1M5640CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:EXC0340	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-14-03PROC. REF: AMM 32-14-03								
321443	MAIN LANDING GEAR SIDE BRACE PIN (LH) (UPPER) - DISCARD							Component ATA:32
PN:60P3215911M001	MOS	24-Aug-15						LIFE LIMIT
SN:UNKNOWN	HRS	0						
	AFL	0	20000		20000 (M)		19011	
PROC. REF: AMM 32-14-03PROC. REF: AMM 32-14-03								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321445	MAIN LANDING GEAR SIDE BRACE PIN (RH) (UPPER)- DISCARD							Component ATA:32
PN:60P3215911M004	MOS	21-Dec-23		TSN 6				LIFE LIMIT
SN:GMI00707	HRS	2315.6		TSN 0				
	AFL	802	20000	TSN 0	20802		19813	
PROC. REF: AMM 32-14-03PROC. REF: AMM 32-14-03								
321508	MAIN LANDING GEAR FORWARD TRUNNION PIN (LEFT) - DISCARD							Component ATA:32
PN:C1A5310CA002	MOS	24-Aug-15		TSN 0				DISCARD
SN:EXC0343	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-15-01PROC. REF: AMM 32-15-01								
321509	MAIN LANDING GEAR AFT TRUNNION PIN (LEFT) - DISCARD							Component ATA:32
PN:C1A5311CA002	MOS	24-Aug-15		TSN 0				LIFE LIMIT
SN:EXC0358	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-15-01PROC. REF: AMM 32-15-01								
321510	MAIN LANDING GEAR FORWARD TRUNNION PIN (RIGHT) - DISCARD							Component ATA:32
PN:C1A5310CA002	MOS	24-Aug-15		TSN 0				DISCARD
SN:EXC0346	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-15-01PROC. REF: AMM 32-15-01								
321511	MAIN LANDING GEAR AFT TRUNNION PIN (RIGHT) - DISCARD							Component ATA:32
PN:C1A5311CA002	MOS	24-Aug-15		TSN 0				LIFE LIMIT
SN:EXC0359	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-15-01PROC. REF: AMM 32-15-01								
322002	NOSE LANDING GEAR - RESTORE							Component ATA:32
PN:60P3222010A009	MOS	24-Aug-15		TSN 0				OVERHAUL
SN:GLG0179	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		9011	
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322205	NOSE LANDING GEAR UPPER TORSION LINK ATTACH PIN - DISCARD							Component ATA:32
PN:C2E5251CA001	MOS	24-Aug-15						DISCARD
SN:UNKNOWN	HRS	0						
	AFL	0	20000		20000 (M)		19011	
PROC. REF: AMM 32-22-03PROC. REF: AMM 32-22-03								
322413	NOSE LANDING GEAR TRUSS BRACE FORWARD MACHINING - DISCARD							Component ATA:32
PN:C2M5400CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT190144	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-24-05PROC. REF: AMM 32-24-05								
322428	NOSE LANDING GEAR CYLINDER / TRUNNION ATTACH PIN - DISCARD							Component ATA:32
PN:C2M5312CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT420077	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-24-01PROC. REF: AMM 32-24-01								
322429	NOSE LANDING GEAR TRUSS BRACE AFT MACHINING - DISCARD							Component ATA:32
PN:C2A5413CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT190146	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-24-05PROC. REF: AMM 32-24-05								
322432	NOSE LANDING GEAR DRAG BRACE UPPER ATTACH PIN - DISCARD							Component ATA:32
PN:C2M5421CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT420090	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-24-03PROC. REF: AMM 32-24-03								
322435	NOSE LANDING GEAR TRUSS BRACE APEX PIN (LEFT) - RESTORE							Component ATA:32
PN:PN	MOS	24-Aug-15	192	TSN 0	24-Aug-31		2237 d	RESTORE
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		9011	
PROC. REF: AMM 32-24-05-SEPROC. REF: AMM 32-24-05-SE								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322436	NOSE LANDING GEAR TRUSS BRACE APEX PIN (LEFT) - DISCARD							Component ATA:32
PN:C2M5423CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT420376	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-24-05PROC. REF: AMM 32-24-05								
322507	NOSE LANDING GEAR CYLINDER MACHINING - DISCARD							Component ATA:32
PN:C2M5200CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT0201	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-22-01PROC. REF: AMM 32-22-01								
322511	NOSE LANDING GEAR PISTON MACHINING - DISCARD							Component ATA:32
PN:C2M5201CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT0231	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-23-00PROC. REF: AMM 32-23-00								
322515	NOSE LANDING GEAR UPPER TORQUE ARM - DISCARD							Component ATA:32
PN:C2M5202CA001	MOS	24-Aug-15		TSN 0				LIFE LIMIT
SN:PLT190162	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-22-03PROC. REF: AMM 32-22-03								
322519	NOSE LANDING GEAR LOWER TORQUE ARM - DISCARD							Component ATA:32
PN:C2M5203CA001	MOS	24-Aug-15		TSN 0				LIFE LIMIT
SN:PLT190158	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-22-05PROC. REF: AMM 32-22-05								
322527	NOSE LANDING GEAR DRAG BRACE LOWER ATTACH PIN - DISCARD							Component ATA:32
PN:C2A5234CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT420072	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-24-03PROC. REF: AMM 32-24-03								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322531	NOSE LANDING GEAR LOWER TORQUE ARM ATTACH PIN - DISCARD							Component ATA:32
PN:C2M5235CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:NSN	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-22-05PROC. REF: AMM 32-22-05								
322535	NOSE LANDING GEAR TORQUE ARM APEX PIN - DISCARD							Component ATA:32
PN:C2M5250CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT420068	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-22-05PROC. REF: AMM 32-22-05								
322539	NOSE LANDING GEAR TRUNNION FRAME MACHINING - DISCARD							Component ATA:32
PN:C2M5300CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT0118	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-24-01PROC. REF: AMM 32-24-01								
322543	NOSE LANDING GEAR CYLINDER / TRUNNION PIN RETAINING BOLT - DISCARD							Component ATA:32
PN:C2M5314CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:NSN	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-24-01PROC. REF: AMM 32-24-01								
322550	NOSE LANDING GEAR TRUSS BRACE APEX PIN (RIGHT) - RESTORE							Component ATA:32
PN:PN	MOS	24-Aug-15	192	TSN 0	24-Aug-31		2237 d	RESTORE
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		9011	
PROC. REF: AMM 32-24-05-SEPROC. REF: AMM 32-24-05-SE								
322551	NOSE LANDING GEAR TRUSS BRACE APEX PIN (RIGHT) - DISCARD							Component ATA:32
PN:C2M5423CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT420266	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-24-05PROC. REF: AMM 32-24-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322555	NOSE LANDING GEAR DOWNLOCK APEX PIN - DISCARD							Component ATA:32
PN:C2M5425CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT420045	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-24-05PROC. REF: AMM 32-24-05								
322559	NOSE LANDING GEAR AFT LOCK LINK PIN - DISCARD							Component ATA:32
PN:C2M5426CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT420047	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-24-05PROC. REF: AMM 32-24-05								
322563	NOSE LANDING GEAR AFT LOCK LINK MACHINING - DISCARD							Component ATA:32
PN:C2M5408CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT420038	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-24-05PROC. REF: AMM 32-24-05								
322575	NOSE LANDING GEAR FORWARD LOCK LINK PIN - DISCARD							Component ATA:32
PN:C2M5424CA002	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT420062	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-24-05PROC. REF: AMM 32-24-05								
322579	NOSE LANDING GEAR DRAG BRACE STRUT BODY - DISCARD							Component ATA:32
PN:C2M4601CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT420004	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-24-03PROC. REF: AMM 32-24-03								
322583	NOSE LANDING GEAR DRAG BRACE ROD END - DISCARD							Component ATA:32
PN:C2M4602CA002	MOS	24-Aug-15		TSN 0				DISCARD
SN:DL0160	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-24-03PROC. REF: AMM 32-24-03								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322588	NOSE LANDING GEAR TRUNNION PIN (LEFT) - DISCARD							Component ATA:32
PN:C2M5310CA001	MOS	04-Feb-16		TSN 30				LIFE LIMIT
SN:PLT29114	HRS	23.1		TSN 0				
	AFL	8	20000	TSN 0	20008		19019	
PROC. REF: AMM 32-25-01PROC. REF: AMM 32-25-01								
322589	NOSE LANDING GEAR TRUNNION PIN (RIGHT) - DISCARD							Component ATA:32
PN:C2M5310CA001	MOS	24-Aug-15		TSN 0				LIFE LIMIT
SN:DL0092	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-25-01PROC. REF: AMM 32-25-01								
322593	NOSE LANDING GEAR FORWARD LOCK LINK MACHINING - DISCARD							Component ATA:32
PN:C2M5404CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT190222	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-24-05PROC. REF: AMM 32-24-05								
322603	NOSE LANDING GEAR DOWN AND LOCK HARNESS - DISCARD							Component ATA:32
PN:C2E4901CA002	MOS	24-Aug-15						DISCARD
SN:UNKNOWN	HRS	0						
	AFL	0	18000		18000 (M)		17011	
PROC. REF: AMM 32-26-03PROC. REF: AMM 32-26-03								
322618	NOSE LANDING GEAR MIDDLE ELECTRICAL HARNESS - DISCARD							Component ATA:32
PN:C2E4904CA003	MOS	24-Aug-15		TSN 0				DISCARD
SN:ICO10280	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		9011	
PROC. REF: AMM 32-26-03PROC. REF: AMM 32-26-03								
322703	MAIN LANDING GEAR SHOCK ABSORBER CAP MACHINING (LEFT) - DISCARD							Component ATA:32
PN:C1A5205CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:AP0446	HRS	0		TSN 0				
	AFL	0	7000	TSN 0	7000		6011	
PROC. REF: AMM 32-12-01PROC. REF: AMM 32-12-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322707	MAIN LANDING GEAR SHOCK ABSORBER CAP MACHINING (RIGHT) - DISCARD							Component ATA:32
PN:C1A5205CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:AP0422	HRS	0		TSN 0				
	AFL	0	7000	TSN 0	7000		6011	
PROC. REF: AMM 32-12-01PROC. REF: AMM 32-12-01								
322711	MAIN LANDING GEAR SHOCK ABSORBER CYLINDER NUT (LEFT) - DISCARD							Component ATA:32
PN:C1M5217CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:GK0415	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-12-01PROC. REF: AMM 32-12-01								
322715	MAIN LANDING GEAR SHOCK ABSORBER CYLINDER NUT (RIGHT) - DISCARD							Component ATA:32
PN:C1M5217CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:GK0381	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-12-01PROC. REF: AMM 32-12-01								
322727	MAIN LANDING GEAR SPINDLE PIN NUT (LEFT) - DISCARD							Component ATA:32
PN:C1M5316CA002	MOS	24-Aug-15		TSN 0				DISCARD
SN:LHM0085	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-14-03PROC. REF: AMM 32-14-03								
322731	MAIN LANDING GEAR SPINDLE PIN NUT (RIGHT) - DISCARD							Component ATA:32
PN:C1M5316CA002	MOS	24-Aug-15		TSN 0				DISCARD
SN:LHM0094	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-14-03PROC. REF: AMM 32-14-03								
322735	MAIN LANDING GEAR AFT PINTLE PIN NUT (LEFT) - DISCARD							Component ATA:32
PN:C1M5313CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:EXC0402	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-15-01PROC. REF: AMM 32-15-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322739	MAIN LANDING GEAR AFT PINTLE PIN NUT (RIGHT) - DISCARD							Component ATA:32
PN:C1M5313CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:EXC0404	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-15-01PROC. REF: AMM 32-15-01								
322743	MAIN LANDING GEAR FORWARD PINTLE CROSSBOLT (LEFT) - DISCARD							Component ATA:32
PN:C1A5319CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:EXC0379	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-15-01PROC. REF: AMM 32-15-01								
322747	MAIN LANDING GEAR FORWARD PINTLE CROSSBOLT (RIGHT) - DISCARD							Component ATA:32
PN:C1A5319CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:EXC0383	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-15-01PROC. REF: AMM 32-15-01								
322751	MAIN LANDING GEAR AFT PINTLE CROSSBOLT (LEFT) - DISCARD							Component ATA:32
PN:C1A5322CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:EXC0366	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-15-01PROC. REF: AMM 32-15-01								
322755	MAIN LANDING GEAR AFT PINTLE CROSSBOLT (RIGHT) - DISCARD							Component ATA:32
PN:C1A5322CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:EXC0369	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-15-01PROC. REF: AMM 32-15-01								
322759	MAIN LANDING GEAR TRAILING ARM MACHINING (LEFT) - DISCARD							Component ATA:32
PN:C1A5400CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:ZKM0253	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-13-01PROC. REF: AMM 32-13-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322763	MAIN LANDING GEAR TRAILING ARM MACHINING (RIGHT) - DISCARD							Component ATA:32
PN:C1A5400CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:ZKM0251	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-13-01PROC. REF: AMM 32-13-01								
322783	MAIN LANDING GEAR KNEE JOINT RETENTION PIN (LEFT) - DISCARD							Component ATA:32
PN:C1M5426CA001	MOS	21-Dec-23		TSN 59				DISCARD
SN:GRZ0060	HRS	2315.6		TSN 0				
	AFL	802	20000	TSN 0	20802		19813	
PROC. REF: AMM 32-13-01PROC. REF: AMM 32-13-01								
322787	MAIN LANDING GEAR KNEE JOINT RETENTION PIN (RIGHT) - DISCARD							Component ATA:32
PN:C1M5426CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:CFN0262	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-13-01PROC. REF: AMM 32-13-01								
322791	MAIN LANDING GEAR SIDE BRACE ACTUATOR CYLINDER MACHINING (LEFT) - DISCARD							Component ATA:32
PN:C1M5210CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:GK0385	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-14-01PROC. REF: AMM 32-14-01								
322795	MAIN LANDING GEAR SIDE BRACE ACTUATOR CYLINDER MACHINING (RIGHT) - DISCARD							Component ATA:32
PN:C1M5210CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:GK0353	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-14-01PROC. REF: AMM 32-14-01								
322799	MAIN LANDING GEAR SIDE BRACE ACTUATOR PISTON MACHINING (LEFT) - DISCARD							Component ATA:32
PN:C1M5651CA002	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT0260	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-14-01PROC. REF: AMM 32-14-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322803	MAIN LANDING GEAR SIDE BRACE ACTUATOR PISTON MACHINING (RIGHT) - DISCARD							Component ATA:32
PN:C1M5651CA002	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT0278	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-14-01PROC. REF: AMM 32-14-01								
322807	MAIN LANDING GEAR SIDE BRACE ACTUATOR LOCK SPOOL (LEFT) - DISCARD							Component ATA:32
PN:C1M5654CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT320334	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-14-01PROC. REF: AMM 32-14-01								
322811	MAIN LANDING GEAR SIDE BRACE ACTUATOR LOCK SPOOL (RIGHT) - DISCARD							Component ATA:32
PN:C1M5654CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT320316	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-14-01PROC. REF: AMM 32-14-01								
322815	MAIN LANDING GEAR SIDE BRACE ACTUATOR LOCKING SEGMENTS (LEFT) - DISCARD							Component ATA:32
PN:C1M5655CA002	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT320158	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-14-01PROC. REF: AMM 32-14-01								
322819	MAIN LANDING GEAR SIDE BRACE ACTUATOR LOCKING SEGMENTS (RIGHT) - DISCARD							Component ATA:32
PN:C1M5655CA002	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT100154	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-14-01PROC. REF: AMM 32-14-01								
322823	MAIN LANDING GEAR SIDE BRACE ACTUATOR CYLINDER GLAND (LEFT) - DISCARD							Component ATA:32
PN:C1M5602CA002	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT320248	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-14-01PROC. REF: AMM 32-14-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322827	MAIN LANDING GEAR SIDE BRACE ACTUATOR CYLINDER GLAND (RIGHT) - DISCARD							Component ATA:32
PN:C1M5602CA002	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT320270	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-14-01PROC. REF: AMM 32-14-01								
322831	MAIN LANDING GEAR SIDE BRACE ACTUATOR ROD END MACHINING (LEFT) - DISCARD							Component ATA:32
PN:C1M5670CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT0192	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-14-01PROC. REF: AMM 32-14-01								
322835	MAIN LANDING GEAR SIDE BRACE ACTUATOR ROD END MACHINING (RIGHT) - DISCARD							Component ATA:32
PN:C1M5670CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT0207	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-14-01PROC. REF: AMM 32-14-01								
323811	NOSE LANDING GEAR RETRACTION ACTUATOR ATTACH PIN - DISCARD							Component ATA:32
PN:C2M5311CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT420097	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-24-01PROC. REF: AMM 32-24-01								
323816	NOSE LANDING GEAR DOWNLOCK SPRING (RIGHT) - DISCARD							Component ATA:32
PN:C2E5441RA001	MOS	24-Aug-15						DISCARD
SN:UNKNOWN	HRS	0						
	AFL	0	20000		20000 (M)		19011	
PROC. REF: AMM 32-38-07PROC. REF: AMM 32-38-07								
323910	LANDING GEAR EMERGENCY EXTENSION NITROGEN BLOW-DOWN BOTTLE (LEFT) - DISCARD							Component ATA:32
PN:1159SCH233-11	MOS	24-Aug-15	180	TSN 0	31-Jan-30		1667 d	LIFE LIMIT
SN:ALT603-12656	HRS	0		TSN 0				
	AFL	0		TSN 0				
Manufacture Date:: 01-Jan-15								
PROC. REF: AMM 32-39-03PROC. REF: AMM 32-39-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323911	LANDING GEAR EMERGENCY EXTENSION NITROGEN BLOW-DOWN BOTTLE (RIGHT) - DISCARD							Component ATA:32
PN:1159SCH233-11	MOS	24-Aug-15	180	TSN 0	31-Jan-30		1667 d	LIFE LIMIT
SN:ALT603-12659	HRS	0		TSN 0				
	AFL	0		TSN 0				
Manufacture Date:: 01-Jan-15								
PROC. REF: AMM 32-39-03PROC. REF: AMM 32-39-03								
324122	NOSE WHEEL (LEFT) - RESTORE							Component ATA:32
PN:PN	MOS/MSC		O/C					RESTORE
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 32-41-01-SEPROC. REF: AMM 32-41-01-SE								
324235	MAIN WHEEL (LEFT OUTBOARD) - RESTORE							Component ATA:32
PN:PN	MOS/MSC		O/C					RESTORE
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 32-42-01-SEPROC. REF: AMM 32-42-01-SE								
324236	MAIN WHEEL (LEFT INBOARD) - RESTORE							Component ATA:32
PN:PN	MOS/MSC	24-Aug-15	O/C					RESTORE
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 32-42-01-SEPROC. REF: AMM 32-42-01-SE								
324237	MAIN WHEEL (RIGHT INBOARD) - RESTORE							Component ATA:32
PN:PN	MOS/MSC		O/C					RESTORE
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 32-42-01-SEPROC. REF: AMM 32-42-01-SE								
324238	MAIN WHEEL (RIGHT OUTBOARD) - RESTORE							Component ATA:32
PN:PN	MOS/MSC		O/C					RESTORE
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 32-42-01-SEPROC. REF: AMM 32-42-01-SE								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324312	MAIN LANDING GEAR BRAKE TORQUE TAKEOUT PIN (LEFT) - DISCARD							Component ATA:32
PN:C1M5420CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:EXC0350	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-13-01PROC. REF: AMM 32-13-01								
324313	MAIN LANDING GEAR BRAKE TORQUE TAKEOUT PIN (RIGHT) - DISCARD							Component ATA:32
PN:C1M5420CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:EXC0351	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		19011	
PROC. REF: AMM 32-13-01PROC. REF: AMM 32-13-01								
325203	NOSE WHEEL STEERING COLLAR NUT - DISCARD							Component ATA:32
PN:MS14144L6	MOS	24-Aug-15						DISCARD
SN:UNKNOWN	HRS	0						
	AFL	0	12000		12000 (M)		11011	
PROC. REF: AMM 32-52-03PROC. REF: AMM 32-52-03								
325204	NOSE WHEEL STEERING COLLAR BOLT - DISCARD							Component ATA:32
PN:NAS6706DU12	MOS	24-Aug-15						DISCARD
SN:UNKNOWN	HRS	0						
	AFL	0	12000		12000 (M)		11011	
PROC. REF: AMM 32-52-03PROC. REF: AMM 32-52-03								
325212	NOSE WHEEL STEERING ACTUATOR - DISCARD							Component ATA:32
PN:72434-6	MOS	11-Mar-19		TSN 1				DISCARD
SN:0617	HRS	925.3		TSN 0				
	AFL	256	2500	TSN 0	2756		1767	
PROC. REF: AMM 32-52-00PROC. REF: AMM 32-52-00								
325213	NOSE WHEEL STEERING COLLAR ASSEMBLY - DISCARD							Component ATA:32
PN:C2E4810CA006	MOS	11-Mar-19						DISCARD
SN:237	HRS	925.3		TSN 554				
	AFL	256	20000	TSN 159	20097		19108	
PROC. REF: AMM 32-52-03PROC. REF: AMM 32-52-03								



StatusReport(Life Limit & Overhaul Items Only)

Model: G650 Serial: 6160 RegNo: OK-EVO HRS: 2718.9 AFL: 989 As Of: 27-Jun-2025

09-Jul-2025 08:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
334207	WING ANTICOLLISION / NAVIGATION LIGHT (LEFT) - DISCARD							Component ATA:33
PN:1007-3342A002-003	MOS	24-Aug-15		TSN 0				DISCARD
SN:LM0664	HRS	0	20000	TSN 0	20000		17281.1	
	AFL	0		TSN 0				
PROC. REF: AMM 33-42-01PROC. REF: AMM 33-42-01								
334208	WING ANTICOLLISION / NAVIGATION LIGHT (RIGHT) - DISCARD							Component ATA:33
PN:01-0790453-01	MOS	29-Sep-19		TSR 8				DISCARD
SN:01135	HRS	1201.5	20000	TSR 0	21201.5 (M)		18482.6	
	AFL	351		TSR 0				
PROC. REF: AMM 33-42-01PROC. REF: AMM 33-42-01								
334215	TAIL ANTICOLLISION / NAVIGATION LIGHT - DISCARD							Component ATA:33
PN:01-0790450-00	MOS	24-Aug-15		TSN 0				DISCARD
SN:NSN	HRS	0	20000	TSN 0	20000		17281.1	
	AFL	0		TSN 0				
PROC. REF: AMM 33-42-01PROC. REF: AMM 33-42-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
351103	CREW OXYGEN MASK (PILOT) - RESTORE							Component ATA:35
PN:MLD20-564	MOS	12-Jan-21	72		31-Dec-26		540 d	OVERHAUL
SN:B165248	HRS	1594.1						
	AFL	547						
OverHaul Date:: 04-Dec-20								
PROC. REF: AMM 35-11-01PROC. REF: AMM 35-11-01								
351104	CREW OXYGEN MASK (COPILOT) - RESTORE							Component ATA:35
PN:MLD20-564	MOS	12-Jan-21	72		31-Dec-26		540 d	OVERHAUL
SN:B165431	HRS	1594.1						
	AFL	547						
OverHaul Date:: 04-Dec-20								
PROC. REF: AMM 35-11-01PROC. REF: AMM 35-11-01								
351105	CREW OXYGEN MASK (OBSERVER) - RESTORE							Component ATA:35
PN:MLD20-564	MOS	12-Jan-21	72		31-Dec-26		540 d	OVERHAUL
SN:B165359	HRS	1594.1						
	AFL	547						
OverHaul Date:: 04-Dec-20								
PROC. REF: AMM 35-11-01PROC. REF: AMM 35-11-01								
351202	CREW OXYGEN CYLINDER - DISCARD							Component ATA:35
PN:805983-15	MOS	24-Aug-15	180	TSN 0	31-Mar-30		1726 d	LIFE LIMIT
SN:C15060698	HRS	0		TSN 0				
	AFL	0		TSN 0				
Manufacture Date:: 31-Mar-15								
PROC. REF: AMM 35-12-01PROC. REF: AMM 35-12-01								
352302	PASSENGER OXYGEN CYLINDER - DISCARD							Component ATA:35
PN:805983-15	MOS	24-Aug-15	180	TSN 0	28-Feb-30		1695 d	LIFE LIMIT
SN:C15051134	HRS	0		TSN 0				
	AFL	0		TSN 0				
Manufacture Date:: 28-Feb-15								
PROC. REF: AMM 35-23-01PROC. REF: AMM 35-23-01								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 38 - WATER/WASTE								
381233	WATER STERILIZER GERMICIDAL LAMP (SYSTEM A) - DISCARD							Component ATA:38
PN:08-130800-003	MOS	24-Aug-15		TSN 0				DISCARD
SN:NSN	HRS	0	4500	TSN 0	4500		1781.1	
	AFL	0		TSN 0				
PROC. REF: AMM 38-12-01PROC. REF: AMM 38-12-01								
381234	WATER STERILIZER GERMICIDAL LAMP (SYSTEM B) - DISCARD							Component ATA:38
PN:08-130800-003	MOS	24-Aug-15		TSN 0				DISCARD
SN:NSN	HRS	0	4500	TSN 0	4500		1781.1	
	AFL	0		TSN 0				
PROC. REF: AMM 38-12-01PROC. REF: AMM 38-12-01								
381239	WATER STERILIZER SEDIMENT FILTER CARTRIDGE (SYSTEM A, POLYPROPYLENE FILTER) - DISCARD							Component ATA:38
PN:05-01-0001	MOS	26-Feb-24						DISCARD
SN:NSN	HRS	2373.5	800		3173.5 (M)		454.6	
	AFL	818						
PROC. REF: AMM 38-12-01PROC. REF: AMM 38-12-01								
381240	WATER STERILIZER SEDIMENT FILTER CARTRIDGE (SYSTEM B, POLYPROPYLENE FILTER) - DISCARD							Component ATA:38
PN:05-01-0001	MOS	26-Feb-24		TSN 5				DISCARD
SN:NSN	HRS	2373.5	800		3200 (M)		481.1	
	AFL	818						
PROC. REF: AMM 38-12-01PROC. REF: AMM 38-12-01								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
492300	APU - COMPRESSOR IMPELLER - DISCARD							Component ATA:49
PN:WB3822573-1	MOS	25-Apr-15		TSN 0				DISCARD
SN:14-162053-06763	HRS	0	10000	TSN 4.9	9995.1		7945.1	
	APUS	0		TSN 3				
PROC. REF: AMM 49-23-00PROC. REF: AMM 49-23-00								
492301	APU - FIRST STAGE TURBINE ROTOR DISC - DISCARD							Component ATA:49
PN:WK3840141-3	MOS	25-Apr-15		TSN 0				DISCARD
SN:142241003312	HRS	0	10000	TSN 4.9	9995.1		7945.1	
	APUS	0		TSN 3				
PROC. REF: AMM 49-23-00PROC. REF: AMM 49-23-00								
492302	APU - SECOND STAGE TURBINE ROTOR - DISCARD							Component ATA:49
PN:WE897994-3	MOS	25-Apr-15		TSN 0				DISCARD
SN:14-156101-11797	HRS	0	10000	TSN 4.9	9995.1		7945.1	
	APUS	0		TSN 3				
PROC. REF: AMM 49-23-00PROC. REF: AMM 49-23-00								
ATA 52 - DOORS								
521303	MAIN ENTRANCE DOOR LATCHING ACTUATOR - DISCARD							Component ATA:52
PN:60P5210905Z101	MOS	19-Apr-18						DISCARD
SN:0243	HRS	701		TSN 0				
	AFL	181	5000	TSN 0	5181		4192	
PROC. REF: AMM 52-13-03-SEPROC. REF: AMM 52-13-03-SE								
521410	MAIN ENTRANCE DOOR DAMPER - DISCARD							Component ATA:52
PN:60P5210904Z003	MOS	24-Aug-15		TSN 0				DISCARD
SN:L208	HRS	0		TSN 0				
	AFL	0	5000	TSN 0	5000		4011	
PROC. REF: AMM 52-14-00PROC. REF: AMM 52-14-00								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
710041	NO. 1 ENGINE - ENGINE OVERHAUL - HARD TIME OPERATED							Component ATA:71
PN:PN	MOS	17-Nov-22		TSN 0				OVERHAUL
SN:UNKNOWN	HRS	0	10000 (+250/-250)	TSN 0	(10000) 12051.7	10250	9332.8 (+250)	
	ENC	0		TSN 0				
710041	NO. 2 ENGINE - ENGINE OVERHAUL - HARD TIME OPERATED							Component ATA:71
PN:PN	MOS	15-Nov-22		TSN 0				OVERHAUL
SN:UNKNOWN	HRS	0	10000 (+250/-250)	TSN 0	(10000) 12051.7	10250	9332.8 (+250)	
	ENC	0		TSN 0				
ATA 72 - ENGINE								
723175	NO. 1 ENGINE - FAN DISC - DISCARD							Component ATA:72
PN:PN	MOS	17-Nov-22		TSN 0				DISCARD
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723175	NO. 2 ENGINE - FAN DISC - DISCARD							Component ATA:72
PN:PN	MOS	15-Nov-22		TSN 0				DISCARD
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723176	NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 1 - DISCARD							Component ATA:72
PN:FW86142	MOS	17-Nov-22		TSN 0				DISCARD
SN:222977SAP110	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723176	NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 1 - DISCARD							Component ATA:72
PN:FW86142	MOS	15-Nov-22		TSN 0				DISCARD
SN:222977SAS061	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723177	NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 2 - DISCARD							Component ATA:72
PN:FW86142	MOS	17-Nov-22		TSN 0				DISCARD
SN:222977SAP135	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723177	NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 2 - DISCARD							Component ATA:72
PN:FW86142	MOS	15-Nov-22		TSN 0				DISCARD
SN:222977SAS121	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723178	NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 3 - DISCARD							Component ATA:72
PN:FW86142	MOS	17-Nov-22		TSN 0				DISCARD
SN:222977SAP061	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723178	NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 3 - DISCARD							Component ATA:72
PN:FW86142	MOS	15-Nov-22		TSN 0				DISCARD
SN:222977SAM129	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723179	NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 4 - DISCARD							Component ATA:72
PN:FW86142	MOS	17-Nov-22		TSN 0				DISCARD
SN:222977SAN069	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723179	NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 4 - DISCARD							Component ATA:72
PN:FW86142	MOS	15-Nov-22		TSN 0				DISCARD
SN:222977SAN107	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723180	NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 5 - DISCARD							Component ATA:72
PN:FW86142	MOS	17-Nov-22		TSN 0				DISCARD
SN:222977SAS187	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723180	NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 5 - DISCARD							Component ATA:72
PN:FW86142	MOS	15-Nov-22		TSN 0				DISCARD
SN:222977SAM135	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723181	NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 6 - DISCARD							Component ATA:72
PN:FW86142	MOS	17-Nov-22		TSN 0				DISCARD
SN:222977SAP067	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723181	NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 6 - DISCARD							Component ATA:72
PN:FW86142	MOS	15-Nov-22		TSN 0				DISCARD
SN:222977SAP075	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723182	NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 7 - DISCARD							Component ATA:72
PN:FW86142	MOS	17-Nov-22		TSN 0				DISCARD
SN:222977SAM043	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723182	NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 7 - DISCARD							Component ATA:72
PN:FW86142	MOS	15-Nov-22		TSN 0				DISCARD
SN:222977SAN034	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723183	NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 8 - DISCARD							Component ATA:72
PN:FW86142	MOS	17-Nov-22		TSN 0				DISCARD
SN:222977SAP029	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723183	NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 8 - DISCARD							Component ATA:72
PN:FW86142	MOS	15-Nov-22		TSN 0				DISCARD
SN:222977SAN199	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723184	NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 9 - DISCARD							Component ATA:72
PN:FW86142	MOS	17-Nov-22		TSN 0				DISCARD
SN:222977SAS183	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723184	NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 9 - DISCARD							Component ATA:72
PN:FW86142	MOS	15-Nov-22		TSN 0				DISCARD
SN:222977SAS186	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723185	NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 10 - DISCARD							Component ATA:72
PN:FW86142	MOS	17-Nov-22		TSN 0				DISCARD
SN:222977SAP050	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723185	NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 10 - DISCARD							Component ATA:72
PN:FW86142	MOS	15-Nov-22		TSN 0				DISCARD
SN:222977SAP122	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723186	NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 11 - DISCARD							Component ATA:72
PN:FW86142	MOS	17-Nov-22		TSN 0				DISCARD
SN:222977SAP121	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723186	NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 11 - DISCARD							Component ATA:72
PN:FW86142	MOS	15-Nov-22		TSN 0				DISCARD
SN:222977SAS114	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723187	NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 12 - DISCARD							Component ATA:72
PN:FW86142	MOS	17-Nov-22		TSN 0				DISCARD
SN:222977SAS065	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723187	NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 12 - DISCARD							Component ATA:72
PN:FW86142	MOS	15-Nov-22		TSN 0				DISCARD
SN:222977SAN187	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723188	NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 13 - DISCARD							Component ATA:72
PN:FW86142	MOS	17-Nov-22		TSN 0				DISCARD
SN:222977SAS034	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723188	NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 13 - DISCARD							Component ATA:72
PN:FW86142	MOS	15-Nov-22		TSN 0				DISCARD
SN:222977SAP109	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723189	NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 14 - DISCARD							Component ATA:72
PN:FW86142	MOS	17-Nov-22		TSN 0				DISCARD
SN:222977SAP124	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723189	NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 14 - DISCARD							Component ATA:72
PN:FW86142	MOS	15-Nov-22		TSN 0				DISCARD
SN:222977SAS126	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723190	NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 15 - DISCARD							Component ATA:72
PN:FW86142	MOS	17-Nov-22		TSN 0				DISCARD
SN:222977SAN066	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723190	NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 15 - DISCARD							Component ATA:72
PN:FW86142	MOS	15-Nov-22		TSN 0				DISCARD
SN:222977SAN142	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723191	NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 16 - DISCARD							Component ATA:72
PN:FW86142	MOS	17-Nov-22		TSN 0				DISCARD
SN:222977SAS033	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723191	NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 16 - DISCARD							Component ATA:72
PN:FW86142	MOS	15-Nov-22		TSN 0				DISCARD
SN:222977SAS135	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723192	NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 17 - DISCARD							Component ATA:72
PN:FW86142	MOS	17-Nov-22		TSN 0				DISCARD
SN:222977SAN008	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723192	NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 17 - DISCARD							Component ATA:72
PN:FW86142	MOS	15-Nov-22		TSN 0				DISCARD
SN:222977SAN053	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723193	NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 18 - DISCARD							Component ATA:72
PN:FW86142	MOS	17-Nov-22		TSN 0				DISCARD
SN:222977SAP106	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723193	NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 18 - DISCARD							Component ATA:72
PN:FW86142	MOS	15-Nov-22		TSN 0				DISCARD
SN:222977SAP136	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723194	NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 19 - DISCARD							Component ATA:72
PN:FW86142	MOS	17-Nov-22		TSN 0				DISCARD
SN:222977SAN009	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723194	NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 19 - DISCARD							Component ATA:72
PN:FW86142	MOS	15-Nov-22		TSN 0				DISCARD
SN:222977SAP117	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723195	NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 20 - DISCARD							Component ATA:72
PN:FW86142	MOS	17-Nov-22		TSN 0				DISCARD
SN:222977SAP066	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723195	NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 20 - DISCARD							Component ATA:72
PN:FW86142	MOS	15-Nov-22		TSN 0				DISCARD
SN:222977SAP077	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723196	NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 21 - DISCARD							Component ATA:72
PN:FW86142	MOS	17-Nov-22		TSN 0				DISCARD
SN:222977SAN007	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723196	NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 21 - DISCARD							Component ATA:72
PN:FW86142	MOS	15-Nov-22		TSN 0				DISCARD
SN:222977SAN045	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723197	NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 22 - DISCARD							Component ATA:72
PN:FW86142	MOS	17-Nov-22		TSN 0				DISCARD
SN:222977SAN071	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723197	NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 22 - DISCARD							Component ATA:72
PN:FW86142	MOS	15-Nov-22		TSN 0				DISCARD
SN:222977SAM048	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723198	NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 23 - DISCARD							Component ATA:72
PN:FW86142	MOS	17-Nov-22		TSN 0				DISCARD
SN:222977SAP060	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723198	NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 23 - DISCARD							Component ATA:72
PN:FW86142	MOS	15-Nov-22		TSN 0				DISCARD
SN:222977SAM053	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723199	NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 24 - DISCARD							Component ATA:72
PN:FW86142	MOS	17-Nov-22		TSN 0				DISCARD
SN:222977SAN043	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723199	NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 24 - DISCARD							Component ATA:72
PN:FW86142	MOS	15-Nov-22		TSN 0				DISCARD
SN:222977SAN185	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723212	NO. 1 ENGINE - FAN SHAFT - DISCARD							Component ATA:72
PN:PN	MOS	17-Nov-22		TSN 0				DISCARD
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723212	NO. 2 ENGINE - FAN SHAFT - DISCARD							Component ATA:72
PN:PN	MOS	15-Nov-22		TSN 0				DISCARD
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
723214	NO. 1 ENGINE - INTERMEDIATE CASE - DISCARD							Component ATA:72
PN:PN	MOS	17-Nov-22		TSN 0				DISCARD
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15725		14736	

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723214	NO. 2 ENGINE - INTERMEDIATE CASE - DISCARD							Component ATA:72
PN:PN	MOS	15-Nov-22		TSN 0				DISCARD
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15725		14736	
723301	NO. 1 ENGINE - HP COMPRESSOR FRONT DRUM (STAGE 1 DISC, STAGES 2-6 BLISKS) - DISCARD							Component ATA:72
PN:PN	MOS	17-Nov-22		TSN 0				DISCARD
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 10725		9736	
723301	NO. 2 ENGINE - HP COMPRESSOR FRONT DRUM (STAGE 1 DISC, STAGES 2-6 BLISKS) - DISCARD							Component ATA:72
PN:PN	MOS	15-Nov-22		TSN 0				DISCARD
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 10725		9736	
723303	NO. 1 ENGINE - HP COMPRESSOR REAR DRUM (STAGES 7-10 DISCS) - DISCARD							Component ATA:72
PN:PN	MOS	17-Nov-22		TSN 0				DISCARD
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 10725		9736	
723303	NO. 2 ENGINE - HP COMPRESSOR REAR DRUM (STAGES 7-10 DISCS) - DISCARD							Component ATA:72
PN:PN	MOS	15-Nov-22		TSN 0				DISCARD
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 10725		9736	

StatusReport(Life Limit & Overhaul Items Only)

Model: G650 Serial: 6160 RegNo: OK-EVO HRS: 2718.9 AFL: 989 As Of: 27-Jun-2025

09-Jul-2025 08:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
724101	NO. 1 ENGINE - CURVIC RING - DISCARD							Component ATA:72
PN:PN	MOS	17-Nov-22		TSN 0				DISCARD
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 10725		9736	
724101	NO. 2 ENGINE - CURVIC RING - DISCARD							Component ATA:72
PN:PN	MOS	15-Nov-22		TSN 0				DISCARD
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 10725		9736	
724103	NO. 1 ENGINE - HP TURBINE STAGE 1 DISC - DISCARD							Component ATA:72
PN:PN	MOS	17-Nov-22		TSN 0				DISCARD
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
724103	NO. 2 ENGINE - HP TURBINE STAGE 1 DISC - DISCARD							Component ATA:72
PN:PN	MOS	15-Nov-22		TSN 0				DISCARD
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
724105	NO. 1 ENGINE - HP TURBINE STAGE 2 DISC - DISCARD							Component ATA:72
PN:PN	MOS	17-Nov-22		TSN 0				DISCARD
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

StatusReport(Life Limit & Overhaul Items Only)

Model: G650 Serial: 6160 RegNo: OK-EVO HRS: 2718.9 AFL: 989 As Of: 27-Jun-2025

09-Jul-2025 08:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
724105	NO. 2 ENGINE - HP TURBINE STAGE 2 DISC - DISCARD							Component ATA:72
PN:PN	MOS	15-Nov-22		TSN 0				DISCARD
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
725101	NO. 1 ENGINE - LP TURBINE STAGE 1 DISC - DISCARD							Component ATA:72
PN:PN	MOS	17-Nov-22		TSN 0				DISCARD
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 10725		9736	
725101	NO. 2 ENGINE - LP TURBINE STAGE 1 DISC - DISCARD							Component ATA:72
PN:PN	MOS	15-Nov-22		TSN 0				DISCARD
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 10725		9736	
725103	NO. 1 ENGINE - LP TURBINE STAGE 2 DISC - DISCARD							Component ATA:72
PN:PN	MOS	17-Nov-22		TSN 0				DISCARD
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 10725		9736	
725103	NO. 2 ENGINE - LP TURBINE STAGE 2 DISC - DISCARD							Component ATA:72
PN:PN	MOS	15-Nov-22		TSN 0				DISCARD
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 10725		9736	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725105	NO. 1 ENGINE - LP TURBINE STAGE 3 DISC - DISCARD							Component ATA:72
PN:PN	MOS	17-Nov-22		TSN 0				DISCARD
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 10725		9736	
725105	NO. 2 ENGINE - LP TURBINE STAGE 3 DISC - DISCARD							Component ATA:72
PN:PN	MOS	15-Nov-22		TSN 0				DISCARD
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 10725		9736	
725107	NO. 1 ENGINE - LP TURBINE SHAFT - DISCARD							Component ATA:72
PN:PN	MOS	17-Nov-22		TSN 0				DISCARD
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	
725107	NO. 2 ENGINE - LP TURBINE SHAFT - DISCARD							Component ATA:72
PN:PN	MOS	15-Nov-22		TSN 0				DISCARD
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4736	

StatusReport(Life Limit & Overhaul Items Only)

Model: G650 Serial: 6160 RegNo: OK-EVO HRS: 2718.9 AFL: 989 As Of: 27-Jun-2025

09-Jul-2025 08:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
792106	NO. 1 ENGINE - OIL SYSTEM PRESSURE FILTER ELEMENT - DISCARD							Component ATA:79
PN:PN	MOS	17-Nov-22		TSN 0				DISCARD
SN:UNKNOWN	HRS	0	1200 (+50/-50)	TSN 0	(1200) 3251.7	1250	532.8 (+50)	
	ENC	0		TSN 0				
792106	NO. 2 ENGINE - OIL SYSTEM PRESSURE FILTER ELEMENT - DISCARD							Component ATA:79
PN:PN	MOS	15-Nov-22		TSN 0				DISCARD
SN:UNKNOWN	HRS	0	1200 (+50/-50)	TSN 0	(1200) 3251.7	1250	532.8 (+50)	
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task