



Status Report

BEECHJET 400A

S/N RK-318 OK-BII

OWNER: JETBEE CZECH S.R.O
ADDRESS: K LETISTI 1073/25
PRAGUE 6 161 00
OFFICE: 420 605 991 191
FAX:

OPERATOR: JETBEE CZECH S.R.O
ADDRESS: K LETISTI 1073/25
PRAGUE 6 161 00
OFFICE: +420 296 188 089
FAX:

ANALYST: COLIN DE MEYER
EMAIL: COLIN.DEMEYER@CAMPSYSTEMS.EU

+33-1.55.93.45.91 (DIRECT)
+33-1.55.93.45.80 (MAIN)
WWW.CAMPSYSTEMS.COM

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL/REGNO: RK-318/OK-BII	MODEL: BEECHJET 400A	MANUFACTURER: TEXTRON AVIATION INC.
CERTIFICATION DATE: 28-APR-2001		LAST ACTUALS: 6589:09 A/C HRS as of 01-OCT-2024 5094 AFL as of 01-OCT-2024 402 ACH as of 05-JUL-2024	
ENGINE NO. 1	SERIAL/PART: PCE-100182/3030100	MODEL: JT15D-5	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
INSTALLED ON: 07-JUN-2023 8218:30 ENG. HRS 6027:55 A/C HRS 7304 ENC		LAST ACTUALS: 8779:44 ENG. HRS as of 01-OCT-2024 7652 ENC as of 01-OCT-2024	
ENGINE NO. 2	SERIAL/PART: PCE-100361/3030100	MODEL: JT15D-5	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
INSTALLED ON: 20-OCT-2022 9570:44 ENG. HRS 5734:44 A/C HRS 8200 ENC		LAST ACTUALS: 10425:07 ENG. HRS as of 01-OCT-2024 8735 ENC as of 01-OCT-2024	



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
BC20-161001	REVIEW BEECHJET 400A/HAWKER 400XP, AMM, REVISION C29							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
	PROC. REF: RCF BC20							
BC20-161001A	REVIEW REVIEW BEECHJET 400A/HAWKER 400XP, SRM, REVISION C16							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
	PROC. REF: RCF BC20							
BC20-171018	REVIEW AUDIT SUMMARY CHANGE FORM							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
	PROC. REF: RCF BC20							
BC20-171220	REVIEW AUDIT SUMMARY CHANGE FORM							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
	PROC. REF: RCF BC20							
BC20-180307	REVIEW AUDIT SUMMARY CHANGE FORM - CODE CONVERT CVR TASKS							Component ATA:00
PN:PN	MOS/MSC		-					AUDIT SUMMARY CHANGE FORM
SN:UNKNOWN	HRS							
	AFL							
	PROC. REF: RCF BC20							
BC20-180329	REVIEW AUDIT SUMMARY CHANGE FORM - DESCRIPTION CHANGE 323001,323002, 323003 AND DELETE 323020,323021,323022							Service ATA:00
	MOS/MSC		-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
	PROC. REF: RCF BC20							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
BC20-180404	REVIEW AUDIT SUMMARY CHANGE FORM - ASSOCIATE OXYGEN VALVE AND PASSENGER OXYGEN VALVE O-RING REPLACEMENT							Service ATA:00
	MOS/MSC		-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
	PROC. REF: RCF BC20							
BC20-180723	REVIEW AUDIT SUMMARY CHANGE FORM-TASK CODE CONVERSION FOR A/C INSPECTION							Service ATA:00
	MOS/MSC		-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
	PROC. REF: RCF BC20							
BC20-210212	REVIEW AUDIT SUMMARY CHANGE FORM FOR NEXTANT REVISION K							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
	PROC. REF: RCF BC20							
BC20-210908	REVIEW AUDIT SUMMARY CHANGE FORM - TASK CODE CHANGE							Service ATA:00
	MOS/MSC		-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
	PROC. REF: RCF BC20							
BC20-230425	REVIEW REVISION SUMMARY CHANGE FORM FOR AIRWORTHINESS LIMITATIONS MANUAL REVISION E DATE APRIL 25, 2023							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
	PROC. REF: RCF BC20							
E017-160503	NO. 1 ENGINE - REVIEW PWC, JT15D-5/-5R, ENGINE MAINTENANCE MANUAL (PN 3033442) REVISION NO. 41.0, DATED APR 04/2016-RCF							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
	PROC. REF: RCF E017							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E017-161219	NO. 1 ENGINE - REVIEW JT15D-5/-5R EMM REV 41.1							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
	PROC. REF: RCF E017							
E017-180423	NO. 1 ENGINE - REVIEW JT15D-5/-5R EMM REV 42.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
	PROC. REF: RCF E017							
E017-181022	NO. 1 ENGINE - REVIEW JT15D-5/-5R EMM REV 43.0							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
	PROC. REF: RCF E017							
E017-190429	NO. 1 ENGINE - REVIEW JT15D-5/-5R EMM REV 44.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
	PROC. REF: RCF E017							
E017-191021	NO. 1 ENGINE - REVIEW JT15D-5/-5R EMM REV 45.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
	PROC. REF: RCF E017							
E017-201026	NO. 1 ENGINE - REVIEW JTD15-5/-5R EMM REV 47.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
	PROC. REF: RCF E017							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-B11 HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E017-201217	NO. 1 ENGINE - REVIEW SB JT15D-72-7003 REV 41							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
	PROC. REF: RCF E017							
E017-210426	NO. 1 ENGINE - REVIEW JT15D-5/-5R EMM REV 48.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
	PROC. REF: RCF E017							
E017-210709	NO. 1 ENGINE - REVIEW SB JT15D-72-7002 REV 44							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
	PROC. REF: RCF E017							
E017-211025	NO. 1 ENGINE - REVIEW JT15D-5/-5R EMM REV 49.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
	PROC. REF: RCF E017							
E017-220425	NO. 1 ENGINE - REVIEW JT15D-5/-5R EMM REV 50.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
	PROC. REF: RCF E017							
E017-221107	NO. 1 ENGINE - REVIEW SB JT15D-72-7003 REV 42							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
	PROC. REF: RCF E017							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E017-240619	NO. 1 ENGINE - REVIEW SB JT15D-72-7002 REV 46							Service ATA:00
	MOS/MSC	11-Jul-24	-					REQUIREMENT CHANGE FORMS
	HRS	8611:36						
	ENC	7547						
	PROC. REF: RCF E017							
E017-240619	NO. 2 ENGINE - REVIEW SB JT15D-72-7002 REV 46							Service ATA:00
	MOS/MSC	11-Jul-24	-					REQUIREMENT CHANGE FORMS
	HRS	10256:59						
	ENC	8630						
	PROC. REF: RCF E017							
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-USER-01 ^U	AIRWORTHINESS REVIEW CERTIFICATE (ARC)							Service ATA:05
	MOS	30-Jan-24	12		30-Jan-25		118 d	
	HRS	6394:35						
	AFL	4973						
050000 ^U	ACCOMPLISH PREFLIGHT CHECK							Service ATA:05
	MOS/MSC	15-Jan-24	A/R					
	HRS	6381:31						
	AFL	4962						
053000	INSPECTION I							Service ATA:05
	MOS/MSC	28-Apr-01	-					
	HRS	0						
WC#: 05.020	AFL	0						
	PROC. REF: AMM NO REF							
055200	ACCOMPLISH INSPECTION AFTER OPERATIONS IN OR AROUND VOLCANIC ASH							Service ATA:05
	MOS/MSC	28-Apr-01	A/R					
	HRS	0						
WC#: 05.045	AFL	0						
	PROC. REF: AMM 05-50-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
057110	NO. 1 ENGINE - ENGINE MINOR INSPECTION							Package ATA:05
	MOS	11-Jul-24						
	HRS	8611:36	200 (+20)		(8811:36) 6621:01	8831:36	31:52 (+20)	
	ENC	7547						
PROC. REF: EMM 72-00-00								
057110	NO. 2 ENGINE - ENGINE MINOR INSPECTION							Package ATA:05
	MOS	11-Jul-24						
	HRS	10256:59	200 (+20)		(10456:59) 6621:01	10476:59	31:52 (+20)	
	ENC	8630						
PROC. REF: EMM 72-00-00								
H05000A	IFA-A INSPECTION							Package ATA:05
	MOS	11-Jul-24	12		11-Jul-25		280 d	
	HRS	6421:01	400 (+40)		6821:01	6861:01	231:52 (+40)	
WC#: 05.025	AFL	4989						
PROC. REF: AMM SCHEDULE A INSPECTION IFA, MMS 05-20-02								PKG:2
H05000B	IFA-B INSPECTION							Package ATA:05
	MOS	11-Jul-24						
	HRS	6421:01	800 (+40)		7221:01	7261:01	631:52 (+40)	
WC#: 05.030	AFL	4989						
PROC. REF: AMM SCHEDULE B INSPECTION IFA, MMS 05-20-03								PKG:3
H05000C	IFA-C INSPECTION							Package ATA:05
	MOS	11-Jul-24						
	HRS	6421:01	1600 (+40)		8021:01	8061:01	1431:52 (+40)	
WC#: 05.035	AFL	4989						
PROC. REF: AMM SCHEDULE C INSPECTION IFA, MMS 05-20-04								PKG:4
H05000D	IFA-D INSPECTION							Package ATA:05
	MOS	11-Jul-24						
	HRS	6421:01	3200 (+40)		9621:01	9661:01	3031:52 (+40)	
WC#: 05.040	AFL	4989						
PROC. REF: AMM SCHEDULE D INSPECTION IFA, MMS 05-20-05								PKG:5

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
H050200	200 HOUR INTERVAL SCHEDULED SPECIAL INSPECTIONS							Package ATA:05
	MOS	11-Jul-24						
	HRS	6421:01	200 (+40)		6621:01	6661:01	31:52 (+40)	
	AFL	4989						
PROC. REF: MMS 05-20-01								PKG:1
ATA 08 - LEVELING AND WEIGHING								
080000 ^U	AIRCRAFT WEIGHT AND BALANCE RENEWAL IAW BEECH 400A MM, CHAPTER 08-20-00							Service ATA:08
	MOS	11-Jul-24	48		11-Jul-28		1376 d	
	HRS	6421:01						
	AFL	4989						
ATA 11 - PLACARDS AND MARKINGS								
H110001 ^S	INSPECT INTERIOR PLACARDS AND DECALS - PILOTS COMPARTMENT							Service ATA:11
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H110002 ^S	INSPECT INTERIOR PLACARDS AND DECALS - CABIN SECTION							Service ATA:11
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H110003 ^S	INSPECT EXTERIOR PLACARDS AND DECALS - FORWARD FUSELAGE							Service ATA:11
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H110004 ^S	INSPECT EXTERIOR PLACARDS AND DECALS- MIDFUSELAGE							Service ATA:11
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 11 - PLACARDS AND MARKINGS								
H110005 ^S	INSPECT EXTERIOR PLACARDS AND DECALS -LEFT-HAND WING							Service ATA:11
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H110006 ^S	INSPECT EXTERIOR PLACARDS AND DECALS -RIGHT-HAND WING							Service ATA:11
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H110008 ^S	INSPECT EXTERIOR PLACARDS AND DECALS - AFT FUSELAGE							Service ATA:11
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H110009 ^S	INSPECT EXTERIOR PLACARDS AND DECALS - VERTICAL STABILIZER							Service ATA:11
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H110011 ^S	INSPECT EXTERIOR PLACARDS AND DECALS -LEFT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:11
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H110012 ^S	INSPECT EXTERIOR PLACARDS AND DECALS -RIGHT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:11
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
ATA 12 - SERVICING								
12200I	ACCOMPLISH INITIAL INSPECTION LUBRICATION							Service ATA:12
	MOS/MSC	28-Apr-01	-					
	HRS	0						
WC#: 12.040	AFL	0						

PROC. REF: AMM 12-20-00

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
123001	LUBRICATE SPOILER DRIVE SERVO MOUNT CLUTCH TEETH							Service ATA:12
PN:622-5027-102	MOS	27-May-21	48	Adj -82d	31-Mar-25		178 d	
SN:4PWT	HRS	4780:03	6500 (+20)		11280:03	11300:03	4690:54 (+20)	
WC#: 12.090	AFL	3944						
PROC. REF: AMM 12-20-00								
123002	LUBRICATE ELEVATOR DRIVE SERVO MOUNT CLUTCH TEETH							Service ATA:12
PN:622-6717-004	MOS	27-May-21	48	Adj -82d	31-Mar-25		178 d	
SN:548	HRS	4780:03	6500 (+20)		11280:03	11300:03	4690:54 (+20)	
WC#: 12.090	AFL	3944						
PROC. REF: AMM 12-20-00								
123003	LUBRICATE RUDDER DRIVE SERVO MOUNT CLUTCH TEETH							Service ATA:12
PN:622-6717-004	MOS	24-Jun-22	48		30-Jun-26		634 d	
SN:1043	HRS	5404:34	6500 (+20)		11904:34	11924:34	5315:25 (+20)	
WC#: 12.090	AFL	4334						
PROC. REF: AMM 12-20-00								
H120001 ^S	LUBRICATE ITEMS AS SPECIFIED IN CHAPTER 12 - PILOT'S COMPARTMENT							Service ATA:12
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
PKG:2								
H120002 ^S	LUBRICATE ITEMS AS SPECIFIED IN CHAPTER 12 - CABIN SECTION							Service ATA:12
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
PKG:2								
H120003 ^S	LUBRICATE ITEMS AS SPECIFIED IN CHAPTER 12 - FORWARD FUSELAGE							Service ATA:12
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
PKG:2								
H120004 ^S	LUBRICATE ITEMS AS SPECIFIED IN CHAPTER 12 - MIDFUSELAGE							Service ATA:12
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
PKG:2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
H120005 ^S	LUBRICATE ITEMS AS SPECIFIED IN CHAPTER 12 - LEFT-HAND WING							Service ATA:12
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H120006 ^S	LUBRICATE ITEMS AS SPECIFIED IN CHAPTER 12 - RIGHT-HAND WING							Service ATA:12
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H120007 ^S	LUBRICATE ITEMS AS SPECIFIED IN CHAPTER 12 - LANDING GEAR AND BRAKES							Service ATA:12
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H120008 ^S	LUBRICATE ITEMS AS SPECIFIED IN CHAPTER 12 - AFT FUSELAGE							Service ATA:12
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H120009 ^S	LUBRICATE ITEMS AS SPECIFIED IN CHAPTER 12 - VERTICAL STABILIZER							Service ATA:12
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H120010 ^S	LUBRICATE ITEMS AS SPECIFIED IN CHAPTER 12 - HORIZONTAL STABILIZER							Service ATA:12
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H120011 ^S	LUBRICATE ITEMS AS SPECIFIED IN CHAPTER 12 - LEFT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:12
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-B11 HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
H120012 ^S	LUBRICATE ITEMS AS SPECIFIED IN CHAPTER 12							Service ATA:12
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2,3,4
H120013 ^S	LUBRICATE ITEMS AS SPECIFIED IN CHAPTER 12 - LEFT-HAND THRUST REVERSER							Service ATA:12
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H120014 ^S	LUBRICATE ITEMS AS SPECIFIED IN CHAPTER 12 - RIGHT-HAND THRUST REVERSER							Service ATA:12
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H120015 ^S	LUBRICATE ITEMS - PILOTS COMPARTMENT							Service ATA:12
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H120017 ^S	LUBRICATE ITEMS - FORWARD FUSELAGE							Service ATA:12
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H120018 ^S	LUBRICATE ITEMS - MIDFUSELAGE							Service ATA:12
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H120019 ^S	LUBRICATE ITEMS - LEFT-HAND WING							Service ATA:12
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
H120020 ^S	LUBRICATE ITEMS-RIGHT-HAND WING							Service ATA:12
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H120021 ^S	LUBRICATE ITEMS -LANDING GEAR AND BRAKES							Service ATA:12
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H120022 ^S	LUBRICATE ITEMS - AFT FUSELAGE							Service ATA:12
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
PROC. REF: AMM NO REF								PKG:3
H120023 ^S	LUBRICATE ITEMS - VERTICAL STABILIZER							Service ATA:12
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H120024 ^S	LUBRICATE ITEMS - HORIZONTAL STABILIZER							Service ATA:12
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H120025 ^S	LUBRICATE ITEMS AS SPECIFIED IN CHAPTER 12 - PILOT'S COMPARTMENT							Service ATA:12
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H120027 ^S	LUBRICATE ITEMS AS SPECIFIED IN CHAPTER 12 - FORWARD FUSELAGE							Service ATA:12
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
H120028 ^S	LUBRICATE ITEMS AS SPECIFIED IN CHAPTER 12 - MIDFUSELAGE							Service ATA:12
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H120029 ^S	LUBRICATE ITEMS AS SPECIFIED IN CHAPTER 12 - LEFT-HAND WING							Service ATA:12
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H120030 ^S	LUBRICATE ITEMS AS SPECIFIED IN CHAPTER 12 - RIGHT-HAND WING							Service ATA:12
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H120031 ^S	LUBRICATE ITEMS AS SPECIFIED IN CHAPTER 12 - LANDING GEAR AND BRAKES							Service ATA:12
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H120032 ^S	LUBRICATE ITEMS AS SPECIFIED IN CHAPTER 12 - AFT FUSELAGE							Service ATA:12
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H120033 ^S	LUBRICATE ITEMS AS SPECIFIED IN CHAPTER 12 - VERTICAL STABILIZER							Service ATA:12
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H120034 ^S	LUBRICATE ITEMS AS SPECIFIED IN CHAPTER 12 - HORIZONTAL STABILIZER							Service ATA:12
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
H120035 ^S	LUBRICATE LEFT MAIN LANDING GEAR 200 HOUR IFA							Service ATA:12
	MOS	11-Jul-24						
	HRS	6421:01	200 (+40)					
WC#: 12.100	AFL	4989						
PROC. REF: MMS 12-20-00							PKG:1	
H120036 ^S	LUBRICATE RIGHT MAIN LANDING GEAR 200 HOUR IFA							Service ATA:12
	MOS	11-Jul-24						
	HRS	6421:01	200 (+40)					
WC#: 12.100	AFL	4989						
PROC. REF: MMS 12-20-00							PKG:1	
H120037 ^S	LUBRICATE LEFT THRUST REVERSER - 200 HOUR IFA							Service ATA:12
	MOS	11-Jul-24						
	HRS	6421:01	200 (+40)					
WC#: 12.110	AFL	4989						
PROC. REF: MMS 12-20-00							PKG:1	
H120038 ^S	LUBRICATE RIGHT THRUST REVERSER 200 HOUR IFA							Service ATA:12
	MOS	11-Jul-24						
	HRS	6421:01	200 (+40)					
WC#: 12.110	AFL	4989						
PROC. REF: MMS 12-20-00							PKG:1	
H120039 ^S	LUBRICATE LEFT WING FLAP ASSEMBLY 200 HOUR IFA							Service ATA:12
	MOS	11-Jul-24						
	HRS	6421:01	200 (+40)					
WC#: 12.120	AFL	4989						
PROC. REF: MMS 12-20-00							PKG:1	
H120040 ^S	LUBRICATE RIGHT WING FLAP ASSEMBLY 200 HOUR IFA							Service ATA:12
	MOS	11-Jul-24						
	HRS	6421:01	200 (+40)					
WC#: 12.120	AFL	4989						
PROC. REF: MMS 12-20-00							PKG:1	
H120041 ^S	LUBRICATE NOSE LANDING GEAR 200 HOUR IFA							Service ATA:12
	MOS	11-Jul-24						
	HRS	6421:01	200 (+40)					
WC#: 12.130	AFL	4989						
PROC. REF: MMS 12-20-00							PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-B11 HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
H120042 ^S	LUBRICATE MAIN LANDING GEAR AND NOSE LANDING GEAR DOORS - 200 HOUR IFA							Service ATA:12
	MOS	11-Jul-24						
	HRS	6421:01	200 (+40)					
WC#: 12.140	AFL	4989						
PROC. REF: MMS 12-20-00								PKG:1
H120043 ^S	LUBRICATE LEFT WING FUEL CAPS 200 HOUR IFA							Service ATA:12
	MOS	11-Jul-24						
	HRS	6421:01	200 (+40)					
WC#: 12.150	AFL	4989						
PROC. REF: MMS 12-20-00								PKG:1
H120044 ^S	LUBRICATE RIGHT WING FUEL CAPS 200 HOUR IFA							Service ATA:12
	MOS	11-Jul-24						
	HRS	6421:01	200 (+40)					
WC#: 12.150	AFL	4989						
PROC. REF: MMS 12-20-00								PKG:1
ATA 21 - AIR CONDITIONING								
210036	AIR CONDITIONING DRIVE MOTOR							Component ATA:21
PN:PN	MOS	28-Apr-01		TSN 0				OVERHAUL
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.530	AFL	0		TSN 0				
	ACH	0	3000	TSN 0	3000		2598	
PROC. REF: GENERIC CMM								
211003	EMERGENCY PRESSURE VALVE							Component ATA:21
PN:979494-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.020	AFL	0						
PROC. REF: AMM 21-10-00								
211025	BLEED AIR PRESSURE SWITCH							Component ATA:21
PN:45AS48008-11	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.040	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
211031	TEST VALVE							Component ATA:21
PN:475C-4NW	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.040	AFL	0						
PROC. REF: AMM 21-30-00								
212001	CEILING AIR OUTLET SHUTOFF VALVE							Component ATA:21
PN:AV17B1208	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.050	AFL	0						
PROC. REF: AMM 21-20-00								
212007	COCKPIT MODE SELECTOR							Component ATA:21
PN:45AS63018-53	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.060	AFL	0						
PROC. REF: GENERIC NO REF								
212013	DIFFUSER							Component ATA:21
PN:45A63586-3	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.060	AFL	0						
PROC. REF: GENERIC NO REF								
212029	NO. 1 DEFOGGER BLOWER							Component ATA:21
PN:BC60A-2	MOS/MSC	28-Apr-01	O/C					
SN:283	HRS	0		TSN 0				
WC#: 21.070	AFL	0						
PROC. REF: AMM 30-40-00								
212035	NO. 2 DEFOGGER BLOWER							Component ATA:21
PN:AFE 7000	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.070	AFL	0						
PROC. REF: AMM 30-40-00								
212041	CHECK VALVE							Component ATA:21
PN:8869A-4TT	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.060	AFL	0						
PROC. REF: AMM 21-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
213001	CABIN PRESSURE CONTROL MODULE							Component ATA:21
PN:45A63820-11	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.080	AFL	0						
PROC. REF: GENERIC NO REF								
213007	PNEUMATIC RELAY							Component ATA:21
PN:130358-3	MOS/MSC	28-Apr-01	O/C					
SN:41-980	HRS	0		TSN 0				
WC#: 21.080	AFL	0						
PROC. REF: AMM 21-30-00								
213013	LEFT HAND CABIN ALTITUDE PRESSURE REGULATOR							Component ATA:21
PN:102466-1	MOS/MSC	28-Apr-01	O/C					
SN:30-7596	HRS	0		TSN 0				
WC#: 21.080	AFL	0						
PROC. REF: AMM 21-30-00								
213014	RIGHT HAND CABIN ALTITUDE PRESSURE REGULATOR							Component ATA:21
PN:102466-1	MOS/MSC	28-Apr-01	O/C					
SN:30-7590	HRS	0		TSN 0				
WC#: 21.080	AFL	0						
PROC. REF: AMM 21-30-00								
213015	VACUUM REGULATOR							Component ATA:21
PN:2103401-2	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.110	AFL	0						
PROC. REF: AMM 21-30-00								
213016	PRESSURE CONTROL REGULATOR							Component ATA:21
PN:45AS66001-9	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.120	AFL	0						
PROC. REF: GENERIC NO REF								
213037	S2 SOLENOID VALVE							Component ATA:21
PN:3430-00-11	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.130	AFL	0						
PROC. REF: AMM 21-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
213038	S3 SOLENOID VALVE							Component ATA:21
PN:3430-00-11	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.130	AFL	0						
PROC. REF: AMM 21-30-00								
213039	MANUAL CONTROL VALVE							Component ATA:21
PN:45AS63001-5	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.140	AFL	0						
PROC. REF: AMM 21-30-00								
213040	LEFT OUTFLOW SAFETY VALVE							Component ATA:21
PN:45AS63001-025	MOS/MSC	28-Apr-01	O/C					
SN:30-G0468	HRS	0		TSN 0				
WC#: 21.150	AFL	0						
PROC. REF: AMM 21-30-00								
213041	RIGHT OUTFLOW SAFETY VALVE							Component ATA:21
PN:45AS63001-025	MOS/MSC	28-Apr-01	O/C					
SN:58-G0284	HRS	0		TSN 0				
WC#: 21.150	AFL	0						
PROC. REF: AMM 21-30-00								
213098	DUMP VALVE							Component ATA:21
PN:375C-4BH	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.160	AFL	0						
PROC. REF: AMM 21-30-00								
213103	CABIN AIR PRESSURE CONTROLLER							Component ATA:21
PN:45AS63001-003	MOS/MSC	28-Apr-01	O/C					
SN:120-A0542	HRS	0		TSN 0				
WC#: 21.170	AFL	0						
PROC. REF: AMM 21-30-00								
213115	CABIN PRESSURE AUXILIARY VOLUME TANK							Component ATA:21
PN:128-540066-3	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.180	AFL	0						
PROC. REF: AMM 21-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
213151	CABIN ALTITUDE SWITCH							Component ATA:21
PN:45AS63027-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.210	AFL	0						
PROC. REF: AMM 21-30-00								
215001	REFRIGERATION UNIT							Component ATA:21
PN:45AS63018-107	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.220	AFL	0						
PROC. REF: AMM 21-50-00								
215005	INSPECT AIR-CONDITIONING SYSTEM (500 HOUR)							Service ATA:21
	DAYS	24-Jun-22						
	HRS	5404:34						
WC#: 21.500	AFL	4334						
	ACH	333:36	500 (+20)		833:36	853:36	431:36 (+20)	
PROC. REF: GENERIC CMM								
215012	CABIN TEMPERATURE MODULATOR VALVE							Component ATA:21
PN:979558-3	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.230	AFL	0						
PROC. REF: GENERIC NO REF								
215013	COCKPIT TEMPERATURE MODULATOR VALVE							Component ATA:21
PN:979580-5	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.230	AFL	0						
PROC. REF: GENERIC NO REF								
215014	TURBINE COOLING BY-PASS VALVE							Component ATA:21
PN:45AS63018-79	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.240	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-B11 HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
215015	EJECTOR SHUT-OFF VALVE							Component ATA:21
PN:979494-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.240	AFL	0						
PROC. REF: GENERIC NO REF								
215016	RAM AIR CHECK VALVE							Component ATA:21
PN:2201892-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.250	AFL	0						
PROC. REF: GENERIC NO REF								
215018	ZONE NO. 2 MODULATOR SHUT-OFF VALVE							Component ATA:21
PN:45AS63018-79	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.250	AFL	0						
PROC. REF: GENERIC NO REF								
215025	AIR TEMPERATURE BULB							Component ATA:21
PN:MS28034-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.260	AFL	0						
PROC. REF: GENERIC NO REF								
215031	ENVIRONMENTAL CONTROL VALVE							Component ATA:21
PN:45AS63018-171	MOS/MSC	28-Apr-01	O/C					
SN:79-640	HRS	0		TSN 0				
WC#: 21.270	AFL	0						
PROC. REF: GENERIC NO REF								
215035	COOLING TURBINE							Component ATA:21
PN:586110-3	MOS/MSC	15-Nov-02	O/C	TSO 0				
SN:129-547	HRS	400:30		TSO 0				
WC#: 21.275	AFL	333		TSO 0				
PROC. REF: GENERIC NO REF								
215037	PRIMARY HEAT EXCHANGER							Component ATA:21
PN:194038-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.280	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
215043	SECONDARY HEAT EXCHANGER							Component ATA:21
PN:194042-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.280	AFL	0						
PROC. REF: GENERIC NO REF								
215049	CABIN THERMAL SWITCH							Component ATA:21
PN:45AS63026-9	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.260	AFL	0						
PROC. REF: GENERIC NO REF								
215060	CABIN TEMPERATURE INDICATOR							Component ATA:21
PN:5003-3016	MOS/MSC	28-Apr-01	O/C					
SN:588	HRS	0		TSN 0				
WC#: 21.470	AFL	0		TSN 0				
PROC. REF: AMM 21-60-00, AMM 21-61-00								
215199 ^U	READ OUT AIR CONDITIONING (FREON) HOURS							Service ATA:21
	MOS	11-Jul-24						
	HRS	6421:01	200		6621:01		31:52	
	AFL	4989						
216001	COCKPIT TEMPERATURE SENSOR							Component ATA:21
PN:45AS63018-95	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.290	AFL	0						
PROC. REF: AMM 21-60-00, AMM 21-61-00								
216002	CABIN TEMPERATURE SENSOR							Component ATA:21
PN:45AS63018-95	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.290	AFL	0						
PROC. REF: AMM 21-60-00, AMM 21-61-00								
216003	COCKPIT HIGH LIMIT SENSOR							Component ATA:21
PN:45AS63018-127	MOS/MSC	28-Apr-01	O/C					
SN:5647	HRS	0		TSN 0				
WC#: 21.300	AFL	0						
PROC. REF: AMM 21-60-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
216004	CABIN HIGH LIMIT SENSOR							Component ATA:21
PN:45AS63018-127	MOS/MSC	28-Apr-01	O/C					
SN:5722	HRS	0		TSN 0				
WC#: 21.300	AFL	0						
PROC. REF: AMM 21-60-00								
216005	LOW LIMIT SENSOR							Component ATA:21
PN:1150976-1	MOS/MSC	28-Apr-01	O/C					
SN:050C-0660	HRS	0		TSN 0				
WC#: 21.310	AFL	0						
PROC. REF: AMM 21-60-00								
216006	COCKPIT DUCT TEMPERATURE SENSOR							Component ATA:21
PN:PN	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.310	AFL	0						
PROC. REF: AMM 21-60-00, AMM 21-61-00								
216007	CABIN DUCT TEMPERATURE SENSOR							Component ATA:21
PN:PN	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.310	AFL	0						
PROC. REF: AMM 21-60-00, AMM 21-61-00								
216008	FORWARD DUCT TEMPERATURE SENSOR							Component ATA:21
PN:45AS63018-93	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.320	AFL	0						
PROC. REF: GENERIC NO REF								
216009	AFT DUCT TEMPERATURE SENSOR							Component ATA:21
PN:45AS63018-93	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.320	AFL	0						
PROC. REF: GENERIC NO REF								
216043	COCKPIT TEMPERATURE SENSOR BLOWER							Component ATA:21
PN:19A3008	MOS/MSC	24-Jun-22	O/C					
SN:EQ272	HRS	5404:34						
WC#: 21.330	AFL	4334						
PROC. REF: AMM 21-60-00, AMM 21-60-00, AMM 21-61-00, AMM 21-61-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
216044	CABIN TEMPERATURE SENSOR BLOWER							Component ATA:21
PN:19A1860	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.330	AFL	0						
PROC. REF: AMM 21-60-00, AMM 21-60-00, AMM 21-61-00, AMM 21-61-00								
216067	COCKPIT TEMPERATURE SELECTOR							Component ATA:21
PN:45AS63018-77	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.350	AFL	0						
PROC. REF: AMM 21-60-00, AMM 21-61-00								
216068	CABIN TEMPERATURE SELECTOR							Component ATA:21
PN:45AS63018-97	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.350	AFL	0						
PROC. REF: AMM 21-60-00, AMM 21-60-00, AMM 21-61-00								
216069	NO. 2 CABIN MODE SELECTOR							Component ATA:21
PN:45AS63018-53	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.350	AFL	0						
PROC. REF: AMM 21-60-00								
216073	OVERTEMPERATURE SWITCH							Component ATA:21
PN:641134-1/-2	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.360	AFL	0						
PROC. REF: GENERIC NO REF								
216079	NO. 1 CABIN MODE SELECTOR							Component ATA:21
PN:45AS63018-53	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.370	AFL	0						
PROC. REF: AMM 21-60-00								
216080	COCKPIT MODE SELECTOR							Component ATA:21
PN:45AS63018-53	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.370	AFL	0						
PROC. REF: AMM 21-60-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
216090	CABIN ALTITUDE DIFFERENTIAL PRESSURE INDICATOR							Component ATA:21
PN:45AS86832-005	MOS/MSC	28-Apr-01	O/C					
SN:506195	HRS	0		TSN 0				
WC#: 21.215	AFL	0						
PROC. REF: GENERIC NO REF								
217001	WATER SEPARATOR							Component ATA:21
PN:45A63973-11/12/15/16	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.220	AFL	0						
PROC. REF: AMM 21-70-00								
217013	COALESCER							Component ATA:21
PN:180849-28	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.390	AFL	0						
PROC. REF: AMM 21-70-00								
218035	FORWARD EVAPORATOR MODULE							Component ATA:21
PN:1134310-1	MOS/MSC	28-Apr-01	O/C					
SN:411	HRS	0		TSN 0				
WC#: 21.480	AFL	0		TSN 0				
PROC. REF: AMM 21-51-00, CMM 21-00-12, CMM 21-00-34								
218040	AFT EVAPORATOR MODULE							Component ATA:21
PN:1134310-1	MOS/MSC	28-Apr-01	O/C					
SN:369	HRS	0		TSN 0				
WC#: 21.480	AFL	0		TSN 0				
PROC. REF: AMM 21-51-00, CMM 21-00-12, CMM 21-00-34								
218045	COMPRESSOR CONDENSER							Component ATA:21
PN:1134400	MOS/MSC	28-Apr-01	O/C					
SN:344	HRS	0		TSN 0				
WC#: 21.490	AFL	0		TSN 0				
PROC. REF: AMM 21-51-00, CMM 21-00-12, CMM 21-00-34								
H210001 ^S	INSPECT FWD & AFT EVAPORATOR BOX ASSEMBLIES (RK-78,RK-87 AND AFTER) -CABIN SECTION							Service ATA:21
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						

PKG:3,4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
H210002 ^S	INSPECT OUTFLOW SAFETY VALVE POPPET SEATS (AS VIEWED FROMNOSE AVIONICS COMPARTMENT)							Service ATA:21
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H210003 ^S	INSPECT ENVIRONMENTAL CONTROL UNIT (ECU) AND DUCTING - AFT FUSELAGE							Service ATA:21
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H210006 ^S	INSPECT AIR-CONDITIONING CONTROL SWITCH PANEL(CO-PILOTS SIDEPANEL) (RK-78, RK-87 AND AFTER) -- PILOTS COMPARTMENT							Service ATA:21
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H210008 ^S	INSPECT VAPOR CYCLE COOLING SYSTEM - EVAPORATORS(RK-78, RK-87 AND AFTER) - CABIN SECTION							Service ATA:21
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H210010 ^S	INSPECT ENVIRONMENTAL CONTROL UNIT (ECU) AND DUCTING - AFT FUSELAGE							Service ATA:21
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H210011 ^S	INSPECT VAPOR CYCLE COOLING SYSTEM (RK-78, RK-87 AND AFTER) - AFT FUSELAGE							Service ATA:21
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
PROC. REF: AMM NO REF								
H210012 ^S	INSPECT VAPOR CYCLE COOLING SYSTEM - COMPRESSORCONDENSER MODULE (RK-78, RK-87 AND AFTER) - AFT FUSELAGE							Service ATA:21
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
H210016 ^S	INSPECT COCKPIT SIDE WINDOW DEFOG BLOWER - PILOTS COMPARTMENT							Service ATA:21
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H210017 ^S	INSPECT CEILING AIR OUTLET SHUTOFF VALVE (RK-1 THRU RK-97AND RK-99 THRU RK-109) - PILOTS COMPARTMENT							Service ATA:21
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H210018 ^S	INSPECT ENVIRONMENTAL CONTROL UNIT (ECU) AND DUCTING(PANELS 311RL AND 312FR REMOVED) - AFT FUSELAGE							Service ATA:21
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H210019 ^S	CABIN PRESSURE CONTROL SYSTEM - PERFORM CABIN PRESSURIZATION SYSTEM OPERATIONAL TEST							Service ATA:21
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H210020 ^S	INSPECT ENVIRONMENTAL CONTROL UNIT -ENGINE GROUND RUN AND OPERATIONAL CHECKS							Service ATA:21
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H210021 ^S	INSPECT ENVIRONMENTAL SYSTEM - ENGINE GROUND RUN AND OPERATIONAL CHECKS							Service ATA:21
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H210022 ^S	INSPECT CABIN PRESSURE CONTROL SYSTEM - PERFORM CABINPRESSURE CONTROL SYSTEM CHECK -ENGINE GROUND RUN AND OPERATIONAL CHECKS							Service ATA:21
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
H210023 ^S	INSPECT ENVIRONMENTAL SYSTEM - CABIN SECTION							Service ATA:21
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H210028 ^S	INSPECT PRESSURIZATION CONTROL COMPONENTS AIRFILTERS/SCREENS							Service ATA:21
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H210029 ^S	INSPECT CABIN PRESSURE CONTROL FILTER CARTRIDGEASSEMBLY (BELOW FLOOR PANELS)-PILOT'S COMPARTMENT							Service ATA:21
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H210030 ^S	INSPECT PRESSURIZATION CONTROL SYSTEM-PILOT'S COMPARTMENT							Service ATA:21
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H210034 ^S	INSPECT COMPRESSOR/CONDENSER MODULE (COMPRESSOR/CONDENSER MODULE REMOVED) (RK-78, RK-87 AND AFTER - SCHEDULED INSPECTIONCS							Service ATA:21
	MOS	11-Jul-24						
	HRS	6421:01	6400					
	AFL	4989						
								PKG:5
H210035 ^S	INSPECT OVERHEAD AIR OUTLET - CABIN SECTION							Service ATA:21
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H210035 ^S	INSPECT OVERHEAD AIR OUTLET - COCKPIT							Service ATA:21
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
H210036 ^S	INSPECT VENTILATION BLOWER SYSTEM-PILOT'S COMPARTMENT							Service ATA:21
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
ATA 22 - AUTO FLIGHT								
220001	INSPECT ELEVATOR ELEVATOR SERVO MOUNT SLIP CLUTCH							Service ATA:22
	MOS	28-Apr-01						
	HRS	0	12200 (+20)		12200	12220	5610:51 (+20)	
WC#: 22.070	AFL							
PROC. REF: GENERIC CMM								
220001	INSPECT ROLL SPOILER (ROLL) SERVO MOUNT SLIP CLUTCH.							Service ATA:22
	MOS	28-Apr-01						
	HRS	0	12200 (+20)		12200	12220	5610:51 (+20)	
WC#: 22.060	AFL							
PROC. REF: GENERIC CMM								
220001	INSPECT RUDDER RUDDER SERVO MOUNT SLIP CLUTCH							Service ATA:22
	MOS	28-Apr-01						
	HRS	0	12200 (+20)		12200	12220	5610:51 (+20)	
WC#: 22.080	AFL							
PROC. REF: GENERIC CMM								
221043	SPOILER DRIVE SERVO							Component ATA:22
PN:622-5027-102	MOS/MSC	28-Apr-01	O/C					
SN:4PWT	HRS	0		TSN 0				
WC#: 22.010	AFL	0						
PROC. REF: AMM 22-13-00								
221044	ELEVATOR DRIVE SERVO							Component ATA:22
PN:622-6717-004	MOS/MSC	13-Jul-05	O/C	TSO 0				
SN:548	HRS	1140:48		TSO 0				
WC#: 22.010	AFL	916		TSO 0				
PROC. REF: AMM 22-13-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
221050	RUDDER DRIVE SERVO							Component ATA:22
PN:622-6717-004	MOS/MSC	10-Oct-18	O/C					
SN:1043	HRS	3671:28						
WC#: 22.030	AFL	3127						
PROC. REF: AMM 22-13-00								
221055	SPOILER SERVO DRIVE MOUNT							Component ATA:22
PN:822-0260-001	MOS/MSC	28-Apr-01	O/C					
SN:DGTX	HRS	0		TSN 0				
WC#: 22.020	AFL	0						
PROC. REF: AMM 22-13-00								
221056	ELEVATOR SERVO DRIVE MOUNT							Component ATA:22
PN:622-6718-101	MOS/MSC	28-Apr-01	O/C					
SN:5N8X	HRS	0		TSN 0				
WC#: 22.020	AFL	0						
PROC. REF: AMM 22-13-00								
221057	RUDDER SERVO DRIVE MOUNT							Component ATA:22
PN:622-6718-101	MOS/MSC	28-Apr-01	O/C					
SN:3R37	HRS	0		TSN 0				
WC#: 22.020	AFL	0						
PROC. REF: AMM 22-13-00								
221074	MODE CONTROL PANEL							Component ATA:22
PN:622-6208-204	MOS/MSC	28-Apr-01	O/C					
SN:607P	HRS	0		TSN 0				
WC#: 22.040	AFL	0						
PROC. REF: GENERIC NO REF								
221075	AUTOPILOT CONTROLLER PANEL							Component ATA:22
PN:622-6208-204	MOS/MSC	16-Jul-12	O/C	TSR 11				
SN:2NPLJ	HRS	2372:40		TSR 0				
WC#: 22.050	AFL	1921		TSR 0				
PROC. REF: AMM 22-13-00								
ATA 23 - COMMUNICATIONS								
230005	FUNCTIONAL TEST COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON							Service ATA:23
	MOS	16-May-23	24		31-May-25		239 d	
	HRS	5987:43						
WC#: 31.030	AFL	4720						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
231001	NO. 1 VHF COMMUNICATIONS TRANSCEIVER							Component ATA:23
PN:822-1115-001	MOS/MSC	23-Jul-10	O/C	TSR 0				
SN:5LBH	HRS	2206:30		TSR 0				
WC#: 23.010	AFL	1774		TSR 0				
PROC. REF: AMM NO REF								
231002	NO. 2 VHF COMMUNICATIONS TRANSCEIVER							Component ATA:23
PN:822-1115-021	MOS/MSC	28-Apr-01	O/C					
SN:DH4W	HRS	0		TSN 0				
WC#: 23.010	AFL	0						
PROC. REF: AMM NO REF								
231079	NO. 1 VHF COMMUNICATION ANTENNA							Component ATA:23
PN:S65-247-12	MOS/MSC	28-Apr-01	O/C					
SN:3470	HRS	0		TSN 0				
WC#: 23.020	AFL	0						
PROC. REF: AMM 34-59-00								
231080	NO. 2 VHF COMMUNICATION ANTENNA							Component ATA:23
PN:C1108	MOS/MSC	30-Oct-07	O/C	TSN 0				
SN:127068	HRS	1813		TSN 0				
WC#: 23.020	AFL	1453		TSN 0				
PROC. REF: AMM 34-59-00								
231312 ^U	TT-3000 SATCOM SYSTEM							Component ATA:23
PN:PN	MOS/MSC		O/C					
SN:UNKNOWN	HRS							
	AFL							
231312A ^U	INSPECT TT-3000 SATCOM SYSTEM INSTALLATION (DOC: TT-3000-ICA-RK-318)							Service ATA:23
PN:PN	MOS	11-Jul-24	12		11-Jul-25		280 d	
SN:UNKNOWN	HRS	6421:01						
	AFL	4989						
233010	FLIGHT PHONE CONTROLLER							Component ATA:23
PN:11555-4	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0						
WC#: 23.050	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
233015	LEFT RADIO TUNING UNIT							Component ATA:23
PN:822-1825-111	MOS/MSC	22-Jul-16	O/C					
SN:1NMBB	HRS							
WC#: 23.070	AFL							
PROC. REF: GENERIC NO REF								
233020	RIGHT RADIO TUNING UNIT							Component ATA:23
PN:822-1825-111	MOS/MSC	20-Oct-22	O/C					
SN:23DF	HRS	5734:44						
WC#: 23.070	AFL	4559						
PROC. REF: GENERIC NO REF								
233028 ^U	FWD 10.4 LCD MONITOR-							Component ATA:23
PN:FD104CV	MOS/MSC	10-Dec-12	O/C	TSN 1				
SN:1210251032	HRS	2396:05		TSN 0				
	AFL	1947		TSN 0				
233040 ^U	DVD PLAYER							Component ATA:23
PN:DVD-201-01-2	MOS/MSC		O/C					
SN:UNKNOWN	HRS							
	AFL							
233054-1 ^U	CD PLAYER CHANGER							Component ATA:23
PN:MCD-102-CH-2	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0						
	AFL	0						
235013	PILOT AUDIO CONTROL PANEL							Component ATA:23
PN:822-1028-011	MOS/MSC	28-Apr-01	O/C					
SN:CYJX	HRS	0		TSN 0				
WC#: 23.060	AFL	0						
PROC. REF: GENERIC NO REF								
235014	COPILOT AUDIO CONTROL PANEL							Component ATA:23
PN:822-1028-011	MOS/MSC	28-Apr-01	O/C					
SN:5K6R	HRS	0		TSN 0				
WC#: 23.060	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
235020	VLF RECEIVER							Component ATA:23
PN:270-1306-010	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.070	AFL	0						
PROC. REF: GENERIC CMM								
235025	NO. 1 AUDIO AMPLIFIER							Component ATA:23
PN:438-001	MOS/MSC	28-Apr-01	O/C					
SN:3260	HRS	0		TSN 0				
WC#: 23.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
235030	NO. 2 AUDIO AMPLIFIER							Component ATA:23
PN:438-001	MOS/MSC	28-Apr-01	O/C					
SN:3261	HRS	0		TSN 0				
WC#: 23.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
235035	AURAL WARNING TONE GENERATOR							Component ATA:23
PN:603	MOS/MSC	28-Apr-01	O/C					
SN:693	HRS	0		TSN 0				
WC#: 23.100	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
237002	COCKPIT VOICE RECORDER							Component ATA:23
PN:2100-1020-00	MOS/MSC	24-Jul-19	O/C					
SN:000488480	HRS	3901:40						
WC#: 31.030	AFL	3350						
PROC. REF: AMM 23-70-00								
237014	COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON							Component ATA:23
PN:DK120	MOS/MSC	24-Jul-19	O/C	TSN 0				
SN:AT126833	HRS	3901:40		TSN 0				
WC#: 31.030	AFL	3350		TSN 0				
237018	INSPECT/CLEAN COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON SWITCH							Service ATA:23
	MOS	16-May-23	24		16-May-25		224 d	
	HRS	5987:43						
WC#: 31.030	AFL	4720						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-B11 HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
237019	COCKPIT VOICE RECORDER IMPACT SWITCH							Component ATA:23
PN:6895-D-1-X-2.5-2.5	MOS/MSC	28-Apr-01	O/C					
SN:2945	HRS	0		TSN 0				
WC#: 31.025	AFL	0						
PROC. REF: AMM 23-70-00								
237020	COCKPIT VOICE RECORDER CONTROL UNIT							Component ATA:23
PN:93A151-30	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.035	AFL	0						
PROC. REF: AMM 23-70-00								
238031	LEFT CONTROL PANEL DISPLAY							Component ATA:23
PN:PN	MOS/MSC	28-Apr-01	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
238034	RIGHT CONTROL PANEL DISPLAY							Component ATA:23
PN:PN	MOS/MSC	28-Apr-01	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
312020	REPLACE COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON BATTERY							Service ATA:23
	MOS/MSC	24-Jul-19	DUE		31-Jan-26 (M)		484 d	
	HRS	3901:40						
WC#: 31.030	AFL	3350						
PROC. REF: CMM 23-70-01								
H230001 ^S	INSPECT ANTENNA - FORWARD FUSELAGE							Service ATA:23
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
PKG:2								
H230002 ^S	INSPECT ANTENNA - MIDFUSELAGE							Service ATA:23
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
PKG:2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
H230003 ^S	INSPECT ANTENNA - AFT FUSELAGE							Service ATA:23
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H230004 ^S	INSPECT COCKPIT WARNING SYSTEM - PILOTS COMPARTMENT							Service ATA:23
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
ATA 24 - ELECTRICAL POWER								
042401	REPLACE NO. 1 STARTER GENERATOR							Service ATA:24
PN:23080-050	MOS	11-Jul-24						REPLACE
SN:Y-20625	HRS	6421:01	1000	TAC 348:40	7072:21		483:12	
	AFL	4989		TAC 211				
042401	REPLACE NO. 2 STARTER GENERATOR							Service ATA:24
PN:23080-050	MOS	11-Jul-24						REPLACE
SN:P1575	HRS	6421:01	1000	TAC 203:59	7217:02		627:53	
	AFL	4989		TAC 120				
240001	STANDBY BATTERY POWER SUPPLY							Component ATA:24
PN:501-1228-04	MOS/MSC	22-Jan-24	O/C					
SN:10064	HRS	6384:35						
WC#: 24.055	AFL	4966						
								PROC. REF: AMM 24-20-00
240002	AHRB BATTERY POWER SUPPLY							Component ATA:24
PN:501-1228-04	MOS/MSC	22-Jan-24	O/C					
SN:14359	HRS	6384:35						
WC#: 24.005	AFL	4966						
								PROC. REF: GENERIC NO REF
240012	STANDBY POWER SUPPLY BATTERY CAPACITY CHECK							Service ATA:24
PN:501-1228-04	MOS	22-Jan-24	12		31-Jan-25		119 d	
SN:10064	HRS	6384:35						
WC#: 24.055	AFL	4966						
								PROC. REF: SL 80, CMM 24-30-02

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
240013	STANDBY AHRS POWER SUPPLY BATTERY CAPACITY CHECK							Service ATA:24
PN:501-1228-04	MOS	22-Jan-24	12		31-Jan-25		119 d	
SN:14359	HRS	6384:35						
WC#: 24.005	AFL	4966						
PROC. REF: SL 80, CMM 24-30-02								
242001	NO. 1 INVERTER							Component ATA:24
PN:SPC-5B	MOS/MSC	03-Jun-20	O/C					
SN:1586	HRS	4269:22						
WC#: 24.010	AFL	3640						
PROC. REF: AMM 24-20-00								
242002	NO. 2 INVERTER							Component ATA:24
PN:SPC-5(B)	MOS/MSC	08-Mar-07	O/C	TSR 0				
SN:872	HRS	1603		TSR 0				
WC#: 24.010	AFL	1293		TSR 0				
PROC. REF: AMM 24-20-00								
242010 ^U	KGS ELECTRONICS STATIC INVERTER (DOC: INV-ICA-RK-318)							Component ATA:24
PN:SPS-1607	MOS/MSC	28-May-08	O/C	TSO 0				
SN:765	HRS	1935:54		TSO 0				
	AFL	1545		TSO 0				
242013	AC VOLTMETER							Component ATA:24
PN:MR17B150-ARVVR	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.020	AFL	0						
PROC. REF: AMM 24-20-00								
243001	NO. 1 GENERATOR CONTROL UNIT							Component ATA:24
PN:45AS88801-025	MOS/MSC	23-Mar-12	O/C	TSO 35				
SN:Y0039	HRS	2343:30		TSO 0				
WC#: 24.060	AFL	1897		TSO 0				
PROC. REF: AMM 24-30-00								
243002	NO. 2 GENERATOR CONTROL UNIT							Component ATA:24
PN:45AS88801-25	MOS/MSC	28-Apr-01	O/C					
SN:Y0941	HRS	0		TSN 0				
WC#: 24.060	AFL	0						
PROC. REF: AMM 24-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
243013	DC INSTRUMENT CLUSTER							Component ATA:24
PN:45AS86854-3	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.070	AFL	0						
PROC. REF: AMM 24-30-00								
243019	BATTERY FEED PROTECTION UNIT							Component ATA:24
PN:50284-003	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.080	AFL	0						
PROC. REF: AMM 24-31-00								
243022	BATTERY GROUND FAULT PROTECTION PANEL							Component ATA:24
PN:PN	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.030	AFL	0						
PROC. REF: GENERIC NO REF								
243025	BATTERY							Component ATA:24
PN:RG-380E/40L	MOS/MSC	05-Aug-24	O/C					
SN:41238483	HRS	6490:30						
WC#: 24.090	AFL	5033						
PROC. REF: AMM 24-31-00, CMM 24-30-99, CMM 24-30-71								
243026	PERFORM CAPACITY TEST (LEAD ACID ONLY)(RK-98 AND AFTER)							Service ATA:24
PN:RG-380E/40L	MOS	05-Aug-24	3		30-Nov-24		57 d	IFA
SN:41238483	HRS	6490:30	200 (+40)		6690:30	6730:30	101:21 (+40)	
WC#: 24.090	AFL	5033						
PROC. REF: AMM 24-32-00, CMM 24-30-71, CMM 24-30-71								
243043	NO. 1 ENGINE STARTER/GENERATOR							Component ATA:24
PN:23080-050	MOS/MSC	11-Jul-24	H/T					
SN:Y-20625	HRS	6421:01		TSN 348:40				
WC#: 24.110	AFL	4989		TSN 211				
PROC. REF: AMM 80-10-00								
243044	NO. 2 ENGINE STARTER/GENERATOR							Component ATA:24
PN:23080-050	MOS/MSC	11-Jul-24	H/T					
SN:P1575	HRS	6421:01		TSN 203:59				
WC#: 24.110	AFL	4989		TSN 120				
PROC. REF: AMM 80-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
243073	LEFT OVERCURRENT SENSOR RELAY							Component ATA:24
PN:45AS88810-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.120	AFL	0						
PROC. REF: GENERIC NO REF								
243074	RIGHT OVERCURRENT SENSOR RELAY							Component ATA:24
PN:45AS88810-003	MOS/MSC	11-Aug-11	O/C	TSN 0				
SN:003039	HRS	2307:15		TSN 0				
WC#: 24.120	AFL	1860		TSN 0				
PROC. REF: GENERIC NO REF								
243091	LEFT STARTER/GENERATOR POSITIVE GROUND FAULT CURRENT TRANSFORMER							Component ATA:24
PN:45AS88801-7	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.140	AFL	0						
PROC. REF: GENERIC NO REF								
243092	LEFT STARTER/GENERATOR NEGATIVE GROUND FAULT CURRENT TRANSFORMER							Component ATA:24
PN:45AS88801-7	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.140	AFL	0						
PROC. REF: GENERIC NO REF								
243093	RIGHT STARTER/GENERATOR POSITIVE GROUND FAULT CURRENT TRANSFORMER							Component ATA:24
PN:45AS88801-7	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.150	AFL	0						
PROC. REF: GENERIC NO REF								
243094	RIGHT STARTER/GENERATOR NEGATIVE GROUND FAULT CURRENT TRANSFORMER							Component ATA:24
PN:45AS88801-7	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.150	AFL	0						
PROC. REF: GENERIC NO REF								
243095	FORWARD FUSELAGE CURRENT TRANSFORMER							Component ATA:24
PN:GC-66	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.050	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
243096	AFT FUSELAGE CURRENT TRANSFORMER							Component ATA:24
PN:GC-66	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.050	AFL	0						
PROC. REF: GENERIC NO REF								
243121	LEFT INDICATOR PANEL							Component ATA:24
PN:45AS88843-9	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.040	AFL	0						
PROC. REF: AMM 33-11-00								
243122	RIGHT INDICATOR PANEL							Component ATA:24
PN:45AS88843-13	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.040	AFL	0						
PROC. REF: AMM 33-11-00								
243123	ANNUNCIATOR PANEL							Component ATA:24
PN:45AS88860-25	MOS/MSC	28-Apr-01	O/C					
SN:0237	HRS	0		TSN 0				
WC#: 24.040	AFL	0						
PROC. REF: AMM 33-11-00								
24R001 ^U	DC CABIN CONVERTER							Component ATA:24
PN:UC28-14	MOS/MSC	16-Dec-04	O/C	TSN 0				
SN:3689	HRS	990:18		TSN 0				
	AFL	798		TSN 0				
H240001 ^S	INSPECT ELECTRICAL COMPONENTS - PILOTS COMPARTMENT							Service ATA:24
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
PKG:3								
H240002 ^S	INSPECT BATTERY INSTALLATION - AFT FUSELAGE							Service ATA:24
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
PKG:3								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
H240004 ^S	INSPECT ELECTRICAL EQUIPMENT (SIDE JUNCTION) PANEL,POWER RELAY PANEL, RESISTOR RELAY (LOAD SHED)PANEL, CIRCUIT BREAKER PANELS AND ASSOCIATEDWIRING-PILOT'S COMPARTMENT							Service ATA:24
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H240005 ^S	INSPECT ELECTRICAL COMPONENTS - AREA INSPECTION - CABIN SECTION							Service ATA:24
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H240008 ^S	INSPECT BATTERY, EXTERNAL POWER AND GENERATORGROUNDING TERMINALS AND HARDWARE - AFT FUSELAGE							Service ATA:24
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H240009 ^S	INSPECT ELECTRICAL COMPONENTS - AREA INSPECTION - AFT FUSELAGE							Service ATA:24
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H240011 ^S	INSPECT INVERTER SYSTEM - ENGINE GROUND RUN AND OPERATIONAL CHECKS							Service ATA:24
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H240014 ^S	INSPECT ELECTRICAL COMPONENTS - AREA INSPECTION (WITHINTERIOR PANELS REMOVED) - CABIN SECTION							Service ATA:24
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H240015 ^S	INSPECT GENERATOR CONTROL UNITS (GCU)- CABIN SECTION							Service ATA:24
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
H240016 ^S	INSPECT ELECTRICAL AND AVIONICS COMPARTMENT - FORWARD FUSELAGE							Service ATA:24
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H240018 ^S	INSPECT DC GENERATION AND CONTROL SYSTEM -ENGINE GROUND RUN AND OPERATIONAL CHECKS							Service ATA:24
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H240019 ^S	INSPECT LEFT STARTER-GENERATOR							Service ATA:24
	MOS	11-Jul-24						
	HRS	6421:01	200 (+40)					
WC#: 24.160	AFL	4989						
PROC. REF: AMM 80-10-00								PKG:1
H240020 ^S	INSPECT RIGHT STARTER-GENERATOR							Service ATA:24
	MOS	11-Jul-24						
	HRS	6421:01	200 (+40)					
WC#: 24.160	AFL	4989						
PROC. REF: AMM 80-10-00								PKG:1
H240021 ^S	CHECK BATTERY (NI-CAD ONLY), ELECTROLYTE LEVEL AND CHARGE (DEEP CYCLE IF NECESSARY).							Service ATA:24
	MOS	11-Jul-24						
	HRS	6421:01	200 (+40)					
WC#: 24.170	AFL	4989						
PROC. REF: GENERIC CMM								PKG:1
ATA 25 - EQUIPMENT/FURNISHINGS								
045303	REPLACE AFT BAGGAGE COMPARTMENT VELCRO (HOOK ONLY)							Service ATA:25
	MOS	27-Jan-22						LIFE LIMIT
	HRS	5180:34	2600		7780:34		1191:25	
WC#: 25.115	AFL	4212						
PROC. REF: AMM 25-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
045304	INSPECT AFT FUSELAGE BAGGAGE COMPARTMENT HOOK FASTENER (VELCRO)							Service ATA:25
	MOS	11-Jul-24						AIRWORTHINESS
	HRS	6421:01	400 (+20)	Adj -13:18	6807:43	6827:43	218:34 (+20)	
WC#: 25.120	AFL	4989						
PROC. REF: AMM 25-50-00								
250018	INSPECT/FUNCTIONAL CHECK EMERGENCY LOCATOR TRANSMITTER							Service ATA:25
PN:453-5000-269	MOS	22-Jan-24	12	Adj -8d	31-Jan-25		119 d	
SN:00664	HRS	6384:35						
WC#: 25.050	AFL	4966						
PROC. REF: AMM 25-61-00, FAR 91.207(D)								
251001	PILOT SEAT							Component ATA:25
PN:45A91203-321	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.010	AFL	0						
PROC. REF: AMM 25-10-00								
251002	COPILOT SEAT							Component ATA:25
PN:45A91203-322	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.010	AFL	0						
PROC. REF: AMM 25-10-00								
252001	RIGHT NO.1 PASSENGER SEAT							Component ATA:25
PN:128-384-038-2	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.020	AFL	0						
PROC. REF: AMM 25-21-00								
252002	RIGHT NO.2 PASSENGER SEAT							Component ATA:25
PN:45A91492-2	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.020	AFL	0						
PROC. REF: AMM 25-21-00								
252003	RIGHT NO.3 PASSENGER SEAT							Component ATA:25
PN:45A91493-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.020	AFL	0						
PROC. REF: AMM 25-21-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
252004	LEFT NO.1 PASSENGER SEAT							Component ATA:25
PN:45A91492-2	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.030	AFL	0						
PROC. REF: AMM 25-21-00								
252005	LEFT NO.2 PASSENGER SEAT							Component ATA:25
PN:45A91492-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.030	AFL	0						
PROC. REF: AMM 25-21-00								
252017	LEFT NO.3 PASSENGER SEAT							Component ATA:25
PN:45A91492-2	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.040	AFL	0						
PROC. REF: AMM 25-21-00								
252018	NO. 1 SWIVEL SEAT							Component ATA:25
PN:45A91492-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.040	AFL	0						
PROC. REF: AMM 25-21-00								
252019	TOILET SEAT							Component ATA:25
PN:128-430021-15	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.040	AFL	0						
PROC. REF: GENERIC NO REF								
256001	EMERGENCY LOCATOR TRANSMITTER							Component ATA:25
PN:453-5000-269	MOS/MSC	22-Jan-24	O/C					
SN:00664	HRS	6384:35						
WC#: 25.050	AFL	4966						
PROC. REF: AMM 25-61-00								
256003	ELT ANTENNA							Component ATA:25
PN:DM ELT 6.2	MOS/MSC	28-Apr-01	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.060	AFL	0		TSN 0				
PROC. REF: AMM 25-61-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
256005	EMERGENCY LOCATOR TRANSMITTER BATTERY							Component ATA:25
PN:452-0103	MOS/MSC	26-Oct-23	O/C	TSN 0				
SN:1004413-010	HRS	6298:26		TSN 0				
	AFL	4913		TSN 0				
PROC. REF: AMM NO REF								
256009 ^U	FUNCTIONAL TEST EMERGENCY LOCATOR TRANSMITTER							Service ATA:25
PN:453-5000-269	MOS/MSC	22-Jan-24	C/C					
SN:00664	HRS	6384:35						
WC#: 25.050	AFL	4966						
256011	REPLACE EMERGENCY LOCATOR TRANSMITTER BATTERY							Service ATA:25
PN:452-0103	MOS/MSC	26-Oct-23	DUE		28-Feb-29 (M)		1608 d	
SN:1004413-010	HRS	6298:26						
WC#: 25.050	AFL	4913						
PROC. REF: AMM 25-61-00								
256014	PILOT LIFE VEST							Component ATA:25
PN:P01074-207C	MOS/MSC	23-Sep-21	O/C	TSN 0	20-Jul-31 (M)		2480 d	
SN:21070900009	HRS	4972:19		TSN 0				
WC#: 25.070	AFL	4073		TSN 0				
PROC. REF: AMM 25-60-00								
256015	COPILOT LIFE VEST							Component ATA:25
PN:P01074-207C	MOS/MSC	23-Sep-21	O/C	TSN 0	20-Jul-31 (M)		2480 d	
SN:21070900010	HRS	4972:19		TSN 0				
WC#: 25.070	AFL	4073		TSN 0				
PROC. REF: AMM 25-60-00								
256016	NO. 3 LIFE VEST							Component ATA:25
PN:P01074-207	MOS/MSC	23-Sep-21	O/C	TSN 0	08-Sep-31 (M)		2530 d	
SN:21090020001	HRS	4972:19		TSN 0				
WC#: 25.080	AFL	4073		TSN 0				
PROC. REF: AMM 25-60-00								
256017	NO. 4 LIFE VEST							Component ATA:25
PN:P01074-207	MOS/MSC	23-Sep-21	O/C	TSN 0	08-Sep-31 (M)		2530 d	
SN:21090020002	HRS	4972:19		TSN 0				
WC#: 25.080	AFL	4073		TSN 0				
PROC. REF: AMM 25-60-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-B11 HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
256018	NO. 5 LIFE VEST							Component ATA:25
PN:P01074-207	MOS/MSC	23-Sep-21	O/C	TSN 0	08-Sep-31 (M)		2530 d	
SN:21090020003	HRS	4972:19		TSN 0				
WC#: 25.085	AFL	4073		TSN 0				
PROC. REF: AMM 25-60-00								
256019	NO. 6 LIFE VEST							Component ATA:25
PN:P01074-207	MOS/MSC	23-Sep-21	O/C	TSN 0	08-Sep-31 (M)		2530 d	
SN:21090020004	HRS	4972:19		TSN 0				
WC#: 25.085	AFL	4073		TSN 0				
PROC. REF: AMM 25-60-00								
256020	NO. 7 LIFE VEST							Component ATA:25
PN:P01074-207	MOS/MSC	23-Sep-21	O/C	TSN 0	08-Sep-31 (M)		2530 d	
SN:21090020005	HRS	4972:19		TSN 0				
WC#: 25.090	AFL	4073		TSN 0				
PROC. REF: AMM 25-60-00								
256021	NO. 8 LIFE VEST							Component ATA:25
PN:P01074-207	MOS/MSC	23-Sep-21	O/C	TSN 0	08-Sep-31 (M)		2530 d	
SN:21090020006	HRS	4972:19		TSN 0				
WC#: 25.090	AFL	4073		TSN 0				
PROC. REF: AMM 25-60-00								
256022	NO. 9 LIFE VEST							Component ATA:25
PN:P01074-207	MOS/MSC	23-Sep-21	O/C	TSN 0	08-Sep-31 (M)		2530 d	
SN:21090020007	HRS	4972:19		TSN 0				
WC#: 25.095	AFL	4073		TSN 0				
PROC. REF: AMM 25-60-00								
256023	INFANT LIFE VEST							Component ATA:25
PN:P0640-101	MOS/MSC	24-Oct-23	O/C	TSN 0				
SN:23060200139	HRS	6294:21		TSN 0				
WC#: 25.095	AFL	4910		TSN 0				
PROC. REF: AMM 25-60-00								
256024	INFANT LIFE VEST							Component ATA:25
PN:P0640-101	MOS/MSC	24-Oct-23	O/C	TSN 0				
SN:23060200138	HRS	6294:21		TSN 0				
WC#: 25.100	AFL	4910		TSN 0				
PROC. REF: AMM 25-60-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-B11 HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
256030	RECERTIFY PILOT LIFE VEST (MODEL GA-12)							Service ATA:25
PN:P01074-207C	MOS	01-Apr-21	120		20-Jul-31 (M)		2480 d	
SN:21070900009	HRS							
WC#: 25.070	AFL							
PROC. REF: GENERIC NO REF								
256031	RECERTIFY CO-PILOT LIFE VEST (MODEL GA-12)							Service ATA:25
PN:P01074-207C	MOS	01-Apr-21	120		20-Jul-31 (M)		2480 d	
SN:210709000010	HRS							
WC#: 25.070	AFL							
PROC. REF: GENERIC NO REF								
256032	RECERTIFY NO. 3 LIFE VEST (MODEL GA-12)							Service ATA:25
PN:P01074-207	MOS	01-Apr-21	120		08-Sep-31 (M)		2530 d	
SN:21090020001	HRS							
WC#: 25.080	AFL							
PROC. REF: GENERIC NO REF								
256033	RECERTIFY NO. 4 LIFE VEST (MODEL GA-12)							Service ATA:25
PN:P01074-207	MOS	01-Apr-21	120		08-Sep-31 (M)		2530 d	
SN:21090020002	HRS							
WC#: 25.080	AFL							
PROC. REF: GENERIC NO REF								
256034	RECERTIFY NO. 5 LIFE VEST (MODEL GA-12)							Service ATA:25
PN:P01074-207	MOS	01-Apr-21	120		08-Sep-31 (M)		2530 d	
SN:21090020003	HRS							
WC#: 25.085	AFL							
PROC. REF: GENERIC NO REF								
256035	RECERTIFY NO. 6 LIFE VEST (MODEL GA-12)							Service ATA:25
PN:P01074-207	MOS	01-Apr-21	120		08-Sep-31 (M)		2530 d	
SN:21090020004	HRS							
WC#: 25.085	AFL							
PROC. REF: GENERIC NO REF								
256036	RECERTIFY NO. 7 LIFE VEST (MODEL GA-12)							Service ATA:25
PN:P01074-207	MOS	01-Apr-21	120		08-Sep-31 (M)		2530 d	
SN:21090020005	HRS							
WC#: 25.090	AFL							
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-B11 HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
256037	RECERTIFY NO. 8 LIFE VEST (MODEL GA-12)							Service ATA:25
PN:P01074-207	MOS	01-Apr-21	120		08-Sep-31 (M)		2530 d	
SN:21090020006	HRS							
WC#: 25.090	AFL							
PROC. REF: GENERIC NO REF								
256038	RECERTIFY NO. 9 LIFE VEST (MODEL GA-12)							Service ATA:25
PN:P01074-207	MOS	01-Apr-21	120		08-Sep-31 (M)		2530 d	
SN:21090020007	HRS							
WC#: 25.095	AFL							
PROC. REF: GENERIC NO REF								
256039	RECERTIFY NO. 10 LIFE VEST (MODEL GA-12)							Service ATA:25
PN:P0640-101	MOS	24-Oct-23	12		08-Aug-31 (M)		2499 d	
SN:23060200139	HRS	6294:21						
WC#: 25.095	AFL	4910						
PROC. REF: GENERIC NO REF								
256040	RECERTIFY NO. 11 LIFE VEST (MODEL GA-12)							Service ATA:25
PN:P0640-101	MOS	24-Oct-23	12		08-Sep-31 (M)		2530 d	
SN:23060200138	HRS	6294:21						
WC#: 25.100	AFL	4910						
PROC. REF: GENERIC NO REF								
256046 ^U	INSPECT FIRST AID KIT							Service ATA:25
	MOS	05-Aug-24	12		31-Jul-25 (M)		300 d	
	HRS	6490:30						
	AFL	5033						
H240007 ^S	INSPECT ELECTRICAL AND AVIONICS COMPONENTS - AREAINSPECTION (FORWARD OF THE PRESSURE BULKHEAD; AVIONICSREMOVAL NOT REQUIRED) - FORWARD FUSELAGE							Service ATA:25
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
PKG:4								
H250001 ^S	INSPECT PILOT'S AND COPILOT'S SEATS - PILOT'S COMPARTMENT							Service ATA:25
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
PKG:2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
H250002 ^S	INSPECT SMOKE GOGGLES - PILOT'S COMPARTMENT							Service ATA:25
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H250003 ^S	INSPECT DIVIDER AND PARTITIONS - CABIN SECTION							Service ATA:25
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H250004 ^S	INSPECT PASSENGER AND TOILET SEAT - CABIN SECTION							Service ATA:25
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
PROC. REF: AMM NO REF								PKG:2
H250005 ^S	INSPECT REFRESHMENT CENTER AND STORAGE CABINETS - CABIN SECTION							Service ATA:25
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H250007 ^S	INSPECT SEAT RAILS AND ATTACHMENTS - CABIN SECTION							Service ATA:25
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H250009 ^S	INSPECT RELIEF TUBE - PILOTS COMPARTMENT							Service ATA:25
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H250010 ^S	INSPECT PASSENGER AND TOILET SEAT - CABIN SECTION							Service ATA:25
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
042601 (TIS)	REPLACE NO. 1 ENGINE FIRE EXTINGUISHER NO. 1 CARTRIDGE (SERVICE LIFE)							Service ATA:26
	MOS	20-Oct-22	48		20-Oct-26		746 d	REPLACE
	HRS							
WC#: 26.040	AFL							
	Installation Date: : 20-Oct-22		PROC. REF: AMM 26-20-00					
042601 (TIS)	REPLACE NO. 1 ENGINE FIRE EXTINGUISHER NO. 2 CARTRIDGE (SERVICE LIFE)							Service ATA:26
	MOS	20-Oct-22	48		20-Oct-26		746 d	REPLACE
	HRS							
WC#: 26.040	AFL							
	Installation Date: : 20-Oct-22		PROC. REF: AMM 26-20-00					
042601 (TIS)	REPLACE NO. 2 ENGINE FIRE EXTINGUISHER NO. 1 CARTRIDGE (SERVICE LIFE)							Service ATA:26
	MOS	20-Oct-22	48		20-Oct-26		746 d	REPLACE
	HRS							
WC#: 26.050	AFL							
	Installation Date: : 20-Oct-22		PROC. REF: AMM 26-20-00					
042601 (TIS)	REPLACE NO. 2 ENGINE FIRE EXTINGUISHER NO. 2 CARTRIDGE (SERVICE LIFE)							Service ATA:26
	MOS	20-Oct-22	48		20-Oct-26		746 d	REPLACE
	HRS							
WC#: 26.050	AFL							
	Installation Date: : 20-Oct-22		PROC. REF: AMM 26-20-00					
042601 (TSM)	REPLACE NO. 1 ENGINE FIRE EXTINGUISHER NO. 1 CARTRIDGE (LIFE LIMIT)							Service ATA:26
	MOS	01-Dec-21	72		01-Dec-27		1153 d	REPLACE
	HRS							
WC#: 26.040	AFL							
	Manufacture Date:: 01-Dec-21		PROC. REF: AMM 26-20-00					
042601 (TSM)	REPLACE NO. 1 ENGINE FIRE EXTINGUISHER NO. 2 CARTRIDGE (LIFE LIMIT)							Service ATA:26
	MOS	01-Dec-21	72		01-Dec-27		1153 d	REPLACE
	HRS							
WC#: 26.040	AFL							
	Manufacture Date:: 01-Dec-21		PROC. REF: AMM 26-20-00					
042601 (TSM)	REPLACE NO. 2 ENGINE FIRE EXTINGUISHER NO. 1 CARTRIDGE (LIFE LIMIT)							Service ATA:26
	MOS	01-Feb-22	72		01-Feb-28		1215 d	REPLACE
	HRS							
WC#: 26.050	AFL							
	Manufacture Date:: 01-Feb-22		PROC. REF: AMM 26-20-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
042601 (TSM)	REPLACE NO. 2 ENGINE FIRE EXTINGUISHER NO. 2 CARTRIDGE (LIFE LIMIT)							Service ATA:26
	MOS	01-Feb-22	72		01-Feb-28		1215 d	REPLACE
	HRS							
WC#: 26.050	AFL							
Manufacture Date:: 01-Feb-22 PROC. REF: AMM 26-20-00								
042602	INSPECT/HYDROSTATIC TEST NO. 1 ENGINE FIRE EXTINGUISHER							Service ATA:26
PN:30400018-1	MOS	03-Aug-22	60		03-Aug-27		1033 d	AIRWORTHINESS
SN:66112B1	HRS							
WC#: 26.040	AFL							
HydroCheck Date: : 03-Aug-22 PROC. REF: GENERIC NO REF								
042602	INSPECT/HYDROSTATIC TEST NO. 2 ENGINE FIRE EXTINGUISHER							Service ATA:26
PN:30400018-1	MOS	18-Aug-22	60		18-Aug-27		1048 d	AIRWORTHINESS
SN:49410B1	HRS							
WC#: 26.050	AFL							
HydroCheck Date: : 18-Aug-22 PROC. REF: GENERIC NO REF								
261001	LEFT ENGINE FIRE DETECTION CONTROL UNIT							Component ATA:26
PN:377-02836	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 26.010	AFL	0						
PROC. REF: AMM 26-10-00								
261002	RIGHT ENGINE FIRE DETECTION CONTROL UNIT							Component ATA:26
PN:377-02836	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 26.010	AFL	0						
PROC. REF: AMM 26-10-00								
261005	ASSEMBLY (A248) CONTROL							Component ATA:26
PN:477-23906	MOS/MSC	28-Apr-01	O/C	TSN 0				
SN:0021-007	HRS	0		TSN 0				
WC#: 26.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
261013	LEFT ENGINE FIRE DETECTION SENSOR							Component ATA:26
PN:244-252-82	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 26.020	AFL	0						
PROC. REF: AMM NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
261014	RIGHT ENGINE FIRE DETECTION SENSOR							Component ATA:26
PN:244-252-82	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 26.020	AFL	0						
PROC. REF: AMM NO REF								
262001	NO. 1 ENGINE FIRE EXTINGUISHER							Component ATA:26
PN:30400018-1	MOS/MSC	20-Oct-22	O/C	TSO 0				
SN:66112B1	HRS	5734:44		TSO 0				
WC#: 26.040	AFL	4559		TSO 0				
PROC. REF: AMM 26-20-00								
262001	WEIGHT CHECK COCKPIT PORTABLE FIRE EXTINGUISHER							Service ATA:26
	MOS	07-Nov-23	12		30-Nov-24		57 d	
	HRS							
WC#: 26.060	AFL							
WeightCheck Date : : 07-Nov-23 PROC. REF: GENERIC CMM								
262002	NO. 2 ENGINE FIRE EXTINGUISHER							Component ATA:26
PN:30400018-1	MOS/MSC	20-Oct-22	O/C	TSO 0				
SN:49410B1	HRS	5734:44		TSO 0				
WC#: 26.050	AFL	4559		TSO 0				
PROC. REF: AMM 26-20-00								
262002	WEIGHT CHECK CABIN PORTABLE FIRE EXTINGUISHER							Service ATA:26
	MOS	07-Nov-23	12		30-Nov-24		57 d	
	HRS							
WC#: 26.070	AFL							
WeightCheck Date : : 07-Nov-23 PROC. REF: GENERIC CMM								
262003	COCKPIT PORTABLE FIRE EXTINGUISHER							Component ATA:26
PN:C352TS	MOS/MSC	11-Jul-24	O/C	TSO 0				
SN:Y-173443	HRS	6421:01		TSO 0				
WC#: 26.060	AFL	4989		TSO 0				
PROC. REF: AMM 26-21-00								
262004	CABIN PORTABLE FIRE EXTINGUISHER							Component ATA:26
PN:C352	MOS/MSC	24-May-17	O/C	TSN 2				
SN:C-90387370	HRS	2998:16		TSN 0				
WC#: 26.070	AFL	2554		TSN 0				
PROC. REF: AMM 26-21-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
262005	HYDROSTATIC TEST COCKPIT PORTABLE FIRE EXTINGUISHER							Service ATA:26
PN:C352TS	MOS	28-Feb-24	144		29-Feb-36		4165 d	MANDATORY
SN:Y-173443	HRS	6421:01						
WC#: 26.060	AFL	4989						
		HydroCheck Date: : 28-Feb-24 PROC. REF: GENERIC CMM						
262006	HYDROSTATIC TEST CABIN PORTABLE FIRE EXTINGUISHER							Service ATA:26
PN:C352	MOS	14-Mar-17	144		31-Mar-29		1639 d	MANDATORY
SN:C-90387370	HRS							
WC#: 26.070	AFL							
		HydroCheck Date: : 14-Mar-17 PROC. REF: GENERIC CMM						
262079	CABIN BAGGAGE SMOKE DETECTOR							Component ATA:26
PN:PN	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 26.030	AFL	0						
		PROC. REF: GENERIC NO REF						
H260002 ^S	INSPECT FIRE EXTINGUISHER SYSTEM - AFT FUSELAGE							Service ATA:26
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
		PKG:2						
H260003 ^S	INSPECT FIRE EXTINGUISHER SYSTEM - AFT FUSELAGE							Service ATA:26
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
		PKG:3						
H260004 ^S	INSPECT FIRE DETECTION SYSTEM - AFT FUSELAGE							Service ATA:26
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
		PKG:4						
H260005 ^S	INSPECT FIRE EXTINGUISHER SYSTEM - AFT FUSELAGE							Service ATA:26
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
		PKG:4						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
H260006 ^S	INSPECT FIRE DETECTION SYSTEM - PILOTS COMPARTMENT							Service ATA:26
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H260106 ^S	INSPECT ENGINE FIRE EXTINGUISHER TUBING AND DETECTOR LOOP - LEFT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:26
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H260206 ^S	INSPECT ENGINE FIRE EXTINGUISHER TUBING AND DETECTOR LOOP - RIGHT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:26
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
ATA 27 - FLIGHT CONTROLS								
271001	LEFT ROLL TRIM ACTUATOR							Component ATA:27
PN:45AS61014-107	MOS/MSC	28-Apr-01	O/C					
SN:010210	HRS	0		TSN 0				
WC#: 27.010	AFL	0						
								PROC. REF: AMM 27-10-00
271002	RIGHT ROLL TRIM ACTUATOR							Component ATA:27
PN:45AS61014-101	MOS/MSC	15-Sep-23	O/C					
SN:350	HRS	6212:49						
WC#: 27.010	AFL	4860						
								PROC. REF: AMM 27-10-00
271023	ROLL TRIM POSITION INDICATOR							Component ATA:27
PN:45AS86848-001	MOS/MSC	28-Apr-01	O/C					
SN:00110731A	HRS	0		TSN 0				
WC#: 27.030	AFL	0						
								PROC. REF: AMM NO REF

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
272001	RUDDER							Component ATA:27
PN:45A24001-211	MOS/MSC	28-Apr-01	O/C					
SN:RK318	HRS	0		TSN 0				
WC#: 27.050	AFL	0						
PROC. REF: AMM 27-20-00								
272007	RUDDER TRIM TAB ACTUATOR							Component ATA:27
PN:45AS61014-111	MOS/MSC	28-Apr-01	O/C					
SN:001104	HRS	0		TSN 0				
WC#: 27.060	AFL	0						
PROC. REF: AMM 27-20-00								
272013	UPPER RUDDER HINGE ASSEMBLY							Component ATA:27
PN:45A23205	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	22400	TSN 0	22400		15810:51	
WC#: 27.070	AFL	0						
PROC. REF: AMM NO REF								
272014	LOWER RUDDER HINGE ASSEMBLY							Component ATA:27
PN:45A23204	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	22400	TSN 0	22400		15810:51	
WC#: 27.070	AFL	0						
PROC. REF: AMM NO REF								
272041	RUDDER TRIM POSITION INDICATOR							Component ATA:27
PN:720-803	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.100	AFL	0						
PROC. REF: GENERIC NO REF								
272101 ^U	INBD LEFT ENGINE BLEED PRESSURE (MT 105) TRANSDUCER							Component ATA:27
PN:APTE-233A-1750-300AMOS/MSC		05-Feb-13	O/C	TSN 0				
SN:7862-8-44	HRS	2403:10		TSN 0				
	AFL	1957		TSN 0				
273001	LEFT ELEVATOR							Component ATA:27
PN:45A22002-641	MOS/MSC	28-Apr-01	O/C					
SN:RK320	HRS	0		TSN 0				
WC#: 27.160	AFL	0						
PROC. REF: AMM 27-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
273002	RIGHT ELEVATOR							Component ATA:27
PN:45A22002-642	MOS/MSC	28-Apr-01	O/C					
SN:RK317	HRS	0		TSN 0				
WC#: 27.160	AFL	0						
PROC. REF: AMM 27-30-00								
273013	LEFT INBOARD ELEVATOR HINGE							Component ATA:27
PN:45A21188	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	22400	TSN 0	22400		15810:51	
WC#: 27.170	AFL	0						
PROC. REF: AMM NO REF								
273014	RIGHT INBOARD ELEVATOR HINGE							Component ATA:27
PN:45A21188	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	22400	TSN 0	22400		15810:51	
WC#: 27.170	AFL	0						
PROC. REF: AMM NO REF								
273015	LEFT OUTBOARD ELEVATOR HINGE							Component ATA:27
PN:45A21187	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	22400	TSN 0	22400		15810:51	
WC#: 27.180	AFL	0						
PROC. REF: AMM NO REF								
273016	RIGHT OUTBOARD ELEVATOR HINGE							Component ATA:27
PN:45A21187	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	22400	TSN 0	22400		15810:51	
WC#: 27.180	AFL	0						
PROC. REF: AMM NO REF								
273037	PILOT COLUMN CONTROL							Component ATA:27
PN:45A61403-201	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.190	AFL	0						
PROC. REF: AMM 27-30-00								
273038	COPILOT COLUMN CONTROL							Component ATA:27
PN:45A61403-221	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.190	AFL	0						
PROC. REF: AMM 27-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
274001	HORIZONTAL STABILIZER							Component ATA:27
PN:45A21001-31	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.240	AFL	0						
PROC. REF: AMM 27-40-00								
274007	PITCH TRIM ACTUATOR							Component ATA:27
PN:45AS61023-143	MOS	11-Jul-24						LIFE LIMIT*
SN:ET003	HRS	6421:01	1800	TSO 489:30	7731:31		1142:22	
WC#: 27.250	AFL	4989		TSO 290				
PROC. REF: AMM 27-40-00								
274034	PITCH TRIM POSITION INDICATOR							Component ATA:27
PN:45AS86808-11	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.280	AFL	0						
PROC. REF: AMM NO REF								
274046	STABILIZER TRIM POSITION TRANSMITTER							Component ATA:27
PN:45AS86805-19	MOS/MSC	28-Apr-01	O/C					
SN:01B25	HRS	0		TSN 0				
WC#: 27.300	AFL	0						
PROC. REF: AMM 27-40-00								
275001	LEFT MAIN FLAP ASSEMBLY							Component ATA:27
PN:45A16001-031	MOS/MSC	28-Apr-01	O/C					
SN:RK318	HRS	0		TSN 0				
WC#: 27.310	AFL	0						
PROC. REF: AMM 27-50-00								
275002	RIGHT MAIN FLAP ASSEMBLY							Component ATA:27
PN:45A16001-032	MOS/MSC	28-Apr-01	O/C					
SN:RK318	HRS	0		TSN 0				
WC#: 27.310	AFL	0						
PROC. REF: AMM 27-50-00								
275003	LEFT AFT FLAP ASSEMBLY							Component ATA:27
PN:45A16241-001	MOS/MSC	28-Apr-01	O/C					
SN:RK318	HRS	0		TSN 0				
WC#: 27.320	AFL	0						
PROC. REF: AMM 27-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275004	RIGHT AFT FLAP ASSEMBLY							Component ATA:27
PN:45A16241-002	MOS/MSC	28-Apr-01	O/C					
SN:RK318	HRS	0		TSN 0				
WC#: 27.320	AFL	0						
PROC. REF: AMM 27-50-00								
275025	LEFT FLAP ACTUATOR							Component ATA:27
PN:45AS61021-009	MOS/MSC	28-Apr-01	O/C					
SN:1133	HRS	0		TSN 0				
WC#: 27.330	AFL	0						
PROC. REF: AMM 27-50-00								
275026	RIGHT FLAP ACTUATOR							Component ATA:27
PN:45AS61021-010	MOS/MSC	28-Apr-01	O/C					
SN:1142	HRS	0		TSN 0				
WC#: 27.330	AFL	0						
PROC. REF: AMM 27-50-00								
275043	LEFT FLAP ASYMMETRY DETECTOR							Component ATA:27
PN:45AS86805-17	MOS/MSC	28-Apr-01	O/C					
SN:99D132	HRS	0		TSN 0				
WC#: 27.340	AFL	0						
PROC. REF: AMM 27-50-00								
275044	RIGHT FLAP ASYMMETRY DETECTOR							Component ATA:27
PN:45AS86805-17	MOS/MSC	28-Apr-01	O/C					
SN:98J137	HRS	0		TSN 0				
WC#: 27.340	AFL	0						
PROC. REF: AMM 27-50-00								
275047	LEFT FLAP FOLLOW-UP SWITCH							Component ATA:27
PN:45AS61015-021	MOS/MSC	28-Apr-01	O/C					
SN:00L189	HRS	0		TSN 0				
WC#: 27.350	AFL	0						
PROC. REF: AMM 27-50-00								
275048	RIGHT FLAP FOLLOW-UP SWITCH							Component ATA:27
PN:45AS1015-19	MOS/MSC	10-Mar-04	O/C	TSO 0				
SN:02G28	HRS	750		TSO 0				
WC#: 27.350	AFL	620		TSO 0				
PROC. REF: AMM 27-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275051	LEFT FLAP POSITION TRANSMITTER							Component ATA:27
PN:45AS86805-33	MOS/MSC	28-Apr-01	O/C					
SN:00K55	HRS	0		TSN 0				
WC#: 27.360	AFL	0						
PROC. REF: AMM 27-50-00								
275052	RIGHT FLAP POSITION TRANSMITTER							Component ATA:27
PN:45AS86805-31	MOS/MSC	28-Apr-01	O/C					
SN:99A33	HRS	0		TSN 0				
WC#: 27.360	AFL	0						
PROC. REF: AMM 27-50-00								
275055	REPLACE LEFT WING FLAP BOLTS							Service ATA:27
	MOS	28-Apr-01						LIFE LIMIT
	HRS	0	22400		22400		15810:51	
WC#: 27.370	AFL	0						
PROC. REF: GENERIC NO REF								
275056	REPLACE RIGHT WING FLAP BOLTS							Service ATA:27
	MOS	28-Apr-01						LIFE LIMIT
	HRS	0	22400		22400		15810:51	
WC#: 27.370	AFL	0						
PROC. REF: GENERIC NO REF								
275089	LEFT MAIN FLAP CENTER RAIL SUPPORT ASSEMBLY							Component ATA:27
PN:PN	MOS	28-Apr-01		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	22400	TSN 0	22400		15810:51	
WC#: 27.380	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
275090	RIGHT MAIN FLAP CENTER RAIL SUPPORT ASSEMBLY							Component ATA:27
PN:PN	MOS	28-Apr-01		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	22400	TSN 0	22400		15810:51	
WC#: 27.380	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
275091	LEFT MAIN FLAP OUTBOARD RAIL SUPPORT ASSEMBLY							Component ATA:27
PN:45A10420	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	22400	TSN 0	22400		15810:51	
WC#: 27.410	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-B11 HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275092	RIGHT MAIN FLAP OUTBOARD RAIL SUPPORT ASSEMBLY							Component ATA:27
PN:45A10420	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	22400	TSN 0	22400		15810:51	
WC#: 27.410	AFL	0						
PROC. REF: GENERIC NO REF								
275093	LEFT MAIN FLAP INBOARD RAIL SUPPORT ASSEMBLY							Component ATA:27
PN:45A10422	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	22400	TSN 0	22400		15810:51	
WC#: 27.290	AFL	0						
PROC. REF: GENERIC NO REF								
275094	RIGHT MAIN FLAP INBOARD RAIL SUPPORT ASSEMBLY							Component ATA:27
PN:45A10422	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	22400	TSN 0	22400		15810:51	
WC#: 27.290	AFL	0						
PROC. REF: GENERIC NO REF								
275095	LEFT AFT FLAP OUTBOARD RAIL							Component ATA:27
PN:45A16087	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	22400	TSN 0	22400		15810:51	
WC#: 27.270	AFL	0						
PROC. REF: GENERIC NO REF								
275096	RIGHT OUTBOARD FLAP OUTBOARD RAIL							Component ATA:27
PN:45A16087	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	22400	TSN 0	22400		15810:51	
WC#: 27.270	AFL	0						
PROC. REF: GENERIC NO REF								
275097	LEFT AFT FLAP INBOARD RAIL							Component ATA:27
PN:45A16127	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	22400	TSN 0	22400		15810:51	
WC#: 27.260	AFL	0						
PROC. REF: GENERIC NO REF								
275098	RIGHT INBOARD FLAP INBOARD RAIL							Component ATA:27
PN:45A16127	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	22400	TSN 0	22400		15810:51	
WC#: 27.260	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275131	FLAP SYSTEM LEFT LOCK VALVE							Component ATA:27
PN:G2020-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.230	AFL	0						
PROC. REF: GENERIC NO REF								
275132	FLAP SYSTEM RIGHT LOCK VALVE							Component ATA:27
PN:G2020-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.230	AFL	0						
PROC. REF: GENERIC NO REF								
275155	FLAP POSITION INDICATOR							Component ATA:27
PN:45AS86805-29	MOS/MSC	28-Apr-01	O/C					
SN:01B170	HRS	0		TSN 0				
WC#: 27.220	AFL	0						
PROC. REF: AMM NO REF								
276001	LEFT INBOARD SPOILER							Component ATA:27
PN:45A10501-1	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	14600	TSN 0	14600		8010:51	
WC#: 27.210	AFL	0						
PROC. REF: AMM 27-60-00								
276002	RIGHT INBOARD SPOILER							Component ATA:27
PN:45A10501-2	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	14600	TSN 0	14600		8010:51	
WC#: 27.210	AFL	0						
PROC. REF: AMM 27-60-00								
276004	LEFT OUTBOARD SPOILER							Component ATA:27
PN:45A10501-11	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	14600	TSN 0	14600		8010:51	
WC#: 27.200	AFL	0						
PROC. REF: AMM 27-60-00								
276005	RIGHT OUTBOARD SPOILER							Component ATA:27
PN:45A10501-12	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	14600	TSN 0	14600		8010:51	
WC#: 27.200	AFL	0						
PROC. REF: AMM 27-60-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
276013	SPEED BRAKE ACTUATOR							Component ATA:27
PN:45AS61002-3	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.150	AFL	0						
PROC. REF: AMM 27-60-00								
276031	LEFT SPOILER LEFT HINGE							Component ATA:27
PN:45A10505	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	14600	TSN 0	14600		8010:51	
WC#: 27.140	AFL	0						
PROC. REF: AMM 27-60-00								
276032	RIGHT SPOILER LEFT HINGE							Component ATA:27
PN:45A10505	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	14600	TSN 0	14600		8010:51	
WC#: 27.140	AFL	0						
PROC. REF: AMM 27-60-00								
276033	LEFT SPOILER RIGHT HINGE							Component ATA:27
PN:45A10505	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	14600	TSN 0	14600		8010:51	
WC#: 27.130	AFL	0						
PROC. REF: AMM 27-60-00								
276034	RIGHT SPOILER RIGHT HINGE							Component ATA:27
PN:45A10505	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	14600	TSN 0	14600		8010:51	
WC#: 27.130	AFL	0						
PROC. REF: AMM 27-60-00								
276055	LEFT SPOILER FITTINGS							Component ATA:27
PN:45A10511	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	14600	TSN 0	14600		8010:51	
WC#: 27.120	AFL	0						
PROC. REF: GENERIC NO REF								
276056	RIGHT SPOILER FITTINGS							Component ATA:27
PN:45A10511	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	14600	TSN 0	14600		8010:51	
WC#: 27.120	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
H270001 ^S	INSPECT RUDDER PEDALS (ABOVE FLOOR PANELS) - PILOT'S COMPARTMENT							Service ATA:27
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H270002 ^S	INSPECT PITCH TRIM POSITION TRANSMITTER AND LINKAGE - HORIZONTAL STABILIZER							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H270003 ^S	INSPECT PITCH TRIM OPERATION - HORIZONTAL STABILIZER							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H270005 ^S	INSPECT RUDDER TRIM TAB AND HINGE - VERTICAL STABILIZER							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H270006 ^S	INSPECT CONTROL COLUMN (ABOVE FLOOR PANELS) - PILOT'S COMPARTMENT							Service ATA:27
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H270008 ^S	INSPECT SPOILER OPERATION - MIDFUSELAGE							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H270009 ^S	INSPECT RUDDER OPERATION - VERTICAL STABILIZER							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
H270010 ^S	INSPECT RUDDER TRIM - VERTICAL STABILIZER							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H270024 ^S	INSPECT CONTROL CABLES - AFT FUSELAGE							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H270025 ^S	INSPECT CONTROL CABLES - AFT FUSELAGE							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H270027 ^S	INSPECT ELEVATOR CABLES (WHERE ACCESSIBLE THROUGH ACCESSPANELS) - VERTICAL STABILIZER							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H270028 ^S	INSPECT ELEVATOR QUADRANT ASSEMBLY, PUSHROD ANDCONNECTING HARDWARE, STOP BOLTS AND DOWNSPRING - VERTICAL STABILIZER							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H270030 ^S	INSPECT RUDDER TRIM OPERATION - VERTICAL STABILIZER							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
H270031 ^S	INSPECT ELEVATOR HINGES AND BOLTS, TORQUE TUBE ANDHORN LEVER, LEVER AND LINK ASSEMBLY, STOP BOLTSAND HEATER HORN/COUNTER BALANCE - HORIZONTAL STABILIZER							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H270032 ^S	INSPECT ELEVATOR OPERATION - HORIZONTAL STABILIZER							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H270034 ^S	INSPECT/LUBRICATE PITCH TRIM ACTUATOR AND ATTACH BRACKET ASSEMBLY							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	200 (+40)					
WC#: H270034	AFL	4989						
PROC. REF: AMM 27-40-00, MMS 12-20-00								PKG:1
H270035 ^S	INSPECT PITCH TRIM OPERATION - HORIZONTAL STABILIZER							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H270037 ^S	INSPECT RUDDER TRIM ACTUATOR AND LINKAGE - VERTICAL STABILIZER							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H270038 ^S	INSPECT SPOILER SYSTEM - MIDFUSELAGE							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H270039 ^S	INSPECT FLIGHT CONTROL SECTOR MODULE-PILOT'S COMPARTMENT							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
H270041 ^S	INSPECT ELEVATOR, RUDDER AND SPOILER CONTROL CABLES,PULLEYS AND BRACKETS - CABIN SECTION							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H270042 ^S	INSPECT RUDDER PEDALS (BELOW FLOOR PANELS)-PILOT'S COMPARTMENT							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H270044 ^S	INSPECT RUDDER TORQUE TUBE ATTACHMENT AND TRIM TABACTUATOR ATTACHMENT- SCHEDULED D INSPECTIONCS							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	6400					
	AFL	4989						
								PKG:5
H270045 ^S	INSPECT ELEVATOR TORQUE TUBE- SCHEDULED D INSPECTIONCS							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	6400					
	AFL	4989						
								PKG:5
H270047 ^S	INSPECT CONTROL YOKE - PILOT'S COMPARTMENT							Service ATA:27
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H270048 ^S	TENSION CHECK LEFT WING FLAP CABLES AND INTERCONNECT CABLES (200-FLYING HOURS AFTER CONTROL CABLE REPLACEMENT)							Service ATA:27
	MOS	28-Apr-01						
	HRS	0	T:200 (+40)					
WC#: 27.040	AFL	0						
PROC. REF: AMM 27-50-00								
H270049 ^S	TENSION CHECK RIGHT WING FLAP CABLES AND INTERCONNECT CABLES (200-FLYING HOURS AFTER CONTROL CABLE REPLACEMENT)							Service ATA:27
	MOS	28-Apr-01						
	HRS	0	T:200 (+40)					
WC#: 27.040	AFL	0						
PROC. REF: AMM 27-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
H270050 ^S	TENSION CHECK LEFT WING SPOILER CABLES (200-FLYING HOURS AFTER CONTROL CABLE REPLACEMENT)							Service ATA:27
	MOS	28-Apr-01						
	HRS	0	T:200 (+40)					
WC#: 27.080	AFL	0						
PROC. REF: AMM 27-60-00								
H270051 ^S	TENSION CHECK RIGHT WING SPOILER CABLES (200-FLYING HOURS AFTER CONTROL CABLE REPLACEMENT)							Service ATA:27
	MOS	28-Apr-01						
	HRS	0	T:200 (+40)					
WC#: 27.080	AFL	0						
PROC. REF: AMM 27-60-00								
H270052 ^S	TENSION CHECK RUDDER CONTROL CABLES (200-FLYING HOURS AFTER CONTROL CABLE REPLACEMENT)							Service ATA:27
	MOS	28-Apr-01						
	HRS	0	T:200 (+40)					
WC#: 27.110	AFL	0						
PROC. REF: AMM 27-20-00								
H270053 ^S	TENSION CHECK RUDDER SERVO CABLES (200-FLYING HOURS AFTER CONTROL CABLE REPLACEMENT)							Service ATA:27
	MOS	28-Apr-01						
	HRS	0	T:200 (+40)					
WC#: 27.390	AFL	0						
PROC. REF: AMM 22-13-00								
H270054 ^S	TENSION CHECK ELEVATOR CONTROL CABLES (200-FLYING HOURS AFTER CONTROL CABLE REPLACEMENT)							Service ATA:27
	MOS	28-Apr-01						
	HRS	0	T:200 (+40)					
WC#: 27.420	AFL	0						
PROC. REF: AMM 27-30-00								
H270055 ^S	TENSION CHECK ELEVATOR SERVO CABLES (200-FLYING HOURS AFTER CONTROL CABLE REPLACEMENT)							Service ATA:27
	MOS	28-Apr-01						
	HRS	0	T:200 (+40)					
WC#: 27.430	AFL	0						
PROC. REF: AMM 22-13-00								
H270056 ^S	TENSION CHECK SPOILER SERVO CABLES (200-FLYING HOURS AFTER CONTROL CABLE REPLACEMENT)							Service ATA:27
	MOS	28-Apr-01						
	HRS	0	T:200 (+40)					
WC#: 27.440	AFL	0						
PROC. REF: AMM 22-13-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-B11 HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
H270057 ^S	TENSION CHECK LEFT WING FLAP CABLES AND INTERCONNECT CABLES							Service ATA:27
	MOS/MSC	28-Apr-01	A/R					
	HRS	0						
WC#: 27.450	AFL	0						
	PROC. REF: AMM 27-50-00							
H270058 ^S	TENSION CHECK RIGHT WING FLAP CABLES AND INTERCONNECT CABLES							Service ATA:27
	MOS/MSC	28-Apr-01	A/R					
	HRS	0						
WC#: 27.450	AFL	0						
	PROC. REF: AMM 27-50-00							
H270059 ^S	TENSION CHECK LEFT WING SPOILER CABLES							Service ATA:27
	MOS/MSC	28-Apr-01	A/R					
	HRS	0						
WC#: 27.460	AFL	0						
	PROC. REF: AMM 27-60-00							
H270060 ^S	TENSION CHECK RIGHT WING SPOILER CABLES							Service ATA:27
	MOS/MSC	28-Apr-01	A/R					
	HRS	0						
WC#: 27.460	AFL	0						
	PROC. REF: AMM 27-60-00							
H270061 ^S	INSPECT CONTROL COLUMN (BELOW FLOOR PANELS)-PILOT'S COMPARTMENT							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
	PKG:4							
H270062 ^S	INSPECT FLAP OPERATION (PERFORM IN CONJUNCTION WITH LH WING)- RIGHT-HAND WING							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
	PKG:4							
H270062 ^S	INSPECT FLAP OPERATION (PERFORM IN CONJUNCTION WITH RH WING)- LEFT-HAND WING							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
	PKG:4							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
H270102 ^S	INSPECT WING FLAPS SYSTEM (FLAPS EXTENDED) - (EXTERNAL INSPECTION ONLY) - LEFT-HAND WING							Service ATA:27
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H270103 ^S	INSPECT ROLL TRIM TAB, HINGE AND COUNTERBALANCE (EXTERNAL INSPECTION ONLY) - LEFT-HAND WING							Service ATA:27
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H270104 ^S	INSPECT SPOILER PANELS AND HINGES - LEFT-HAND WING							Service ATA:27
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H270105 ^S	INSPECT ROLL TRIM OPERATION - PERFORM THE ROLL TRIM SYSTEM OPERATIONAL TEST -LEFT-HAND WING							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H270109 ^S	INSPECT WING FLAPS SYSTEM (FLAPS EXTENDED) -LEFT-HAND WING							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H270111 ^S	INSPECT FLAP OPERATION (PERFORM IN CONJUNCTION WITH RH WING INSPECTION) -LEFT-HAND WING							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H270113 ^S	INSPECT ROLL TRIM ACTUATOR, ATTACHMENT, DRIVE LINKAGE,POTENTIOMETER AND NEUTRAL SWITCH -LEFT-HAND WING							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
H270114 ^S	INSPECT ROLL TRIM OPERATION- LEFT-HAND WING							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H270115 ^S	INSPECT SPOILER SECTOR AND PUSHRODS -LEFT-HAND WING							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H270116 ^S	INSPECT SPOILER CABLES -LEFT-HAND WING							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H270118 ^S	INSPECT SPEED BRAKE OPERATION - MIDFUSELAGE							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H270143 ^S	INSPECT SPOILER FAIRLEADS, WS 54.2 (1377)- LEFT-HAND WING							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H270147 ^S	INSPECT LEFT SPOILER BRACKET SUPPORT FITTING (P/N45A62036) -LEFT-HAND WING							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H270202 ^S	INSPECT WING FLAPS SYSTEM (FLAPS EXTENDED) - (EXTERNAL INSPECTIONONLY) - RIGHT-HAND WING							Service ATA:27
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
H270203 ^S	INSPECT ROLL TRIM TAB, HINGE AND COUNTERBALANCE (EXTERNALINSPECTION ONLY) - RIGHT-HAND WING							Service ATA:27
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H270204 ^S	INSPECT SPOILER PANELS AND HINGES - RIGHT-HAND WING							Service ATA:27
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H270205 ^S	INSPECT ROLL TRIM OPERATION - PERFORM THE ROLL TRIM SYSTEMOPERATIONAL TEST -RIGHT-HAND WING							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H270209 ^S	INSPECT WING FLAPS SYSTEM (FLAPS EXTENDED) -RIGHT-HAND WING							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H270211 ^S	INSPECT FLAP OPERATION (PERFORM IN CONJUNCTION WITH RH WINGINSPECTION) -RIGHT-HAND WING							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H270213 ^S	INSPECT ROLL TRIM ACTUATOR, ATTACHMENT, DRIVE LINKAGE,POTENTIOMETER AND NEUTRAL SWITCH -RIGHT-HAND WING							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H270214 ^S	INSPECT ROLL TRIM OPERATION- RIGHT-HAND WING							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
H270215 ^S	INSPECT SPOILER SECTOR AND PUSHRODS -RIGHT-HAND WING							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H270216 ^S	INSPECT SPOILER CABLES -RIGHT-HAND WING							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H270243 ^S	INSPECT SPOILER FAIRLEADS, WS 54.2 (1377)- RIGHT-HAND WING							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H270247 ^S	INSPECT LEFT SPOILER BRACKET SUPPORT FITTING (P/N45A62036) -RIGHT-HAND WING							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H270250 ^S	INSPECT RUDDER OPERATION - PERFORM OPERATIONAL TEST - VERTICAL STABILIZER							Service ATA:27
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H270251 ^S	INSPECT VERTICAL STABILIZER TIP FAIRINGS - VERTICAL STABILIZER							Service ATA:27
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H270252 ^S	PERFORM THE PITCH TRIM ACTUATOR INSPECTION/CHECK - BACKLASH - VERTICAL STABILIZER							Service ATA:27
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-B11 HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
280008	CALIBRATE FUSELAGE FUEL TANK QUANTITY INDICATOR							Service ATA:28
PN:128-384031-1	MOS	11-Jul-24	24		31-Jul-26		665 d	
SN:B0486	HRS	6421:01						
WC#: 28.300	AFL	4989						
PROC. REF: AMM 28-41-00								
280008	CALIBRATE WING FUEL TANK QUANTITY INDICATOR							Service ATA:28
PN:128-384031-3	MOS	11-Jul-24	24	Adj -41d	31-May-26		604 d	
SN:B0675	HRS	6421:01						
WC#: 28.290	AFL	4989						
PROC. REF: AMM 28-41-00								
281001	LEFT CENTER TANK							Component ATA:28
PN:128-384025-1	MOS/MSC	28-Apr-01	O/C					
SN:00-72208	HRS	0		TSN 0				
WC#: 28.010	AFL	0						
PROC. REF: AMM 28-11-00								
281002	RIGHT CENTER TANK							Component ATA:28
PN:128-384025-2	MOS/MSC	28-Apr-01	O/C					
SN:00-72407	HRS	0		TSN 0				
WC#: 28.010	AFL	0						
PROC. REF: AMM 28-11-00								
281003	AFT FUSELAGE TANK							Component ATA:28
PN:128-384023-1	MOS/MSC	28-Apr-01	O/C					
SN:01-39507	HRS	0		TSN 0				
WC#: 28.020	AFL	0						
PROC. REF: AMM 28-11-00								
281013	LEFT FORWARD FLAPPER CHECK VALVE							Component ATA:28
PN:16C112	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.440	AFL	0						
PROC. REF: GENERIC NO REF								
281014	LEFT MIDDLE FLAPPER CHECK VALVE							Component ATA:28
PN:16C112	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.440	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
281015	LEFT AFT FLAPPER CHECK VALVE							Component ATA:28
PN:16C112	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.440	AFL	0						
PROC. REF: GENERIC NO REF								
281016	RIGHT FORWARD FLAPPER CHECK VALVE							Component ATA:28
PN:16C112	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.450	AFL	0						
PROC. REF: GENERIC NO REF								
281017	RIGHT MIDDLE FLAPPER CHECK VALVE							Component ATA:28
PN:16C112	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.450	AFL	0						
PROC. REF: GENERIC NO REF								
281018	RIGHT AFT FLAPPER CHECK VALVE							Component ATA:28
PN:16C112	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.450	AFL	0						
PROC. REF: GENERIC NO REF								
281019	LEFT WING CARRY THRU FLOAT SWITCH							Component ATA:28
PN:45AS48013-3	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.030	AFL	0						
PROC. REF: AMM 28-21-00								
281021	RIGHT WING CARRY THRU FLOAT SWITCH							Component ATA:28
PN:45AS48013-3	MOS/MSC	20-Jan-05	O/C	TSN 0				
SN:15327U	HRS	1005		TSN 0				
WC#: 28.040	AFL	807		TSN 0				
PROC. REF: AMM 28-21-00								
281022	RIGHT WING AFT INBOARD FLOAT VALVE							Component ATA:28
PN:45AS48003-3	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.040	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
281023	LEFT WING SURGE SPACE VENT VALVE							Component ATA:28
PN:45AS48003-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.050	AFL	0						
PROC. REF: AMM 28-11-00								
281024	RIGHT WING SURGE SPACE VENT VALVE							Component ATA:28
PN:45AS48003-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.050	AFL	0						
PROC. REF: AMM 28-11-00								
281027	LEFT LEVEL CONTROL VALVE							Component ATA:28
PN:1323-518100M2	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.070	AFL	0						
PROC. REF: GENERIC NO REF								
281028	RIGHT LEVEL CONTROL VALVE							Component ATA:28
PN:1323-518100M2	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.070	AFL	0						
PROC. REF: GENERIC NO REF								
281029	LEFT INBOARD WING TANK SNIFFLE VALVE							Component ATA:28
PN:45AS48020-5	MOS/MSC	06-Jul-04	O/C	TSN 0				
SN:810	HRS	869:36		TSN 0				
WC#: 28.080	AFL			TSN 0				
PROC. REF: GENERIC NO REF								
281030	RIGHT INBOARD WING TANK SNIFFLE VALVE							Component ATA:28
PN:45AS48020-5	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.080	AFL	0						
PROC. REF: GENERIC NO REF								
281031	AFT FUSELAGE TANK SNIFFLE VALVE							Component ATA:28
PN:45AS48020-5	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.090	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
281032	LEFT VENT FLOAT VALVE							Component ATA:28
PN:118-381002-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.100	AFL	0						
PROC. REF: AMM 28-11-00								
281033	RIGHT VENT FLOAT VALVE							Component ATA:28
PN:118-381002-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0						
WC#: 28.100	AFL	0						
PROC. REF: AMM 28-11-00								
281037	LEFT OUTBOARD WING TANK SNIFFLE VALVE							Component ATA:28
PN:45AS48020-5	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.110	AFL	0						
PROC. REF: GENERIC NO REF								
281044	RIGHT OUTBOARD WING TANK SNIFFLE VALVE							Component ATA:28
PN:45AS48020-5	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.110	AFL	0						
PROC. REF: GENERIC NO REF								
282001	LEFT FUEL BOOST PUMP							Component ATA:28
PN:45AS48015-2	MOS/MSC	28-Apr-01	O/C					
SN:11AT171	HRS	0		TSN 0				
WC#: 28.120	AFL	0						
PROC. REF: AMM 28-21-00								
282002	RIGHT FUEL BOOST PUMP							Component ATA:28
PN:45AS48015-2	MOS/MSC	28-Apr-01	O/C					
SN:11AT166	HRS	0		TSN 0				
WC#: 28.120	AFL	0						
PROC. REF: AMM 28-21-00								
282003	LEFT PRIMARY JET FUEL PUMP							Component ATA:28
PN:45AS48018-1	MOS/MSC	28-Apr-01	O/C					
SN:1314	HRS	0		TSN 0				
WC#: 28.130	AFL	0						
PROC. REF: AMM 28-21-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282004	RIGHT PRIMARY JET FUEL PUMP							Component ATA:28
PN:45AS48018-1	MOS/MSC	28-Apr-01	O/C					
SN:1282	HRS	0		TSN 0				
WC#: 28.130	AFL	0						
PROC. REF: AMM 28-21-00								
282005	LEFT FORWARD FUEL TRANSFER JET PUMP							Component ATA:28
PN:128-389033-5	MOS/MSC	28-Apr-01	O/C					
SN:0554	HRS	0		TSN 0				
WC#: 28.140	AFL	0						
PROC. REF: AMM 28-21-00								
282006	RIGHT FORWARD FUEL TRANSFER JET PUMP							Component ATA:28
PN:128-389033-6	MOS/MSC	28-Apr-01	O/C					
SN:0531	HRS	0		TSN 0				
WC#: 28.140	AFL	0						
PROC. REF: AMM 28-21-00								
282008	LEFT AFT FUEL TRANSFER JET PUMP							Component ATA:28
PN:128-389033-1	MOS/MSC	28-Apr-01	O/C					
SN:0557	HRS	0		TSN 0				
WC#: 28.025	AFL	0						
PROC. REF: AMM 28-21-00								
282009	RIGHT AFT FUEL TRANSFER JET PUMP							Component ATA:28
PN:128-389033-2	MOS/MSC	28-Apr-01	O/C					
SN:0518	HRS	0		TSN 0				
WC#: 28.025	AFL	0						
PROC. REF: AMM 28-21-00								
282010	LEFT FUEL BOOSTER TRANSFER PUMP							Component ATA:28
PN:45AS48015-2	MOS/MSC	28-Apr-01	O/C					
SN:11AT167	HRS	0		TSN 0				
WC#: 28.480	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
282011	RIGHT FUEL BOOSTER TRANSFER PUMP							Component ATA:28
PN:45AS48015-2	MOS/MSC	28-Apr-01	O/C					
SN:11AT168	HRS	0		TSN 0				
WC#: 28.480	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-B11 HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282048	FUEL CROSSFEED VALVE							Component ATA:28
PN:45AS48017-005	MOS/MSC	17-Feb-17	O/C					
SN:0776	HRS	2859:02						
WC#: 28.160	AFL							
PROC. REF: AMM 28-21-00								
282049	LEFT CROSSFEED VALVE							Component ATA:28
PN:45AS48017-3	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.160	AFL	0						
PROC. REF: AMM 28-21-00								
282050	RIGHT CROSSFEED VALVE							Component ATA:28
PN:45AS48017-3	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.160	AFL	0						
PROC. REF: AMM 28-21-00								
282051	LEFT FUEL TRANSFER SHUT-OFF VALVE							Component ATA:28
PN:45AS48017-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.170	AFL	0						
PROC. REF: GENERIC NO REF								
282052	RIGHT FUEL TRANSFER SHUT-OFF VALVE							Component ATA:28
PN:45AS48017-007	MOS/MSC	24-Oct-23	O/C					
SN:1280	HRS	6294:21						
WC#: 28.170	AFL	4910						
PROC. REF: GENERIC NO REF								
282053	LEFT FUEL FEED SHUT-OFF VALVE							Component ATA:28
PN:132-1518316	MOS/MSC	28-Apr-01	O/C					
SN:1237	HRS	0		TSN 0				
WC#: 28.180	AFL	0						
PROC. REF: GENERIC NO REF								
282054	RIGHT FUEL FEED SHUT-OFF VALVE							Component ATA:28
PN:132-1518316	MOS/MSC	28-Apr-01	O/C					
SN:1116	HRS	0		TSN 0				
WC#: 28.180	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282055	LEFT MOTIVE FLOW SHUT-OFF VALVE							Component ATA:28
PN:45AS48002-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.190	AFL	0						
PROC. REF: AMM 28-21-00								
282056	RIGHT MOTIVE FLOW SHUT-OFF VALVE							Component ATA:28
PN:45AS48002-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.190	AFL	0						
PROC. REF: AMM 28-21-00								
282057	LEFT MANUAL DEFUEL VALVE							Component ATA:28
PN:MS29530-16	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.200	AFL	0						
PROC. REF: AMM 28-21-00								
282058	RIGHT MANUAL DEFUEL VALVE							Component ATA:28
PN:MS29530-16	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.200	AFL	0						
PROC. REF: AMM 28-21-00								
282169	LEFT FUEL FILTER							Component ATA:28
PN:651540	MOS/MSC	30-Jan-24	O/C					
SN:UNKNOWN	HRS	6394:35						
WC#: 28.220	AFL	4973						
PROC. REF: AMM 28-21-00								
282170	RIGHT FUEL FILTER							Component ATA:28
PN:651540	MOS/MSC	30-Jan-24	O/C					
SN:UNKNOWN	HRS	6394:35						
WC#: 28.220	AFL	4973						
PROC. REF: AMM 28-21-00								
282200	LEFT (TRANSFER FUEL) LOW PRESSURE SWITCH							Component ATA:28
PN:211C276-7	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.230	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282201	RIGHT (TRANSFER FUEL) LOW PRESSURE SWITCH							Component ATA:28
PN:211C276-7	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.230	AFL	0						
PROC. REF: GENERIC NO REF								
282209	LEFT (FUEL FEED) LOW PRESSURE SWITCH							Component ATA:28
PN:45AS48008-35	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.240	AFL	0						
PROC. REF: GENERIC NO REF								
282213	RIGHT (FUEL FEED) LOW PRESSURE SWITCH							Component ATA:28
PN:45AS48008-35	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.240	AFL	0						
PROC. REF: GENERIC NO REF								
282219	LEFT WING NO. 1 DRAIN VALVE							Component ATA:28
PN:5712-38	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.250	AFL	0						
PROC. REF: AMM 28-11-00								
282220	RIGHT WING NO. 1 DRAIN VALVE							Component ATA:28
PN:5712-38	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.250	AFL	0						
PROC. REF: AMM 28-11-00								
282221	LEFT WING NO. 2 DRAIN VALVE							Component ATA:28
PN:5712-38	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.260	AFL	0						
PROC. REF: AMM 28-11-00								
282222	RIGHT WING NO. 2 DRAIN VALVE							Component ATA:28
PN:5712-38	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.260	AFL	0						
PROC. REF: AMM 28-11-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282223	LEFT WING NO. 3 DRAIN VALVE							Component ATA:28
PN:5712-38	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.270	AFL	0						
PROC. REF: AMM 28-11-00								
282224	RIGHT WING NO. 3 DRAIN VALVE							Component ATA:28
PN:5712-38	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.270	AFL	0						
PROC. REF: AMM 28-11-00								
282225	LEFT WING NO. 4 DRAIN VALVE							Component ATA:28
PN:5712-38	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.280	AFL	0						
PROC. REF: AMM 28-11-00								
282226	RIGHT WING NO. 4 DRAIN VALVE							Component ATA:28
PN:5712-38	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.280	AFL	0						
PROC. REF: AMM 28-11-00								
284001	WING FUEL TANK QUANTITY INDICATOR							Component ATA:28
PN:128-384031-3	MOS/MSC	11-Jul-24	O/C					
SN:B0675	HRS	6421:01		TSN 6421:01				
WC#: 28.290	AFL	4989						
PROC. REF: AMM 28-41-00								
284002	FUSELAGE FUEL TANK QUANTITY INDICATOR							Component ATA:28
PN:128-384031-1	MOS/MSC	11-Jul-24	O/C					
SN:B0486	HRS	6421:01						
WC#: 28.300	AFL	4989						
PROC. REF: AMM 28-41-00								
284005	FUEL QUANTITY AMPLIFIER							Component ATA:28
PN:45AS86802-3	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.310	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284035	LEFT WING INBOARD FUEL QUANTITY TRANSMITTER							Component ATA:28
PN:128-389001-15	MOS/MSC	28-Apr-01	O/C					
SN:B1226	HRS	0		TSN 0				
WC#: 28.150	AFL	0						
PROC. REF: AMM 28-40-00								
284036	RIGHT WING INBOARD FUEL QUANTITY TRANSMITTER							Component ATA:28
PN:128-389001-1	MOS/MSC	28-Apr-01	O/C					
SN:B1220	HRS	0		TSN 0				
WC#: 28.150	AFL	0						
PROC. REF: AMM 28-40-00								
284037	AUXILIARY FUEL TANK FUEL QUANTITY TRANSMITTER							Component ATA:28
PN:128-389001-13	MOS/MSC	28-Apr-01	O/C					
SN:B481	HRS	0		TSN 0				
WC#: 28.360	AFL	0						
PROC. REF: AMM 28-40-00, AMM 28-40-00								
284038	MID-FUSELAGE TANK OUTBOARD FUEL QUANTITY TRANSMITTER							Component ATA:28
PN:128-389001-7	MOS/MSC	28-Apr-01	O/C					
SN:B700	HRS	0		TSN 0				
WC#: 28.360	AFL	0						
PROC. REF: AMM 28-40-00								
284039	MID-FUSELAGE TANK INBOARD FUEL QUANTITY TRANSMITTER							Component ATA:28
PN:128-389001-9	MOS/MSC	28-Apr-01	O/C					
SN:B669	HRS	0		TSN 0				
WC#: 28.400	AFL	0						
PROC. REF: AMM 28-40-00								
284040	AFT FUSELAGE TANK FUEL QUANTITY TRANSMITTER							Component ATA:28
PN:128-389001-11	MOS/MSC	28-Apr-01	O/C					
SN:B482	HRS	0		TSN 0				
WC#: 28.400	AFL	0						
PROC. REF: AMM 28-40-00								
284041	LEFT WING TANK INBOARD FUEL QUANTITY TRANSMITTER							Component ATA:28
PN:128-389001-3	MOS/MSC	28-Apr-01	O/C					
SN:B1228	HRS	0		TSN 0				
WC#: 28.410	AFL	0						
PROC. REF: AMM 28-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284042	RIGHT WING TANK INBOARD FUEL QUANTITY TRANSMITTER							Component ATA:28
PN:128-389001-5	MOS/MSC	28-Apr-01	O/C					
SN:B1158	HRS	0		TSN 0				
WC#: 28.410	AFL	0						
PROC. REF: AMM 28-40-00								
284043	LEFT WING TANK CENTER FUEL QUANTITY TRANSMITTER							Component ATA:28
PN:128-389001-1	MOS/MSC	28-Apr-01	O/C					
SN:B1243	HRS	0		TSN 0				
WC#: 28.420	AFL	0						
PROC. REF: AMM 28-40-00								
284044	RIGHT WING TANK CENTER FUEL QUANTITY TRANSMITTER							Component ATA:28
PN:128-389001-3	MOS/MSC	28-Apr-01	O/C					
SN:B1173	HRS	0		TSN 0				
WC#: 28.420	AFL	0						
PROC. REF: AMM 28-40-00								
284045	LEFT WING TANK OUTBOARD FUEL QUANTITY TRANSMITTER							Component ATA:28
PN:128-389001-5	MOS/MSC	28-Apr-01	O/C					
SN:B1168	HRS	0		TSN 0				
WC#: 28.430	AFL	0						
PROC. REF: AMM 28-40-00								
284046	RIGHT WING TANK OUTBOARD FUEL QUANTITY TRANSMITTER							Component ATA:28
PN:128-389001-15	MOS/MSC	28-Apr-01	O/C					
SN:B1206	HRS	0		TSN 0				
WC#: 28.430	AFL	0						
PROC. REF: AMM 28-40-00								
284050	LEFT FORWARD FUSELAGE FUEL TANK							Component ATA:28
PN:128-384016-1	MOS/MSC	28-Apr-01	O/C					
SN:00-72133	HRS	0		TSN 0				
WC#: 28.320	AFL	0						
PROC. REF: AMM NO REF								
284051	RIGHT AFT FUEL FILLER TANK							Component ATA:28
PN:128-384018	MOS/MSC	28-Apr-01	O/C					
SN:99-42886	HRS	0		TSN 0				
WC#: 28.330	AFL	0						
PROC. REF: AMM 28-11-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284052	RIGHT FORWARD FUSELAGE FUEL TANK							Component ATA:28
PN:128-384017-1	MOS/MSC	28-Apr-01	O/C					
SN:00-71901	HRS	0		TSN 0				
WC#: 28.320	AFL	0						
PROC. REF: AMM NO REF								
284115	FUEL TEMPERATURE INDICATOR							Component ATA:28
PN:9053-3023	MOS/MSC	01-Oct-06	O/C	TSO 0				
SN:807	HRS	1415		TSO 0				
WC#: 28.380	AFL	1148		TSO 0				
PROC. REF: AMM 28-41-00								
284121	LEFT TANK LOW LEVEL FLOAT SWITCH							Component ATA:28
PN:45AS48013-3	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.390	AFL	0						
PROC. REF: AMM 28-21-00								
284122	RIGHT TANK LOW LEVEL FLOAT SWITCH							Component ATA:28
PN:45AS48013-3	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.390	AFL	0						
PROC. REF: AMM 28-21-00								
284123	LEFT WING FUEL OVERPRESSURE SWITCH							Component ATA:28
PN:45AS48008-3	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.370	AFL	0						
PROC. REF: AMM 28-41-00								
284124	RIGHT WING FUEL OVERPRESSURE SWITCH							Component ATA:28
PN:45AS48008-3	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.370	AFL	0						
PROC. REF: AMM 28-41-00								
284126	LEFT WING NO. 1 FLOAT SWITCH							Component ATA:28
PN:45AS48013-3	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.460	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284127	LEFT WING NO. 2 FLOAT SWITCH							Component ATA:28
PN:45AS48013-3	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.460	AFL	0						
PROC. REF: GENERIC NO REF								
284128	RIGHT WING NO. 1 FLOAT SWITCH							Component ATA:28
PN:45AS48013-3	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.470	AFL	0						
PROC. REF: GENERIC NO REF								
284129	RIGHT WING NO. 2 FLOAT SWITCH							Component ATA:28
PN:45AS48013-3	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.470	AFL	0						
PROC. REF: GENERIC NO REF								
H240017 ^S	INSPECT ELECTRICAL WIRING AND CONNECTORS (BELOW FLOORPANELS)-PILOT'S COMPARTMENT							Service ATA:28
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H280001 ^S	INSPECT FUEL STORAGE AREA - MIDFUSELAGE							Service ATA:28
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H280002 ^S	INSPECT FUEL SYSTEM PLUMBING AND COMPONENT MOUNTING+AO77 (RK-1 THRU RK-507 WITHOUT KIT 128-9008 INSTALLED) - MIDFUSELAGE							Service ATA:28
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H280003 ^S	INSPECT FUEL FILTER ELEMENT (RK-1 THRU RK-507 WITHOUT KIT 128-9008 INSTALLED) - MIDFUSELAGE							Service ATA:28
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
H280005 ^S	INSPECT MOTIVE-FLOW SHUTOFF VALVE, CROSSFEED VALVE, AND FUEL SHUTOFF VALVE (RK-1 THRU RK-507 WITHOUT KIT 128-9008 INSTALLED) - MIDFUSELAGE						Service	ATA:28
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H280006 ^S	INSPECT FUEL SYSTEM PLUMBING AND COMPONENT MOUNTING (RK-106 THRU RK-507 WITH KIT 128-9008 INSTALLED; RK-508 ANDAFTER) - MIDFUSELAGE						Service	ATA:28
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H280007 ^S	INSPECT MOTIVE-FLOW SHUTOFF VALVE, CROSSFEED VALVE,AND FUEL SHUTOFF VALVE (RK-106 THRU RK-507 WITH KIT128-9008 INSTALLED; RK-508 AND AFTER) - MIDFUSELAGE						Service	ATA:28
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H280008 ^S	INSPECT FLAME ARRESTER (P/N 128-920211) - AFT FUSELAGE						Service	ATA:28
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H280009 ^S	ANTI-VAPOR SYSTEM - AFT FUSELAGE						Service	ATA:28
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H280010 ^S	INSPECT VENT SURGE TANK - AFT FUSELAGE						Service	ATA:28
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
H280011 ^S	INSPECT FUSELAGE AUXILIARY FUEL STORAGE AREAS - CABIN SECTION							Service ATA:28
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H280012 ^S	INSPECT MID- FUSELAGE FUEL STORAGE AREAS - MIDFUSELAGE							Service ATA:28
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H280018 ^S	INSPECT FUEL TANK, FUSELAGE FILLER (128-920022) (OUTER TANKINSPECTION ONLY)- SCHEDULED D INSPECTIONS							Service ATA:28
	MOS	11-Jul-24						
	HRS	6421:01	6400					
	AFL	4989						
								PKG:5
H280018 ^S	INSPECT FUSELAGE AUXILIARY FUEL TANK ASSEMBLY (P/N128-920185-1, -7, -19 AND 128-920186-1, -7, -19) - CABIN SECTION							Service ATA:28
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H280019 ^S	INSPECT AFT FUSELAGE FUEL STORAGE AREA - AFT FUSELAGE							Service ATA:28
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H280020 ^S	FILLER TANK FUEL STORAGE AREA - AFT FUSELAGE							Service ATA:28
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H280022 ^S	INSPECT MIDFUSELAGE FUEL TANK (P/N 45A30901)- SCHEDULED D INSPECTIONCS							Service ATA:28
	MOS	11-Jul-24						
	HRS	6421:01	6400					
	AFL	4989						
								PKG:5

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
H280023 ^S	INSPECT AFT FUEL CELL COMPARTMENT (P/N 45A34891)- SCHEDULED D INSPECTIONCS							Service ATA:28
	MOS	11-Jul-24						
	HRS	6421:01	6400					
	AFL	4989						
								PKG:5
H280024 ^S	INSPECT AFT FUEL CELL COMPARTMENT (P/N 45A34891)- SCHEDULED D INSPECTIONCS							Service ATA:28
	MOS	11-Jul-24						
	HRS	6421:01	6400					
	AFL	4989						
								PKG:5
H280025 ^S	INSPECT FUEL FILL SYSTEM FLAME ARRESTOR (P/N 128-920212) - MIDFUSELAGE							Service ATA:28
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H280026 ^S	INSPECT FUEL SYSTEM - ENGINE GROUND RUN AND OPERATIONAL CHECKS							Service ATA:28
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H280027 ^S	INSPECT FUEL QUANTITY INDICATORS - PILOT'S COMPARTMENT							Service ATA:28
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H280106 ^S	INSPECT FUEL COLLECTOR TANK- LEFT-HAND WING							Service ATA:28
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H280116 ^S	INSPECT FUEL VENT SYSTEM- LEFT-HAND WING							Service ATA:28
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
H280117 ^S	INSPECT WING OVERPRESSURE SWITCH- LEFT-HAND WING							Service ATA:28
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H280126 ^S	FUEL LEVEL CONTROL SHUT-OFF VALVE (P/N1323-518100M2)- LEFT-HAND WING							Service ATA:28
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H280206 ^S	INSPECT FUEL COLLECTOR TANK- RIGHT-HAND WING							Service ATA:28
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H280216 ^S	INSPECT FUEL VENT SYSTEM- RIGHT-HAND WING							Service ATA:28
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H280217 ^S	INSPECT WING OVERPRESSURE SWITCH- RIGHT-HAND WING							Service ATA:28
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H280226 ^S	FUEL LEVEL CONTROL SHUT-OFF VALVE (P/N1323-518100M2)- RIGHT-HAND WING							Service ATA:28
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
ATA 29 - HYDRAULIC POWER								
291001	HYDRAULIC PACKAGE							Component ATA:29
PN:45AS65021-15	MOS/MSC	28-Apr-01	O/C					
SN:0518	HRS	0		TSN 0				
WC#: 29.010	AFL	0						

PROC. REF: AMM 29-10-00

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
291002	HYDRAULIC VALVE PACKAGE							Component ATA:29
PN:45AS65022-23	MOS/MSC	26-Mar-19	O/C					
SN:0074	HRS	3800:27						
WC#: 29.020	AFL	3247						
PROC. REF: AMM 29-10-00								
291043	LEFT HYDRAULIC ISOLATION VALVE							Component ATA:29
PN:13027-6	MOS/MSC	28-Apr-01	O/C					
SN:1758	HRS	0		TSN 0				
WC#: 29.030	AFL	0						
PROC. REF: AMM 29-10-00								
291044	RIGHT HYDRAULIC ISOLATION VALVE							Component ATA:29
PN:13027-6	MOS/MSC	28-Apr-01	O/C					
SN:1787	HRS	0		TSN 0				
WC#: 29.030	AFL	0						
PROC. REF: AMM 29-10-00								
291055	NO. 1 ENGINE HYDRAULIC PUMP							Component ATA:29
PN:45AS65020-1	MOS/MSC	14-Apr-22	O/C					
SN:MX-405296	HRS	5326:47						
WC#: 29.040	AFL	4292						
PROC. REF: AMM 29-10-00								
291056	NO. 2 ENGINE HYDRAULIC PUMP							Component ATA:29
PN:45AS65020-1	MOS/MSC	14-Apr-22	O/C					
SN:MX-610892C	HRS	5326:47						
WC#: 29.040	AFL	4292						
PROC. REF: AMM 29-10-00								
293001	HYDRAULIC PRESSURE TRANSDUCER							Component ATA:29
PN:45AS65573-3	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.050	AFL	0						
PROC. REF: AMM 29-30-00								
293007	HYDRAULIC PRESSURE INDICATOR							Component ATA:29
PN:45AS86846-7	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.060	AFL	0						
PROC. REF: AMM 29-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
293013	HYDRAULIC LOW LEVEL SWITCH							Component ATA:29
PN:45A62884-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.070	AFL	0						
PROC. REF: AMM 29-30-00								
293014	LEFT HYDRAULIC LOW PRESSURE SWITCH							Component ATA:29
PN:45AS65572-9	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.080	AFL	0						
PROC. REF: AMM 29-30-00								
293015	RIGHT HYDRAULIC LOW PRESSURE SWITCH							Component ATA:29
PN:45AS65572-9	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.080	AFL	0						
PROC. REF: AMM 29-30-00								
H290001 ^S	INSPECT HYDRAULIC RESERVOIR - AFT FUSELAGE							Service ATA:29
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
PKG:2								
H290002 ^S	INSPECT HYDRAULIC PACKAGE, SYSTEM PLUMBING, COMPONENTS - AFT FUSELAGE							Service ATA:29
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
PKG:3								
H290003 ^S	INSPECT HYDRAULIC PACKAGE FLUID FILTER ELEMENTS - AFT FUSELAGE							Service ATA:29
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
PKG:3								
H290004 ^S	INSPECT HYDRAULIC PACKAGE AIR FILTER - AFT FUSELAGE							Service ATA:29
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
PKG:3								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
H290006 ^S	INSPECT HYDRAULIC PLUMBING - CABIN SECTION							Service ATA:29
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H290101 ^S	INSPECT LEFT BRAKE HYDRAULIC/PNEUMATIC LINES AND HOSES -LANDING GEAR AND BRAKES							Service ATA:29
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H290104 ^S	INSPECT HYDRAULIC LINES - LEFT-HAND THRUST REVERSER							Service ATA:29
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H290201 ^S	INSPECT RIGHT BRAKE HYDRAULIC/PNEUMATIC LINES ANDHOSES -LANDING GEAR AND BRAKES							Service ATA:29
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H290204 ^S	INSPECT HYDRAULIC LINES - RIGHT-HAND THRUST REVERSER							Service ATA:29
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
ATA 30 - ICE AND RAIN PROTECTION								
301001	WING ANTI-ICE CONTROL VALVE							Component ATA:30
PN:45AS66001-11	MOS/MSC	28-Apr-01	O/C					
SN:0504A	HRS	0		TSN 0				
WC#: 30.010	AFL	0						
PROC. REF: AMM 30-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301007	LEFT WING S054 OVERTEMP SWITCH							Component ATA:30
PN:45AS63026-11	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.020	AFL	0						
PROC. REF: AMM 30-10-00								
301008	RIGHT WING S052 OVERTEMP SWITCH							Component ATA:30
PN:45AS63026-11	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.020	AFL	0						
PROC. REF: AMM 30-10-00								
301009	LEFT WING S158 OVERTEMP SWITCH							Component ATA:30
PN:45AS63026-5	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.030	AFL	0						
PROC. REF: AMM 30-10-00								
301010	RIGHT WING S157 OVERTEMP SWITCH							Component ATA:30
PN:45AS63026-5	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.030	AFL	0						
PROC. REF: AMM 30-10-00								
301011	LEFT WING S191 OVERTEMP SWITCH							Component ATA:30
PN:45AS63026-5	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.040	AFL	0						
PROC. REF: AMM 30-10-00								
301012	RIGHT WING S192 OVERTEMP SWITCH							Component ATA:30
PN:45AS63026-5	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.040	AFL	0						
PROC. REF: AMM 30-10-00								
301013	LEFT WING S055 OVERTEMP SWITCH							Component ATA:30
PN:45AS63026-3	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.050	AFL	0						
PROC. REF: AMM 30-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301014	RIGHT WING S053 OVERTEMP SWITCH							Component ATA:30
PN:45AS63026-3	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.050	AFL	0						
PROC. REF: AMM 30-10-00								
301067	ANTI-ICE TEMPERATURE CONTROLLER							Component ATA:30
PN:45AS8839-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.060	AFL	0						
PROC. REF: GENERIC NO REF								
301073	DEICE TIMER UNIT							Component ATA:30
PN:128-384054-1	MOS/MSC	22-Mar-02	O/C	TSN 0				
SN:1036	HRS	203:36		TSN 0				
WC#: 30.070	AFL	188		TSN 0				
PROC. REF: GENERIC NO REF								
301079	LEFT HORIZONTAL STABILIZER HEATER MAT							Component ATA:30
PN:128-380078-11	MOS/MSC	28-Apr-01	O/C					
SN:BJ1060	HRS	0		TSN 0				
WC#: 30.080	AFL	0						
PROC. REF: AMM 30-12-00								
301080	RIGHT HORIZONTAL STABILIZER HEATER MAT							Component ATA:30
PN:128-380078-12	MOS/MSC	28-Apr-01	O/C					
SN:BJ1056	HRS	0		TSN 0				
WC#: 30.080	AFL	0						
PROC. REF: AMM 30-12-00								
301081	LEFT ELEVATOR HORN HEATER MAT							Component ATA:30
PN:45AS66010-9	MOS/MSC	24-Jun-22	O/C					
SN:00-07199	HRS	5404:34						
WC#: 30.090	AFL	4334						
PROC. REF: AMM 30-12-00								
301082	RIGHT ELEVATOR HORN HEATER MAT							Component ATA:30
PN:45AS66010-20	MOS/MSC	16-May-23	O/C					
SN:01-51114	HRS	5987:43						
WC#: 30.090	AFL	4720						
PROC. REF: AMM 30-12-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301103	WING ANTI-ICE DUCT SWITCH							Component ATA:30
PN:45AS48008-3	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0						
WC#: 30.100	AFL	0						
PROC. REF: GENERIC NO REF								
302001	LEFT NACELLE INLET BLEED AIR VALVE							Component ATA:30
PN:45AS63019-009	MOS/MSC	02-Dec-20	O/C					
SN:0091	HRS	4555:54		TSO 1346:33				
WC#: 30.130	AFL	3807						
PROC. REF: AMM 30-20-00, AMM 30-20-00								
302002	RIGHT NACELLE INLET BLEED AIR VALVE							Component ATA:30
PN:45AS63019-9	MOS/MSC	28-Apr-01	O/C					
SN:1400	HRS	0		TSN 0				
WC#: 30.130	AFL	0						
PROC. REF: AMM 30-20-00, AMM 30-20-00								
302005	LEFT PRESSURE REGULATOR SHUTOFF VALVE							Component ATA:30
PN:45AS66008-3	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.210	AFL	0						
PROC. REF: AMM 21-10-00								
302006	RIGHT PRESSURE REGULATOR SHUTOFF VALVE							Component ATA:30
PN:45AS66008-3	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.210	AFL	0						
PROC. REF: AMM 21-10-00								
302013	LEFT NACELLE TEMPERATURE SWITCH							Component ATA:30
PN:45AS63026-001	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.140	AFL	0						
PROC. REF: AMM 30-20-00								
302014	RIGHT NACELLE TEMPERATURE SWITCH							Component ATA:30
PN:45AS63026-001	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.140	AFL	0						
PROC. REF: AMM 30-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
304019	LEFT WINDSHIELD TEMPERATURE CONTROL							Component ATA:30
PN:HYLZ50310	MOS/MSC	28-Apr-01	O/C					
SN:5296C	HRS	0		TSN 0				
WC#: 30.110	AFL	0						
PROC. REF: GENERIC NO REF								
304020	RIGHT WINDSHIELD TEMPERATURE CONTROL							Component ATA:30
PN:HYLZ50310	MOS/MSC	11-Dec-18	O/C					
SN:4108C	HRS	3746:55						
WC#: 30.110	AFL	3199						
PROC. REF: GENERIC NO REF								
30R101 ^U	SOLID STATE CONTACTOR							Component ATA:30
PN:128-380102-0001	MOS/MSC	29-Sep-04	O/C	TSN 0				
SN:1237	HRS	954:12		TSN 0				
	AFL	761		TSN 0				
H300006 ^S	INSPECT HORIZONTAL STABLIZER DEICE SYSTEM - PILOTS COMPARTMENT							Service ATA:30
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
PKG:3								
H300007 ^S	INSPECT WINDSHIELD WIPERS (RK-1 THRU RK-242 WITHOUT KIT 128-5405 INSTALLED) - FORWARD FUSELAGE							Service ATA:30
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
PKG:2								
H300008 ^S	INSPECT WINDSHIELD WIPERS (RK-1 THRU RK-242 WITHOUT KIT 128-5405INSTALLED) - FORWARD FUSELAGE							Service ATA:30
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
PKG:3								
H300009 ^S	INSPECT WINDSHIELD HEAT -FORWARD FUSELAGE							Service ATA:30
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
PKG:3								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
H300010 ^S	INSPECT WING LEADING EDGE ANTI-ICE SYSTEM -ENGINE GROUND RUN AND OPERATIONAL CHECKS							Service ATA:30
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H300011 ^S	PERFORM LEFT ELEVATOR HORN INSPECTION/CHECK							Service ATA:30
	MOS	11-Jul-24						
	HRS	6421:01	200 (+40)					
WC#: 30.150	AFL	4989						
PROC. REF: AMM 30-12-00								PKG:1
H300012 ^S	PERFORM RIGHT ELEVATOR HORN INSPECTION/CHECK							Service ATA:30
	MOS	11-Jul-24						
	HRS	6421:01	200 (+40)					
WC#: 30.150	AFL	4989						
PROC. REF: AMM 30-12-00								PKG:1
H300013 ^S	DETAILED INSPECTION DEICE SYSTEM TERMINAL BOARDS (TB011 & TB061)							Service ATA:30
	MOS	11-Jul-24						
	HRS	6421:01	200 (+40)					
	AFL	4989						
								PKG:1
H300105 ^S	INSPECT NACELLE ANTI-ICING DUCT -LEFT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:30
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H300205 ^S	INSPECT NACELLE ANTI-ICING DUCT -RIGHT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:30
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
ATA 31 - INDICATING/RECORDING SYSTEMS								
312001	PILOT CLOCK							Component ATA:31
PN:128-380060-1	MOS/MSC	02-Sep-08	O/C	TSR 0				
SN:00292	HRS	1987:35		TSR 0				
WC#: 31.010	AFL	1586		TSR 0				
PROC. REF: AMM 31-20-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
312002	COPILOT CLOCK							Component ATA:31
PN:128-382000-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.020	AFL	0						
PROC. REF: AMM 31-20-10								
312050	FLIGHT DATA RECORDER							Component ATA:31
PN:S800-2000-00	MOS/MSC	16-May-23	O/C					
SN:02359	HRS	5987:43						
WC#: 31.045	AFL	4720						
PROC. REF: AMM 31-30-00								
312052	FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON							Component ATA:31
PN:DK120	MOS	22-Jan-24	72	TSN 0	22-Jan-30		1936 d	RECERTIFY
SN:AT197550	HRS	6384:35		TSN 0				
WC#: 31.045	AFL	4966		TSN 0				
PROC. REF: GENERIC CMM								
312055	REPLACE FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON BATTERY							Service ATA:31
PN:DK120	MOS/MSC	22-Jan-24	DUE		30-Nov-31 (M)		2613 d	
SN:AT197550	HRS	6384:35						
WC#: 31.045	AFL	4966						
PROC. REF: GENERIC CMM								
313005	INSPECTION CHECK FLIGHT DATA RECORDER							Service ATA:31
	MOS	11-Jul-24	12	Adj -107d	31-Mar-25		178 d	
	HRS	6421:01						
WC#: 31.045	AFL	4989						
PROC. REF: AMM 31-30-00								
313011	FUNCTION TEST UNDERWATER LOCATOR BEACON FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON							Service ATA:31
	MOS	16-May-23	24	Adj -51d	31-Mar-25		178 d	
	HRS	5987:43						
WC#: 31.045	AFL	4720						
PROC. REF: GENERIC CMM								
314000 ^U	AR-361 ACCELEROMETER							Component ATA:31
PN:3001-01-111-2	MOS/MSC	23-Mar-12	O/C					
SN:9806-0591	HRS	2343:30						
	AFL	1897						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
314001	NO. 1 ENVIRONMENTAL (IEC) CONTROL							Component ATA:31
PN:822-0333-001	MOS/MSC	28-Apr-01	O/C					
SN:624T	HRS	0		TSN 0				
WC#: 31.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
314004	NO. 2 ENVIRONMENTAL (IEC) CONTROL							Component ATA:31
PN:822-0333-001	MOS/MSC	28-Apr-01	O/C					
SN:624R	HRS	0		TSN 0				
WC#: 31.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
314013	PILOT FLIGHT MANAGEMENT FMC-852 B CARD							Component ATA:31
PN:822-0891-008	MOS/MSC	05-Apr-07	O/C					
SN:5CBR	HRS	1617						
WC#: 31.060	AFL	1299						
PROC. REF: AMM NO REF								
314016	CO-PILOT FLIGHT MANAGEMENT FMC-851 C CARD							Component ATA:31
PN:822-0891-008	MOS/MSC	16-Sep-13	O/C	TSO 5				
SN:2RW1M	HRS	2454:25		TSO 0				
WC#: 31.060	AFL	2005		TSO 0				
314050	MAINTENANCE DIAGNOSTIC COMPUTER							Component ATA:31
PN:622-9818-751	MOS/MSC	05-Apr-07	O/C					
SN:D68C	HRS	1617						
WC#: 34.800	AFL	1299						
PROC. REF: GENERIC NO REF								
ATA 32 - LANDING GEAR								
043201	REPLACE LEFT MAIN GEAR STRUTS							Service ATA:32
PN:128-810085-5	MOS	11-Jul-24						REPLACE
SN:00072	HRS	0						
	AFL	0	15000	Adj 553	15553		10459	
043201	REPLACE RIGHT MAIN GEAR STRUTS							Service ATA:32
PN:45AS38101-12	MOS	11-Jul-24						REPLACE
SN:UNKNOWN	HRS	0						
	AFL	0	15000	Adj 553	15553		10459	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
043202	INSPECT LEFT MAIN GEAR STRUT (RK-1 THRU RK-23 WITHOUT KIT 128-8001 INSTALLED AND PN 45AS38101)							Service ATA:32
PN:128-810085-5	MOS/MSC	28-Apr-01	N/A					
SN:00072	HRS	0						
WC#: 32.010	AFL	0						
PROC. REF: CMM 32-10-00, CMM 32-11-00								
043202	INSPECT RIGHT MAIN GEAR STRUT (RK-1 THRU RK-23 WITHOUT KIT 128-8001 INSTALLED AND PN 45AS38101)							Service ATA:32
PN:45AS38101-12	MOS/MSC	28-Apr-01	N/A					
SN:UNKNOWN	HRS	0						
WC#: 32.010	AFL	0						
PROC. REF: CMM 32-10-00, CMM 32-11-00								
043203	INSPECT LEFT MAIN GEAR STRUT(RK-1 THRU RK-23 WITH KIT 128-8001 INSTALLED)							Service ATA:32
PN:128-810085-5	MOS/MSC	28-Apr-01	N/A					
SN:00072	HRS	0						
	AFL	0						
PROC. REF: AMM NO REF								
043203	INSPECT RIGHT MAIN GEAR STRUT(RK-1 THRU RK-23 WITH KIT 128-8001 INSTALLED)							Service ATA:32
PN:45AS38101-12	MOS/MSC	28-Apr-01	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM NO REF								
043204	INSPECT LEFT MAIN GEAR STRUT LEFT MAIN GEAR STRUT (RK-24 AND AFTER WITH PN 128-810034)							Service ATA:32
PN:128-810085-5	MOS	11-Jul-24						AIRWORTHINESS
SN:00072	HRS	0	7400 (+20)	Adj 808:02	8208:02	8228:02	1618:53 (+20)	
	AFL	0	5000 (+15)	Adj 553	5553	5568	459 (+15)	
PROC. REF: AMM NO REF								
043204	INSPECT RIGHT MAIN GEAR STRUT (RK-24 AND AFTER WITH PN 128-810034)							Service ATA:32
PN:45AS38101-12	MOS	11-Jul-24						AIRWORTHINESS
SN:UNKNOWN	HRS	0	7400 (+20)	Adj 808:02	8208:02	8228:02	1618:53 (+20)	
	AFL	0	5000 (+15)	Adj 553	5553	5568	459 (+15)	
PROC. REF: AMM NO REF								
043205	REPLACE LEFT MAIN GEAR SIDE STRUT							Service ATA:32
PN:128-810081-5	MOS	11-Jul-24						REPLACE
SN:00062	HRS	0						
	AFL	0	15000	Adj 553	15553		10459	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
043205	REPLACE RIGHT MAIN GEAR SIDE STRUT							Service ATA:32
PN:128-810081-6	MOS	11-Jul-24						REPLACE
SN:00062	HRS	0						
	AFL	0	15000	Adj 553	15553		10459	
043206	INSPECT LEFTT MAIN GEAR SIDE STRUT (RK-1 THRU RK-23 WITHOUT KIT 128-8001 INSTALLED)							Service ATA:32
PN:128-810081-5	MOS/MSC		N/A					
SN:00062	HRS							
WC#: 32.030	AFL							
PROC. REF: CMM 32-12-00, CMM 32-13-00								
043206	INSPECT RIGHT MAIN GEAR SIDE STRUT (RK-1 THRU RK-23 WITHOUT KIT 128-8001 INSTALLED)							Service ATA:32
PN:128-810081-6	MOS/MSC		N/A					
SN:00062	HRS							
WC#: 32.030	AFL							
PROC. REF: CMM 32-12-00, CMM 32-13-00								
043207	INSPECT LEFT MAIN GEAR SIDE STRUT (RK-1 THRU RK-23 WITH KIT 128-8001 INSTALLED)							Service ATA:32
PN:128-810081-5	MOS/MSC		N/A					
SN:00062	HRS							
	AFL							
PROC. REF: AMM NO REF								
043207	INSPECT RIGHT MAIN GEAR SIDE STRUT (RK-1 THRU RK-23 WITH KIT 128-8001 INSTALLED)							Service ATA:32
PN:128-810081-6	MOS/MSC		N/A					
SN:00062	HRS							
	AFL							
PROC. REF: AMM NO REF								
043208	INSPECT LEFT MAIN GEAR SIDE STRUT (RK-24 AND AFTER)(PART NUMBER 128-810081)							Service ATA:32
PN:128-810081-5	MOS	11-Jul-24						AIRWORTHINESS
SN:00062	HRS	0	7400 (+20)	Adj 808:02	8208:02	8228:02	1618:53 (+20)	
	AFL	0	5000 (+15)	Adj 553	5553	5568	459 (+15)	
PROC. REF: AMM NO REF								
043208	INSPECT RIGHT MAIN GEAR SIDE STRUT (RK-24 AND AFTER)(PART NUMBER 128-810081)							Service ATA:32
PN:128-810081-6	MOS	11-Jul-24						AIRWORTHINESS
SN:00062	HRS	0	7400 (+20)	Adj 808:02	8208:02	8228:02	1618:53 (+20)	
	AFL	0	5000 (+15)	Adj 553	5553	5568	459 (+15)	
PROC. REF: AMM NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
043209	REPLACE LEFT LEFT MAIN LANDING GEAR TORQUE LINK BOLT							Service ATA:32
	MOS	11-Jul-24						LIFE LIMIT
	HRS	0						
WC#: 32.420	AFL	0	9800	Adj 553	10353		5259	
PROC. REF: AMM 32-10-00								
043209	REPLACE RIGHT RIGHT MAIN LANDING GEAR TORQUE LINK BOLT							Service ATA:32
	MOS	11-Jul-24						LIFE LIMIT
	HRS	0						
WC#: 32.420	AFL	0	9800	Adj 553	10353		5259	
PROC. REF: AMM 32-10-00								
043210	REPLACE NOSE GEAR STRUT ASSEMBLY							Service ATA:32
	MOS	24-Jun-22						REPLACE
	HRS	5404:34		TAC 9249:58				
	AFL	4334	15000	TAC 9183	10151		5057	
043213	INSPECT/REPAIR NOSE LANDING GEAR STRUT ASSEMBLY (RK-24 AND AFTER) (PN: 128-820028)							Service ATA:32
	MOS	24-Jun-22						AIRWORTHINESS
	HRS	5404:34	7400 (+20)		12804:34	12824:34	6215:25 (+20)	
	AFL	4334	5000 (+10)		9334	9344	4240 (+10)	
PROC. REF: AMM NO REF								
043214	REPLACE NOSE GEAR DRAG STRUT ASSEMBLY							Service ATA:32
	MOS	11-Jul-24						AIRWORTHINESS
	HRS	6421:01						
	AFL	4989	15000		19989		14895	
043217	INSPECT/REPAIR NOSE GEAR DRAG STRUT ASSEMBLY (RK-24 AND AFTER (PART NUMBER 128-820044)							Service ATA:32
	MOS	11-Jul-24						
	HRS	0	7400 (+20)	Adj 808:02	8208:02	8228:02	1618:53 (+20)	
	AFL	0	5000 (+15)	Adj 553	5553	5568	459 (+15)	
PROC. REF: AMM NO REF								
043221	REPLACE LEFT MAIN EMERGENCY LANDING GEAR DOOR OPENING CABLE							Service ATA:32
PN:PN	MOS	27-Jan-22						LIFE LIMIT
SN:UNKNOWN	HRS	5180:34	2400		7580:34		991:25	
WC#: 32.230	AFL	4212						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
043221	REPLACE RIGHT MAIN EMERGENCY LANDING GEAR DOOR OPENING CABLE							Service ATA:32
PN:PN	MOS	27-Jan-22						LIFE LIMIT
SN:UNKNOWN	HRS	5180:34	2400		7580:34		991:25	
WC#: 32.230	AFL	4212						
PROC. REF: GENERIC NO REF								
043224	HYDROSTATIC TEST AIR STORAGE BOTTLE							Service ATA:32
PN:23111321-1H	MOS	21-Feb-23	36		21-Feb-26		505 d	AIRWORTHINESS
SN:3137	HRS							
WC#: 32.200	AFL							
HydroCheck Date: : 21-Feb-23 PROC. REF: GENERIC NO REF								
045706	EDDY CURRENT INSPECT RIGHT MAIN LANDING GEAR SUPPORT FITTING							Service ATA:32
	MOS	27-Jan-22						AIRWORTHINESS
	HRS	5180:34	2400 (+20)	Adj -180:34	7400	7420	810:51 (+20)	
WC#: 32.050	AFL	4212						
PROC. REF: AMM 57-40-00								
320029	CLEAN POWER BRAKE CONTROL VALVE FILTERS							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	1000 (+20)	Adj -16:27	7404:34	7424:34	815:25 (+20)	
WC#: 32.330	AFL	4989						
PROC. REF: AMM 32-40-00								
320037	INSPECT NOSE LANDING GEAR WHEEL							Service ATA:32
PN:PN	MOS/MSC		T/C					
SN:UNKNOWN	HRS							
WC#: 32.280	AFL							
PROC. REF: AMM 32-40-00								
320109	INSPECT LEFT MAIN LANDING GEAR WHEEL							Service ATA:32
PN:5010720-1	MOS/MSC	15-Jan-24	T/C					
SN:NOV99-1377	HRS	6381:31						
WC#: 32.260	AFL	4962						
PROC. REF: AMM 32-40-00								
320209	INSPECT RIGHT MAIN LANDING GEAR WHEEL							Service ATA:32
PN:5010720-1	MOS/MSC	15-Jan-24	T/C					
SN:DEC00-1526	HRS	6381:31						
WC#: 32.270	AFL	4962						
PROC. REF: AMM 32-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321005	LEFT MAIN GEAR STRUT							Component ATA:32
PN:128-810085-5	MOS/MSC	11-Jul-24	H/T					
SN:00072	HRS	0						
WC#: 32.010	AFL	0						
PROC. REF: AMM 32-10-00								
321006	RIGHT MAIN GEAR STRUT							Component ATA:32
PN:45AS38101-12	MOS/MSC	28-Apr-01	H/T					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.010	AFL	0		TSN 0				
PROC. REF: AMM 32-10-00								
321007	LEFT MAIN LANDING GEAR SHOCK STRUT							Component ATA:32
PN:128-810085-601	MOS/MSC	28-Apr-01	O/C					
SN:04020101ICT	HRS	0		TSN 0				
WC#: 32.250	AFL	0		TSN 0				
PROC. REF: AMM 32-10-00								
321008	RIGHT MAIN LANDING GEAR SHOCK STRUT							Component ATA:32
PN:128-810085-602	MOS/MSC	28-Apr-01	O/C					
SN:04021011CT	HRS	0		TSN 0				
WC#: 32.250	AFL	0		TSN 0				
PROC. REF: AMM 32-10-00								
321009	LEFT MAIN GEAR SIDE STRUT							Component ATA:32
PN:128-810081-5	MOS/MSC	11-Jul-24	H/T					
SN:00062	HRS	0						
WC#: 32.030	AFL	0						
PROC. REF: AMM 32-10-00, AMM 32-10-00								
321010	RIGHT MAIN GEAR SIDE STRUT							Component ATA:32
PN:128-810081-6	MOS/MSC	11-Jul-24	H/T					
SN:00062	HRS	0						
WC#: 32.030	AFL	0						
PROC. REF: AMM 32-10-00, AMM 32-10-00								
321047	LEFT MAIN LANDING GEAR SUPPORT FITTING							Component ATA:32
PN:45A10207	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.050	AFL	0	15000	TSN 0	15000		9906	
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321048	RIGHT MAIN LANDING GEAR SUPPORT FITTING							Component ATA:32
PN:45A10207	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.050	AFL	0	15000	TSN 0	15000		9906	
PROC. REF: GENERIC NO REF								
321049 ^U	EDDY CURRENT INSPECT LEFT MAIN LANDING GEAR SUPPORT FITTING							Service ATA:32
	MOS	27-Jan-22						AIRWORTHINESS
	HRS	5180:34	2400 (+20)	Adj -180:34	7400	7420	810:51 (+20)	
WC#: 32.050	AFL	4212						
322002	NOSE GEAR SHOCK STRUT							Component ATA:32
PN:128-820028-7	MOS/MSC	24-Jun-22	O/C					
SN:09250301	HRS	5404:34						
WC#: 32.080	AFL	4334						
PROC. REF: GENERIC NO REF								
322003	NOSE GEAR STRUT							Component ATA:32
PN:128-820028-7	MOS/MSC	24-Jun-22	H/T					
SN:09250301ICT	HRS	5404:34		TSN 9249:58, TSO 1225:46				
WC#: 32.060	AFL	4334		TSN 9183, TSO 931				
PROC. REF: AMM NO REF								
322010	NOSE DRAG STRUT ASSEMBLY							Component ATA:32
PN:128-590001-81	MOS/MSC	11-Jul-24	H/T					LIFE LIMIT
SN:UNKNOWN	HRS	6421:01						
WC#: 32.035	AFL	4989			15553 (M)		10459	
PROC. REF: AMM NO REF								
322013	EDDY CURRENT INSPECT NOSE LANDING GEAR RETRACTION CYLINDER							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	1400 (+20)		7821:01	7841:01	1231:52 (+20)	
WC#: 32.460	AFL	4989	1400 (+15)		6389	6404	1295 (+15)	
PROC. REF: AMM 20-80-03								
322031	NOSE WHEEL SHIMMY DAMPER							Component ATA:32
PN:45100-41	MOS/MSC	30-Oct-15	O/C	TSO 3				
SN:01300801ICT	HRS	2575:21		TSO 0				
WC#: 32.090	AFL	2129		TSO 0				
PROC. REF: AMM 32-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322043	LEFT NOSE LANDING GEAR FITTING							Component ATA:32
PN:45A31311	MOS	28-Apr-01		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.440	AFL	0	15000	TSN 0	15000		9906	
PROC. REF: GENERIC NO REF								
322044	RIGHT NOSE LANDING GEAR FITTING							Component ATA:32
PN:45A31311	MOS	28-Apr-01		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.440	AFL	0	15000	TSN 0	15000		9906	
PROC. REF: GENERIC NO REF								
322113	EDDY CURRENT INSPECT LEFT MAIN LANDING GEAR RETRACTION CYLINDER							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	1400 (+20)		7821:01	7841:01	1231:52 (+20)	
WC#: 32.450	AFL	4989	1400 (+15)		6389	6404	1295 (+15)	
PROC. REF: AMM 20-80-03								
322213	EDDY CURRENT INSPECT RIGHT MAIN LANDING GEAR RETRACTION CYLINDER							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	1400 (+20)		7821:01	7841:01	1231:52 (+20)	
WC#: 32.450	AFL	4989	1400 (+15)		6389	6404	1295 (+15)	
PROC. REF: AMM 20-80-03								
323001	LEFT MAIN LANDING GEAR RETRACTION CYLINDER							Component ATA:32
PN:45AS38515-7	MOS/MSC	28-Apr-01	O/C					
SN:1197	HRS	0		TSN 0				
WC#: 32.110	AFL	0						
PROC. REF: AMM 32-30-00								
323002	RIGHT MAIN LANDING GEAR RETRACTION CYLINDER							Component ATA:32
PN:45AS38515-8	MOS/MSC	28-Apr-01	O/C					
SN:1007	HRS	0		TSN 0				
WC#: 32.110	AFL	0						
PROC. REF: AMM 32-30-00								
323003	NOSE LANDING GEAR RETRACTION CYLINDER							Component ATA:32
PN:45AS39503-5	MOS/MSC	28-Apr-01	O/C					
SN:0577	HRS	0		TSN 0				
WC#: 32.120	AFL	0						
PROC. REF: AMM 32-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323004	LEFT MAIN LANDING GEAR UPLOCK MECHANISM ACTUATOR							Component ATA:32
PN:45AS39502-7	MOS/MSC	28-Apr-01	O/C					
SN:1742	HRS	0		TSN 0				
WC#: 32.130	AFL	0						
PROC. REF: AMM 32-30-00, AMM 32-30-00								
323005	RIGHT MAIN LANDING GEAR UPLOCK MECHANISM ACTUATOR							Component ATA:32
PN:45AS39502-7	MOS/MSC	28-Apr-01	O/C					
SN:1605	HRS	0		TSN 0				
WC#: 32.140	AFL	0						
PROC. REF: AMM 32-30-00, AMM 32-30-00								
323006	NOSE GEAR UPLOCK MECHANISM ACTUATOR							Component ATA:32
PN:45AS39502-3	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.150	AFL	0						
PROC. REF: AMM 32-30-00, AMM 32-30-00								
323007	LEFT MAIN LANDING GEAR DOWNLOCK MECHANISM ACTUATOR							Component ATA:32
PN:45AS38510-7	MOS/MSC	28-Apr-01	O/C					
SN:1049	HRS	0		TSN 0				
WC#: 32.160	AFL	0						
PROC. REF: AMM 32-30-00								
323008	RIGHT MAIN LANDING GEAR DOWNLOCK MECHANISM ACTUATOR							Component ATA:32
PN:45AS38510-8	MOS/MSC	28-Apr-01	O/C					
SN:1067	HRS	0		TSN 0				
WC#: 32.160	AFL	0						
PROC. REF: AMM 32-30-00								
323009	NOSE GEAR DOWNLOCK MECHANISM ACTUATOR							Component ATA:32
PN:45AS39504-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.170	AFL	0						
PROC. REF: AMM 32-30-00								
323010	LEFT MAIN LANDING GEAR DOOR ACTUATOR							Component ATA:32
PN:45AS38515-007	MOS/MSC	24-Jun-22	O/C					
SN:0924	HRS	5404:34						
WC#: 32.180	AFL	4334						
PROC. REF: AMM 32-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323011	RIGHT MAIN LANDING GEAR DOOR ACTUATOR							Component ATA:32
PN:45AS38516-8	MOS/MSC	28-Apr-01	O/C					
SN:1088	HRS	0		TSN 0				
WC#: 32.180	AFL	0						
PROC. REF: AMM 32-30-00								
323061	LEFT MAIN LANDING GEAR DOOR UPLOCK RELEASE CYLINDER							Component ATA:32
PN:45AS38502-5	MOS/MSC	28-Apr-01	O/C					
SN:1016	HRS	0		TSN 0				
WC#: 32.190	AFL	0						
PROC. REF: GENERIC NO REF								
323062	RIGHT MAIN LANDING GEAR DOOR UPLOCK RELEASE CYLINDER							Component ATA:32
PN:45AS38502-5	MOS/MSC	28-Apr-01	O/C					
SN:1014	HRS	0		TSN 0				
WC#: 32.190	AFL	0						
PROC. REF: GENERIC NO REF								
323063	NOSE LANDING GEAR UPLOCK RELEASE CYLINDER							Component ATA:32
PN:45AS39502-7	MOS/MSC	28-Apr-01	O/C					
SN:1629	HRS	0		TSN 0				
WC#: 32.070	AFL	0						
PROC. REF: GENERIC NO REF								
323085	AIR STORAGE BOTTLE							Component ATA:32
PN:23111321-1H	MOS	16-May-23	180	TSN 40, TSO 0	16-Jan-35		3756 d	LIFE LIMIT
SN:3137	HRS	5987:43		TSO 0				
WC#: 32.200	AFL	4720		TSO 0				
PROC. REF: AMM 32-30-00								
323087	EMERGENCY BRAKE/GEAR DOWN PRESSURE INDICATOR							Component ATA:32
PN:2341132	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.210	AFL	0						
PROC. REF: GENERIC NO REF								
323091	LANDING GEAR CONTROL UNIT							Component ATA:32
PN:122-382038-1	MOS/MSC	28-Apr-01	O/C					
SN:312	HRS	0		TSN 0				
WC#: 32.220	AFL	0						
PROC. REF: AMM 32-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323093	LEFT MAIN LANDING GEAR DOOR OPENING CABLE							Component ATA:32
PN:PN	MOS/MSC	28-Apr-01	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
323094	RIGHT MAIN LANDING GEAR DOOR OPENING CABLE							Component ATA:32
PN:PN	MOS/MSC	28-Apr-01	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
323097	LEFT MAIN LANDING GEAR FITTING ASSEMBLY							Component ATA:32
PN:45A33506	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.240	AFL	0	15000	TSN 0	15000		9906	
PROC. REF: GENERIC NO REF								
323098	RIGHT MAIN LANDING GEAR FITTING ASSEMBLY							Component ATA:32
PN:45A33506	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.240	AFL	0	15000	TSN 0	15000		9906	
PROC. REF: GENERIC NO REF								
324001	LEFT MAIN LANDING GEAR WHEEL							Component ATA:32
PN:5010720-1	MOS/MSC	15-Jan-24	O/C	TSR 0				
SN:NOV99-1377	HRS	6381:31		TSR 0				
WC#: 32.260	AFL	4962		TSR 0				
PROC. REF: AMM 32-40-00								
324002	RIGHT MAIN LANDING GEAR WHEEL							Component ATA:32
PN:5010720-1	MOS/MSC	15-Jan-24	O/C	TSR 0				
SN:DEC00-1526	HRS	6381:31		TSR 0				
WC#: 32.270	AFL	4962		TSR 0				
PROC. REF: AMM 32-40-00								
324003	NOSE GEAR WHEEL							Component ATA:32
PN:5006450-5	MOS/MSC	18-Sep-23	O/C	TSR 0				
SN:MAY01-2354	HRS	6217:27		TSR 0				
WC#: 32.280	AFL	4863		TSR 0				
PROC. REF: AMM 32-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324003	NOSE GEAR WHEEL							Component ATA:32
PN:PN	MOS/MSC	28-Apr-01	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.280	AFL	0		TSN 0				
PROC. REF: AMM 32-40-00								
324055	LEFT MAIN LANDING GEAR TIRE							Component ATA:32
PN:038-675-2	MOS/MSC	15-Jan-24	O/C	TSN 0				
SN:2112T00426	HRS	6381:31		TSN 0				
WC#: 32.260	AFL	4962		TSN 0				
PROC. REF: AMM 32-40-00								
324056	RIGHT MAIN LANDING GEAR TIRE							Component ATA:32
PN:038-675-2	MOS/MSC	15-Jan-24	O/C	TSN 0				
SN:2254T00473	HRS	6381:31		TSN 0				
WC#: 32.270	AFL	4962		TSN 0				
PROC. REF: AMM 32-40-00								
324057	NOSE GEAR TIRE							Component ATA:32
PN:PN	MOS/MSC	18-Sep-23	O/C					
SN:UNKNOWN	HRS	6217:27						
WC#: 32.280	AFL	4863						
PROC. REF: AMM 32-40-00								
324073	LEFT MAIN GEAR BRAKE ASSEMBLY							Component ATA:32
PN:400-8002-97	MOS/MSC	23-Jan-23	O/C					
SN:FEB01-962	HRS	5875:15						
WC#: 32.310	AFL	4644						
PROC. REF: AMM 32-40-00								
324074	RIGHT MAIN GEAR BRAKE ASSEMBLY							Component ATA:32
PN:400-8002-97	MOS/MSC	20-Oct-22	O/C					
SN:OCT94-284	HRS	5734:44						
WC#: 32.310	AFL	4559						
PROC. REF: AMM 32-40-00								
324097	ANTI-SKID POWER BRAKE VALVE							Component ATA:32
PN:38-771	MOS/MSC	28-Apr-01	O/C					
SN:642	HRS	0		TSN 0				
WC#: 32.340	AFL	0						
PROC. REF: AMM 32-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324098	EMERGENCY BRAKE CONTROL VALVE							Component ATA:32
PN:45A65261-001	MOS/MSC	28-Apr-01	O/C					
SN:V108	HRS	0		TSN 0				
WC#: 32.350	AFL	0						
PROC. REF: AMM 32-40-00, AMM 32-40-00								
324099	LEFT MIXING VALVE							Component ATA:32
PN:45A65271-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.360	AFL	0						
PROC. REF: AMM 32-40-00								
324100	RIGHT MIXING VALVE							Component ATA:32
PN:45A65271-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.360	AFL	0						
PROC. REF: AMM 32-40-00								
324101	LEFT PARKING BRAKE VALVE							Component ATA:32
PN:4500-A2	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.370	AFL	0						
PROC. REF: AMM 32-40-00, AMM 32-40-00								
324102	RIGHT PARKING BRAKE VALVE							Component ATA:32
PN:4500-A2	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.370	AFL	0						
PROC. REF: AMM 32-40-00, AMM 32-40-00								
324139	HYDRAULIC EMERGENCY ACCUMULATOR							Component ATA:32
PN:33-073-1	MOS/MSC	28-Apr-01	O/C					
SN:765	HRS	0		TSN 0				
WC#: 32.380	AFL	0						
PROC. REF: AMM 32-40-00								
324145	ANTI-SKID CONTROL BOX							Component ATA:32
PN:42-901	MOS/MSC	28-Apr-01	O/C					
SN:642	HRS	0		TSN 0				
WC#: 32.390	AFL	0						
PROC. REF: AMM 32-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324151	BRAKE FLUID RESERVOIR							Component ATA:32
PN:45A65062-21	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.410	AFL	0						
PROC. REF: AMM 32-40-00								
324157	PILOT LEFT MASTER BRAKE CYLINDER							Component ATA:32
PN:45AS38401-011	MOS/MSC	28-Apr-01	O/C					
SN:2394	HRS	0		TSN 0				
WC#: 32.040	AFL	0						
PROC. REF: AMM 32-40-00								
324158	PILOT RIGHT MASTER BRAKE CYLINDER							Component ATA:32
PN:45AS38401-012	MOS/MSC	28-Apr-01	O/C					
SN:2376	HRS	0		TSN 0				
WC#: 32.040	AFL	0						
PROC. REF: AMM 32-40-00								
324159	COPILOT LEFT MASTER BRAKE CYLINDER							Component ATA:32
PN:45AS38401-011	MOS/MSC	28-Apr-01	O/C					
SN:2392	HRS	0		TSN 0				
WC#: 32.290	AFL	0						
PROC. REF: AMM 32-40-00								
324160	COPILOT RIGHT MASTER BRAKE CYLINDER							Component ATA:32
PN:45AS38401-012	MOS/MSC	28-Apr-01	O/C					
SN:237B	HRS	0		TSN 0				
WC#: 32.290	AFL	0						
PROC. REF: AMM 32-40-00								
324181	LEFT WHEEL SPEED TRANSDUCER							Component ATA:32
PN:140-03110	MOS	23-Jan-23	120	TSO 0	23-Jan-33	3033 d	REPLACE	
SN:1692	HRS	5875:15	5000	TSO 0	10875:15	4286:06		
WC#: 32.300	AFL	4644						
PROC. REF: AMM 32-40-00								
324182	RIGHT WHEEL SPEED TRANSDUCER							Component ATA:32
PN:140-03110	MOS	23-Jan-23	120	TSO 0	23-Jan-33	3033 d	REPLACE	
SN:1730	HRS	5875:15	5000	TSO 0	10875:15	4286:06		
WC#: 32.300	AFL	4644						
PROC. REF: AMM 32-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-B11 HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
H320001 ^S	INSPECT NOSE WHEEL AND TIRE - LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H320002 ^S	INSPECT NOSE LANDING GEAR STRUT ASSEMBLY - LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H320003 ^S	INSPECT NOSE LANDING GEAR WHEEL WELL -LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H320009 ^S	LANDING GEAR EXTENSION/RETRACTION SYSTEM - PERFORM NORMAL EMERGENCY EXTENSION RETRACTION VERIFICATION CHECK - LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H320013 ^S	INSPECT MASTER BRAKE CYLINDERS (ABOVE FLOOR PANELS) - PILOTS COMPARTMENT							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H320014 ^S	INSPECT NITROGEN SYSTEM - FORWARD FUSELAGE							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H320015 ^S	INSPECT BRAKE SYSTEM - MID FUSELAGE							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
H320017 ^S	INSPECT NOSE LANDING GEAR DRAG STRUT ASSEMBLY -LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H320018 ^S	INSPECT NOSE LANDING GEAR UPLOCK ASSEMBLY -LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H320019 ^S	INSPECT NOSE LANDING GEAR EMERGENCY EXTENSION CABLE -LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
PROC. REF: AMM NO REF								PKG:3
H320020 ^S	INSPECT NOSE LANDING GEAR STRUT ASSEMBLY -LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H320023 ^S	INSPECT EMERGENCY LANDING GEAR-PILOT'S COMPARTMENT							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H320024 ^S	INSPECT BRAKE SYSTEM - LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H320026 ^S	INSPECT ANTI-SKID SYSTEM -LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
H320030 ^S	INSPECT NOSE LANDING GEAR SHIMMY DAMPER - LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H320031 ^S	INSPECT EMERGENCY LANDING GEAR CABLES - CABIN SECTION							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H320032 ^S	INSPECT EMERGENCY BRAKE-PILOT'S COMPARTMENT							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H320035 ^S	INSPECT MAIN LANDING GEAR DOOR ACTUATOR FITTING- SCHEDULED D INSPECTIONCS							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	6400					
	AFL	4989						
								PKG:5
H320036 ^S	INSPECT NOSE LANDING GEAR SUPPORT FITTING (P/N 45A31311)- SCHEDULED D INSPECTIONCS							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	6400					
	AFL	4989						
								PKG:5
H320037 ^S	INSPECT NOSE WHEEL AND TIRE -LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H320038 ^S	INSPECT NOSE WHEEL STEERING SYSTEM -LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
H320039 ^S	INSPECT BRAKE SYSTEM ACCUMULATOR - LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H320040 ^S	INSPECT LANDING GEAR SYSTEM -LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H320041 ^S	INSPECT MANUAL BRAKE SYSTEM - PILOTS COMPARTMENT							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H320104 ^S	INSPECT LEFT MAIN WHEEL - LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H320105 ^S	INSPECT LEFT BRAKE ASSEMBLY - LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H320106 ^S	INSPECT LEFT MAIN LANDING GEAR STRUT ASSEMBLY - LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H320107 ^S	INSPECT LEFT MAIN ACTUATOR BRACKET -LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
H320108 ^S	INSPECT LEFT MAIN WHEEL WELL AND AREA INSPECTION (PANELREMOVAL NOT REQUIRED) -LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H320109 ^S	INSPECT LEFT BRAKE ASSEMBLY -LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H320120 ^S	INSPECT LEFT LANDING GEAR SAFETY SWITCH -LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H320121 ^S	INSPECT LEFT MAIN LANDING GEAR SIDE STRUT ASSEMBLY -LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H320122 ^S	INSPECT LEFT MAIN LANDING GEAR AND DOOR UPLOCK HOOKAND UPLOCK ASSEMBLIES -LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H320123 ^S	INSPECT LEFT MAIN GEAR ATTACH FITTINGS, SUPPORTINGSPARS, RIB AND UPLOCK FITTING - LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H320124 ^S	INSPECT LEFT MAIN LANDING GEAR STRUT ASSEMBLY							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
H320125 ^S	INSPECT LEFT MAIN WHEEL -LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H320126 ^S	INSPECT LEFT MAIN WHEEL WELL - LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H320204 ^S	INSPECT RIGHT MAIN WHEEL - LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H320205 ^S	INSPECT RIGHT BRAKE ASSEMBLY - LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H320206 ^S	INSPECT RIGHT MAIN LANDING GEAR STRUT ASSEMBLY - LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H320207 ^S	INSPECT RIGHT MAIN ACTUATOR BRACKET -LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H320208 ^S	INSPECT RIGHT MAIN WHEEL WELL AND AREA INSPECTION (PANELREMOVAL NOT REQUIRED) -LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
H320209 ^S	INSPECT RIGHT BRAKE ASSEMBLY -LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H320220 ^S	INSPECT RIGHT LANDING GEAR SAFETY SWITCH -LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H320221 ^S	INSPECT RIGHT MAIN LANDING GEAR SIDE STRUT ASSEMBLY -LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H320222 ^S	INSPECT RIGHT MAIN LANDING GEAR AND DOOR UPLOCK HOOKAND UPLOCK ASSEMBLIES -LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H320223 ^S	INSPECT RIGHT MAIN GEAR ATTACH FITTINGS, SUPPORTINGSPARS, RIB AND UPLOCK FITTING - LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H320224 ^S	INSPECT RIGHT MAIN LANDING GEAR STRUT ASSEMBLY -LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H320225 ^S	INSPECT RIGHT MAIN WHEEL -LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
H320226 ^S	INSPECT RIGHT MAIN WHEEL WELL - AREA INSPECTION (PANELSREMOVED) - LANDING GEAR AND BRAKES							Service ATA:32
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
ATA 33 - LIGHTS								
043301	PERFORM INSPECTION / CHECK OF POWER SUPPLY AND BATTERY DISCHARGE TEST, AFT BATTERY							Service ATA:33
	MOS	EFF	T:42		27-Jul-25 *		296 d	
	HRS	EFF						
	AFL	EFF						
043301	PERFORM INSPECTION / CHECK OF POWER SUPPLY AND BATTERY DISCHARGE TEST, FORWARD BATTERY							Service ATA:33
	MOS	EFF	T:42		27-Jul-25 *		296 d	
	HRS	EFF						
	AFL	EFF						
043302	REPLACE AFT BATTERY							Service ATA:33
	MOS	27-Jan-22	60		27-Jan-27		845 d	
	HRS	5180:34						
WC#: 33.160	AFL	4212						
PROC. REF: AMM 33-50-00, AMM 33-51-00								
043302	REPLACE FORWARD BATTERY							Service ATA:33
	MOS	27-Jan-22	60		27-Jan-27		845 d	
	HRS	5180:34						
WC#: 33.150	AFL	4212						
PROC. REF: AMM 33-50-00, AMM 33-51-00								
330005	FUNCTIONAL TEST AFT EMERGENCY LIGHT SYSTEM (RK-98, RK-110 AND AFTER)							Service ATA:33
	MOS	11-Jul-24	12		11-Jul-25		280 d	
	HRS	6421:01						
	AFL	4989						
PROC. REF: AMM NO REF, AMM 33-51-00								
330005	FUNCTIONAL TEST EMERGENCY LIGHT SYSTEM							Service ATA:33
	MOS	11-Jul-24	12		31-Jul-25		300 d	
	HRS	6421:01						
WC#: 33.170	AFL	4989						
PROC. REF: AMM NO REF, AMM 33-51-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
330006	INSPECT/CHECK FORWARD EMERGENCY LIGHT POWER SUPPLIES (RK-98, RK-110 AND AFTER)							Service ATA:33
	MOS	11-Jul-24	12		11-Jul-25		280 d	
	HRS	6421:01						
	AFL	4989						
PROC. REF: AMM 33-51-00								
330006	INSPECT/CHECK AFT EMERGENCY LIGHT POWER SUPPLIES (RK-98, RK-110 ANDAFTER)							Service ATA:33
	MOS	11-Jul-24	12		31-Jul-25		300 d	
	HRS	6421:01						
WC#: 33.170	AFL	4989						
PROC. REF: AMM 33-51-00								
331001	INSTRUMENT LIGHT (PS103) POWER SUPPLY							Component ATA:33
PN:76699-01	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.010	AFL	0						
PROC. REF: AMM 33-11-00								
331002	INSTRUMENT LIGHT (PS104) POWER SUPPLY							Component ATA:33
PN:76699-01	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.010	AFL	0						
PROC. REF: AMM 33-11-00								
331003	INSTRUMENT LIGHT (PS105) POWER SUPPLY							Component ATA:33
PN:76699-01	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.020	AFL	0						
PROC. REF: AMM 33-11-00								
331004	INSTRUMENT LIGHT (PS106) POWER SUPPLY							Component ATA:33
PN:76699-01	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.020	AFL	0						
PROC. REF: AMM 33-11-00								
331005	INSTRUMENT LIGHT (PS107) POWER SUPPLY							Component ATA:33
PN:76699-01	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0						
WC#: 33.020	AFL	0						
PROC. REF: AMM 33-11-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
331010	LEFT FORWARD INTERIOR LIGHT (4034) POWER SUPPLY							Component ATA:33
PN:250003-1 (4034)	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0						
WC#: 33.025	AFL	0						
PROC. REF: AMM 33-20-00, AMM 33-20-00								
331012	AFT INTERIOR LIGHT (4035) POWER SUPPLY							Component ATA:33
PN:250003-1 (4035)	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0						
WC#: 33.025	AFL	0						
PROC. REF: AMM 33-20-00, AMM 33-20-00								
331014	RIGHT FORWARD INTERIOR LIGHT (4036) POWER SUPPLY							Component ATA:33
PN:250003-1 (4036)	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0						
WC#: 33.025	AFL	0						
PROC. REF: AMM 33-20-00, AMM 33-20-00								
334001	LEFT WING NAVIGATION/ANTI-COLLISION LIGHT							Component ATA:33
PN:30-0863-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.030	AFL	0						
PROC. REF: AMM 33-40-00								
334002	RIGHT WING NAVIGATION/ANTI-COLLISION LIGHT							Component ATA:33
PN:30-0863-2	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.030	AFL	0						
PROC. REF: AMM 33-40-00								
334003	TAIL ANTI-COLLISION LIGHT							Component ATA:33
PN:30-0876-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.040	AFL	0						
PROC. REF: AMM 33-40-00								
334004	LEFT LANDING LIGHT							Component ATA:33
PN:D7585-4580	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.050	AFL	0						
PROC. REF: AMM 33-40-00, AMM 33-40-00, AMM 33-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
334005	RIGHT LANDING LIGHT							Component ATA:33
PN:D7585-15	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.050	AFL	0						
PROC. REF: AMM 33-40-00, AMM 33-40-00, AMM 33-40-00								
334006	LEFT TAIL FLOOD LIGHT							Component ATA:33
PN:45A88011-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.060	AFL	0						
PROC. REF: AMM 33-40-00								
334007	RIGHT TAIL FLOOD LIGHT							Component ATA:33
PN:45A88011-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.060	AFL	0						
PROC. REF: AMM 33-40-00								
334008	TAIL NAVIGATION LIGHT							Component ATA:33
PN:01-0770966-01	MOS/MSC	30-Oct-07	O/C	TSN 0				
SN:00925A	HRS	1813		TSN 0				
WC#: 33.045	AFL	1453		TSN 0				
PROC. REF: AMM 33-40-00								
334009	FORWARD RECOGNITION LIGHT							Component ATA:33
PN:45A88013-21	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.065	AFL	0						
PROC. REF: AMM 33-40-00								
334011	WING ICE INSPECTION LIGHT							Component ATA:33
PN:45AS88826-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0						
WC#: 33.070	AFL	0						
PROC. REF: AMM 33-40-00								
334031	ANTI-COLLISION LIGHT POWER SUPPLY							Component ATA:33
PN:60-2471-3	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.080	AFL	0						
PROC. REF: AMM 33-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
334037	LEFT LANDING LIGHT ACTUATOR							Component ATA:33
PN:45AS88830-7	MOS/MSC	29-Aug-17	O/C					
SN:071003	HRS	3194:59						
WC#: 33.090	AFL	2722						
PROC. REF: AMM 33-40-00, AMM 33-40-00								
334038	RIGHT LANDING LIGHT ACTUATOR							Component ATA:33
PN:AA-35-2M1	MOS/MSC	23-Aug-23	O/C					
SN:920407	HRS	6176:11						
WC#: 33.090	AFL	4831						
PROC. REF: AMM 33-40-00, AMM 33-40-00								
334061	TAIL ROTATING BEACON							Component ATA:33
PN:90033-25	MOS/MSC	02-Sep-03	O/C	TSN 0				
SN:13993	HRS	616		TSN 0				
WC#: 33.100	AFL	510		TSN 0				
PROC. REF: AMM 33-40-00, AMM 33-40-00								
335030	FORWARD EMERGENCY LIGHT POWER SUPPLY							Component ATA:33
PN:44017-1	MOS/MSC	26-Mar-19	O/C	TSN 0				
SN:N/A	HRS	3800:27		TSN 0				
WC#: 33.150	AFL	3247		TSN 0				
PROC. REF: AMM 33-51-00, AMM 33-51-00								
335032	AFT EMERGENCY LIGHT POWER SUPPLY							Component ATA:33
PN:44017-17	MOS/MSC	26-Mar-19	O/C	TSN 0				
SN:N/A	HRS	3800:27		TSN 0				
WC#: 33.160	AFL	3247		TSN 0				
PROC. REF: AMM 33-51-00								
335066	NO. 1 LAMP DIMMER							Component ATA:33
PN:1977-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.140	AFL	0						
PROC. REF: GENERIC NO REF								
335067	NO. 2 LAMP DIMMER							Component ATA:33
PN:1977-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.140	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
335068	NO. 3 LAMP DIMMER							Component ATA:33
PN:1977-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.130	AFL	0						
PROC. REF: GENERIC NO REF								
335069	NO. 4 LAMP DIMMER							Component ATA:33
PN:1977-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.130	AFL	0						
PROC. REF: GENERIC NO REF								
335115	AFT EMERGENCY LIGHT POWER SUPPLY BATTERY							Component ATA:33
PN:PN	MOS/MSC	28-Apr-01	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM NO REF								
335115	FORWARD EMERGENCY LIGHT POWER SUPPLY BATTERY							Component ATA:33
PN:PN	MOS/MSC	28-Apr-01	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM NO REF								
33R101 ^U	INSTRUMENT & OVERHEAD POWER SUPPLY							Component ATA:33
PN:76699-01	MOS/MSC	08-Sep-05	O/C	TSN 0				
SN:2922	HRS	1177:06		TSN 0				
	AFL	943		TSN 0				
H330001 ^S	INSPECT CABIN INTERIOR LIGHTS - CABIN SECTION							Service ATA:33
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
PKG:2								
H330003 ^S	PERFORM EMERGENCY LIGHTING SYSTEM OPERATIONAL INSPECTION - (RK-98, RK-110 AND AFTER) CABIN SECTION							Service ATA:33
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
PROC. REF: AMM 33-51-00								
PKG:2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
H330004 ^S	INSPECT FORWARD RECOGNITION LIGHT ASSEMBLY - VERTICAL STABILIZER							Service ATA:33
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H330005 ^S	INSPECT TAIL FLOOD LIGHTS - HORIZONTAL STABILIZER							Service ATA:33
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H330006 ^S	INSPECT COCKPIT ADVISORY, CAUTION AND WARNING LIGHTS - PILOT'S COMPARTMENT							Service ATA:33
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H330007 ^S	INSPECT EMERGENCY LIGHTING SYSTEM - CABIN SECTION							Service ATA:33
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
PROC. REF: AMM 33-51-00								PKG:2
H330008 ^S	INSPECT FLIGHT COMPARTMENT LIGHTING - PILOTS COMPARTMENT							Service ATA:33
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H330009 ^S	INSPECT EXTERIOR LIGHTING - PILOTS COMPARTMENT							Service ATA:33
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H330010 ^S	INSPECT EMERGENCY LIGHTING SYSTEM(RK-1 THRU RK-109, EXCEPT RK-98) - CABIN SECTION							Service ATA:33
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
H330011 ^S	INSPECT EMERGENCY LIGHTING SYSTEM(RK-98, RK-110 AND AFTER) - CABIN SECTION							Service ATA:33
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H330012 ^S	INSPECT ANTI-COLLISION LIGHT ASSEMBLY - RIGHT-HAND WING							Service ATA:33
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H330013 ^S	INSPECT ANTI-COLLISION LIGHT ASSEMBLY - LEFT-HAND WING							Service ATA:33
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
ATA 34 - NAVIGATION								
340005	LEAK CHECK PILOT PITOT STATIC SYSTEM (FAR 91.411)							Service ATA:34
	MOS	11-Jul-24	24		31-Jul-26		665 d	
	HRS	6421:01						
WC#: 34.145	AFL	4989						
PROC. REF: AMM 34-10-00								
340005	TEST NO. 1 TRANSPONDER TRANSCEIVER FAR 91.413							Service ATA:34
PN:PN	MOS	15-May-23	24		31-May-25		239 d	MANDATORY
SN:UNKNOWN	HRS	5987:43						
WC#: 34.660	AFL	4720						
			Test Date: : 15-May-23	PROC. REF: FAR 91.413				
340005	TEST NO.1 AIR DATA COMPUTER FAR 91.411							Service ATA:34
PN:PN	MOS	11-Jul-24	24		31-Jul-26		665 d	MANDATORY
SN:UNKNOWN	HRS	6421:01						
WC#: 34.190	AFL	4989						
			Test Date: : 11-Jul-24	PROC. REF: FAR 91.411				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340006	FUNCTIONAL TEST MACH OVERSPEED WARNING SYSTEM							Service ATA:34
	MOS	11-Jul-24	24		31-Jul-26		665 d	
	HRS	6421:01						
WC#: 34.730	AFL	4989						
PROC. REF: AMM NO REF								
340007	CHECK AIR DATA SYSTEM FOR RVSM ACCURACY, MEASURE STEP HEIGHT OF THE STATIC PORT.							Service ATA:34
	MOS	11-Jul-24	24		31-Jul-26		665 d	
	HRS	6421:01						
WC#: 34.790	AFL	4989						
PROC. REF: AMM 34-10-01								
340007	LEAK CHECK CO-PILOT PITOT STATIC SYSTEM (FAR 91.411)							Service ATA:34
	MOS	11-Jul-24	24		31-Jul-26		665 d	
	HRS	6421:01						
WC#: 34.145	AFL	4989						
PROC. REF: AMM 34-10-01, AMM 34-10-00								
340007	TEST NO. 2 TRANSPONDER TRANSCEIVER FAR 91.413							Service ATA:34
PN:PN	MOS	15-May-23	24		31-May-25		239 d	MANDATORY
SN:UNKNOWN	HRS	5987:43						
WC#: 34.660	AFL	4720						
		Test Date: : 15-May-23	PROC. REF: AMM 34-10-01, FAR 91.413					
340007	TEST NO.2 AIR DATA COMPUTER FAR 91.411							Service ATA:34
PN:PN	MOS	11-Jul-24	24		31-Jul-26		665 d	MANDATORY
SN:UNKNOWN	HRS	6421:01						
WC#: 34.200	AFL	4989						
		Test Date: : 11-Jul-24	PROC. REF: AMM 34-10-01, FAR 91.411					
340007	TEST STANDBY ALTIMETER FAR 91.411							Service ATA:34
PN:1611AM10	MOS	11-Jul-24	24		31-Jul-26		665 d	MANDATORY
SN:AG459	HRS	6421:01						
WC#: 34.090	AFL	4989						
		Test Date: : 11-Jul-24	PROC. REF: AMM 34-10-01, FAR 91.411					
341001	LEFT PITOT TUBE							Component ATA:34
PN:PH1100-MU LEFT	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.010	AFL	0						
PROC. REF: AMM 34-12-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341002	RIGHT PITOT TUBE							Component ATA:34
PN:PH1100-MU RIGHT	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.010	AFL	0						
PROC. REF: AMM 34-12-00								
341013	LEFT LOWER PILOT STATIC PORT							Component ATA:34
PN:ST-300-2PT	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.020	AFL	0						
PROC. REF: AMM 34-12-00								
341014	RIGHT UPPER PILOT STATIC PORT							Component ATA:34
PN:ST-300-2PT	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.020	AFL	0						
PROC. REF: AMM 34-12-00								
341015	LEFT UPPER COPILOT STATIC PORT							Component ATA:34
PN:ST-300-2PT	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.030	AFL	0						
PROC. REF: AMM 34-12-00								
341016	RIGHT LOWER COPILOT STATIC PORT							Component ATA:34
PN:ST-300-2PT	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.030	AFL	0						
PROC. REF: AMM 34-12-00								
341017	THIRD SYSTEM STATIC PORT							Component ATA:34
PN:ST320-2B	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.040	AFL	0						
PROC. REF: GENERIC NO REF								
341052	STANDBY MACH/AIRSPEED INDICATOR							Component ATA:34
PN:128-380023-7	MOS/MSC	28-Apr-01	O/C					
SN:AL213	HRS	0		TSN 0				
WC#: 34.080	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341055	PILOT MACH/AIRSPEED INDICATOR							Component ATA:34
PN:45AS86114-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.060	AFL	0						
PROC. REF: GENERIC NO REF								
341056	COPILOT MACH/AIRSPEED INDICATOR							Component ATA:34
PN:45AS86114-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.060	AFL	0						
PROC. REF: GENERIC NO REF								
341058	COPILOT INSTANTANEOUS VERTICAL SPEED INDICATOR							Component ATA:34
PN:CA-34-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.070	AFL	0						
PROC. REF: GENERIC NO REF								
341062	(DRI-55) RADIO ALTITUDE INDICATOR							Component ATA:34
PN:622-4160-017	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.100	AFL	0						
PROC. REF: GENERIC NO REF								
341063	ANGLE OF ATTACK INDICATOR							Component ATA:34
PN:30AN	MOS/MSC	28-Apr-01	O/C					
SN:0527	HRS	0		TSN 0				
WC#: 34.110	AFL	0						
PROC. REF: AMM 34-11-00								
341065	CABIN RATE OF CLIMB INDICATOR							Component ATA:34
PN:35060-1164	MOS/MSC	28-Apr-01	O/C					
SN:356711	HRS	0		TSN 0				
WC#: 34.120	AFL	0						
PROC. REF: GENERIC NO REF								
341115	COPILOT ALTIMETER							Component ATA:34
PN:PN	MOS/MSC	28-Apr-01	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.140	AFL	0		TSN 0				
PROC. REF: AMM NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341117	STANDBY ALTIMETER							Component ATA:34
PN:1611AM10	MOS/MSC	11-Jul-24	O/C					
SN:AG459	HRS	6421:01						
WC#: 34.090	AFL	4989						
341127	MACH/AIRSPEED WARNING HORN							Component ATA:34
PN:SONALERT-SC628P	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.150	AFL	0						
PROC. REF: GENERIC NO REF								
341128	ALTITUDE ALERT WARNING HORN							Component ATA:34
PN:SONALERT-SC628	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.160	AFL	0						
PROC. REF: GENERIC NO REF								
341129	GEAR WARNING HORN							Component ATA:34
PN:SC628AN	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.180	AFL	0						
PROC. REF: GENERIC NO REF								
341130	TRIM WARNING HORN							Component ATA:34
PN:SC628J	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.180	AFL	0						
PROC. REF: GENERIC NO REF								
341145	NO.1 AIR DATA COMPUTER							Component ATA:34
PN:822-0389-433	MOS/MSC	11-Jul-24	O/C	TSO 260				
SN:3758	HRS	6421:01		TSO 5996:55				
WC#: 34.190	AFL	4989		TSO 4642				
341145	NO.1 AIR DATA COMPUTER							Component ATA:34
PN:PN	MOS/MSC	28-Apr-01	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.190	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341146	NO.2 AIR DATA COMPUTER							Component ATA:34
PN:822-0389-433	MOS/MSC	11-Jul-24	O/C	TSO 184				
SN:1NJBH	HRS	6421:01		TSO 4355:40				
WC#: 34.200	AFL	4989		TSO 3338				
341146	NO.2 AIR DATA COMPUTER							Component ATA:34
PN:PN	MOS/MSC	28-Apr-01	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.200	AFL	0		TSN 0				
341147	LEFT STALL WARNING COMPUTER							Component ATA:34
PN:20BG1	MOS/MSC	28-Apr-01	O/C					
SN:23106	HRS	0		TSN 0				
WC#: 34.210	AFL	0						
PROC. REF: AMM 34-11-00								
341148	RIGHT STALL WARNING COMPUTER							Component ATA:34
PN:20BG1	MOS/MSC	28-Apr-01	O/C					
SN:23014	HRS	0		TSN 0				
WC#: 34.210	AFL	0						
PROC. REF: AMM 34-11-00								
341176	VISUALLY INSPECT AIRBORNE FLIGHT INFORMATION SYSTEM (AFIS) WIRING (IF INSTALLED) RK-483 AND AFTER-OPTIONAL							Service ATA:34
	MOS	28-Apr-01						
	HRS	0	9800 (+20)	9800	9820	3210:51 (+20)		
WC#: 34.810	AFL	0						
341177	DETAIL INSPECT AIRBORNE FLIGHT INFORMATION SYSTEM (AFIS) ANTENNA FUSELAGE FEED-THROUGH (FS 378.54 - LOWER FUSELAGE (IF INSTALLED))							Service ATA:34
	MOS	28-Apr-01						
	HRS	0	T:12200 (+20)	12200	12220	5610:51 (+20)		
WC#: 34.820	AFL	0						
341185	NO. 1 NAVIGATION DATA COMPUTER							Component ATA:34
PN:622-9339-001	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.240	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341186	NO. 2 NAVIGATION DATA COMPUTER							Component ATA:34
PN:622-9339-001	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.240	AFL	0						
PROC. REF: GENERIC NO REF								
341193	(55B) RADIO ALTITUDE TRANSCEIVER							Component ATA:34
PN:622-2855-001	MOS/MSC	28-Apr-01	O/C					
SN:61RW	HRS	0		TSN 0				
WC#: 34.250	AFL	0						
PROC. REF: AMM NO REF								
341195	RADIO ALTIMETER CONVERTER							Component ATA:34
PN:622-7209-002	MOS/MSC	28-Apr-01	O/C					
SN:CXLX	HRS	0		TSN 0				
WC#: 34.245	AFL	0						
PROC. REF: AMM NO REF								
341199	RADIO ALTITUDE RECEIVER ANTENNA							Component ATA:34
PN:S67-2002-14	MOS/MSC	28-Apr-01	O/C					
SN:5999	HRS	0		TSN 0				
WC#: 34.260	AFL	0						
PROC. REF: GENERIC NO REF								
341211	LEFT ANGLE OF ATTACK TRANSMITTER							Component ATA:34
PN:861EB	MOS/MSC	28-Apr-01	O/C					
SN:1028	HRS	0		TSN 0				
WC#: 34.280	AFL	0						
PROC. REF: AMM 34-11-00								
341212	RIGHT ANGLE OF ATTACK TRANSMITTER							Component ATA:34
PN:861EB	MOS/MSC	28-Apr-01	O/C					
SN:0912	HRS	0		TSN 0				
WC#: 34.280	AFL	0						
PROC. REF: AMM 34-11-00								
341223	LEFT STALL WARNING SHAKER							Component ATA:34
PN:35A527	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.290	AFL	0						
PROC. REF: AMM 34-11-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341224	RIGHT STALL WARNING SHAKER							Component ATA:34
PN:35A527	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.290	AFL	0						
PROC. REF: AMM 34-11-00								
341235	ANGLE OF ATTACK INDEXER							Component ATA:34
PN:SLZ9374-M	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.300	AFL	0						
PROC. REF: AMM 34-11-00, AMM 34-11-00								
341300	RADIO ALTITUDE TRANSMITTER ANTENNA							Component ATA:34
PN:S67-2002-14	MOS/MSC	28-Apr-01	O/C					
SN:5814	HRS	0		TSN 0				
WC#: 34.270	AFL	0						
PROC. REF: GENERIC NO REF								
342001	STANDBY MAGNETIC COMPASS							Component ATA:34
PN:CB2100T6-D	MOS/MSC	28-Apr-01	O/C					
SN:6680	HRS	0		TSN 0				
WC#: 34.310	AFL	0						
PROC. REF: GENERIC NO REF								
342002 ^U	SWING CHECK STANDBY MAGNETIC COMPASS IAW AMM 34-21-00							Service ATA:34
	MOS	11-Jul-24	12		11-Jul-25		280 d	MANDATORY
	HRS	6421:01						
WC#: 34.310	AFL	4989						
342004 ^U	NO. 1 MAIN COMPASS							Component ATA:34
PN:PN	MOS/MSC		O/C					
SN:UNKNOWN	HRS							
	AFL							
342005 ^U	SWING CHECK NO. 1 MAIN COMPASS LH MAIN COMPASS (AHRS) IAW AMM 34-20-00							Service ATA:34
PN:PN	MOS	11-Jul-24	12		11-Jul-25		280 d	
SN:UNKNOWN	HRS	6421:01						
	AFL	4989						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342006 ^U	NO. 2 MAIN COMPASS							Component ATA:34
PN:PN	MOS/MSC		O/C					
SN:UNKNOWN	HRS							
	AFL							
342007 ^U	SWING CHECK NO. 2 MAIN COMPASS RH MAIN COMPASS (AHRS) IAW AMM 34-20-00							Service ATA:34
PN:PN	MOS	11-Jul-24	12		11-Jul-25		280 d	
SN:UNKNOWN	HRS	6421:01						
	AFL	4989						
342037	NO. 1 COMPASS FLUX VALVE							Component ATA:34
PN:622-5812-001	MOS/MSC	28-Apr-01	O/C					
SN:20814	HRS	0		TSN 0				
WC#: 34.350	AFL	0						
PROC. REF: GENERIC NO REF								
342038	NO. 2 COMPASS FLUX VALVE							Component ATA:34
PN:622-5812-001	MOS/MSC	28-Apr-01	O/C					
SN:20682	HRS	0		TSN 0				
WC#: 34.350	AFL	0						
PROC. REF: GENERIC NO REF								
342056	THIRD ATTITUDE INDICATOR							Component ATA:34
PN:501-1412-03	MOS/MSC	27-Aug-02	O/C	TSO 0				
SN:1631	HRS	317:24		TSO 0				
WC#: 34.370	AFL	272		TSO 0				
PROC. REF: GENERIC NO REF								
342151	NO. 1 ALTITUDE SENSOR							Component ATA:34
PN:4030182-903	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.500	AFL	0						
PROC. REF: GENERIC NO REF								
342152	NO. 1 AIR SPEED SENSOR							Component ATA:34
PN:4008515	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.510	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342153	NO. 2 ALTITUDE SENSOR							Component ATA:34
PN:4030182-903	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.500	AFL	0						
PROC. REF: GENERIC NO REF								
342154	NO. 2 AIR SPEED SENSOR							Component ATA:34
PN:4008515	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.510	AFL	0						
PROC. REF: GENERIC NO REF								
342180	STANDBY GYRO							Component ATA:34
PN:122-382015-11	MOS/MSC	20-Oct-22	O/C					
SN:1735	HRS	5734:44						
WC#: 34.520	AFL	4559						
PROC. REF: GENERIC NO REF								
343013	VOR/LOC ANTENNA COUPLER							Component ATA:34
PN:DMH21-1	MOS/MSC	28-Apr-01	O/C					
SN:20112	HRS	0		TSN 0				
WC#: 34.540	AFL	0						
PROC. REF: AMM 34-30-00								
343014	GLIDESLOPE COUPLER							Component ATA:34
PN:101-380043	MOS/MSC	28-Apr-01	O/C					
SN:14752	HRS	0		TSN 0				
WC#: 34.550	AFL	0						
PROC. REF: AMM 34-30-00								
343015	NAVIGATION/MARKER COUPLER							Component ATA:34
PN:101-380042	MOS/MSC	28-Apr-01	O/C					
SN:26508	HRS	0		TSN 0				
WC#: 34.130	AFL	0						
PROC. REF: GENERIC NO REF								
343025	NO. 1 VOR/LOC ANTENNA							Component ATA:34
PN:622-7194-201	MOS/MSC	28-Apr-01	O/C					
SN:5KKR	HRS	0		TSN 0				
WC#: 34.560	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
343026	NO. 2 VOR/LOC ANTENNA							Component ATA:34
PN:622-7194-201	MOS/MSC	28-Apr-01	O/C					
SN:CTTB	HRS	0		TSN 0				
WC#: 34.560	AFL	0						
PROC. REF: GENERIC NO REF								
343027	GLIDESLOPE ANTENNA							Component ATA:34
PN:RGS10-48	MOS/MSC	28-Apr-01	O/C					
SN:A7041	HRS	0		TSN 0				
WC#: 34.570	AFL	0						
PROC. REF: GENERIC NO REF								
343028	MARKER BEACON ANTENNA							Component ATA:34
PN:DMN-27-3	MOS/MSC	28-Apr-01	O/C					
SN:13262	HRS	0		TSN 0				
WC#: 34.580	AFL	0						
PROC. REF: GENERIC NO REF								
344001	WEATHER RADAR							Component ATA:34
PN:622-8440-004	MOS/MSC	23-Aug-23	O/C					
SN:279MY	HRS	6176:11						
WC#: 34.590	AFL	4831						
PROC. REF: AMM NO REF								
344002	CLEAN/INSPECT/LUBRICATE WEATHER RADAR							Service ATA:34
	MOS/MSC	28-Apr-01	O/C					
	HRS	0						
WC#: 34.220	AFL	0						
PROC. REF: AMM NO REF								
345000	NO. 1 ADF RECEIVER							Component ATA:34
PN:622-7382-101	MOS/MSC	01-Nov-05	O/C	TSR 0				
SN:2448	HRS	1206		TSR 0				
WC#: 34.620	AFL	969		TSR 0				
PROC. REF: AMM NO REF								
345001	NO. 2 ADF RECEIVER							Component ATA:34
PN:622-7382-101	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.620	AFL	0						
PROC. REF: AMM NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345002	NO. 1 NAVIGATION RECEIVER							Component ATA:34
PN:622-7194-101	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.630	AFL	0						
PROC. REF: AMM NO REF								
345003	NO. 2 NAVIGATION RECEIVER							Component ATA:34
PN:622-7194-101	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.630	AFL	0						
PROC. REF: AMM NO REF								
345024	NO. 1 DME TRANSCEIVER							Component ATA:34
PN:622-7309-101	MOS/MSC	28-Apr-01	O/C					
SN:CVJA	HRS	0		TSN 0				
WC#: 34.650	AFL	0						
PROC. REF: GENERIC NO REF								
345025	NO. 2 DME TRANSCEIVER							Component ATA:34
PN:622-7309-101	MOS/MSC	28-Apr-01	O/C					
SN:CVKF	HRS	0		TSN 0				
WC#: 34.650	AFL	0						
PROC. REF: GENERIC NO REF								
345026	NO. 1 TRANSPONDER TRANSCEIVER							Component ATA:34
PN:622-9210-501	MOS/MSC	15-May-23	O/C					
SN:4L0KKM	HRS	5987:30						
WC#: 34.660	AFL	4720						
PROC. REF: AMM 34-57-01								
345026	NO. 1 TRANSPONDER TRANSCEIVER							Component ATA:34
PN:PN	MOS/MSC	28-Apr-01	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.660	AFL	0		TSN 0				
PROC. REF: AMM 34-57-01								
345027	NO. 2 TRANSPONDER TRANSCEIVER							Component ATA:34
PN:622-9210-501	MOS/MSC	15-May-23	O/C					
SN:4L0KL1	HRS	5987:30						
WC#: 34.660	AFL	4720						
PROC. REF: AMM 34-57-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345027	NO. 2 TRANSPONDER TRANSCEIVER							Component ATA:34
PN:PN	MOS/MSC	28-Apr-01	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.660	AFL	0		TSN 0				
PROC. REF: AMM 34-57-01								
345085	ADF ANTENNA							Component ATA:34
PN:622-7383-001	MOS/MSC	08-Mar-06	O/C	TSN 0				
SN:1LTWW	HRS	1231:30		TSN 0				
WC#: 34.710	AFL	1001		TSN 0				
PROC. REF: GENERIC NO REF								
345086	NO. 1 DME ANTENNA							Component ATA:34
PN:DMNI50-2-2	MOS/MSC	28-Apr-01	O/C					
SN:74737	HRS	0		TSN 0				
WC#: 34.720	AFL	0						
PROC. REF: GENERIC NO REF								
345087	NO. 1 TRANSPONDER ANTENNA							Component ATA:34
PN:DMNI50-2-2	MOS/MSC	28-Apr-01	O/C					
SN:74673	HRS	0		TSN 0				
WC#: 34.700	AFL	0						
PROC. REF: AMM 34-57-01								
345088	NO. 2 TRANSPONDER ANTENNA							Component ATA:34
PN:DMNI50-2-2	MOS/MSC	28-Apr-01	O/C					
SN:74734	HRS	0		TSN 0				
WC#: 34.700	AFL	0						
PROC. REF: AMM 34-57-01								
345090	NO. 2 DME ANTENNA							Component ATA:34
PN:DMNI50-2-2	MOS/MSC	28-Apr-01	O/C					
SN:74736	HRS	0		TSN 0				
WC#: 34.720	AFL	0						
PROC. REF: GENERIC NO REF								
345098	VLF (LOOP) ANTENNA							Component ATA:34
PN:270-1306-020	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.640	AFL	0						
PROC. REF: AMM NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345610	NO. 1 FLIGHT CONTROL COMPUTER							Component ATA:34
PN:822-1019-313	MOS/MSC	09-Nov-18	O/C					
SN:2827	HRS	3710:33						
WC#: 34.230	AFL	3162						
PROC. REF: AMM NO REF								
345615	NO. 2 FLIGHT CONTROL COMPUTER							Component ATA:34
PN:822-1019-313	MOS/MSC	09-Nov-18	O/C					
SN:2979	HRS	3710:33						
WC#: 34.230	AFL	3162						
PROC. REF: AMM NO REF								
345620	AUTO TRIM COUPLER							Component ATA:34
PN:622-9817-001	MOS/MSC	28-Apr-01	O/C					
SN:5TPW	HRS	0		TSN 0				
WC#: 34.390	AFL	0						
PROC. REF: GENERIC NO REF								
345635	NO. 1A IAPS/IO CONCENTRATOR							Component ATA:34
PN:622-9814-514	MOS/MSC	01-Oct-06	O/C	TSR 0				
SN:1CJD	HRS	1415		TSR 0				
WC#: 34.450	AFL	1148		TSR 0				
PROC. REF: GENERIC NO REF								
345640	NO. 1B IAPS/IO CONCENTRATOR							Component ATA:34
PN:622-9814-514	MOS/MSC	01-Oct-06	O/C	TSR 0				
SN:18NF	HRS	1415		TSR 0				
WC#: 34.450	AFL	1148		TSR 0				
PROC. REF: GENERIC NO REF								
345645	NO. 2A IAPS/IO CONCENTRATOR							Component ATA:34
PN:622-9814-514	MOS/MSC	01-Oct-06	O/C	TSR 0				
SN:1P15	HRS	1415		TSR 0				
WC#: 34.450	AFL	1148		TSR 0				
PROC. REF: GENERIC NO REF								
345650	NO. 2B IAPS/IO CONCENTRATOR							Component ATA:34
PN:622-9814-514	MOS/MSC	26-Mar-19	O/C					
SN:1H7K	HRS	3800:27						
WC#: 34.460	AFL	3247						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345655	NO. 1A IAPS/IO POWER SUPPLY							Component ATA:34
PN:622-9945-021	MOS/MSC	28-Apr-01	O/C					
SN:65LC	HRS	0		TSN 0				
WC#: 34.225	AFL	0						
PROC. REF: GENERIC NO REF								
345660	NO. 1B IAPS/IO POWER SUPPLY							Component ATA:34
PN:622-9945-021	MOS/MSC	28-Apr-01	O/C					
SN:63TN	HRS	0		TSN 0				
WC#: 34.225	AFL	0						
PROC. REF: GENERIC NO REF								
345665	NO. 2A IAPS/IO POWER SUPPLY							Component ATA:34
PN:622-9945-021	MOS/MSC	28-Apr-01	O/C					
SN:63TK	HRS	0		TSN 0				
WC#: 34.170	AFL	0						
PROC. REF: GENERIC NO REF								
345670	NO. 2B IAPS/IO POWER SUPPLY							Component ATA:34
PN:622-9945-021	MOS/MSC	28-Apr-01	O/C					
SN:63TJ	HRS	0		TSN 0				
WC#: 34.170	AFL	0						
PROC. REF: GENERIC NO REF								
345675	NO. 1 ATTITUDE HEADING COMPUTER							Component ATA:34
PN:622-9336-400	MOS/MSC	16-Aug-18	O/C					
SN:3156	HRS	3614:59						
WC#: 34.600	AFL	3073						
PROC. REF: GENERIC NO REF								
345680	NO. 2 ATTITUDE HEADING COMPUTER							Component ATA:34
PN:622-9336-400	MOS/MSC	17-Nov-18	O/C					
SN:1AW7	HRS	3719:39						
WC#: 34.600	AFL	3172						
PROC. REF: GENERIC NO REF								
345685	NO. 1 UNIT (ICU-85) COMPENSATOR							Component ATA:34
PN:622-6189-002	MOS/MSC	28-Apr-01	O/C					
SN:62DV	HRS	0		TSN 0				
WC#: 34.680	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345690	NO. 2 UNIT (ICU-85) COMPENSATOR							Component ATA:34
PN:622-6189-002	MOS/MSC	28-Apr-01	O/C					
SN:62DY	HRS	0		TSN 0				
WC#: 34.680	AFL	0						
PROC. REF: GENERIC NO REF								
345695	NO. 1 AIR DATA MODULE							Component ATA:34
PN:622-7737-007	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.690	AFL	0						
PROC. REF: AMM NO REF								
345700	NO. 2 AIR DATA MODULE							Component ATA:34
PN:622-7737-007	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.690	AFL	0						
PROC. REF: AMM NO REF								
345705	DATA ACQUISITION UNIT							Component ATA:34
PN:622-9344-001	MOS/MSC	28-Apr-01	O/C					
SN:662J	HRS	0		TSN 0				
WC#: 34.670	AFL	0						
PROC. REF: GENERIC NO REF								
345710	PILOT SENSOR UNIT DISPLAY							Component ATA:34
PN:622-9735-001	MOS/MSC	10-Jan-18	O/C					
SN:24J3X	HRS	3399:20		TSO 0				
WC#: 34.610	AFL	2886		TSO 0				
PROC. REF: GENERIC NO REF								
345715	COPILOT SENSOR UNIT DISPLAY							Component ATA:34
PN:622-9735-001	MOS/MSC	28-Apr-01	O/C					
SN:52JJ	HRS	0		TSN 0				
WC#: 34.610	AFL	0						
PROC. REF: GENERIC NO REF								
345720	SENSOR DISPLAY DRIVER UNIT							Component ATA:34
PN:622-9347-001	MOS/MSC	28-Apr-01	O/C					
SN:CT8T	HRS	0		TSN 0				
WC#: 34.530	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345725	PILOT MODE SELECT PANEL							Component ATA:34
PN:622-8330-003	MOS/MSC	05-Jan-05	O/C	TSO 0				
SN:309	HRS	991:54		TSO 0				
WC#: 34.490	AFL	799		TSO 0				
PROC. REF: GENERIC NO REF								
345730	COPILOT MODE SELECT PANEL							Component ATA:34
PN:622-8330-003	MOS/MSC	21-Jul-04	O/C	TSR 0				
SN:309	HRS	907:48		TSR 0				
WC#: 34.490	AFL	727		TSR 0				
PROC. REF: GENERIC NO REF								
345735	PILOT CONTROL DISPLAY UNIT							Component ATA:34
PN:622-8330-003	MOS/MSC	12-Jun-02	O/C					
SN:371	HRS	267:12						
WC#: 34.480	AFL	237						
PROC. REF: GENERIC NO REF								
345740	COPILOT CONTROL DISPLAY UNIT							Component ATA:34
PN:822-0892-015	MOS/MSC	28-Apr-01	O/C					
SN:CYLM	HRS	0		TSN 0				
WC#: 34.480	AFL	0						
PROC. REF: GENERIC NO REF								
345745	COURSE HEADING PANEL							Component ATA:34
PN:622-7397-002	MOS/MSC	28-Apr-01	O/C					
SN:5TDN	HRS	0		TSN 0				
WC#: 34.470	AFL	0						
PROC. REF: GENERIC NO REF								
345750	SIGNAL INTERFACE ADAPTER							Component ATA:34
PN:622-9732-002	MOS/MSC	28-Apr-01	O/C					
SN:5WCF	HRS	0		TSN 0				
WC#: 34.440	AFL	0						
PROC. REF: GENERIC NO REF								
345755	CONTROL DISPLAY COUPLER							Component ATA:34
PN:622-9337-001	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.430	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345760	DATA BASE UNIT							Component ATA:34
PN:822-2215-102	MOS/MSC	14-May-13	O/C					
SN:412D8T	HRS	2412:10						
WC#: 34.420	AFL	1967						
PROC. REF: AMM 34-59-00								
346001	RECEIVER COMPUTER UNIT							Component ATA:34
PN:10050-4-4A2220	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.340	AFL	0						
PROC. REF: AMM NO REF								
346005	IAPS/CARD CAGE							Component ATA:34
PN:822-1029-101	MOS/MSC	28-Apr-01	O/C					
SN:5TVN	HRS	0		TSN 0				
WC#: 34.410	AFL	0						
PROC. REF: AMM NO REF								
346020	PILOT PRIMARY FLIGHT DISPLAY							Component ATA:34
PN:622-9345-203	MOS/MSC	02-Dec-20	O/C					
SN:1RYC4	HRS	4555:54						
WC#: 34.380	AFL	3807						
346025	PILOT MULTIFUNCTION DISPLAY							Component ATA:34
PN:622-9345-001	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.380	AFL	0						
PROC. REF: AMM NO REF								
346030	COPILOT MULTIFUNCTION DISPLAY							Component ATA:34
PN:622-9345-203	MOS/MSC	28-Apr-01	O/C					
SN:5C1H	HRS	0		TSN 0				
WC#: 34.380	AFL	0						
PROC. REF: AMM NO REF								
346035	COPILOT PRIMARY FLIGHT DISPLAY							Component ATA:34
PN:622-9434-213	MOS/MSC	27-Jun-03	O/C	TSO 0				
SN:5CAL	HRS	564:30		TSO 0				
WC#: 34.360	AFL	466		TSO 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
346045	PILOT AIR DATA REFERENCE PANEL							Component ATA:34
PN:622-9500-011	MOS/MSC	23-Sep-21	O/C					
SN:18TVL	HRS	4972:19						
WC#: 34.330	AFL	4073						
PROC. REF: AMM NO REF								
346050	COPILOT AIR DATA REFERENCE PANEL							Component ATA:34
PN:622-9292-001	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.330	AFL	0						
PROC. REF: AMM NO REF								
346055	PILOT ALTITUDE AWARENESS PANEL							Component ATA:34
PN:822-0328-011	MOS/MSC	28-Apr-01	O/C					
SN:5J9G	HRS	0		TSN 0				
WC#: 34.320	AFL	0						
PROC. REF: AMM NO REF								
346060	COPILOT ALTITUDE AWARENESS PANEL							Component ATA:34
PN:822-0328-011	MOS/MSC	15-Sep-23	O/C	TSO 0				
SN:958	HRS	6212:49		TSO 0				
WC#: 34.320	AFL	4860		TSO 0				
PROC. REF: AMM NO REF								
346063	NO. 1 GPS ANTENNA							Component ATA:34
PN:C1401-220	MOS/MSC	15-May-23	O/C	TSN 0				
SN:715949	HRS	5987:30						
WC#: 34.740	AFL	4720		TSN 0				
PROC. REF: AMM 34-58-00								
346064	NO. 2 GPS ANTENNA							Component ATA:34
PN:C1401-220	MOS/MSC	15-May-23	O/C	TSN 0				
SN:691403	HRS	5987:30		TSN 0				
WC#: 34.740	AFL	4720		TSN 0				
PROC. REF: AMM 34-58-00								
346065	NO. 1 GPS RECEIVER							Component ATA:34
PN:822-2189-101	MOS/MSC	15-May-23	O/C	TSN 0				
SN:4PR5LP	HRS	5987:30						
WC#: 34.750	AFL	4720		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
346066	NO. 2 GPS RECEIVER							Component ATA:34
PN:822-2189-101	MOS/MSC	15-May-23	O/C	TSN 0				
SN:4N8XR7	HRS	5987:30		TSN 0				
WC#: 34.750	AFL	4720		TSN 0				
PROC. REF: GENERIC NO REF								
346070	TCAS TRANSCEIVER							Component ATA:34
PN:822-1293-033	MOS/MSC	16-May-23	O/C					
SN:175490	HRS	5987:43						
WC#: 34.760	AFL	4720						
PROC. REF: GENERIC NO REF								
346075	UPPER TCAS DIRECTIONAL ANTENNA							Component ATA:34
PN:622-8973-001	MOS/MSC	28-Apr-01	O/C					
SN:85AK	HRS	0		TSN 0				
WC#: 34.770	AFL	0						
PROC. REF: GENERIC NO REF								
346080	LOWER TCAS DIRECTIONAL ANTENNA							Component ATA:34
PN:S65-5366-7L	MOS/MSC	28-Apr-01	O/C					
SN:52938	HRS	0		TSN 0				
WC#: 34.780	AFL	0						
PROC. REF: GENERIC NO REF								
346087	EGPWS COMPUTER							Component ATA:34
PN:965-0976-040-208-208	MOS/MSC	29-Dec-09	O/C	TSR 0				
SN:11566	HRS	2132:45		TSR 0				
WC#: 34.840	AFL	1711		TSR 0				
PROC. REF: AMM 34-46-00								
348100 ^U	AIRSHOW COMPUTER							Component ATA:34
PN:920092	MOS/MSC	17-Aug-05	O/C	TSR 0				
SN:275	HRS	1157:30		TSR 0				
	AFL	929		TSR 0				
H340001 ^S	INSPECT PITOT/STATIC SYSTEM - FORWARD FUSELAGE							Service ATA:34
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
H340003 ^S	INSPECT AOA TRANSMITTER PROBE - FORWARD FUSELAGE							Service ATA:34
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H340004 ^S	INSPECT PRIMARY FLIGHT DISPLAY (PFD) AND MULTIFUNCTION DISPLAY (MFD) COOLING FANS - PILOTS COMPARTMENT							Service ATA:34
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H340005 ^S	INSPECT FLIGHT INFORMATION DISPLAYS AND INSTRUMENTS - PILOT'S COMPARTMENT							Service ATA:34
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H340008 ^S	INSPECT STALL WARNING SYSTEM - PILOTS COMPARTMENT							Service ATA:34
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H340010 ^S	INSPECT PITOT TUBES - FORWARD FUSELAGE							Service ATA:34
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H341101 ^S	INSPECT AIRBORNE FLIGHT INFORMATION SYSTEM (AFIS) (RK-483AND AFTER - OPTIONAL) -PILOTS COMPARTMENT							Service ATA:34
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H341178 ^S	INSPECT AIRBORNE FLIGHT INFORMATION SYSTEM (AFIS) (OPTIONALEQUIPMENT - RK-483 AND AFTER) - AFT FUSELAGE							Service ATA:34
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
PROC. REF: AMM NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-B11 HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
043502	HYDROSTATIC TEST							Service ATA:35
	MOS	23-Apr-21	60		23-Apr-26		566 d	AIRWORTHINESS
	HRS							
WC#: 35.010	AFL							
	HydroCheck Date: : 23-Apr-21 PROC. REF: AMM 35-11-00							
350003	REPLACE PASSENGER OXYGEN CONTROL VALVE O-RINGS							Service ATA:35
	MOS	11-Jul-24	48		31-Jul-28		1396 d	MAINTENANCE SCHEDULE ITEM (TC)
	HRS	6421:01						
WC#: 35.110	AFL	4989						
	PROC. REF: AMM 35-21-00							
350005	OVERHUAL NO. 1 PASSENGER OXYGEN MASK							Component ATA:35
PN:174080-26	MOS	11-Jul-24	96	TSN 0	31-Jul-32		2857 d	OVERHAUL
SN:UNKNOWN	HRS	6421:01		TSN 0				
WC#: 35.050	AFL	4989		TSN 0				
	PROC. REF: AMM 35-21-00							
350005	OVERHUAL NO. 10 PASSENGER OXYGEN MASK							Component ATA:35
PN:174080-26	MOS	11-Jul-24	96	TSN 0	11-Jul-32		2837 d	OVERHAUL
SN:UNKNOWN	HRS	6421:01		TSN 0				
WC#: 35.090	AFL	4989		TSN 0				
	PROC. REF: AMM 35-21-00							
350005	OVERHUAL NO. 11 PASSENGER OXYGEN MASK							Component ATA:35
PN:174080-26	MOS	11-Jul-24	96	TSN 0	11-Jul-32		2837 d	OVERHAUL
SN:UNKNOWN	HRS	6421:01		TSN 0				
WC#: 35.100	AFL	4989		TSN 0				
	PROC. REF: AMM 35-21-00							
350005	OVERHUAL NO. 12 PASSENGER OXYGEN MASK							Component ATA:35
PN:174080-26	MOS	11-Jul-24	96	TSN 0	11-Jul-32		2837 d	OVERHAUL
SN:UNKNOWN	HRS	6421:01		TSN 0				
WC#: 35.100	AFL	4989		TSN 0				
	PROC. REF: AMM 35-21-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
350005	OVERHUAL NO. 2 PASSENGER OXYGEN MASK							Component ATA:35
PN:174080-26	MOS	11-Jul-24	96	TSN 0	31-Jul-32		2857 d	OVERHAUL
SN:UNKNOWN	HRS	6421:01		TSN 0				
WC#: 35.050	AFL	4989		TSN 0				
PROC. REF: AMM 35-21-00								
350005	OVERHUAL NO. 3 PASSENGER OXYGEN MASK							Component ATA:35
PN:174080-26	MOS	11-Jul-24	96	TSN 0	31-Jul-32		2857 d	OVERHAUL
SN:UNKNOWN	HRS	6421:01		TSN 0				
WC#: 35.060	AFL	4989		TSN 0				
PROC. REF: AMM 35-21-00								
350005	OVERHUAL NO. 4 PASSENGER OXYGEN MASK							Component ATA:35
PN:174080-26	MOS	11-Jul-24	96	TSN 0	31-Jul-32		2857 d	OVERHAUL
SN:UNKNOWN	HRS	6421:01		TSN 0				
WC#: 35.060	AFL	4989		TSN 0				
PROC. REF: AMM 35-21-00								
350005	OVERHUAL NO. 5 PASSENGER OXYGEN MASK							Component ATA:35
PN:174080-26	MOS	11-Jul-24	96	TSN 0	31-Jul-32		2857 d	OVERHAUL
SN:UNKNOWN	HRS	6421:01		TSN 0				
WC#: 35.070	AFL	4989		TSN 0				
PROC. REF: AMM 35-21-00								
350005	OVERHUAL NO. 6 PASSENGER OXYGEN MASK							Component ATA:35
PN:174080-26	MOS	11-Jul-24	96	TSN 0	31-Jul-32		2857 d	OVERHAUL
SN:UNKNOWN	HRS	6421:01		TSN 0				
WC#: 35.070	AFL	4989		TSN 0				
PROC. REF: AMM 35-21-00								
350005	OVERHUAL NO. 7 PASSENGER OXYGEN MASK							Component ATA:35
PN:174080-26	MOS	11-Jul-24	96	TSN 0	31-Jul-32		2857 d	OVERHAUL
SN:UNKNOWN	HRS	6421:01		TSN 0				
WC#: 35.080	AFL	4989		TSN 0				
PROC. REF: AMM 35-21-00								
350005	OVERHUAL NO. 8 PASSENGER OXYGEN MASK							Component ATA:35
PN:174080-26	MOS	11-Jul-24	96	TSN 0	31-Jul-32		2857 d	OVERHAUL
SN:UNKNOWN	HRS	6421:01		TSN 0				
WC#: 35.080	AFL	4989		TSN 0				
PROC. REF: AMM 35-21-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
350005	OVERHUAL NO. 9 PASSENGER OXYGEN MASK							Component ATA:35
PN:174080-26	MOS	11-Jul-24	96	TSN 0	11-Jul-32		2837 d	OVERHAUL
SN:UNKNOWN	HRS	6421:01		TSN 0				
WC#: 35.090	AFL	4989		TSN 0				
PROC. REF: AMM 35-21-00								
350006	OVERHAUL COPILOT OXYGEN MASK							Component ATA:35
PN:174262-12	MOS	16-May-23	72	TSO 6	30-Nov-28		1518 d	OVERHAUL
SN:25012	HRS	5987:43		TSO 0				
WC#: 35.020	AFL	4720		TSO 0				
350006	OVERHAUL PILOT OXYGEN MASK							Component ATA:35
PN:174262-12	MOS	16-May-23	72	TSO 1	30-Apr-29		1669 d	OVERHAUL
SN:23004	HRS	5987:43		TSO 0				
WC#: 35.020	AFL	4720		TSO 0				
PROC. REF: AMM 35-21-00								
350007	OXYGEN CYLINDER REGULATOR							Component ATA:35
PN:172400-14	MOS	27-May-21	72	TSO 0	31-May-27		969 d	OVERHAUL
SN:4413	HRS	4780:03		TSO 0				
WC#: 35.010	AFL	3944		TSO 0				
PROC. REF: AMM 35-11-00								
350012	PROTECTIVE BREATHING EQUIPMENT AVOX SYSTEMS PBE							Component ATA:35
PN:802300-14	MOS	01-Nov-14	120	TSN 0	30-Nov-24 (M)		57 d	LIFE LIMIT
SN:E14110171	HRS							
WC#: 35.130	AFL							
Manufacture Date:: 01-Nov-14			PROC. REF: GENERIC NO REF					
351001	OXYGEN CYLINDER							Component ATA:35
PN:101-384207-13	MOS	30-Nov-15	180	TSN 0	30-Nov-30		2248 d	LIFE LIMIT
SN:ALT281-34551	HRS							
WC#: 35.010	AFL							
PROC. REF: AMM 35-11-00								
351025	OXYGEN PRESSURE INDICATOR							Component ATA:35
PN:45AS95002-7	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 35.030	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
351031	PILOT OXYGEN MASK REGULATOR							Component ATA:35
PN:101-384220-9	MOS/MSC	28-Apr-01	O/C					
SN:08352	HRS	0		TSN 0				
WC#: 35.040	AFL	0						
PROC. REF: GENERIC NO REF								
351032	COPILOT OXYGEN MASK REGULATOR							Component ATA:35
PN:128-380067-5	MOS/MSC	08-Jul-03	O/C	TSN 0				
SN:11191	HRS	574		TSN 0				
WC#: 35.040	AFL	474		TSN 0				
PROC. REF: GENERIC NO REF								
352070	PASSENGER OXYGEN CONTROL VALVE							Component ATA:35
PN:101-384032-7	MOS/MSC	28-Apr-01	O/C					
SN:3059B	HRS	0		TSN 0				
WC#: 35.120	AFL	0		TSN 0				
PROC. REF: AMM 35-21-00								
H350001 ^S	INSPECT PILOT'S AND COPILOT'S OXYGEN SYSTEM - PILOTS COMPARTMENT							Service ATA:35
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
PKG:3								
H350002 ^S	INSPECT PASSENGER OXYGEN SYSETM - PILOTS COMPARTMENT							Service ATA:35
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
PKG:3								
H350004 ^S	INSPECT OXYGEN SYSTEM - FORWARD FUSELAGE							Service ATA:35
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
PKG:2								
H350005 ^S	INSPECT PILOT'S AND COPILOT'S OXYGEN SYSTEM - PERFORM FLIGHT CREW MASK - INSPECTION/CHECK - PILOT'S COMPARTMENT							Service ATA:35
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
PROC. REF: GENERIC BLANK								
PKG:2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
H350006 ^S	INSPECT PROTECTIVE BREATHING EQUIPMENT (PBE) P/N 802300-XX (IF INSTALLED) - PILOT'S COMPARTMENT							Service ATA:35
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
PROC. REF: GENERIC BLANK								PKG:2
H350007 ^S	INSPECT PORTABLE OXYGEN & MASK - CABIN SECTION							Service ATA:35
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H350008 ^S	INSPECT PASSENGER OXYGEN SYSTEM - CABIN SECTION							Service ATA:35
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H350009 ^S	INSPECT OXYGEN SYSTEM - FORWARD FUSELAGE							Service ATA:35
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
ATA 36 - PNEUMATIC								
043601	INSPECT LEFT BLEED AIR SUPPLY TUBE							Service ATA:36
	MOS	11-Jul-24						AIRWORTHINESS
	HRS	6421:01	400 (+20)		6821:01	6841:01	231:52 (+20)	
WC#: 36.070	AFL	4989						
PROC. REF: ALM 4-00-02								
043601	INSPECT RIGHT BLEED AIR SUPPLY TUBE							Service ATA:36
	MOS	11-Jul-24						AIRWORTHINESS
	HRS	6421:01	400 (+20)		6821:01	6841:01	231:52 (+20)	
WC#: 36.070	AFL	4989						
PROC. REF: ALM 4-00-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
361001	NO. 1 BLEED AIR CHECK VALVE							Component ATA:36
PN:45AS63023-3	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 36.010	AFL	0						
PROC. REF: AMM 36-10-00								
361002	NO. 2 BLEED AIR CHECK VALVE							Component ATA:36
PN:45AS63023-3	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 36.010	AFL	0						
PROC. REF: AMM 36-10-00								
361003	FLOW INCREASING VALVE							Component ATA:36
PN:979494-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 36.020	AFL	0						
PROC. REF: GENERIC NO REF								
361013	BLEED AIR PRESSURE REGULATOR							Component ATA:36
PN:38E85-7B	MOS/MSC	28-Apr-01	O/C					
SN:B-760	HRS	0		TSN 0				
WC#: 36.030	AFL	0						
PROC. REF: AMM 36-10-00								
361019	SUCTION PRESSURE EJECTOR							Component ATA:36
PN:19E26-2A	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 36.040	AFL	0						
PROC. REF: AMM 36-10-00, AMM 36-10-00								
361025	DOOR SEAL VALVE							Component ATA:36
PN:45AS63013-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 36.050	AFL	0						
PROC. REF: AMM 36-10-00								
361030	LEFT HAND BLEED AIR ACTUATOR VALVE							Component ATA:36
PN:3034144	MOS/MSC	28-Apr-01	O/C					
SN:F50656	HRS	0		TSN 0				
WC#: 36.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
361035	RIGHT HAND BLEED AIR ACTUATOR VALVE							Component ATA:36
PN:3034144	MOS/MSC	28-Apr-01	O/C					
SN:F50652	HRS	0		TSN 0				
WC#: 36.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
H360001 ^S	INSPECT BLEED AIR SYSTEM CHECK VALVES -ENGINE GROUND RUN AND OPERATIONAL CHECKS							Service ATA:36
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
PKG:3								
ATA 39 - ELECTRICAL PANELS, PARTS AND INSTRUMENTS								
393110 ^U	NO. 1 PITCH TRIM CONTOLLER							Component ATA:39
PN:76621-4	MOS/MSC	21-Nov-16	O/C					
SN:1670	HRS	2757:27						
	AFL	2307						
ATA 52 - DOORS								
041101	REPLACE EMERGENCY EXIT DOOR HANDLE COVER (PULL)(SELF-ILLUMINATING) PLACARD (IF INSTALLED)							Service ATA:52
	MOS	30-Jul-20	60		30-Jul-25		299 d	LIFE LIMIT
	HRS							
WC#: 52.020	AFL							
Manufacture Date:: 30-Jul-20 PROC. REF: GENERIC NO REF								
041102	REPLACE EMERGENCY EXIT DOOR HANDLE (PULL)(SELF-ILLUMINATING) PLACARD							Service ATA:52
	MOS	30-Jul-20	60		30-Jul-25		299 d	LIFE LIMIT
	HRS							
WC#: 52.020	AFL							
Manufacture Date:: 30-Jul-20 PROC. REF: GENERIC NO REF								
521001	ENTRANCE DOOR ASSEMBLY							Component ATA:52
PN:45A30103-241	MOS/MSC	28-Apr-01	O/C					
SN:RK318	HRS	0		TSN 0				
WC#: 52.010	AFL	0						
PROC. REF: AMM 52-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
522001	EMERGENCY EXIT DOOR							Component ATA:52
PN:45A30202-1	MOS/MSC	28-Apr-01	O/C					
SN:RK318	HRS	0		TSN 0				
WC#: 52.030	AFL	0						
PROC. REF: AMM 52-20-00								
H520002 ^S	INSPECT AVIONICS ACCESS DOORS - FORWARD FUSELAGE							Service ATA:52
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
PKG:3								
H520003 ^S	INSPECT LANDING LIGHT AND DOORS - FORWARD FUSELAGE							Service ATA:52
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
PKG:2								
H520004 ^S	INSPECT NOSE LANDING GEAR DOORS - LANDING GEAR AND BRAKES							Service ATA:52
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
PKG:2								
H520005 ^S	INSPECT NOSE LANDING GEAR DOORS -LANDING GEAR AND BRAKES -LANDING GEAR AND BRAKES							Service ATA:52
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
PKG:3								
H520006 ^S	INSPECT BAGGAGE DOORS - AFT FUSELAGE							Service ATA:52
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
PKG:3								
H520007 ^S	INSPECT FUEL TANK FILLER RECEPTACLE AND DOOR - AFT FUSELAGE							Service ATA:52
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
PKG:2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
H520008 ^S	INSPECT DOOR WARNING SYSTEM - CABIN SECTION							Service ATA:52
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H520009 ^S	INSPECT ENTRANCE DOOR LATCH AND LOCK MECHANSIM- CABIN SECTION							Service ATA:52
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PROC. REF: GENERIC BLANK
								PKG:3
H520010 ^S	INSPECT EMERGENCY EXIT LATCH AND LOCK MECHANSIM- CABIN SECTION							Service ATA:52
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H520011 ^S	INSPECT EXTERNAL POWER RECEPTACLE - AFT FUSELAGE							Service ATA:52
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H520014 ^S	INSPECT EMERGENCY EXIT DOOR (EMERGENCY EXIT DOOR REMOVED) - CABIN SECTION							Service ATA:52
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H520015 ^S	INSPECT MAIN ENTRANCE DOOR - CABIN SECTION							Service ATA:52
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H520017 ^S	INSPECT ENTRANCE DOOR- SCHEDULED D INSPECTIONCS							Service ATA:52
	MOS	11-Jul-24						
	HRS	6421:01	6400					
	AFL	4989						
								PKG:5

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
H520018 ^S	INSPECT ENTRANCE DOOR LAND AND SUPPORT FRAMES LATCH PIN RECEPTACLES AND DOOR LAND GUIDES SCHEDULED D INSPECTIONCS							Service ATA:52
	MOS	11-Jul-24						
	HRS	6421:01	6400					
	AFL	4989						
								PKG:5
H520019 ^S	VISUALLY INSPECT ENTRANCE DOOR STEPS							Service ATA:52
	MOS	11-Jul-24						
	HRS	6421:01	200 (+40)					
WC#: 52.040	AFL	4989						
								PKG:1
H520032 ^S	INSPECT MOISTURE DRAIN HOLES AND VALVES - CABIN SECTION							Service ATA:52
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H520105 ^S	INSPECT LEFT MAIN LANDING GEAR DOORS - LANDING GEAR AND BRAKES							Service ATA:52
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H520113 ^S	INSPECT LEFT MAIN LANDING GEAR DOOR BEAMS AND FITTINGS - LANDING GEAR AND BRAKES							Service ATA:52
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H520119 ^S	INSPECT REMOTE OIL ACCESS DOOR (RK-78, RK-87 THRU RK-390, RK-392 WITH KIT 128-9007-0001 INSTALLED, RK-391, RK-393 AND AFTER) - LEFT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:52
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-B11 HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
H520120 ^S	INSPECT OIL FILLER DOOR - LEFT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:52
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
	PROC. REF: AMM NO REF							PKG:2
H520205 ^S	INSPECT RIGHT MAIN LANDING GEAR DOORS - LANDING GEAR AND BRAKES							Service ATA:52
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H520213 ^S	INSPECT RIGHT MAIN LANDING GEAR DOOR BEAMS AND FITTINGS - LANDING GEAR AND BRAKES							Service ATA:52
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H520219 ^S	INSPECT REMOTE OIL ACCESS DOOR (RK-78, RK-87 THRU RK-390, RK-392 WITH KIT 128-9007-0001 INSTALLED, RK-391, RK-393 AND AFTER) - RIGHT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:52
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H520220 ^S	INSPECT OIL FILLER DOOR - RIGHT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:52
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
ATA 53 - FUSELAGE								
047102	INSPECT NO. 1 ENGINE FORWARD CARRY-THROUGH BRACKET							Service ATA:53
	MOS	11-Jul-24						AIRWORTHINESS
	HRS	6421:01	200 (+20)		6621:01	6641:01	31:52 (+20)	
WC#: 53.030	AFL	4989						
	PROC. REF: ALM 4-00-02							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-B11 HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
047103	REPLACE NO. 1 ENGINE CARRY-THROUGH BRACKET BOLTS							Service ATA:53
	MOS	24-Jun-22						MANDATORY
	HRS	5404:34	5000		10404:34		3815:25	
WC#: 53.050	AFL	4334						
PROC. REF: AMM 20-10-05								
047103	REPLACE NO. 2 ENGINE CARRY-THROUGH BRACKET BOLTS							Service ATA:53
	MOS	24-Jun-22						MANDATORY
	HRS	5404:34	5000		10404:34		3815:25	
WC#: 53.050	AFL	4334						
PROC. REF: AMM 20-10-05								
531079	NO. 1 ENGINE FORWARD CARRY-THRU BRACKET							Component ATA:53
PN:45A34361	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	22400	TSN 0	22400		15810:51	
WC#: 53.020	AFL	0						
PROC. REF: GENERIC NO REF								
531080	NO. 1 ENGINE AFT CARRY-THRU BRACKET							Component ATA:53
PN:45A34361	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	22400	TSN 0	22400		15810:51	
WC#: 53.030	AFL	0						
PROC. REF: GENERIC NO REF								
531081	NO. 2 ENGINE FORWARD CARRY-THRU BRACKET							Component ATA:53
PN:45A34361	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	22400	TSN 0	22400		15810:51	
WC#: 53.020	AFL	0						
PROC. REF: GENERIC NO REF								
531082	NO. 2 ENGINE AFT CARRY-THRU BRACKET							Component ATA:53
PN:45A34361	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	22400	TSN 0	22400		15810:51	
WC#: 53.030	AFL	0						
PROC. REF: GENERIC NO REF								
531095	DETAIL INSPECT LEFT MAIN LANDING GEAR FITTING ASSEMBLY							Service ATA:53
	MOS	28-Apr-01						MANDATORY
	HRS	0						
WC#: 53.170	AFL	0	T:7000 (+15)		7000	7015	1906 (+15)	
PROC. REF: AMM 53-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
531095	DETAIL INSPECT RIGHT MAIN LANDING GEAR FITTING ASSEMBLY							Service ATA:53
	MOS	28-Apr-01						MANDATORY
	HRS	0						
WC#: 53.170	AFL	0	T:7000 (+15)		7000	7015	1906 (+15)	
PROC. REF: AMM 53-40-00								
531096	DETAIL INSPECT LEFT MID FUSELAGE MAIN LANDING GEAR UPLOCK FITTING							Service ATA:53
	MOS	28-Apr-01						MANDATORY
	HRS	0						
WC#: 53.180	AFL	0	T:7000 (+15)		7000	7015	1906 (+15)	
PROC. REF: AMM 53-40-00								
531096	DETAIL INSPECT RIGHT MID FUSELAGE MAIN LANDING GEAR UPLOCK FITTING							Service ATA:53
	MOS	28-Apr-01						MANDATORY
	HRS	0						
WC#: 53.180	AFL	0	T:7000 (+15)		7000	7015	1906 (+15)	
PROC. REF: AMM 53-40-00								
535001	RADOME							Component ATA:53
PN:45AS31008-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 53.010	AFL	0						
PROC. REF: AMM 53-50-00								
H530001 ^S	INSPECT FUSLEAGE MOISTURE DRAIN - FORWARD FUSELAGE							Service ATA:53
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
PKG:3								
H530002 ^S	INSPECT DORSAL FIN AND VENTRAL FIN - AFT FUSELAGE							Service ATA:53
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
PKG:3								
H530003 ^S	INSPECT WING/FUSELAGE FILLET - MIDFUSELAGE							Service ATA:53
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
PKG:3								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
H530004 ^S	INSPECT CENTER PEDESTAL - PILOT'S COMPARTMENT							Service ATA:53
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H530005 ^S	INSPECT COMPRESSOR/CONDENSER INLET AND EXHAUST PORTS - AFT FUSELAGE							Service ATA:53
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H530006 ^S	INSPECT RADOME AND LIGHTNING DIVERTER STRIPS - FORWARD FUSELAGE							Service ATA:53
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H530007 ^S	INSPECT AFT FUSELAGE BAGGAGE PANELS - AFT FUSELAGE							Service ATA:53
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H530010 ^S	INSPECT FLOOR PANELS-PILOT'S COMPARTMENT							Service ATA:53
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H530011 ^S	INSPECT FUSELAGE INNER SKIN AND SPLICE - CABIN SECTION							Service ATA:53
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H530012 ^S	INSPECT AFT PRESSURE BULKHEAD - CABIN SECTION							Service ATA:53
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
H530013 ^S	INSPECT MOISTURE DRAIN HOLES AND VALVES-PILOT'S COMPARTMENT							Service ATA:53
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H530015 ^S	INSPECT FUSELAGE SKIN AND ACCESS DOORS (EXTERIOR INSPECTION ONLY, PANEL REMOVAL IS NOT REQUIRED) - FORWARD FUSELAGE							Service ATA:53
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H530016 ^S	INSPECT FRAME REINFORCEMENT CLIPS (45A33273), FS 279.4(7096) - MIDFUSELAGE							Service ATA:53
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H530017 ^S	INSPECT EMERGENCY GEAR DOWN BRACKET ASSEMBLY ATTACHCLIP, FS 279.4 (7096) - MIDFUSELAGE							Service ATA:53
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H530018 ^S	INSPECT KEEL STRUCTURE - MIDFUSELAGE							Service ATA:53
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H530019 ^S	INSPECT FUSELAGE SKIN - MIDFUSELAGE							Service ATA:53
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H530020 ^S	INSPECT LOWER FRAME AND SPLICE, FS 307.2 (7803) - MIDFUSELAGE							Service ATA:53
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
H530021 ^S	INSPECT FUSELAGE SKIN, ACCESS DOORS AND FAIRINGS - AFT FUSELAGE							Service ATA:53
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H530022 ^S	INSPECT FORWARD ENGINE CARRY-THROUGH BEAM - AFT FUSELAGE							Service ATA:53
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H530023 ^S	INSPECT FAIRING OF VERTICAL STABILIZER-TO-FUSELAGE - - VERTICAL STABILIZER							Service ATA:53
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H530024 ^S	INSPECT VERTICAL STABILIZER FRONT SPAR ATTACHMENT ANDFRAME- VERTICAL STABILIZER							Service ATA:53
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H530025 ^S	INSPECT VERTICAL STABILIZER REAR SPAR ATTACHMENT ANDFRAME - VERTICAL STABILIZER							Service ATA:53
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H530026 ^S	INSPECT LOWER FITTING OF WINDSHIELD CENTER POST - SCHEDULED D INSPECTIONCS							Service ATA:53
	MOS	11-Jul-24						
	HRS	6421:01	6400					
	AFL	4989						
								PKG:5
H530027 ^S	INSPECT FRAME AND INTERCOSTALS BEHIND INNER SKIN- SCHEDULED D INSPECTIONCS							Service ATA:53
	MOS	11-Jul-24						
	HRS	6421:01	6400					
	AFL	4989						
								PKG:5

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
H530028 ^S	INSPECT CABIN FRAMES AND STRINGERS- SCHEDULED D INSPECTIONCS							Service ATA:53
	MOS	11-Jul-24						
	HRS	6421:01	6400					
	AFL	4989						
								PKG:5
H530029 ^S	INSPECT FLOOR PANELS - CABIN SECTION							Service ATA:53
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H530030 ^S	INSPECT ELEVATOR CONTROL-COLUMN-SUPPORT BOX (LH & RH)- SCHEDULED D INSPECTIONCS							Service ATA:53
	MOS	11-Jul-24						
	HRS	6421:01	6400					
	AFL	4989						
								PKG:5
H530031 ^S	INSPECT AFT FUSELAGE BAGGAGE COMPARTMENT- SCHEDULED D INSPECTIONCS							Service ATA:53
	MOS	11-Jul-24						
	HRS	6421:01	6400					
	AFL	4989						
								PKG:5
H530033 ^S	INSPECT RVSM REGION -FORWARD FUSELAGE							Service ATA:53
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H530034 ^S	INSPECT FUSELAGE SKIN - AFT FUSELAGE							Service ATA:53
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H532001 ^S	INSPECT TAIL CONE - AFT FUSELAGE							Service ATA:53
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
H540007 ^S	INSPECT FORWARD AND AFT ENGINE CARRY-THROUGH- SCHEDULED D INSPECTIONCS							Service ATA:54
	MOS	11-Jul-24						
	HRS	6421:01	6400					
	AFL	4989						
								PKG:5
H540008 ^S	INSPECT FRAME AND PYLON RIB- SCHEDULED D INSPECTIONCS							Service ATA:54
	MOS	11-Jul-24						
	HRS	6421:01	6400					
	AFL	4989						
								PKG:5
H540101 ^S	INSPECT PYLON SKIN - LEFT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:54
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H540102 ^S	INSPECT NACELLE - LEFT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:54
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H540103 ^S	INSPECT ENGINE INLET - LEFT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:54
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H540104 ^S	INSPECT PYLON NACELLE SEAL -LEFT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:54
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H540105 ^S	INSPECT ENGINE/PYLON FIREWALL -LEFT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:54
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
H540201 ^S	INSPECT PYLON SKIN - RIGHT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:54
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H540202 ^S	INSPECT NACELLE - RIGHT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:54
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H540203 ^S	INSPECT ENGINE INLET - RIGHT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:54
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H540204 ^S	INSPECT PYLON NACELLE SEAL -RIGHT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:54
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H540205 ^S	INSPECT ENGINE/PYLON FIREWALL -RIGHT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:54
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
ATA 55 - STABILIZERS								
045505	PERFORM RADIOGRAPHIC (X-RAY) INSPECTION OF THE HORIZONTAL STABILIZER RIB ASSEMBLIES							Service ATA:55
	MOS	28-Apr-01						AIRWORTHINESS
	HRS	0	T:7400 (+20)		7400	7420	810:51 (+20)	
WC#: 27.470	AFL	0						
PROC. REF: AMM 55-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
H550001 ^S	INSPECT STABILIZER SKIN, LEADING EDGE AND ACCESS PANELS - VERTICAL STABILIZER							Service ATA:55
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H550002 ^S	INSPECT RUDDER ASSEMBLY - VERTICAL STABILIZER							Service ATA:55
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H550003 ^S	INSPECT RUDDER HINGES AND BOLTS, TORQUE TUBE AND BELL CRANK, STOP BOLTS AND RUDDER COUNTER-BALANCE - VERTICAL STABILIZER							Service ATA:55
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H550004 ^S	INSPECT STABILIZER SKIN, LEADING EDGES AND ACCESS PANELS - HORIZONTAL STABILIZER							Service ATA:55
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H550005 ^S	INSPECT ELEVATOR ASSEMBLY - HORIZONTAL STABILIZER							Service ATA:55
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H550007 ^S	INSPECT VERTICAL STABILIZER SIDE RAILS AND ROLLER - VERTICAL STABILIZER							Service ATA:55
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H550008 ^S	INSPECT AFT PIVOT FITTING ASSEMBLY - HORIZONTAL STABILIZER							Service ATA:55
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
H550009 ^S	INSPECT FRONT AND REAR SPAR AND FITTINGS- HORIZONTAL STABILIZER							Service ATA:55
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H550010 ^S	INSPECT ELEVATOR OPERATION - HORIZONTAL STABILIZER							Service ATA:55
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H550011 ^S	INSPECT VERTICAL STABILIZER RIBS AND STRINGERS- SCHEDULED D INSPECTIONCS							Service ATA:55
	MOS	11-Jul-24						
	HRS	6421:01	6400					
	AFL	4989						
								PKG:5
H550012 ^S	INSPECT HORIZONTAL STABILIZER FRONT AND REAR SPARFITTINGS- SCHEDULED D INSPECTIONCS							Service ATA:55
	MOS	11-Jul-24						
	HRS	6421:01	6400					
	AFL	4989						
								PKG:5
H550013 ^S	INSPECT HORIZONTAL STABILIZER STRINGERS AND SKINS -HORIZONTAL STABILIZER STATION (HSS) 0.00 TO HSS 11.81 (300) - HORIZONTAL STABILIZER							Service ATA:55
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H550014 ^S	INSPECT VERTICAL STABILIZER - VERTICAL STABILIZER							Service ATA:55
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
ATA 56 - WINDOWS								
045602562006	CABIN LEFT 6TH WINDOW INNER PANEL							Component ATA:56
PN:45AS31003-3/13/15/17	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		13410:51	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
WC#: 56.080	AFL	0						
PROC. REF: AMM 25-22-00								
561001	PILOT WINDSHIELD							Component ATA:56
PN:45AS31001-023	MOS/MSC	21-Sep-18	O/C					
SN:06044H6988	HRS	3644:03						
WC#: 56.010	AFL	3104						
PROC. REF: AMM 56-10-00								
561002	COPILOT WINDSHIELD							Component ATA:56
PN:45AS31001-024	MOS/MSC	24-Jul-19	O/C					
SN:10161H8905	HRS	3901:40						
WC#: 56.010	AFL	3350						
PROC. REF: AMM 56-10-00								
561007 ^U	INSPECT PILOT WINDSHIELD SURFACE SEAL COATING							Service ATA:56
	MOS	11-Jul-24						AIRWORTHINESS
	HRS	6421:01	200		6621:01		31:52	
WC#: 56.010	AFL	4989						
561008 ^U	INSPECT COPILOT WINDSHIELD SURFACE SEAL COATING							Service ATA:56
	MOS	11-Jul-24						AIRWORTHINESS
	HRS	6421:01	200		6621:01		31:52	
WC#: 56.010	AFL	4989						
561013	PILOT COCKPIT SIDE WINDOW							Component ATA:56
PN:45AS31010-021	MOS	29-Oct-15		TSN 0				LIFE LIMIT
SN:2025	HRS	2575:21	20000	TSN 0	22575:21		15986:12	
WC#: 56.020	AFL	2129		TSN 0				
PROC. REF: AMM 56-10-00								
561014	COPILOT COCKPIT SIDE WINDOW							Component ATA:56
PN:45AS31010-022	MOS	22-Mar-10		TSN 0				LIFE LIMIT
SN:1786	HRS	2154:50	20000	TSN 0	22154:50		15565:41	
WC#: 56.020	AFL	1733		TSN 0				
PROC. REF: AMM 56-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
562001	CABIN LEFT FORWARD WINDOW INNER PANEL							Component ATA:56
PN:45AS31003-3/13/15/17	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		13410:51	
WC#: 56.030	AFL	0						
PROC. REF: AMM 25-22-00								
562002	CABIN LEFT 2ND WINDOW INNER PANEL							Component ATA:56
PN:45AS31003-3/13/15/17	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		13410:51	
WC#: 56.040	AFL	0						
PROC. REF: AMM 25-22-00								
562003	CABIN LEFT 3RD WINDOW INNER PANEL							Component ATA:56
PN:45AS31003-3/13/15/17	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		13410:51	
WC#: 56.050	AFL	0						
PROC. REF: AMM 25-22-00								
562004	CABIN LEFT 4TH WINDOW INNER PANEL							Component ATA:56
PN:45AS31003-3/13/15/17	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		13410:51	
WC#: 56.060	AFL	0						
PROC. REF: AMM 25-22-00								
562005	CABIN LEFT 5TH WINDOW INNER PANEL							Component ATA:56
PN:45AS31003-3/13/15/17	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		13410:51	
WC#: 56.070	AFL	0						
PROC. REF: AMM 25-22-00								
562007	CABIN RIGHT FORWARD WINDOW INNER PANEL							Component ATA:56
PN:45AS31003-3/13/15/17	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		13410:51	
WC#: 56.030	AFL	0						
PROC. REF: AMM 25-22-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
562008	CABIN RIGHT 2ND WINDOW INNER PANEL							Component ATA:56
PN:45AS31003-3/13/15/17	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		13410:51	
WC#: 56.040	AFL	0						
PROC. REF: AMM 25-22-00								
562009	CABIN RIGHT 3RD WINDOW INNER PANEL							Component ATA:56
PN:45AS31003-3/13/15/17	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		13410:51	
WC#: 56.050	AFL	0						
PROC. REF: AMM 25-22-00								
562010	CABIN RIGHT 4TH WINDOW INNER PANEL							Component ATA:56
PN:45AS31003-3/13/15/17	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		13410:51	
WC#: 56.060	AFL	0						
PROC. REF: AMM 25-22-00								
562011	CABIN RIGHT 5TH WINDOW INNER PANEL							Component ATA:56
PN:45AS31003-3/13/15/17	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		13410:51	
WC#: 56.070	AFL	0						
PROC. REF: AMM 25-22-00								
562012	CABIN RIGHT 6TH WINDOW INNER PANEL							Component ATA:56
PN:45AS31003-3/13/15/17	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		13410:51	
WC#: 56.080	AFL	0						
PROC. REF: AMM 25-22-00								
562013	LEFT FORWARD CABIN WINDOW OUTER PANEL							Component ATA:56
PN:45AS31003-1/-11	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		13410:51	
WC#: 56.090	AFL	0						
PROC. REF: AMM 25-22-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
562014	CABIN LEFT 2ND WINDOW OUTER PANEL							Component ATA:56
PN:45AS31003-1/-11	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		13410:51	
WC#: 56.100	AFL	0						
PROC. REF: AMM 25-22-00								
562015	CABIN LEFT 3RD WINDOW OUTER PANEL							Component ATA:56
PN:45AS31003-1/-11	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		13410:51	
WC#: 56.110	AFL	0						
PROC. REF: AMM 25-22-00								
562016	CABIN LEFT 4TH WINDOW OUTER PANEL							Component ATA:56
PN:45AS31003-1/-11	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		13410:51	
WC#: 56.120	AFL	0						
PROC. REF: AMM 25-22-00								
562017	CABIN LEFT 5TH WINDOW OUTER PANEL							Component ATA:56
PN:45AS31003-1/-11	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		13410:51	
WC#: 56.130	AFL	0						
PROC. REF: AMM 25-22-00								
562018	CABIN LEFT 6TH WINDOW OUTER PANEL							Component ATA:56
PN:45AS31003-1/-11	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		13410:51	
WC#: 56.140	AFL	0						
PROC. REF: AMM 25-22-00								
562019	CABIN RIGHT FORWARD WINDOW OUTER PANEL							Component ATA:56
PN:45AS31003-1/-11	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		13410:51	
WC#: 56.090	AFL	0						
PROC. REF: AMM 25-22-00								
562020	RIGHT 2ND WINDOW OUTER PANEL							Component ATA:56
PN:45AS31003-1/-11	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		13410:51	
WC#: 56.100	AFL	0						
PROC. REF: AMM 25-22-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
562021	CABIN RIGHT 3RD WINDOW OUTER PANEL							Component ATA:56
PN:45AS31003-1/-11	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		13410:51	
WC#: 56.110	AFL	0						
PROC. REF: AMM 25-22-00								
562022	CABIN RIGHT 4TH WINDOW OUTER PANEL							Component ATA:56
PN:45AS31003-1/-11	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		13410:51	
WC#: 56.120	AFL	0						
PROC. REF: AMM 25-22-00								
562023	CABIN RIGHT 5TH WINDOW OUTER PANEL							Component ATA:56
PN:45AS31003-1/-11	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		13410:51	
WC#: 56.130	AFL	0						
PROC. REF: AMM 25-22-00								
562024	CABIN RIGHT 6TH WINDOW OUTER PANEL							Component ATA:56
PN:45AS31003-1/-11	MOS	28-Apr-01						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		13410:51	
WC#: 56.140	AFL	0						
PROC. REF: AMM 25-22-00								
H560001 ^S	INSPECT WINDSHIELD AND FLIGHT COMPARTMENT WINDOWS - FORWARD FUSELAGE							Service ATA:56
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
PKG:2								
H560002 ^S	INSPECT WINDSHIELD EXTERNAL FRAME AND PROTECTORS - FORWARD FUSELAGE							Service ATA:56
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
PKG:2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
H560004 ^S	INSPECT WINDSHIELD SURFACE SEAL COATING (RK-1 THRU RK-242 WITH KIT 128-5405 INSTALLED; RK-243 AND AFTER) - FORWARD FUSELAGE							Service	ATA:56
	MOS	11-Jul-24	12						
	HRS	6421:01	400						
	AFL	4989							
								PKG:2	
H560005 ^S	INSPECT PASSENGER COMPARTMENT WINDOWS - MIDFUSELAGE							Service	ATA:56
	MOS	11-Jul-24	12						
	HRS	6421:01	400						
	AFL	4989							
								PKG:2	
H560006 ^S	INSPECT LOWER FITTING OF WINDSHIELD CENTER POST - SCHEDULED D INSPECTIONCS							Service	ATA:56
	MOS	11-Jul-24							
	HRS	6421:01	6400						
	AFL	4989							
								PKG:5	
H560007 ^S	INSPECT WINDSHIELD GLASS, COCKPIT SIDE WINDOW GLASS, AND RETAINERS (INTERIOR WINDSHIELD TRIM PANELS REMOVED)- PILOT'S COMPARTMENT							Service	ATA:56
	MOS	11-Jul-24							
	HRS	6421:01	1600						
	AFL	4989							
								PKG:4	
H560014 ^S	INSPECT FORWARD PRESSURE BULKHEAD - - FORWARD FUSELAGE							Service	ATA:56
	MOS	11-Jul-24							
	HRS	6421:01	1600						
	AFL	4989							
				PROC. REF: AMM NO REF				PKG:4	
ATA 57 - WINGS									
570008	INSPECT LEFT WING WING-TO-FUSELAGE ATTACH BOLTS - DETAIL INSPECT FOR CORROSION, WEAR, AND DAMAGE. MAGNETIC PARTICLE INSPECT FOR CRACKS.							Service	ATA:57
	MOS	21-Oct-21	60	Adj -207d	31-Mar-26		543 d		
	HRS	5045:21							
WC#: 57.020	AFL	4116							
				PROC. REF: AMM 57-40-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-B11 HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
570008	INSPECT RIGHT WING WING-TO-FUSELAGE ATTACH BOLTS - DETAIL INSPECT FORCORROSION, WEAR, AND DAMAGE. MAGNETIC PARTICLE INSPECT FOR CRACKS.							Service ATA:57
	MOS	21-Oct-21	60	Adj -207d	31-Mar-26		543 d	
	HRS	5045:21						
WC#: 57.020	AFL	4116						
PROC. REF: AMM 57-40-00								
576010	LEFT ROLL TRIM ASSEMBLY							Component ATA:57
PN:45A10720-001	MOS/MSC	28-Apr-01	O/C					
SN:RK324	HRS	0		TSN 0				
WC#: 57.060	AFL	0		TSN 0				
PROC. REF: AMM 27-10-00								
576020	RIGHT ROLL TRIM ASSEMBLY							Component ATA:57
PN:45A10720-002	MOS/MSC	28-Apr-01	O/C					
SN:RK320	HRS	0		TSN 0				
WC#: 57.060	AFL	0		TSN 0				
PROC. REF: AMM 27-10-00								
57R001 ^U	LEFT WING BOLTS							Component ATA:57
PN:PN	MOS/MSC	28-Mar-11	O/C	TSN 0				
SN:UNKNOWN	HRS							
	AFL							
57R002 ^U	RIGHT WING BOLTS							Component ATA:57
PN:PN	MOS/MSC	28-Mar-11	O/C	TSN 0				
SN:UNKNOWN	HRS							
	AFL							
H570009 ^S	INSPECT WING ATTACH FITTINGS - MIDFUSELAGE							Service ATA:57
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H570012 ^S	INSPECT MAIN FLAP CENTER RAIL ASSEMBLY AND CENTER FLAPROLLERS- SCHEDULED D INSPECTIONCS							Service ATA:57
	MOS	11-Jul-24						
	HRS	6421:01	6400					
	AFL	4989						
								PKG:5

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-B11 HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
H570013 ^S	INSPECT WING FRONT AND REAR SPAR FITTINGS- SCHEDULED D INSPECTIONCS							Service ATA:57
	MOS	11-Jul-24						
	HRS	6421:01	6400					
	AFL	4989						
								PKG:5
H570014 ^S	INSPECT FORWARD AND AFT CARRY-THROUGH (LUGS) (P/N45A33511 AND 45A33512)- SCHEDULED D INSPECTIONCS							Service ATA:57
	MOS	11-Jul-24						
	HRS	6421:01	6400					
	AFL	4989						
								PKG:5
H570102 ^S	INSPECT WING SKIN - LEFT-HAND WING							Service ATA:57
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H570103 ^S	INSPECT FUEL TANK FILLER RECEPTACLE - LEFT-HAND WING							Service ATA:57
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H570104 ^S	INSPECT WING TIP AND LENS COVER - LEFT-HAND WING							Service ATA:57
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H570106 ^S	INSPECT WING LEADING AND TRAILING EDGE ASSEMBLIES - LEFT-HAND WING							Service ATA:57
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H570107 ^S	INSPECT WING FUEL STORAGE AND INSPECTION ACCESS PANELS - LEFT-HAND WING							Service ATA:57
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-B11 HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
H570111 ^S	INSPECT WING FUEL STORAGE AREA INSPECTION- LEFT-HAND WING							Service ATA:57
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H570112 ^S	INSPECT SPOILER BRACKET (P/N 45A10152) REAR SPAR AREA(WCS 2513) -LEFT-HAND WING							Service ATA:57
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H570202 ^S	INSPECT WING SKIN - RIGHT-HAND WING							Service ATA:57
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H570203 ^S	INSPECT FUEL TANK FILLER RECEPTACLE - RIGHT-HAND WING							Service ATA:57
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H570204 ^S	INSPECT WING TIP AND LENS COVER - RIGHT-HAND WING							Service ATA:57
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H570206 ^S	INSPECT WING LEADING AND TRAILING EDGE ASSEMBLIES - RIGHT-HAND WING							Service ATA:57
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H570207 ^S	INSPECT WING FUEL STORAGE AND INSPECTION ACCESS PANELS - RIGHT-HAND WING							Service ATA:57
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
PROC. REF: GENERIC BLANK								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
H570211 ^S	INSPECT WING FUEL STORAGE AREA INSPECTION- RIGHT-HAND WING							Service ATA:57
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H570212 ^S	INSPECT SPOILER BRACKET (P/N 45A10152) REAR SPAR AREA(WCS 2513) -RIGHT-HAND WING							Service ATA:57
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
ATA 71 - POWER PLANT								
047105	REPLACE NO. 1 ENGINE AFT MOUNT ISOLATOR WITH PN 45AS42002-1/-3 (LORD)							Service ATA:71
	MOS	28-Apr-01						REPLACE
	HRS	0	7000		7000	7000	410:51	
WC#: 71.060	AFL	0						
047105	REPLACE NO. 1 ENGINE FORWARD LOWER MOUNT ISOLATOR WITH PN 45AS42002-1/-3 (LORD)							Service ATA:71
	MOS	14-Apr-22						REPLACE
	HRS	5326:47	7000	TAC 5326:47	7000		410:51	
WC#: 71.050	AFL	4292		TAC 4292				
047105	REPLACE NO. 1 ENGINE FORWARD UPPER MOUNT ISOLATOR WITH PN 45AS42002-1/-3 (LORD)							Service ATA:71
	MOS	14-Apr-22						REPLACE
	HRS	5326:47	7000	TAC 5326:47	7000		410:51	
WC#: 71.040	AFL	4292		TAC 4292				
047105	REPLACE NO. 2 ENGINE AFT MOUNT ISOLATOR WITH PN 45AS42002-1/-3 (LORD)							Service ATA:71
	MOS	28-Apr-01						REPLACE
	HRS	0	7000		7000	7000	410:51	
WC#: 71.060	AFL	0						
047105	REPLACE NO. 2 ENGINE FORWARD LOWER MOUNT ISOLATOR WITH PN 45AS42002-1/-3 (LORD)							Service ATA:71
	MOS	14-Apr-22						REPLACE
	HRS	5326:47	7000	TAC 5326:47	7000		410:51	
WC#: 71.050	AFL	4292		TAC 4292				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
047105	REPLACE NO. 2 ENGINE FORWARD UPPER MOUNT ISOLATOR WITH PN 45AS42002-1/-3 (LORD)							Service ATA:71
	MOS	14-Apr-22						REPLACE
	HRS	5326:47	7000	TAC 5326:47	7000		410:51	
WC#: 71.040	AFL	4292		TAC 4292				
710002 ^S	NO. 1 ENGINE - EXTREME ENVIRONMENT INSPECTION - FOR ENGINE OPERATING MORE THAN 40% OF THE TIME IN ZONES CONSIDERED EXTREME IN TERM OF ENVIRONMENTAL HARSHNESS PER ENVIRONMENTAL MAPS							Service ATA:71
	MOS	11-Jul-24						
	HRS	8611:36	200 (+20)					
	ENC	7547						
PKG:0								
710002 ^S	NO. 2 ENGINE - EXTREME ENVIRONMENT INSPECTION - FOR ENGINE OPERATING MORE THAN 40% OF THE TIME IN ZONES CONSIDERED EXTREME IN TERM OF ENVIRONMENTAL HARSHNESS PER ENVIRONMENTAL MAPS							Service ATA:71
	MOS	11-Jul-24						
	HRS	10256:59	200 (+20)					
	ENC	8630						
PKG:0								
710004 ^S	NO. 1 ENGINE - EXTREME ENVIRONMENT INSPECTION - INSPECT THE INTERMEDIATE CASE FOR CORROSION. TREAT FOR CORROSION AS REQUIRED							Service ATA:71
	MOS	11-Jul-24						
	HRS	8611:36	200 (+20)					
	ENC	7547						
PKG:0								
710004 ^S	NO. 2 ENGINE - EXTREME ENVIRONMENT INSPECTION - INSPECT THE INTERMEDIATE CASE FOR CORROSION. TREAT FOR CORROSION AS REQUIRED							Service ATA:71
	MOS	11-Jul-24						
	HRS	10256:59	200 (+20)					
	ENC	8630						
PKG:0								
710010	NO. 1 ENGINE - OVERHAUL							Service ATA:71
	MOS	15-Mar-23						OVERHAUL
	HRS	8218:30	3600 (+50/-50)		(11818:30) 9627:55	11868:30	3038:46 (+50)	
	ENC	7304						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
710010	NO. 2 ENGINE - OVERHAUL							Service ATA:71
	MOS	20-Oct-22						OVERHAUL
	HRS	9570:42	3600 (+50/-50)		(13170:42) 9334:44	13220:42	2745:35 (+50)	
	ENC	8200						
	PROC. REF: GENERIC NO REF							
710020	NO. 1 ENGINE - HOT SECTION INSPECTION							Service ATA:71
	MOS	07-Jun-23						
	HRS	8218:30	1800 (+50/-50)		(10018:30) 7827:55	10068:30	1238:46 (+50)	
	ENC	7304						
	PROC. REF: EMM 72-00-00							
710020	NO. 2 ENGINE - HOT SECTION INSPECTION							Service ATA:71
	MOS	09-Oct-22						
	HRS	9570:42	1800 (+50/-50)		(11370:42) 7534:44	11420:42	945:35 (+50)	
	ENC	8200						
	PROC. REF: EMM 72-00-00							
710021	NO. 1 ENGINE INTAKE DUCT ASSEMBLY							Component ATA:71
PN:45A35022-221	MOS/MSC	28-Apr-01	O/C					
SN:RK318	HRS	0		TSN 0				
WC#: 71.080	AFL	0		TSN 0				
	PROC. REF: GENERIC NO REF							
710022	NO. 2 ENGINE INTAKE DUCT ASSEMBLY							Component ATA:71
PN:45A35022-221	MOS/MSC	28-Apr-01	O/C					
SN:RK318	HRS	0		TSN 0				
WC#: 71.080	AFL	0		TSN 0				
	PROC. REF: GENERIC NO REF							
710030	NO. 1 ENGINE - DESALINATION WASH							Service ATA:71
	MOS/MSC	30-Nov-15	A/R					
	HRS	7203:30						
	ENC	6383						
	PROC. REF: EMM 71-00-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
710030	NO. 2 ENGINE - DESALINATION WASH							Service ATA:71
	MOS/MSC	25-Aug-94	A/R					
	HRS	0						
	ENC	0						
				PROC. REF: EMM 71-00-00				
710040	NO. 1 ENGINE - WASH TURBINE							Service ATA:71
	MOS/MSC	30-Nov-15	A/R					
	HRS	7203:30						
	ENC	6383						
				PROC. REF: EMM 71-00-00				
710040	NO. 2 ENGINE - WASH TURBINE							Service ATA:71
	MOS/MSC	25-Aug-94	A/R					
	HRS	0						
	ENC	0						
				PROC. REF: EMM 71-00-00				
712007	NO. 1 ENGINE FORWARD UPPER MOUNT							Component ATA:71
PN:45AS42002-9	MOS	14-Apr-22						LIFE LIMIT
SN:LK1357	HRS	5326:47	22400	TSN 5326:47	22400		15810:51	
WC#: 71.040	AFL	4292		TSN 4292				
				PROC. REF: AMM NO REF				
712008	NO. 2 ENGINE FORWARD UPPER MOUNT							Component ATA:71
PN:45AS42002-9	MOS	14-Apr-22						LIFE LIMIT
SN:LK1333	HRS	5326:47	22400	TSN 5326:47	22400		15810:51	
WC#: 71.040	AFL	4292		TSN 4292				
				PROC. REF: AMM NO REF				
712009	NO. 1 ENGINE LOWER FORWARD MOUNT							Component ATA:71
PN:45AS42002-9	MOS	14-Apr-22						LIFE LIMIT
SN:LK1350	HRS	5326:47	22400	TSN 5326:47	22400		15810:51	
WC#: 71.050	AFL	4292		TSN 4292				
				PROC. REF: AMM NO REF				
712010	NO.2 ENGINE FORWARD LOWER MOUNT							Component ATA:71
PN:45AS42002-9	MOS	14-Apr-22						LIFE LIMIT
SN:LK1295	HRS	5326:47	22400	TSN 5326:47	22400		15810:51	
WC#: 71.050	AFL	4292		TSN 4292				
				PROC. REF: AMM NO REF				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
712011	NO. 1 ENGINE AFT MOUNT							Component ATA:71
PN:45AS42002-11	MOS	28-Apr-01						LIFE LIMIT
SN:0477	HRS	0	22400	TSN 0	22400		15810:51	
WC#: 71.060	AFL	0						
PROC. REF: AMM NO REF								
712012	NO. 2 ENGINE AFT MOUNT							Component ATA:71
PN:45AS42002-11	MOS	28-Apr-01						LIFE LIMIT
SN:0873	HRS	0	22400	TSN 0	22400		15810:51	
WC#: 71.060	AFL	0						
PROC. REF: AMM NO REF								
71EN1	NO. 1 ENGINE							Component ATA:71
PN:3030100	MOS/MSC	07-Jun-23	E/C					
SN:PCE-100182	HRS	6027:55						
	AFL	4746						
PROC. REF: AMM 71-00-00								
71EN2	NO. 2 ENGINE							Component ATA:71
PN:3030100	MOS/MSC	20-Oct-22	E/C					
SN:PCE-100361	HRS	5734:44		TSN 9570:44				
	AFL	4559						
PROC. REF: AMM 71-00-00								
720002	INSPECT NO. 1 ENGINE ISOLATOR MOUNTS							Service ATA:71
	MOS	23-Aug-23						MANDATORY
	HRS	6176:11	1800 (+20)		7976:11	7996:11	1387:02 (+20)	
WC#: 71.070	AFL	4831						
PROC. REF: GENERIC NO REF								
720002	NSPECT NO. 2 ENGINE ISOLATOR MOUNTS							Service ATA:71
	MOS	23-Aug-23						MANDATORY
	HRS	6176:11	1800 (+20)		7976:11	7996:11	1387:02 (+20)	
WC#: 71.070	AFL	4831						
PROC. REF: GENERIC NO REF								
H710001 ^S	ENGINE SYSTEMS - NOTE: OBSERVE ENGINE GROUND OPERATING PROCEDURES							Service ATA:71
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
PKG:2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
H710102 ^S	INSPECT BLEED AIR SYSTEM - LEFT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:71
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H710202 ^S	INSPECT BLEED AIR SYSTEM - RIGHT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:71
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
ATA 72 - ENGINE								
720020	NO. 1 ENGINE - OIL ANALYSIS							Service ATA:72
	MOS/MSC	25-Nov-02	A/R					
	HRS	4478:42						
	ENC	3966						
PROC. REF: EMM 72-00-00								
720020	NO. 2 ENGINE - OIL ANALYSIS							Service ATA:72
	MOS/MSC	25-Aug-94	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00								
720032 ^S	NO. 1 ENGINE - TUBING, WIRING, CONTROL LINKAGE AND CABLES - EVIDENCE OF WEAR, CHAFING, CRACKS AND CORROSION							Service ATA:72
	MOS	11-Jul-24						
	HRS	8611:36	200 (+20)					
	ENC	7547						
								PKG:0
720032 ^S	NO. 2 ENGINE - TUBING, WIRING, CONTROL LINKAGE AND CABLES - EVIDENCE OF WEAR, CHAFING, CRACKS AND CORROSION							Service ATA:72
	MOS	11-Jul-24						
	HRS	10256:59	200 (+20)					
	ENC	8630						
								PKG:0

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720034 ^S	NO. 1 ENGINE - TUBING, WIRING, CONTROL LINKAGE AND CABLES - EVIDENCE OF FUEL OR OIL LEAKS							Service ATA:72
	MOS	11-Jul-24						
	HRS	8611:36	200 (+20)					
	ENC	7547						
								PKG:0
720034 ^S	NO. 2 ENGINE - TUBING, WIRING, CONTROL LINKAGE AND CABLES - EVIDENCE OF FUEL OR OIL LEAKS							Service ATA:72
	MOS	11-Jul-24						
	HRS	10256:59	200 (+20)					
	ENC	8630						
								PKG:0
720036 ^S	NO. 1 ENGINE - TUBING, WIRING, CONTROL LINKAGE AND CABLES - EVIDENCE OF FRAYING, BROKEN STRANDS, SECURITY OF CABLES AND FITTINGS							Service ATA:72
	MOS	11-Jul-24						
	HRS	8611:36	200 (+20)					
	ENC	7547						
								PKG:0
720036 ^S	NO. 2 ENGINE - TUBING, WIRING, CONTROL LINKAGE AND CABLES - EVIDENCE OF FRAYING, BROKEN STRANDS, SECURITY OF CABLES AND FITTINGS							Service ATA:72
	MOS	11-Jul-24						
	HRS	10256:59	200 (+20)					
	ENC	8630						
								PKG:0
720038 ^S	NO. 2 ENGINE - TUBING, WIRING, CONTROL LINKAGE AND CABLES - LUBRICATE ROD END CONNECTORS							Service ATA:72
	MOS	11-Jul-24						
	HRS	10256:59	200 (+20)					
	ENC	8630						
								PKG:0
720042 ^S	NO. 1 ENGINE - EXHAUST DUCT - CRACKS OR DISTORTION							Service ATA:72
	MOS	11-Jul-24						
	HRS	8611:36	200 (+20)					
	ENC	7547						
								PKG:0

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720042 ^S	NO. 2 ENGINE - EXHAUST DUCT - CRACKS OR DISTORTION							Service ATA:72
	MOS	11-Jul-24						
	HRS	10256:59	200 (+20)					
	ENC	8630						
								PKG:0
720044 ^S	NO. 1 ENGINE - ACCESSORIES - SECURITY OF ACCESSORIES							Service ATA:72
	MOS	11-Jul-24						
	HRS	8611:36	200 (+20)					
	ENC	7547						
								PKG:0
720044 ^S	NO. 2 ENGINE - ACCESSORIES - SECURITY OF ACCESSORIES							Service ATA:72
	MOS	11-Jul-24						
	HRS	10256:59	200 (+20)					
	ENC	8630						
								PKG:0
720060 ^S	NO. 1 ENGINE - ENGINE MOUNTS - SECURITY AND CONDITION							Service ATA:72
	MOS	11-Jul-24						
	HRS	8611:36	200 (+20)					
	ENC	7547						
								PKG:0
720060 ^S	NO. 2 ENGINE - ENGINE MOUNTS - SECURITY AND CONDITION							Service ATA:72
	MOS	11-Jul-24						
	HRS	10256:59	200 (+20)					
	ENC	8630						
								PKG:0
720070 ^S	NO. 1 ENGINE - TUBING, WIRING, CONTROL LINKAGE AND CABLES - SECURITY OF ALL ACCESSIBLE CONNECTIONS, CLAMPS AND BRACKETS							Service ATA:72
	MOS	11-Jul-24						
	HRS	8611:36	200 (+20)					
	ENC	7547						
								PKG:0

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720070 ^S	NO. 2 ENGINE - TUBING, WIRING, CONTROL LINKAGE AND CABLES - SECURITY OF ALL ACCESSIBLE CONNECTIONS, CLAMPS AND BRACKETS							Service ATA:72
	MOS	11-Jul-24						
	HRS	10256:59	200 (+20)					
	ENC	8630						
								PKG:0
720100	NO. 1 ENGINE - ENGINE OVERTEMPERATURE							Service ATA:72
	MOS/MSC	30-Jan-89	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00								
720100	NO. 2 ENGINE - ENGINE OVERTEMPERATURE							Service ATA:72
	MOS/MSC	25-Aug-94	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00								
720110	NO. 1 ENGINE - FOREIGN OBJECT DAMAGE (FOD)							Service ATA:72
	MOS/MSC	30-Jan-89	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00								
720110	NO. 2 ENGINE - FOREIGN OBJECT DAMAGE (FOD)							Service ATA:72
	MOS/MSC	25-Aug-94	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00								
720120	NO. 1 ENGINE - LOSS OF OIL							Service ATA:72
	MOS/MSC	30-Jan-89	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00								
720120	NO. 2 ENGINE - LOSS OF OIL							Service ATA:72
	MOS/MSC	25-Aug-94	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720130	NO. 1 ENGINE - ENGINE OVERSPEED							Service ATA:72
	MOS/MSC	30-Jan-89	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: EMM 72-00-00							
720130	NO. 2 ENGINE - ENGINE OVERSPEED							Service ATA:72
	MOS/MSC	25-Aug-94	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: EMM 72-00-00							
720140	NO. 1 ENGINE - ENGINE WINDMILLING							Service ATA:72
	MOS/MSC	30-Jan-89	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: EMM 72-00-00							
720140	NO. 2 ENGINE - ENGINE WINDMILLING							Service ATA:72
	MOS/MSC	25-Aug-94	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: EMM 72-00-00							
720150	NO. 1 ENGINE - ENGINE IMMERSION IN WATER							Service ATA:72
	MOS/MSC	30-Jan-89	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: EMM 72-00-00							
720150	NO. 2 ENGINE - ENGINE IMMERSION IN WATER							Service ATA:72
	MOS/MSC	25-Aug-94	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: EMM 72-00-00							
720160	NO. 1 ENGINE - ENGINE DROPPED DURING HANDLING							Service ATA:72
	MOS/MSC	30-Jan-89	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: EMM 72-00-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720160	NO. 2 ENGINE - ENGINE DROPPED DURING HANDLING							Service ATA:72
	MOS/MSC	25-Aug-94	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: EMM 72-00-00							
720170	NO. 1 ENGINE - LIGHTNING STRIKE							Service ATA:72
	MOS/MSC	30-Jan-89	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: EMM 72-00-00							
720170	NO. 2 ENGINE - LIGHTNING STRIKE							Service ATA:72
	MOS/MSC	25-Aug-94	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: EMM 72-00-00							
720180	NO. 1 ENGINE - ENGINE EXPOSED TO FIRE EXTINGUISHING AGENT							Service ATA:72
	MOS/MSC	30-Jan-89	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: EMM 72-00-00							
720180	NO. 2 ENGINE - ENGINE EXPOSED TO FIRE EXTINGUISHING AGENT							Service ATA:72
	MOS/MSC	25-Aug-94	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: EMM 72-00-00							
720190	NO. 1 ENGINE - HEAVY/HARD LANDING							Service ATA:72
	MOS/MSC	30-Jan-89	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: EMM 72-00-00							
720190	NO. 2 ENGINE - HEAVY/HARD LANDING							Service ATA:72
	MOS/MSC	25-Aug-94	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: EMM 72-00-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720200	NO. 1 ENGINE - AIRCRAFT FLOWN THROUGH A CLOUD OF VOLCANIC ASH							Service ATA:72
	MOS/MSC	30-Jan-89	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: EMM 72-00-00							
720200	NO. 2 ENGINE - AIRCRAFT FLOWN THROUGH A CLOUD OF VOLCANIC ASH							Service ATA:72
	MOS/MSC	25-Aug-94	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: EMM 72-00-00							
720210	NO. 1 ENGINE - STARTER GENERATOR FAIL INDICATION							Service ATA:72
	MOS/MSC	30-Jan-89	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: EMM 72-00-00							
720210	NO. 2 ENGINE - STARTER GENERATOR FAIL INDICATION							Service ATA:72
	MOS/MSC	25-Aug-94	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: EMM 72-00-00							
720220	NO. 1 ENGINE - HYDRAULIC PUMP FAILURE							Service ATA:72
	MOS/MSC	30-Jan-89	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: EMM 72-00-00							
720220	NO. 2 ENGINE - HYDRAULIC PUMP FAILURE							Service ATA:72
	MOS/MSC	25-Aug-94	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: EMM 72-00-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723010	NO. 1 ENGINE - CENTRIFUGAL IMPELLER							Component ATA:72
PN:3040939	MOS	15-Mar-23						LIFE LIMIT
SN:A000E2DP	HRS	8218:30						
	ENC	7304		TSN 3532	(15772) 13214 (M)		8120	
	ACCCYC	0	12000	TSN 3532			8181	
PROC. REF: GENERIC NO REF								
723010	NO. 2 ENGINE - CENTRIFUGAL IMPELLER							Component ATA:72
PN:3040939	MOS	09-Oct-22						LIFE LIMIT
SN:A0002E27	HRS	9570:42						
	ENC	8200		TSN 6813	(13387) 9746 (M)		4652	
	ACCCYC	0	12000	TSN 6813			4713	
PROC. REF: GENERIC NO REF								
723020	NO. 1 ENGINE - LOW BOOST COMPRESSOR HUB							Component ATA:72
PN:3034112	MOS	30-Jan-89		TSN 0				LIFE LIMIT
SN:6X942	HRS	0		TSN 0				
	ENC	0		TSN 0	(14000) 11442 (M)		6348	
	ACCCYC	0	14000	TSN 0			6409	
PROC. REF: GENERIC NO REF								
723020	NO. 2 ENGINE - LOW BOOST COMPRESSOR HUB							Component ATA:72
PN:3038312	MOS	25-Aug-94						LIFE LIMIT
SN:48A083	HRS	0		TSN 0				
	ENC	0		TSN 0	(14000) 10359 (M)		5265	
	ACCCYC	0	14000	TSN 0			5326	
PROC. REF: GENERIC NO REF								
723022 ^S	NO. 1 ENGINE - COMPRESSOR INLET - VISUALLY INSPECT LOW PRESSURE COMPRESSOR BLADES AND STATOR VANES FOR DIRT DEPOSITS, CORROSION AND EROSION							Service ATA:72
	MOS	11-Jul-24						
	HRS	8611:36	200 (+20)					
	ENC	7547						
PKG:0								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723022 ^S	NO. 2 ENGINE - COMPRESSOR INLET - VISUALLY INSPECT LOW PRESSURE COMPRESSOR BLADES AND STATOR VANES FOR DIRT DEPOSITS, CORROSION AND EROSION							Service ATA:72
	MOS	11-Jul-24						
	HRS	10256:59	200 (+20)					
	ENC	8630						
								PKG:0
723030	NO. 1 ENGINE - LOW COMPRESSOR HUB							Component ATA:72
PN:3037911	MOS	30-Jan-89		TSN 0				LIFE LIMIT
SN:5X688	HRS	0		TSN 0				
	ENC	0		TSN 0	(12000) 9442 (M)		4348	
	ACCCYC	0	12000	TSN 0			4409	
PROC. REF: GENERIC NO REF								
723030	NO. 2 ENGINE - LOW COMPRESSOR HUB							Component ATA:72
PN:3037911	MOS	25-Aug-94						LIFE LIMIT
SN:72A038	HRS	0		TSN 0				
	ENC	0		TSN 0	(12000) 8359 (M)		3265	
	ACCCYC	0	12000	TSN 0			3326	
PROC. REF: GENERIC NO REF								
723040	NO. 1 ENGINE - LP COMPRESSOR ROTOR BALANCE ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	30-Jan-89	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-30-03								
723050 ^S	NO. 1 ENGINE - COMPRESSOR INLET - CHECK COMPRESSOR INLET AREA FOR CLEANLINESS							Service ATA:72
	MOS	11-Jul-24						
	HRS	8611:36	200 (+20)					
	ENC	7547						
								PKG:0
723050 ^S	NO. 2 ENGINE - COMPRESSOR INLET - CHECK COMPRESSOR INLET AREA FOR CLEANLINESS							Service ATA:72
	MOS	11-Jul-24						
	HRS	10256:59	200 (+20)					
	ENC	8630						
								PKG:0

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725010	NO. 1 ENGINE - HIGH TURBINE ROTOR DISK							Component ATA:72
PN:3036411	MOS	03-Mar-06		TSN 0				LIFE LIMIT
SN:A001WRDL	HRS	6332:48		TSN 0				
	ENC	5575		TSN 0	(19575) 17017 (M)		11923	
	ACCCYC	0	14000	TSN 0			11984	
PROC. REF: EMM 72-50-02								
725010	NO. 2 ENGINE - HIGH TURBINE ROTOR DISK							Component ATA:72
PN:3036411	MOS	25-Aug-11		TSR 0				LIFE LIMIT
SN:73A676	HRS	9074:06		TSN 9074:06, TSR 0				
	ENC	7777		TSN 7777, TSR 0	(14000) 10359 (M)		5265	
	ACCCYC	0	14000	TSN 7777			5326	
PROC. REF: EMM 72-50-02								
725020	NO. 1 ENGINE - 2ND-STAGE LOW TURBINE ROTOR DISK							Component ATA:72
PN:3022212	MOS	25-Nov-02		TSN 0				LIFE LIMIT
SN:A00195AF	HRS	4478:42		TSN 0				
	ENC	3466		TSN 0	(17466) 14908 (M)		9814	
	ACCCYC	0	14000	TSN 0			9875	
PROC. REF: GENERIC NO REF								
725020	NO. 2 ENGINE - 2ND-STAGE LOW TURBINE ROTOR DISK							Component ATA:72
PN:3022212	MOS	25-Aug-94						LIFE LIMIT
SN:72S944	HRS	0		TSN 0				
	ENC	0		TSN 0	(14000) 10359 (M)		5265	
	ACCCYC	0	14000	TSN 0			5326	
PROC. REF: GENERIC NO REF								
725030	NO. 1 ENGINE - 3RD-STAGE LOW TURBINE ROTOR DISK							Component ATA:72
PN:3036113	MOS	25-Nov-02		TSN 0				LIFE LIMIT
SN:A0018NBX	HRS	4478:42		TSN 0				
	ENC	3466		TSN 0	(17466) 14908 (M)		9814	
	ACCCYC	0	14000	TSN 0			9875	
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725030	NO. 2 ENGINE - 3RD-STAGE LOW TURBINE ROTOR DISK							Component ATA:72
PN:3036113	MOS	25-Aug-94						LIFE LIMIT
SN:73S631	HRS	0		TSN 0				
	ENC	0		TSN 0	(14000) 10359 (M)		5265	
	ACCCYC	0	14000	TSN 0			5326	
PROC. REF: GENERIC NO REF								
725070	NO. 1 ENGINE - INSPECT LOW PRESSURE COMPRESSOR BYPASS STATOR RIVETS							Service ATA:72
	MOS/MSC	30-Nov-15	N/A					
	HRS	7203:30						
	ENC	6383						
PROC. REF: GENERIC NO REF								
725070	NO. 2 ENGINE - INSPECT LOW PRESSURE COMPRESSOR BYPASS STATOR RIVETS							Service ATA:72
	MOS/MSC		N/A					
	HRS							
	ENC							
PROC. REF: GENERIC NO REF								
725080	NO. 1 ENGINE - VISUAL INSPECT LOW PRESSURE COMPRESSOR BYPASS STATOR INNER AND OUTER RINGS FOR CRACKS							Service ATA:72
	MOS	07-Jun-23						
	HRS	8218:30	1800 (+50/-50)		(10018:30) 7827:55	10068:30	1238:46 (+50)	
	ENC	7304						
PROC. REF: GENERIC NO REF								
725080	NO. 2 ENGINE - VISUAL INSPECT LOW PRESSURE COMPRESSOR BYPASS STATOR INNER AND OUTER RINGS FOR CRACKS							Service ATA:72
	MOS	02-Jun-11						
	HRS	8973:24	1800 (+50/-50)		(10773:24) 6937:26	10823:24	348:17 (+50)	
	ENC	7713						
PROC. REF: GENERIC NO REF								
H720001 ^S	INSPECT ENGINE CONTROLS AND CABLE - LEFT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:72
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
PKG:2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
H720004 ^S	INSPECT FUEL AND HYDRAULIC LINES - LEFT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:72
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H720005 ^S	INSPECT ENGINE ACCESSORIES - LEFT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:72
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H720006 ^S	INSPECT ELECTRICAL HARNESS - LEFT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:72
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H720008 ^S	INSPECT ENGINE CONTROLS AND CABLE - RIGHT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:72
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H720009 ^S	INSPECT ENGINE ACCESSORIES - RIGHT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:72
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H720010 ^S	INSPECT FUEL AND HYDRAULIC LINES - RIGHT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:72
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H720011 ^S	INSPECT ELECTRICAL HARNESS - RIGHT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:72
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
PROC. REF: AMM NO REF								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
H720012 ^S	INSPECT ENGINE ISOLATOR MOUNTS - RIGHT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:72
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H720013 ^S	INSPECT ENGINE ISOLATOR MOUNTS - LEFT-HAND POWER PLANT, PYLON AND NACELLE							Service ATA:72
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
ATA 73 - ENGINE FUEL AND CONTROL								
730002 ^S	NO. 1 ENGINE - FUEL - CHECK FOR PRESENCE OF WATER							Service ATA:73
	MOS	11-Jul-24						
	HRS	8611:36	200 (+20)					
	ENC	7547						
								PKG:0
730002 ^S	NO. 2 ENGINE - FUEL - CHECK FOR PRESENCE OF WATER							Service ATA:73
	MOS	11-Jul-24						
	HRS	10256:59	200 (+20)					
	ENC	8630						
								PKG:0
731002 ^S	NO. 1 ENGINE - CHANGE FUEL PUMP OUTLET FILTER (10 MICRON)							Service ATA:73
	MOS	11-Jul-24						
	HRS	8611:36	200 (+10%)					
	ENC	7547						
PROC. REF: EMM 73-10-02								PKG:0
731002 ^S	NO. 2 ENGINE - CHANGE FUEL PUMP OUTLET FILTER (10 MICRON)							Service ATA:73
	MOS	11-Jul-24						
	HRS	10256:59	200 (+10%)					
	ENC	8630						
PROC. REF: EMM 73-10-02								PKG:0

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731010	NO. 1 ENGINE - FUEL PUMP							Component ATA:73
PN:710501-3	MOS/MSC	15-Mar-23	O/C	TSO 0				
SN:2015	HRS	8218:30		TSO 0				
	ENC	7304		TSO 0				
PROC. REF: EMM 73-10-02								
731010	NO. 2 ENGINE - FUEL PUMP							Component ATA:73
PN:710501-3	MOS/MSC	09-Oct-22	O/C	TSO 0				
SN:0998	HRS	9570:42		TSO 0				
	ENC	8200		TSO 0				
PROC. REF: EMM 73-10-02								
731012 ^S	NO. 1 ENGINE - FUEL PUMP - CHECK FOR SECURITY AND FUEL LEAKS							Service ATA:73
	MOS	11-Jul-24						
	HRS	8611:36	200 (+20)					
	ENC	7547						
PKG:0								
731012 ^S	NO. 2 ENGINE - FUEL PUMP - CHECK FOR SECURITY AND FUEL LEAKS							Service ATA:73
	MOS	11-Jul-24						
	HRS	10256:59	200 (+20)					
	ENC	8630						
PKG:0								
731013	NO. 1 ENGINE - REPLACE FUEL FILTER							Service ATA:73
	MOS/MSC	27-Mar-17	N/A					
	HRS							
	ENC							
PROC. REF: EMM 73-10-13								
731014 ^S	NO. 1 ENGINE - FUEL PUMP INLET SCREEN (JT15D-5) - CHECK SCREEN FOR FOREIGN MATTER AND DISTORTION. CLEAN AND REINSTALL, OR INSTALL NEW SCREEN							Service ATA:73
	MOS	11-Jul-24						
	HRS	8611:36	200 (+20)					
	ENC	7547						
PKG:0								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731014 ^S	NO. 2 ENGINE - FUEL PUMP INLET SCREEN (JT15D-5) - CHECK SCREEN FOR FOREIGN MATTER AND DISTORTION. CLEAN AND REINSTALL, OR INSTALL NEW SCREEN							Service ATA:73
	MOS	11-Jul-24						
	HRS	10256:59	200 (+20)					
	ENC	8630						
								PKG:0
731018 ^S	NO. 1 ENGINE - DRAIN VALVES - SECURITY AND LEAKAGE							Service ATA:73
	MOS	11-Jul-24						
	HRS	8611:36	200 (+20)					
	ENC	7547						
								PKG:0
731018 ^S	NO. 2 ENGINE - DRAIN VALVES - SECURITY AND LEAKAGE							Service ATA:73
	MOS	11-Jul-24						
	HRS	10256:59	200 (+20)					
	ENC	8630						
								PKG:0
731020	NO. 1 ENGINE - FUEL-OIL COOLER							Component ATA:73
PN:14438-000	MOS/MSC	15-Mar-23	O/C					
SN:1063	HRS	8218:30		TSO 1905				
	ENC	7304						
PROC. REF: EMM 73-10-01								
731020	NO. 2 ENGINE - FUEL-OIL COOLER							Component ATA:73
PN:3117056-01	MOS/MSC	09-Oct-22	O/C	TSO 0				
SN:M36008	HRS	9570:42		TSO 0				
	ENC	8200		TSO 0				
PROC. REF: EMM 73-10-01								
731022 ^S	NO. 1 ENGINE - FLOW DIVIDER AND DUMP VALVE - SECURITY AND LEAKAGE							Service ATA:73
	MOS	11-Jul-24						
	HRS	8611:36	200 (+20)					
	ENC	7547						
								PKG:0
731022 ^S	NO. 2 ENGINE - FLOW DIVIDER AND DUMP VALVE - SECURITY AND LEAKAGE							Service ATA:73
	MOS	11-Jul-24						
	HRS	10256:59	200 (+20)					
	ENC	8630						
								PKG:0

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731025	NO. 1 ENGINE - VISUALLY INSPECT FUEL-OIL COOLER							Service ATA:73
PN:14438-000	MOS	15-Mar-23						
SN:1063	HRS	8218:30	3600 (+50/-50)	TAC 1905	(9913:30) 7722:55	9963:30	1133:46 (+50)	
	ENC	7304						
PROC. REF: EMM 73-10-01								
731025	NO. 2 ENGINE - VISUALLY INSPECT FUEL-OIL COOLER							Service ATA:73
PN:3117056-01	MOS	09-Oct-22						
SN:M36008	HRS	9570:42	1500 (+50/-50)		(11070:42) 7234:44	11120:42	645:35 (+50)	
	ENC	8200						
PROC. REF: EMM 73-10-01								
731030	NO. 1 ENGINE - MOTIVE FLOW VALVE							Component ATA:73
PN:PN	MOS/MSC	30-Jan-89	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
731030	NO. 2 ENGINE - MOTIVE FLOW VALVE							Component ATA:73
PN:PN	MOS/MSC	25-Aug-94	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
731035	NO. 1 ENGINE - VISUALLY INSPECT MOTIVE FLOW VALVE							Service ATA:73
PN:PN	MOS	03-Mar-06						
SN:UNKNOWN	HRS	6332:48	3600 (+50/-50)		(9932:48) 7742:13	9982:48	1153:04 (+50)	
	ENC	5575						
PROC. REF: GENERIC BLANK								
731035	NO. 2 ENGINE - VISUALLY INSPECT MOTIVE FLOW VALVE							Service ATA:73
PN:PN	MOS	20-Oct-22						
SN:UNKNOWN	HRS	9570:42	1500 (+50/-50)		(11070:42) 7234:44	11120:42	645:35 (+50)	
	ENC	8200						
PROC. REF: GENERIC BLANK								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731040	NO. 1 ENGINE - FLOW DIVIDER VALVE							Component ATA:73
PN:L125450	MOS/MSC	25-Nov-02	O/C	TSO 0				
SN:0142	HRS	4478:42		TSO 0				
	ENC	3466		TSO 0				
PROC. REF: EMM 73-10-04								
731040	NO. 2 ENGINE - FLOW DIVIDER VALVE							Component ATA:73
PN:25950-1	MOS/MSC	09-Oct-22	O/C	TSO 0				
SN:0578	HRS	9570:42		TSO 0				
	ENC	8200		TSO 0				
PROC. REF: EMM 73-10-04								
731050	NO. 1 ENGINE - CHECK FUEL MANIFOLD PRESSURE							Service ATA:73
	MOS/MSC	25-Nov-02	A/R					
	HRS	4478:42						
	ENC	3966						
PROC. REF: GENERIC NO REF								
731050	NO. 2 ENGINE - CHECK FUEL MANIFOLD PRESSURE							Service ATA:73
	MOS/MSC	25-Aug-94	A/R					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REF								
731060 ^S	NO. 1 ENGINE - VISUAL INSPECT BLEED VALVE ACTUATOR							Service ATA:73
PN:7166400-4	MOS	11-Jul-24						
SN:F25421	HRS	8611:36	200 (+20)					
	ENC	7547						
PROC. REF: GENERIC BLANK								PKG:0
731060 ^S	NO. 2 ENGINE - VISUAL INSPECT BLEED VALVE ACTUATOR							Service ATA:73
PN:766400-4	MOS	11-Jul-24						
SN:F30084	HRS	10256:59	200 (+20)					
	ENC	8630						
PROC. REF: GENERIC BLANK								PKG:0
731065	NO. 1 ENGINE - BLEED VALVE ACTUATOR							Component ATA:73
PN:7166400-4	MOS/MSC	25-Nov-02	O/C	TSO 0				
SN:F25421	HRS	4478:42		TSO 0				
	ENC	3466		TSO 0				
PROC. REF: EMM 73-10-12								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731065	NO. 2 ENGINE - BLEED VALVE ACTUATOR							Component ATA:73
PN:766400-4	MOS/MSC	09-Oct-22	O/C	TSN 0				
SN:F30084	HRS	9570:42		TSN 0				
	ENC	8200		TSN 0				
PROC. REF: EMM 73-10-12								
731085	NO. 1 ENGINE - SCHEDULE MODULATOR							Component ATA:73
PN:PN	MOS/MSC	30-Jan-89	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
731085	NO. 2 ENGINE - SCHEDULE MODULATOR							Component ATA:73
PN:PN	MOS/MSC	25-Aug-94	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
731090	NO. 1 ENGINE - VISUALLY INSPECT FLOW DIVIDER VALVE							Service ATA:73
PN:L125450	MOS	03-Mar-06						
SN:0142	HRS	6332:48	3600 (+50/-50)		(9932:48) 7742:13	9982:48	1153:04 (+50)	
	ENC	5575						
PROC. REF: GENERIC NO REF								
731090	NO. 2 ENGINE - VISUALLY INSPECT FLOW DIVIDER VALVE							Service ATA:73
PN:25950-1	MOS	09-Oct-22						
SN:0578	HRS	9570:42	1500 (+50/-50)		(11070:42) 7234:44	11120:42	645:35 (+50)	
	ENC	8200						
PROC. REF: GENERIC NO REF								
732002 ^S	NO. 1 ENGINE - HYDROMECHANICAL UNIT - SECURITY AND LEAKAGE							Service ATA:73
	MOS	11-Jul-24						
	HRS	8611:36	200 (+20)					
	ENC	7547						
PKG:0								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
732002 ^S	NO. 2 ENGINE - HYDROMECHANICAL UNIT - SECURITY AND LEAKAGE							Service ATA:73
	MOS	11-Jul-24						
	HRS	10256:59	200 (+20)					
	ENC	8630						
								PKG:0
732008 ^S	NO. 1 ENGINE - HYDROMECHANICAL UNIT - FREE MOVEMENT OF LINKAGE							Service ATA:73
	MOS	11-Jul-24						
	HRS	8611:36	200 (+20)					
	ENC	7547						
								PKG:0
732008 ^S	NO. 2 ENGINE - HYDROMECHANICAL UNIT - FREE MOVEMENT OF LINKAGE							Service ATA:73
	MOS	11-Jul-24						
	HRS	10256:59	200 (+20)					
	ENC	8630						
								PKG:0
732010	NO. 1 ENGINE - DRAIN HYDROMECHANICAL UNIT CONDENSATION TRAP							Service ATA:73
	MOS/MS	27-Mar-17	N/A					
	HRS							
	ENC							
PROC. REF: EMM 73-20-02								
732020	NO. 1 ENGINE - ELECTRONIC CONTROL COMPUTER							Component ATA:73
PN:780933-3-009	MOS/MS	30-Jan-89	O/C	TSN 0				
SN:88075679	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-20-03								
732020	NO. 2 ENGINE - ELECTRONIC CONTROL COMPUTER							Component ATA:73
PN:PN	MOS/MS	25-Aug-94	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-20-03								
732030	NO. 1 ENGINE - HYDROMECHANICAL METERING UNIT							Component ATA:73
PN:790155-1	MOS/MS	03-Mar-06	O/C	TSO 0				
SN:F49477	HRS	6332:48		TSO 0				
	ENC	5575		TSO 0				
PROC. REF: EMM 73-20-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
732030	NO. 2 ENGINE - HYDROMECHANICAL METERING UNIT							Component ATA:73
PN:790155-10	MOS/MSC	09-Oct-22	O/C	TSO 0				
SN:F29920	HRS	9570:42		TSO 0				
	ENC	8200		TSO 0				
PROC. REF: EMM 73-20-02								
732040 ^S	NO. 1 ENGINE - VISUALLY INSPECT ELECTRONIC BLEED VALVE CONTROL							Service ATA:73
PN:PN	MOS	11-Jul-24						
SN:UNKNOWN	HRS	8611:36	200 (+20)					
	ENC	7547						
PROC. REF: GENERIC CMM								
PKG:0								
732040 ^S	NO. 2 ENGINE - VISUALLY INSPECT ELECTRONIC BLEED VALVE CONTROL							Service ATA:73
PN:PN	MOS	11-Jul-24						
SN:UNKNOWN	HRS	10256:59	200 (+20)					
	ENC	8630						
PROC. REF: GENERIC CMM								
PKG:0								
732045	NO. 1 ENGINE - ELECTRONIC BLEED VALVE CONTROL							Component ATA:73
PN:PN	MOS/MSC	30-Jan-89	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
732045	NO. 2 ENGINE - ELECTRONIC BLEED VALVE CONTROL							Component ATA:73
PN:PN	MOS/MSC	25-Aug-94	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
732050	NO. 1 ENGINE - VISUALLY INSPECT ELECTRONIC CONTROL COMPUTER							Service ATA:73
PN:780933-3-009	MOS	11-Jul-24						
SN:88075679	HRS	8611:36	200 (+20)		(8811:36) 6621:01	8831:36	31:52 (+20)	
	ENC	7547						
PROC. REF: GENERIC NO REF								
732060 ^S	NO. 1 ENGINE - VISUAL INSPECT MAIN WIRING HARNESS							Service ATA:73
PN:PN	MOS	11-Jul-24						
SN:UNKNOWN	HRS	8611:36	200 (+20)					
	ENC	7547						
PROC. REF: EMM 73-20-04								
PKG:0								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
732060 ^S	NO. 2 ENGINE - VISUAL INSPECT MAIN WIRING HARNESS							Service ATA:73
PN:PN	MOS	11-Jul-24						
SN:UNKNOWN	HRS	10256:59	200 (+20)					
	ENC	8630						
PROC. REF: EMM 73-20-04								PKG:0
732065	NO. 1 ENGINE - MAIN WIRING HARNESS							Component ATA:73
PN:PN	MOS/MSC	30-Jan-89	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-20-04								
732065	NO. 2 ENGINE - MAIN WIRING HARNESS							Component ATA:73
PN:PN	MOS/MSC	25-Aug-94	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-20-04								
733001	NO. 1 ENGINE FUEL FLOW INDICATOR							Component ATA:73
PN:PC900-3A2000PH-1	MOS/MSC	28-Apr-01	O/C					
SN:522421	HRS	0		TSN 0				
WC#: 73.070	AFL	0						
PROC. REF: AMM 73-30-00								
733002	NO. 2 ENGINE FUEL FLOW INDICATOR							Component ATA:73
PN:PC900-3A2000PH-1	MOS/MSC	28-Apr-01	O/C					
SN:522533	HRS	0		TSN 0				
WC#: 73.070	AFL	0						
PROC. REF: AMM 73-30-00								
733003	FUEL TOTALIZER INDICATOR							Component ATA:73
PN:AT208-1	MOS/MSC	28-Apr-01	O/C					
SN:01-018	HRS	0		TSN 0				
WC#: 73.080	AFL	0						
PROC. REF: AMM 73-30-00								
733010	NO. 1 ENGINE - FUEL FLOW TRANSMITTER							Component ATA:73
PN:45AS86801-001	MOS/MSC	24-Feb-09	O/C	TSO 0				
SN:515920	HRS	6933:12		TSO 0				
	ENC	6071		TSO 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
733010	NO. 2 ENGINE - FUEL FLOW TRANSMITTER							Component ATA:73
PN:PN	MOS/MSC	25-Aug-94	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
733031	FUEL FLOW SIGNAL CONDITIONER							Component ATA:73
PN:45AS86801-7	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 73.050	AFL	0						
PROC. REF: AMM 73-30-00								
H730001	CHECK LEFT NACELLE MOUNTED FUEL FILTER ASSEMBLY, P/N 307618 (JT15D-5R ONLY)							Service ATA:73
	MOS/MSC	16-May-23	N/A					
	HRS	5987:43						
WC#: 73.060	AFL	4720						
PROC. REF: GENERIC NO REF, EMM 73-10-13								
H730002	CHECK RIGHT NACELLE MOUNTED FUEL FILTER ASSEMBLY, P/N 307618 (JT15D-5R ONLY)							Service ATA:73
	MOS/MSC	16-May-23	N/A					
	HRS	5987:43						
WC#: 73.060	AFL	4720						
PROC. REF: GENERIC NO REF, EMM 73-10-13								
H730003 ^S	CHANGE LEFT FUEL PUMP OUTLET FILTER, P/N 3059778 (JT15D-5 AND JT15D-5R)							Service ATA:73
	MOS	11-Jul-24						
	HRS	6421:01	200 (+40)					
WC#: 73.100	AFL	4989						
PROC. REF: GENERIC NO REF								PKG:1
H730004 ^S	CHANGE RIGHT FUEL PUMP OUTLET FILTER, P/N 3059778 (JT15D-5 AND JT15D-5R)							Service ATA:73
	MOS	11-Jul-24						
	HRS	6421:01	200 (+40)					
WC#: 73.110	AFL	4989						
PROC. REF: GENERIC NO REF								PKG:1
H730007	INSPECT NO. 1 ENGINE FUEL PUMP OVERTEMPERATURE INDICATOR, P/N 3071526 (JT15D-5R ONLY)							Service ATA:73
	MOS/MSC	16-May-23	N/A					
	HRS	5987:43						
WC#: 73.090	AFL	4720						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
H730008	INSPECT NO. 2 ENGINE FUEL PUMP OVERTEMPERATURE INDICATOR, P/N 3071526 (JT15D-5R ONLY)							Service ATA:73
	MOS/MSC	16-May-23	N/A					
	HRS	5987:43						
WC#: 73.090	AFL	4720						
PROC. REF: GENERIC NO REF								
ATA 74 - IGNITION								
740000	NO. 1 ENGINE - OPERATIONAL TEST SPARK IGNITERS							Service ATA:74
	MOS	11-Jul-24						
	HRS	8611:36	200 (+10%)		(8811:36) 6621:01	8831:36	31:52 (+20)	
	ENC	7547						
PROC. REF: EMM 74-00-00								
740000	NO. 2 ENGINE - OPERATIONAL TEST SPARK IGNITERS							Service ATA:74
	MOS	11-Jul-24						
	HRS	10256:59	200 (+10%)		(10456:59) 6621:01	10476:59	31:52 (+20)	
	ENC	8630						
PROC. REF: EMM 74-00-00								
741004 ^S	NO. 1 ENGINE - IGNITION EXCITER - SECURITY AND CONDITION							Service ATA:74
	MOS	11-Jul-24						
	HRS	8611:36	200 (+20)					
	ENC	7547						
PKG:0								
741004 ^S	NO. 2 ENGINE - IGNITION EXCITER - SECURITY AND CONDITION							Service ATA:74
	MOS	11-Jul-24						
	HRS	10256:59	200 (+20)					
	ENC	8630						
PKG:0								
741010	NO. 1 ENGINE - IGNITION EXCITER							Component ATA:74
PN:10-381550-22	MOS/MSC	03-Mar-06	O/C					
SN:NN03024180	HRS	6332:48						
	ENC	5575						
PROC. REF: EMM 74-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
741010	NO. 2 ENGINE - IGNITION EXCITER							Component ATA:74
PN:10-381550-2	MOS/MSC	09-Oct-22	O/C	TSN 0				
SN:NN92504896	HRS	9570:42		TSN 0				
	ENC	8200		TSN 0				
PROC. REF: EMM 74-10-01								
741030 ^S	NO. 1 ENGINE - VISUAL INSPECT IGNITION EXCITER							Service ATA:74
PN:10-381550-22	MOS	11-Jul-24						
SN:NN03024180	HRS	8611:36	200 (+20)					
	ENC	7547						
PROC. REF: EMM 74-10-01								
								PKG:0
741030 ^S	NO. 2 ENGINE - VISUAL INSPECT IGNITION EXCITER							Service ATA:74
PN:10-381550-2	MOS	11-Jul-24						
SN:NN92504896	HRS	10256:59	200 (+20)					
	ENC	8630						
PROC. REF: EMM 74-10-01								
								PKG:0
742002	NO. 1 ENGINE - CHECK SPARK IGNITERS FOR CLEANLINESS AND EROSION							Service ATA:74
	MOS	11-Jul-24						
	HRS	8611:36	200 (+10%)		(8811:36) 6621:01	8831:36	31:52 (+20)	
	ENC	7547						
PROC. REF: EMM 74-20-02								
742002	NO. 2 ENGINE - CHECK SPARK IGNITERS FOR CLEANLINESS AND EROSION							Service ATA:74
	MOS	11-Jul-24						
	HRS	10256:59	200 (+10%)		(10456:59) 6621:01	10476:59	31:52 (+20)	
	ENC	8630						
PROC. REF: EMM 74-20-02								
742004 ^S	NO. 1 ENGINE - IGNITION CABLES - CHAFING, WEAR AND SECURITY							Service ATA:74
	MOS	11-Jul-24						
	HRS	8611:36	200 (+20)					
	ENC	7547						
								PKG:0

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
742004 ^S	NO. 2 ENGINE - IGNITION CABLES - CHAFING, WEAR AND SECURITY							Service ATA:74
	MOS	11-Jul-24						
	HRS	10256:59	200 (+20)					
	ENC	8630						
PKG:0								
742010	NO. 1 ENGINE - 5 O'CLOCK IGNITER PLUG							Component ATA:74
PN:PN	MOS/MSC	10-Feb-17	O/C					
SN:UNKNOWN	HRS	7562:54						
	ENC	6711						
PROC. REF: EMM 74-20-02								
742010	NO. 2 ENGINE - 5 O'CLOCK IGNITER PLUG							Component ATA:74
PN:FHE246-4	MOS/MSC	16-May-23	O/C	TSN 0				
SN:UNKNOWN	HRS	9823:41		TSN 0				
	ENC	8361		TSN 0				
PROC. REF: EMM 74-20-02								
742020	NO. 1 ENGINE - 7 O'CLOCK IGNITER PLUG							Component ATA:74
PN:PN	MOS/MSC	10-Feb-17	O/C					
SN:UNKNOWN	HRS	7562:54						
	ENC	6711						
PROC. REF: EMM 74-20-02								
742020	NO. 2 ENGINE - 7 O'CLOCK IGNITER PLUG							Component ATA:74
PN:FHE246-4	MOS/MSC	16-May-23	O/C	TSN 0				
SN:UNKNOWN	HRS	9823:41		TSN 0				
	ENC	8361		TSN 0				
PROC. REF: EMM 74-20-02								
742030	NO. 1 ENGINE - 5 O'CLOCK IGNITER PLUG CABLE							Component ATA:74
PN:PN	MOS/MSC	10-Feb-17	O/C					
SN:UNKNOWN	HRS	7562:54						
	ENC	6711						
PROC. REF: EMM 74-20-01								
742030	NO. 2 ENGINE - 5 O'CLOCK IGNITER PLUG CABLE							Component ATA:74
PN:53067-21	MOS/MSC	21-Nov-14	O/C	TSN 0				
SN:NSN	HRS	9277:42		TSN 0				
	ENC	7938		TSN 0				
PROC. REF: EMM 74-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
742040	NO. 1 ENGINE - 7 O'CLOCK IGNITER PLUG CABLE							Component ATA:74
PN:PN	MOS/MSC	10-Feb-17	O/C					
SN:UNKNOWN	HRS	7562:54						
	ENC	6711						
PROC. REF: EMM 74-20-01								
742040	NO. 2 ENGINE - 7 O'CLOCK IGNITER PLUG CABLE							Component ATA:74
PN:PN	MOS/MSC	01-Sep-11	O/C					
SN:UNKNOWN	HRS	9074:06						
	ENC	7777						
PROC. REF: EMM 74-20-01								
H740003 ^S	INSPECT NO. 1 ENGINE IGNITOR PLUGS							Service ATA:74
	MOS	11-Jul-24						
	HRS	6421:01	200 (+40)					
WC#: 74.010	AFL	4989						
PROC. REF: EMM 74-20-02								PKG:1
H740004 ^S	INSPECT NO. 2 ENGINE IGNITOR PLUGS							Service ATA:74
	MOS	11-Jul-24						
	HRS	6421:01	200 (+40)					
WC#: 74.010	AFL	4989						
PROC. REF: EMM 74-20-02								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
750010	NO. 1 ENGINE - LOW PRESSURE COMPRESSOR A-1 SOLENOID VALVE							Component ATA:75
PN:3033057	MOS/MSC	15-Mar-23	O/C	TSO 0				
SN:1626	HRS	8218:30		TSO 0				
	ENC	7304		TSO 0				
PROC. REF: EMM 75-00-02								
750010	NO. 2 ENGINE - LOW PRESSURE COMPRESSOR ANTI-ICING SOLENOID VALVE							Component ATA:75
PN:3033057	MOS/MSC	09-Oct-22	O/C	TSO 0				
SN:1179	HRS	9570:42		TSO 0				
	ENC	8200		TSO 0				
PROC. REF: EMM 75-00-02								
751001	NO. 1 ENGINE ANTI ICE VALVE							Component ATA:75
PN:45AS66008-5	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 75.020	AFL	0						
PROC. REF: GENERIC NO REF								
751004	NO. 2 ENGINE ANTI ICE VALVE							Component ATA:75
PN:45AS66008-5	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 75.020	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 76 - ENGINE CONTROLS								
H760001 ^S	INSPECT THRUST LEVER QUADRANT, FORWARD THRUSTCONTROL CABLE, FORWARD BELLCRANK AND ENGINECONTROL ROD ASSEMBLIES-PILOT'S COMPARTMENT						Service	ATA:76
	MOS	11-Jul-24						
	HRS	6421:01	1600					
	AFL	4989						
								PKG:4
H760004 ^S	INSPECT CENTER PEDESTAL - PILOT'S COMPARTMENT						Service	ATA:76
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H760104 ^S	INSPECT THROTTLE FEEDBACK CABLE - LEFT-HAND THRUST REVERSER						Service	ATA:76
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H760105 ^S	INSPECT FEEDBACK BRACKET ASSEMBLY - LEFT-HAND THRUST REVERSER						Service	ATA:76
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H760204 ^S	INSPECT THROTTLE FEEDBACK CABLE - RIGHT-HAND THRUST REVERSER						Service	ATA:76
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H760205 ^S	INSPECT FEEDBACK BRACKET ASSEMBLY - RIGHT-HAND THRUST REVERSER						Service	ATA:76
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
ATA 77 - ENGINE INDICATING								
770010 ^S	NO. 1 ENGINE - INSPECT T1 PROBE THERMOCOUPLE HARNESS FOR DAMAGE OR PROBES TOUCHING EACH OTHER						Service	ATA:77
	MOS	11-Jul-24						
	HRS	8611:36	200 (+20)					
	ENC	7547						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
PROC. REF: EMM 77-00-01						PKG:0		
770010 ^S	NO. 2 ENGINE - INSPECT T1 PROBE THERMOCOUPLE HARNESS FOR DAMAGE OR PROBES TOUCHING EACH OTHER							Service ATA:77
	MOS	11-Jul-24						
	HRS	10256:59	200 (+20)					
	ENC	8630						
PROC. REF: EMM 77-00-01						PKG:0		
771001	NO. 1 ENGINE N1 (FAN) INDICATOR							Component ATA:77
PN:128-384046-3	MOS/MSC	28-Apr-01	O/C					
SN:109887	HRS	0		TSN 0				
WC#: 77.010	AFL	0						
PROC. REF: AMM 77-11-00								
771002	NO. 2 ENGINE N1 (FAN) INDICATOR							Component ATA:77
PN:128-384046-3	MOS/MSC	06-Dec-12	O/C	TSR 0				
SN:109888	HRS	2396:05		TSN 0, TSR 0				
WC#: 77.010	AFL	1947		TSR 0				
PROC. REF: AMM 77-11-00								
771003	NO. 1 ENGINE N2 (TURBINE) INDICATOR							Component ATA:77
PN:128-384028-3	MOS/MSC	16-Aug-18	O/C					
SN:08890028	HRS	3614:59						
WC#: 77.020	AFL	3073						
PROC. REF: AMM 77-12-00								
771004	NO. 2 ENGINE N2 (TURBINE) INDICATOR							Component ATA:77
PN:128-384045-5	MOS/MSC	28-Apr-01	O/C					
SN:109417	HRS	0		TSN 0				
WC#: 77.020	AFL	0						
PROC. REF: AMM 77-12-00								
771010	NO. 1 ENGINE - N1 SPEED SENSOR PROBE							Component ATA:77
PN:3100335-01	MOS/MSC	25-Nov-02	O/C	TSO 0				
SN:A249	HRS	4478:42		TSO 0				
	ENC	3466		TSO 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-B11 HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
771010	NO. 2 ENGINE - N1 SPEED SENSOR PROBE							Component ATA:77
PN:3100335-01	MOS/MSC	09-Oct-22	O/C	TSN 0				
SN:B212	HRS	9570:42		TSN 0				
	ENC	8200		TSN 0				
PROC. REF: GENERIC NO REF								
771020	NO. 1 ENGINE - N2 SPEED SENSOR PROBE							Component ATA:77
PN:3032997	MOS/MSC	25-Nov-02	O/C	TSO 0				
SN:A703	HRS	4478:42		TSO 0				
	ENC	3466		TSO 0				
PROC. REF: GENERIC NO REF								
771020	NO. 2 ENGINE - N2 SPEED SENSOR PROBE							Component ATA:77
PN:PN	MOS/MSC	25-Aug-94	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
772010	NO. 1 ENGINE - T1 THERMOCOUPLE HARNESS							Component ATA:77
PN:3028022	MOS/MSC	25-Nov-02	O/C	TSO 0				
SN:NSN	HRS	4478:42		TSO 0				
	ENC	3466		TSO 0				
PROC. REF: EMM 77-00-01								
772010	NO. 2 ENGINE - T1 THERMOCOUPLE HARNESS							Component ATA:77
PN:PN	MOS/MSC	25-Aug-94	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 77-00-01								
772020	NO. 1 ENGINE - T6 THERMOCOUPLE HARNESS							Component ATA:77
PN:3028015	MOS/MSC	25-Nov-02	O/C	TSO 0				
SN:NSN	HRS	4478:42		TSO 0				
	ENC	3466		TSO 0				
PROC. REF: EMM 77-00-02								
772020	NO. 2 ENGINE - T6 THERMOCOUPLE HARNESS							Component ATA:77
PN:PN	MOS/MSC	25-Aug-94	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 77-00-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
772030	NO. 1 ENGINE - VARIABLE RESISTOR							Component ATA:77
PN:PN	MOS/MSC	30-Jan-89	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 77-00-01								
772030	NO. 2 ENGINE - VARIABLE RESISTOR							Component ATA:77
PN:PN	MOS/MSC	25-Aug-94	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 77-00-01								
772061	NO. 1 ENGINE ITT INDICATOR							Component ATA:77
PN:128-384047-5	MOS/MSC	02-Dec-20	O/C					
SN:B1073A	HRS	4555:54						
WC#: 77.080	AFL	3807						
PROC. REF: GENERIC NO REF								
772062	NO. 2 ENGINE ITT INDICATOR							Component ATA:77
PN:128-384047-5	MOS/MSC	28-Apr-01	O/C					
SN:1150	HRS	0		TSN 0				
WC#: 77.080	AFL	0						
PROC. REF: GENERIC NO REF								
773001	NO. 1 ENGINE VIBRATION ACCELEROMETER							Component ATA:77
PN:45AS86803-9	MOS/MSC	18-Nov-18	O/C					
SN:13086	HRS	3721:58						
WC#: 77.090	AFL	3173						
PROC. REF: AMM 77-31-00								
773002	NO. 2 ENGINE VIBRATION ACCELEROMETER							Component ATA:77
PN:45AS86803-9	MOS/MSC	18-Nov-18	O/C					
SN:14258	HRS	3721:58						
WC#: 77.090	AFL	3173						
PROC. REF: AMM 77-31-00								
773013	ENGINE VIBRATION SIGNAL CONDTIONER							Component ATA:77
PN:45AS86803-007	MOS/MSC	28-Apr-01	O/C					
SN:00090715A	HRS	0		TSN 0				
WC#: 77.100	AFL	0						
PROC. REF: AMM 77-31-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
773019	ENGINE VIBRATION INDICATOR							Component ATA:77
PN:45AS86803-007	MOS/MSC	18-Nov-18	O/C					
SN:00090715A	HRS	3721:58						
WC#: 77.110	AFL	3173						
PROC. REF: AMM 77-31-00								
ATA 78 - EXHAUST								
781001	NO. 1 ENGINE EXHAUST DUCT ASSEMBLY							Component ATA:78
PN:3104690-01	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.020	AFL	0						
PROC. REF: GENERIC NO REF								
781002	NO. 2 ENGINE EXHAUST DUCT ASSEMBLY							Component ATA:78
PN:3104690-01	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.020	AFL	0						
PROC. REF: GENERIC NO REF								
783001	NO. 1 ENGINE THRUST REVERSER							Component ATA:78
PN:225-0001-515	MOS/MSC	28-Apr-01	O/C					
SN:4038	HRS	0		TSN 0				
WC#: 78.010	AFL	0						
PROC. REF: AMM 78-30-00, AMM 78-30-00								
783002	NO. 2 ENGINE THRUST REVERSER							Component ATA:78
PN:225-0001-517	MOS/MSC	28-Apr-01	O/C					
SN:4039	HRS	0		TSN 0				
WC#: 78.011	AFL	0						
PROC. REF: AMM 78-30-00, AMM 78-30-00								
783061	NO. 1 ENGINE INBOARD STANG FAIRING							Component ATA:78
PN:225-0008-503	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.050	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
783062	NO. 2 ENGINE INBOARD STANG FAIRING							Component ATA:78
PN:225-0008-504	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.050	AFL	0						
PROC. REF: GENERIC NO REF								
783063	NO. 1 ENGINE OUTBOARD STANG FAIRING							Component ATA:78
PN:225-0008-501	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.060	AFL	0						
PROC. REF: GENERIC NO REF								
783064	NO. 2 ENGINE OUTBOARD STANG FAIRING							Component ATA:78
PN:225-0008-501	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.060	AFL	0						
PROC. REF: GENERIC NO REF								
783085	NO. 1 ENGINE THRUST REVERSER UPPER DOOR							Component ATA:78
PN:225-0006-503	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.070	AFL	0						
PROC. REF: GENERIC NO REF								
783086	NO. 2 ENGINE THRUST REVERSER UPPER DOOR							Component ATA:78
PN:225-0006-503	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.070	AFL	0						
PROC. REF: GENERIC NO REF								
783087	NO. 1 ENGINE THRUST REVERSER LOWER DOOR							Component ATA:78
PN:225-0002-507	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.080	AFL	0						
PROC. REF: GENERIC NO REF								
783088	NO. 2 ENGINE THRUST REVERSER LOWER DOOR							Component ATA:78
PN:255-0002-508	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.080	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
783109	NO. 1 ENGINE THRUST REVERSER INBOARD ACTUATOR							Component ATA:78
PN:68620	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.090	AFL	0						
PROC. REF: AMM 78-30-00								
783110	NO. 2 ENGINE THRUST REVERSER INBOARD ACTUATOR							Component ATA:78
PN:68620	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.090	AFL	0						
PROC. REF: AMM 78-30-00								
783111	NO. 1 ENGINE THRUST REVERSER OUTBOARD ACTUATOR							Component ATA:78
PN:68620	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.100	AFL	0						
PROC. REF: AMM 78-30-00								
783112	NO. 2 ENGINE THRUST REVERSER OUTBOARD ACTUATOR							Component ATA:78
PN:68620	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.100	AFL	0						
PROC. REF: AMM 78-30-00								
783133	NO. 1 ENGINE INBOARD THRUST REVERSER ACTUATING MECHANISM							Component ATA:78
PN:225-0007-511	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.110	AFL	0						
PROC. REF: GENERIC CMM								
783134	NO. 2 ENGINE INBOARD THRUST REVERSER ACTUATING MECHANISM							Component ATA:78
PN:225-0007-509	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.110	AFL	0						
PROC. REF: GENERIC CMM								
783135	NO. 1 ENGINE OUTBOARD THRUST REVERSER ACTUATING MECHANISM							Component ATA:78
PN:225-507-509	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.120	AFL	0						
PROC. REF: GENERIC CMM								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
783136	NO. 2 ENGINE OUTBOARD THRUST REVERSER ACTUATING MECHANISM							Component ATA:78
PN:225-0007-511	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.120	AFL	0						
PROC. REF: GENERIC CMM								
783157	NO. 1 ENGINE THRUST REVERSER INBOARD STOW LIMIT SWITCH							Component ATA:78
PN:21681	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.130	AFL	0						
PROC. REF: AMM 78-30-00								
783158	NO. 2 ENGINE THRUST REVERSER INBOARD STOW LIMIT SWITCH							Component ATA:78
PN:225-0023-1	MOS/MSC	09-Mar-22	O/C					
SN:0512	HRS	5275:21						
WC#: 78.130	AFL	4263						
PROC. REF: AMM 78-30-00								
783159	NO. 1 ENGINE THRUST REVERSER OUTBOARD STOW LIMIT SWITCH							Component ATA:78
PN:225-0023-1	MOS/MSC	02-Sep-08	O/C	TSN 0				
SN:2533	HRS	1987:35		TSN 0				
WC#: 78.140	AFL	1586		TSN 0				
PROC. REF: AMM 78-30-00								
783160	NO. 2 ENGINE THRUST REVERSER OUTBOARD STOW LIMIT SWITCH							Component ATA:78
PN:225-0023-1	MOS/MSC	09-Mar-22	O/C					
SN:1332	HRS	5275:21						
WC#: 78.140	AFL	4263						
PROC. REF: AMM 78-30-00								
783161	NO. 1 ENGINE THRUST REVERSER DEPLOY SWITCH							Component ATA:78
PN:65016-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.150	AFL	0						
PROC. REF: AMM 78-30-00								
783162	NO. 2 ENGINE THRUST REVERSER DEPLOY SWITCH							Component ATA:78
PN:65016-1	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.150	AFL	0						
PROC. REF: AMM 78-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
783163	NO. 1 ENGINE THRUST REVERSER PRESSURE SWITCH							Component ATA:78
PN:6607A7-77	MOS/MSC	22-Jul-16	O/C					
SN:T039796	HRS	2607:56						
WC#: 78.160	AFL	2168						
PROC. REF: AMM 78-30-00								
783164	NO. 2 ENGINE THRUST REVERSER PRESSURE SWITCH							Component ATA:78
PN:6607A7-77	MOS/MSC	22-Jul-16	O/C					
SN:T039796	HRS	2607:56						
WC#: 78.160	AFL	2168						
PROC. REF: AMM 78-30-00								
783205	NO. 1 ENGINE THRUST REVERSER SHUT-OFF VALVE							Component ATA:78
PN:13027-6	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.170	AFL	0						
PROC. REF: GENERIC NO REF								
783206	NO. 2 ENGINE THRUST REVERSER SHUT-OFF VALVE							Component ATA:78
PN:13027-6	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.170	AFL	0						
PROC. REF: GENERIC NO REF								
783217	NO. 1 ENGINE THRUST REVERSER CONTROL VALVE							Component ATA:78
PN:64760	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.175	AFL	0						
PROC. REF: AMM 78-30-00								
783218	NO. 2 ENGINE THRUST REVERSER CONTROL VALVE							Component ATA:78
PN:64760	MOS/MSC	28-Apr-01	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.175	AFL	0						
PROC. REF: AMM 78-30-00								
783229	THRUST REVERSER CONTROL BOX							Component ATA:78
PN:45AS88856-5	MOS/MSC	28-Apr-01	O/C					
SN:1240	HRS	0		TSN 0				
WC#: 78.040	AFL	0						
PROC. REF: AMM 78-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
H780004 ^S	INSPECT THRUST REVERSER CONTROL VALVE, ISOLATION VALVE,PRESSURE SWITCH, CHECK VALVE AND HYDRAULIC LINES - AFT FUSELAGE							Service ATA:78
	MOS	11-Jul-24						
	HRS	6421:01	800					
	AFL	4989						
								PKG:3
H780101 ^S	INSPECT STANGS AND DOORS - LEFT-HAND THRUST REVERSER							Service ATA:78
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H780102 ^S	INSPECT MECHANICAL ACTUATING MECHANISM - LEFT-HAND THRUST REVERSER							Service ATA:78
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H780103 ^S	INSPECT DEPLOY AND STOW LIMIT SWITCHES - LEFT-HAND THRUST REVERSER							Service ATA:78
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H780105 ^S	INSPECT UPPER AND LOWER DOORS - LEFT-HAND THRUST REVERSER							Service ATA:78
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H780106 ^S	INSPECT FAN DUCT ASSEMBLY - LEFT-HAND THRUST REVERSER							Service ATA:78
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H780108 ^S	INSPECT THRUST REVERSER - LEFT-HAND THRUST REVERSER							Service ATA:78
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
H780109 ^S	INSPECT HYDRAULIC ACTUATOR - LEFT-HAND THRUST REVERSER							Service ATA:78
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H780201 ^S	INSPECT STANGS AND DOORS - RIGHT-HAND THRUST REVERSER							Service ATA:78
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H780202 ^S	INSPECT MECHANICAL ACTUATING MECHANISM - RIGHT-HAND THRUST REVERSER							Service ATA:78
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H780203 ^S	INSPECT DEPLOY AND STOW LIMIT SWITCHES - RIGHT-HAND THRUST REVERSER							Service ATA:78
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H780205 ^S	INSPECT UPPER AND LOWER DOORS - RIGHT-HAND THRUST REVERSER							Service ATA:78
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H780206 ^S	INSPECT FAN DUCT ASSEMBLY - RIGHT-HAND THRUST REVERSER							Service ATA:78
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
H780208 ^S	INSPECT THRUST REVERSER - RIGHT-HAND THRUST REVERSER							Service ATA:78
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
H780209 ^S	INSPECT HYDRAULIC ACTUATOR - RIGHT-HAND THRUST REVERSER							Service ATA:78
	MOS	11-Jul-24	12					
	HRS	6421:01	400					
	AFL	4989						
								PKG:2
ATA 79 - OIL								
790010	NO. 1 ENGINE - OIL PUMP ASSEMBLY?							Component ATA:79
PN:3102507-01	MOS/MSC	03-Mar-06	O/C	TSO 0				
SN:0PO647	HRS	6332:48		TSO 0				
	ENC	5575		TSO 0				
PROC. REF: GENERIC NO REF								
790040 ^S	NO. 1 ENGINE - OIL QUANTITY - CHECK OIL LEVEL							Service ATA:79
	MOS	11-Jul-24						
	HRS	8611:36	200 (+20)					
	ENC	7547						
								PKG:0
790040 ^S	NO. 2 ENGINE - OIL QUANTITY - CHECK OIL LEVEL							Service ATA:79
	MOS	11-Jul-24						
	HRS	10256:59	200 (+20)					
	ENC	8630						
								PKG:0
792010	NO. 1 ENGINE - CHANGE OIL/DRAIN AND FILL							Service ATA:79
	MOS/MSC	07-Jun-23	O/C					
	HRS	8218:30						
	ENC	7304						
PROC. REF: EMM 72-00-00								
792010	NO. 2 ENGINE - CHANGE OIL/DRAIN AND FILL							Service ATA:79
	MOS/MSC	29-Mar-11	O/C					
	HRS	8839:18						
	ENC	7626						
PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
792015 ^S	NO. 1 ENGINE - REMOVE THE OIL FILTER AND INSPECT FOR FOREIGN MATTER							Service ATA:79
	MOS	11-Jul-24						
	HRS	8611:36	200 (+20)					
	ENC	7547						
PROC. REF: EMM 79-20-01, EMM 79-21-01								PKG:0
792015 ^S	NO. 2 ENGINE - REMOVE THE OIL FILTER AND INSPECT FOR FOREIGN MATTER							Service ATA:79
	MOS	11-Jul-24						
	HRS	10256:59	200 (+20)					
	ENC	8630						
PROC. REF: EMM 79-20-01, EMM 79-21-01								PKG:0
792020	NO. 1 ENGINE - REMOVE THE OIL FILTER AND INSPECT FOR FOREIGN MATTER							Service ATA:79
	MOS	11-Jul-24	12		11-Jul-25		280 d	
	HRS	8611:36	800 (+50/-50)		(9411:36) 7221:01	9461:36	631:52 (+50)	
	ENC	7547						
PROC. REF: EMM 79-20-01, EMM 79-21-01								
792020	NO. 2 ENGINE - REMOVE THE OIL FILTER AND INSPECT FOR FOREIGN MATTER							Service ATA:79
	MOS	11-Jul-24	12		11-Jul-25		280 d	
	HRS	10256:59	800 (+50/-50)		(11056:59) 7221:01	11106:59	631:52 (+50)	
	ENC	8630						
PROC. REF: EMM 79-20-01, EMM 79-21-01								
793001	NO. 1 ENGINE OIL PRESSURE/TEMPERATURE INDICATOR							Component ATA:79
PN:397-04844	MOS/MSC	07-Aug-02	O/C	TSO 0				
SN:9537-700	HRS	317:24		TSO 0				
WC#: 79.030	AFL	272		TSO 0				
PROC. REF: AMM 79-30-00								
793002	NO. 2 ENGINE OIL PRESSURE/TEMPERATURE INDICATOR							Component ATA:79
PN:45AS86825-9	MOS/MSC	27-Jun-03	O/C	TSO 0				
SN:114-316	HRS	564:30		TSO 0				
WC#: 79.030	AFL	466		TSO 0				
PROC. REF: AMM 79-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
793010	NO. 1 ENGINE - OIL PRESSURE TRANSMITTER							Component ATA:79
PN:45AS86825-5	MOS/MSC	30-Jan-89	O/C	TSN 0				
SN:9949025	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
793010	NO. 2 ENGINE - OIL PRESSURE TRANSMITTER							Component ATA:79
PN:PN	MOS/MSC	25-Aug-94	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
793012 ^S	NO. 1 ENGINE - CHIP DETECTION SYSTEM: JT15D-5 (POST-SB7599) ENGINES - PERFORM FUNCTIONAL CHECK OF SYSTEM COMPONENTS							Service ATA:79
	MOS	11-Jul-24						
	HRS	8611:36	200 (+20)					
	ENC	7547						
PKG:0								
793020	NO. 1 ENGINE - LOW OIL PRESSURE WARNING SWITCH							Component ATA:79
PN:45AS48008-19	MOS/MSC	30-Jan-89	O/C	TSN 0				
SN:Y97818	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
793020	NO. 2 ENGINE - LOW OIL PRESSURE WARNING SWITCH							Component ATA:79
PN:PN	MOS/MSC	25-Aug-94	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
793030	NO. 1 ENGINE - OIL FILTER BYPASS PRESSURE SWITCH							Component ATA:79
PN:45AS2011-1	MOS/MSC	30-Jan-89	O/C	TSN 0				
SN:1788	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
793030	NO. 2 ENGINE - OIL FILTER BYPASS PRESSURE SWITCH							Component ATA:79
PN:45AS42011-1	MOS/MSC	08-Jun-09	O/C	TSN 178				
SN:0864	HRS	8300:24		TSN 8300:24				
	ENC	7241		TSN 7241				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: BEECHJET 400A Serial: RK-318 RegNo: OK-BII HRS: 6589:09 AFL: 5094 As Of: 01-Oct-2024

04-Oct-2024 07:41 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
793040	NO. 1 ENGINE - OIL TEMPERATURE BULB							Component ATA:79
PN:102-00083	MOS/MSC	30-Jan-89	O/C	TSN 0				
SN:03050	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
793040	NO. 2 ENGINE - OIL TEMPERATURE BULB							Component ATA:79
PN:PN	MOS/MSC	25-Aug-94	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
793050 ^S	NO. 1 ENGINE - OIL QUANTITY - CHECK CONDITION AND SECURITY OF OIL FILLER CAP							Service ATA:79
	MOS	11-Jul-24						
	HRS	8611:36	200 (+20)					
	ENC	7547						
								PKG:0
793050 ^S	NO. 2 ENGINE - OIL QUANTITY - CHECK CONDITION AND SECURITY OF OIL FILLER CAP							Service ATA:79
	MOS	11-Jul-24						
	HRS	10256:59	200 (+20)					
	ENC	8630						
								PKG:0

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task