

OWNER: EISELE FLUGDIENST GMBH

ADDRESS: GAT - GEBAEUDE - FLUGHAFEN
STUTTGART
STUTTGART 70629

OFFICE: 49-711-9988770

FAX: 49-711-9988772

OPERATOR: EISELE FLUGDIENST GMBH

ADDRESS: GAT - GEBAEUDE - FLUGHAFEN
STUTTGART
STUTTGART 70629

OFFICE: 49-711-9988770

FAX: 49-711-9988772

ANALYST: PIERRE DEBLONDE
EMAIL: PIERRE.DEBLONDE@CAMPSYSTEMS.EU

+33.1.55.93.45.96 (DIRECT)
+33-1.55.93.45.80 (MAIN)
WWW.CAMPSYSTEMS.COM

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL/REGNO: 680-0185/D-CEIS	MODEL: 680 - CITATION SOVEREIGN	MANUFACTURER: TEXTRON AVIATION INC.
CERTIFICATION DATE: 01-FEB-2008		LAST ACTUALS: 9344:01 A/C HRS as of 12-MAR-2025 8035 AFL as of 12-MAR-2025 3628 APH as of 26-APR-2025 9068 APS as of 26-APR-2025	
APU	SERIAL/PART: P-353/3800785-1	MODEL: RE100CS	MANUFACTURER: HONEYWELL
INSTALLED ON: 01-FEB-2008 0 APU HRS 1 A/C HRS 0 APUS		LAST ACTUALS: 3628 APU HRS as of 26-APR-2025 9068 APUS as of 26-APR-2025	
ENGINE NO. 1	SERIAL/PART: PCE-CG0375/30B4258-01	MODEL: PW306C	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
INSTALLED ON: 25-MAR-2019 5955 ENG. HRS 6089:30 A/C HRS 5506 ENC		LAST ACTUALS: 9210:10 ENG. HRS as of 12-MAR-2025 7890 ENC as of 12-MAR-2025	
ENGINE NO. 2	SERIAL/PART: PCE-CG0376/30B4258-01	MODEL: PW306C	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
INSTALLED ON: 01-JUL-2022 7578:07 ENG. HRS 7711:58 A/C HRS 6684 ENC		LAST ACTUALS: 9210:10 ENG. HRS as of 12-MAR-2025 7890 ENC as of 12-MAR-2025	

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
A680-180112	APU - REVIEW HONEYWELL GTCP 36-150(F) APU-49 SIL REV 10							Service ATA:00
	MOS/MSC	05-Feb-18	-					REQUIREMENT CHANGE FORMS
	HRS							
	APUS							
PROC. REF: RCF APU-SIL-49PROC. REF: RCF APU-SIL-49								
A680-191017	APU - REVIEW RE100(CS) MM TR 49-27							Service ATA:00
	MOS/MSC	31-Oct-19	-					REQUIREMENT CHANGE FORMS
	HRS							
	APUS							
PROC. REF: RCF A680PROC. REF: RCF A680								
A680-210622	APU - REVIEW MM REV 3							Service ATA:00
	MOS/MSC	30-Jul-21	-					REQUIREMENT CHANGE FORMS
	HRS							
	APUS							
PROC. REF: RCF A680PROC. REF: RCF A680								
A680-220602	APU - REVIEW REVISION CHANGE FORM FOR HONEYWELL SERVICE INFORMATION LETTER APU-49, REVISION 12							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	APUS							
PROC. REF: RCF A680PROC. REF: RCF A680								
A680-231123	APU - REVIEW HONEYWELL SERVICE INFORMATION LETTER APU-49, REVISION 13 - SPECTROMETRIC OIL AND FILTER ANALYSIS PROGRAM (SOAP)							Service ATA:00
	MOS/MSC	04-Jan-24	-	TAC 0				REQUIREMENT CHANGE FORMS
	HRS	0		TAC 0				
	APUS	0		TAC 0				
PROC. REF: RCF A680PROC. REF: RCF A680								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
A680-240410	APU - REVIEW HONEYWELL RE100CS APU MAINTENANCE MANUAL (MM) 49-24-64 REV 04							Service ATA:00
	MOS/MSC	02-May-24	-	TAC 0				REQUIREMENT CHANGE FORMS
	HRS			TAC 0				
	APUS			TAC 0				
PROC. REF: RCF A680PROC. REF: RCF A680								
A680-240509	APU - REVIEW HONEYWELL RE100CS APU MAINTENANCE MANUAL (MM) 49-24-64 REV 05							Service ATA:00
	MOS/MSC	25-May-24	-	TAC 0				REQUIREMENT CHANGE FORMS
	HRS			TAC 0				
	APUS			TAC 0				
PROC. REF: RCF A680PROC. REF: RCF A680								
A680-250212	APU - REVIEW HONEYWELL SERVICE INFORMATION LETTER (SIL) SIL NO. APU-49 REV 14							Service ATA:00
	MOS/MSC	25-Feb-25	-	TAC 0				REQUIREMENT CHANGE FORMS
	HRS			TAC 0				
	APUS			TAC 0				
PROC. REF: RCF A680PROC. REF: RCF A680								
C680-171102	REVIEW OF AIRWORTHINESS LIMITATIONS REV 10							Service ATA:00
PN:PN	MOS/MSC	07-Mar-18	-					REQUIREMENT CHANGE FORMS
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								
C680-180101	REVIEW OF TIME LIMITS/MAINTENANCE CHECKS REV 26							Service ATA:00
	MOS/MSC	07-Mar-18	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of:
12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
C680-181015	REVIEW OF AUDIT SUMMARY CHANGE FORM – TASK CODE CHANGE							Service ATA:00
	MOS/MSC	16-Oct-18	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								
C680-181023	REVIEW AUDIT SUMMARY CHANGE FORM - BROUGHT COMPLIANCE FROM 243015 TO 24-32-00-9600							Service ATA:00
	MOS/MSC	24-Oct-18	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								
C680-181201	REVIEW OF TIME LIMITS/MAINTENANCE CHECKS REV 27							Service ATA:00
	MOS/MSC	10-Jan-19	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								
C680-181207	REVIEW OF AUDIT SUMMARY CHANGE FORM – INSPECTION DOCUMENTS							Service ATA:00
	MOS/MSC	12-Dec-18	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								
C680-181210	REVIEW OF TIME LIMITS/MAINTENANCE CHECKS REV 28							Service ATA:00
	MOS/MSC	10-Jan-19	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
C680-190110	REVIEW OF AUDIT SUMMARY CHANGE FORM - TASK CODE CHANGE							Service ATA:00
	MOS/MSC	11-Jan-19	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								
C680-190701	REVIEW CITATION SOVEREIGN 680 TLMC (CHAPTER 5) REVISION 29							Service ATA:00
	MOS/MSC	29-Aug-19	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								
C680-190718	REVIEW OF AUDIT SUMMARY CHANGE FORM - DESCRIPTION CHANGE ON ITEM CODE 055007							Service ATA:00
	MOS/MSC	29-Aug-19	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								
C680-190729	AUDIT SUMMARY CHANGE FORM - ITEM CODE 57-50-00-2200 DOCUMENT ASSIGNING CORRECTION							Service ATA:00
	MOS/MSC	29-Aug-19	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								
C680-190815	AUDIT SUMMARY CHANGE FORM - ITEM CODE 5-12-15 DESCRIPTION CHANGE							Service ATA:00
	MOS/MSC	29-Aug-19	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
C680-200304	REVIEW AUDIT SUMMARY CHANGE FORM - DESCRIPTION CHANGE							Service ATA:00
	MOS/MSC	06-Mar-20	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								
C680-200430	AUDIT SUMMARY CHANGE FORM - CHANGE FOR ITEM CODE 26-20-00-7100							Service ATA:00
	MOS/MSC	04-May-20	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C680-26PROC. REF: RCF C680-26								
C680-200906	REVIEW CITATION SOVEREIGN TECHNICAL MANUAL DEVIATION APPROVAL TMDA20200031, TMDA20200032, AND TMDA20200033							Service ATA:00
	MOS/MSC	19-Oct-20	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								
C680-201103	AUDIT SUMMARY CHANGE FORM: ITEM CODES 275001, 5-12-17, AND 27-12-00-9600							Service ATA:00
	MOS/MSC	04-Nov-20	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								
C680-201104	REVIEW AUDIT SUMMARY CHANGE FORM - SPLIT ITEM CODE 32-50-00-9600 INTO FOUR POSITIONS. REPLACES REVISION SUMMARY CHANGE FORM C680-200906.							Service ATA:00
	MOS/MSC	05-Nov-20	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
C680-201204	REVIEW AUDIT SUMMARY CHANGE FORM - ITEM CODE 520001							Service ATA:00
	MOS/MSC	18-Dec-20	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								
C680-201228	REVIEW AUDIT SUMMARY CHANGE FORM - ITEM CODE 520000							Service ATA:00
	MOS/MSC	29-Dec-20	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								
C680-210216	REVIEW OF AUDIT SUMMARY CHANGE FORM - AUDIT OF ITEM CODES 28-00-10-2200 AND 28-00-10-2201							Service ATA:00
	MOS/MSC	18-Feb-21	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								
C680-220315A	REVIEW CITATION SOVEREIGN 680 AIRWORTHINESS LIMITATIONS (CHAPTER 4), REVISION 11							Service ATA:00
	MOS/MSC	31-May-22	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
C680-220315B	REVIEW CITATION SOVEREIGN 680 TIME LIMITS MAINTENANCE CHECKS (CHAPTER 5), REVISION 30							Service ATA:00
	MOS/MSC	31-May-22	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
C680-220315C	REVIEW CITATION SOVEREIGN 680 PARKING AND MOORING (CHAPTER 10), REVISION 30							Service ATA:00
	MOS/MSC	31-May-22	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								
C680-220315D	REVIEW CITATION SOVEREIGN 680 TIME LIMITS MAINTENANCE CHECKS (CHAPTER 5), REVISION 31							Service ATA:00
	MOS/MSC	15-Aug-22	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								
C680-220315E	REVIEW CITATION SOVEREIGN 680 PARKING AND MOORING (CHAPTER 10), REVISION 31							Service ATA:00
	MOS/MSC	15-Aug-22	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								
C680-220531	REVIEW OF AUDIT SUMMARY CHANGE FORM - AUDIT OF ITEM CODE 4-12-MV							Service ATA:00
	MOS/MSC	12-Jul-22	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								
C680-220601	REVIEW OF AUDIT SUMMARY CHANGE FORM - AUDIT OF ITEM CODE 32-20-00-2201							Service ATA:00
	MOS/MSC	05-Sep-22	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
C680-220627	AUDIT SUMMARY CHANGE FORM - ITEM CODE(S) 712207, 712208, 54-50-00-2507, 712303, 712304, AND 54-50-00-2506							Service ATA:00
	MOS/MSC	12-Jul-22	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								
C680-230801	REVIEW CITATION SOVEREIGN 680 AIRWORTHINESS LIMITATIONS (CHAPTER 4), REVISION 12							Service ATA:00
	MOS/MSC	24-Aug-23	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								
C680-230801A	REVIEW CITATION SOVEREIGN 680 TIME LIMITS MAINTENANCE CHECKS (CHAPTER 5), REVISION 32							Service ATA:00
	MOS/MSC	30-Aug-23	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								
C680-231101	REVIEW CITATION SOVEREIGN 680 TIME LIMITS MAINTENANCE CHECKS (CHAPTER 5), REVISION 33							Service ATA:00
	MOS/MSC	04-Jan-24	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								
C680-231113	REVIEW OF AUDIT SUMMARY CHANGE FORM - TASK CODE CHANGE FOR 055005							Service ATA:00
	MOS/MSC	15-Nov-23	-					REQUIREMENT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
C680-240104	REVIEW OF AUDIT SUMMARY CHANGE FORM - TASK CODE CHANGE FOR 055005 (REPLACES C680-231113)							Service ATA:00
	MOS/MSC	08-Jan-24	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								
C680-241122A	REVIEW CITATION SOVEREIGN 680 AIRWORTHINESS LIMITATIONS (CHAPTER 4), REVISION 13							Service ATA:00
	MOS/MSC	08-Jan-25	-					REQUIREMENT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								
C680-241122B	REVIEW CITATION SOVEREIGN 680 TIME LIMITS MAINTENANCE CHECKS (CHAPTER 5), REVISION 34							Service ATA:00
	MOS/MSC	03-Jan-25	-					REQUIREMENT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF C680PROC. REF: RCF C680								
E680-171010	NO. 1 ENGINE - REVIEW PWC PW306C EMM REV 34.1							Service ATA:00
	MOS/MSC	24-Nov-17	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-171010	NO. 2 ENGINE - REVIEW PWC PW306C EMM REV 34.1							Service ATA:00
	MOS/MSC	24-Nov-17	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E680-171023	NO. 1 ENGINE - REVIEW PW306C EMM REV 35.0							Service ATA:00
	MOS/MSC	03-Jan-18	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-171023	NO. 2 ENGINE - REVIEW PW306C EMM REV 35.0							Service ATA:00
	MOS/MSC	03-Jan-18	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-180312	NO. 1 ENGINE - REVIEW PW306C EMM REV 35.1							Service ATA:00
	MOS/MSC	09-Apr-18	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-180312	NO. 2 ENGINE - REVIEW PW306C EMM REV 35.1							Service ATA:00
	MOS/MSC	09-Apr-18	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-180525	NO. 1 ENGINE - REVIEW PW306C EMM REV 35.2 & 35.3							Service ATA:00
	MOS/MSC	01-Jun-18	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E680-180525	NO. 2 ENGINE - REVIEW PW306C EMM REV 35.2 & 35.3							Service ATA:00
	MOS/MSC	01-Jun-18	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-180618	NO. 1 ENGINE - REVIEW PW306C EMM REV 36.0							Service ATA:00
	MOS/MSC	12-Jul-18	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-180618	NO. 2 ENGINE - REVIEW PW306C EMM REV 36.0							Service ATA:00
	MOS/MSC	12-Jul-18	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-181119	NO. 1 ENGINE - REVIEW OF AUDIT SUMMARY CHANGE FORM - NEW TASK CODE							Service ATA:00
	MOS/MSC	26-Nov-18	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	ENC							
PROC. REF: RCF E680-181119PROC. REF: RCF E680-181119								
E680-181119	NO. 2 ENGINE - REVIEW OF AUDIT SUMMARY CHANGE FORM - NEW TASK CODE							Service ATA:00
	MOS/MSC	26-Nov-18	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	ENC							
PROC. REF: RCF E680-181119PROC. REF: RCF E680-181119								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E680-181119-1	NO. 1 ENGINE - REVIEW PW306C EMM REV 37.0							Service ATA:00
	MOS/MSC	05-Apr-19	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-181119-1	NO. 2 ENGINE - REVIEW PW306C EMM REV 37.0							Service ATA:00
	MOS/MSC	05-Apr-19	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-190111	NO. 1 ENGINE - REVIEW PW306C EMM REV 37.1							Service ATA:00
	MOS/MSC	05-Apr-19	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-190111	NO. 2 ENGINE - REVIEW PW306C EMM REV 37.1							Service ATA:00
	MOS/MSC	05-Apr-19	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-190201	NO. 1 ENGINE - REVIEW PW306C EMM REV 37.2							Service ATA:00
	MOS/MSC	05-Apr-19	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E680-190201	NO. 2 ENGINE - REVIEW PW306C EMM REV 37.2							Service ATA:00
	MOS/MSC	05-Apr-19	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-190606	NO. 1 ENGINE - REVIEW PW306C EMM REV 37.2 - AUDIT							Service ATA:00
	MOS/MSC	11-Jun-19	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-190606	NO. 2 ENGINE - REVIEW PW306C EMM REV 37.2 - AUDIT							Service ATA:00
	MOS/MSC	11-Jun-19	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-190617	NO. 1 ENGINE - REVIEW PW306C EMM REV 38.0							Service ATA:00
	MOS/MSC	29-Aug-19	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-190617	NO. 2 ENGINE - REVIEW PW306C EMM REV 38.0							Service ATA:00
	MOS/MSC	29-Aug-19	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E680-190809	NO. 1 ENGINE - REVIEW PW306C EMM REV 38.1							Service ATA:00
	MOS/MSC	29-Aug-19	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-190809	NO. 2 ENGINE - REVIEW PW306C EMM REV 38.1							Service ATA:00
	MOS/MSC	29-Aug-19	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-191021	NO. 1 ENGINE - REVIEW PW306C EMM REV 39.0							Service ATA:00
	MOS/MSC	27-Jan-20	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-191021	NO. 2 ENGINE - REVIEW PW306C EMM REV 39.0							Service ATA:00
	MOS/MSC	27-Jan-20	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-200629	NO. 1 ENGINE - REVIEW PW306C EMM REV 40.0							Service ATA:00
	MOS/MSC	16-Jul-20	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E680-200629	NO. 2 ENGINE - REVIEW PW306C EMM REV 40.0							Service ATA:00
	MOS/MSC	16-Jul-20	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-200908	NO. 1 ENGINE - REVIEW PW306C EMM REV 40.1							Service ATA:00
	MOS/MSC	19-Oct-20	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-200908	NO. 2 ENGINE - REVIEW PW306C EMM REV 40.1							Service ATA:00
	MOS/MSC	19-Oct-20	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-201026	NO. 1 ENGINE - REVIEW PW306C EMM REV 41.0							Service ATA:00
	MOS/MSC	17-Nov-20	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-201026	NO. 2 ENGINE - REVIEW PW306C EMM REV 41.0							Service ATA:00
	MOS/MSC	17-Nov-20	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E680-201123	NO. 1 ENGINE - REVIEW PW306C EMM REV 41.0 - AUDIT							Service ATA:00
	MOS/MSC	15-Dec-20	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-201123	NO. 2 ENGINE - REVIEW PW306C EMM REV 41.0 - AUDIT							Service ATA:00
	MOS/MSC	15-Dec-20	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-210510	NO. 1 ENGINE - REVIEW PW306C EMM REV 42.0							Service ATA:00
	MOS/MSC	26-May-21	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-210510	NO. 2 ENGINE - REVIEW PW306C EMM REV 42.0							Service ATA:00
	MOS/MSC	26-May-21	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-210712	NO. 1 ENGINE - REVIEW PW306C EMM REV 43.0							Service ATA:00
	MOS/MSC	30-Jul-21	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E680-210712	NO. 2 ENGINE - REVIEW PW306C EMM REV 43.0							Service ATA:00
	MOS/MSC	30-Jul-21	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-211101	NO. 1 ENGINE - REVIEW PW306C EMM REV 44.0							Service ATA:00
	MOS/MSC	18-Nov-21	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
E680-211101	NO. 2 ENGINE - REVIEW PW306C EMM REV 44.0							Service ATA:00
	MOS/MSC	18-Nov-21	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
E680-220919	NO. 1 ENGINE - REVIEW PW306C EMM REV 45.1							Service ATA:00
	MOS/MSC	14-Oct-22	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-220919	NO. 2 ENGINE - REVIEW PW306C EMM REV 45.1							Service ATA:00
	MOS/MSC	14-Oct-22	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E680-221107	NO. 1 ENGINE - REVIEW PW306C EMM REV 46.0							Service ATA:00
	MOS/MSC	19-Dec-22	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-221107	NO. 2 ENGINE - REVIEW PW306C EMM REV 46.0							Service ATA:00
	MOS/MSC	19-Dec-22	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-221212	NO. 1 ENGINE - REVIEW PW306C EMM REV 46.1							Service ATA:00
	MOS/MSC	19-Jan-23	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-221212	NO. 2 ENGINE - REVIEW PW306C EMM REV 46.1							Service ATA:00
	MOS/MSC	19-Jan-23	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-230214	NO. 1 ENGINE - REVIEW PW306C EMM REV 46.2							Service ATA:00
	MOS/MSC	24-Feb-23	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E680-230214	NO. 2 ENGINE - REVIEW PW306C EMM REV 46.2							Service ATA:00
	MOS/MSC	24-Feb-23	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-230508	NO. 1 ENGINE - REVIEW PW306C EMM REV 47.0							Service ATA:00
	MOS/MSC	09-Jun-23	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-230508	NO. 2 ENGINE - REVIEW PW306C EMM REV 47.0							Service ATA:00
	MOS/MSC	09-Jun-23	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-230621	NO. 1 ENGINE - REVIEW PW306C EMM REV 47.0 - AUDIT							Service ATA:00
	MOS/MSC	08-Jul-23	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-230621	NO. 2 ENGINE - REVIEW PW306C EMM REV 47.0 - AUDIT							Service ATA:00
	MOS/MSC	08-Jul-23	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E680-231106	NO. 1 ENGINE - REVIEW PW306C EMM REV 48.0							Service ATA:00
	MOS/MSC	27-Nov-23	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-231106	NO. 2 ENGINE - REVIEW PW306C EMM REV 48.0							Service ATA:00
	MOS/MSC	27-Nov-23	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-240129	NO. 1 ENGINE - REVIEW PW306C EMM REV 49.0							Service ATA:00
	MOS/MSC	02-Feb-24	-	TAC 0				REQUIREMENT CHANGE FORMS
	HRS			TAC 0				
	ENC			TAC 0				
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-240129	NO. 2 ENGINE - REVIEW PW306C EMM REV 49.0							Service ATA:00
	MOS/MSC	02-Feb-24	-	TAC 0				REQUIREMENT CHANGE FORMS
	HRS			TAC 0				
	ENC			TAC 0				
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-240617	NO. 1 ENGINE - REVIEW PW306C EMM REV 50.0							Service ATA:00
	MOS/MSC	19-Jul-24	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E680-240617	NO. 2 ENGINE - REVIEW PW306C EMM REV 50.0							Service ATA:00
	MOS/MSC	19-Jul-24	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-241104	NO. 1 ENGINE - REVIEW PW306C EMM REV 51.0							Service ATA:00
	MOS/MSC	02-Dec-24	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-241104	NO. 2 ENGINE - REVIEW PW306C EMM REV 51.0							Service ATA:00
	MOS/MSC	02-Dec-24	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-250203	NO. 1 ENGINE - REVIEW PW306C EMM REV 51.0 AUDIT							Service ATA:00
	MOS/MSC	06-Feb-25	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								
E680-250203	NO. 2 ENGINE - REVIEW PW306C EMM REV 51.0 AUDIT							Service ATA:00
	MOS/MSC	06-Feb-25	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E680PROC. REF: RCF E680								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 04 - LIMITATIONS								
4-12-MC	INSPECTION DOCUMENT MC							Package ATA:04
	MOS	02-Oct-24						AIRWORTHINESS
	HRS	9165:23	400 (+25/-25)	Adj 20:05	9585:28	9610:28	241:27 (+25)	
	AFL	7889						
PROC. REF: ALS 4-12-MC								PKG:161
4-12-MD	INSPECTION DOCUMENT MD							Package ATA:04
	MOS	02-Oct-24						AIRWORTHINESS
	HRS	9165:23	800 (+25/-25)	Adj 20:05	9985:28	10010:28	641:27 (+25)	
	AFL	7889						
PROC. REF: ALS 4-12-MD								PKG:65
4-12-MF	INSPECTION DOCUMENT MF							Package ATA:04
	MOS	02-Oct-24						AIRWORTHINESS
	HRS	9165:23	1600		10765:23		1421:22	
	AFL	7889						
PROC. REF: ALS 4-12-MF								PKG:67
4-12-MG	INSPECTION DOCUMENT MG							Package ATA:04
	MOS	02-Oct-24						AIRWORTHINESS
	HRS	9165:23	1600 (+25/-25)		10765:23	10790:23	1421:22 (+25)	
	AFL	7889						
PROC. REF: ALS 4-12-MG								PKG:68
4-12-MH	INSPECTION DOCUMENT MH							Package ATA:04
	MOS	25-Mar-19						AIRWORTHINESS
	HRS	6089:30	6450 (+25/-25)		12539:30	12564:30	3195:29 (+25)	
	AFL	5651						
PROC. REF: ALS 4-12-MH								PKG:69

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 04 - LIMITATIONS								
4-12-MJ	INSPECTION DOCUMENT MJ							Package ATA:04
	MOS	15-Mar-24						AIRWORTHINESS
	HRS	8767:48	1200 (+25/-25)		9967:48	9992:48	623:47 (+25)	
	AFL	7616						
	APH							
	APS							
PROC. REF: ALS 4-12-MJPROC. REF: ALS 4-12-MJ								PKG:71
4-12-MK	INSPECTION DOCUMENT MK							Package ATA:04
	MOS	17-Nov-21						AIRWORTHINESS
	HRS	7624:17	2400 (+25/-25)		10024:17	10049:17	680:16 (+25)	
	AFL	6763						
PROC. REF: ALS 4-12-MKPROC. REF: ALS 4-12-MK								PKG:73
4-12-ML	INSPECTION DOCUMENT ML							Package ATA:04
	MOS							AIRWORTHINESS
	HRS		T:12900 (+25/-25)		12900	12925	3555:59 (+25)	
	AFL							
PROC. REF: ALS 4-12-MLPROC. REF: ALS 4-12-ML								PKG:75
4-12-MM	INSPECTION DOCUMENT MM							Package ATA:04
	MOS							AIRWORTHINESS
	HRS		T:15000 (+25/-25)		15000	15025	5655:59 (+25)	
	AFL							
PROC. REF: ALS 4-12-MMPROC. REF: ALS 4-12-MM								PKG:77
4-12-MO	INSPECTION DOCUMENT MO							Package ATA:04
	MOS							AIRWORTHINESS
	HRS		T:13500 (+25/-25)		13500	13525	4155:59 (+25)	
	AFL							
PROC. REF: ALS 4-12-MOPROC. REF: ALS 4-12-MO								PKG:81

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 04 - LIMITATIONS								
4-12-MQ	INSPECTION DOCUMENT MQ							Package ATA:04
	MOS	05-Aug-21						AIRWORTHINESS
	HRS	7427:43	7500 (+25/-25)		14927:43	14952:43	5583:42 (+25)	
	AFL	6624						
PROC. REF: ALS 4-12-MQPROC. REF: ALS 4-12-MQ								PKG:85
4-12-MR	INSPECTION DOCUMENT MR							Package ATA:04
	MOS							AIRWORTHINESS
	HRS		T:12100 (+25/-25)		12100	12125	2755:59 (+25)	
	AFL							
PROC. REF: ALS 4-12-MRPROC. REF: ALS 4-12-MR								PKG:87
4-12-MX	INSPECTION DOCUMENT MX							Package ATA:04
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:16200 (+25/-25)		16200	16225	6855:59 (+25)	
	AFL	0						
PROC. REF: ALS 4-12-MXPROC. REF: ALS 4-12-MX								PKG:165
4-12-MY	INSPECTION DOCUMENT MY							Package ATA:04
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:18100 (+25/-25)		18100	18125	8755:59 (+25)	
	AFL	0						
PROC. REF: ALS 4-12-MYPROC. REF: ALS 4-12-MY								PKG:166
4-12-MZ	INSPECTION DOCUMENT MZ							Package ATA:04
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:19500 (+25/-25)		19500	19525	10155:59 (+25)	
	AFL	0						
PROC. REF: ALS 4-12-MZPROC. REF: ALS 4-12-MZ								PKG:167

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 04 - LIMITATIONS								
4-12-NC	INSPECTION DOCUMENT NC							Package ATA:04
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:25000 (+25/-25)		25000	25025	15655:59 (+25)	
	AFL	0						
PROC. REF: ALS 4-12-NC								PKG:170
4-12-NF	INSPECTION DOCUMENT NF							Package ATA:04
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:11800 (+25/-25)		11800	11825	2455:59 (+25)	
	AFL	0						
PROC. REF: ALS 4-12-NF								PKG:195
4-12-NH	INSPECTION DOCUMENT NH							Package ATA:04
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:13400 (+25/-25)		13400	13425	4055:59 (+25)	
	AFL	0						
PROC. REF: ALS 4-12-NH								PKG:197
4-12-NJ	INSPECTION DOCUMENT NJ							Package ATA:04
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:13550 (+25/-25)		13550	13575	4205:59 (+25)	
	AFL	0						
PROC. REF: ALS 4-12-NJ								PKG:198
4-12-NK	INSPECTION DOCUMENT NK							Package ATA:04
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:13700 (+25/-25)		13700	13725	4355:59 (+25)	
	AFL	0						
PROC. REF: ALS 4-12-NK								PKG:199

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 04 - LIMITATIONS								
4-12-NM	INSPECTION DOCUMENT NM							Package ATA:04
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:14200 (+25/-25)		14200	14225	4855:59 (+25)	
	AFL	0						
								PKG:201
PROC. REF: ALS 4-12-NMPROC. REF: ALS 4-12-NM								
4-12-NN	INSPECTION DOCUMENT NN							Package ATA:04
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:14650 (+25/-25)		14650	14675	5305:59 (+25)	
	AFL	0						
								PKG:202
PROC. REF: ALS 4-12-NNPROC. REF: ALS 4-12-NN								
4-12-NY	INSPECTION DOCUMENT NY							Package ATA:04
	MOS	01-Feb-08						
	HRS	0	T:25000 (+25/-25)		25000	25025	15655:59 (+25)	
	AFL	0						
								PKG:213
PROC. REF: ALS 4-12-NYPROC. REF: ALS 4-12-NY								
4-12-OC	INSPECTION DOCUMENT OC							Package ATA:04
	MOS	01-Feb-08						
	HRS	0	T:25000 (+25/-25)		25000	25025	15655:59 (+25)	
	AFL	0						
								PKG:217
PROC. REF: ALS 4-12-OCPROC. REF: ALS 4-12-OC								
4-12-OG	INSPECTION DOCUMENT OG							Package ATA:04
	MOS							AIRWORTHINESS
	HRS		T:25000 (+25/-25)		25000	25025	15655:59 (+25)	
	AFL							
								PKG:222

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
050001 ^U	AIRWORTHINESS REVIEW							Service ATA:05
	MOS	14-Feb-25	12		18-Feb-26 (M)		298 d	AIRWORTHINESS
	HRS	9311:11						
	AFL	8004						
050002 ^U	ELECTRONIC EQUIPMENT INSPECTION							Service ATA:05
	MOS	26-Apr-25	24 (+1m/-1m)		30-Apr-27	31-May-27	734 d (+31)	
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
055001	ACCOMPLISH CHECK HARD OR OVERWEIGHT LANDINGS							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
WC#: 05.010	AFL	0		TAC 0				
PROC. REF: TLMC 5-50-00, TLMC 5-50-00PROC. REF: TLMC 5-50-00, TLMC 5-50-00								
055002	ACCOMPLISH CHECK OVERSPEED							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
WC#: 05.020	AFL	0		TAC 0				
PROC. REF: TLMC 5-50-00, TLMC 5-50-00PROC. REF: TLMC 5-50-00, TLMC 5-50-00								
055003	ACCOMPLISH CHECK DANGEROUS TURBULENCE/MANEUVERS							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
WC#: 05.030	AFL	0		TAC 0				
PROC. REF: TLMC 5-50-00, TLMC 5-50-00PROC. REF: TLMC 5-50-00, TLMC 5-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
055004	ACCOMPLISH CHECK ACCIDENTAL THRUST REVERSER DEPLOYMENT							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
WC#: 05.040	AFL	0		TAC 0				
PROC. REF: TLMC 5-50-00PROC. REF: TLMC 5-50-00								
055006	ACCOMPLISH CHECK FOREIGN OBJECT DAMAGE							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
WC#: 05.060	AFL	0		TAC 0				
PROC. REF: TLMC 5-50-00, TLMC 5-50-00PROC. REF: TLMC 5-50-00, TLMC 5-50-00								
055007	TOWING WITH LARGE FUEL IMBALANCE, HIGH DRAG/SIDE LOAD DURING TAXI CHECKS							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	AFL	0		TAC 0				
PROC. REF: TLMC 5-50-00, TLMC 5-50-00PROC. REF: TLMC 5-50-00, TLMC 5-50-00								
055008	LANDING GEAR TIRE BURST CHECKS							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
WC#: 05.070	AFL	0		TAC 0				
PROC. REF: TLMC 5-50-00, TLMC 5-50-00PROC. REF: TLMC 5-50-00, TLMC 5-50-00								
055009	ACCOMPLISH CHECK ENGINE AND/OR AUXILLARY POWER UNIT FIRE EXTINGUISHER ACCIDENTAL DISCHARGE							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
WC#: 05.080	AFL	0		TAC 0				
PROC. REF: TLMC 5-50-00PROC. REF: TLMC 5-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
055010	ACCOMPLISH CHECK INTERIOR CABIN/TAILCONE FLUID SPILL							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	AFL	0		TAC 0				
PROC. REF: TLMC 5-50-00, TLMC 5-50-00PROC. REF: TLMC 5-50-00, TLMC 5-50-00								
055011	EXPOSURE TO HIGH WINDS WHILE THE AIRCRAFT IS PARKED							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	AFL	0		TAC 0				
PROC. REF: TLMC 5-50-00, TLMC 5-50-00PROC. REF: TLMC 5-50-00, TLMC 5-50-00								
055030	NO. 1 ENGINE - LIGHTNING STRIKE							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055030	NO. 2 ENGINE - LIGHTNING STRIKE							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055033	ACCOMPLISH CHECK LIGHTNING STRIKE							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
WC#: 05.050	AFL	0		TAC 0				
PROC. REF: TLMC 5-50-00, TLMC 5-50-00PROC. REF: TLMC 5-50-00, TLMC 5-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
055035	NO. 1 ENGINE - DROPPED ENGINE							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055035	NO. 2 ENGINE - DROPPED ENGINE							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055040	NO. 1 ENGINE - HEAVY LANDING							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055040	NO. 2 ENGINE - HEAVY LANDING							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055045	NO. 1 ENGINE - ENGINE WINDMILLING IN FLIGHT							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
055045	NO. 2 ENGINE - ENGINE WINDMILLING IN FLIGHT							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055050	NO. 1 ENGINE - ENGINE IMMERSION IN WATER							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055050	NO. 2 ENGINE - ENGINE IMMERSION IN WATER							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055055	NO. 1 ENGINE - ENGINE EXPOSED TO FIRE EXTINGUISHING AGENT							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055055	NO. 2 ENGINE - ENGINE EXPOSED TO FIRE EXTINGUISHING AGENT							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
055060	NO. 1 ENGINE - ENGINE OPERATION IN VISABLE, REPORTED OR SUSPECTED VOLCANIC ASH CONDITIONS							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055060	NO. 2 ENGINE - ENGINE OPERATION IN VISABLE, REPORTED OR SUSPECTED VOLCANIC ASH CONDITIONS							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055070	NO. 1 ENGINE - SUSTAINED RUNNING AT AN OIL TEMPERATURE OUTSIDE LIMITS							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055070	NO. 2 ENGINE - SUSTAINED RUNNING AT AN OIL TEMPERATURE OUTSIDE LIMITS							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055080	NO. 1 ENGINE - LOW AND/OR FLUCTUATING OIL PRESSURE							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
055080	NO. 2 ENGINE - LOW AND/OR FLUCTUATING OIL PRESSURE							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055120	NO. 1 ENGINE - STARTER GENERATOR FAIL INDICATION							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055120	NO. 2 ENGINE - STARTER GENERATOR FAIL INDICATION							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055130	NO. 1 ENGINE - FADEC MINOR FAULTS							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055130	NO. 2 ENGINE - FADEC MINOR FAULTS							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
055145	NO. 1 ENGINE - FOREIGN OBJECT DAMAGE (FOD)							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055145	NO. 2 ENGINE - FOREIGN OBJECT DAMAGE (FOD)							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055150	NO. 1 ENGINE - FUEL CONTAMINATION WITH DEF (DIESEL EXHAUST FLUID)							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055150	NO. 2 ENGINE - FUEL CONTAMINATION WITH DEF (DIESEL EXHAUST FLUID)							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055155	NO. 1 ENGINE - AC GENERATOR FAIL INDICATION							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
055155	NO. 2 ENGINE - AC GENERATOR FAIL INDICATION							Service ATA:05
	MOS/MSC	01-Feb-08	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
057101	NO. 1 ENGINE - MINOR INSPECTION							Package ATA:05
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)		(9831:32) 9965:23	9856:32	621:22 (+25)	
	ENC	7744						
PROC. REF: EMM 05-20-00PROC. REF: EMM 05-20-00								
057101	NO. 2 ENGINE - MINOR INSPECTION							Package ATA:05
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)		(9831:32) 9965:23	9856:32	621:22 (+25)	
	ENC	7744						
PROC. REF: EMM 05-20-00PROC. REF: EMM 05-20-00								
057120	NO. 1 ENGINE - INSPECTION LOW UTILIZATION							Service ATA:05
	MOS	25-Mar-19	T:168 (+12m)		31-Mar-33	31-Mar-34	2896 d (+365)	
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
057120	NO. 2 ENGINE - INSPECTION LOW UTILIZATION							Service ATA:05
	MOS	25-Mar-19	T:168 (+12m)		31-Mar-33	31-Mar-34	2896 d (+365)	
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-12-01	INSPECTION DOCUMENT 1							Package ATA:05
	MOS	26-Apr-25	12 (+1m/-1m)	Adj -32d	31-Mar-26	30-Apr-26	339 d (+30)	
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
PROC. REF: TLMC 5-12-01PROC. REF: TLMC 5-12-01								PKG:174
5-12-02	INSPECTION DOCUMENT 2							Package ATA:05
	MOS	02-Oct-24						
	HRS	9165:23	800 (+25/-25)	Adj 20:05	9985:28	10010:28	641:27 (+25)	
	AFL	7889						
PROC. REF: TLMC 5-12-02PROC. REF: TLMC 5-12-02								PKG:192
5-12-03	INSPECTION DOCUMENT 3							Package ATA:05
	MOS	27-Oct-23	24 (+1m/-1m)	Adj -27d	30-Sep-25	31-Oct-25	157 d (+31)	
	HRS	8589:45						
	AFL	7472						
	APH							
	APS							
PROC. REF: TLMC 5-12-03PROC. REF: TLMC 5-12-03								PKG:190
5-12-04	INSPECTION DOCUMENT 4							Package ATA:05
	MOS	02-Oct-24						
	HRS	9165:23	1600 (+25/-25)		10765:23	10790:23	1421:22 (+25)	
	AFL	7889						
PROC. REF: TLMC 5-12-04PROC. REF: TLMC 5-12-04								PKG:189

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-12-05	INSPECTION DOCUMENT 5							Package ATA:05
	MOS	04-Nov-22	36 (+1m/-1m)	Adj -16d	31-Oct-25	30-Nov-25	188 d (+30)	
	HRS	8046:12						
	AFL	7047						
PROC. REF: TLMC 5-12-05PROC. REF: TLMC 5-12-05								PKG:175
5-12-06	INSPECTION DOCUMENT 6							Package ATA:05
	MOS	01-Jul-22	48 (+1m/-1m)	Adj -42d	31-May-26	30-Jun-26	400 d (+30)	
	HRS	7711:58						
	AFL	6829						
PROC. REF: TLMC 5-12-06PROC. REF: TLMC 5-12-06								PKG:187
5-12-07	INSPECTION DOCUMENT 7							Package ATA:05
	MOS	02-Oct-24	24 (+1m/-1m)		31-Oct-26	30-Nov-26	553 d (+30)	
	HRS	9165:23	800 (+25/-25)	Adj 20:05	9985:28	10010:28	641:27 (+25)	
	AFL	7889						
PROC. REF: TLMC 5-12-07PROC. REF: TLMC 5-12-07								PKG:191
5-12-08	INSPECTION DOCUMENT 8							Package ATA:05
	MOS	17-Nov-21						
	HRS	7624:17	2400 (+25/-25)	Adj 17:41	10041:58	10066:58	697:57 (+25)	
	AFL	6763						
PROC. REF: TLMC 5-12-08PROC. REF: TLMC 5-12-08								PKG:193
5-12-09	INSPECTION DOCUMENT 9							Package ATA:05
	MOS	27-Oct-23	24 (+1m/-1m)		31-Oct-25	30-Nov-25	188 d (+30)	
	HRS	8589:45	1600 (+25/-25)		10189:45	10214:45	845:44 (+25)	
	AFL	7472						
	APH							
	APS							
PROC. REF: AMM GENERIC, TLMC 5-12-09PROC. REF: AMM GENERIC, TLMC 5-12-09								PKG:176

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-12-10	INSPECTION DOCUMENT 10							Package ATA:05
	MOS	02-Oct-24	48 (+1m/-1m)		31-Oct-28	30-Nov-28	1284 d (+30)	
	HRS	9165:23	1600 (+25/-25)		10765:23	10790:23	1421:22 (+25)	
	AFL	7889						
PROC. REF: AMM GENERIC, TLMC 5-12-10PROC. REF: AMM GENERIC, TLMC 5-12-10								PKG:177
5-12-11	INSPECTION DOCUMENT 11							Package ATA:05
	MOS	27-Oct-23	24 (+1m/-1m)	Adj -8d	31-Oct-25	30-Nov-25	188 d (+30)	
	HRS	8589:45						
	AFL	7472						
	APH							
	APS							
PROC. REF: AMM GENERIC, TLMC 5-12-11PROC. REF: AMM GENERIC, TLMC 5-12-11								PKG:178
5-12-12	INSPECTION DOCUMENT 12							Package ATA:05
	MOS	15-Mar-24	48 (+1m/-1m)	Adj -43d	29-Feb-28	31-Mar-28	1039 d (+31)	
	HRS	8767:48	3200 (+25/-25)		11967:48	11992:48	2623:47 (+25)	
	AFL	7616						
	APH							
	APS							
PROC. REF: TLMC 5-12-12PROC. REF: TLMC 5-12-12								PKG:179
5-12-13	INSPECTION DOCUMENT 13							Package ATA:05
	MOS	04-May-20	72 (+1m/-1m)	Adj -73d	28-Feb-26	31-Mar-26	308 d (+31)	
	HRS	6659:50						
	AFL	6099						
PROC. REF: TLMC 5-12-13PROC. REF: TLMC 5-12-13								PKG:180

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-12-14	INSPECTION DOCUMENT 14							Package ATA:05
	MOS	15-Mar-24	48 (+1m/-1m)	Adj -43d	29-Feb-28	31-Mar-28	1039 d (+31)	
	HRS	8767:48						
	AFL	7616						
	APH	3354	1600		4954		1326	
	APS							
PROC. REF: TLMC 5-12-14PROC. REF: TLMC 5-12-14								PKG:181
5-12-15	INSPECTION DOCUMENT 15 (AIRPLANES -0001 THRU -0545)							Package ATA:05
	MOS	26-Apr-25	6 (+1m/-1m)	Adj -26d	30-Sep-25	31-Oct-25	157 d (+31)	
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
PROC. REF: TLMC 5-12-15PROC. REF: TLMC 5-12-15								PKG:182
5-12-16	INSPECTION DOCUMENT 16							Package ATA:05
	MOS	15-Mar-24	96 (+1m/-1m)	Adj -43d	29-Feb-32	31-Mar-32	2500 d (+31)	
	HRS	8767:48						
	AFL	7616						
	APH							
	APS							
PROC. REF: TLMC 5-12-16PROC. REF: TLMC 5-12-16								PKG:183
5-12-17 ^S	INSPECTION DOCUMENT 17							Package ATA:05
	MOS	23-May-18						
	HRS	5576:29	5600 (+25/-25)	Adj 23:31				
	AFL	5208						
PROC. REF: AMM GENERIC, TLMC 5-12-17PROC. REF: AMM GENERIC, TLMC 5-12-17								PKG:184

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-12-18	INSPECTION DOCUMENT 18							Package ATA:05
	MOS	15-Mar-24	96 (+1m/-1m)	Adj -43d	29-Feb-32	31-Mar-32	2500 d (+31)	
	HRS	8767:48	6400 (+25/-25)		15167:48	15192:48	5823:47 (+25)	
	AFL	7616						
	APH							
	APS							
PROC. REF: AMM GENERIC, TLMC 5-12-18PROC. REF: AMM GENERIC, TLMC 5-12-18								PKG:185
5-12-19	INSPECTION DOCUMENT 19							Package ATA:05
	MOS	04-May-20	144 (+1m/-1m)	Adj -93d	29-Feb-32	31-Mar-32	2500 d (+31)	
	HRS	6659:50						
	AFL	6099						
PROC. REF: TLMC 5-12-19PROC. REF: TLMC 5-12-19								PKG:186
5-12-20 ^S	INSPECTION DOCUMENT 20							Package ATA:05
	MOS		12 (+1m/-1m)					
	HRS		100 (+25/-25)					
	AFL							
PROC. REF: TLMC 5-12-20PROC. REF: TLMC 5-12-20								PKG:188
5-12-25	INSPECTION DOCUMENT 25							Package ATA:05
	MOS	26-Apr-21						
	HRS	7171:58	7200 (+25/-25)		14371:58	14396:58	5027:57 (+25)	
	AFL	6455						
PROC. REF: AMM GENERIC, TLMC 5-12-25PROC. REF: AMM GENERIC, TLMC 5-12-25								PKG:221
ATA 08 - LEVELING AND WEIGHING								
080001 ^U	AIRCRAFT WEIGHING ACC. TO AIR OPS REGULATION CAT.POL.MAB.100							Service ATA:08
	MOS	28-Jun-22	48		28-Jun-26		428 d	AIRWORTHINESS
	HRS	7711:58						
	AFL	6829						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
12-19-00-1600 ^S	WATER SEPARATOR (CLEANING) RESTORATION							Service ATA:12
	MOS	02-Oct-24						
	HRS	9165:23	1600 (+25/-25)					
	AFL	7889						
								PKG:189
PROC. REF: AMM 12-19-00PROC. REF: AMM 12-19-00								
12-19-00-1601 ^S	OZONE CONVERTER (CLEANING) RESTORATION							Service ATA:12
	MOS	17-Nov-21						
	HRS	7624:17	2400 (+25/-25)					
	AFL	6763						
								PKG:193
PROC. REF: AMM 12-19-00PROC. REF: AMM 12-19-00								
12-20-27-6400 ^S	HORIZONTAL STABILIZER SYSTEM LUBRICATION							Service ATA:12
	MOS	26-Apr-25	12 (+1m/-1m)					
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
								PKG:174
PROC. REF: AMM 12-20-27PROC. REF: AMM 12-20-27								
12-20-27-6401 ^S	ELEVATOR TRIM LUBRICATION							Service ATA:12
	MOS	26-Apr-25	12 (+1m/-1m)					
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
								PKG:174
PROC. REF: AMM 12-20-27PROC. REF: AMM 12-20-27								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
12-20-27-6402 ^S	WING FLAP SYSTEM LUBRICATION							Service ATA:12
	MOS	27-Oct-23	24 (+1m/-1m)					
	HRS	8589:45						
	AFL	7472						
	APH							
	APS							
								PKG:190
PROC. REF: AMM 12-20-27PROC. REF: AMM 12-20-27								
12-20-32-6100 ^S	NOSE LANDING GEAR SERVICING							Service ATA:12
	MOS	26-Apr-25	12 (+1m/-1m)					
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
								PKG:174
PROC. REF: AMM 12-20-32PROC. REF: AMM 12-20-32								
12-20-32-6400 ^S	LANDING GEAR SYSTEM LUBRICATION							Service ATA:12
	MOS	26-Apr-25	12 (+1m/-1m)					
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
								PKG:174
PROC. REF: AMM 12-20-32PROC. REF: AMM 12-20-32								
12-20-52-6400 ^S	KEYED LOCK LUBRICATION							Service ATA:12
	MOS	26-Apr-25	12 (+1m/-1m)					
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
								PKG:174
PROC. REF: AMM 12-20-52PROC. REF: AMM 12-20-52								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
12-20-78-6400	^S	THRUST REVERSER LATCH BOX ASSEMBLY LUBRICATION						Service ATA:12
	MOS	04-Nov-22	36 (+1m/-1m)					
	HRS	8046:12						
	AFL	7047						
								PKG:175
PROC. REF: AMM 12-20-78PROC. REF: AMM 12-20-78								
12-26-00-6001		15 DAY HIGH EXPOSURE AREAS - AIRPLANE ZONE 1 WASH						Service ATA:12
	MOS/MSC		A/R					CPCP
	HRS							
	AFL							
PROC. REF: AMM 12-26-00PROC. REF: AMM 12-26-00								
12-26-00-6002		45 DAY MEDIUM EXPOSURE AREAS - AIRPLANE ZONE 2 WASH						Service ATA:12
	MOS/MSC		A/R					CPCP
	HRS							
	AFL							
PROC. REF: AMM 12-26-00PROC. REF: AMM 12-26-00								
12-26-00-6003		90 DAY LOW EXPOSURE AREAS - AIRPLANE ZONE 3 WASH						Service ATA:12
	MOS/MSC		A/R					CPCP
	HRS							
	AFL							
PROC. REF: AMM 12-26-00PROC. REF: AMM 12-26-00								
ATA 20 - STANDARD PRACTICES - AIRFRAME								
205220	^U	PERFORM AIRFRAME WASH (ZONE 1/2/3) WITH SALTS GONE AVIATION FORMULA IAW. STANDARD PRACTICES MANUAL CHAPTER 20-52						Service ATA:20
		-20						
	MOS/MSC	26-Apr-25	A/R					CPCP
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-20-00-2200 ^S	CONDITIONED AIR PRESSURE VESSEL CHECK VALVES DETAILED INSPECTION							Service ATA:21
	MOS	02-Oct-24						
	HRS	9165:23	800 (+25/-25)					
	AFL	7889						
PROC. REF: AMM 21-20-00PROC. REF: AMM 21-20-00								PKG:192
21-20-05-7200 ^S	NOSE COMPARTMENT TEMPERATURE SWITCH FUNCTIONAL CHECK							Service ATA:21
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 21-20-05PROC. REF: AMM 21-20-05								PKG:187
21-30-00-2200 ^S	EMERGENCY PRESSURE CHECK VALVE DETAILED INSPECTION							Service ATA:21
	MOS	15-Mar-24	96 (+1m/-1m)					
	HRS	8767:48						
	AFL	7616						
	APH							
	APS							
PROC. REF: AMM 21-30-00PROC. REF: AMM 21-30-00								PKG:183
21-30-00-2201 ^S	NEGATIVE PRESSURE RELIEF VALVE DETAILED INSPECTION							Service ATA:21
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 21-30-00PROC. REF: AMM 21-30-00								PKG:187
21-30-00-7100 ^S	PRESSURIZATION CONTROL SYSTEM OPERATIONAL CHECK							Service ATA:21
	MOS	02-Oct-24	24 (+1m/-1m)					
	HRS	9165:23	800 (+25/-25)					
	AFL	7889						
PROC. REF: AMM 21-30-00PROC. REF: AMM 21-30-00								PKG:191

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-30-00-7101 ^S	AUTO ACTIVATION OF THE EMERGENCY PRESSURIZATION SYSTEM OPERATIONAL CHECK							Service ATA:21
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 21-30-00PROC. REF: AMM 21-30-00								PKG:187
21-30-00-9600 ^S	9914183-7 PRIMARY OUTFLOW VALVE AIR FILTER DISCARD							Service ATA:21
	MOS	17-Nov-21						
	HRS	7624:17	2400 (+25/-25)					
	AFL	6763						
PROC. REF: AMM 21-30-00PROC. REF: AMM 21-30-00								PKG:193
21-31-01-7100	OUTFLOW VALVES, ALTITUDE LIMITER AND DELTA P LIMITER OPERATIONAL CHECK							Service ATA:21
	MOS	02-Oct-24						AIRWORTHINESS
	HRS	9165:23	800		9965:23		621:22	
	AFL	7889						
PROC. REF: AMM 21-31-01PROC. REF: AMM 21-31-01								PKG:65
21-61-00-7100 ^S	COCKPIT AND CABIN MANUAL TEMPERATURE CONTROL OPERATIONAL CHECK							Service ATA:21
	MOS	02-Oct-24						AIRWORTHINESS
	HRS	9165:23	800 (+25/-25)					
	AFL	7889						
PROC. REF: AMM 21-61-00PROC. REF: AMM 21-61-00								PKG:65
211001	LEFT BUTTERFLY VALVE							Component ATA:21
PN:1406-8	MOS/MSC	01-Feb-08	O/C					
SN:0670	HRS	0		TSN 0				
WC#: 21.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
211001	RIGHT BUTTERFLY VALVE							Component ATA:21
PN:1406-8	MOS/MSC	01-Feb-08	O/C					
SN:0671	HRS	0		TSN 0				
WC#: 21.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
211002	LEFT OZONE CONVERTER ASSEMBLY							Component ATA:21
PN:31A435-1	MOS/MSC	01-Feb-08	O/C					
SN:06680851	HRS	0		TSN 0				
WC#: 21.070	AFL	0		TSN 0				
PROC. REF: AMM 21-71-00PROC. REF: AMM 21-71-00								
211002	RIGHT OZONE CONVERTER ASSEMBLY							Component ATA:21
PN:31A435-1	MOS/MSC	01-Feb-08	O/C					
SN:06780861	HRS	0		TSN 0				
WC#: 21.070	AFL	0		TSN 0				
PROC. REF: AMM 21-71-00PROC. REF: AMM 21-71-00								
211003	PNEUMATIC SHUTOFF VALVE							Component ATA:21
PN:2601-31	MOS/MSC	10-Aug-17	O/C	TSO 0				
SN:0149	HRS	5117:47		TSO 0				
WC#: 21.080	AFL	4874						
	APH	2032						
	APS	5524						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
211005	CABIN RECIRCULATING FAN							Component ATA:21
PN:AE0907B00	MOS/MSC	01-Feb-08	O/C					
SN:10282	HRS	0		TSN 0				
WC#: 21.090	AFL	0		TSN 0				
PROC. REF: AMM 21-22-03PROC. REF: AMM 21-22-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
211005	EMERGENCY PRESSURE FLOW VALVE							Component ATA:21
PN:4713-19	MOS/MSC	01-Feb-08	O/C					
SN:0957	HRS	0		TSN 0				
WC#: 21.100	AFL	0		TSN 0				
PROC. REF: AMM 21-22-05PROC. REF: AMM 21-22-05								
211005	LEFT COCKPIT RECIRCULATING FAN							Component ATA:21
PN:AE0606A00	MOS/MSC	01-Feb-08	O/C					
SN:L0405	HRS	0		TSN 0				
WC#: 21.110	AFL	0		TSN 0				
PROC. REF: AMM 21-22-04PROC. REF: AMM 21-22-04								
211005	RIGHT COCKPIT RECIRCULATING FAN							Component ATA:21
PN:AE0606A00	MOS/MSC	01-Feb-08	O/C					
SN:L0470	HRS	0		TSN 0				
WC#: 21.110	AFL	0		TSN 0				
PROC. REF: AMM 21-22-04PROC. REF: AMM 21-22-04								
211006	CABIN RATE OF CLIMB INDICATOR							Component ATA:21
PN:37060-1113	MOS/MSC	01-Feb-08	O/C					
SN:363891	HRS	0		TSN 0				
WC#: 21.120	AFL	0		TSN 0				
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00								
212200	LOWER BAGGAGE HEAT TEMPERATURE SENSOR							Component ATA:21
PN:MS28034-3	MOS/MSC	01-Feb-08	O/C					
SN:139587	HRS	0		TSN 0				
WC#: 21.130	AFL	0		TSN 0				
PROC. REF: AMM 21-10-00PROC. REF: AMM 21-10-00								
212200	UPPER BAGGAGE HEAT TEMPERATURE SENSOR							Component ATA:21
PN:MS28034-3	MOS/MSC	01-Feb-08	O/C					
SN:139588	HRS	0		TSN 0				
WC#: 21.130	AFL	0		TSN 0				
PROC. REF: AMM 21-10-00PROC. REF: AMM 21-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
213001	CABIN ALTITUDE/DIFFERENTIAL PRESSURE INDICATOR							Component ATA:21
PN:3003J17	MOS/MSC	01-Feb-08	O/C					
SN:24096	HRS	0		TSN 0				
WC#: 21.140	AFL	0		TSN 0				
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00								
213002	VACUUM EJECTOR JET							Component ATA:21
PN:2002-1	MOS/MSC	01-Feb-08	O/C					
SN:0522	HRS	0		TSN 0				
WC#: 21.140	AFL	0		TSN 0				
PROC. REF: AMM 21-31-01PROC. REF: AMM 21-31-01								
213003	PRESSURE CONTROLLER							Component ATA:21
PN:9914487-11	MOS/MSC	05-Jul-22	O/C	TSR 0				
SN:96-F0121	HRS	7723:30		TSR 0				
WC#: 21.150	AFL	6840		TSR 0				
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00								
213004	LEFT BI LEVEL VALVE							Component ATA:21
PN:5391-00-3	MOS/MSC	10-Dec-21	O/C	TSO 0				
SN:0306	HRS	7660:19		TSO 0				
WC#: 21.160	AFL	6795						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213004	RIGHT BI LEVEL VALVE							Component ATA:21
PN:5391-00-3	MOS/MSC	22-Feb-11	O/C	TSO 0				
SN:0175	HRS	1540:12		TSO 0				
WC#: 21.160	AFL	1735		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213005	MANUAL CONTROL VALVE							Component ATA:21
PN:131400-4	MOS/MSC	01-Feb-08	O/C					
SN:871344	HRS	0		TSN 0				
WC#: 21.170	AFL	0		TSN 0				
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
213006	CABIN PRESSURE SELECTOR							Component ATA:21
PN:2119886-3	MOS/MSC	01-Feb-08	O/C					
SN:27C0448	HRS	0		TSN 0				
WC#: 21.170	AFL	0		TSN 0				
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00								
213007	PRIMARY OUTFLOW (VC003) VALVE							Component ATA:21
PN:103678-3	MOS/MSC	01-Feb-08	O/C					
SN:87A0481	HRS	0		TSN 0				
WC#: 21.010	AFL	0		TSN 0				
PROC. REF: AMM 21-31-01PROC. REF: AMM 21-31-01								
213008	SECONDARY OUTFLOW (VF002) VALVE							Component ATA:21
PN:103676-3	MOS/MSC	01-Feb-08	O/C					
SN:97A0494	HRS	0		TSN 0				
WC#: 21.020	AFL	0		TSN 0				
PROC. REF: AMM 21-31-01PROC. REF: AMM 21-31-01								
213009	PRESSURE VACUUM REGULATOR							Component ATA:21
PN:131402-1	MOS/MSC	01-Feb-08	O/C					
SN:555D	HRS	0		TSN 0				
WC#: 21.180	AFL	0		TSN 0				
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00								
213010	ENVIRONMENTAL CONTROL UNIT							Component ATA:21
PN:2215460-3	MOS/MSC	01-Feb-08	O/C					
SN:956	HRS	0		TSN 0				
WC#: 21.180	AFL	0		TSN 0				
PROC. REF: AMM 21-51-00PROC. REF: AMM 21-51-00								
213011	NO. 1 CABIN TEMPERATURE SENSOR							Component ATA:21
PN:1E47-1	MOS/MSC	01-Feb-08	O/C					
SN:9BC254	HRS	0		TSN 0				
WC#: 21.190	AFL	0		TSN 0				
PROC. REF: AMM 21-61-00PROC. REF: AMM 21-61-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
213011	NO. 2 CABIN TEMPERATURE SENSOR							Component ATA:21
PN:1E47-1	MOS/MSC	01-Feb-08	O/C					
SN:9BC256	HRS	0		TSN 0				
WC#: 21.190	AFL	0		TSN 0				
PROC. REF: AMM 21-61-00PROC. REF: AMM 21-61-00								
213012	WATER SPRAY ECU ASPIRATOR							Component ATA:21
PN:2215605-1	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0		TSN 0				
WC#: 21.200	AFL	0		TSN 0				
PROC. REF: AMM 36-10-10PROC. REF: AMM 36-10-10								
213013	ACM OVERTEMPERATURE SWITCH							Component ATA:21
PN:927223-2-3	MOS/MSC	20-Apr-10	O/C					
SN:0032	HRS	1134		TSN 0				
WC#: 21.200	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213014	WATER SEPARATOR							Component ATA:21
PN:2341316-2	MOS/MSC	01-Feb-08	O/C					
SN:964	HRS	0		TSN 0				
WC#: 21.210	AFL	0		TSN 0				
PROC. REF: AMM 21-21-03PROC. REF: AMM 21-21-03								
213015	COOLING TURBINE							Component ATA:21
PN:2206610-1	MOS/MSC	01-Feb-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213016	CABIN UPPER ZONE TEMPERATURE SENSOR							Component ATA:21
PN:1E46-1	MOS/MSC	01-Feb-08	O/C					
SN:10BC322	HRS	0		TSN 0				
WC#: 21.220	AFL	0		TSN 0				
PROC. REF: AMM 21-61-00PROC. REF: AMM 21-61-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
213016	COCKPIT UPPER ZONE TEMPERATURE SENSOR							Component ATA:21
PN:1E46-1	MOS/MSC	01-Feb-08	O/C					
SN:8BC295	HRS	0		TSN 0				
WC#: 21.220	AFL	0		TSN 0				
PROC. REF: AMM 21-61-00PROC. REF: AMM 21-61-00								
213018	ACM DUCT TEMPERATURE SENSOR							Component ATA:21
PN:1E62-1	MOS/MSC	19-Feb-08	O/C					
SN:1BD1	HRS	12		TSN 0				
WC#: 21.230	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213019	CABIN TEMPERATURE VALVE							Component ATA:21
PN:27241287-14	MOS/MSC	09-May-24	O/C	TSO 0				
SN:11AU200F	HRS	8886:06		TSO 0				
WC#: 21.240	AFL	7694						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213019	COCKPIT TEMPERATURE VALVE							Component ATA:21
PN:27241287-14	MOS/MSC	01-Feb-08	O/C					
SN:8BC266A	HRS	0		TSN 0				
WC#: 21.240	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213019	ECU TEMPERATURE CONTROL VALVE							Component ATA:21
PN:27241287-14	MOS/MSC	01-Feb-08	O/C					
SN:913C	HRS	0		TSN 0				
WC#: 21.230	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
215000	ACM COOLING TURBINE							Component ATA:21
PN:2206610-1	MOS/MSC	22-Jul-12	O/C					
SN:1014	HRS	2240						
WC#: 21.390	AFL	2497						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
215001	LEFT HEAT EXCHANGER							Component ATA:21
PN:8915-1	MOS/MSC	01-Feb-08	O/C					
SN:S4883T0407	HRS	0		TSN 0				
WC#: 21.250	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
215001	RIGHT HEAT EXCHANGER							Component ATA:21
PN:8915-1	MOS/MSC	01-Feb-08	O/C					
SN:S4883T0404	HRS	0		TSN 0				
WC#: 21.250	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
216002	CABIN TEMPERATURE CONTROLLER							Component ATA:21
PN:1E64-2	MOS/MSC	19-Feb-08	O/C					
SN:1BD15	HRS	12		TSN 0				
WC#: 21.260	AFL							
PROC. REF: AMM 21-61-00PROC. REF: AMM 21-61-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
221001	FLIGHT GUIDANCE CONTROL PANEL							Component ATA:22
PN:7022010-909	MOS/MSC	29-Nov-18	O/C	TSO 0				
SN:05120491	HRS	5963:17		TSO 0				
WC#: 22.010	AFL	5513						
PROC. REF: AMM 22-10-01PROC. REF: AMM 22-10-01								
221010	AILERON SERVO							Component ATA:22
PN:6256-166	MOS/MSC	01-Feb-08	O/C					
SN:864	HRS	0		TSN 0				
WC#: 22.020	AFL	0		TSN 0				
PROC. REF: AMM 22-10-03PROC. REF: AMM 22-10-03								
221010	ELEVATOR SERVO							Component ATA:22
PN:6256-166	MOS/MSC	06-Jul-17	O/C	TSO 0				
SN:381	HRS	5005:48		TSO 0				
WC#: 22.030	AFL	4804						
	APH	2004						
	APS	5461						
PROC. REF: AMM 22-10-03PROC. REF: AMM 22-10-03								
221010	RUDDER SERVO							Component ATA:22
PN:6256-166	MOS/MSC	01-Feb-08	O/C					
SN:880	HRS	0		TSN 0				
WC#: 22.040	AFL	0		TSN 0				
PROC. REF: AMM 22-10-03PROC. REF: AMM 22-10-03								
ATA 23 - COMMUNICATIONS								
23-60-00-7200 ^S	STATIC DISCHARGE SYSTEM FUNCTIONAL CHECK							Service ATA:23
	MOS	27-Oct-23	24 (+1m/-1m)					
	HRS	8589:45						
	AFL	7472						
	APH							
	APS							
PROC. REF: AMM 23-60-00PKG:178								
PROC. REF: AMM 23-60-00PROC. REF: AMM 23-60-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
23-70-00-7100 ^S	L3 COCKPIT VOICE RECORDER OPERATIONAL CHECK							Service ATA:23
	MOS	27-Oct-23	24 (+1m/-1m)					
	HRS	8589:45						
	AFL	7472						
	APH							
	APS							
PROC. REF: AMM 23-70-00PROC. REF: AMM 23-70-00								PKG:190
23-70-00-7200 ^S	L3 COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON FUNCTIONAL CHECK							Service ATA:23
	MOS	27-Oct-23	24 (+1m/-1m)					
	HRS	8589:45						
	AFL	7472						
	APH							
	APS							
PROC. REF: AMM 23-70-00PROC. REF: AMM 23-70-00								PKG:190
23-70-00-9600	COCKPIT 810-2007/K OR 810-2008/K L3COCKPIT VOICE RECORDER UNDERWATERLOCATOR BEACON BATTERY DISCARD BATTERY							Component ATA:23
PN:DK 120/90	MOS	25-Mar-19	72	TSN 0	30-Nov-25 (M)	218 d	SCRAP	
SN:AT122417	HRS	6089:30						
WC#: 23.020	AFL	5651						
	APH							
PROC. REF: AMM 23-70-00PROC. REF: AMM 23-70-00								
231002	NO. 1 HF RECEIVER/EXCITER							Component ATA:23
PN:064-01073-0101	MOS/MSC	01-Feb-08	O/C					
SN:3165	HRS	0		TSN 0				
WC#: 23.030	AFL	0		TSN 0				
PROC. REF: AMM 23-10-20PROC. REF: AMM 23-10-20								
231003	NO. 1 HF ANTENNA COUPLER							Component ATA:23
PN:064-01074-0101	MOS/MSC	01-Feb-08	O/C					
SN:2567	HRS	0		TSN 0				
WC#: 23.040	AFL	0		TSN 0				
PROC. REF: AMM 23-10-20PROC. REF: AMM 23-10-20								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
231004	NO. 1 POWER AMPLIFIER HF COUPLER							Component ATA:23
PN:064-01072-0101	MOS/MSC	01-Feb-08	O/C					
SN:2446	HRS	0		TSN 0				
WC#: 23.050	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
232001	NO. 1 COMMUNICATION ANTENNA							Component ATA:23
PN:S65-8280-18	MOS/MSC	27-Aug-20	O/C	TSN 0				
SN:312-4415	HRS	6873:44		TSN 0				
WC#: 23.060	AFL	6254						
PROC. REF: AMM 23-11-10PROC. REF: AMM 23-11-10								
232001	NO. 2 COMMUNICATION ANTENNA							Component ATA:23
PN:S65-8280-18	MOS/MSC	19-Apr-23	O/C	TSN 0				
SN:312-5356	HRS	8194:02		TSN 0				
WC#: 23.060	AFL	7182						
	APH							
	APS							
PROC. REF: AMM 23-11-10PROC. REF: AMM 23-11-10								
232006	COMMUNICATION ANTENNA							Component ATA:23
PN:015-10306-001	MOS/MSC	01-Feb-08	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.080	AFL	0		TSN 0				
PROC. REF: AMM 23-11-10PROC. REF: AMM 23-11-10								
232009	SELCAL DECODER							Component ATA:23
PN:1200008-000	MOS/MSC	01-Feb-08	O/C					
SN:5362	HRS	0		TSN 0				
WC#: 23.090	AFL	0		TSN 0				
PROC. REF: AMM 23-20-02, AMM 23-13-00PROC. REF: AMM 23-20-02, AMM 23-13-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
232010	TELEPHONE TRANSCEIVER							Component ATA:23
PN:400-10680-001	MOS/MSC	01-Feb-08	O/C					
SN:1068013384	HRS	0		TSN 0				
WC#: 23.100	AFL	0		TSN 0				
PROC. REF: AMM 23-16-00PROC. REF: AMM 23-16-00								
232011	LEFT COMMUNICATION RADIO MODULE							Component ATA:23
PN:7026201-801	MOS/MSC	19-Jun-18	O/C	TSO 0				
SN:06102586	HRS	5643:09		TSO 0				
WC#: 23.110	AFL	5260						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
232011	RIGHT COMMUNICATION RADIO MODULE							Component ATA:23
PN:7026201-801	MOS/MSC	10-Aug-18	O/C	TSO 0				
SN:09015900	HRS	5789:15		TSO 0				
WC#: 23.110	AFL	5372						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
232013	AIRCELL AXCESS ROUTER							Component ATA:23
PN:P12083	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0		TSN 0				
WC#: 23.220	AFL	0		TSN 0				
PROC. REF: AMM 23-12-00PROC. REF: AMM 23-12-00								
235002	NO. 1 AUDIO CONTROL PANEL							Component ATA:23
PN:7511001-915	MOS/MSC	01-Feb-08	O/C					
SN:0708C278	HRS	0		TSN 0				
WC#: 23.130	AFL	0		TSN 0				
PROC. REF: AMM 23-50-00PROC. REF: AMM 23-50-00								
235002	NO. 2 AUDIO CONTROL PANEL							Component ATA:23
PN:7511001-915	MOS/MSC	01-Feb-08	O/C					
SN:0708C279	HRS	0		TSN 0				
WC#: 23.130	AFL	0		TSN 0				
PROC. REF: AMM 23-50-00PROC. REF: AMM 23-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
235004	LEFT TONE AUDIO WARNING							Component ATA:23
PN:9915001-1	MOS/MSC	01-Feb-08	O/C					
SN:001000836	HRS	0		TSN 0				
WC#: 23.140	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
235004	RIGHT TONE AUDIO WARNING							Component ATA:23
PN:9915001-1	MOS/MSC	01-Feb-08	O/C					
SN:001000843	HRS	0		TSN 0				
WC#: 23.140	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
237001	COCKPIT VOICE RECORDER							Component ATA:23
PN:2100-1020-02	MOS/MSC	01-Feb-08	O/C					
SN:000460596	HRS	0		TSN 0				
WC#: 23.020	AFL	0		TSN 0				
PROC. REF: AMM 23-70-00, AMM 23-70-00PROC. REF: AMM 23-70-00, AMM 23-70-00								
237002	COCKPIT VOICE RECORDER CONTROL HEAD							Component ATA:23
PN:S261-1120-00	MOS/MSC	01-Feb-08	O/C					
SN:000481208	HRS	0		TSN 0				
WC#: 23.170	AFL	0		TSN 0				
PROC. REF: AMM 23-70-00, AMM 23-70-00PROC. REF: AMM 23-70-00, AMM 23-70-00								
237003	COCKPIT VOICE RECORDER IMPACT SWITCH							Component ATA:23
PN:6895D2X5-5	MOS/MSC	01-Feb-08	O/C					
SN:6281	HRS	0		TSN 0				
WC#: 23.170	AFL	0		TSN 0				
PROC. REF: AMM 23-70-00PROC. REF: AMM 23-70-00								
237004	COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON							Component ATA:23
PN:DK120/90	MOS/MSC	25-Mar-19	O/C	TSN 0				
SN:AT122417	HRS	6089:30		TSN 0				
WC#: 23.020	AFL	5651						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
23FO-04	SELCAL - COLTECH FACTORY OPTION							Component ATA:23
PN:632F	MOS/MSC	01-Feb-08	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
23FO632B	HF-1050 - HONEYWELL FACTORY OPTION							Component ATA:23
PN:632B	MOS/MSC	01-Feb-08	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
23FO807N	KIT FOR AIRCELL ST-3100 SATELLITE TELEPHONE SYS FACTORY OPTION							Component ATA:23
PN:807N	MOS/MSC	01-Feb-08	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
B230001 ^U	INSPECTION OF COCKPIT VOICE RECORDER ACC. TO AIR OPS REGULATION CAT.GEN.MPA.195(B)							Service ATA:23
	MOS	26-Apr-25	24		30-Apr-27		734 d	AIRWORTHINESS
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
ATA 24 - ELECTRICAL POWER								
24-31-00-7200	LEFT MARATHON NI-CAD BATTERY (CAPACITY CHECK) FUNCTIONAL CHECK							Service ATA:24
PN:30978-002	MOS	26-Apr-25	12 (+1m/-1m)		30-Apr-26	31-May-26	369 d (+31)	
SN:11501019	HRS	9344:01	400 (+25/-25)		9744:01	9769:01	400 (+25)	
	AFL	8035						
	APH							
	APS							
PROC. REF: AMM 24-31-00PROC. REF: AMM 24-31-00								

PKG:188

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-31-00-7200	RIGHT MARATHON NI-CAD BATTERY (CAPACITY CHECK) FUNCTIONAL CHECK							Service ATA:24
PN:30978-002	MOS	26-Apr-25	12 (+1m/-1m)		30-Apr-26	31-May-26	369 d (+31)	
SN:11402489	HRS	9344:01	400 (+25/-25)		9744:01	9769:01	400 (+25)	
	AFL	8035						
	APH							
	APS							
PROC. REF: AMM 24-31-00PROC. REF: AMM 24-31-00								PKG:188
24-32-00-7100 ^S	STANDBY BATTERY OPERATIONAL CHECK							Service ATA:24
	MOS	26-Apr-25	12 (+1m/-1m)					
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
PROC. REF: AMM 24-32-00PROC. REF: AMM 24-32-00								PKG:174
24-32-00-9600	100-2410-04 SECURAPLANE STANDBY BATTERY DISCARD							Service ATA:24
PN:100-2410-04	MOS	17-Nov-21	48		30-Jun-25 (M)		65 d	
SN:1135754	HRS	7624:17						
	AFL	6763						
PROC. REF: AMM 24-32-00PROC. REF: AMM 24-32-00								
240001	LEFT POWER CONTROL UNIT							Component ATA:24
PN:91479-1	MOS/MSC	01-Feb-08	O/C					
SN:1578	HRS	0		TSN 0				
WC#: 24.040	AFL	0		TSN 0				
PROC. REF: AMM 24-20-10PROC. REF: AMM 24-20-10								
240001	RIGHT POWER CONTROL UNIT							Component ATA:24
PN:91479-1	MOS/MSC	01-Feb-08	O/C					
SN:1580	HRS	0		TSN 0				
WC#: 24.040	AFL	0		TSN 0				
PROC. REF: AMM 24-20-10PROC. REF: AMM 24-20-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
240002	CABIN LOGIC BOX							Component ATA:24
PN:9610005-1	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0		TSN 0				
WC#: 24.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
242050	LEFT AC GENERATOR							Component ATA:24
PN:9914435-9	MOS/MSC	14-Jun-24	O/C	TSO 0				
SN:565B	HRS	8977:45		TSO 0				
WC#: 24.060	AFL	7756						
PROC. REF: AMM 24-20-10PROC. REF: AMM 24-20-10								
242050	RIGHT AC GENERATOR							Component ATA:24
PN:92589-2	MOS/MSC	21-Jan-21	O/C	TSO 0				
SN:534	HRS	7057:28		TSO 0				
WC#: 24.060	AFL	6378						
PROC. REF: AMM 24-20-10PROC. REF: AMM 24-20-10								
243003	APU GENERATOR CONTROL							Component ATA:24
PN:51525-001F	MOS/MSC	24-Jul-24	O/C	TSO 0				
SN:P3662	HRS	9054:36		TSO 0				
WC#: 24.070	AFL	7810						
PROC. REF: AMM 24-30-00PROC. REF: AMM 24-30-00								
243003	LEFT GENERATOR CONTROL							Component ATA:24
PN:51525-001F	MOS/MSC	24-Jul-24	O/C	TSO 0				
SN:P3598	HRS	9054:36		TSO 0				
WC#: 24.080	AFL	7810						
PROC. REF: AMM 24-30-00PROC. REF: AMM 24-30-00								
243003	RIGHT GENERATOR CONTROL							Component ATA:24
PN:51525-001F	MOS/MSC	01-Feb-08	O/C					
SN:P3228	HRS	0		TSN 0				
WC#: 24.080	AFL	0		TSN 0				
PROC. REF: AMM 24-30-00PROC. REF: AMM 24-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
243007	LEFT MAIN BATTERY							Component ATA:24
PN:30978-002	MOS/MSC	16-Feb-16	O/C					
SN:11501019	HRS	4037						
WC#: 24.010	AFL	4125						
PROC. REF: AMM 24-31-00PROC. REF: AMM 24-31-00								
243007	RIGHT MAIN BATTERY							Component ATA:24
PN:30978-002	MOS/MSC	16-Feb-16	O/C					
SN:11402489	HRS	4037						
WC#: 24.020	AFL	4125						
PROC. REF: AMM 24-31-00PROC. REF: AMM 24-31-00								
243015	STANDBY BATTERY PACK							Component ATA:24
PN:100-2410-04	MOS/MSC	17-Nov-21	O/C	TSR 0				
SN:1135754	HRS	7624:17		TSR 0				
WC#: 34.460	AFL	6763		TSR 0				
PROC. REF: AMM 24-32-00PROC. REF: AMM 24-32-00								
245000	LEFT DOOR MONITOR NC105 PCB ASSY							Component ATA:24
PN:6918606-11	MOS/MSC	01-Feb-08	O/C					
SN:0289	HRS	0		TSN 0				
WC#: 24.110	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
245001	R1 LANDING GEAR CONTROL NF205 PCB ASSY							Component ATA:24
PN:6918604-11	MOS/MSC	01-Feb-08	O/C					
SN:0478	HRS	0		TSN 0				
WC#: 24.120	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
245001	R2 LANDING GEAR CONTROL NF207 PCB ASSY							Component ATA:24
PN:6918604-11	MOS/MSC	01-Feb-08	O/C					
SN:0479	HRS	0		TSN 0				
WC#: 24.120	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
245002	LEFT LIGHTING CONTROL NC103 PCB ASSY							Component ATA:24
PN:6918605-31	MOS/MSC	01-Feb-08	O/C					
SN:0476	HRS	0		TSN 0				
WC#: 24.130	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
245002	RIGHT LIGHTING CONTROL NF203 PCB ASSY							Component ATA:24
PN:6918605-31	MOS/MSC	01-Feb-08	O/C					
SN:0478	HRS	0		TSN 0				
WC#: 24.130	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
245003 ^U	LEFT ROLL RATIO NC104 PCB ASSY							Component ATA:24
PN:6918612-11	MOS/MSC	01-Feb-08	O/C					
SN:0287	HRS	0		TSN 0				
WC#: 24.140	AFL	0		TSN 0				
245004	LEFT ANTI-ICE NC111 PCB ASSY							Component ATA:24
PN:6918610-16	MOS/MSC	09-Jun-08	O/C					
SN:0479	HRS	208		TSO 208				
WC#: 24.150	AFL							
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
245004	RIGHT ANTI-ICE NF211 PCB ASSY							Component ATA:24
PN:6918610-16	MOS/MSC	09-Jun-08	O/C					
SN:0478	HRS	208		TSO 208				
WC#: 24.150	AFL							
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
245005	LEFT AFT SQUAT SWITCH NZ106 PCB ASSY							Component ATA:24
PN:6918611-16	MOS/MSC	01-Feb-08	O/C					
SN:0843	HRS	0		TSN 0				
WC#: 24.160	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
245005	LEFT SQUAT SWITCH NC106 PCB ASSY							Component ATA:24
PN:6918611-16	MOS/MSC	01-Feb-08	O/C					
SN:0851	HRS	0		TSN 0				
WC#: 24.160	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
245005	RIGHT AFT SQUAT SWITCH NZ206 PCB ASSY							Component ATA:24
PN:6918611-16	MOS/MSC	16-Jan-14	O/C	TSN 0				
SN:1144	HRS	2932:54		TSN 0				
WC#: 24.170	AFL	3281						
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
245005	RIGHT SQUAT SWITCH NF206 PCB ASSY							Component ATA:24
PN:6918611-16	MOS/MSC	01-Feb-08	O/C					
SN:0846	HRS	0		TSN 0				
WC#: 24.170	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
245006	LEFT B/A CONTROL NC110 PCB ASSY							Component ATA:24
PN:6918613-36	MOS/MSC	01-Feb-08	O/C					
SN:0406	HRS	0		TSN 0				
WC#: 24.180	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
245006	RIGHT B/A CONTROL NF210 PCB ASSY							Component ATA:24
PN:6918613-36	MOS/MSC	01-Feb-08	O/C					
SN:0496	HRS	0		TSN 0				
WC#: 24.180	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
245007	LEFT STABILIZER TRIM 1 NZ105 PCB ASSY							Component ATA:24
PN:6918617-26	MOS/MSC	01-Feb-08	O/C					
SN:0288	HRS	0		TSN 0				
WC#: 24.190	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
245007	RIGHT STABILIZER TRIM 2 NZ205 PCB ASSY							Component ATA:24
PN:6918623-21	MOS/MSC	01-Feb-08	O/C					
SN:0285	HRS	0		TSN 0				
WC#: 24.190	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
245008	LEFT AFT CB MONITOR NZ110 PCB ASSY							Component ATA:24
PN:6918620-16	MOS/MSC	01-Feb-08	O/C					
SN:0452	HRS	0		TSN 0				
WC#: 24.200	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
245008	RIGHT AFT CB MONITOR NZ210 PCB ASSY							Component ATA:24
PN:6918620-16	MOS/MSC	01-Feb-08	O/C					
SN:0456	HRS	0		TSN 0				
WC#: 24.200	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
245009	LEFT AFT RUDDER BIAS NZ111 PCB ASSY							Component ATA:24
PN:6918624-6	MOS/MSC	01-Feb-08	O/C					
SN:0294	HRS	0		TSN 0				
WC#: 24.210	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
245009	RIGHT AFT APU CONTROL NZ204 PCB ASSY							Component ATA:24
PN:6968012-7	MOS/MSC	02-Dec-11	O/C					
SN:0223	HRS	1941:36		TSO 1242				
WC#: 24.210	AFL	2168						
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
245012	LEFT B/A MONITOR NC108 PCB ASSY							Component ATA:24
PN:6918625-26	MOS/MSC	06-Jul-17	O/C	TSO 0				
SN:0498	HRS	5005:48		TSO 0				
WC#: 24.220	AFL	4804						
	APH	2004						
	APS	5461						
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
245012	RIGHT B/A MONITOR NF208 PCB ASSY							Component ATA:24
PN:6918625-26	MOS/MSC	06-Jul-17	O/C	TSO 0				
SN:0499	HRS	5005:48		TSO 0				
WC#: 24.220	AFL	4804						
	APH	2004						
	APS	5461						
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
245013	LEFT ARINC DECODER NZ106 PCB ASSY							Component ATA:24
PN:6918626-6	MOS/MSC	01-Feb-08	O/C					
SN:0481	HRS	0		TSN 0				
WC#: 24.230	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
245013	RIGHT ARINC DECODER NZ206 PCB ASSY							Component ATA:24
PN:6918626-6	MOS/MSC	01-Feb-08	O/C					
SN:0482	HRS	0		TSN 0				
WC#: 24.230	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
245014	LEFT AFT DIAGNOSTIC-NZ101 PCB ASSY							Component ATA:24
PN:6918627-1	MOS/MSC	01-Feb-08	O/C					
SN:0843	HRS	0		TSN 0				
WC#: 24.240	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
245014	LEFT DIAGNOSTIC-NC101 PCB ASSY							Component ATA:24
PN:6918627-1	MOS/MSC	01-Feb-08	O/C					
SN:0838	HRS	0		TSN 0				
WC#: 24.240	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
245014	RIGHT AFT DIAGNOSTIC-NZ201 PCB ASSY							Component ATA:24
PN:6918627-1	MOS/MSC	01-Feb-08	O/C					
SN:0842	HRS	0		TSN 0				
WC#: 24.250	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
245014	RIGHT DIAGNOSTIC-NF201 PCB ASSY							Component ATA:24
PN:6918627-1	MOS/MSC	01-Feb-08	O/C					
SN:0837	HRS	0		TSN 0				
WC#: 24.250	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
245015	LEFT AFT AUX DIST NZ104 PCB ASSY							Component ATA:24
PN:6918601-61	MOS/MSC	01-Feb-08	O/C					
SN:0300	HRS	0		TSN 0				
WC#: 24.260	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
245016	LEFT AFT FUEL CONTROL NZ107 PCB ASSY							Component ATA:24
PN:6918602-11	MOS/MSC	01-Feb-08	O/C					
SN:0473	HRS	0		TSN 0				
WC#: 24.260	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
245016	RIGHT AFT FUEL CONTROL NZ207 PCB ASSY							Component ATA:24
PN:6918602-11	MOS/MSC	01-Feb-08	O/C					
SN:0474	HRS	0		TSN 0				
WC#: 24.270	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
245017	RIGHT AFT MACH TRIM NZ211 PCB ASSY							Component ATA:24
PN:6918628-31	MOS/MSC	01-Feb-08	O/C					
SN:0249	HRS	0		TSN 0				
WC#: 24.270	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
245018	LEFT AFT FIRE/SMOKE NZ108 PCB ASSY							Component ATA:24
PN:6918622-41	MOS/MSC	01-Feb-08	O/C					
SN:0489	HRS	0		TSN 0				
WC#: 24.280	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
245018	RIGHT AFT FIRE/SMOKE NZ208 PCB ASSY							Component ATA:24
PN:6918622-41	MOS/MSC	01-Feb-08	O/C					
SN:0487	HRS	0		TSN 0				
WC#: 24.280	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
245019	LEFT AFT START CONTROL NZ103 PCB ASSY							Component ATA:24
PN:6918629-81	MOS/MSC	01-Feb-08	O/C					
SN:0122	HRS	0		TSN 0				
WC#: 24.290	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
245019	RIGHT AFT START CONTROL NZ203 PCB ASSY							Component ATA:24
PN:6918629-81	MOS/MSC	01-Feb-08	O/C					
SN:0123	HRS	0		TSN 0				
WC#: 24.290	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
245020	LEFT AFT THRUST REVERSER CONTROL NZ102 PCB ASSY							Component ATA:24
PN:6918631-33	MOS/MSC	01-Feb-08	O/C					
SN:0502	HRS	0		TSN 0				
WC#: 24.300	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
245020	RIGHT AFT THRUST REVERSER CONTROL NZ202 PCB ASSY							Component ATA:24
PN:6918631-33	MOS/MSC	01-Feb-08	O/C					
SN:0501	HRS	0		TSN 0				
WC#: 24.300	AFL	0		TSN 0				
PROC. REF: AMM 24-60-10PROC. REF: AMM 24-60-10								
ATA 25 - EQUIPMENT/FURNISHINGS								
25-10-00-2200 ^S	CREW SEATS AND SEAT TRACKS DETAILED INSPECTION							Service ATA:25
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 25-10-00PROC. REF: AMM 25-10-00								PKG:187
25-20-00-2200 ^S	PASSENGER COMPARTMENTS (CABIN SEATS) DETAILED INSPECTION							Service ATA:25
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 25-20-00PROC. REF: AMM 25-20-00								PKG:187
25-60-00-2200 ^S	EMERGENCY EQUIPMENT DETAILED INSPECTION							Service ATA:25
	MOS	26-Apr-25	12 (+1m/-1m)					
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								PKG:174
25-60-00-2201	KANNAD EMERGENCY LOCATORTRANSMITTER (ELT) DETAILEDINSPECTION AND OPERATIONAL CHECK(AIRPLANES -0001 THRU -0324)							Service ATA:25
PN:S1821502-02	MOS	26-Apr-25	12	Adj -42d	31-Mar-26		339 d	
SN:2616550-0047	HRS	9344:01						
	AFL	8035						
	APH							
	APS							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								
25-60-00-9600 ^S	OPTIONAL MAGLITE FLASHLIGHT D-CELL BATTERIES DISCARD							Service ATA:25
	MOS	26-Apr-25	12 (+1m/-1m)					
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
								PKG:174
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								
25-60-00-9601	S1820506-01 KANNAD EMERGENCY LOCATOR TRANSMITTER (ELT) BATTERY PACK DISCARD (AIRPLANES -0001 THRU -0324)							Component ATA:25
PN:S1820516-99	MOS	01-Jul-22	72	TSN 0	31-Jan-29 (M)		1376 d	DISCARD
SN:TM0000250672	HRS	7711:58						
WC#: 25.010	AFL	6829						
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								
250001	WASTE DRAIN VALVE							Component ATA:25
PN:332-0068-01	MOS/MSC	01-Feb-08	O/C					
SN:0200	HRS	0		TSN 0				
WC#: 25.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
250002	AV VISOR PLUS PROCESSOR							Component ATA:25
PN:90008-0031	MOS/MSC	01-Feb-08	O/C					
SN:43B00153	HRS	0		TSN 0				
WC#: 25.110	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251101 ^U	TOILET TIMER ASSEMBLY							Component ATA:25
PN:11059-79	MOS/MSC	06-Dec-23	O/C					
SN:2437	HRS	8651:05						
	AFL	7513						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
253000 ^U	GALLEY MICROWAVE OVEN							Component ATA:25
PN:400-1409-02-R-N	MOS/MSC	16-May-15	O/C	TSN 0				
SN:14-12-00525	HRS	3444:24		TSN 0				
	AFL	3715		TSN 0				
253001	AUTO CONFIGURATION MODULE							Component ATA:25
PN:104001-1	MOS/MSC	01-Feb-08	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
256001	ELT ANTENNA							Component ATA:25
PN:S65-8282-406	MOS/MSC	01-Feb-08	O/C					
SN:4011057	HRS	0		TSN 0				
WC#: 25.050	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
256002	EMERGENCY LOCATOR TRANSMITTER							Component ATA:25
PN:S1821502-02	MOS/MSC	01-Feb-08	O/C					
SN:2616550-0047	HRS	0		TSN 0				
WC#: 25.010	AFL	0		TSN 0				
PROC. REF: AMM 25-60-10PROC. REF: AMM 25-60-10								
256004 ^U	CNTL PASSENGER BRIEFER CONTROLLER							Component ATA:25
PN:PBS250-2G5	MOS/MSC	01-Feb-08	O/C					
SN:252001811	HRS	0		TSN 0				
	AFL	0		TSN 0				
256004	NO. 1 LIFE JACKET							Component ATA:25
PN:P01074-207	MOS	30-Sep-17	120	TSN 0	08-Feb-27 (M)		653 d	
SN:17020650072	HRS	5241:58						
WC#: 25.140	AFL	4957						
	APH	2082						
	APS	5643						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: GENERIC NO REF, CMM 25-60-04, CMM 25-60-04PROC. REF: GENERIC NO REF, CMM 25-60-04, CMM 25-60-04								
256004	NO. 10 LIFE JACKET							Component ATA:25
PN:P01074-207	MOS	30-Sep-17	120	TSN 0	08-Feb-27 (M)		653 d	
SN:17020650071	HRS	5241:58						
WC#: 25.140	AFL	4957						
	APH	2082						
	APS	5643						
PROC. REF: GENERIC NO REF, CMM 25-60-04, CMM 25-60-04PROC. REF: GENERIC NO REF, CMM 25-60-04, CMM 25-60-04								
256004	NO. 2 LIFE JACKET							Component ATA:25
PN:P01074-207	MOS	30-Sep-17	120	TSN 0	08-Feb-27 (M)		653 d	
SN:17020650068	HRS	5241:58						
WC#: 25.140	AFL	4957						
	APH	2082						
	APS	5643						
PROC. REF: GENERIC NO REF, CMM 25-60-04, CMM 25-60-04PROC. REF: GENERIC NO REF, CMM 25-60-04, CMM 25-60-04								
256004	NO. 3 LIFE JACKET							Component ATA:25
PN:P01074-207	MOS	30-Sep-17	120	TSN 0	08-Feb-27 (M)		653 d	
SN:17020650067	HRS	5241:58						
WC#: 25.140	AFL	4957						
	APH	2082						
	APS	5643						
PROC. REF: GENERIC NO REF, CMM 25-60-04, CMM 25-60-04PROC. REF: GENERIC NO REF, CMM 25-60-04, CMM 25-60-04								
256004	NO. 4 LIFE JACKET							Component ATA:25
PN:P01074-207	MOS	30-Sep-17	120	TSN 0	08-Feb-27 (M)		653 d	
SN:17020650070	HRS	5241:58						
WC#: 25.140	AFL	4957						
	APH	2082						
	APS	5643						
PROC. REF: GENERIC NO REF, CMM 25-60-04, CMM 25-60-04PROC. REF: GENERIC NO REF, CMM 25-60-04, CMM 25-60-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
256004	NO. 5 LIFE JACKET							Component ATA:25
PN:P01074-207	MOS	30-Sep-17	120	TSN 0	08-Feb-27 (M)		653 d	
SN:17020650069	HRS	5241:58						
WC#: 25.140	AFL	4957						
	APH	2082						
	APS	5643						
PROC. REF: GENERIC NO REF, CMM 25-60-04, CMM 25-60-04PROC. REF: GENERIC NO REF, CMM 25-60-04, CMM 25-60-04								
256004	NO. 6 LIFE JACKET							Component ATA:25
PN:P01074-207	MOS	30-Sep-17	120	TSN 0	08-Feb-27 (M)		653 d	
SN:17020650065	HRS	5241:58						
WC#: 25.140	AFL	4957						
	APH	2082						
	APS	5643						
PROC. REF: GENERIC NO REF, CMM 25-60-04, CMM 25-60-04PROC. REF: GENERIC NO REF, CMM 25-60-04, CMM 25-60-04								
256004	NO. 7 LIFE JACKET							Component ATA:25
PN:P01074-207	MOS	30-Sep-17	120	TSN 0	08-Feb-27 (M)		653 d	
SN:17020650063	HRS	5241:58						
WC#: 25.140	AFL	4957						
	APH	2082						
	APS	5643						
PROC. REF: GENERIC NO REF, CMM 25-60-04, CMM 25-60-04PROC. REF: GENERIC NO REF, CMM 25-60-04, CMM 25-60-04								
256004	NO. 8 LIFE JACKET							Component ATA:25
PN:P01074-207	MOS	30-Sep-17	120	TSN 0	08-Feb-27 (M)		653 d	
SN:17020650064	HRS	5241:58						
WC#: 25.140	AFL	4957						
	APH	2082						
	APS	5643						
PROC. REF: GENERIC NO REF, CMM 25-60-04, CMM 25-60-04PROC. REF: GENERIC NO REF, CMM 25-60-04, CMM 25-60-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
256004	NO. 9 LIFE JACKET							Component ATA:25
PN:P01074-207	MOS	30-Sep-17	120	TSN 0	08-Feb-27 (M)		653 d	
SN:17020650066	HRS	5241:58						
WC#: 25.140	AFL	4957						
	APH	2082						
	APS	5643						
PROC. REF: GENERIC NO REF, CMM 25-60-04, CMM 25-60-04PROC. REF: GENERIC NO REF, CMM 25-60-04, CMM 25-60-04								
256004 ^U	PASSENGER BRIEFER COMPUTER							Component ATA:25
PN:PBS250-1-58-C680	MOS/MSC	01-Feb-08	O/C					
SN:251001580	HRS	0		TSN 0				
WC#: 25.190	AFL	0		TSN 0				
256004	SFS LIFE JACKET							Component ATA:25
PN:P01074-207	MOS	30-Sep-17	120	TSN 0	26-Jul-27 (M)		821 d	
SN:17071790385	HRS	5241:58						
WC#: 25.140	AFL	4957						
	APH	2082						
	APS	5643						
PROC. REF: GENERIC NO REF, CMM 25-60-04, CMM 25-60-04PROC. REF: GENERIC NO REF, CMM 25-60-04, CMM 25-60-04								
256007 ^U	FIRST AID KIT							Component ATA:25
PN:1628000B	MOS/MSC	06-Sep-23	DUE		30-Nov-25 (M)		218 d	
SN:1628046	HRS	8498:05						
	AFL	7401						
	APH							
	APS							
25FO-03	RH FORWARD 31' REFRESH CNTR FACTORY OPTION							Component ATA:25
PN:129Q	MOS/MSC	01-Feb-08	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25FO-04	RH FORWARD OVERBOARD DRAIN FACTORY OPTION							Component ATA:25
PN:133A	MOS/MSC	01-Feb-08	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25FO-05	OVERHEAD AIRCELL HANDSET INSTL FACTORY OPTION							Component ATA:25
PN:141F	MOS/MSC	01-Feb-08	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25FO-06	LH FORWARD CABINET FACTORY OPTION							Component ATA:25
PN:184P	MOS/MSC	01-Feb-08	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25FO-08	LIFE RAFT MOORING RING FACTORY OPTION							Component ATA:25
PN:90B	MOS/MSC	01-Feb-08	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25FO-14	GEN ACCESS CKPT WIND (BEIGE) FACTORY OPTION							Component ATA:25
PN:728Q	MOS/MSC	01-Feb-08	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25FO-15	GEN ACCESS MF20 EROS MAGIC MSK FACTORY OPTION							Component ATA:25
PN:66L	MOS/MSC	01-Feb-08	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25FO-26	GEN ACCESS RH FWD FACE SEAT FACTORY OPTION							Component ATA:25
PN:118D	MOS/MSC	01-Feb-08	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25FO908D	KIT FOR BGGAGE DOOR THRESHOLD STAINLESS STEEL COVER FACTORY OPTION							Component ATA:25
PN:908D	MOS/MSC	01-Feb-08	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 26 - FIRE PROTECTION								
26-10-40-2100 ^S	BAGGAGE COMPARTMENT FLAME ARRESTOR GENERAL VISUAL INSPECTION							Service ATA:26
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 26-10-40PROC. REF: AMM 26-10-40								PKG:187
26-10-40-2200 ^S	BAGGAGE COMPARTMENT FIRE PROTECTION SYSTEM DETAILED INSPECTION							Service ATA:26
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 26-10-40PROC. REF: AMM 26-10-40								PKG:187
26-10-40-7100 ^S	BAGGAGE COMPARTMENT FIRE PROTECTION SYSTEM OPERATIONAL CHECK							Service ATA:26
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 26-10-40PROC. REF: AMM 26-10-40								PKG:187

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-20-00-2100 ^S	ENGINE FIRE EXTINGUISHING GENERAL VISUAL INSPECTION							Service ATA:26
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
								PKG:187
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00								
26-20-00-7100	ENGINE FIRE BOTTLE LOW PRESSURE SWITCH OPERATIONAL CHECK - AFT							Service ATA:26
PN:30700009-12	MOS	01-Jul-22	60 (+1m/-1m)	Adj -8	30-Nov-26	31-Dec-26	583 d (+31)	
SN:D1856D1	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00								
26-20-00-7100	ENGINE FIRE BOTTLE LOW PRESSURE SWITCH OPERATIONAL CHECK - FORWARD							Service ATA:26
PN:30700009-12	MOS	01-Jul-22	60 (+1m/-1m)	Adj -9	31-Oct-26	30-Nov-26	553 d (+30)	
SN:56736D1	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00								
26-20-00-7101 ^S	ENGINE FIRE EXTINGUISHING OPERATIONAL CHECK							Service ATA:26
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
								PKG:187
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00								
26-20-00-9600	AFT ENGINE FIRE BOTTLE CARTRIDGE SQUIB DISCARD AFT SQUIB (MAX LIFE)							Component ATA:26
PN:30903824-1	MOS	01-Jul-22	108	TSO 8	01-Nov-30		2015 d	LIFE LIMIT
SN:ESD21D315-001	HRS	7711:58						
	AFL	6829						
Manufacture Date:: 01-Nov-21								
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-20-00-9600		AFT ENGINE FIRE BOTTLE CARTRIDGE SQUIB DISCARD FWD SQUIB (MAX LIFE)						Component ATA:26
PN:30903824-1	MOS	01-Jul-22	108	TSO 8	01-Nov-30		2015 d	LIFE LIMIT
SN:ESD21D315-001	HRS	7711:58						
	AFL	6829						
			Manufacture Date:: 01-Nov-21					
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00								
26-20-00-9600		FWD ENGINE FIRE BOTTLE CARTRIDGE SQUIB DISCARD AFT SQUIB (MAX LIFE)						Component ATA:26
PN:30903824-1	MOS	01-Jul-22	108	TSO 8	01-Nov-30		2015 d	LIFE LIMIT
SN:ESD20K310-001	HRS	7711:58						
	AFL	6829						
			Manufacture Date:: 01-Nov-21					
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00								
26-20-00-9600		FWD ENGINE FIRE BOTTLE CARTRIDGE SQUIB DISCARD FWD SQUIB (MAX LIFE)						Component ATA:26
PN:30903824-1	MOS	01-Jul-22	108	TSO 8	01-Nov-30		2015 d	LIFE LIMIT
SN:ESD20K310-001	HRS	7711:58						
	AFL	6829						
			Manufacture Date:: 01-Nov-21					
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00								
26-20-00-9600.1		AFT ENGINE BOTTLE CARTRIDGE SQUIB DISCARD AFT SQUIB (SERVICE LIFE)						Service ATA:26
PN:30903824-1	MOS	01-Jul-22	72	Adj -8	30-Nov-27		948 d	SERVICE LIFE LIMIT
SN:ESD21D315-001	HRS	7711:58						
WC#: 26.020	AFL	6829						
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00								
26-20-00-9600.1		AFT ENGINE FIRE BOTTLE CARTRIDGE SQUIB DISCARD FWD SQUIB (SERVICE LIFE)						Service ATA:26
PN:30903824-1	MOS	01-Jul-22	72	Adj -8	30-Nov-27		948 d	SERVICE LIFE LIMIT
SN:ESD21D315-001	HRS	7711:58						
WC#: 26.020	AFL	6829						
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-20-00-9600.1	FWD ENGINE FIRE BOTTLE CARTRIDGE SQUIB DISCARD AFT SQUIB (SERVICE LIFE)							Service ATA:26
PN:30903824-1	MOS	01-Jul-22	72	Adj -8	30-Nov-27		948 d	SERVICE LIFE LIMIT
SN:ESD20K310-001	HRS	7711:58						
WC#: 26.010	AFL	6829						
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00								
26-20-00-9600.1	FWD ENGINE FIRE BOTTLE CARTRIDGE SQUIB DISCARD FWD SQUIB (SERVICE LIFE)							Service ATA:26
PN:30903824-1	MOS	01-Jul-22	72	Adj -8	30-Nov-27		948 d	SERVICE LIFE LIMIT
SN:ESD20K310-001	HRS	7711:58						
WC#: 26.010	AFL	6829						
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00								
26-20-00-9601	FUNCTIONAL CHECK AFT ENGINE FIRE BOTTLE (HYDROSTATIC)							Service ATA:26
PN:30700009-12	MOS	01-Nov-21	60		30-Nov-26		583 d	
SN:D1856D1	HRS							
WC#: 26.020	AFL							
HydroCheck Date: : 01-Nov-21								
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00								
26-20-00-9601	FUNCTIONAL CHECK FORWARD ENGINE FIRE BOTTLE (HYDROSTATIC)							Service ATA:26
PN:30700009-12	MOS	01-Oct-21	60		31-Oct-26		553 d	
SN:56736D1	HRS							
WC#: 26.010	AFL							
HydroCheck Date: : 01-Oct-21								
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00								
26-20-10-2100 ^S	AUXILIARY POWER UNIT FIRE EXTINGUISHING GENERAL VISUAL INSPECTION							Service ATA:26
	MOS	15-Mar-24	48 (+1m/-1m)					
	HRS	8767:48						
	AFL	7616						
	APH	3354	1600					
	APS							
PROC. REF: AMM 26-20-10PROC. REF: AMM 26-20-10								
PKG:181								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-20-10-7200	^S	AUXILIARY POWER UNIT FIRE EXTINGUISHING FUNCTIONAL CHECK						Service ATA:26
	MOS	15-Mar-24	48 (+1m/-1m)					
	HRS	8767:48						
	AFL	7616						
	APH	3354	1600					
	APS							
								PKG:181
PROC. REF: AMM 26-20-10PROC. REF: AMM 26-20-10								
26-20-20-7200	^S	PORTABLE FIRE EXTINGUISHER BOTTLE FUNCTIONAL CHECK						Service ATA:26
	MOS	26-Apr-25	12 (+1m/-1m)					
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
								PKG:174
PROC. REF: AMM 26-20-20PROC. REF: AMM 26-20-20								
26-20-20-7500		RESTORATION CABIN PORTABLE FIRE EXTINGUISHER						Service ATA:26
PN:C352TS	MOS	12-Dec-24	72	Adj -10	28-Feb-30		1769 d	
SN:I-15405992	HRS	9226:16						
WC#: 26.040	AFL	7930						
PROC. REF: AMM 26-20-20PROC. REF: AMM 26-20-20								
26-20-20-7500		RESTORATION COCKPIT PORTABLE FIRE EXTINGUISHER						Service ATA:26
PN:C352TS	MOS	12-Dec-24	72	Adj -10	28-Feb-30		1769 d	
SN:I-24634981	HRS	9226:16						
WC#: 26.030	AFL	7930						
PROC. REF: AMM 26-20-20PROC. REF: AMM 26-20-20								
26-20-20-9600		RESTORATION (HYDROSTATIC TEST) CABIN PORTABLE FIRE EXTINGUISHER						Service ATA:26
PN:C352TS	MOS	12-Dec-24	144		29-Feb-36		3961 d	
SN:I-15405992	HRS	9226:16						
WC#: 26.040	AFL	7930						
HydroCheck Date: : 27-Feb-24								
PROC. REF: AMM 26-20-20PROC. REF: AMM 26-20-20								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-20-20-9600	RESTORATION (HYDROSTATIC TEST) COCKPIT PORTABLE FIRE EXTINGUISHER							Service ATA:26
PN:C352TS	MOS	12-Dec-24	144		29-Feb-36		3961 d	
SN:I-24634981	HRS	9226:16						
WC#: 26.030	AFL	7930						
HydroCheck Date: : 27-Feb-24								
PROC. REF: AMM 26-20-20PROC. REF: AMM 26-20-20								
26-20-30-7200 ^S	BAGGAGE COMPARTMENT LEAK RATE FUNCTIONAL CHECK							Service ATA:26
	MOS	02-Oct-24						
	HRS	9165:23	1600 (+25/-25)					
	AFL	7889						
PKG:68								
PROC. REF: AMM 26-20-30PROC. REF: AMM 26-20-30								
26-20-30-9600	APU FIRE BOTTLE FIRE EXT SQUIB (MAX LIFE)							Component ATA:26
PN:30903891	MOS	15-Dec-23	180	TSO 9	31-Mar-38		4722 d	LIFE LIMIT
SN:2135DB	HRS	8661:38						
WC#: 26.050	AFL	7522						
Manufacture Date:: 01-Mar-23								
PROC. REF: AMM 26-20-30PROC. REF: AMM 26-20-30								
26-20-30-9600	COMBO APU FIRE BOTTLE BAG (MAX LIFE) FIRE EXT SQUIB							Component ATA:26
PN:30903871	MOS	15-Dec-23	180	TSO 2	31-Oct-38		4936 d	LIFE LIMIT
SN:2255CB	HRS	8661:38						
WC#: 26.050	AFL	7522						
Manufacture Date:: 01-Oct-23								
PROC. REF: AMM 26-20-30PROC. REF: AMM 26-20-30								
26-20-30-9600	LOWER NOSE COMPARTMENT FIRE BOTTLE (MAX LIFE) FIRE EXT SQUIB							Component ATA:26
PN:30903871	MOS	15-Dec-23	180	TSO 2	31-Oct-38		4936 d	LIFE LIMIT
SN:0820AB	HRS	8661:38						
WC#: 26.140	AFL	7522						
Manufacture Date:: 01-Oct-23								
PROC. REF: AMM 26-20-30PROC. REF: AMM 26-20-30								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-20-30-9600	UPPER FWD NOSE COMPARTMENT FIRE BOTTLE (MAX LIFE) FIRE EXT SQUIB							Component ATA:26
PN:30903872	MOS	15-Dec-23	180	TSO 2	31-Oct-38		4936 d	LIFE LIMIT
SN:3625CH	HRS	8661:38						
WC#: 26.060	AFL	7522						
Manufacture Date:: 01-Oct-23								
PROC. REF: AMM 26-20-30PROC. REF: AMM 26-20-30								
26-20-30-9600.1	REPLACE APU FIRE BOTTLE FIRE EXT SQUIB (SERVICE LIFE)							Service ATA:26
PN:30903891	MOS	15-Dec-23	120	Adj -9	31-Mar-33		2896 d	SERVICE LIFE LIMIT
SN:2135DB	HRS	8661:38						
	AFL	7522						
PROC. REF: AMM 26-20-30PROC. REF: AMM 26-20-30								
26-20-30-9600.1	REPLACE COMBO APU FIRE BOTTLE BAG FIRE EXT SQUIB (SERVICE LIFE)							Service ATA:26
PN:30903871	MOS	15-Dec-23	120	Adj -2	31-Oct-33		3110 d	SERVICE LIFE LIMIT
SN:2255CB	HRS	8661:38						
	AFL	7522						
PROC. REF: AMM 26-20-30PROC. REF: AMM 26-20-30								
26-20-30-9600.1	REPLACE LOWER NOSE COMPARTMENT FIRE BOTTLE FIRE EXT SQUIB (SERVICE LIFE)							Service ATA:26
PN:30903871	MOS	15-Dec-23	120	Adj -2	31-Oct-33		3110 d	SERVICE LIFE LIMIT
SN:0820AB	HRS	8661:38						
	AFL	7522						
PROC. REF: AMM 26-20-30PROC. REF: AMM 26-20-30								
26-20-30-9600.1	REPLACE UPPER FORWARD NOSE COMPARTMENT FIRE BOTTLE FIRE EXT SQUIB (SERVICE LIFE)							Service ATA:26
PN:30903872	MOS	15-Dec-23	120	Adj -2	31-Oct-33		3110 d	SERVICE LIFE LIMIT
SN:3625CH	HRS	8661:38						
	AFL	7522						
PROC. REF: AMM 26-20-30PROC. REF: AMM 26-20-30								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-20-30-9601	RESTORATION APU FIRE BOTTLE (HYDROSTATIC TEST) AUXILIARY POWER UNIT/BAGGAGE FIRE BOTTLE							Service ATA:26
PN:33100028-2	MOS	12-Nov-23	60	Adj -1	31-Oct-28		1284 d	
SN:76413B1	HRS							
WC#: 26.050	AFL							
HydroCheck Date: : 12-Nov-23								
PROC. REF: AMM 26-20-30PROC. REF: AMM 26-20-30								
26-20-30-9602	RESTORATION NOSE COMPARTMENT BAGGAGE (UN002) FIRE BOTTLE (HYDROSTATIC TEST)							Service ATA:26
PN:34750005-1	MOS	01-Nov-23	60	Adj -1	31-Oct-28		1284 d	
SN:10854H1	HRS							
WC#: 26.060	AFL							
HydroCheck Date: : 01-Nov-23								
PROC. REF: AMM 26-20-30PROC. REF: AMM 26-20-30								
261002	LEFT BLEED AIR CONTROL UNIT							Component ATA:26
PN:35009-20	MOS/MSC	02-Nov-13	O/C					
SN:D4181	HRS	2839:06						
WC#: 26.090	AFL	3170						
PROC. REF: AMM 36-20-10PROC. REF: AMM 36-20-10								
261002	RIGHT BLEED AIR CONTROL UNIT							Component ATA:26
PN:35009-20	MOS/MSC	02-Nov-13	O/C					
SN:D4213	HRS	2839:06						
WC#: 26.090	AFL	3170						
PROC. REF: AMM 36-20-10PROC. REF: AMM 36-20-10								
261003	LEFT ANTI-ICE CONTROL UNIT							Component ATA:26
PN:35009-20	MOS/MSC	29-May-08	O/C					
SN:D4088	HRS	187		TSO 187				
WC#: 26.100	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
261003	RIGHT ANTI-ICE CONTROL UNIT							Component ATA:26
PN:35009-20	MOS/MSC	29-May-08	O/C					
SN:D4099	HRS	187		TSO 187				
WC#: 26.100	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
261004	AFT TAILCONE CONTROL UNIT							Component ATA:26
PN:35009-20	MOS/MSC	01-Feb-08	O/C					
SN:D4134	HRS	0		TSN 0				
WC#: 26.260	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
261004	FORWARD STABILIZER CONTROL UNIT							Component ATA:26
PN:35009-20	MOS/MSC	01-Feb-08	O/C					
SN:D4212	HRS	0		TSN 0				
WC#: 26.260	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
261010	NO. 1 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - SENSOR, FIRE AND OVERHEAT							Service ATA:26
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: EMM 26-10-01PROC. REF: EMM 26-10-01								
261010	NO. 2 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - SENSOR, FIRE AND OVERHEAT							Service ATA:26
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: EMM 26-10-01PROC. REF: EMM 26-10-01								
261030	NO. 1 FIRE DETECTOR							Component ATA:26
PN:3101-21-1050/450-35	MOS/MSC	01-Feb-08	O/C					
SN:201920	HRS	0		TSN 0				
WC#: 26.080	AFL	0		TSN 0				
PROC. REF: AMM 26-10-30PROC. REF: AMM 26-10-30								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
261030	NO. 2 FIRE DETECTOR							Component ATA:26
PN:3101-21-1050/450-35	MOS/MSC	31-Oct-12	O/C	TSN 0				
SN:202989	HRS	2333:54		TSN 0				
WC#: 26.080	AFL	2601						
PROC. REF: AMM 26-10-30PROC. REF: AMM 26-10-30								
261200	NO. 1 SMOKE DETECTOR							Component ATA:26
PN:473597-17	MOS/MSC	01-Feb-08	O/C					
SN:1215	HRS	0		TSN 0				
WC#: 26.110	AFL	0		TSN 0				
PROC. REF: AMM 26-10-40PROC. REF: AMM 26-10-40								
261200	NO. 2 SMOKE DETECTOR							Component ATA:26
PN:473597-17	MOS/MSC	01-Feb-08	O/C					
SN:1279	HRS	0		TSN 0				
WC#: 26.110	AFL	0		TSN 0				
PROC. REF: AMM 26-10-40PROC. REF: AMM 26-10-40								
262001	AFT ENGINE FIRE BOTTLE							Component ATA:26
PN:30700009-12	MOS/MSC	01-Jul-22	O/C	TSO 8				
SN:D1856D1	HRS	7711:58						
WC#: 26.020	AFL	6829						
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00								
262001	APU FIRE BOTTLE							Component ATA:26
PN:33100028-2	MOS/MSC	15-Dec-23	O/C	TSO 0				
SN:76413B1	HRS	8661:38		TSO 0				
WC#: 26.050	AFL	7522						
PROC. REF: AMM 26-20-30PROC. REF: AMM 26-20-30								
262001	FORWARD ENGINE FIRE BOTTLE							Component ATA:26
PN:30700009-12	MOS/MSC	01-Jul-22	O/C	TSO 8				
SN:56736D1	HRS	7711:58						
WC#: 26.010	AFL	6829						
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
262002	CABIN PORTABLE FIRE EXTINGUISHER							Component ATA:26
PN:C352TS	MOS/MSC	12-Dec-24	O/C	TSN 0				
SN:I-15405992	HRS	9226:16		TSN 0				
WC#: 26.040	AFL	7930						
PROC. REF: AMM 26-20-20PROC. REF: AMM 26-20-20								
262002	COCKPIT PORTABLE FIRE EXTINGUISHER							Component ATA:26
PN:C352TS	MOS/MSC	12-Dec-24	O/C	TSN 0				
SN:I-24634981	HRS	9226:16		TSN 0				
WC#: 26.030	AFL	7930						
PROC. REF: AMM 26-20-20PROC. REF: AMM 26-20-20								
262004	NOSE COMPARTMENT BAGGAGE (UN002) FIRE BOTTLE							Component ATA:26
PN:34750005-1	MOS/MSC	15-Dec-23	O/C	TSO 0				
SN:10854H1	HRS	8661:38		TSO 0				
WC#: 26.060	AFL	7522						
PROC. REF: GENERIC NO REF, AMM 26-20-30PROC. REF: GENERIC NO REF, AMM 26-20-30								
ATA 27 - FLIGHT CONTROLS								
27-00-00-7200 ^S	PITCH/ROLL DISCONNECT SYSTEM OPERATIONAL AND FUNCTIONAL CHECK							Service ATA:27
	MOS	02-Oct-24						
	HRS	9165:23	1600 (+25/-25)					
	AFL	7889						
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								PKG:189
27-10-00-2200 ^S	AILERON/ROLL SPOILER CONTROL SYSTEM DETAILED INSPECTION							Service ATA:27
	MOS	17-Nov-21						
	HRS	7624:17	2400 (+25/-25)					
	AFL	6763						
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								PKG:193

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-10-00-7200 ^S	AILERON/ROLL SPOILER CONTROL SYSTEM FUNCTIONAL CHECK							Service ATA:27
	MOS	17-Nov-21						
	HRS	7624:17	2400 (+25/-25)					
	AFL	6763						
								PKG:193
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								
27-12-00-7200 ^S	ROLL SPOILER MIXER BOX BUNGEE ASSEMBLY FUNCTIONAL CHECK							Service ATA:27
PN:6960231-7	MOS	15-Mar-24						
SN:131	HRS	8767:48	1200 (+25/-25)					
	AFL	7616						
	APH							
	APS							
								PKG:71
PROC. REF: AMM 27-12-00PROC. REF: AMM 27-12-00								
27-12-00-9600	ROLL SPOILER MIXER BOX ASSEMBLY RESTORATION							Service ATA:27
PN:6960231-7	MOS	23-May-18						
SN:131	HRS	5576:29	5600 (+25/-25)		11176:29	11201:29	1832:28 (+25)	
	AFL	5208						
								PKG:184
PROC. REF: AMM 27-12-00PROC. REF: AMM 27-12-00								
27-20-00-2200 ^S	RUDDER AND TRIM SYSTEM DETAILED INSPECTION							Service ATA:27
	MOS	17-Nov-21						
	HRS	7624:17	2400 (+25/-25)					
	AFL	6763						
								PKG:193
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-20-00-2201 ^S	RUDDER UPPER TORQUE TUBE DETAILED INSPECTION							Service ATA:27
	MOS	26-Apr-25	12 (+1m/-1m)					
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:174
27-20-00-2202 ^S	RUDDER LOWER TORQUE TUBE DETAILED INSPECTION							Service ATA:27
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:187
27-20-00-2203 ^S	RUDDER TRIM TAB PUSH RODS DETAILED INSPECTION							Service ATA:27
	MOS	02-Oct-24	24 (+1m/-1m)					
	HRS	9165:23	800 (+25/-25)					
	AFL	7889						
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:191
27-20-00-7200 ^S	RUDDER CABLE ASSEMBLY FUNCTIONAL CHECK							Service ATA:27
	MOS	17-Nov-21						
	HRS	7624:17	2400 (+25/-25)					
	AFL	6763						
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:193
27-20-00-7201 ^S	RUDDER TRIM TAB (FREE PLAY) FUNCTIONAL CHECK							Service ATA:27
	MOS	17-Nov-21						
	HRS	7624:17	2400 (+25/-25)					
	AFL	6763						
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:193

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-20-10-2200 ^S	RUDDER BIAS SYSTEM DETAILED INSPECTION							Service ATA:27
	MOS	17-Nov-21						
	HRS	7624:17	2400 (+25/-25)					
	AFL	6763						
PROC. REF: AMM 27-20-10PROC. REF: AMM 27-20-10								PKG:193
27-20-10-7100 ^S	RUDDER VARIABLE BIAS ACTUATOR OPERATIONAL CHECK							Service ATA:27
	MOS	17-Nov-21						
	HRS	7624:17	2400 (+25/-25)					
	AFL	6763						
PROC. REF: AMM 27-20-10PROC. REF: AMM 27-20-10								PKG:193
27-20-10-7200 ^S	RUDDER BIAS CABLE ASSEMBLY FUNCTIONAL CHECK							Service ATA:27
	MOS	17-Nov-21						
	HRS	7624:17	2400 (+25/-25)					
	AFL	6763						
PROC. REF: AMM 27-20-10PROC. REF: AMM 27-20-10								PKG:193
27-30-00-2200 ^S	ELEVATOR AND TRIM TAB SYSTEM DETAILED INSPECTION							Service ATA:27
	MOS	17-Nov-21						
	HRS	7624:17	2400 (+25/-25)					
	AFL	6763						
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								PKG:193
27-30-00-2201 ^S	ELEVATOR CONTROL SYSTEM STRUCTURESUPPORT DETAILED INSPECTION							Service ATA:27
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								PKG:187

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-30-00-7200	^S	ELEVATOR AND TRIM TAB SYSTEM FUNCTIONAL CHECK						Service ATA:27
	MOS	17-Nov-21						
	HRS	7624:17	2400 (+25/-25)					
	AFL	6763						
								PKG:193
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								
27-40-00-2200	^S	HORIZONTAL STABILIZER SYSTEM DETAILED INSPECTION						Service ATA:27
	MOS	17-Nov-21						
	HRS	7624:17	2400 (+25/-25)					
	AFL	6763						
								PKG:193
PROC. REF: AMM 27-40-00PROC. REF: AMM 27-40-00								
27-40-00-7100	^S	HORIZONTAL STABILIZER TRIM SWITCH OPERATIONAL CHECK						Service ATA:27
	MOS	05-Jun-24						AIRWORTHINESS
	HRS	8959:39	1200 (+25/-25)					
	AFL	7747						
								PKG:71
PROC. REF: AMM 27-40-00PROC. REF: AMM 27-40-00								
27-40-00-7200	^S	HORIZONTAL STABILIZER SYSTEM FUNCTIONAL AND OPERATIONAL CHECK						Service ATA:27
	MOS	17-Nov-21						
	HRS	7624:17	2400 (+25/-25)					
	AFL	6763						
								PKG:193
PROC. REF: AMM 27-40-00PROC. REF: AMM 27-40-00								
27-40-00-7201	^S	HORIZONTAL STABILIZER TRIM PRIMARY ACTUATOR BRAKE FUNCTIONAL CHECK						Service ATA:27
	MOS	02-Oct-24						
	HRS	9165:23	400 (+25/-25)					
	AFL	7889						
								PKG:161
PROC. REF: AMM 27-40-00PROC. REF: AMM 27-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of:
12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-40-00-7202	PRIMARY STABILIZER TRIM ACTUATOR SECONDARY LOAD PATH FUNCTIONAL CHECK							Service ATA:27
	MOS	25-Mar-19						AIRWORTHINESS
	HRS	6089:30	6450 (+25/-25)		11822:37 (M)	11847:37	2478:36 (+25)	
	AFL	5651						
								PKG:69
PROC. REF: AMM 27-40-00PROC. REF: AMM 27-40-00								
27-50-00-2200 ^S	FLAP SYSTEM DETAILED INSPECTION							Service ATA:27
	MOS	27-Oct-23	24 (+1m/-1m)					
	HRS	8589:45						
	AFL	7472						
	APH							
	APS							
								PKG:190
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								
27-60-00-2200 ^S	SPOILER/SPEEDBRAKE DRAG DEVICES DETAILED INSPECTION							Service ATA:27
	MOS	17-Nov-21						
	HRS	7624:17	2400 (+25/-25)					
	AFL	6763						
								PKG:193
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00								
27-60-00-7200 ^S	SPOILER/SPEEDBRAKE DRAG DEVICES FUNCTIONAL CHECK							Service ATA:27
	MOS	17-Nov-21						
	HRS	7624:17	2400 (+25/-25)					
	AFL	6763						
								PKG:193
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00								
27-70-00-2200 ^S	GUST LOCK SYSTEM DETAILED INSPECTION							Service ATA:27
	MOS	17-Nov-21						
	HRS	7624:17	2400 (+25/-25)					
	AFL	6763						
								PKG:193
PROC. REF: AMM 27-70-00PROC. REF: AMM 27-70-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-70-00-7100 ^S	GUST LOCK SYSTEM OPERATIONAL CHECK							Service ATA:27
	MOS	02-Oct-24	24 (+1m/-1m)					
	HRS	9165:23	800 (+25/-25)					
	AFL	7889						
								PKG:191
PROC. REF: AMM 27-70-00PROC. REF: AMM 27-70-00								
270001	THROTTLE QUADRANT ASSEMBLY							Component ATA:27
PN:6965200-2	MOS/MSC	01-Feb-08	O/C					
SN:SOV201	HRS	0		TSN 0				
WC#: 27.020	AFL	0		TSN 0				
PROC. REF: AMM 76-10-00PROC. REF: AMM 76-10-00								
270002	PNEUMATIC BIAS ACTUATOR							Component ATA:27
PN:6960561-86	MOS/MSC	20-Feb-14	O/C	TSO 0				
SN:024	HRS	2972:12		TSO 0				
WC#: 27.020	AFL	3326		TSO 0				
PROC. REF: AMM 27-20-10PROC. REF: AMM 27-20-10								
274001	STABILIZER TRIM MOTOR							Component ATA:27
PN:EM440-2	MOS/MSC	25-Oct-10	O/C					
SN:070	HRS	1403:54		TSO 0				
WC#: 27.030	AFL	1576						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
274002	LINEAR SERVO ACTUATOR							Component ATA:27
PN:EM4070-8	MOS/MSC	01-Feb-08	O/C					
SN:318	HRS	0		TSN 0				
WC#: 27.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
275001	MIXER BOX ASSEMBLY							Component ATA:27
PN:6960231-7	MOS/MSC	23-May-18	H/T					
SN:131	HRS	5576:29		TSO 0				
WC#: 27.040	AFL	5208						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275002	FLAP HANDLE ASSY							Component ATA:27
PN:6965250-2	MOS/MSC	23-Oct-17	O/C	TSN 0				
SN:0491	HRS	5289:04		TSN 0				
WC#: 27.040	AFL	4984						
	APH	2082						
	APS	5643						
PROC. REF: AMM 27-51-00PROC. REF: AMM 27-51-00								
275003	LEFT NO. 1 FLAP ACTUATOR							Component ATA:27
PN:C154897-1	MOS/MSC	01-Feb-08	O/C					
SN:1373	HRS	0		TSN 0				
WC#: 27.050	AFL	0		TSN 0				
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00								
275003	RIGHT NO. 1 FLAP ACTUATOR							Component ATA:27
PN:C154897-1	MOS/MSC	01-Feb-08	O/C					
SN:1366	HRS	0		TSN 0				
WC#: 27.050	AFL	0		TSN 0				
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00								
275004	LEFT NO. 2 FLAP ACTUATOR							Component ATA:27
PN:C154898-1	MOS/MSC	01-Feb-08	O/C					
SN:1381	HRS	0		TSN 0				
WC#: 27.060	AFL	0		TSN 0				
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00								
275004	RIGHT NO. 2 FLAP ACTUATOR							Component ATA:27
PN:C154898-1	MOS/MSC	01-Feb-08	O/C					
SN:1383	HRS	0		TSN 0				
WC#: 27.060	AFL	0		TSN 0				
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275005	LEFT NO. 3 FLAP ACTUATOR							Component ATA:27
PN:C154899-1	MOS/MSC	01-Feb-08	O/C					
SN:1403	HRS	0		TSN 0				
WC#: 27.070	AFL	0		TSN 0				
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00								
275005	RIGHT NO. 3 FLAP ACTUATOR							Component ATA:27
PN:C154899-1	MOS/MSC	01-Feb-08	O/C					
SN:1361	HRS	0		TSN 0				
WC#: 27.070	AFL	0		TSN 0				
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00								
275006	LEFT NO. 4 FLAP ACTUATOR							Component ATA:27
PN:C154900-1	MOS/MSC	01-Feb-08	O/C					
SN:1378	HRS	0		TSN 0				
WC#: 27.080	AFL	0		TSN 0				
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00								
275006	RIGHT NO. 4 FLAP ACTUATOR							Component ATA:27
PN:C154900-1	MOS/MSC	01-Feb-08	O/C					
SN:1377	HRS	0		TSN 0				
WC#: 27.080	AFL	0		TSN 0				
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00								
275007	LEFT NO. 5 FLAP ACTUATOR							Component ATA:27
PN:C154901-1	MOS/MSC	01-Feb-08	O/C					
SN:1400	HRS	0		TSN 0				
WC#: 27.090	AFL	0		TSN 0				
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00								
275007	RIGHT NO. 5 FLAP ACTUATOR							Component ATA:27
PN:C154901-1	MOS/MSC	01-Feb-08	O/C					
SN:1384	HRS	0		TSN 0				
WC#: 27.090	AFL	0		TSN 0				
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275008	LEFT NO. 6 FLAP ACTUATOR							Component ATA:27
PN:C155127-1	MOS/MSC	01-Feb-08	O/C					
SN:1180	HRS	0		TSN 0				
WC#: 27.100	AFL	0		TSN 0				
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00								
275008	RIGHT NO. 6 FLAP ACTUATOR							Component ATA:27
PN:C155128-1	MOS/MSC	01-Feb-08	O/C					
SN:1188	HRS	0		TSN 0				
WC#: 27.100	AFL	0		TSN 0				
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00								
275009	LEFT CONTROL COLUMN SHAKER							Component ATA:27
PN:201	MOS/MSC	01-Feb-08	O/C					
SN:7673	HRS	0		TSN 0				
WC#: 27.110	AFL	0		TSN 0				
PROC. REF: AMM 27-36-00PROC. REF: AMM 27-36-00								
275009	RIGHT CONTROL COLUMN SHAKER							Component ATA:27
PN:201	MOS/MSC	01-Feb-08	O/C					
SN:7664	HRS	0		TSN 0				
WC#: 27.110	AFL	0		TSN 0				
PROC. REF: AMM 27-36-00PROC. REF: AMM 27-36-00								
275010	LEFT AILERON TRIM ACTUATOR							Component ATA:27
PN:2A7211D	MOS/MSC	01-Feb-08	O/C					
SN:D0375	HRS	0		TSN 0				
WC#: 27.120	AFL	0		TSN 0				
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								
275010	RIGHT AILERON TRIM ACTUATOR							Component ATA:27
PN:2A7211D	MOS/MSC	01-Feb-08	O/C					
SN:D0317	HRS	0		TSN 0				
WC#: 27.210	AFL	0		TSN 0				
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275011	RUDDER TRIM ACTUATOR							Component ATA:27
PN:2A7212D	MOS/MSC	01-Feb-08	O/C					
SN:D0215	HRS	0		TSN 0				
WC#: 27.130	AFL	0		TSN 0				
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								
275012	HORIZONTAL TRIM ACTUATOR CONTROL UNIT							Component ATA:27
PN:103000A	MOS/MSC	29-Dec-17	O/C	TSO 0				
SN:693	HRS	5385:20		TSO 0				
WC#: 27.140	AFL	5064						
	APH	2125						
	APS	5754						
PROC. REF: AMM 27-40-10PROC. REF: AMM 27-40-10								
275013	HORIZONTAL TRIM ACTUATOR							Component ATA:27
PN:6361B0001-04	MOS/MSC	22-Dec-17	O/C	TSO 0				
SN:0417	HRS	5372:37		TSO 0				
WC#: 27.010	AFL	5053						
	APH	2107						
	APS	5735						
PROC. REF: AMM 27-40-00, AMM 27-40-00PROC. REF: AMM 27-40-00, AMM 27-40-00								
275015	FLAP POWER DRIVE UNIT							Component ATA:27
PN:MP50G-4	MOS/MSC	09-Sep-17	O/C	TSO 0				
SN:256B	HRS	5208:28		TSO 0				
WC#: 27.150	AFL	4932						
	APH	2066						
	APS	5601						
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00								
275016	FLAP CONTROLLER							Component ATA:27
PN:6918320-5	MOS/MSC	01-Feb-08	O/C					
SN:313	HRS	0		TSN 0				
WC#: 27.160	AFL	0		TSN 0				
PROC. REF: AMM 27-51-00PROC. REF: AMM 27-51-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275018	SOFT START MODULE ASSEMBLY							Component ATA:27
PN:6238405-34	MOS/MSC	29-Nov-13	O/C	TSN 0				
SN:0537	HRS	2877:24		TSN 0				
WC#: 27.150	AFL	3222						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
275019	LEFT INBOARD SPEEDBRAKE ACTUATOR							Component ATA:27
PN:2-8129-2	MOS/MSC	01-Feb-08	O/C					
SN:0771	HRS	0		TSN 0				
WC#: 27.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
275019	LEFT OUTBOARD SPEEDBRAKE ACTUATOR							Component ATA:27
PN:2-8129-2	MOS/MSC	01-Feb-08	O/C					
SN:0768	HRS	0		TSN 0				
WC#: 27.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
275019	RIGHT INBOARD SPEEDBRAKE ACTUATOR							Component ATA:27
PN:2-8129-2	MOS/MSC	01-Feb-08	O/C					
SN:0774	HRS	0		TSN 0				
WC#: 27.280	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
275019	RIGHT OUTBOARD SPEEDBRAKE ACTUATOR							Component ATA:27
PN:2-8129-2	MOS/MSC	01-Feb-08	O/C					
SN:0777	HRS	0		TSN 0				
WC#: 27.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
275020	SPEEDBRAKE CONTROL VALVE							Component ATA:27
PN:3363	MOS/MSC	01-Feb-08	O/C					
SN:0201	HRS	0		TSN 0				
WC#: 27.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275023	NO. 1 POSITION FLAP SENSOR							Component ATA:27
PN:3E5514A	MOS/MSC	01-Feb-08	O/C					
SN:A0774	HRS	0		TSN 0				
WC#: 27.190	AFL	0		TSN 0				
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00								
275023	NO. 2 POSITION FLAP SENSOR							Component ATA:27
PN:3E5514A	MOS/MSC	01-Feb-08	O/C					
SN:A0775	HRS	0		TSN 0				
WC#: 27.190	AFL	0		TSN 0				
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00								
275025	RUDDER BIAS ACTUATOR							Component ATA:27
PN:2A5202D	MOS/MSC	01-Feb-08	O/C					
SN:D0381	HRS	0		TSN 0				
WC#: 27.200	AFL	0		TSN 0				
PROC. REF: AMM 27-20-10PROC. REF: AMM 27-20-10								
275026	AILERON ROLL ACTUATOR							Component ATA:27
PN:9914749-3	MOS/MSC	11-Oct-24	O/C	TSO 0				
SN:D0605	HRS	9178:56		TSO 0				
WC#: 27.210	AFL	7900						
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								
275201	LEFT NO. 1 FLEX SHAFT							Component ATA:27
PN:140527-3900	MOS/MSC	01-Feb-08	O/C					
SN:0067	HRS	0		TSN 0				
WC#: 27.220	AFL	0		TSN 0				
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00								
275201	LEFT NO. 2 FLEX SHAFT							Component ATA:27
PN:140527-3200	MOS/MSC	01-Feb-08	O/C					
SN:0406	HRS	0		TSN 0				
WC#: 27.220	AFL	0		TSN 0				
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275201	LEFT NO. 3 FLEX SHAFT							Component ATA:27
PN:140527-5400	MOS/MSC	11-Feb-10	O/C					
SN:0194	HRS	1063		TSN 0				
WC#: 27.230	AFL							
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00								
275201	LEFT NO. 4 FLEX SHAFT							Component ATA:27
PN:140527-3400	MOS/MSC	01-Feb-08	O/C					
SN:0426	HRS	0		TSN 0				
WC#: 27.230	AFL	0		TSN 0				
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00								
275201	LEFT NO. 5 FLEX SHAFT							Component ATA:27
PN:140527-5400	MOS/MSC	09-Nov-15	O/C	TSN 0				
SN:0493	HRS	3852:12		TSN 0				
WC#: 27.240	AFL	4006						
	APH	1594						
	APS	4555						
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00								
275201	LEFT NO. 6 FLEX SHAFT							Component ATA:27
PN:140527-5600	MOS/MSC	22-Feb-11	O/C	TSN 0				
SN:0275	HRS	1540:12		TSN 0				
WC#: 27.240	AFL	1735		TSN 0				
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00								
275201	RIGHT NO. 1 FLEX SHAFT							Component ATA:27
PN:140527-5800	MOS/MSC	20-Feb-14	O/C	TSN 0				
SN:0215	HRS	2972:12		TSN 0				
WC#: 27.250	AFL	3326		TSN 0				
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275201	RIGHT NO. 2 FLEX SHAFT							Component ATA:27
PN:140527-3200	MOS/MSC	01-Feb-08	O/C					
SN:0403	HRS	0		TSN 0				
WC#: 27.250	AFL	0		TSN 0				
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00								
275201	RIGHT NO. 3 FLEX SHAFT							Component ATA:27
PN:140527-3300	MOS/MSC	07-Dec-16	O/C	TSN 0				
SN:1349	HRS	4599:30		TSN 0				
WC#: 27.260	AFL	4511						
	APH	1864						
	APS	5129						
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00								
275201	RIGHT NO. 4 FLEX SHAFT							Component ATA:27
PN:140527-3400	MOS/MSC	01-Feb-08	O/C					
SN:0431	HRS	0		TSN 0				
WC#: 27.260	AFL	0		TSN 0				
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00								
275201	RIGHT NO. 5 FLEX SHAFT							Component ATA:27
PN:140527-5400	MOS/MSC	11-Feb-10	O/C					
SN:0570	HRS	1063		TSN 0				
WC#: 27.270	AFL							
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00								
275201	RIGHT NO. 6 FLEX SHAFT							Component ATA:27
PN:140527-3800	MOS/MSC	01-Feb-08	O/C					
SN:0402	HRS	0		TSN 0				
WC#: 27.270	AFL	0		TSN 0				
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
276001	NO. 2 SENSOR-RVDT POSITION SPDBK LH SENSOR							Component ATA:27
PN:CU91093026	MOS/MSC	01-Feb-08	O/C					
SN:1352	HRS	0		TSN 0				
WC#: 27.290	AFL	0		TSN 0				
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00								
276001	NO. 3 -RVDT POSITION SPDBK-LH SENSOR							Component ATA:27
PN:CU91093026	MOS/MSC	01-Feb-08	O/C					
SN:1367	HRS	0		TSN 0				
WC#: 27.290	AFL	0		TSN 0				
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00								
276002	LEFT CENTER ROLL SPOILER POWER CONTROL UNIT							Component ATA:27
PN:1560800-5	MOS/MSC	01-Feb-08	O/C					
SN:1178	HRS	0		TSN 0				
WC#: 27.300	AFL	0		TSN 0				
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								
276002	LEFT INBOARD ROLL SPOILER POWER CONTROL UNIT							Component ATA:27
PN:1560800-5	MOS/MSC	01-Feb-08	O/C					
SN:1165	HRS	0		TSN 0				
WC#: 27.300	AFL	0		TSN 0				
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								
276002	LEFT OUTBOARD ROLL SPOILER POWER CONTROL UNIT							Component ATA:27
PN:1560800-5	MOS/MSC	01-Feb-08	O/C					
SN:1176	HRS	0		TSN 0				
WC#: 27.300	AFL	0		TSN 0				
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								
276002	RIGHT CENTER ROLL SPOILER POWER CONTROL UNIT							Component ATA:27
PN:1560800-5	MOS/MSC	26-Apr-25	O/C	TSO 0				
SN:3566	HRS	9344:01		TSO 0				
WC#: 27.310	AFL	8035						
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
276002	RIGHT INBOARD ROLL SPOILER POWER CONTROL UNIT							Component ATA:27
PN:1560800-5	MOS/MSC	01-Feb-08	O/C					
SN:1170	HRS	0		TSN 0				
WC#: 27.310	AFL	0		TSN 0				
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								
276002	RIGHT OUTBOARD ROLL SPOILER POWER CONTROL UNIT							Component ATA:27
PN:1560800-5	MOS/MSC	26-Apr-25	O/C	TSO 0				
SN:3379	HRS	9344:01		TSO 0				
WC#: 27.310	AFL	8035						
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								
ATA 28 - FUEL								
28-00-10-2200	MICROBIOLOGICAL CONTAMINATIONINSPECTION (AIRPLANES NOT USING THEBIOCIDAL PREVENTATIVE TREATMENT)							Service ATA:28
	MOS/MSC	01-Feb-08	A/R					DISCRETIONARY
	HRS							
	AFL							
PROC. REF: AMM 28-00-10PROC. REF: AMM 28-00-10								
28-00-10-2201	MICROBIOLOGICAL CONTAMINATIONINSPECTION (AIRPLANES USING THEBIOCIDAL PREVENTATIVE TREATMENT)							Service ATA:28
	MOS/MSC	01-Feb-08	A/R					DISCRETIONARY
	HRS							
	AFL							
PROC. REF: AMM 28-00-10PROC. REF: AMM 28-00-10								
28-10-00-2100 ^S	FUEL FLAPPER CHECK VALVE GENERAL VISUAL INSPECTION							Service ATA:28
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 28-10-00PROC. REF: AMM 28-10-00								

PKG:187

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-10-00-2200	^S	LOCKING FUEL CAP DETAILED INSPECTION						Service ATA:28
	MOS	26-Apr-25	12 (+1m/-1m)					
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
PROC. REF: AMM 28-10-00PROC. REF: AMM 28-10-00								PKG:174
28-20-00-2100	^S	LEFT AND RIGHT FUEL BOOST PUMP WIRING STANDALONE EZAP GENERAL VISUAL INSPECTION						Service ATA:28
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 28-20-00PROC. REF: AMM 28-20-00								PKG:187
28-20-00-7100	^S	FUEL CROSS FEED AND DIODE OPERATIONAL CHECK						Service ATA:28
	MOS	02-Oct-24						
	HRS	9165:23	800 (+25/-25)					
	AFL	7889						
PROC. REF: AMM 28-20-00PROC. REF: AMM 28-20-00								PKG:192
28-40-00-2100	^S	WING FUEL PROBE WIRING STANDALONE EZAP DETAILED INSPECTION						Service ATA:28
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 28-40-00PROC. REF: AMM 28-40-00								PKG:187
28-40-00-7200	^S	LOW FUEL WARNING SYSTEM FUNCTIONAL CHECK						Service ATA:28
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 28-40-00PROC. REF: AMM 28-40-00								PKG:187

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
280001	LEFT REFUEL PILOT VALVE							Component ATA:28
PN:61087	MOS/MSC	01-Feb-08	O/C					
SN:4798	HRS	0		TSN 0				
WC#: 28.010	AFL	0		TSN 0				
PROC. REF: AMM 28-20-60PROC. REF: AMM 28-20-60								
280001	RIGHT REFUEL PILOT VALVE							Component ATA:28
PN:61087	MOS/MSC	01-Feb-08	O/C					
SN:4403	HRS	0		TSN 0				
WC#: 28.010	AFL	0		TSN 0				
PROC. REF: AMM 28-20-60PROC. REF: AMM 28-20-60								
280002	REFUEL/DEFUEL VALVE							Component ATA:28
PN:9036-351-2	MOS/MSC	01-Feb-08	O/C					
SN:1460	HRS	0		TSN 0				
WC#: 28.020	AFL	0		TSN 0				
PROC. REF: AMM 28-20-60, AMM 28-20-60PROC. REF: AMM 28-20-60, AMM 28-20-60								
280007	LEFT FUEL VENT FLOAT VALVE							Component ATA:28
PN:2990006-102	MOS/MSC	01-Feb-08	O/C					
SN:1173	HRS	0		TSN 0				
WC#: 28.030	AFL	0		TSN 0				
PROC. REF: AMM 28-10-40PROC. REF: AMM 28-10-40								
280007	RIGHT FUEL VENT FLOAT VALVE							Component ATA:28
PN:2990006-102	MOS/MSC	01-Feb-08	O/C					
SN:1170	HRS	0		TSN 0				
WC#: 28.030	AFL	0		TSN 0				
PROC. REF: AMM 28-10-40PROC. REF: AMM 28-10-40								
280008	LEFT FUEL FLOAT SWITCH							Component ATA:28
PN:L16H-14	MOS/MSC	01-Feb-08	O/C					
SN:427	HRS	0		TSN 0				
WC#: 28.040	AFL	0		TSN 0				
PROC. REF: AMM 28-40-30PROC. REF: AMM 28-40-30								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
280008	LEFT LOWER FUEL SHUTOFF ACTUATOR							Component ATA:28
PN:MA20A1029-1	MOS/MSC	01-Feb-08	O/C					
SN:AA132838	HRS	0		TSN 0				
WC#: 28.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
280008	LEFT UPPER FUEL SHUTOFF ACTUATOR							Component ATA:28
PN:MA20A1029-1	MOS/MSC	01-Feb-08	O/C					
SN:AA125283	HRS	0		TSN 0				
WC#: 28.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
280008	RIGHT FUEL FLOAT SWITCH							Component ATA:28
PN:L16H-14	MOS/MSC	01-Feb-08	O/C					
SN:397	HRS	0		TSN 0				
WC#: 28.040	AFL	0		TSN 0				
PROC. REF: AMM 28-40-30PROC. REF: AMM 28-40-30								
280008	RIGHT LOWER FUEL SHUTOFF ACTUATOR							Component ATA:28
PN:MA20A1029-1	MOS/MSC	01-Feb-08	O/C					
SN:AA113277	HRS	0		TSN 0				
WC#: 28.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
280008	RIGHT UPPER FUEL SHUTOFF ACTUATOR							Component ATA:28
PN:MA20A1029-1	MOS/MSC	23-May-18	O/C	TSN 0				
SN:AA514546	HRS	5576:29		TSN 0				
WC#: 28.060	AFL	5208						
	APH	2209						
	APS	5931						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
280009	LEFT REFUEL VALVE							Component ATA:28
PN:61086	MOS/MSC	01-Feb-08	O/C					
SN:3585	HRS	0		TSN 0				
WC#: 28.070	AFL	0		TSN 0				
PROC. REF: AMM 28-20-60PROC. REF: AMM 28-20-60								
280009	RIGHT REFUEL VALVE							Component ATA:28
PN:61086	MOS/MSC	01-Feb-08	O/C					
SN:3621	HRS	0		TSN 0				
WC#: 28.070	AFL	0		TSN 0				
PROC. REF: AMM 28-20-60PROC. REF: AMM 28-20-60								
280010	LEFT FUEL BOOST PUMP							Component ATA:28
PN:3C7-1	MOS/MSC	01-Jul-22	O/C	TSO 0				
SN:7BA47	HRS	7711:58		TSO 0				
WC#: 28.080	AFL	6829		TSO 0				
PROC. REF: AMM 28-20-10PROC. REF: AMM 28-20-10								
280010	RIGHT FUEL BOOST PUMP							Component ATA:28
PN:3C7-1	MOS/MSC	01-Feb-08	O/C					
SN:8BC99	HRS	0		TSN 0				
WC#: 28.080	AFL	0		TSN 0				
PROC. REF: AMM 28-20-10PROC. REF: AMM 28-20-10								
280011	LEFT FUEL BOOST PUMP CARTRIDGE							Component ATA:28
PN:3C27-1	MOS/MSC	01-Feb-08	O/C					
SN:6BC81	HRS	0		TSN 0				
WC#: 28.380	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
280011	RIGHT FUEL BOOST PUMP CARTRIDGE							Component ATA:28
PN:3C27-1	MOS/MSC	01-Feb-08	O/C					
SN:8BC99	HRS	0		TSN 0				
WC#: 28.380	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
280012	LEFT OUTBOARD POSITIVE/NEGATIVE RELIEF FUEL VALVE							Component ATA:28
PN:840203-105	MOS/MSC	01-Feb-08	O/C					
SN:5198XP	HRS	0		TSN 0				
WC#: 28.090	AFL	0		TSN 0				
PROC. REF: AMM 28-10-40PROC. REF: AMM 28-10-40								
280012	RIGHT OUTBOARD POSITIVE/NEGATIVE RELIEF FUEL VALVE							Component ATA:28
PN:840203-105	MOS/MSC	01-Feb-08	O/C					
SN:4905XP	HRS	0		TSN 0				
WC#: 28.090	AFL	0		TSN 0				
PROC. REF: AMM 28-10-40PROC. REF: AMM 28-10-40								
280014	LEFT DEFUEL VALVE							Component ATA:28
PN:61084-2	MOS/MSC	01-Feb-08	O/C					
SN:1571	HRS	0		TSN 0				
WC#: 28.100	AFL	0		TSN 0				
PROC. REF: AMM 28-20-60PROC. REF: AMM 28-20-60								
280014	RIGHT DEFUEL VALVE							Component ATA:28
PN:61084-2	MOS/MSC	01-Feb-08	O/C					
SN:1570	HRS	0		TSN 0				
WC#: 28.100	AFL	0		TSN 0				
PROC. REF: AMM 28-20-60PROC. REF: AMM 28-20-60								
280016	LEFT FUEL QUANTITY W2 PROBE							Component ATA:28
PN:10674T02Y00	MOS/MSC	01-Feb-08	O/C					
SN:MN10394	HRS	0		TSN 0				
WC#: 28.110	AFL	0		TSN 0				
PROC. REF: AMM 28-40-10PROC. REF: AMM 28-40-10								
280016	RIGHT FUEL QUANTITY W2 PROBE							Component ATA:28
PN:10674T02Y00	MOS/MSC	01-Feb-08	O/C					
SN:MN08193	HRS	0		TSN 0				
WC#: 28.110	AFL	0		TSN 0				
PROC. REF: AMM 28-40-10PROC. REF: AMM 28-40-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
280017	LEFT FUEL QUANTITY W3 PROBE							Component ATA:28
PN:10674T03Y00	MOS/MSC	01-Feb-08	O/C					
SN:MN10729	HRS	0		TSN 0				
WC#: 28.120	AFL	0		TSN 0				
PROC. REF: AMM 28-40-10PROC. REF: AMM 28-40-10								
280017	RIGHT FUEL QUANTITY W3 PROBE							Component ATA:28
PN:10674T03Y00	MOS/MSC	01-Feb-08	O/C					
SN:MN11070	HRS	0		TSN 0				
WC#: 28.120	AFL	0		TSN 0				
PROC. REF: AMM 28-40-10PROC. REF: AMM 28-40-10								
280018	LEFT FUEL QUANTITY W4 PROBE							Component ATA:28
PN:10674T04Y00	MOS/MSC	01-Feb-08	O/C					
SN:MN11666	HRS	0		TSN 0				
WC#: 28.130	AFL	0		TSN 0				
PROC. REF: AMM 28-40-10PROC. REF: AMM 28-40-10								
280018	RIGHT FUEL QUANTITY W4 PROBE							Component ATA:28
PN:10674T04Y00	MOS/MSC	01-Feb-08	O/C					
SN:MN11656	HRS	0		TSN 0				
WC#: 28.130	AFL	0		TSN 0				
PROC. REF: AMM 28-40-10PROC. REF: AMM 28-40-10								
280020	LEFT FUEL QUANTITY W5 PROBE							Component ATA:28
PN:10674T05Y00	MOS/MSC	01-Feb-08	O/C					
SN:MN09554	HRS	0		TSN 0				
WC#: 28.140	AFL	0		TSN 0				
PROC. REF: AMM 28-40-10PROC. REF: AMM 28-40-10								
280020	RIGHT FUEL QUANTITY W5 PROBE							Component ATA:28
PN:10674T05Y00	MOS/MSC	01-Feb-08	O/C					
SN:MN09552	HRS	0		TSN 0				
WC#: 28.140	AFL	0		TSN 0				
PROC. REF: AMM 28-40-10PROC. REF: AMM 28-40-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
280021	LEFT FUEL QUANTITY W6 PROBE							Component ATA:28
PN:10674T06Y00	MOS/MSC	01-Feb-08	O/C					
SN:MN10092	HRS	0		TSN 0				
WC#: 28.150	AFL	0		TSN 0				
PROC. REF: AMM 28-40-10PROC. REF: AMM 28-40-10								
280021	RIGHT FUEL QUANTITY W6 PROBE							Component ATA:28
PN:10674T06Y00	MOS/MSC	01-Feb-08	O/C					
SN:MN11102	HRS	0		TSN 0				
WC#: 28.150	AFL	0		TSN 0				
PROC. REF: AMM 28-40-10PROC. REF: AMM 28-40-10								
280022	LEFT FUEL QUANTITY W7 PROBE							Component ATA:28
PN:10674T07Y00	MOS/MSC	01-Feb-08	O/C					
SN:MN11549	HRS	0		TSN 0				
WC#: 28.160	AFL	0		TSN 0				
PROC. REF: AMM 28-40-10PROC. REF: AMM 28-40-10								
280022	RIGHT FUEL QUANTITY W7 PROBE							Component ATA:28
PN:10674T07Y00	MOS/MSC	01-Feb-08	O/C					
SN:MN11427	HRS	0		TSN 0				
WC#: 28.160	AFL	0		TSN 0				
PROC. REF: AMM 28-40-10PROC. REF: AMM 28-40-10								
280023	LEFT FUEL QUANTITY W1 PROBE							Component ATA:28
PN:10674T04Y00	MOS/MSC	01-Feb-08	O/C					
SN:MN11388	HRS	0		TSN 0				
WC#: 28.170	AFL	0		TSN 0				
PROC. REF: AMM 28-40-10PROC. REF: AMM 28-40-10								
280023	RIGHT FUEL QUANTITY W1 PROBE							Component ATA:28
PN:10674T04Y00	MOS/MSC	01-Feb-08	O/C					
SN:MN11658	HRS	0		TSN 0				
WC#: 28.170	AFL	0		TSN 0				
PROC. REF: AMM 28-40-10PROC. REF: AMM 28-40-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
280026	LEFT INBOARD FUEL DRAIN VALVE							Component ATA:28
PN:100-0151-03	MOS/MSC	18-Apr-16	O/C	TSN 0				
SN:1911	HRS	4097		TSN 0				
WC#: 28.180	AFL	4165						
	APH	1675						
	APS	4721						
PROC. REF: AMM 28-10-30PROC. REF: AMM 28-10-30								
280026	LEFT OUTBOARD FUEL DRAIN VALVE							Component ATA:28
PN:100-0151-03	MOS/MSC	18-Apr-16	O/C	TSN 0				
SN:2257	HRS	4097		TSN 0				
WC#: 28.190	AFL	4165						
	APH	1675						
	APS	4721						
PROC. REF: AMM 28-10-30PROC. REF: AMM 28-10-30								
280026	RIGHT INBOARD FUEL DRAIN VALVE							Component ATA:28
PN:100-0151-03	MOS/MSC	01-Jul-22	O/C	TSN 0				
SN:4777	HRS	7711:58		TSN 0				
WC#: 28.180	AFL	6829						
PROC. REF: AMM 28-10-30PROC. REF: AMM 28-10-30								
280026	RIGHT OUTBOARD FUEL DRAIN VALVE							Component ATA:28
PN:100-0151-03	MOS/MSC	18-Apr-16	O/C	TSN 0				
SN:2075	HRS	4097		TSN 0				
WC#: 28.190	AFL	4165						
	APH	1675						
	APS	4721						
PROC. REF: AMM 28-10-30PROC. REF: AMM 28-10-30								
280027	LEFT LOWER BALL VALVE							Component ATA:28
PN:125838AV	MOS/MSC	01-Feb-08	O/C					
SN:AA124472	HRS	0		TSN 0				
WC#: 28.200	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
280027	LEFT UPPER BALL VALVE							Component ATA:28
PN:125838AV	MOS/MSC	01-Feb-08	O/C					
SN:AA126434	HRS	0		TSN 0				
WC#: 28.200	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
280027	RIGHT LOWER BALL VALVE							Component ATA:28
PN:125838AV	MOS/MSC	01-Feb-08	O/C					
SN:AA126438	HRS	0		TSN 0				
WC#: 28.210	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
280027	RIGHT UPPER BALL VALVE							Component ATA:28
PN:125838AV	MOS/MSC	01-Feb-08	O/C					
SN:AA126435	HRS	0		TSN 0				
WC#: 28.210	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
280028	LEFT MOTIVE FLOW PRESSURE SWITCH							Component ATA:28
PN:GPP1250-47	MOS/MSC	01-Feb-08	O/C					
SN:0710141	HRS	0		TSN 0				
WC#: 28.220	AFL	0		TSN 0				
PROC. REF: AMM 28-20-40PROC. REF: AMM 28-20-40								
280028	RIGHT MOTIVE FLOW PRESSURE SWITCH							Component ATA:28
PN:GPP1250-47	MOS/MSC	01-Feb-08	O/C					
SN:0728173	HRS	0		TSN 0				
WC#: 28.220	AFL	0		TSN 0				
PROC. REF: AMM 28-20-40PROC. REF: AMM 28-20-40								
282001	HOUSING ASSEMBLY							Component ATA:28
PN:61088	MOS/MSC	01-Feb-08	O/C					
SN:1801	HRS	0		TSN 0				
WC#: 28.230	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282002	LEFT PRIMARY EJECTOR PUMP							Component ATA:28
PN:2000002-101	MOS/MSC	31-Oct-12	O/C	TSN 0				
SN:0979	HRS	2333:54		TSN 0				
WC#: 28.240	AFL	2601						
PROC. REF: AMM 28-20-20PROC. REF: AMM 28-20-20								
282002	RIGHT PRIMARY EJECTOR PUMP							Component ATA:28
PN:2000002-101	MOS/MSC	31-Oct-12	O/C	TSN 0				
SN:0964	HRS	2333:54		TSN 0				
WC#: 28.240	AFL	2601						
PROC. REF: AMM 28-20-20PROC. REF: AMM 28-20-20								
282003	LEFT AFT EJECTOR PUMP							Component ATA:28
PN:2000003-101	MOS/MSC	01-Feb-08	O/C					
SN:1188	HRS	0		TSN 0				
WC#: 28.250	AFL	0		TSN 0				
PROC. REF: AMM 28-20-20PROC. REF: AMM 28-20-20								
282003	LEFT FORWARD EJECTOR PUMP							Component ATA:28
PN:2000003-101	MOS/MSC	01-Feb-08	O/C					
SN:1182	HRS	0		TSN 0				
WC#: 28.250	AFL	0		TSN 0				
PROC. REF: AMM 28-20-20PROC. REF: AMM 28-20-20								
282003	LEFT MIDDLE EJECTOR PUMP							Component ATA:28
PN:2000003-102	MOS/MSC	01-Feb-08	O/C					
SN:1211	HRS	0		TSN 0				
WC#: 28.250	AFL	0		TSN 0				
PROC. REF: AMM 28-20-20PROC. REF: AMM 28-20-20								
282003	RIGHT AFT EJECTOR PUMP							Component ATA:28
PN:2000003-101	MOS/MSC	01-Feb-08	O/C					
SN:1201	HRS	0		TSN 0				
WC#: 28.260	AFL	0		TSN 0				
PROC. REF: AMM 28-20-20PROC. REF: AMM 28-20-20								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282003	RIGHT FORWARD EJECTOR PUMP							Component ATA:28
PN:2000003-101	MOS/MSC	01-Feb-08	O/C					
SN:1199	HRS	0		TSN 0				
WC#: 28.260	AFL	0		TSN 0				
PROC. REF: AMM 28-20-20PROC. REF: AMM 28-20-20								
282003	RIGHT MIDDLE EJECTOR PUMP							Component ATA:28
PN:2000003-102	MOS/MSC	01-Feb-08	O/C					
SN:1209	HRS	0		TSN 0				
WC#: 28.260	AFL	0		TSN 0				
PROC. REF: AMM 28-20-20PROC. REF: AMM 28-20-20								
284001	FUEL QUANTITY SIGNAL CONDITIONER							Component ATA:28
PN:10673B01Y01	MOS/MSC	01-Feb-08	O/C					
SN:0276	HRS	0		TSN 0				
WC#: 28.270	AFL	0		TSN 0				
PROC. REF: AMM 28-40-20PROC. REF: AMM 28-40-20								
28FO-01	COMMON KEYED FUEL CAP FACTORY OPTION							Component ATA:28
PN:36B	MOS/MSC	01-Feb-08	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
28FO500	BRITISH PETROLEUM TURBO OIL 2380 FACTORY OPTION							Component ATA:28
PN:500	MOS/MSC	01-Feb-08	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 29 - HYDRAULIC POWER								
29-10-00-9600	HYDRAULIC SYSTEM FILTERS DISCARD							Service ATA:29
	MOS	12-Dec-24						
	HRS	9226:16	2400 (+25/-25)		11626:16	11651:16	2282:15 (+25)	
	AFL	7930						

PKG:193

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
PROC. REF: AMM 29-10-00PROC. REF: AMM 29-10-00								
29-10-09-7100	AUXILIARY PUMP PRESSURE RELIEF HYDRAULIC MANIFOLD							Component ATA:29
PN:AEC45770	MOS/MSC	01-Feb-08	O/C					
SN:0205	HRS	0						
WC#: 29.020	AFL	0						
PROC. REF: AMM 29-20-01PROC. REF: AMM 29-20-01								
290004	AUXILIARY ELECTRIC PUMP							Component ATA:29
PN:51176-02	MOS/MSC	19-Mar-21	O/C	TSO 0				
SN:K0157	HRS	7113:24		TSO 0				
WC#: 29.030	AFL	6421						
PROC. REF: AMM 29-20-01PROC. REF: AMM 29-20-01								
290006	MAIN SYSTEM ACCUMULATOR							Component ATA:29
PN:7550-4	MOS/MSC	01-Feb-08	O/C					
SN:0071	HRS	0		TSN 0				
WC#: 29.040	AFL	0		TSN 0				
PROC. REF: AMM 29-10-02PROC. REF: AMM 29-10-02								
290007	NWS ACCUMULATOR							Component ATA:29
PN:9912644-3	MOS/MSC	09-Aug-23	O/C	TSO 0				
SN:0383	HRS	8420:33		TSO 0				
WC#: 29.040	AFL	7350						
PROC. REF: AMM 32-50-00PROC. REF: AMM 32-50-00								
291000	HYDRAULIC PRESSURE SWITCH							Component ATA:29
PN:GPP1250-78	MOS/MSC	01-Feb-08	O/C					
SN:0713232	HRS	0		TSN 0				
WC#: 29.140	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
291001	LEFT MOTOR-OPERATED HYDRAULIC SHUTOFF VALVE							Component ATA:29
PN:72146-1	MOS/MSC	01-Feb-08	O/C					
SN:0453	HRS	0		TSN 0				
WC#: 29.010	AFL	0		TSN 0				
PROC. REF: AMM 29-10-03PROC. REF: AMM 29-10-03								
291001	RIGHT MOTOR-OPERATED HYDRAULIC SHUTOFF VALVE							Component ATA:29
PN:72146-1	MOS/MSC	01-Feb-08	O/C					
SN:0475	HRS	0		TSN 0				
WC#: 29.010	AFL	0		TSN 0				
PROC. REF: AMM 29-10-03PROC. REF: AMM 29-10-03								
291002	LEFT ENGINE DRIVEN HYDRAULIC PUMP							Component ATA:29
PN:51171-02	MOS/MSC	19-Mar-21	O/C	TSO 0				
SN:K0809	HRS	7113:24		TSO 0				
WC#: 29.050	AFL	6421						
PROC. REF: AMM 29-10-04PROC. REF: AMM 29-10-04								
291002	RIGHT ENGINE DRIVEN HYDRAULIC PUMP							Component ATA:29
PN:51171-02	MOS/MSC	01-Jul-22	O/C	TSO 0				
SN:K0313	HRS	7711:58		TSO 0				
WC#: 29.050	AFL	6829		TSO 0				
PROC. REF: AMM 29-10-04PROC. REF: AMM 29-10-04								
291003	LEFT HYDRAULIC PUMP LOW PRESSURE SWITCH							Component ATA:29
PN:ACC4271D4	MOS/MSC	06-Jan-15	O/C	TSN 0				
SN:0928	HRS	3244		TSN 0				
WC#: 29.060	AFL	3574						
PROC. REF: AMM 29-10-11PROC. REF: AMM 29-10-11								
291003	RIGHT HYDRAULIC PUMP LOW PRESSURE SWITCH							Component ATA:29
PN:ACC4271D4	MOS/MSC	19-Oct-19	O/C	TSN 0				
SN:1581	HRS	6451:01		TSN 0				
WC#: 29.060	AFL	5921						
PROC. REF: AMM 29-10-11PROC. REF: AMM 29-10-11								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
291005	HYDRAULIC BOOTSTP 700 CI RESERVOIR							Component ATA:29
PN:7520-3	MOS/MSC	26-Apr-25	O/C	TSR 0				
SN:1020	HRS	9344:01		TSR 0				
WC#: 29.070	AFL	8035						
PROC. REF: AMM 29-10-01PROC. REF: AMM 29-10-01								
291006	LEFT SHUTTLE VALVE							Component ATA:29
PN:5128-5	MOS/MSC	01-Feb-08	O/C					
SN:0411	HRS	0		TSN 0				
WC#: 29.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
291006	RIGHT SHUTTLE VALVE							Component ATA:29
PN:5128-5	MOS/MSC	01-Feb-08	O/C					
SN:0206	HRS	0		TSN 0				
WC#: 29.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
291008	BRAKE HYDRAULIC PRESSURE GAUGE							Component ATA:29
PN:19940931-1	MOS/MSC	11-Feb-08	O/C					
SN:025544	HRS	11		TSN 0				
WC#: 29.090	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
291008	STEERING HYDRAULIC PRESSURE GAUGE							Component ATA:29
PN:19940931-1	MOS/MSC	01-Feb-08	O/C					
SN:024727	HRS	0		TSN 0				
WC#: 29.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
291010	RESERVIOR VOLUME INDICATOR							Component ATA:29
PN:9611-1	MOS/MSC	01-Feb-08	O/C					
SN:0211	HRS	0		TSN 0				
WC#: 29.100	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
291011	HYDRAULIC MANIFOLD							Component ATA:29
PN:AEC45520	MOS/MSC	30-Jun-13	O/C	TSN 0				
SN:0067	HRS	2644:06		TSN 0				
WC#: 29.100	AFL	2967		TSN 0				
PROC. REF: AMM 29-20-01PROC. REF: AMM 29-20-01								
ATA 30 - ICE AND RAIN PROTECTION								
30-10-00-2200 ^S	AIRFOIL ANTI-ICE DETAILED INSPECTION							Service ATA:30
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 30-10-00PROC. REF: AMM 30-10-00								PKG:187
30-10-00-2201 ^S	LEFT AND RIGHT WING ANTI-ICE TEMP SENSOR WIRING AND SPAR OVERHEAT WIRING EZAP DETAILED INSPECTION							Service ATA:30
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 30-10-00PROC. REF: AMM 30-10-00								PKG:187
30-10-00-7100 ^S	AIRFOIL ANTI-ICE OPERATIONAL CHECK							Service ATA:30
	MOS	15-Mar-24						AIRWORTHINESS
	HRS	8767:48	1200 (+25/-25)					
	AFL	7616						
	APH							
	APS							
PROC. REF: AMM 30-10-00PROC. REF: AMM 30-10-00								PKG:71

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-70-00-7100 ^S	HEATED DRAINS OPERATIONAL CHECK							Service ATA:30
	MOS	27-Oct-23	24 (+1m/-1m)					
	HRS	8589:45						
	AFL	7472						
	APH							
	APS							
								PKG:190
PROC. REF: AMM 30-70-00PROC. REF: AMM 30-70-00								
301002	LEFT WINDSHIELD TEMPERATURE CONTROLLER							Component ATA:30
PN:856-1-3	MOS/MSC	01-Feb-08	O/C					
SN:207120110	HRS	0		TSN 0				
WC#: 30.010	AFL	0		TSN 0				
PROC. REF: AMM 30-40-10PROC. REF: AMM 30-40-10								
301002	RIGHT WINDSHIELD TEMPERATURE CONTROLLER							Component ATA:30
PN:856-1-3	MOS/MSC	01-Feb-08	O/C					
SN:207270116	HRS	0		TSN 0				
WC#: 30.010	AFL	0		TSN 0				
PROC. REF: AMM 30-40-10PROC. REF: AMM 30-40-10								
301004	ISOLATION SHUTOFF VALVE							Component ATA:30
PN:2602-36	MOS/MSC	01-Feb-08	O/C					
SN:1818	HRS	0		TSN 0				
WC#: 30.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301005	LEFT ENGINE INLET ANTI ICE VALVE							Component ATA:30
PN:5199-00-6	MOS/MSC	01-Feb-08	O/C					
SN:0725	HRS	0		TSN 0				
WC#: 30.040	AFL	0		TSN 0				
PROC. REF: AMM 30-20-00PROC. REF: AMM 30-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301005	RIGHT ENGINE INLET ANTI ICE VALVE							Component ATA:30
PN:5199-00-6	MOS/MSC	01-Feb-08	O/C					
SN:0726	HRS	0		TSN 0				
WC#: 30.040	AFL	0		TSN 0				
PROC. REF: AMM 30-20-00PROC. REF: AMM 30-20-00								
301006	RAIN REMOVAL FAN							Component ATA:30
PN:011598-501	MOS/MSC	01-Feb-08	O/C					
SN:C07310402	HRS	0		TSN 0				
WC#: 30.050	AFL	0		TSN 0				
PROC. REF: AMM 30-40-00PROC. REF: AMM 30-40-00								
301007	SERVICE AIR REGULATOR VALVE							Component ATA:30
PN:38E109-25B	MOS/MSC	01-Feb-08	O/C					
SN:NO72440	HRS	0		TSN 0				
WC#: 30.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301011	LEFT PRESSURE REGULATOR VALVE							Component ATA:30
PN:1H144-2	MOS/MSC	01-Feb-08	O/C					
SN:2BC19	HRS	0		TSN 0				
WC#: 30.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301011	RIGHT PRESSURE REGULATOR VALVE							Component ATA:30
PN:1H144-2	MOS/MSC	01-Feb-08	O/C					
SN:5BB39	HRS	0		TSN 0				
WC#: 30.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301101	LEFT ANTI ICE PRESSURE REGULATOR SHUTOFF VALVE							Component ATA:30
PN:1962-00-11	MOS/MSC	01-Feb-08	O/C					
SN:3914	HRS	0		TSN 0				
WC#: 30.070	AFL	0		TSN 0				
PROC. REF: AMM 30-20-00PROC. REF: AMM 30-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301101	RIGHT ANTI ICE PRESSURE REGULATOR SHUTOFF VALVE							Component ATA:30
PN:1962-00-11	MOS/MSC	01-Feb-08	O/C					
SN:3907	HRS	0		TSN 0				
WC#: 30.070	AFL	0		TSN 0				
PROC. REF: AMM 30-20-00PROC. REF: AMM 30-20-00								
302001	LEFT DIFFERENTIAL PRESSURE SWITCH							Component ATA:30
PN:1153P0104	MOS/MSC	27-Oct-23	O/C	TSN 0				
SN:2463	HRS	8589:45		TSN 0				
WC#: 30.080	AFL	7472						
	APH							
	APS							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
302001	RIGHT DIFFERENTIAL PRESSURE SWITCH							Component ATA:30
PN:1153P0104	MOS/MSC	28-Jul-23	O/C	TSN 0				
SN:2443	HRS	8401:03		TSN 0				
WC#: 30.080	AFL	7337						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
302002	LEFT ANTI ICING VALVE SOLENOID							Component ATA:30
PN:30B5553-01	MOS/MSC	21-Feb-19	O/C	TSR 0				
SN:AL2641	HRS	5955:36		TSN 5955:36, TSR 0				
WC#: 30.090	AFL	5506		TSR 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
302002	RIGHT ANTI ICING VALVE SOLENOID							Component ATA:30
PN:30B5553-01	MOS/MSC	09-Mar-19	O/C	TSR 0				
SN:AL2642	HRS	5955:36		TSN 5955:36, TSR 0				
WC#: 30.090	AFL	5506		TSR 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
303001	LEFT PITOT TUBE							Component ATA:30
PN:0851JL1	MOS/MSC	01-Feb-08	O/C					
SN:252228	HRS	0		TSN 0				
WC#: 30.100	AFL	0		TSN 0				
PROC. REF: AMM 34-11-00PROC. REF: AMM 34-11-00								
303001	RIGHT PITOT TUBE							Component ATA:30
PN:0851JL1	MOS/MSC	01-Feb-08	O/C					
SN:255233	HRS	0		TSN 0				
WC#: 30.100	AFL	0		TSN 0				
PROC. REF: AMM 34-11-00PROC. REF: AMM 34-11-00								
303001	STANDBY PITOT TUBE							Component ATA:30
PN:0851JL1	MOS/MSC	01-Feb-08	O/C					
SN:251543	HRS	0		TSN 0				
WC#: 30.100	AFL	0		TSN 0				
PROC. REF: AMM 34-11-00PROC. REF: AMM 34-11-00								
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-30-00-7200 ^S	FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON FUNCTIONAL CHECK							Service ATA:31
PN:2100-2042-00	MOS	27-Oct-23	24 (+1m/-1m)					
SN:000445655	HRS	8589:45						
	AFL	7472						
	APH							
	APS							
PROC. REF: AMM 31-30-00PROC. REF: AMM 31-30-00								PKG:190
31-30-00-9600	810-2007/K OR 810-2008/K FLIGHT DATA RECORDER UNDERWATER LOCATOR DEVICE BATTERY DISCARD BATTERY							Component ATA:31
PN:810-2042/K	MOS	29-Jan-19	72	TSN 0	31-Jan-26 (M)		280 d	SCRAP
SN:NSN	HRS	6032:44						
WC#: 31.020	AFL	5586						
	APH							
PROC. REF: AMM 31-30-00PROC. REF: AMM 31-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
313000	FLIGHT DATA RECORDER							Component ATA:31
PN:2100-2042-00	MOS/MSC	01-Feb-08	O/C					
SN:000445655	HRS	0		TSN 0				
WC#: 31.010	AFL	0		TSN 0				
PROC. REF: AMM 31-30-00, AMM 31-30-00PROC. REF: AMM 31-30-00, AMM 31-30-00								
313001	FLIGHT DATA RECORDER ULD BEACON							Component ATA:31
PN:DK120/90	MOS/MSC	29-Jan-19	O/C	TSN 0				
SN:AT126302	HRS	6032:44		TSN 0				
WC#: 31.020	AFL	5586						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
313002	FLIGHT HOUR RECORDER							Component ATA:31
PN:C664503-0104	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0		TSN 0				
WC#: 31.030	AFL	0		TSN 0				
PROC. REF: AMM 31-20-10PROC. REF: AMM 31-20-10								
313100	FLIGHT DATA RECORDER ACCELEROMETER							Component ATA:31
PN:3001-01-111	MOS/MSC	01-Feb-08	O/C					
SN:090711573	HRS	0		TSN 0				
WC#: 31.040	AFL	0		TSN 0				
PROC. REF: AMM 31-30-00, AMM 31-30-00PROC. REF: AMM 31-30-00, AMM 31-30-00								
313101	LEFT HAND AILERON FDR POSITION SENSOR							Component ATA:31
PN:3A1322A	MOS/MSC	28-Aug-19	O/C	TSR 0				
SN:A0229	HRS	6379:38		TSR 0				
WC#: 31.050	AFL	5863		TSR 0				
PROC. REF: AMM 27-10-10PROC. REF: AMM 27-10-10								
313101	LEFT HAND ELEVATOR FDR POSITION SENSOR							Component ATA:31
PN:3A1322A	MOS/MSC	01-Feb-08	O/C					
SN:A0240	HRS	0		TSN 0				
WC#: 31.050	AFL	0		TSN 0				
PROC. REF: AMM 27-30-10PROC. REF: AMM 27-30-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
313101	RUDDER FDR POSITION SENSOR							Component ATA:31
PN:3A1322A	MOS/MSC	01-Jul-22	O/C	TSO 0				
SN:A0794	HRS	7711:58		TSO 0				
WC#: 31.050	AFL	6829		TSO 0				
PROC. REF: AMM 27-20-20PROC. REF: AMM 27-20-20								
313102	FDR IMPACT SWITCH							Component ATA:31
PN:6895D2X5-5	MOS/MSC	01-Feb-08	O/C					
SN:6250	HRS	0		TSN 0				
WC#: 31.060	AFL	0		TSN 0				
PROC. REF: AMM 31-30-00PROC. REF: AMM 31-30-00								
31FO-01	FLIGHT DATA RECORDER: L3 COMMUNICATIONS FACTORY OPTION							Component ATA:31
PN:634T	MOS/MSC	01-Feb-08	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
B310001 ^U	INSPECTION OF FLIGHT DATA RECORDER ACC. TO AIR OPS REGULATION CAT.GEN.MPA.195(B)							Service ATA:31
	MOS	26-Apr-25	24		30-Apr-27		734 d	AIRWORTHINESS
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
ATA 32 - LANDING GEAR								
32-00-00-2100 ^S	LANDING GEAR EMERGENCY EXTENSION SYSTEM GENERAL VISUAL INSPECTION							Service ATA:32
	MOS	02-Oct-24						
	HRS	9165:23	1600 (+25/-25)					
	AFL	7889						
PROC. REF: AMM 32-00-00PROC. REF: AMM 32-00-00								
PKG:189								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-00-00-7100 ^S	MAIN LANDING SYSTEM UPLOCK SWITCHES OPERATIONAL CHECK (AIRPLANES -0001 THRU -0500)							Service ATA:32
	MOS	02-Oct-24						AIRWORTHINESS
	HRS	9165:23	800 (+25/-25)					
	AFL	7889						
PROC. REF: AMM 32-00-00PROC. REF: AMM 32-00-00								PKG:65
32-00-00-7200 ^S	LANDING GEAR EXTENSION AND RETRACTION SYSTEM FUNCTIONAL AND OPERATIONAL CHECK							Service ATA:32
	MOS	02-Oct-24						
	HRS	9165:23	1600					
	AFL	7889						
PROC. REF: AMM 32-00-00PROC. REF: AMM 32-00-00								PKG:67
32-10-00-2200 ^S	MAIN LANDING GEAR OLEO ASSEMBLY SPECIAL DETAILED INSPECTION							Service ATA:32
	MOS	15-Mar-24	48 (+1m/-1m)					
	HRS	8767:48	3200 (+25/-25)					
	AFL	7616						
	APH							
	APS							
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								PKG:179
32-10-00-2201 ^S	MAIN LANDING GEAR DETAILED INSPECTION							Service ATA:32
	MOS	15-Mar-24	96 (+1m/-1m)					
	HRS	8767:48	6400 (+25/-25)					
	AFL	7616						
	APH							
	APS							
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								PKG:185

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10-00-2202 ^S	MAIN LANDING GEAR STRUCTURAL AND CORROSION DETAILED INSPECTION (AIRPLANES -0001 THRU -0545)							Service ATA:32
	MOS	26-Apr-25	6 (+1m/-1m)					CPCP
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								PKG:182
32-10-00-2203 ^S	MAIN LANDING GEAR TRAILING LINK (BOREScope) STRUCTURAL AND CORROSION SPECIAL DETAIL INSPECTION (AIRPLANES -0001 THRU -0545)							Service ATA:32
	MOS	26-Apr-25	6 (+1m/-1m)					CPCP
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								PKG:182
32-10-00-7200 ^S	MAIN LANDING GEAR ACTUATOR WEAR PLATE ASSEMBLY FUNCTIONAL CHECK							Service ATA:32
	MOS	15-Mar-24	48 (+1m/-1m)					
	HRS	8767:48	3200 (+25/-25)					
	AFL	7616						
	APH							
	APS							
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								PKG:179
32-10-00-9600	LEFT MAIN LANDING GEAR TRUNNION ASSEMBLY DISCARD							Service ATA:32
PN:6941020-1	MOS	01-Feb-08		TAC 0				LIFE LIMIT
SN:EMI250	HRS	0		TAC 0				
	AFL	0	14950 (+25/-25)	TAC 0	14950	14975	6915 (+25)	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10-00-9600	RIGHT MAIN LANDING GEAR TRUNNION ASSEMBLY DISCARD							Service ATA:32
PN:6941020-2	MOS	01-Feb-08		TAC 0				LIFE LIMIT
SN:EMI237	HRS	0		TAC 0				
	AFL	0	14950 (+25/-25)	TAC 0	14950	14975	6915 (+25)	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
32-10-00-9601	LEFT MAIN LANDING GEAR TRAILING LINK ASSEMBLY DISCARD							Service ATA:32
PN:6941030-2	MOS	01-Jul-22						LIFE LIMIT
SN:31400353	HRS	7711:58						
	AFL	6829	14950 (+25/-25)		21779	21804	13744 (+25)	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
32-10-00-9601	RIGHT MAIN LANDING GEAR TRAILING LINK ASSEMBLY DISCARD							Service ATA:32
PN:6941030-2	MOS	01-Jul-22						LIFE LIMIT
SN:31400354	HRS	7711:58						
	AFL	6829	14950 (+25/-25)		21779	21804	13744 (+25)	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
32-10-00-9602	LEFT MAIN LANDING GEAR TRAILING LINK SPACER DISCARD							Service ATA:32
PN:7441034-1	MOS	01-Jul-22						LIFE LIMIT
SN:31210646M	HRS	7711:58						
	AFL	6829	14950 (+25/-25)		21779	21804	13744 (+25)	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
32-10-00-9602	RIGHT MAIN LANDING GEAR TRAILING LINK SPACER DISCARD							Service ATA:32
PN:7441034-1	MOS	01-Jul-22						LIFE LIMIT
SN:31210646H	HRS	7711:58						
	AFL	6829	14950 (+25/-25)		21779	21804	13744 (+25)	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
32-10-00-9603	LEFT MAIN LANDIN GEAR OLEO ASSEMBLY DISCARD							Service ATA:32
PN:6941050-2	MOS	01-Feb-08		TAC 0				LIFE LIMIT
SN:407	HRS	0		TAC 0				
	AFL	0	12000 (+25/-25)	TAC 0	12000	12025	3965 (+25)	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10-00-9603	RIGHT MAIN LANDING GEAR OLEO ASSEMBLY DISCARD							Service ATA:32
PN:6941050-2	MOS	01-Feb-08		TAC 0				LIFE LIMIT
SN:408	HRS	0		TAC 0				
	AFL	0	12000 (+25/-25)	TAC 0	12000	12025	3965 (+25)	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
32-10-00-9604	LEFT MAIN LANDING GEAR ACTUATOR ASSEMBLY DISCARD							Service ATA:32
PN:2-8126-2	MOS	01-Feb-08		TAC 0				LIFE LIMIT
SN:0362	HRS	0		TAC 0				
	AFL	0	12000 (+25/-25)	TAC 0	12000	12025	3965 (+25)	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
32-10-00-9604	RIGHT MAIN LANDING GEAR ACTUATOR ASSEMBLY DISCARD							Service ATA:32
PN:2-8126-2	MOS	01-Feb-08		TAC 0				LIFE LIMIT
SN:0384	HRS	0		TAC 0				
	AFL	0	12000 (+25/-25)	TAC 0	12000	12025	3965 (+25)	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
32-20-00-2200 ^S	NOSE LANDING GEAR DETAILED INSPECTION							Service ATA:32
	MOS	02-Oct-24	48 (+1m/-1m)					
	HRS	9165:23	1600 (+25/-25)					
	AFL	7889						
								PKG:177
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								
32-20-00-2201 ^S	NOSE LANDING GEAR STRUCTURAL AND CORROSION DETAILED INSPECTION							Service ATA:32
	MOS	26-Apr-25	6 (+1m/-1m)					CPCP
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
								PKG:182
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-20-00-9600	NOSE LANDING GEAR ASSEMBLY DISCARD							Service ATA:32
PN:6742160-8	MOS	01-Feb-08		TAC 0				LIFE LIMIT
SN:116	HRS	0		TAC 0				
	AFL	0	20000 (+25/-25)	TAC 0	20000	20025	11965 (+25)	
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								
32-20-00-9601	NOSE LANDING GEAR ACTUATOR DISCARD							Service ATA:32
PN:2-8172-3	MOS	01-Feb-08		TAC 0				LIFE LIMIT
SN:0210	HRS	0		TAC 0				
	AFL	0	20000 (+25/-25)	TAC 0	20000	20025	11965 (+25)	
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								
32-30-20-7100 ^S	LANDING GEAR CONTROL VALVE AND LANDING GEAR RETURN CHECK VALVE TEE FUNCTIONAL CHECK (AIRPLANES -0007 AND ON, AND AIRPLANES -0001 THRU -0006 INCORPORATING SB680-32-01)							Service ATA:32
	MOS	02-Oct-24						AIRWORTHINESS
	HRS	9165:23	1600					
	AFL	7889						
PROC. REF: AMM 32-30-20PROC. REF: AMM 32-30-20								PKG:67
32-30-70-9600	EMERGENCY GEAR EXTENSION PNEUMATICSTORAGE BOTTLE (HYDROSTATIC) RESTORATION							Service ATA:32
PN:40005369-2	MOS	27-Feb-23	36		28-Feb-26		308 d	HYDROSTATIC TEST
SN:9218	HRS							
WC#: 32.140	AFL							
HydroCheck Date: : 27-Feb-23								
PROC. REF: AMM 32-30-70PROC. REF: AMM 32-30-70								
32-30-70-9601	EMERGENCY GEAR EXTENSION PNEUMATICSTORAGE BOTTLE DISCARD							Component ATA:32
PN:40005369-2	MOS	09-Aug-23	288	TSO 82	31-Oct-40		5667 d	DISCARD
SN:9218	HRS	8420:33						
WC#: 32.140	AFL	7350						
Manufacture Date:: 31-Oct-16								
PROC. REF: AMM 32-30-70PROC. REF: AMM 32-30-70								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-41-00-2100	^S	NOSE AND MAIN LANDING GEAR WHEEL AND TIRE ASSEMBLY GENERAL VISUAL INSPECTION						Service ATA:32
	MOS	26-Apr-25	12 (+1m/-1m)					CPCP
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								PKG:174
32-41-00-2200		LEFT INBOARD MAIN LANDING GEAR WHEEL AND TIRE DETAILED INSPECTION						Service ATA:32
	MOS/MSC	24-Sep-24	24 (+1m/-1m) / T/C		30-Sep-26	31-Oct-26	522 d (+31)	CPCP
	HRS	9165:23						
	AFL	7889						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-41-00-2200		LEFT OUTBOARD MAIN LANDING GEAR WHEEL AND TIRE DETAILED INSPECTION						Service ATA:32
	MOS/MSC	24-Sep-24	24 (+1m/-1m) / T/C		30-Sep-26	31-Oct-26	522 d (+31)	CPCP
	HRS	9165:23						
	AFL	7889						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-41-00-2200		RIGHT INBOARD MAIN LANDING GEAR WHEEL AND TIRE DETAILED INSPECTION						Service ATA:32
	MOS/MSC	24-Sep-24	24 (+1m/-1m) / T/C		30-Sep-26	31-Oct-26	522 d (+31)	CPCP
	HRS	9165:23						
	AFL	7889						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-41-00-2200		RIGHT OUTBOARD MAIN LANDING GEAR WHEEL AND TIRE DETAILED INSPECTION						Service ATA:32
	MOS/MSC	24-Sep-24	24 (+1m/-1m) / T/C		30-Sep-26	31-Oct-26	522 d (+31)	CPCP
	HRS	9165:23						
	AFL	7889						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-41-00-2800	LEFT NOSE LANDING GEAR WHEEL ASSEMBLY SPECIAL DETAILED INSPECTION (NDT)							Service ATA:32
PN:3-1538-1	MOS/MSC	24-Sep-24	T/C					
SN:1641	HRS	9165:23						
WC#: 32.510	AFL	7889						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-41-00-2800	RIGHT NOSE LANDING GEAR WHEEL ASSEMBLY SPECIAL DETAILED INSPECTION (NDT)							Service ATA:32
PN:3-1538-1	MOS/MSC	24-Sep-24	T/C					
SN:1800	HRS	9165:23						
WC#: 32.510	AFL	7889						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-41-00-2801	LEFT INBOARD MAIN LANDING GEAR WHEEL ASSEMBLY SPECIAL DETAILED INSPECTION (NDT)							Service ATA:32
PN:3-1621	MOS/MSC	24-Sep-24	T/C					
SN:3692	HRS	9165:23						
WC#: 32.490	AFL	7889						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-41-00-2801	LEFT OUTBOARD MAIN LANDING GEAR WHEEL ASSEMBLY SPECIAL DETAILED INSPECTION (NDT)							Service ATA:32
PN:3-1621	MOS/MSC	24-Sep-24	T/C					
SN:3691	HRS	9165:23						
WC#: 32.490	AFL	7889						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-41-00-2801	RIGHT INBOARD MAIN LANDING GEAR WHEEL ASSEMBLY SPECIAL DETAILED INSPECTION (NDT)							Service ATA:32
PN:3-1621	MOS/MSC	24-Sep-24	T/C					
SN:3689	HRS	9165:23						
WC#: 32.500	AFL	7889						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-41-00-2801	RIGHT OUTBOARD MAIN LANDING GEAR WHEEL ASSEMBLY SPECIAL DETAILED INSPECTION (NDT)							Service ATA:32
PN:3-1621	MOS/MSC	24-Sep-24	T/C					
SN:2123	HRS	9165:23						
WC#: 32.500	AFL	7889						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-42-00-2200	LEFT INBOARD BRAKE ASSEMBLIES (WEAR PIN) DETAILED INSPECTION							Service ATA:32
	MOS/MSC	24-Sep-24	WHL/C					
	HRS	9165:23						
WC#: 32.590	AFL	7889						
PROC. REF: AMM 32-42-00PROC. REF: AMM 32-42-00								PKG:13
32-42-00-2200	LEFT OUTBOARD BRAKE ASSEMBLIES (WEAR PIN) DETAILED INSPECTION							Service ATA:32
	MOS/MSC	24-Sep-24	WHL/C					
	HRS	9165:23						
	AFL	7889						
PROC. REF: AMM 32-42-00PROC. REF: AMM 32-42-00								
32-42-00-2200	RIGHT INBOARD BRAKE ASSEMBLIES (WEAR PIN) DETAILED INSPECTION							Service ATA:32
	MOS/MSC	24-Sep-24	WHL/C					
	HRS	9165:23						
	AFL	7889						
PROC. REF: AMM 32-42-00PROC. REF: AMM 32-42-00								
32-42-00-2200	RIGHT OUTBOARD BRAKE ASSEMBLIES (WEAR PIN) DETAILED INSPECTION							Service ATA:32
	MOS/MSC	24-Sep-24	WHL/C					
	HRS	9165:23						
	AFL	7889						
PROC. REF: AMM 32-42-00PROC. REF: AMM 32-42-00								
32-42-00-7100 ^S	ANTI-SKID CONTROLLER OPERATIONAL CHECK							Service ATA:32
	MOS	02-Oct-24						
	HRS	9165:23	1600					
	AFL	7889						
PROC. REF: AMM 32-42-00PROC. REF: AMM 32-42-00								PKG:67

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-42-00-7200 ^S	POWER BRAKE SYSTEM FUNCTIONAL CHECK							Service ATA:32
	MOS	02-Oct-24						
	HRS	9165:23	800 (+25/-25)					
	AFL	7889						
								PKG:192
PROC. REF: AMM 32-42-00PROC. REF: AMM 32-42-00								
32-42-00-7201	EMERGENCY BRAKE SYSTEM FUNCTIONAL CHECK							Service ATA:32
	MOS	02-Oct-24						AIRWORTHINESS
	HRS	9165:23	800		9965:23		621:22	
	AFL	7889						
								PKG:65
PROC. REF: AMM 32-42-00PROC. REF: AMM 32-42-00								
32-43-00-9600	EMERGENCY BRAKE PNEUMATIC BOTTLE(HYDROSTATIC) RESTORATION							Service ATA:32
PN:40005370-1	MOS	19-Apr-23	36		30-Apr-26		369 d	HYDROSTATIC TEST
SN:4483	HRS							
WC#: 32.290	AFL							
HydroCheck Date: : 19-Apr-23								
PROC. REF: AMM 32-43-00PROC. REF: AMM 32-43-00								
32-43-00-9601	EMERGENCY BRAKE PNEUMATIC BOTTLE DISCARD BOTTLE							Component ATA:32
PN:40005370-1	MOS	09-Aug-23	288	TSO 82	30-Jun-29		1526 d	DISCARD
SN:4483	HRS	8420:33						
WC#: 32.290	AFL	7350						
Manufacture Date:: 30-Jun-05								
PROC. REF: AMM 32-43-00PROC. REF: AMM 32-43-00								
32-50-00-2100 ^S	COCKPIT TILLER WHEEL ASSEMBLY GENERAL VISUAL INSPECTION							Service ATA:32
	MOS	02-Oct-24						
	HRS	9165:23	1600 (+25/-25)					
	AFL	7889						
								PKG:189
PROC. REF: AMM 32-50-00PROC. REF: AMM 32-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-50-00-2200 ^S	NOSE WHEEL STEERING DETAILED INSPECTION							Service ATA:32
	MOS	02-Oct-24						
	HRS	9165:23	1600 (+25/-25)					
	AFL	7889						
PROC. REF: AMM 32-50-00PROC. REF: AMM 32-50-00								PKG:189
32-50-00-7100 ^S	NOSE WHEEL STEERING ACCUMULATOR BLOCKING SOLENOID VALVE OPERATIONAL CHECK							Service ATA:32
	MOS	02-Oct-24						
	HRS	9165:23	1600 (+25/-25)					
	AFL	7889						
PROC. REF: AMM 32-50-00PROC. REF: AMM 32-50-00								PKG:189
32-50-00-7200 ^S	NOSE WHEEL STEERING FUNCTIONAL CHECK							Service ATA:32
	MOS	02-Oct-24						
	HRS	9165:23	1600					
	AFL	7889						
PROC. REF: AMM 32-50-00PROC. REF: AMM 32-50-00								PKG:67
32-50-00-9600	NOSE WHEEL STEERING HOSES (CENTERING HOSE) - DISCARD							Component ATA:32
PN:PN	MOS	04-May-20		TSN 0				
SN:UNKNOWN	HRS	6659:50	5000 (+25/-25)	TSN 0	11659:50	11684:50	2315:49 (+25)	
	AFL	6099		TSN 0				
PROC. REF: AMM 32-50-00PROC. REF: AMM 32-50-00								
32-50-00-9600	NOSE WHEEL STEERING HOSES (PRESSURE HOSE) - DISCARD							Component ATA:32
PN:PN	MOS	04-May-20		TSN 0				
SN:UNKNOWN	HRS	6659:50	5000 (+25/-25)	TSN 0	11659:50	11684:50	2315:49 (+25)	
	AFL	6099		TSN 0				
PROC. REF: AMM 32-50-00PROC. REF: AMM 32-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-50-00-9600	NOSE WHEEL STEERING HOSES (RETRACT HOSE) - DISCARD							Component ATA:32
PN:PN	MOS	04-May-20		TSN 0				
SN:UNKNOWN	HRS	6659:50	5000 (+25/-25)	TSN 0	11659:50	11684:50	2315:49 (+25)	
	AFL	6099		TSN 0				
PROC. REF: AMM 32-50-00PROC. REF: AMM 32-50-00								
32-50-00-9600	NOSE WHEEL STEERING HOSES (RETURN HOSE) - DISCARD							Component ATA:32
PN:PN	MOS	04-May-20		TSN 0				
SN:UNKNOWN	HRS	6659:50	5000 (+25/-25)	TSN 0	11659:50	11684:50	2315:49 (+25)	
	AFL	6099		TSN 0				
PROC. REF: AMM 32-50-00PROC. REF: AMM 32-50-00								
32-60-00-2100 ^S	LEFT AND RIGHT ACTUATOR AND DOWNLOCK SWITCH, UPLOCK SWITCH, SQUAT SWITCH L/HIRF GENERAL VISUAL INSPECTION							Service ATA:32
	MOS	27-Oct-23	24 (+1m/-1m)					
	HRS	8589:45						
	AFL	7472						
	APH							
	APS							
PROC. REF: AMM 32-60-00PROC. REF: AMM 32-60-00								PKG:190
320014	LEFT NOSE WHEEL							Component ATA:32
PN:3-1538-1	MOS/MSC	20-Feb-14	O/C	TSR 0				
SN:1641	HRS	2972:12		TSR 0				
WC#: 32.150	AFL	3326		TSR 0				
PROC. REF: AMM 32-41-10PROC. REF: AMM 32-41-10								
320014	RIGHT NOSE WHEEL							Component ATA:32
PN:3-1538-1	MOS/MSC	30-Sep-17	O/C	TSN 0				
SN:1800	HRS	5241:58		TSN 0				
WC#: 32.155	AFL	4957						
	APH	2082						
	APS	5643						
PROC. REF: AMM 32-41-10PROC. REF: AMM 32-41-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320023	AFT SOLENOID VALVE							Component ATA:32
PN:67020-3	MOS/MSC	01-Feb-08	O/C					
SN:1096	HRS	0		TSN 0				
WC#: 32.310	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
320023	FORWARD SOLENOID VALVE							Component ATA:32
PN:67020-3	MOS/MSC	01-Feb-08	O/C					
SN:1280	HRS	0		TSN 0				
WC#: 32.310	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
320026	NOSE GEAR POWER STEERING SYSTEM VALVE							Component ATA:32
PN:72118-2	MOS/MSC	01-Feb-08	O/C					
SN:0202	HRS	0		TSN 0				
WC#: 32.320	AFL	0		TSN 0				
PROC. REF: AMM 32-50-00PROC. REF: AMM 32-50-00								
320027	NOSE WHEEL STEERING GEARBOX							Component ATA:32
PN:2102610-001	MOS/MSC	01-Feb-08	O/C					
SN:0315	HRS	0		TSN 0				
WC#: 32.330	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
321001	LEFT MAIN LANDING GEAR ASSEMBLY							Component ATA:32
PN:6941000-11	MOS/MSC	01-Feb-08	O/C					
SN:134	HRS	0						
WC#: 32.030	AFL	0		TSN 0				
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
321001	RIGHT MAIN LANDING GEAR ASSEMBLY							Component ATA:32
PN:6941000-12	MOS/MSC	01-Feb-08	O/C					
SN:135	HRS	0						
WC#: 32.030	AFL	0		TSN 0				
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321002	LEFT MAIN LANDING GEAR TRUNNION ASSEMBLY							Component ATA:32
PN:6941020-1	MOS/MSC	01-Feb-08	H/T					
SN:EMI250	HRS	0						
WC#: 32.040	AFL	0		TSN 0				
	APH							
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
321002	RIGHT MAIN LANDING GEAR TRUNNION ASSEMBLY							Component ATA:32
PN:6941020-2	MOS/MSC	01-Feb-08	H/T					
SN:EMI237	HRS	0						
WC#: 32.040	AFL	0		TSN 0				
	APH							
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
321007	LEFT MAIN LANDING GEAR TRAILING LINK							Component ATA:32
PN:6941030-2	MOS/MSC	01-Jul-22	H/T	TSN 0				
SN:31400353	HRS	7711:58		TSN 0				
WC#: 32.060	AFL	6829						
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
321007	RIGHT MAIN LANDING GEAR TRAILING LINK							Component ATA:32
PN:6941030-2	MOS/MSC	01-Jul-22	H/T	TSN 0				
SN:31400354	HRS	7711:58		TSN 0				
WC#: 32.060	AFL	6829						
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
321009	LEFT MAIN LANDING GEAR TRAILING LINK SPACER							Component ATA:32
PN:7441034-1	MOS/MSC	01-Jul-22	H/T	TSN 0				
SN:31210646M	HRS	7711:58		TSN 0				
WC#: 32.070	AFL	6829						
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321009	RIGHT MAIN LANDING GEAR TRAILING LINK SPACER							Component ATA:32
PN:7441034-1	MOS/MSC	01-Jul-22	H/T	TSN 0				
SN:31210646H	HRS	7711:58		TSN 0				
WC#: 32.070	AFL	6829						
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
321011	LEFT MAIN LANDING GEAR OLEO ASSEMBLY							Component ATA:32
PN:6941050-2	MOS/MSC	01-Feb-08	H/T					
SN:407	HRS	0						
WC#: 32.050	AFL	0		TSN 0				
	APH							
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
321011	RIGHT MAIN LANDING GEAR OLEO ASSEMBLY							Component ATA:32
PN:6941050-2	MOS/MSC	01-Feb-08	H/T					
SN:408	HRS	0						
WC#: 32.050	AFL	0		TSN 0				
	APH							
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
322001	NOSE LANDING GEAR							Component ATA:32
PN:6742160-8	MOS/MSC	01-Feb-08	H/T					
SN:116	HRS	0						
WC#: 32.090	AFL	0		TSN 0, Adj 1				
	APH							
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								
322004	NOSE GEAR TRUNNION ASSEMBLY							Component ATA:32
PN:6742020-5	MOS/MSC	01-Feb-08	O/C					
SN:299	HRS	0						
WC#: 32.340	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322005	NOSE GEAR LOWER BARREL ASSEMBLY							Component ATA:32
PN:6742170-9	MOS/MSC	01-Jul-22	O/C	TSN 0				
SN:31553978	HRS	7711:58		TSN 0				
WC#: 32.350	AFL	6829						
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								
322006	NOSE GEAR UPPER BARREL ASSEMBLY							Component ATA:32
PN:6742180-2	MOS/MSC	01-Feb-08	O/C					
SN:249	HRS	0						
WC#: 32.350	AFL	0		TSN 0				
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								
323001	LEFT MAIN GEAR HYDRAULIC UPLOCK ACTUATOR							Component ATA:32
PN:6947010-3	MOS/MSC	01-Feb-08	O/C					
SN:401	HRS	0						
WC#: 32.360	AFL	0		TSN 0				
PROC. REF: AMM 32-30-60PROC. REF: AMM 32-30-60								
323001	NOSE GEAR HYDRAULIC UPLOCK ACTUATOR							Component ATA:32
PN:6947030-2	MOS/MSC	01-Feb-08	O/C					
SN:200	HRS	0						
WC#: 32.370	AFL	0		TSN 0				
PROC. REF: AMM 32-30-50PROC. REF: AMM 32-30-50								
323001	RIGHT MAIN GEAR HYDRAULIC UPLOCK ACTUATOR							Component ATA:32
PN:6947010-3	MOS/MSC	01-Feb-08	O/C					
SN:370	HRS	0						
WC#: 32.360	AFL	0		TSN 0				
PROC. REF: AMM 32-30-60PROC. REF: AMM 32-30-60								
323002	NOSE LANDING GEAR ACTUATOR							Component ATA:32
PN:2-8172-3	MOS/MSC	22-Dec-17	H/T					
SN:0210	HRS	5372:37						
WC#: 32.130	AFL	5053		TSN 4957, TSO 4957				
	APH							
PROC. REF: AMM 32-30-30PROC. REF: AMM 32-30-30								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323003	LEFT MAIN LANDING GEAR ACTUATOR ASSEMBLY							Component ATA:32
PN:2-8126-2	MOS/MSC	01-Feb-08	H/T					
SN:0362	HRS	0						
WC#: 32.080	AFL	0		TSN 0				
	APH							
PROC. REF: AMM 32-30-40PROC. REF: AMM 32-30-40								
323003	RIGHT MAIN LANDING GEAR ACTUATOR ASSEMBLY							Component ATA:32
PN:2-8126-2	MOS/MSC	01-Feb-08	H/T					
SN:0384	HRS	0						
WC#: 32.080	AFL	0		TSN 0				
	APH							
PROC. REF: AMM 32-30-40PROC. REF: AMM 32-30-40								
323007	LANDING GEAR CONTROL							Component ATA:32
PN:049801-001	MOS/MSC	01-Feb-08	O/C					
SN:L1951	HRS	0						
WC#: 32.380	AFL	0		TSN 0				
PROC. REF: AMM 32-30-10PROC. REF: AMM 32-30-10								
323009	LEFT MAIN GEAR HYDRAULIC SHUTTLE VALVE							Component ATA:32
PN:98312	MOS/MSC	01-Feb-08	O/C					
SN:1349	HRS	0		TSN 0				
WC#: 32.390	AFL	0		TSN 0				
PROC. REF: AMM 32-30-00, AMM 32-30-60PROC. REF: AMM 32-30-00, AMM 32-30-60								
323009	NOSE GEAR HYDRAULIC SHUTTLE VALVE							Component ATA:32
PN:98312	MOS/MSC	01-Feb-08	O/C					
SN:1243	HRS	0		TSN 0				
WC#: 32.400	AFL	0		TSN 0				
PROC. REF: AMM 32-30-50PROC. REF: AMM 32-30-50								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323009	RIGHT MAIN GEAR HYDRAULIC SHUTTLE VALVE							Component ATA:32
PN:98312	MOS/MSC	01-Feb-08	O/C					
SN:1285	HRS	0		TSN 0				
WC#: 32.390	AFL	0		TSN 0				
PROC. REF: AMM 32-30-00, AMM 32-30-60PROC. REF: AMM 32-30-00, AMM 32-30-60								
324002	LEFT INBOARD SPEED TRANSDUCER							Component ATA:32
PN:140-179	MOS/MSC	01-Feb-08	O/C					
SN:2102	HRS	0						
WC#: 32.410	AFL	0		TSN 0				
PROC. REF: AMM 32-42-60PROC. REF: AMM 32-42-60								
324002	LEFT OUTBOARD SPEED TRANSDUCER							Component ATA:32
PN:140-179	MOS/MSC	01-Feb-08	O/C					
SN:1665	HRS	0						
WC#: 32.410	AFL	0		TSN 0				
PROC. REF: AMM 32-42-60PROC. REF: AMM 32-42-60								
324002	RIGHT INBOARD SPEED TRANSDUCER							Component ATA:32
PN:140-179	MOS/MSC	01-Feb-08	O/C					
SN:2103	HRS	0						
WC#: 32.420	AFL	0		TSN 0				
PROC. REF: AMM 32-42-60PROC. REF: AMM 32-42-60								
324002	RIGHT OUTBOARD SPEED TRANSDUCER							Component ATA:32
PN:140-179	MOS/MSC	01-Feb-08	O/C					
SN:2128	HRS	0						
WC#: 32.420	AFL	0		TSN 0				
PROC. REF: AMM 32-42-60PROC. REF: AMM 32-42-60								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324003	LEFT INBOARD MAIN LANDING GEAR BRAKE							Component ATA:32
PN:2-1675-1	MOS/MSC	15-Mar-24	O/C	TSO 0				
SN:0601	HRS	8767:48		TSO 0				
WC#: 32.220	AFL	7616						
	APH							
	APS							
PROC. REF: AMM 32-42-10PROC. REF: AMM 32-42-10								
324003	LEFT OUTBOARD MAIN LANDING GEAR BRAKE							Component ATA:32
PN:2-1675-1	MOS/MSC	22-Feb-11	O/C	TSN 0				
SN:0147	HRS	1540:12		TSN 0				
WC#: 32.240	AFL	1735		TSN 0				
PROC. REF: AMM 32-42-10PROC. REF: AMM 32-42-10								
324004	RIGHT INBOARD MAIN LANDING GEAR BRAKE							Component ATA:32
PN:2-1675-1	MOS/MSC	20-May-14	O/C	TSN 0				
SN:0614	HRS	3026		TSN 0				
WC#: 32.230	AFL	3394						
PROC. REF: AMM 32-42-10PROC. REF: AMM 32-42-10								
324004	RIGHT OUTBOARD MAIN LANDING GEAR BRAKE							Component ATA:32
PN:2-1675-1	MOS/MSC	16-Apr-16	O/C	TSO 0				
SN:1683	HRS	4097		TSO 0				
WC#: 32.250	AFL	4165						
PROC. REF: AMM 32-42-10PROC. REF: AMM 32-42-10								
324005	LEFT NOSE WHEEL TIRE							Component ATA:32
PN:M15601	MOS/MSC	24-Sep-24	T/C	TSN 0				
SN:3035T199	HRS	9165:23		TSN 0				
WC#: 32.150	AFL	7889						
PROC. REF: AMM 32-41-10PROC. REF: AMM 32-41-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324005	RIGHT NOSE WHEEL TIRE							Component ATA:32
PN:M15601	MOS/MSC	24-Sep-24	T/C	TSN 0				
SN:2185T147	HRS	9165:23		TSN 0				
WC#: 32.155	AFL	7889						
PROC. REF: AMM 32-41-10PROC. REF: AMM 32-41-10								
324006	EMERGENCY BRAKE VALVE							Component ATA:32
PN:72106	MOS/MSC	01-Feb-08	O/C					
SN:0205	HRS	0		TSN 0				
WC#: 32.430	AFL	0		TSN 0				
PROC. REF: AMM 32-43-00PROC. REF: AMM 32-43-00								
324007	LEFT ANTI-SKID CONTROL VALVE							Component ATA:32
PN:39-865	MOS/MSC	01-Feb-08	O/C					
SN:562	HRS	0						
WC#: 32.440	AFL	0		TSN 0				
PROC. REF: AMM 32-42-40PROC. REF: AMM 32-42-40								
324007	RIGHT ANTI-SKID CONTROL VALVE							Component ATA:32
PN:39-865	MOS/MSC	01-Feb-08	O/C					
SN:560	HRS	0						
WC#: 32.440	AFL	0		TSN 0				
PROC. REF: AMM 32-42-40PROC. REF: AMM 32-42-40								
324008	ANTI-SKID CONTROLLER							Component ATA:32
PN:142-073	MOS/MSC	01-Feb-08	O/C					
SN:243	HRS	0						
WC#: 32.450	AFL	0		TSN 0				
PROC. REF: AMM 32-42-50PROC. REF: AMM 32-42-50								
324009	LEFT INBOARD MAIN LANDING GEAR WHEEL							Component ATA:32
PN:3-1621	MOS/MSC	25-Mar-19	O/C	TSN 0				
SN:3692	HRS	6089:30		TSN 0				
WC#: 32.160	AFL	5651						
PROC. REF: AMM 32-41-20PROC. REF: AMM 32-41-20								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324009	LEFT OUTBOARD MAIN LANDING GEAR WHEEL							Component ATA:32
PN:3-1621	MOS/MSC	25-Mar-19	O/C	TSN 0				
SN:3691	HRS	6089:30		TSN 0				
WC#: 32.180	AFL	5651						
PROC. REF: AMM 32-41-20PROC. REF: AMM 32-41-20								
324009	RIGHT INBOARD MAIN LANDING GEAR WHEEL							Component ATA:32
PN:3-1621	MOS/MSC	20-Jul-18	O/C	TSN 0				
SN:3689	HRS	5735:56		TSN 0				
WC#: 32.170	AFL	5334						
PROC. REF: AMM 32-41-20PROC. REF: AMM 32-41-20								
324009	RIGHT OUTBOARD MAIN LANDING GEAR WHEEL							Component ATA:32
PN:3-1621	MOS/MSC	17-May-17	O/C					
SN:2123	HRS	4871:38						
WC#: 32.190	AFL	4707						
PROC. REF: AMM 32-41-20PROC. REF: AMM 32-41-20								
324010	LEFT INBOARD MAIN LANDING GEAR TIRE							Component ATA:32
PN:M14401	MOS/MSC	24-Sep-24	T/C	TSN 0				
SN:3106K109	HRS	9165:23		TSN 0				
WC#: 32.160	AFL	7889						
PROC. REF: AMM 32-41-20PROC. REF: AMM 32-41-20								
324010	LEFT OUTBOARD MAIN LANDING GEAR TIRE							Component ATA:32
PN:M14401	MOS/MSC	24-Sep-24	T/C	TSN 0				
SN:4029K112	HRS	9165:23		TSN 0				
WC#: 32.180	AFL	7889						
PROC. REF: AMM 32-41-20PROC. REF: AMM 32-41-20								
324010	RIGHT INBOARD MAIN LANDING GEAR TIRE							Component ATA:32
PN:M14401	MOS/MSC	24-Sep-24	T/C	TSN 0				
SN:3106K107	HRS	9165:23		TSN 0				
WC#: 32.170	AFL	7889						
PROC. REF: AMM 32-41-20PROC. REF: AMM 32-41-20								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324010	RIGHT OUTBOARD MAIN LANDING GEAR TIRE							Component ATA:32
PN:M14401	MOS/MSC	24-Sep-24	T/C	TSN 0				
SN:3094K119	HRS	9165:23		TSN 0				
WC#: 32.190	AFL	7889						
PROC. REF: AMM 32-41-20PROC. REF: AMM 32-41-20								
324011	LEFT INBOARD BRAKE FUSE							Component ATA:32
PN:6411	MOS/MSC	01-Feb-08	O/C					
SN:0764	HRS	0		TSN 0				
WC#: 32.460	AFL	0		TSN 0				
PROC. REF: AMM 32-42-10PROC. REF: AMM 32-42-10								
324011	LEFT OUTBOARD BRAKE FUSE							Component ATA:32
PN:6411	MOS/MSC	01-Feb-08	O/C					
SN:0783	HRS	0		TSN 0				
WC#: 32.460	AFL	0		TSN 0				
PROC. REF: AMM 32-42-10PROC. REF: AMM 32-42-10								
324011	RIGHT INBOARD BRAKE FUSE							Component ATA:32
PN:6411	MOS/MSC	01-Feb-08	O/C					
SN:0784	HRS	0		TSN 0				
WC#: 32.470	AFL	0		TSN 0				
PROC. REF: AMM 32-42-10PROC. REF: AMM 32-42-10								
324011	RIGHT OUTBOARD BRAKE FUSE							Component ATA:32
PN:6411	MOS/MSC	01-Feb-08	O/C					
SN:0780	HRS	0		TSN 0				
WC#: 32.470	AFL	0		TSN 0				
PROC. REF: AMM 32-42-10PROC. REF: AMM 32-42-10								
324020	PARKING BRAKE VALVE							Component ATA:32
PN:98340-9	MOS/MSC	01-Feb-08	O/C					
SN:0302	HRS	0		TSN 0				
WC#: 32.260	AFL	0		TSN 0				
PROC. REF: AMM 32-42-70PROC. REF: AMM 32-42-70								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324207	PARKING BRAKE PRESSURE SWITCH							Component ATA:32
PN:GPP1250-80	MOS/MSC	01-Feb-08	O/C					
SN:0724130	HRS	0		TSN 0				
WC#: 32.660	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
325001	LANDING GEAR CONTROL MANIFOLD ASSEMBLY							Component ATA:32
PN:9914649-5	MOS/MSC	02-Oct-24	O/C	TSO 0				
SN:0742	HRS	9165:23		TSO 0				
WC#: 32.520	AFL	7889						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
325010	SYSTEM HYDRAULIC PRESSURE GAUGE							Component ATA:32
PN:19940931-1	MOS/MSC	22-Nov-18	O/C	TSN 0				
SN:068273	HRS	5955:39		TSN 0				
WC#: 32.530	AFL	5506						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
325020	LANDING GEAR HYDRAULIC PRESSURE GAUGE							Component ATA:32
PN:19940931-1	MOS/MSC	01-Feb-08	O/C					
SN:024487	HRS	0		TSN 0				
WC#: 32.530	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
325030	BRAKE METERING VALVE							Component ATA:32
PN:32-089-2	MOS/MSC	01-Feb-08	O/C					
SN:410	HRS	0		TSN 0				
WC#: 32.540	AFL	0		TSN 0				
PROC. REF: AMM 32-42-30PROC. REF: AMM 32-42-30								
ATA 33 - LIGHTS								
33-42-00-9600	LEFT AFT LED WING-TIP NAVIGATION LIGHT ASSEMBLY DISCARD							Component ATA:33
PN:30-2900-15	MOS	24-Jul-24						DISCARD
SN:12200	HRS	9054:36	3000 (+25/-25)	TSN 0	12054:36	12079:36	2710:35 (+25)	
WC#: 33.100	AFL	7810						
PROC. REF: AMM 33-42-00PROC. REF: AMM 33-42-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-42-00-9600	LEFT FORWARD LED WING-TIP NAVIGATION LIGHT ASSEMBLY DISCARD							Component ATA:33
PN:30-2900-3	MOS	15-Nov-19						DISCARD
SN:10627	HRS	6502:50	3000 (+25/-25)	TSN 0	9502:50	9527:50	158:49 (+25)	
WC#: 33.100	AFL	5957						
PROC. REF: AMM 33-42-00PROC. REF: AMM 33-42-00								
33-42-00-9600	RIGHT AFT LED WING-TIP NAVIGATION LIGHT ASSEMBLY DISCARD							Component ATA:33
PN:30-2900-16	MOS	24-Jul-24						DISCARD
SN:12086	HRS	9054:36	3000 (+25/-25)	TSN 0	12054:36	12079:36	2710:35 (+25)	
WC#: 33.110	AFL	7810						
PROC. REF: AMM 33-42-00PROC. REF: AMM 33-42-00								
33-42-00-9600	RIGHT FORWARD LED WING-TIP NAVIGATION LIGHT ASSEMBLY DISCARD							Component ATA:33
PN:30-2900-16	MOS	24-Jul-24						DISCARD
SN:12145	HRS	9054:36	3000 (+25/-25)	TSN 0	12054:36	12079:36	2710:35 (+25)	
WC#: 33.110	AFL	7810						
PROC. REF: AMM 33-42-00PROC. REF: AMM 33-42-00								
33-50-00-2200 ^S	EMERGENCY LIGHTING BATTERY PACK DETAILED INSPECTION							Service ATA:33
	MOS	04-Nov-22	36 (+1m/-1m)					
	HRS	8046:12						
	AFL	7047						
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00								PKG:175
33-50-00-7101 ^S	EMERGENCY LIGHTING BATTERY 5G SWITCH OPERATIONAL CHECK							Service ATA:33
	MOS	04-Nov-22	36 (+1m/-1m)					
	HRS	8046:12						
	AFL	7047						
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00								PKG:175

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-50-00-7200 ^S	EMERGENCY LIGHTING BATTERY PACK (CAPACITY) FUNCTIONAL CHECK							Service ATA:33
	MOS	26-Apr-25	12 (+1m/-1m)					
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00								PKG:174
33-50-00-9600	NO. 1 EMERGENCY LIGHTING BATTERY PACK RESTORATION							Service ATA:33
PN:CBS28-1	MOS	09-Aug-23	48 (+1m/-1m)		31-Aug-27	30-Sep-27	857 d (+30)	
SN:007551	HRS	8420:33						
	AFL	7350						
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00								
33-50-00-9600	NO. 2 EMERGENCY LIGHTING BATTERY PACK RESTORATION							Service ATA:33
PN:CBS28-1	MOS	31-May-23	48 (+1m/-1m)		31-May-27	30-Jun-27	765 d (+30)	
SN:07370	HRS	8268:58						
	AFL	7236						
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00								
33-50-00-9600	NO. 3 EMERGENCY LIGHTING BATTERY PACK RESTORATION							Service ATA:33
PN:CBS28-1	MOS	31-May-23	48 (+1m/-1m)		31-May-27	30-Jun-27	765 d (+30)	
SN:07347	HRS	8268:58						
	AFL	7236						
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00								
33-50-00-9600	NO. 4 EMERGENCY LIGHTING BATTERY PACK RESTORATION							Service ATA:33
PN:CBS28-1	MOS	26-Apr-25	48 (+1m/-1m)		30-Apr-29	31-May-29	1465 d (+31)	
SN:008039	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
330001	ELECTRICAL PANEL INVERTER							Component ATA:33
PN:EM2044-1	MOS/MSC	01-Feb-08	O/C					
SN:5717A	HRS	0		TSN 0				
WC#: 33.050	AFL	0		TSN 0				
PROC. REF: AMM 33-10-11PROC. REF: AMM 33-10-11								
330003	PULSE LIGHT CONTROLLER							Component ATA:33
PN:2401C	MOS/MSC	01-Feb-08	O/C					
SN:TR00997	HRS	0		TSN 0				
WC#: 33.050	AFL	0		TSN 0				
PROC. REF: AMM 33-48-00PROC. REF: AMM 33-48-00								
330004	LEFT ANTI-COLLISION LIGHT							Component ATA:33
PN:GE16846-1	MOS/MSC	20-Jan-16	O/C					
SN:AF0775	HRS	4004						
WC#: 33.060	AFL	4106						
	APH	1618						
	APS	4602						
PROC. REF: AMM 33-43-00PROC. REF: AMM 33-43-00								
330004	RIGHT ANTI-COLLISION LIGHT							Component ATA:33
PN:GE16846-1	MOS/MSC	30-May-18	O/C	TSO 0				
SN:AC0501	HRS	5595:36		TSO 0				
WC#: 33.060	AFL	5222						
	APH	2213						
	APS	5942						
PROC. REF: AMM 33-43-00PROC. REF: AMM 33-43-00								
330005	NO. 1 EMERGENCY LIGHTING (UF004) BATTERY PACK							Component ATA:33
PN:CBS28-1	MOS/MSC	09-Aug-23	O/C	TSO 0				
SN:007551	HRS	8420:33		TSO 0				
WC#: 33.010	AFL	7350						
PROC. REF: AMM 33-50-10PROC. REF: AMM 33-50-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
330005	NO. 2 EMERGENCY LIGHTING (UC003) BATTERY PACK							Component ATA:33
PN:CBS28-1	MOS/MSC	31-May-23	O/C	TSO 0				
SN:07370	HRS	8268:58		TSO 0				
WC#: 33.020	AFL	7236						
PROC. REF: AMM 33-50-10PROC. REF: AMM 33-50-10								
330005	NO. 3 EMERGENCY LIGHTING (UF006) BATTERY PACK							Component ATA:33
PN:CBS28-1	MOS/MSC	31-May-23	O/C	TSO 0				
SN:07347	HRS	8268:58		TSO 0				
WC#: 33.030	AFL	7236						
PROC. REF: AMM 33-50-10PROC. REF: AMM 33-50-10								
330005	NO. 4 EMERGENCY LIGHTING (UF008) BATTERY PACK							Component ATA:33
PN:CBS28-1	MOS/MSC	26-Apr-25	O/C	TSR 0				
SN:008039	HRS	9344:01		TSR 0				
WC#: 33.040	AFL	8035						
	APH							
	APS							
PROC. REF: AMM 33-50-10PROC. REF: AMM 33-50-10								
330006	NO. 1 CABIN INDIRECT LIGHTING CONTROL							Component ATA:33
PN:CLC500-01	MOS/MSC	01-Feb-08	O/C					
SN:500002392	HRS	0		TSN 0				
WC#: 33.070	AFL	0		TSN 0				
PROC. REF: AMM 33-20-00PROC. REF: AMM 33-20-00								
330006	NO. 2 CABIN INDIRECT LIGHTING CONTROL							Component ATA:33
PN:CLC500-01	MOS/MSC	01-Feb-08	O/C					
SN:500002393	HRS	0		TSN 0				
WC#: 33.070	AFL	0		TSN 0				
PROC. REF: AMM 33-20-00PROC. REF: AMM 33-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
330006	NO. 3 CABIN INDIRECT LIGHTING CONTROL							Component ATA:33
PN:CLC500-01	MOS/MSC	24-Dec-09	O/C					
SN:500001796	HRS	991:48		TSO 0				
WC#: 33.070	AFL	1093						
PROC. REF: AMM 33-20-00PROC. REF: AMM 33-20-00								
331001	DIMMER							Component ATA:33
PN:273-1	MOS/MSC	01-Feb-08	O/C					
SN:207230100	HRS	0		TSN 0				
WC#: 33.080	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
334005	TAIL LIGHT ASSEMBLY							Component ATA:33
PN:01-0770966-00	MOS/MSC	02-Oct-24	O/C	TSN 0				
SN:06544A	HRS	9165:23		TSN 0				
WC#: 33.090	AFL	7889						
PROC. REF: AMM 33-30-00PROC. REF: AMM 33-30-00								
334006	GROUND RECOGNITION LIGHT ASSEMBLY							Component ATA:33
PN:01-0790044-37	MOS/MSC	30-Jan-18	O/C	TSN 0				
SN:05161	HRS	5433:05		TSN 0				
WC#: 33.090	AFL	5101						
	APH	2125						
	APS	5754						
PROC. REF: AMM 33-44-00PROC. REF: AMM 33-44-00								
335007	LEFT LED PNL-MIC JACK							Component ATA:33
PN:PN	MOS/MSC	01-Feb-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-11-00PROC. REF: AMM 33-11-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
335007	RIGHT LED PNL-MIC JACK							Component ATA:33
PN:PN	MOS/MSC	01-Feb-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-11-00PROC. REF: AMM 33-11-00								
335008	CENTER LED PNL PEDESTAL							Component ATA:33
PN:PN	MOS/MSC	01-Feb-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-11-00PROC. REF: AMM 33-11-00								
335009	LED PNL-AFT PEDESTAL							Component ATA:33
PN:PN	MOS/MSC	01-Feb-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-11-00PROC. REF: AMM 33-11-00								
335009	LEFT LED PNL FWD- PEDESTAL							Component ATA:33
PN:PN	MOS/MSC	01-Feb-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-11-00PROC. REF: AMM 33-11-00								
335009	RIGHT LED PNL FWD- PEDESTAL							Component ATA:33
PN:PN	MOS/MSC	01-Feb-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-11-00PROC. REF: AMM 33-11-00								
335010	LA LED PNL AFT LH- PEDESTAL							Component ATA:33
PN:PN	MOS/MSC	01-Feb-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-11-00PROC. REF: AMM 33-11-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
335010	RA LED PNL AFT RH- PEDESTAL							Component ATA:33
PN:PN	MOS/MSC	01-Feb-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-11-00PROC. REF: AMM 33-11-00								
335011	LEFT LED PNL- SWITCH							Component ATA:33
PN:PN	MOS/MSC	01-Feb-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-11-00PROC. REF: AMM 33-11-00								
335011	RIGHT LED PNL- SWITCH							Component ATA:33
PN:PN	MOS/MSC	01-Feb-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-11-00PROC. REF: AMM 33-11-00								
335012	LED PNL-THROTTLE QUADRANT							Component ATA:33
PN:PN	MOS/MSC	01-Feb-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-11-00PROC. REF: AMM 33-11-00								
335026	L/H LED PNL-CB							Component ATA:33
PN:PN	MOS/MSC	01-Feb-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-11-00PROC. REF: AMM 33-11-00								
335026	R/H LED PNL-CB							Component ATA:33
PN:PN	MOS/MSC	01-Feb-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-11-00PROC. REF: AMM 33-11-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33FO-03	PYLON WORK LIGHTS FACTORY OPTION							Component ATA:33
PN:54A	MOS/MSC	01-Feb-08	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
33FO56F	PULSELIGHT SYS (W/TCAS INTRFC) /TAIL FLD LT COMBINATION FACTORY OPTION							Component ATA:33
PN:56F	MOS/MSC	01-Feb-08	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
ATA 34 - NAVIGATION								
34-11-00-7200	CALIBRATION TEST NO. 1 AIR DATA MODULE (FAR 91.411)							Service ATA:34
PN:HG1153CA02	MOS	26-Apr-25	24	Adj -20d	30-Apr-27 (M)		734 d	14 CFR
SN:07082547	HRS	9344:01						
WC#: 34.050	AFL	8035						
PROC. REF: AMM 34-11-00PROC. REF: AMM 34-11-00								
34-11-00-7200	CALIBRATION TEST NO. 2 AIR DATA MODULE (FAR 91.411)							Service ATA:34
PN:HG1153CA02	MOS	26-Apr-25	24	Adj -20d	30-Apr-27		734 d	14 CFR
SN:07082546	HRS	9344:01						
WC#: 34.060	AFL	8035						
	APH							
	APS							
Calibration Date: : 26-Apr-25								
PROC. REF: AMM 34-11-00PROC. REF: AMM 34-11-00								
34-11-00-7200	CALIBRATION TEST STANDBY AIR DATA MODULE (FAR 91.411)							Service ATA:34
PN:501-1881-05	MOS	26-Apr-25	24	Adj -20d	30-Apr-27		734 d	14 CFR
SN:2322	HRS	9344:01						
WC#: 34.070	AFL	8035						
	APH							
	APS							
Calibration Date: : 26-Apr-25								
PROC. REF: AMM 34-11-00PROC. REF: AMM 34-11-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-11-00-7200	FUNCTIONAL CHECK RVSM PITOT STATIC SYSTEM (FAR 91.411)							Service ATA:34
	MOS	26-Apr-25	24	Adj -7d	30-Apr-27		734 d	
	HRS	9344:01						
WC#: 34.630	AFL	8035						
	APH							
	APS							
PROC. REF: AMM 34-11-00PROC. REF: AMM 34-11-00								
34-13-00-7100 ^S	MODULAR RADIO CABINET COOLING FAN OPERATIONAL CHECK (AIRPLANES -0001 THRU -0500)							Service ATA:34
	MOS	04-Nov-22	36 (+1m/-1m)					
	HRS	8046:12						
	AFL	7047						
PKG:175								
PROC. REF: AMM 34-13-00PROC. REF: AMM 34-13-00								
34-53-00-7200	FUNCTIONAL CHECK NO. 1 HONEYWELL XS-857A/858B TRANSPONDER SYSTEM (FAR 91.413) (AIRPLANES -0001 THRU -0500)							Service ATA:34
	MOS	26-Apr-25	24	Adj -12d	30-Apr-27		734 d	
	HRS	9344:01						
WC#: 34.100	AFL	8035						
	APH							
	APS							
Calibration Date: : 26-Apr-25								
PROC. REF: AMM 34-53-00PROC. REF: AMM 34-53-00								
34-53-00-7200	FUNCTIONAL CHECK NO. 2 HONEYWELL XS-857A/858B TRANSPONDER SYSTEM (FAR 91.413) (AIRPLANES -0001 THRU -0500)							Service ATA:34
	MOS	26-Apr-25	24	Adj -12d	30-Apr-27		734 d	
	HRS	9344:01						
WC#: 34.110	AFL	8035						
	APH							
	APS							
Calibration Date: : 26-Apr-25								
PROC. REF: AMM 34-53-00PROC. REF: AMM 34-53-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340001	LEFT UPPER TRANSPONDER ANTENNA							Component ATA:34
PN:DMNI50-2-2	MOS/MSC	01-Feb-08	O/C					
SN:115809	HRS	0		TSN 0				
WC#: 34.120	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
340001	RIGHT UPPER TRANSPONDER ANTENNA							Component ATA:34
PN:DMNI50-2-2	MOS/MSC	01-Feb-08	O/C					
SN:115840	HRS	0		TSN 0				
WC#: 34.120	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
340005	EGPWS MODULE							Component ATA:34
PN:7028419-1905	MOS/MSC	20-Feb-25	O/C	TSO 0				
SN:07011491	HRS	9320:17		TSO 0				
WC#: 34.130	AFL	8013						
PROC. REF: AMM 34-44-00PROC. REF: AMM 34-44-00								
340006	STANDBY HORIZONTAL SITUATION INDICATOR							Component ATA:34
PN:501-1879-0101	MOS/MSC	01-Feb-08	O/C					
SN:1233A	HRS	0		TSN 0				
WC#: 34.130	AFL	0		TSN 0				
PROC. REF: AMM 34-22-00PROC. REF: AMM 34-22-00								
340008	LEFT AOA/STALL WARNING TRANSMITTER							Component ATA:34
PN:0863A1-2	MOS/MSC	16-Feb-09	O/C					
SN:611	HRS	560:12		TSO 560				
WC#: 34.140	AFL	614						
PROC. REF: AMM 34-14-00PROC. REF: AMM 34-14-00								
340008	RIGHT AOA/STALL WARNING TRANSMITTER							Component ATA:34
PN:0863A1-2	MOS/MSC	16-Feb-09	O/C					
SN:565	HRS	560:12		TSO 560				
WC#: 34.140	AFL	614						
PROC. REF: AMM 34-14-00PROC. REF: AMM 34-14-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340011	LEFT MCDU DISPLAY							Component ATA:34
PN:A50A000-00-550	MOS/MSC	15-Mar-24	O/C	TSN 0				
SN:A5503069	HRS	8767:48		TSN 0				
WC#: 34.150	AFL	7616						
	APH							
	APS							
PROC. REF: AMM 23-80-00PROC. REF: AMM 23-80-00								
340011	RIGHT MCDU DISPLAY							Component ATA:34
PN:A50A000-00-550	MOS/MSC	24-Aug-23	O/C	TSN 0				
SN:A5503066	HRS	8458:25		TSN 0				
WC#: 34.150	AFL	7373						
PROC. REF: AMM 23-80-00PROC. REF: AMM 23-80-00								
340016	LEFT CABINET W/ADF RADIO MODULE							Component ATA:34
PN:7517959-902	MOS/MSC	01-Feb-08	O/C					
SN:07083105	HRS	0		TSN 0				
WC#: 34.160	AFL	0		TSN 0				
PROC. REF: AMM 34-51-00PROC. REF: AMM 34-51-00								
340016	RIGHT CABINET W/ADF RADIO MODULE							Component ATA:34
PN:7517959-902	MOS/MSC	01-Feb-08	O/C					
SN:07083106	HRS	0		TSN 0				
WC#: 34.160	AFL	0		TSN 0				
PROC. REF: AMM 34-51-00PROC. REF: AMM 34-51-00								
340017	LEFT NTWK INTERFACE MODULE							Component ATA:34
PN:7517964-802	MOS/MSC	20-Jun-19	O/C	TSR 0				
SN:07063174	HRS	6241:29		TSR 0				
WC#: 34.170	AFL	5755						
PROC. REF: AMM 34-54-00PROC. REF: AMM 34-54-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340017	RIGHT NTWK INTERFACE MODULE							Component ATA:34
PN:7517964-802	MOS/MSC	04-Jun-21	O/C					
SN:08074512	HRS	7252:34						
WC#: 34.170	AFL	6499						
PROC. REF: AMM 34-54-00PROC. REF: AMM 34-54-00								
340018	NO. 1 MAU POWER SUPPLY MODULE							Component ATA:34
PN:7024440-1901	MOS/MSC	11-Dec-08	O/C					
SN:07097813	HRS	489		TSO 489				
WC#: 34.180	AFL							
PROC. REF: AMM 34-17-00PROC. REF: AMM 34-17-00								
340018	NO. 2 MAU POWER SUPPLY MODULE							Component ATA:34
PN:7024440-1901	MOS/MSC	11-Dec-08	O/C					
SN:07068152	HRS	489		TSO 298				
WC#: 34.180	AFL							
PROC. REF: AMM 34-17-00PROC. REF: AMM 34-17-00								
340018	NO. 3 MAU POWER SUPPLY MODULE							Component ATA:34
PN:7024440-1901	MOS/MSC	01-Feb-08	O/C					
SN:07098029	HRS	0		TSN 0				
WC#: 34.190	AFL	0		TSN 0				
PROC. REF: AMM 34-17-00PROC. REF: AMM 34-17-00								
340018	NO. 4 MAU POWER SUPPLY MODULE							Component ATA:34
PN:7024440-1901	MOS/MSC	01-Feb-08	O/C					
SN:07098479	HRS	0		TSN 0				
WC#: 34.190	AFL	0		TSN 0				
PROC. REF: AMM 34-17-00PROC. REF: AMM 34-17-00								
340019	L1 GENERIC I/O MODULE							Component ATA:34
PN:7025364-1901	MOS/MSC	20-Mar-11	O/C					
SN:07083162	HRS	1569:42						
WC#: 34.200	AFL	1768						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340019	L2 GENERIC I/O MODULE							Component ATA:34
PN:7025364-1901	MOS/MSC	20-Mar-11	O/C					
SN:07083150	HRS	1569:42						
WC#: 34.200	AFL	1768						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
340019	R1 GENERIC I/O MODULE							Component ATA:34
PN:7025364-1901	MOS/MSC	01-Feb-08	O/C					
SN:07083163	HRS	0		TSN 0				
WC#: 34.210	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
340019	R2 GENERIC I/O MODULE							Component ATA:34
PN:7025364-1901	MOS/MSC	01-Feb-08	O/C					
SN:07083168	HRS	0		TSN 0				
WC#: 34.210	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
340020	LEFT CUSTOM I/O MODULE							Component ATA:34
PN:7029685-1901	MOS/MSC	01-Feb-08	O/C					
SN:07080473	HRS	0		TSN 0				
WC#: 34.220	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
340020	RIGHT CUSTOM I/O MODULE							Component ATA:34
PN:7029685-1901	MOS/MSC	05-Aug-24	O/C	TSO 0				
SN:08080646	HRS	9054:36		TSO 0				
WC#: 34.220	AFL	7810						
	APH							
	APS							
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340021	NO. 1 DATA BASE MODULE							Component ATA:34
PN:7026532-1903	MOS/MSC	04-May-20	O/C	TSR 0				
SN:08113871	HRS	6659:50		TSR 0				
WC#: 34.230	AFL	6099		TSR 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
340022	NO. 2 CONTROL I/O MODULE							Component ATA:34
PN:7026534-1902	MOS/MSC	10-Jun-12	O/C					
SN:04121117	HRS	2195:24						
WC#: 34.230	AFL	2450						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
340022	NO. 3 CONTROL I/O MODULE							Component ATA:34
PN:7026534-1902	MOS/MSC	01-Feb-08	O/C					
SN:07082921	HRS	0		TSN 0				
WC#: 34.230	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
340023	NO. 1 DUAL NIC PROCESSOR							Component ATA:34
PN:7026542-1901	MOS/MSC	01-Feb-08	O/C					
SN:07089848	HRS	0		TSN 0				
WC#: 34.240	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
340023	NO. 2 DUAL NIC PROCESSOR							Component ATA:34
PN:7026542-1901	MOS/MSC	16-May-15	O/C					
SN:1011H188	HRS	3444:24						
WC#: 34.240	AFL	3715						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
340023	NO. 3 DUAL NIC PROCESSOR							Component ATA:34
PN:7026542-1901	MOS/MSC	01-Feb-08	O/C					
SN:07089853	HRS	0		TSN 0				
WC#: 34.250	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340023	NO. 4 DUAL NIC PROCESSOR							Component ATA:34
PN:7026542-1901	MOS/MSC	01-Feb-08	O/C					
SN:07089863	HRS	0		TSN 0				
WC#: 34.250	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
340024	CMC MODULE							Component ATA:34
PN:7026548-1901	MOS/MSC	25-Mar-21	O/C					
SN:05060771	HRS	7127:57						
WC#: 34.260	AFL	6427						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
340025	L1 I/O MODULE DUAL SERV ACTUATOR							Component ATA:34
PN:7028432-1901	MOS/MSC	19-Jun-18	O/C	TSO 0				
SN:06083146	HRS	5643:09		TSO 0				
WC#: 34.270	AFL	5260						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
340025	L2 I/O MODULE DUAL SERV ACTUATOR							Component ATA:34
PN:7028432-1901	MOS/MSC	14-Jan-10	O/C					
SN:06063123	HRS	1018		TSO 0				
WC#: 34.270	AFL							
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
340025	R1 I/O MODULE DUAL SERV ACTUATOR							Component ATA:34
PN:7028432-1901	MOS/MSC	01-Feb-08	O/C					
SN:07084952	HRS	0		TSN 0				
WC#: 34.280	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
340025	R2 I/O MODULE DUAL SERV ACTUATOR							Component ATA:34
PN:7028432-1901	MOS/MSC	14-Jan-10	O/C					
SN:07064651	HRS	1018		TSO 0				
WC#: 34.280	AFL							
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340027	LEFT CURSOR CONTROLLER							Component ATA:34
PN:7028610-903	MOS/MSC	01-Feb-08	O/C					
SN:07100533	HRS	0		TSN 0				
WC#: 34.290	AFL	0		TSN 0				
PROC. REF: AMM 34-24-00PROC. REF: AMM 34-24-00								
340027	RIGHT CURSOR CONTROLLER							Component ATA:34
PN:7028610-903	MOS/MSC	01-Feb-08	O/C					
SN:07110546	HRS	0		TSN 0				
WC#: 34.290	AFL	0		TSN 0				
PROC. REF: AMM 34-24-00PROC. REF: AMM 34-24-00								
340033	NO. 1 AIR DATA MODULE							Component ATA:34
PN:HG1153CA02	MOS/MSC	01-Feb-08	O/C					
SN:07082547	HRS	0		TSN 0				
WC#: 34.050	AFL	0		TSN 0				
PROC. REF: AMM 34-12-00PROC. REF: AMM 34-12-00								
340033	NO. 2 AIR DATA MODULE							Component ATA:34
PN:HG1153CA02	MOS/MSC	01-Feb-08	O/C					
SN:07082546	HRS	0		TSN 0				
WC#: 34.060	AFL	0		TSN 0				
PROC. REF: AMM 34-12-00PROC. REF: AMM 34-12-00								
340034	ANGLE OF ATTACK INDEXER							Component ATA:34
PN:0031AM	MOS/MSC	01-Feb-08	O/C					
SN:214	HRS	0		TSN 0				
WC#: 34.310	AFL	0		TSN 0				
PROC. REF: AMM 34-14-00PROC. REF: AMM 34-14-00								
340037	MAGNETOMETER							Component ATA:34
PN:501-1826-01	MOS/MSC	01-Feb-08	O/C					
SN:2349	HRS	0		TSN 0				
WC#: 34.310	AFL	0		TSN 0				
PROC. REF: AMM 34-22-00PROC. REF: AMM 34-22-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340039	ROTARY SOLENOID							Component ATA:34
PN:70R10461-2	MOS/MSC	01-Feb-08	O/C					
SN:203	HRS	0		TSN 0				
WC#: 34.320	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
340040	LEFT AHRS COMPUTER							Component ATA:34
PN:822-1110-002	MOS/MSC	15-Apr-08	O/C					
SN:2MV0T	HRS	122		TSO 122				
WC#: 34.330	AFL							
PROC. REF: AMM 34-21-00PROC. REF: AMM 34-21-00								
340040	RIGHT AHRS COMPUTER							Component ATA:34
PN:822-1110-002	MOS/MSC	15-Apr-08	O/C					
SN:2MV0R	HRS	122		TSO 122				
WC#: 34.330	AFL							
PROC. REF: AMM 34-21-00PROC. REF: AMM 34-21-00								
340042	LOWER FLUX DETECTOR							Component ATA:34
PN:822-1193-001	MOS/MSC	01-Feb-08	O/C					
SN:38130	HRS	0		TSN 0				
WC#: 34.340	AFL	0		TSN 0				
PROC. REF: AMM 34-21-00, AMM 34-48-00PROC. REF: AMM 34-21-00, AMM 34-48-00								
340042	UPPER FLUX DETECTOR							Component ATA:34
PN:822-1193-001	MOS/MSC	01-Feb-08	O/C					
SN:38131	HRS	0		TSN 0				
WC#: 34.340	AFL	0		TSN 0				
PROC. REF: AMM 34-21-00, AMM 34-48-00PROC. REF: AMM 34-21-00, AMM 34-48-00								
340045	GLIDESLOPE ANTENNA							Component ATA:34
PN:RGS10-48	MOS/MSC	01-Feb-08	O/C					
SN:12631	HRS	0		TSN 0				
WC#: 34.350	AFL	0		TSN 0				
PROC. REF: AMM 34-30-05, AMM 34-30-05PROC. REF: AMM 34-30-05, AMM 34-30-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340046	GLIDESLOPE ANTENNA COUPLER							Component ATA:34
PN:CI503	MOS/MSC	01-Feb-08	O/C					
SN:202340	HRS	0		TSN 0				
WC#: 34.350	AFL	0		TSN 0				
PROC. REF: AMM 34-30-05PROC. REF: AMM 34-30-05								
340049	LEFT CONFIGURATION MODULE							Component ATA:34
PN:7519272-901	MOS/MSC	01-Feb-08	O/C					
SN:07066985	HRS	0		TSN 0				
WC#: 34.360	AFL	0		TSN 0				
PROC. REF: AMM 34-25-00PROC. REF: AMM 34-25-00								
340049	RIGHT CONFIGURATION MODULE							Component ATA:34
PN:7519272-901	MOS/MSC	01-Feb-08	O/C					
SN:07066989	HRS	0		TSN 0				
WC#: 34.360	AFL	0		TSN 0				
PROC. REF: AMM 34-25-00PROC. REF: AMM 34-25-00								
340050	NO. 1 ATC TRANSPONDER							Component ATA:34
PN:7517402-970	MOS/MSC	04-May-20	O/C					
SN:1106H384	HRS	6659:50						
WC#: 34.100	AFL	6099						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
340050	NO. 2 ATC TRANSPONDER							Component ATA:34
PN:7517402-970	MOS/MSC	04-May-20	O/C					
SN:1107H471	HRS	6659:50						
WC#: 34.110	AFL	6099						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
340051	LEFT GPS MODULE							Component ATA:34
PN:245-604067-100	MOS/MSC	04-May-20	O/C					
SN:08113644	HRS	6659:50						
WC#: 34.370	AFL	6099						
PROC. REF: AMM 34-55-10PROC. REF: AMM 34-55-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340051	RIGHT GPS MODULE							Component ATA:34
PN:245-604067-100	MOS/MSC	04-Nov-22	O/C	TSO 0				
SN:07092587	HRS	8046:12		TSO 0				
WC#: 34.370	AFL	7047						
PROC. REF: AMM 34-55-10PROC. REF: AMM 34-55-10								
340052	NO. 1 IRIDIUM/GPS ANTENNA							Component ATA:34
PN:S67-1575-135	MOS/MSC	04-May-20	O/C	TSN 0				
SN:818-15624	HRS	6659:50		TSN 0				
WC#: 34.380	AFL	6099						
PROC. REF: AMM 34-55-15PROC. REF: AMM 34-55-15								
340052	NO. 2 IRIDIUM/GPS ANTENNA							Component ATA:34
PN:S67-1575-135	MOS/MSC	04-May-20	O/C	TSN 0				
SN:818-15625	HRS	6659:50		TSN 0				
WC#: 34.380	AFL	6099						
PROC. REF: AMM 34-55-15PROC. REF: AMM 34-55-15								
340053	DETACHABLE CONFIGURATION MODULE							Component ATA:34
PN:501-1803-84	MOS/MSC	01-Feb-08	O/C					
SN:2519	HRS	0		TSN 0				
WC#: 34.390	AFL	0		TSN 0				
PROC. REF: AMM 34-22-00PROC. REF: AMM 34-22-00								
340055	NO. 1 UPPER TCAS ANTENNA							Component ATA:34
PN:7514081-910	MOS/MSC	12-Dec-20	O/C	TSN 0				
SN:ANE57925	HRS	6997:01		TSN 0				
WC#: 34.400	AFL	6340						
PROC. REF: AMM 34-42-00PROC. REF: AMM 34-42-00								
340055	NO. 2 LOWER TCAS ANTENNA							Component ATA:34
PN:7514081-910	MOS/MSC	20-Feb-14	O/C	TSN 0				
SN:ANE41647	HRS	2972:12		TSN 0				
WC#: 34.400	AFL	3326		TSN 0				
PROC. REF: AMM 34-42-00PROC. REF: AMM 34-42-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340061	RADAR RECEIVER/TRANSMITTER ANTENNA							Component ATA:34
PN:7021450-801	MOS/MSC	01-Feb-08	O/C					
SN:07107848	HRS	0		TSN 0				
WC#: 34.420	AFL	0		TSN 0				
PROC. REF: AMM 34-41-00PROC. REF: AMM 34-41-00								
340062	MARKER BEACON ANTENNA							Component ATA:34
PN:C1165	MOS/MSC	01-Jul-22	O/C	TSN 0				
SN:660376	HRS	7711:58		TSN 0				
WC#: 34.420	AFL	6829						
PROC. REF: AMM 34-56-50PROC. REF: AMM 34-56-50								
340065	ADVANCED GRAPHIC MODULE							Component ATA:34
PN:7036410-1901	MOS/MSC	12-Dec-20	O/C	TSR 0				
SN:08111959	HRS	6997:01		TSR 0				
WC#: 34.660	AFL	6340		TSR 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
341000	SECONDARY FLIGHT DISPLAY							Component ATA:34
PN:501-1741-2104	MOS/MSC	10-Sep-12	O/C					
SN:0731	HRS	2281:30						
WC#: 34.430	AFL	2542						
PROC. REF: AMM 34-22-50PROC. REF: AMM 34-22-50								
341002	STANDBY AIR DATA MODULE							Component ATA:34
PN:501-1881-05	MOS/MSC	01-Feb-08	O/C					
SN:2322	HRS	0		TSN 0				
WC#: 34.070	AFL	0		TSN 0				
PROC. REF: AMM 34-12-00PROC. REF: AMM 34-12-00								
341200	NO. 1 RADIO ALTIMETER ANTENNA							Component ATA:34
PN:S67-2002-4	MOS/MSC	01-Feb-08	O/C					
SN:55214877	HRS	0		TSN 0				
WC#: 34.440	AFL	0		TSN 0				
PROC. REF: AMM 34-16-00PROC. REF: AMM 34-16-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341200	NO. 2 RADIO ALTIMETER ANTENNA							Component ATA:34
PN:S67-2002-4	MOS/MSC	01-Feb-08	O/C					
SN:55214947	HRS	0		TSN 0				
WC#: 34.440	AFL	0		TSN 0				
PROC. REF: AMM 34-16-00PROC. REF: AMM 34-16-00								
341700	NO. 1 MAU CABINET-9 SLOT							Component ATA:34
PN:7031631-1950	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0		TSN 0				
WC#: 34.680	AFL	0		TSN 0				
PROC. REF: AMM 34-17-00PROC. REF: AMM 34-17-00								
341700	NO. 2 MAU CABINET-9 SLOT							Component ATA:34
PN:7031631-1951	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0		TSN 0				
WC#: 34.680	AFL	0		TSN 0				
PROC. REF: AMM 34-17-00PROC. REF: AMM 34-17-00								
341700	NO. 3 MAU CABINET-5 SLOT TAILCONE							Component ATA:34
PN:7031631-1950	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0		TSN 0				
WC#: 34.680	AFL	0		TSN 0				
PROC. REF: AMM 34-17-00PROC. REF: AMM 34-17-00								
341700	NO. 4 MAU CABINET-5 SLOT TAILCONE							Component ATA:34
PN:7031631-1951	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0		TSN 0				
WC#: 34.680	AFL	0		TSN 0				
PROC. REF: AMM 34-17-00PROC. REF: AMM 34-17-00								
342001	LEFT EXTERNAL COMPENSATION UNIT							Component ATA:34
PN:822-1200-005	MOS/MSC	01-Feb-08	O/C					
SN:2MVBC	HRS	0		TSN 0				
WC#: 34.450	AFL	0		TSN 0				
PROC. REF: AMM 34-21-00PROC. REF: AMM 34-21-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342001	RIGHT EXTERNAL COMPENSATION UNIT							Component ATA:34
PN:822-1200-005	MOS/MSC	01-Feb-08	O/C					
SN:2MVBD	HRS	0		TSN 0				
WC#: 34.450	AFL	0		TSN 0				
PROC. REF: AMM 34-21-00PROC. REF: AMM 34-21-00								
344001	RADIO ALTIMETER							Component ATA:34
PN:7001840-936	MOS/MSC	01-Feb-08	O/C					
SN:0708E047	HRS	0		TSN 0				
WC#: 34.030	AFL	0		TSN 0				
PROC. REF: AMM 34-16-00PROC. REF: AMM 34-16-00								
344100	WEATHER RADAR CONTROL							Component ATA:34
PN:7008471-417	MOS/MSC	01-Feb-08	O/C					
SN:07089811	HRS	0		TSN 0				
WC#: 34.470	AFL	0		TSN 0				
PROC. REF: AMM 34-41-00PROC. REF: AMM 34-41-00								
345000	DATA MANAGEMENT UNIT							Component ATA:34
PN:7031051-904	MOS/MSC	10-Oct-08	O/C					
SN:03120271	HRS	396		TSO 1300				
WC#: 34.480	AFL							
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
345001	NO. 1 ADF RECEIVER MODULE							Component ATA:34
PN:7510114-855	MOS/MSC	01-Feb-08	O/C					
SN:0707C111	HRS	0		TSN 0				
WC#: 34.490	AFL	0		TSN 0				
PROC. REF: AMM 34-51-00PROC. REF: AMM 34-51-00								
345001	NO. 2 ADF RECEIVER MODULE							Component ATA:34
PN:7510114-855	MOS/MSC	01-Feb-08	O/C					
SN:0707C118	HRS	0		TSN 0				
WC#: 34.490	AFL	0		TSN 0				
PROC. REF: AMM 34-51-00PROC. REF: AMM 34-51-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345002	NO. 1 REVERSIONARY CONTROLLER							Component ATA:34
PN:8914001-16	MOS/MSC	25-Jan-10	O/C					
SN:NSN	HRS	1043		TSO 1043				
WC#: 34.500	AFL							
PROC. REF: AMM 34-23-00PROC. REF: AMM 34-23-00								
345002	NO. 2 REVERSIONARY CONTROLLER							Component ATA:34
PN:8914001-16	MOS/MSC	25-Jan-10	O/C					
SN:NSN	HRS	1043		TSO 1043				
WC#: 34.500	AFL							
PROC. REF: AMM 34-23-00PROC. REF: AMM 34-23-00								
345003	NO. 1 DME MODULE							Component ATA:34
PN:7510184-855	MOS/MSC	10-Sep-12	O/C					
SN:0707C799	HRS	2281:30						
WC#: 34.510	AFL	2542						
PROC. REF: AMM 34-52-00PROC. REF: AMM 34-52-00								
345003	NO. 2 DME MODULE							Component ATA:34
PN:7510184-855	MOS/MSC	31-Oct-12	O/C					
SN:0708C861	HRS	2333:54						
WC#: 34.510	AFL	2601						
PROC. REF: AMM 34-52-00PROC. REF: AMM 34-52-00								
345004	NO. 1 ADF ANTENNA							Component ATA:34
PN:S310017	MOS/MSC	26-Apr-25	O/C	TSN 0				
SN:2402T506	HRS	9344:01		TSN 0				
WC#: 34.520	AFL	8035						
PROC. REF: AMM 34-51-00, AMM 34-51-50PROC. REF: AMM 34-51-00, AMM 34-51-50								
345004	NO. 2 ADF ANTENNA							Component ATA:34
PN:7510300-901	MOS/MSC	01-Feb-08	O/C					
SN:0708C916	HRS	0		TSN 0				
WC#: 34.520	AFL	0		TSN 0				
PROC. REF: AMM 34-51-00, AMM 34-51-50PROC. REF: AMM 34-51-00, AMM 34-51-50								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345005	NO. 1 NAV RADIO MODULE							Component ATA:34
PN:7026202-805	MOS/MSC	22-Sep-20	O/C	TSR 0				
SN:04120852	HRS	6936:39		TSR 0				
WC#: 34.530	AFL	6288		TSR 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
345005	NO. 2 NAV RADIO MODULE							Component ATA:34
PN:7026202-805	MOS/MSC	01-Jul-22	O/C	TSR 0				
SN:09014182	HRS	7711:58		TSR 0				
WC#: 34.530	AFL	6829		TSR 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
345006	NO. 1 MULTI FUNCTION DISPLAY							Component ATA:34
PN:7037620-811	MOS/MSC	07-Apr-18	O/C	TSO 0				
SN:07044607	HRS	5555:46		TSO 0				
WC#: 34.540	AFL	5195						
	APH	2183						
	APS	5891						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
345006	NO. 2 MULTI FUNCTION DISPLAY							Component ATA:34
PN:7037620-811	MOS/MSC	15-May-15	O/C					
SN:07074952	HRS	3444:24						
WC#: 34.540	AFL	3715						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
345006	NO. 3 MULTI FUNCTION DISPLAY							Component ATA:34
PN:7037620-811	MOS/MSC	11-Sep-15	O/C					
SN:08096687	HRS	3739						
WC#: 34.550	AFL	3928						
	APH	1535						
	APS	4423						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345006	NO. 4 MULTI FUNCTION DISPLAY							Component ATA:34
PN:7037620-811	MOS/MSC	08-Jul-16	O/C					
SN:08045925	HRS	4251						
WC#: 34.550	AFL	4286						
	APH	1742						
	APS	4872						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
345007	LEFT NAV ANTENNA							Component ATA:34
PN:CI120-200G/S-L	MOS/MSC	26-Apr-25	O/C	TSN 0				
SN:K558289	HRS	9344:01		TSN 0				
WC#: 34.560	AFL	8035						
PROC. REF: AMM 34-56-00, AMM 34-56-00PROC. REF: AMM 34-56-00, AMM 34-56-00								
345007	NAV ANTENNA COUPLER							Component ATA:34
PN:CI120-5	MOS/MSC	24-Dec-13	O/C	TSN 0				
SN:425120	HRS	2912:18		TSN 0				
WC#: 34.560	AFL	3262		TSN 0				
PROC. REF: AMM 34-56-00PROC. REF: AMM 34-56-00								
345007	RIGHT NAV ANTENNA							Component ATA:34
PN:CI120-200G/S-L	MOS/MSC	24-Dec-13	O/C	TSN 0				
SN:425141	HRS	2912:18		TSN 0				
WC#: 34.560	AFL	3262		TSN 0				
PROC. REF: AMM 34-56-00, AMM 34-56-00PROC. REF: AMM 34-56-00, AMM 34-56-00								
345008	LEFT DME ANTENNA							Component ATA:34
PN:DMNI50-2-2	MOS/MSC	19-Apr-23	O/C	TSN 0				
SN:148283	HRS	8194:02		TSN 0				
WC#: 34.570	AFL	7182						
	APH							
	APS							
PROC. REF: AMM 34-52-00PROC. REF: AMM 34-52-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345008	RIGHT DME ANTENNA							Component ATA:34
PN:DMNI50-2-2	MOS/MSC	01-Feb-08	O/C					
SN:116371	HRS	0		TSN 0				
WC#: 34.570	AFL	0		TSN 0				
PROC. REF: AMM 34-52-00PROC. REF: AMM 34-52-00								
345009	NO. 1 LOWER TRANSPONDER ANTENNA							Component ATA:34
PN:DMNI50-2-2	MOS/MSC	19-Apr-23	O/C	TSN 0				
SN:148038	HRS	8194:02		TSN 0				
WC#: 34.580	AFL	7182						
	APH							
	APS							
PROC. REF: AMM 34-53-00PROC. REF: AMM 34-53-00								
345009	NO. 2 LOWER TRANSPONDER ANTENNA							Component ATA:34
PN:DMNI50-2-2	MOS/MSC	19-Apr-23	O/C	TSN 0				
SN:148012	HRS	8194:02		TSN 0				
WC#: 34.580	AFL	7182						
	APH							
	APS							
PROC. REF: AMM 34-53-00PROC. REF: AMM 34-53-00								
346000	TCAS PROCESSOR							Component ATA:34
PN:7517900-55020	MOS/MSC	06-May-15	O/C					
SN:20009535	HRS	3444:24						
WC#: 34.590	AFL	3715						
PROC. REF: AMM 34-43-00PROC. REF: AMM 34-43-00								
346001	NO. 1 DISPLAY CONTROLLER							Component ATA:34
PN:7016683-971	MOS/MSC	11-Feb-10	O/C					
SN:07092678	HRS	1063		TSO 1063				
WC#: 34.600	AFL							
PROC. REF: AMM 34-23-00PROC. REF: AMM 34-23-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
346001	NO. 2 DISPLAY CONTROLLER							Component ATA:34
PN:7016683-971	MOS/MSC	26-Apr-25	O/C	TSR 0				
SN:08073177	HRS	9344:01		TSR 0				
WC#: 34.600	AFL	8035						
	APH							
	APS							
PROC. REF: AMM 34-23-00PROC. REF: AMM 34-23-00								
34FO-01	ADF-2 - HONEYWELL FACTORY OPTION							Component ATA:34
PN:659F	MOS/MSC	01-Feb-08	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
34FO-03	FMS PERFORMANCE DATABASE FACTORY OPTION							Component ATA:34
PN:697N	MOS/MSC	01-Feb-08	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
34FO-06	PBS-250 CABIN BRIEF SYS(HUT) FACTORY OPTION							Component ATA:34
PN:674D	MOS/MSC	01-Feb-08	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
34FO-08	MODE-S XPDR W/ENHANCED SURVLNC FACTORY OPTION							Component ATA:34
PN:612C	MOS/MSC	01-Feb-08	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34FO-09	CATEGORY II OPERATIONS FACTORY OPTION							Component ATA:34
PN:614	MOS/MSC	01-Feb-08	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
34FO697S	DATA MANAGEMENT UNIT (LH CLOSET) HONEYWELL FACTORY OPTION							Component ATA:34
PN:697S	MOS/MSC	01-Feb-08	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
ATA 35 - OXYGEN								
35-00-20-7100 ^S	EXTENDED RANGE OXYGEN SYSTEM OPERATIONAL CHECK							Service ATA:35
	MOS	26-Apr-25	12 (+1m/-1m)					
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
PROC. REF: AMM 35-00-20PROC. REF: AMM 35-00-20								PKG:174
35-00-20-9600	EXTENDED RANGE OXYGEN BOTTLE DISCARD ASSEMBLY							Component ATA:35
PN:804822-14	MOS	26-Apr-21	180	TSO 3	30-Apr-31		2195 d	DISCARD
SN:C16060072	HRS	7171:58						
WC#: 35.010	AFL	6455						
Manufacture Date:: 30-Apr-16								
PROC. REF: AMM 35-00-20PROC. REF: AMM 35-00-20								
35-00-20-9601	EXTENDED RANGE OXYGEN BOTTLE(HYDROSTATIC) RESTORATION							Service ATA:35
PN:804822-14	MOS	31-Jan-21	60		31-Jan-26		280 d	HYDROSTATIC TEST
SN:C16060072	HRS							
WC#: 35.010	AFL							
HydroCheck Date: : 31-Jan-21								
PROC. REF: AMM 35-00-20PROC. REF: AMM 35-00-20								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-00-30-2100 ^S	OXYGEN CYLINDER GENERAL VISUAL INSPECTION							Service ATA:35
	MOS	26-Apr-25	12 (+1m/-1m)					
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
								PKG:174
PROC. REF: AMM 35-00-30PROC. REF: AMM 35-00-30								
35-00-30-9600	STANDARD OXYGEN BOTTLE DISCARD ASSEMBLY							Component ATA:35
PN:804882-14	MOS	19-Apr-23	180	TSO 7	30-Sep-37		4540 d	DISCARD
SN:C12050808	HRS	8194:02						
WC#: 35.020	AFL	7182						
	APH							
	APS							
Manufacture Date:: 01-Sep-22								
PROC. REF: AMM 35-00-30PROC. REF: AMM 35-00-30								
35-00-30-9601	STANDARD OXYGEN BOTTLE (HYDROSTATIC) RESTORATION							Service ATA:35
PN:804882-14	MOS	15-Mar-23	60		31-Mar-28		1070 d	HYDROSTATIC TEST
SN:C12050808	HRS							
WC#: 35.020	AFL							
	APH							
	APS							
HydroCheck Date: : 15-Mar-23								
PROC. REF: AMM 35-00-30PROC. REF: AMM 35-00-30								
35-00-30-9602	EMERGENCY OXYGEN BOTTLE (HYDROSTATIC) RESTORATION							Service ATA:35
PN:5500M6W-FF23AN	MOS	01-Apr-22	60		30-Apr-27		734 d	HYDROSTATIC TEST
SN:ST353899	HRS							
WC#: 35.150	AFL							
HydroCheck Date: : 01-Apr-22								
PROC. REF: AMM 35-00-30PROC. REF: AMM 35-00-30								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-10-00-2200 ^S	CREW MASK AND STOWAGE BOXES DETAILED INSPECTION							Service ATA:35
	MOS	26-Apr-25	12 (+1m/-1m)					
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00								PKG:174
35-10-00-7100 ^S	CREW MASK OPERATIONAL CHECK							Service ATA:35
	MOS	26-Apr-25	12 (+1m/-1m)					
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00								PKG:174
35-10-00-9600	COPILOT MC10 OR MLD20 SERIES CREW OXYGEN MASK (ELASTOMER PARTS DETAILED INSPECTION AND REGULATOR FUNCTIONAL CHECK) RESTORATION							Service ATA:35
PN:MLD20-505	MOS	12-Dec-24	72	Adj -4	31-Aug-30		1953 d	OVERHAUL
SN:11815	HRS	9226:16						
	AFL	7930						
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00								
35-10-00-9600	PILOT MC10 OR MLD20 SERIES CREWOXYGEN MASK (ELASTOMER PARTSDETAILED INSPECTION AND REGULATORFUNCTIONAL CHECK) RESTORATION							Service ATA:35
PN:MLD20-505	MOS	15-Mar-24	72		30-Nov-29 (M)		1679 d	OVERHAUL
SN:116142	HRS	8767:48						
	AFL	7616						
	APH							
	APS							
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-20-00-2200 ^S	PASSENGER OXYGEN SYSTEM DETAILED INSPECTION							Service ATA:35
	MOS	26-Apr-25	12 (+1m/-1m)					
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
PROC. REF: AMM 35-20-00PROC. REF: AMM 35-20-00								PKG:174
35-20-00-7100 ^S	PASSENGER OXYGEN SYSTEM OPERATIONAL CHECK							Service ATA:35
	MOS	02-Oct-24						AIRWORTHINESS
	HRS	9165:23	800 (+25/-25)					
	AFL	7889						
PROC. REF: AMM 35-20-00PROC. REF: AMM 35-20-00								PKG:65
35-20-00-7101 ^S	PASSENGER OXYGEN SYSTEM OPERATIONAL CHECK							Service ATA:35
	MOS	02-Oct-24						AIRWORTHINESS
	HRS	9165:23	800 (+25/-25)					
	AFL	7889						
PROC. REF: AMM 35-20-00PROC. REF: AMM 35-20-00								PKG:65
35-20-00-7200 ^S	PASSENGER OXYGEN SYSTEM FUNCTIONAL CHECK							Service ATA:35
	MOS	02-Oct-24						AIRWORTHINESS
	HRS	9165:23	800 (+25/-25)					
	AFL	7889						
PROC. REF: AMM 35-20-00PROC. REF: AMM 35-20-00								PKG:65
35-20-00-7201 ^S	PASSENGER OXYGEN SYSTEM FUNCTIONAL CHECK							Service ATA:35
	MOS	02-Oct-24						AIRWORTHINESS
	HRS	9165:23	800 (+25/-25)					
	AFL	7889						
PROC. REF: AMM 35-20-00PROC. REF: AMM 35-20-00								PKG:65

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-30-00-2200	^S	PROTECTIVE BREATHING EQUIPMENT DETAILED INSPECTION						Service ATA:35
	MOS	26-Apr-25	12 (+1m/-1m)					
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
								PKG:174
PROC. REF: AMM 35-30-00PROC. REF: AMM 35-30-00								
35-30-00-2201	^S	PORTABLE OXYGEN BOTTLE (WITH EROS) DETAILED INSPECTION						Service ATA:35
	MOS	26-Apr-25	12 (+1m/-1m)					
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
								PKG:174
PROC. REF: AMM 35-30-00PROC. REF: AMM 35-30-00								
35-30-00-9600		ESSEX PB&R COOPERATION PROTECTIVE BREATHING EQUIPMENT						Component ATA:35
PN:MR-10051N	MOS	23-May-18	120		31-Jul-28 (M)		1192 d	DISCARD
SN:E1707468	HRS	5576:29						
	AFL	5208						
	APH							
Manufacture Date:: 21-Feb-18								
PROC. REF: AMM 35-30-00PROC. REF: AMM 35-30-00								
350002		AFT OXYGEN PRESSURE GAUGE						Component ATA:35
PN:C668512-0101	MOS/MSC	01-Feb-08	O/C					
SN:J0710850	HRS	0		TSN 0				
WC#: 35.070	AFL	0		TSN 0				
PROC. REF: AMM 35-00-35PROC. REF: AMM 35-00-35								
350002		FORWARD OXYGEN PRESSURE GAUGE						Component ATA:35
PN:C668512-0101	MOS/MSC	01-Feb-08	O/C					
SN:J0710846	HRS	0		TSN 0				
WC#: 35.070	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PROC. REF: AMM 35-00-35PROC. REF: AMM 35-00-35								
350002	LEFT INSIDE OXYGEN PRESSURE GAUGE							Component ATA:35
PN:C668512-0101	MOS/MSC	01-Feb-08	O/C					
SN:J0710156	HRS	0		TSN 0				
WC#: 35.080	AFL	0		TSN 0				
PROC. REF: AMM 35-00-35PROC. REF: AMM 35-00-35								
350002	RIGHT INSIDE OXYGEN PRESSURE GAUGE							Component ATA:35
PN:C668512-0101	MOS/MSC	01-Feb-08	O/C					
SN:J0710158	HRS	0		TSN 0				
WC#: 35.080	AFL	0		TSN 0				
PROC. REF: AMM 35-00-35PROC. REF: AMM 35-00-35								
350003	COPILOT OXYGEN MASK							Component ATA:35
PN:MLD20-505	MOS/MSC	12-Dec-24	O/C	TSO 0				
SN:11815	HRS	9226:16		TSO 0				
WC#: 35.030	AFL	7930						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
350003	PILOT OXYGEN MASK							Component ATA:35
PN:MLD20-505	MOS/MSC	15-Mar-24	O/C	TSO 0				
SN:116142	HRS	8767:48		TSO 0				
WC#: 35.030	AFL	7616						
	APH							
	APS							
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
350004	CABIN PRESSURE CONTROL VALVE							Component ATA:35
PN:P21006	MOS/MSC	01-Feb-08	O/C					
SN:2747	HRS	0		TSN 0				
WC#: 35.090	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
350005	CHARGE VALVE							Component ATA:35
PN:P21010	MOS/MSC	01-Feb-08	O/C					
SN:4040	HRS	0		TSN 0				
WC#: 35.100	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
350005	EXTERNAL CHARGE VALVE							Component ATA:35
PN:P21010	MOS/MSC	01-Feb-08	O/C					
SN:4259	HRS	0		TSN 0				
WC#: 35.100	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
350006	NO. 1 OXYGEN REGULATOR							Component ATA:35
PN:P21087-1	MOS/MSC	26-Apr-21	O/C	TSO 3				
SN:C16050939	HRS	7171:58						
WC#: 35.110	AFL	6455						
PROC. REF: AMM 35-00-10PROC. REF: AMM 35-00-10								
353001	EMERGENCY OXYGEN BOTTLE							Component ATA:35
PN:5500M6W-FF23AN	MOS/MSC	01-Jul-22	O/C	TSO 3				
SN:ST353899	HRS	7711:58		TSO 0				
WC#: 35.120	AFL	6829						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
35FO-01	EXTENDED RANGE OXY SYSTEM FACTORY OPTION							Component ATA:35
PN:66K	MOS/MSC	01-Feb-08	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
ATA 36 - PNEUMATIC								
36-10-00-2200 ^S	AUXILIARY POWER UNIT BLEED AIR CHECK VALVE DETAILED INSPECTION							Service ATA:36
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						

PKG:187

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
PROC. REF: AMM 36-10-00PROC. REF: AMM 36-10-00								
36-10-00-7200 ^S	PNEUMATIC DISTRIBUTION SYSTEM FUNCTIONAL CHECK							Service ATA:36
	MOS	17-Nov-21						
	HRS	7624:17	2400 (+25/-25)					
	AFL	6763						
								PKG:193
PROC. REF: AMM 36-10-00PROC. REF: AMM 36-10-00								
360001	LEFT ENGINE LOW PRESSURE BLEED AIR CHECK VALVE							Component ATA:36
PN:4011-18	MOS/MSC	01-Feb-08	O/C					
SN:0480	HRS	0		TSN 0				
WC#: 36.010	AFL	0		TSN 0				
PROC. REF: AMM 36-10-00PROC. REF: AMM 36-10-00								
360001	RIGHT ENGINE LOW PRESSURE BLEED AIR CHECK VALVE							Component ATA:36
PN:4011-18	MOS/MSC	01-Feb-08	O/C					
SN:0459	HRS	0		TSN 0				
WC#: 36.010	AFL	0		TSN 0				
PROC. REF: AMM 36-10-00PROC. REF: AMM 36-10-00								
360004	LEFT RAM DOOR ACTUATOR							Component ATA:36
PN:1E50-3	MOS/MSC	28-Nov-09	O/C					
SN:8BB76	HRS	955		TSO 0				
WC#: 36.020	AFL							
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
360004	RIGHT RAM DOOR ACTUATOR							Component ATA:36
PN:1E50-3	MOS/MSC	01-Feb-08	O/C					
SN:9BC98	HRS	0		TSN 0				
WC#: 36.020	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
360008	CENTER APU VALVE							Component ATA:36
PN:8C210	MOS/MSC	01-Feb-08	O/C					
SN:6766	HRS	0		TSN 0				
WC#: 36.030	AFL	0		TSN 0				
PROC. REF: AMM 36-10-00PROC. REF: AMM 36-10-00								
360008	LEFT VALVE							Component ATA:36
PN:8C210	MOS/MSC	01-Feb-08	O/C					
SN:6763	HRS	0		TSN 0				
WC#: 36.040	AFL	0		TSN 0				
PROC. REF: AMM 36-10-00PROC. REF: AMM 36-10-00								
360008	RIGHT VALVE							Component ATA:36
PN:8C210	MOS/MSC	01-Feb-08	O/C					
SN:6719	HRS	0		TSN 0				
WC#: 36.040	AFL	0		TSN 0				
PROC. REF: AMM 36-10-00PROC. REF: AMM 36-10-00								
360009	SERVICE AIR VALVE							Component ATA:36
PN:38E109-15	MOS/MSC	01-Feb-08	O/C					
SN:N073514	HRS	0		TSN 0				
WC#: 36.050	AFL	0		TSN 0				
PROC. REF: AMM 36-10-10PROC. REF: AMM 36-10-10								
360012	LEFT INBOARD HP BLEED REGULATOR VALVE							Component ATA:36
PN:5909-00-04	MOS/MSC	07-Dec-21	O/C					
SN:D0540	HRS	7654:01						
WC#: 36.060	AFL	6789						
PROC. REF: AMM 36-10-00PROC. REF: AMM 36-10-00								
360012	LEFT OUTBOARD HP BLEED REGULATOR VALVE							Component ATA:36
PN:5909-00-04	MOS/MSC	08-Nov-23	O/C	TSO 0				
SN:D0534	HRS	8609:40		TSO 0				
WC#: 36.060	AFL	7484						
PROC. REF: AMM 36-10-00PROC. REF: AMM 36-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
360012	RIGHT INBOARD HP BLEED REGULATOR VALVE							Component ATA:36
PN:C144873-2	MOS/MSC	01-Feb-08	O/C					
SN:2428	HRS	0		TSN 0				
WC#: 36.070	AFL	0		TSN 0				
PROC. REF: AMM 36-10-00PROC. REF: AMM 36-10-00								
360012	RIGHT OUTBOARD HP BLEED REGULATOR VALVE							Component ATA:36
PN:C144873-2	MOS/MSC	24-Dec-18	O/C	TSO 0				
SN:1670	HRS	5989:30		TSO 0				
WC#: 36.070	AFL	5549						
PROC. REF: AMM 36-10-00PROC. REF: AMM 36-10-00								
360013	CENTER ENGINE BLEED SHUTOFF VALVE							Component ATA:36
PN:2602-68	MOS/MSC	22-Nov-18	O/C	TSO 0				
SN:0234C	HRS	5955:39		TSO 0				
WC#: 36.080	AFL	5506						
PROC. REF: AMM 36-10-00PROC. REF: AMM 36-10-00								
360013	LEFT ENGINE BLEED SHUTOFF VALVE							Component ATA:36
PN:2602-33	MOS/MSC	01-Feb-08	O/C					
SN:1891	HRS	0		TSN 0				
WC#: 36.090	AFL	0		TSN 0				
PROC. REF: AMM 36-10-00PROC. REF: AMM 36-10-00								
360013	RIGHT ENGINE BLEED SHUTOFF VALVE							Component ATA:36
PN:2602-33	MOS/MSC	01-Feb-08	O/C					
SN:1887	HRS	0		TSN 0				
WC#: 36.090	AFL	0		TSN 0				
PROC. REF: AMM 36-10-00PROC. REF: AMM 36-10-00								
361000	SOLENOID ENGINE VALVE							Component ATA:36
PN:5035-00-1	MOS/MSC	01-Feb-08	O/C					
SN:1313	HRS	0		TSN 0				
WC#: 36.100	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
361102	LEFT BLEED AIR OVERHEAT TEMPERATURE SENSOR							Component ATA:36
PN:1E51-1	MOS/MSC	01-Feb-08	O/C					
SN:2BC100	HRS	0		TSN 0				
WC#: 36.110	AFL	0		TSN 0				
PROC. REF: AMM 36-10-00PROC. REF: AMM 36-10-00								
361102	RIGHT BLEED AIR OVERHEAT TEMPERATURE SENSOR							Component ATA:36
PN:1E51-1	MOS/MSC	01-Feb-08	O/C					
SN:3BB93	HRS	0		TSN 0				
WC#: 36.110	AFL	0		TSN 0				
PROC. REF: AMM 36-10-00PROC. REF: AMM 36-10-00								
361103	LEFT PRE-COOLER TEMPERATURE CONTROL SENSOR							Component ATA:36
PN:1E51-1	MOS/MSC	01-Feb-08	O/C					
SN:9BC436	HRS	0		TSN 0				
WC#: 36.120	AFL	0		TSN 0				
PROC. REF: AMM 36-10-00PROC. REF: AMM 36-10-00								
361103	RIGHT PRE-COOLER TEMPERATURE CONTROL SENSOR							Component ATA:36
PN:1E51-1	MOS/MSC	01-Feb-08	O/C					
SN:10BB522	HRS	0		TSN 0				
WC#: 36.120	AFL	0		TSN 0				
PROC. REF: AMM 36-10-00PROC. REF: AMM 36-10-00								
ATA 37 - VACUUM								
370001	VACUUM CHECK VALVE							Component ATA:37
PN:130158-1	MOS/MSC	01-Feb-08	O/C					
SN:674487	HRS	0		TSN 0				
WC#: 37.010	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 38 - WATER/WASTE								
38-30-00-2100 ^S	WASTE DISPOSAL SYSTEM GENERAL VISUAL INSPECTION							Service ATA:38
	MOS	26-Apr-25	12 (+1m/-1m)					
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
PROC. REF: AMM 38-30-00PROC. REF: AMM 38-30-00								PKG:174
ATA 45 - CENTRAL MAINT SYSTEM								
B454000 ^U	CHECK "ENGINE DISPATCH LIMIT" MESSAGE FOR THE DETERMINATION OF DISPATCH LIMITATIONS ASSOCIATED WITH AN EICAS ANNUNCIATION							Service ATA:45
	MOS/MSC	16-Aug-23	A/R					AIRWORTHINESS
	HRS	8439:57						
	AFL	7362						
								PKG:89
ATA 49 - AIRBORNE AUXILIARY POWER								
49-00-00-2100	AUXILIARY POWER UNIT GENERAL VISUAL INSPECTION							Service ATA:49
	MOS	26-Apr-25	24 (+1m/-1m)	Adj -7d	30-Apr-27	31-May-27	734 d (+31)	
	HRS	9344:01						
WC#: 49.010	AFL	8035						
	APH	3628	900		4528		900	
	APS							
PROC. REF: AMM 49-00-00PROC. REF: AMM 49-00-00								
49-80-00-2200 ^S	AUXILIARY POWER UNIT EXHAUST SYSTEM DETAILED INSPECTION							Service ATA:49
	MOS	04-May-20	72 (+1m/-1m)					
	HRS	6659:50						
	AFL	6099						
PROC. REF: AMM 49-80-00PROC. REF: AMM 49-80-00								PKG:180

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
490001	APU - APU FLOW CONTROL SHUTOFF VALVE							Component ATA:49
PN:1413-7	MOS/MSC	01-Feb-08	O/C					
SN:0476301A	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
490002	APU - APU FIRE DETECTION ELEMENT							Component ATA:49
PN:3001-212-1004/455-9	MOS/MSC	01-Feb-08	O/C					
SN:208117	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
490003	APU - APU ELECTRONIC CONTROL UNIT							Component ATA:49
PN:2119552-4	MOS/MSC	18-Apr-16	O/C	TSO 0				
SN:78-L0387	HRS	1675		TSO 0				
	APUS	4721						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
490004	APU - APU INDICATOR							Component ATA:49
PN:MD680-4	MOS/MSC	01-Feb-08	O/C					
SN:E0710240	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
490005	APU - APU AMMETER							Component ATA:49
PN:MD144-5	MOS/MSC	01-Feb-08	O/C					
SN:C0711004	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
490006	APU - APU IGNITION EXCITER							Component ATA:49
PN:3888000-7	MOS/MSC	01-Feb-08	O/C					
SN:070218079967	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
490007	APU - APU PUMP ASSEMBLY							Component ATA:49
PN:3881825-1	MOS/MSC	01-Feb-08	O/C					
SN:P1278	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: MM 49-90-06PROC. REF: MM 49-90-06								
490008	APU - APU FUEL CONTROL							Component ATA:49
PN:3883900-1	MOS/MSC	01-Feb-08	O/C					
SN:0601193	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: MM 49-30-04PROC. REF: MM 49-30-04								
490009	APU - APU OIL TEMP SENSOR							Component ATA:49
PN:102-00002	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
490010	APU - COMPRESSOR ROTOR							Component ATA:49
PN:3822523-003	MOS	01-Feb-08						LIFE LIMIT
SN:070350104750	HRS	0						
	APUS	0	36000	TSN 0	36000		26932	
PROC. REF: AMM 49-00-00PROC. REF: AMM 49-00-00								
490011	APU - TURBINE ROTOR							Component ATA:49
PN:3842340-2	MOS	01-Feb-08						LIFE LIMIT
SN:070134508493	HRS	0						
	APUS	0	12000	TSN 0	12000		2932	
PROC. REF: AMM 49-00-00PROC. REF: AMM 49-00-00								
490012	APU - IGNITER PLUG							Component ATA:49
PN:304634-2	MOS/MSC	12-Jul-19	O/C	TSN 0				
SN:NSN	HRS	2482		TSN 0				
	APUS	6549						
PROC. REF: MM 49-40-02PROC. REF: MM 49-40-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
490013	APU - APU LOW OIL LEVEL SWITCH							Component ATA:49
PN:3876318-2	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: MM 49-90-05PROC. REF: MM 49-90-05								
490014	APU - APU LOW OIL PRESSURE SWITCH							Component ATA:49
PN:3876351-1	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: MM 49-90-03PROC. REF: MM 49-90-03								
490016	APU - APU HOURMETER							Component ATA:49
PN:C664503-0104	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
490017	APU - FLOW DIVIDER							Component ATA:49
PN:3883921-2	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: MM 49-30-06PROC. REF: MM 49-30-06								
490019	APU - REMOVE IGNITER PLUG CLEAN, EXAMINE AND INSTALL							Service ATA:49
PN:304634-2	MOS	26-Apr-25	24 (+1m)		30-Apr-27	31-May-27	734 d (+31)	
SN:NSN	HRS	3628	900 (+45)		4528	4573	900 (+45)	
	APUS	9068						
PROC. REF: MM 49-40-02PROC. REF: MM 49-40-02								
499010	APU - INSPECT MAGNETIC CHIP DETECTOR							Service ATA:49
	MOS	26-Apr-25	12 (+1m)		30-Apr-26	31-May-26	369 d (+31)	
	HRS	3628	450 (+45)		4078	4123	450 (+45)	
	APUS	9068						
PROC. REF: MM 49-20-00, AMM 49-00-00PROC. REF: MM 49-20-00, AMM 49-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
499030	APU - DRAIN AND DISCARD APU OIL							Service ATA:49
	MOS	26-Apr-25	24 (+1m)	Adj -7d	30-Apr-27	31-May-27	734 d (+31)	
	HRS	3628	900 (+45)		4528	4573	900 (+45)	
	APUS	9068						
PROC. REF: MM 49-20-00, AMM 12-14-00, AMM 12-20-20PROC. REF: MM 49-20-00, AMM 12-14-00, AMM 12-20-20								
499040	APU - OIL AND FILTER SERVICING							Service ATA:49
	MOS	26-Apr-25	24 (+1m)	Adj -7d	30-Apr-27	31-May-27	734 d (+31)	
	HRS	3628	900 (+45)		4528	4573	900 (+45)	
	APUS	9068						
PROC. REF: MM 49-90-04, AMM 12-20-20PROC. REF: MM 49-90-04, AMM 12-20-20								
499050	APU - REMOVE AND REPLACE FUEL FILTER ELEMENT							Service ATA:49
	MOS	26-Apr-25	24 (+1m)		30-Apr-27	31-May-27	734 d (+31)	
	HRS	3628	900 (+45)		4528	4573	900 (+45)	
	APUS	9068						
PROC. REF: MM 49-30-03, AMM 49-00-00PROC. REF: MM 49-30-03, AMM 49-00-00								
499110	APU - SOAP CHECK OIL							Service ATA:49
	MOS/MSC	26-Apr-25	O/C					
	HRS	3628						
	APUS	9068						
PROC. REF: SIL SIL NO. APU-49PROC. REF: SIL SIL NO. APU-49								
49APU1	APU							Component ATA:49
PN:3800785-1	MOS/MSC	01-Feb-08	E/C	TSN 0				
SN:P-353	HRS	0		TSN 0				
WC#: 49.APU1	AFL	0		TSN 0				
PROC. REF: AMM 49-10-00PROC. REF: AMM 49-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 51 - STD PRACTICES AND STRUCT-GENRL								
513010 ^U	PERFORM ACF-50 TREATMENT IAW. STANDARD PRACTICES MANUAL CHAPTER 51-30-10							Service ATA:51
	MOS/MSC	26-Apr-25	A/R					CPCP
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
ATA 52 - DOORS								
52-10-00-2100 ^S	CABIN DOOR SEALS GENERAL VISUAL INSPECTION							Service ATA:52
	MOS	26-Apr-25	12 (+1m/-1m)					
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
PROC. REF: AMM 52-10-00PROC. REF: AMM 52-10-00								PKG:174
52-10-00-2200 ^S	CABIN DOOR DETAILED INSPECTION							Service ATA:52
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 52-10-00PROC. REF: AMM 52-10-00								PKG:187
52-10-00-2201 ^S	CABIN DOOR INTERNAL STRUCTURE DETAILED INSPECTION							Service ATA:52
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 52-10-00PROC. REF: AMM 52-10-00								PKG:187

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-10-00-2202 ^S	CABIN DOOR EXTERNAL STRUCTURE DETAILED INSPECTION							Service ATA:52
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 52-10-00PROC. REF: AMM 52-10-00								PKG:187
52-10-00-7200 ^S	CABIN DOOR SOLENOID FUNCTIONAL CHECK							Service ATA:52
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 52-10-00PROC. REF: AMM 52-10-00								PKG:187
52-20-00-2200 ^S	EMERGENCY EXIT DOOR INTERNAL STRUCTURE DETAIL INSPECTION							Service ATA:52
	MOS	04-May-20	144 (+1m/-1m)					
	HRS	6659:50						
	AFL	6099						
PROC. REF: AMM 52-20-00PROC. REF: AMM 52-20-00								PKG:186
52-20-00-2201 ^S	EMERGENCY EXIT DOOR DETAILED INSPECTION							Service ATA:52
	MOS	04-Nov-22	36 (+1m/-1m)					
	HRS	8046:12						
	AFL	7047						
PROC. REF: AMM 52-20-00PROC. REF: AMM 52-20-00								PKG:175
52-20-00-2202 ^S	EMERGENCY EXIT DOOR EXTERNAL STRUCTURE DETAILED INSPECTION							Service ATA:52
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 52-20-00PROC. REF: AMM 52-20-00								PKG:187

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-20-00-7100	^S	EMERGENCY EXIT DOOR OPERATIONAL CHECK						Service ATA:52
	MOS	26-Apr-25	12 (+1m/-1m)					
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
PROC. REF: AMM 52-20-00PROC. REF: AMM 52-20-00								PKG:174
52-30-00-2100	^S	TAILCONE BAGGAGE DOOR SEAL GENERAL VISUAL INSPECTION						Service ATA:52
	MOS	26-Apr-25	12 (+1m/-1m)					
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
PROC. REF: AMM 52-30-00PROC. REF: AMM 52-30-00								PKG:174
52-80-00-2100	^S	NOSE AND MAIN LANDING GEAR DOORS AND COMPONENTS GENERAL VISUAL INSPECTION						Service ATA:52
	MOS	17-Nov-21						
	HRS	7624:17	2400 (+25/-25)					
	AFL	6763						
PROC. REF: AMM 52-80-00PROC. REF: AMM 52-80-00								PKG:193
52-80-00-2101	^S	LANDING GEAR DOORS EXTERNAL ZONAL GENERAL VISUAL INSPECTION						Service ATA:52
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 52-80-00PROC. REF: AMM 52-80-00								PKG:187
520001		LOWER AFT ACOUSTIC DOOR SEAL						Component ATA:52
PN:9678-2	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0		TSN 0				
WC#: 52.010	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
PROC. REF: AMM 52-10-10PROC. REF: AMM 52-10-10								
520001	LOWER FORWARD ACOUSTIC DOOR SEAL							Component ATA:52
PN:9678-2	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0		TSN 0				
WC#: 52.020	AFL	0		TSN 0				
PROC. REF: AMM 52-10-10PROC. REF: AMM 52-10-10								
520001	TOP ACOUSTIC DOOR SEAL							Component ATA:52
PN:9678-1	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0		TSN 0				
WC#: 52.030	AFL	0		TSN 0				
PROC. REF: AMM 52-10-10PROC. REF: AMM 52-10-10								
520003	LEFT INTERFACE CARD SENSOR							Component ATA:52
PN:80-060-01	MOS/MSC	01-Feb-08	O/C					
SN:A305	HRS	0		TSN 0				
WC#: 52.040	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
520005	ESCAPE HATCH SEAL							Component ATA:52
PN:G04046-4	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0		TSN 0				
WC#: 52.050	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
525001	CABIN DOOR SEAL							Component ATA:52
PN:CG040443	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0		TSN 0				
WC#: 52.060	AFL	0		TSN 0				
PROC. REF: AMM 52-10-10PROC. REF: AMM 52-10-10								
ATA 53 - FUSELAGE								
53-00-00-2100 ^S	FUSELAGE AND OVERWING FAIRING INTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	01-Jul-22	48 (+1m/-1m)					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								PKG:187
53-00-00-2101 ^S FAIRING EXTERNAL ZONAL GENERAL VISUAL INSPECTION Service ATA:53								
	MOS	04-May-20	72 (+1m/-1m)					
	HRS	6659:50						
	AFL	6099						
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								PKG:180
53-00-00-2102 ^S FUSELAGE EXTERNAL ZONAL GENERAL VISUAL INSPECTION Service ATA:53								
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								PKG:187
53-00-00-2103 ^S PRESSURE VESSEL SKINS AND SPLICES INSPECTION Service ATA:53								
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:25000 (+25/-25)					
WC#: 53.010	AFL	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								PKG:213
53-00-00-2200 ^S FAIRING EXTERNAL L/HIRF DETAILED INSPECTION Service ATA:53								
	MOS	04-May-20	72 (+1m/-1m)					
	HRS	6659:50						
	AFL	6099						
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								PKG:180

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-00-00-2201 ^S	AVIONICS COMPONENTS L/HIRF DETAILED INSPECTION							Service ATA:53
	MOS	04-May-20	72 (+1m/-1m)					
	HRS	6659:50						
	AFL	6099						
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								PKG:180
53-00-00-2203 ^S	GROUND PATH TO MODULAR AVIONICS UNIT (MAU) 1 AND 2 INSTALLATION L/HIRF DETAILED INSPECTION (AIRPLANES -0001 THRU -0500)							Service ATA:53
	MOS	04-May-20	72 (+1m/-1m)					
	HRS	6659:50						
	AFL	6099						
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								PKG:180
53-00-00-2204 ^S	OVERWING FAIRING INTERNAL L/HIRF DETAILED INSPECTION							Service ATA:53
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								PKG:187
53-00-00-2205 ^S	FUSELAGE FAIRING TO FUSELAGE SKIN JOINT DETAILED INSPECTION							Service ATA:53
	MOS	26-Apr-25	12					
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								PKG:174

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-00-2100 ^S	NOSE LANDING GEAR WHEEL WELL EXTERNAL STRUCTURAL AND CORROSION DETAILED INSPECTION							Service ATA:53
	MOS	26-Apr-25	6 (+1m/-1m)					CPCP
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								PKG:182
53-10-00-2101 ^S	NOSE SECTION INTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	04-May-20	72 (+1m/-1m)					
	HRS	6659:50						
	AFL	6099						
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								PKG:180
53-10-00-2102 ^S	NOSE LANDING GEAR ACTUATOR HOUSING AND ATTACH FITTING STRUCTURAL AND CORROSION GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	26-Apr-25	12 (+1m/-1m)					CPCP
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								PKG:174
53-10-00-2103 ^S	WIRING AND ELECTRICAL COMPONENTS STANDALONE EZAP GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	04-May-20	72 (+1m/-1m)					
	HRS	6659:50						
	AFL	6099						
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								PKG:180

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-00-2200 ^S	NOSE STRUCTURE AND NOSE WHEEL WELL INTERNAL DETAILED INSPECTION							Service ATA:53
	MOS	15-Mar-24	96 (+1m/-1m)					
	HRS	8767:48						
	AFL	7616						
	APH							
	APS							
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								PKG:183
53-10-00-2500 ^S	FORWARD PRESSURE BULKHEAD EDDY CURRENT INSPECTION							Service ATA:53
	MOS	17-Nov-21						
	HRS	7624:17	2400 (+25/-25)					
	AFL	6763						
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								PKG:73
53-10-00-7200 ^S	DIVERTER STRIPS L/HIRF FUNCTIONAL CHECK							Service ATA:53
	MOS	27-Oct-23	24 (+1m/-1m)					
	HRS	8589:45						
	AFL	7472						
	APH							
	APS							
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								PKG:190
53-10-00-9600	LEFT NOSE LANDING GEAR TRUNNION ATTACH SUPPORT ASSEMBLY DISCARD							Service ATA:53
PN:6713052-13	MOS	01-Feb-08		TAC 0				LIFE LIMIT
SN:680-185-1	HRS	0		TAC 0				
	AFL	0	20000 (+25/-25)	TAC 0	20000	20025	11965 (+25)	
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								
53-10-00-9600	RIGHT NOSE LANDING GEAR TRUNNION ATTACH SUPPORT ASSEMBLY DISCARD							Service ATA:53
PN:6713052-13	MOS	01-Feb-08		TAC 0				LIFE LIMIT
SN:680-185-2	HRS	0		TAC 0				
	AFL	0	20000 (+25/-25)	TAC 0	20000	20025	11965 (+25)	
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-00-9601	NOSE LANDING GEAR ACTUATOR FITTING ASSEMBLY DISCARD							Service ATA:53
PN:6711060-49	MOS	01-Feb-08		TAC 0				LIFE LIMIT
SN:NSN	HRS	0		TAC 0				
	AFL	0	20000 (+25/-25)	TAC 0	20000	20025	11965 (+25)	
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								
53-20-00-2100 ^S	LOWER COCKPIT INTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	04-May-20	72 (+1m/-1m)					
	HRS	6659:50						
	AFL	6099						
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00								
53-20-00-2101 ^S	COCKPIT CONTROL PANEL AND UPPER COCKPIT INTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	15-Mar-24	96 (+1m/-1m)					
	HRS	8767:48						
	AFL	7616						
	APH							
	APS							
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00								
53-20-00-2102 ^S	ZONE 233, 234, 235, 238, 239 245 AND 246 WIRING AND ELECTRICAL COMPONENTS STANDALONE EZAP GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	15-Mar-24	96 (+1m/-1m)					
	HRS	8767:48						
	AFL	7616						
	APH							
	APS							
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00								
53-20-00-2200 ^S	FORWARD PRESSURE BULKHEAD DETAILED INSPECTION							Service ATA:53
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PKG:187								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00								
53-20-00-2201	^S	COCKPIT INTERNAL L/HIRF DETAILED INSPECTION (AIRPLANES -0001 THRU -0501)						Service ATA:53
	MOS	15-Mar-24	96 (+1m/-1m)					
	HRS	8767:48						
	AFL	7616						
	APH							
	APS							
								PKG:183
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00								
53-30-00-2100	^S	COCKPIT LOWER SKIN STRUCTURAL AND CORROSION GENERAL VISUAL INSPECTION						Service ATA:53
	MOS	01-Jul-22	48 (+1m/-1m)					CPCP
	HRS	7711:58						
	AFL	6829						
								PKG:187
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00								
53-30-00-2102	^S	CABIN INTERNAL ZONAL GENERAL VISUAL INSPECTION						Service ATA:53
	MOS	04-May-20	144 (+1m/-1m)					
	HRS	6659:50						
	AFL	6099						
								PKG:186
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00								
53-30-00-2103	^S	ZONE 173 AND 174 BLEED LEAK DETECT LOOP STANDALONE EZAP GERERAL VISUAL INSPECTION						Service ATA:53
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
								PKG:187
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-30-00-2200 ^S	COCKPIT STRUCTURE BELOW STRINGER 13 INTERNAL DETAILED INSPECTION							Service ATA:53
	MOS	15-Mar-24	96 (+1m/-1m)					
	HRS	8767:48						
	AFL	7616						
	APH							
	APS							
								PKG:183
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00								
53-30-00-2201 ^S	AFT CABIN STRUCTURE BELOW STRINGER 13 (LAVATORY AREA) DETAILED INSPECTION							Service ATA:53
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
								PKG:187
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00								
53-30-00-2500 ^S	FUSELAGE EXTERNAL SURFACE (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service ATA:53
	MOS	26-Apr-21						
	HRS	7171:58	7200 (+25/-25)					
	AFL	6455						
								PKG:221
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00								
53-30-00-2501	CABIN ENTRY DOOR SUPPORT STRUCTURE LINTEL INSPECTION							Service ATA:53
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:14650 (+25/-25)	14650	14675	5305:59 (+25)		
WC#: 53.070	AFL	0						
								PKG:202,215
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00								
53-30-00-2502	EXAMINE CABIN ENTRY DOOR SUPPORT STRUCTURE THRESHOLD							Service ATA:53
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:13400 (+25/-25)	13400	13425	4055:59 (+25)		
WC#: 53.080	AFL	0						
								PKG:197,206
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-30-00-2503	CABIN ENTRY DOOR SUPPORT STRUCTURE SKINS INSPECTION							Service ATA:53
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:13700 (+25/-25)		13700	13725	4355:59 (+25)	
WC#: 53.090	AFL	0						
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00								PKG:194,199
53-40-00-2100 ^S	ZONE 313 AND 314 WIRING AND ELECTRICAL COMPONENTS STANDALONE EZAP GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	04-May-20	72 (+1m/-1m)					
	HRS	6659:50						
	AFL	6099						
PROC. REF: AMM 53-40-00PROC. REF: AMM 53-40-00								PKG:180
53-40-00-2500 ^S	AFT PRESSURE BULKHEAD EDDY CURRENT INSPECTION							Service ATA:53
	MOS	17-Nov-21						
	HRS	7624:17	2400 (+25/-25)					
	AFL	6763						
PROC. REF: AMM 53-40-00PROC. REF: AMM 53-40-00								PKG:73
53-50-00-2100 ^S	FORWARD TAILCONE INTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	04-May-20	72 (+1m/-1m)					
	HRS	6659:50						
	AFL	6099						
PROC. REF: AMM 53-50-00PROC. REF: AMM 53-50-00								PKG:180
53-50-00-2101 ^S	STINGER INTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	27-Oct-23	24 (+1m/-1m)					
	HRS	8589:45						
	AFL	7472						
	APH							
	APS							
PROC. REF: AMM 53-50-00PROC. REF: AMM 53-50-00								PKG:190

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-50-00-2102	^S	TAILCONE EXTERNAL ZONAL GENERAL VISUAL INSPECTION						Service ATA:53
	MOS	15-Mar-24	96 (+1m/-1m)					
	HRS	8767:48						
	AFL	7616						
	APH							
	APS							
								PKG:183
PROC. REF: AMM 53-50-00PROC. REF: AMM 53-50-00								
53-50-00-2103	^S	AFT TAILCONE INTERNAL ZONAL GENERAL VISUAL INSPECTION						Service ATA:53
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
								PKG:187
PROC. REF: AMM 53-50-00PROC. REF: AMM 53-50-00								
53-50-00-2104	^S	ZONE 321 AND 322 WIRING AND ELECTRICAL COMPONENTS STANDALONE EZAP GENERAL VISUAL INSPECTION						Service ATA:53
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
								PKG:187
PROC. REF: AMM 53-50-00PROC. REF: AMM 53-50-00								
53-50-00-2105	^S	TAILCONE SKINS AND SPLICES INSPECTION						Service ATA:53
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:14200 (+25/-25)					
WC#: 53.020	AFL	0						
								PKG:0,201
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
53-50-00-2200	^S	AUXILIARY POWER UNIT (APU) INLET SCREEN ASSEMBLY DETAILED INSPECTION						Service ATA:53
	MOS	04-May-20	72 (+1m/-1m)					
	HRS	6659:50						
	AFL	6099						
								PKG:180
PROC. REF: AMM 53-50-00PROC. REF: AMM 53-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-50-00-2201 ^S	CONTINUOUS FIRE DETECTION CONTROLLER AND AILERON SERVO L/HIRF DETAILED INSPECTION							Service ATA:53
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 53-50-00PROC. REF: AMM 53-50-00								PKG:187
53-50-00-2202 ^S	FORWARD TAILCONE INTERNAL L/HIRF DETAILED INSPECTION							Service ATA:53
	MOS	04-May-20	72 (+1m/-1m)					
	HRS	6659:50						
	AFL	6099						
PROC. REF: AMM 53-50-00PROC. REF: AMM 53-50-00								PKG:180
53-50-00-2204 ^S	275 AMPERE AUXILIARY POWER UNIT STARTER/GENERATOR L/HIRF DETAILED INSPECTION							Service ATA:53
	MOS	27-Oct-23	24 (+1m/-1m)					
	HRS	8589:45						
	AFL	7472						
	APH							
	APS							
PROC. REF: AMM 53-50-00PROC. REF: AMM 53-50-00								PKG:190
53-50-00-2205 ^S	AFT SIDE OF AFT CANTED BULKHEAD (BOREScope) SPECIAL DETAILED INSPECTION							Service ATA:53
	MOS	15-Mar-24	96 (+1m/-1m)					
	HRS	8767:48						
	AFL	7616						
	APH							
	APS							
PROC. REF: AMM 53-50-00PROC. REF: AMM 53-50-00								PKG:183

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-50-00-2500 ^S	TAILCONE VERTICAL FIN ATTACHMENT STRUCTURE EDDY CURRENT (SURFACE) OR (BOLT HOLE) INSPECTIION							Service ATA:53
	MOS	01-Feb-08		TAC 0				
	HRS	0	T:12900 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
								PKG:75,162
PROC. REF: AMM 53-50-00PROC. REF: AMM 53-50-00								
53-50-00-2501 ^S	TAILCONE HORIZONTAL STABILIZER TRIM ACTUATOR ATTACHMENT STRUCTURE EDDY CURRENT INSPECTION (SURFACE) OR (BOLT HOLE)							Service ATA:53
	MOS	01-Feb-08		TAC 0				AIRWORTHINESS
	HRS	0	T:13500 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
								PKG:81
PROC. REF: AMM 53-50-00PROC. REF: AMM 53-50-00								
53-50-00-2502 ^S	TAILCONE ENGINE SUPPORT ATTACHMENT FRAMES EDDY CURRENT INSPECTION (SURFACE) OR (BOLT HOLE)							Service ATA:53
	MOS	01-Feb-08		TAC 0				AIRWORTHINESS
	HRS	0	T:16200 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
								PKG:165
PROC. REF: AMM 53-50-00PROC. REF: AMM 53-50-00								
531001	LEFT NOSE LANDING GEAR TRUNNION ATTACH SUPPORT ASSEMBLY							Component ATA:53
PN:6713052-13	MOS/MSC	01-Feb-08	H/T					
SN:680-185-1	HRS	0						
WC#: 53.030	AFL	0		TSN 0				
	APH							
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
531001	RIGHT NOSE LANDING GEAR TRUNNION ATTACH SUPPORT ASSEMBLY							Component ATA:53
PN:6713052-13	MOS/MSC	01-Feb-08	H/T					
SN:680-185-2	HRS	0						
WC#: 53.030	AFL	0		TSN 0				
	APH							
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
531002	NOSE LANDING GEAR ACTUATOR FITTING ASSEMBLY							Component ATA:53
PN:6711060-49	MOS/MSC	01-Feb-08	H/T					
SN:NSN	HRS	0						
WC#: 53.040	AFL	0		TSN 0				
	APH							
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
531201	RADOME ASSEMBLY							Component ATA:53
PN:6713101-809	MOS/MSC	01-Feb-08	O/C	TSN 0				
SN:412	HRS	0		TSN 0				
WC#: 53.240	AFL	0		TSN 0				
PROC. REF: AMM 53-10-10PROC. REF: AMM 53-10-10								
ATA 54 - NACELLES/PYLONS								
54-50-00-2100 ^S	PYLON AND ENGINE INTENAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:54
	MOS	27-Oct-23	24 (+1m/-1m)					
	HRS	8589:45						
	AFL	7472						
	APH							
	APS							
								PKG:190
PROC. REF: AMM 54-50-00PROC. REF: AMM 54-50-00								
54-50-00-2101 ^S	PYLON AND COWLING EXTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:54
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
								PKG:187
PROC. REF: AMM 54-50-00PROC. REF: AMM 54-50-00								
54-50-00-2500 ^S	FORWARD ENGINE BEAM AT BEAM-TO-TAILCONE FRAME INTERFACES EDDY CURRENT INSPECTION (AIRPLANES -0001 THRU -0500)							Service ATA:54
	MOS	01-Feb-08					AIRWORTHINESS	
	HRS	0	T:15000 (+25/-25)					
	AFL	0						
								PKG:77,170
PROC. REF: AMM 54-50-00PROC. REF: AMM 54-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
54-50-00-2501 ^S	FORWARD ENGINE BEAM UPPER STRAP AT STRAP-TO-BEAM ANGLE INTERFACES EDDY CURRENT INSPECTION (AIRPLANES -0001 THRU -0500)							Service ATA:54
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:25000 (+25/-25)					
	AFL	0						
PROC. REF: AMM 54-50-00PROC. REF: AMM 54-50-00								PKG:170
54-50-00-2502 ^S	AFT ENGINE BEAM UPPER STRAP AT STRAP-TO-BEAM ANGLE INTERFACES EDDY CURRENT INSPECTION (AIRPLANES -0001 THRU -0500)							Service ATA:54
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:25000 (+25/-25)					
	AFL	0						
PROC. REF: AMM 54-50-00PROC. REF: AMM 54-50-00								PKG:213
54-50-00-2503 ^S	AFT ENGINE BEAM AT BEAM ANGLE-TO-TAILCONE FRAME INTERFACES EDDY CURRENT INSPECTION (AIRPLANES -0001 THRU -0500)							Service ATA:54
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:25000 (+25/-25)					
	AFL	0						
PROC. REF: AMM 54-50-00PROC. REF: AMM 54-50-00								PKG:213
54-50-00-2504 ^S	AFT ENGINE BEAM TAILCONE FRAMES AT FRAME-TO-BEAM ANGLE INTERFACES EDDY CURRENT INSPECTION (AIRPLANES -0001 THRU -0500)							Service ATA:54
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:25000 (+25/-25)					
	AFL	0						
PROC. REF: AMM 54-50-00PROC. REF: AMM 54-50-00								PKG:213
54-50-00-2505 ^S	FORWARD ENGINE BEAM TAILCONE FRAMES AT FRAME-TO-BEAM INTERFACES EDDY CURRENT INSPECTION							Service ATA:54
	MOS	01-Feb-08		TAC 0				AIRWORTHINESS
	HRS	0	T:12100 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
PROC. REF: AMM 54-50-00PROC. REF: AMM 54-50-00								PKG:87,164

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
54-50-00-2506 ^S	LEFT ENGINE FORWARD ENGINE BEAM AT BEAM TO BANANA MOUNT INTERFACES (FCM288 AND FCM336) EDDY CURRENT INSPECTION							Service ATA:54
	MOS	01-Feb-08		TAC 0				AIRWORTHINESS
	HRS	0	T:13550 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
								PKG:198,205
PROC. REF: AMM 54-50-00PROC. REF: AMM 54-50-00								
54-50-00-2506 ^S	RIGHT ENGINE FORWARD ENGINE BEAM AT BEAM TO BANANA MOUNT INTERFACES (FCM288 AND FCM336) EDDY CURRENT INSPECTION							Service ATA:54
	MOS	01-Feb-08		TAC 0				AIRWORTHINESS
	HRS	0	T:13550 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
								PKG:198,205
PROC. REF: AMM 54-50-00PROC. REF: AMM 54-50-00								
54-50-00-2507 ^S	AFT ENGINE MOUNTS AT MOUNT TO AFT ENGINE BEAM ANGLE INTERFACES (AMC4A) EDDY CURRENT INSPECTION (AIRPLANES -0001 THRU -0500)							Service ATA:54
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:25000 (+25/-25)					
	AFL	0						
								PKG:213
PROC. REF: AMM 54-50-00PROC. REF: AMM 54-50-00								
54-50-00-2508 ^S	LEFT FORWARD ENGINE BEAM ANGLE AT ANGLE-TO-UPPER STRAP INTERFACES INSPECTION (AIRPLANES -0001 THRU -0500)							Service ATA:54
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:25000 (+25/-25)					
WC#: 71.110	AFL	0						
								PKG:213
PROC. REF: AMM 54-50-00PROC. REF: AMM 54-50-00								
54-50-00-2508 ^S	RIGHT FORWARD ENGINE BEAM ANGLE AT ANGLE-TO-UPPER STRAP INTERFACES INSPECTION (AIRPLANES -0001 THRU -0500)							Service ATA:54
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:25000 (+25/-25)					
WC#: 71.115	AFL	0						
								PKG:213
PROC. REF: AMM 54-50-00PROC. REF: AMM 54-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
54-50-00-2509 ^S	LEFT AFT ENGINE BEAM ANGLE AT ANGLE-TO-UPPER STRAP INTERFACES INSPECTION (AIRPLANES -0001 THRU -0500)							Service ATA:54
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:25000 (+25/-25)					
WC#: 71.140	AFL	0						
								PKG:213
PROC. REF: AMM 54-50-00PROC. REF: AMM 54-50-00								
54-50-00-2509 ^S	RIGHT AFT ENGINE BEAM ANGLE AT ANGLE-TO-UPPER STRAP INTERFACES INSPECTION (AIRPLANES -0001 THRU -0500)							Service ATA:54
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:25000 (+25/-25)					
WC#: 71.145	AFL	0						
								PKG:213
PROC. REF: AMM 54-50-00PROC. REF: AMM 54-50-00								
54-50-00-2510 ^S	LEFT AFT ENGINE BEAM ANGLES AT BEAM ANGLE-TO-MOUNT INTERFACES INSPECTION (AIRPLANES -0001 THRU -0500)							Service ATA:54
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:25000 (+25/-25)					
WC#: 71.180	AFL	0						
								PKG:213
PROC. REF: AMM 54-50-00PROC. REF: AMM 54-50-00								
54-50-00-2510 ^S	RIGHT AFT ENGINE BEAM ANGLES AT BEAM ANGLE-TO-MOUNT INTERFACES INSPECTION (AIRPLANES -0001 THRU -0500)							Service ATA:54
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:25000 (+25/-25)					
WC#: 71.180	AFL	0						
								PKG:213
PROC. REF: AMM 54-50-00PROC. REF: AMM 54-50-00								
ATA 55 - STABILIZERS								
55-00-00-2100 ^S	EMPENNAGE EXTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:55
	MOS	15-Mar-24	96 (+1m/-1m)					
	HRS	8767:48						
	AFL	7616						
	APH							
	APS							
								PKG:183
PROC. REF: AMM 55-00-00PROC. REF: AMM 55-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-00-00-2101	^S	EMPENNAGE INTERNAL ZONAL GENERAL VISUAL INSPECTION						Service ATA:55
	MOS	15-Mar-24	96 (+1m/-1m)					
	HRS	8767:48						
	AFL	7616						
	APH							
	APS							
PROC. REF: AMM 55-00-00PROC. REF: AMM 55-00-00								PKG:183
55-00-00-2200	^S	EMPENNAGE EXTERNAL L/HIRF DETAILED INSPECTION						Service ATA:55
	MOS	15-Mar-24	96 (+1m/-1m)					
	HRS	8767:48						
	AFL	7616						
	APH							
	APS							
PROC. REF: AMM 55-00-00PROC. REF: AMM 55-00-00								PKG:183
55-10-00-2100	^S	HORIZONTAL STABILIZER INTERNAL ZONAL GENERAL VISUAL INSPECTION						Service ATA:55
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:187
55-10-00-2200	^S	HORIZONTAL STABILIZER INTERNAL STRUCTURE (BORESCOPE) SPECIAL DETAILED INSPECTION						Service ATA:55
	MOS	15-Mar-24	96 (+1m/-1m)					
	HRS	8767:48						
	AFL	7616						
	APH							
	APS							
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:183

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-10-00-2201 ^S	HORIZONTAL STABILIZER TRIM ACTUATOR (HSTA), ATTACH FITTINGS, ATTACHMENT BOLT AND SLEEVE INTERNAL DIAMETER DETAILED INSPECTION						Service	ATA:55
	MOS	01-Jul-22	48 (+1m/-1m)				CPCP	
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:187
55-10-00-2202 ^S	HORIZONTAL REAR SPAR, ELEVATOR COVE AND ATTACHMENTS EXTERNAL STRUCTURAL AND CORROSION DETAILED INSPECTION						Service	ATA:55
	MOS	26-Apr-25	6 (+1m/-1m)				CPCP	
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:182
55-10-00-2203 ^S	PRIMARY STABILIZER TRIM ACTUATOR L/HIRF DETAILED INSPECTION						Service	ATA:55
	MOS	15-Mar-24	96 (+1m/-1m)					
	HRS	8767:48						
	AFL	7616						
	APH							
	APS							
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:183
55-10-00-2204 ^S	SECONDARY STABILIZER TRIM ACTUATOR L/HIRF DETAILED INSPECTION						Service	ATA:55
	MOS	15-Mar-24	96 (+1m/-1m)					
	HRS	8767:48						
	AFL	7616						
	APH							
	APS							
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:183

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-10-00-2500 ^S	HORIZONTAL STABILIZER REAR SPAR UPPER CAP AREA (HSS 76.09) EDDY CURRENT INSPECTION (AIRPLANES -0001 THRU -0500)							Service ATA:55
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:25000 (+25/-25)					
	AFL	0						
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:222
55-10-00-2501 ^S	HORIZONTAL STABILIZER FRONT SPAR SPLICE FITTING (RBL 8.00 TO LBL 8.00) EDDY CURRENT INSPECTION (AIRPLANES -0001 THRU -0500)							Service ATA:55
	MOS	05-Aug-21						AIRWORTHINESS
	HRS	7427:43	7500 (+25/-25)					
	AFL	6624						
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:85
55-10-00-2502 ^S	HORIZONTAL STABILIZER REAR SPAR PIVOT FITTING (RBL 7.50 TO LBL 7.50) EDDY CURRENT INSPECTION (AIRPLANES -0001 THRU -0500)							Service ATA:55
	MOS	05-Aug-21						AIRWORTHINESS
	HRS	7427:43	7500 (+25/-25)					
	AFL	6624						
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:85,168
55-10-00-2503 ^S	HORIZONTAL STABILIZER FORWARD SPAR UPPER CAP SPLICE ATTACHMENT AREA (BL 8.20) INSPECTION (AIRPLANES -0001 THRU -0500)							Service ATA:55
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:25000 (+25/-25)					
WC#: 55.020	AFL	0						
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:213
55-10-00-2506 ^S	HORIZONTAL STABILIZER CENTER SPAR UPPER SPLICE STRAP ATTACHMENT AREA (BL 0.65) INSPECTION							Service ATA:55
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:15000 (+25/-25)	TAC 1				
WC#: 55.030	AFL	0						
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:77,200

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-20-00-2200 ^S	LEFT AND RIGHT ELEVATOR TORQUE TUBE DETAILED INSPECTION							Service ATA:55
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
								PKG:187
PROC. REF: AMM 55-20-00PROC. REF: AMM 55-20-00								
55-20-00-2201 ^S	SM-1000 ELEVATOR AUTO-PILOT SERVO L/HIRF DETAILED INSPECTION (AIRPLANES -0001 THRU -0501)							Service ATA:55
	MOS	15-Mar-24	96 (+1m/-1m)					
	HRS	8767:48						
	AFL	7616						
	APH							
	APS							
								PKG:183
PROC. REF: AMM 55-20-00PROC. REF: AMM 55-20-00								
55-30-00-2200 ^S	VERTICAL REAR SPAR (AFT SIDE), RUDDER COVE AND ATTACHMENTS STRUCTURAL AND CORROSION DETAILED INSPECTION							Service ATA:55
	MOS	26-Apr-25	6 (+1m/-1m)					CPCP
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
								PKG:182
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00								
55-30-00-2202 ^S	VERTICAL STABILIZER INTERNAL DETAILED INSPECTION							Service ATA:55
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
								PKG:187
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-30-00-2500 ^S	VERTICAL STABILIZER FRONT SPAR ATTACHMENT HOLES AREA (WL 147.00) EDDY CURRENT INSPECTION (AIRPLANES -0001 THRU -0500)							Service ATA:55
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:25000 (+25/-25)					
	AFL	0						
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00								PKG:213
55-40-00-2200 ^S	RUDDER HINGES AND HINGE CONNECTIONS EXTERNAL STRUCTURAL AND CORROSION DETAILED INSPECTION							Service ATA:55
	MOS	26-Apr-25	12 (+1m/-1m)					CPCP
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
PROC. REF: AMM 55-40-00PROC. REF: AMM 55-40-00								PKG:174
55-40-00-2201 ^S	SM-1000 RUDDER SERVO, STABILIZER TRIM CONTROLLER, AND STABILIZER ANTI-ICE SHUTOFF VALVE L/HIRF DETAILED INSPECTION							Service ATA:55
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 55-40-00PROC. REF: AMM 55-40-00								PKG:187
ATA 56 - WINDOWS								
56-11-00-2200 ^S	LEFT AND RIGHT HEATED WINDSHIELD ASSEMBLY HUMP SEAL DETAILED INSPECTION							Service ATA:56
	MOS	26-Apr-25	12 (+1m/-1m)					
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00								PKG:174

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-11-00-2201 ^S	WINDSHIELD (DELAMINATION) DETAILED INSPECTION							Service ATA:56
	MOS	27-Oct-23	24 (+1m/-1m)					
	HRS	8589:45	1600 (+25/-25)					
	AFL	7472						
	APH							
	APS							
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00								PKG:176
56-11-00-7200 ^S	LEFT AND RIGHT WINDSHIELD SURFACE SEAL (MIST SPRAY) FUNCTIONAL CHECK							Service ATA:56
	MOS	26-Apr-25	12 (+1m/-1m)					
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00								PKG:174
56-11-00-7201 ^S	LEFT AND RIGHT HEATED WINDSHIELD ASSEMBLY FASTENER TORQUE FUNCTIONAL CHECK							Service ATA:56
	MOS	17-Nov-21						
	HRS	7624:17	2400 (+25/-25)					
	AFL	6763						
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00								PKG:193
561302	LEFT FORWARD WINDOW							Component ATA:56
PN:NP139722-7	MOS/MSC	01-Feb-08	O/C					
SN:07270H1815	HRS	0		TSN 0				
WC#: 56.160	AFL	0		TSN 0				
PROC. REF: AMM 56-12-00PROC. REF: AMM 56-12-00								
561302	RIGHT FORWARD WINDOW							Component ATA:56
PN:NP139722-8	MOS/MSC	01-Feb-08	O/C					
SN:07251H8654	HRS	0		TSN 0				
WC#: 56.160	AFL	0		TSN 0				
PROC. REF: AMM 56-12-00PROC. REF: AMM 56-12-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
561303	LEFT WINDSHIELD ASSY, (LH)							Component ATA:56
PN:NP139731-1	MOS/MSC	29-Dec-14	O/C	TSN 0				
SN:13339H8317	HRS	3228		TSN 0				
WC#: 56.170	AFL	3567						
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00								
561303	RIGHT WINDSHIELD ASSY, (RH)							Component ATA:56
PN:NP139731-2	MOS/MSC	23-May-18	O/C	TSN 0				
SN:17307H0973	HRS	5576:29		TSN 0				
WC#: 56.170	AFL	5208						
	APH	2209						
	APS	5931						
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00								
561304	LEFT NO. 1 CABIN WINDOW							Component ATA:56
PN:6711139-3	MOS/MSC	01-Feb-08	O/C					
SN:1447	HRS	0		TSN 0				
WC#: 56.010	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00								
561304	LEFT NO. 2 CABIN WINDOW							Component ATA:56
PN:6711139-3	MOS/MSC	01-Feb-08	O/C					
SN:1443	HRS	0		TSN 0				
WC#: 56.020	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00								
561304	LEFT NO. 3 CABIN WINDOW							Component ATA:56
PN:6711139-3	MOS/MSC	01-Feb-08	O/C					
SN:1437	HRS	0		TSN 0				
WC#: 56.030	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
561304	LEFT NO. 4 CABIN WINDOW							Component ATA:56
PN:6711139-3	MOS/MSC	01-Feb-08	O/C					
SN:1450	HRS	0		TSN 0				
WC#: 56.040	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00								
561304	LEFT NO. 5 CABIN WINDOW							Component ATA:56
PN:6711139-3	MOS/MSC	01-Feb-08	O/C					
SN:1511	HRS	0		TSN 0				
WC#: 56.050	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00								
561304	LEFT NO. 6 CABIN WINDOW							Component ATA:56
PN:6711139-3	MOS/MSC	01-Feb-08	O/C					
SN:1516	HRS	0		TSN 0				
WC#: 56.060	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00								
561304	LEFT NO. 7 CABIN WINDOW							Component ATA:56
PN:6711139-3	MOS/MSC	01-Feb-08	O/C					
SN:1522	HRS	0		TSN 0				
WC#: 56.070	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00								
561304	RIGHT NO. 1 CABIN WINDOW							Component ATA:56
PN:6711139-3	MOS/MSC	01-Feb-08	O/C					
SN:1275	HRS	0		TSN 0				
WC#: 56.080	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00								
561304	RIGHT NO. 11 CABIN WINDOW							Component ATA:56
PN:6711139-3	MOS/MSC	01-Feb-08	O/C					
SN:1098	HRS	0		TSN 0				
WC#: 56.150	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
561304	RIGHT NO. 2 CABIN WINDOW							Component ATA:56
PN:6711139-3	MOS/MSC	01-Feb-08	O/C					
SN:1249	HRS	0		TSN 0				
WC#: 56.090	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00								
561304	RIGHT NO. 3 CABIN WINDOW							Component ATA:56
PN:6711139-3	MOS/MSC	01-Feb-08	O/C					
SN:1247	HRS	0		TSN 0				
WC#: 56.100	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00								
561304	RIGHT NO. 4 CABIN WINDOW							Component ATA:56
PN:6711139-3	MOS/MSC	01-Feb-08	O/C					
SN:1241	HRS	0		TSN 0				
WC#: 56.110	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00								
561304	RIGHT NO. 5 CABIN WINDOW							Component ATA:56
PN:6711139-3	MOS/MSC	01-Feb-08	O/C					
SN:1239	HRS	0		TSN 0				
WC#: 56.120	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00								
561304	RIGHT NO. 6 CABIN WINDOW							Component ATA:56
PN:6711139-3	MOS/MSC	01-Feb-08	O/C					
SN:1185	HRS	0		TSN 0				
WC#: 56.130	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00								
561304	RIGHT NO. 7 CABIN WINDOW							Component ATA:56
PN:6711139-3	MOS/MSC	01-Feb-08	O/C					
SN:1181	HRS	0		TSN 0				
WC#: 56.140	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
561305	LEFT AFT FOUL WEATHER WINDOW							Component ATA:56
PN:93102-33	MOS/MSC	01-Feb-08	O/C					
SN:2277	HRS	0		TSN 0				
WC#: 56.180	AFL	0		TSN 0				
PROC. REF: AMM 56-13-00PROC. REF: AMM 56-13-00								
561305	RIGHT AFT FOUL WEATHER WINDOW							Component ATA:56
PN:93102-34	MOS/MSC	01-Feb-08	O/C					
SN:2236	HRS	0		TSN 0				
WC#: 56.180	AFL	0		TSN 0				
PROC. REF: AMM 56-13-00PROC. REF: AMM 56-13-00								
ATA 57 - WINGS								
57-00-00-2100 ^S	WING INTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:57
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								PKG:187
57-00-00-2101 ^S	WING EXTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:57
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								PKG:187
57-00-00-2102 ^S	NOSE AND MAIN LANDING GEAR WHEEL WELL INTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:57
	MOS	27-Oct-23	24 (+1m/-1m)					
	HRS	8589:45						
	AFL	7472						
	APH							
	APS							
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								PKG:190

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-00-00-2200	^S	LEFT AND RIGHT WING INTERNAL DETAILED INSPECTION						Service ATA:57
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
								PKG:187
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
57-00-00-2201	^S	LEFT AND RIGHT MAIN LANDING GEAR WHEEL WELL, WING REAR SPAR (BEHIND WHEEL WELL ACCESS PANEL) AND REAR SPAR AND CENTER RIB STRUCTURAL AND CORROSION DETAILED INSPECTION						Service ATA:57
	MOS	26-Apr-25	6 (+1m/-1m)					CPCP
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
								PKG:182
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
57-00-00-2204	^S	FUEL BAY AREAS (INBOARD AND OUTBOARD OF THE FUEL BAYS) SPARS, STRINGERS, RIBS, DOUBLERS, AND FASTENERS DETAILED INSPECTION						Service ATA:57
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
								PKG:187
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
57-00-00-2205	^S	AILERON TRIM ACTUATOR WIRING EZAP DETAILED INSPECTION						Service ATA:57
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
								PKG:187
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
57-00-00-2500	^S	CENTER SPAR H FITTING LOWER WEBS AND FLANGES INSPECTION						Service ATA:57
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:15000 (+25/-25)	TAC 1				
WC#: 57.010	AFL	0						
								PKG:77,219

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
57-00-00-2501	^S	CENTER SPAR LOWER SPLICE STRAP (WS 2.00 TO WS 18.00) INSPECTION (AIRPLANES -0001 THRU -0500)					Service	ATA:57
	MOS	01-Feb-08					AIRWORTHINESS	
	HRS	0	T:15000 (+25/-25)	TAC 1				
WC#: 57.020	AFL	0						
								PKG:77
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
57-00-00-2503	^S	CENTER SPAR LOWER CAP ANGLES (WS 0.00 TO WS 6.00) INSPECTION (AIRPLANES -0001 THRU -0500)					Service	ATA:57
	MOS	01-Feb-08					AIRWORTHINESS	
	HRS	0	T:25000 (+25/-25)					
WC#: 57.030	AFL	0						
								PKG:213
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
57-00-00-2505	^S	CENTER SPAR LOWER CAP ANGLES (WS 156.00 TO WS 195.00) INSPECTION (AIRPLANES -0001 THRU -0500)					Service	ATA:57
	MOS	01-Feb-08					AIRWORTHINESS	
	HRS	0	T:25000 (+25/-25)					
WC#: 57.040	AFL	0						
								PKG:213
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
57-00-00-2506	^S	CENTER SPAR LOWER CAP STRAP (WS 56.00 TO WS 162.00) INSPECTION (AIRPLANES -0001 THRU -0500)					Service	ATA:57
	MOS	01-Feb-08					AIRWORTHINESS	
	HRS	0	T:25000 (+25/-25)					
WC#: 57.050	AFL	0						
								PKG:213
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
57-00-00-2507	^S	CENTER SPAR LOWER SKIN AREA (WS 12.00) INSPECTION (AIRPLANES -0001 THRU -0500)					Service	ATA:57
	MOS	01-Feb-08					AIRWORTHINESS	
	HRS	0	T:15000 (+25/-25)	TAC 1				
WC#: 57.060	AFL	0						
								PKG:77
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-00-00-2508 ^S	EXAMINE WING REAR SPAR LOWER SPLICE STRAP (WS 0.00 TO WS 16.00)							Service ATA:57
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:25000 (+25/-25)					
WC#: 57.070	AFL	0						
								PKG:213
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
57-00-00-2511 ^S	REAR SPAR LOWER SKIN AREA (WS 1.00) INSPECTION (AIRPLANES -0001 THRU -0500)							Service ATA:57
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:25000 (+25/-25)					
WC#: 57.090	AFL	0						
								PKG:213
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
57-00-00-2513 ^S	STRINGER 12 SPLICE AREA (WS 6.50) INSPECTION (AIRPLANES -0001 THRU -0500)							Service ATA:57
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:25000 (+25/-25)					
WC#: 57.100	AFL	0						
								PKG:213
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
57-00-00-2515 ^S	STRINGER 12 LOWER SKIN AREA (WS 9.50) INSPECTION (AIRPLANES -0001 THRU -0500)							Service ATA:57
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:25000 (+25/-25)					
WC#: 57.110	AFL	0						
								PKG:213
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
57-00-00-2516 ^S	LOWER WING SKIN AREA (WS 37.00) INSPECTION (AIRPLANES -0001 THRU -0500)							Service ATA:57
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:25000 (+25/-25)					
WC#: 57.120	AFL	0						
								PKG:213
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-00-00-9600	LEFT MAIN LANDING GEAR SIDE BRACE FITTING ASSEMBLY DISCARD							Service ATA:57
PN:6922428-1	MOS	01-Feb-08		TAC 0				LIFE LIMIT
SN:0185	HRS	0		TAC 0				
	AFL	0	21600 (+25/-25)	TAC 0	21600	21625	13565 (+25)	
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
57-00-00-9600	RIGHT MAIN LANDING GEAR SIDE BRACE FITTING ASSEMBLY DISCARD							Service ATA:57
PN:6922428-2	MOS	01-Feb-08		TAC 0				LIFE LIMIT
SN:0185	HRS	0		TAC 0				
	AFL	0	21600 (+25/-25)	TAC 0	21600	21625	13565 (+25)	
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
57-10-00-2500 ^{U S}	EXAMINE WING REAR SPAR LOWER SPLICE STRAP AREA (WS 26.30) EDDY CURRENT INSPECTION (AIRPLANES -0001 THRU -0500)							Service ATA:57
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:11800 (+25/-25)					
WC#: 57.080	AFL	0						
PKG:195								
57-20-00-9600	LEFT MAIN LANDING GEAR REAR SPAR TRUNNION SUPPORT DISCARD							Service ATA:57
PN:6922439-1	MOS	01-Feb-08		TAC 0				LIFE LIMIT
SN:0185	HRS	0		TAC 0				
	AFL	0	12000 (+25/-25)	TAC 0	12000	12025	3965 (+25)	
PROC. REF: AMM 57-20-00PROC. REF: AMM 57-20-00								
57-20-00-9600	RIGHT MAIN LANDING GEAR REAR SPAR TRUNNION SUPPORT DISCARD							Service ATA:57
PN:6922439-2	MOS	01-Feb-08		TAC 0				LIFE LIMIT
SN:0185	HRS	0		TAC 0				
	AFL	0	12000 (+25/-25)	TAC 0	12000	12025	3965 (+25)	
PROC. REF: AMM 57-20-00PROC. REF: AMM 57-20-00								
57-20-00-9601	LEFT MAIN LANDING GEAR CENTER SPAR TRUNNION FITTING DISCARD							Service ATA:57
PN:6922429-1	MOS	01-Feb-08		TAC 0				LIFE LIMIT
SN:0185	HRS	0		TAC 0				
	AFL	0	12000 (+25/-25)	TAC 0	12000	12025	3965 (+25)	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: AMM 57-20-00PROC. REF: AMM 57-20-00								
57-20-00-9601	RIGHT MAIN LANDING GEAR CENTER SPAR TRUNNION FITTING DISCARD							Service ATA:57
PN:6922429-2	MOS	01-Feb-08		TAC 0				LIFE LIMIT
SN:0185	HRS	0		TAC 0				
	AFL	0	12000 (+25/-25)	TAC 0	12000	12025	3965 (+25)	
PROC. REF: AMM 57-20-00PROC. REF: AMM 57-20-00								
57-50-00-2100 ^S	AILERON AND ATTACHING HARDWARE GENERAL VISUAL INSPECTION							Service ATA:57
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
								PKG:187
PROC. REF: AMM 57-50-00PROC. REF: AMM 57-50-00								
57-50-00-2200 ^S	REAR WING SPAR AREA AND FLIGHT CONTROL ATTACH FITTINGS STRUCTURAL AND CORROSION DETAILED INSPECTION							Service ATA:57
	MOS	26-Apr-25	6 (+1m/-1m)					CPCP
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
								PKG:182
PROC. REF: AMM 57-50-00PROC. REF: AMM 57-50-00								
57-50-00-2201 ^S	LEFT AND RIGHT FLAP ATTACH FITTINGS CORROSION EXTERNAL DETAILED INSPECTION							Service ATA:57
	MOS	26-Apr-25	12 (+1m/-1m)					CPCP
	HRS	9344:01						
	AFL	8035						
	APH							
	APS							
								PKG:174
PROC. REF: AMM 57-50-00PROC. REF: AMM 57-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
571001	LEFT MAIN LANDING GEAR REAR SPAR TRUNNION SUPPORT ATTACH FITTING							Component ATA:57
PN:6922439-1	MOS/MSC	01-Feb-08	H/T					
SN:0185	HRS	0						
WC#: 57.130	AFL	0		TSN 0				
	APH							
PROC. REF: GENERIC NO REF, AMM GENERICPROC. REF: GENERIC NO REF, AMM GENERIC								
571001	RIGHT MAIN LANDING GEAR REAR SPAR TRUNNION SUPPORT ATTACH FITTING							Component ATA:57
PN:6922439-2	MOS/MSC	01-Feb-08	H/T					
SN:0185	HRS	0						
WC#: 57.130	AFL	0		TSN 0				
	APH							
PROC. REF: GENERIC NO REF, AMM GENERICPROC. REF: GENERIC NO REF, AMM GENERIC								
571002	LEFT MAIN LANDING GEAR CENTER SPAR TRUNNION SUPPORT ATTACH FITTING							Component ATA:57
PN:6922429-1	MOS/MSC	01-Feb-08	H/T					
SN:0185	HRS	0						
WC#: 57.140	AFL	0		TSN 0				
	APH							
PROC. REF: GENERIC NO REF, AMM GENERICPROC. REF: GENERIC NO REF, AMM GENERIC								
571002	RIGHT MAIN LANDING GEAR CENTER SPAR TRUNNION SUPPORT ATTACH FITTING							Component ATA:57
PN:6922429-2	MOS/MSC	01-Feb-08	H/T					
SN:0185	HRS	0						
WC#: 57.140	AFL	0		TSN 0				
	APH							
PROC. REF: GENERIC NO REF, AMM GENERICPROC. REF: GENERIC NO REF, AMM GENERIC								
571003	LEFT MAIN LANDING GEAR SIDE BRACE FITTING							Component ATA:57
PN:6922428-1	MOS/MSC	01-Feb-08	H/T					
SN:0185	HRS	0						
WC#: 57.150	AFL	0		TSN 0				
	APH							
PROC. REF: GENERIC NO REF, AMM GENERICPROC. REF: GENERIC NO REF, AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
571003	RIGHT MAIN LANDING GEAR SIDE BRACE FITTING							Component ATA:57
PN:6922428-2	MOS/MSC	01-Feb-08	H/T					
SN:0185	HRS	0						
WC#: 57.150	AFL	0		TSN 0				
	APH							
PROC. REF: GENERIC NO REF, AMM GENERICPROC. REF: GENERIC NO REF, AMM GENERIC								

ATA 71 - POWER PLANT

71-10-00-2200 ^S	LEFT AND RIGHT ENGINE INLET, COWLING AND SKIRT L/HIRF DETAILED INSPECTION							Service ATA:71
	MOS	27-Oct-23	24 (+1m/-1m)					
	HRS	8589:45						
	AFL	7472						
	APH							
	APS							
								PKG:190
PROC. REF: AMM 71-10-00PROC. REF: AMM 71-10-00								

71-20-00-2200 ^S	ENGINE MOUNT ASSEMBLY (DETAILED INSPECTION AND DISCARD OF DESIGNATED PARTS) RESTORATION							Service ATA:71
	MOS	25-Mar-19						AIRWORTHINESS
	HRS	6089:30	6450 (+25/-25)					
	AFL	5651						
								PKG:69
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								

71-20-00-2201 ^S	ENGINE MOUNT FORWARD ASSEMBLY DETAILED INSPECTION							Service ATA:71
	MOS	01-Jul-22	48 (+1m/-1m)					
	HRS	7711:58						
	AFL	6829						
								PKG:187
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								

71-20-00-2500 ^S	UPPER, LOWER AND OUTBOARD BANANA MOUNT COVER PLATES - EDDY CURRENT INSPECTION							Service ATA:71
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:19500 (+25/-25)					
	AFL	0						
								PKG:167

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-20-00-2501	^S	UPPER AND LOWER BANANA MOUNT SPACER FITTINGS - EDDY CURRENT INSPECTION (AIRPLANES -0001 THRU -0500)						Service ATA:71
	MOS	01-Feb-08					AIRWORTHINESS	
	HRS	0	T:18100 (+25/-25)					
	AFL	0						
PKG:166								
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-20-00-2502	^S	AFT ENGINE MOUNTS AT ISOLATOR ATTACH POINTS - EDDY CURRENT INSPECTION (AIRPLANES -0001 THRU -0500)						Service ATA:71
	MOS	01-Feb-08					AIRWORTHINESS	
	HRS	0	T:25000 (+25/-25)					
	AFL	0						
PKG:217								
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-20-00-2504	^S	FORWARD AND AFT BANANA MOUNT-TO-FORWARD ENGINE BEAM INTERFACES (FMC339) EDDY CURRENT INSPECTION						Service ATA:71
	MOS	01-Feb-08					AIRWORTHINESS	
	HRS	0	T:25000 (+25/-25)					
WC#: 71.130	AFL	0						
PKG:217								
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-20-00-2505	^S	LEFT FORWARD BANANA MOUNT WITH THE UPPER ARM RADIUS INSPECTION (-0001 THRU -0500)						Service ATA:71
	MOS	01-Feb-08					AIRWORTHINESS	
	HRS	0	T:25000 (+25/-25)					
WC#: 71.040	AFL	0						
PKG:213								
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-20-00-2505	^S	RIGHT FORWARD BANANA MOUNT WITH THE UPPER ARM RADIUS INSPECTION (-0001 THRU -0500)						Service ATA:71
	MOS	01-Feb-08					AIRWORTHINESS	
	HRS	0	T:25000 (+25/-25)					
WC#: 71.040	AFL	0						
PKG:213								
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-20-00-2506 ^S	LEFT AFT BANANA MOUNT WITH THE UPPER ARM RADIUS INSPECTION (AIRPLANES -0001 THRU -0500)							Service ATA:71
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:25000 (+25/-25)					
WC#: 71.050	AFL	0						
								PKG:213
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-20-00-2506 ^S	RIGHT AFT BANANA MOUNT WITH THE UPPER ARM RADIUS INSPECTION (AIRPLANES -0001 THRU -0500)							Service ATA:71
	MOS	01-Feb-08						AIRWORTHINESS
	HRS	0	T:25000 (+25/-25)					
WC#: 71.050	AFL	0						
								PKG:213
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-70-00-2100 ^S	ENGINE DRAINS GENERAL VISUAL INSPECTION							Service ATA:71
	MOS	17-Nov-21						
	HRS	7624:17	2400 (+25/-25)					
	AFL	6763						
								PKG:193
PROC. REF: AMM 71-70-00PROC. REF: AMM 71-70-00								
710000	NO. 1 ENGINE - COMPRESSOR DESALINATION WASH							Service ATA:71
	MOS	02-Oct-24						CPCP
	HRS	9031:32	800 (+25/-25)		(9831:32) 9965:23	9856:32	621:22 (+25)	
	ENC	7744						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
710000	NO. 2 ENGINE - COMPRESSOR DESALINATION WASH							Service ATA:71
	MOS	02-Oct-24						CPCP
	HRS	9031:32	800 (+25/-25)		(9831:32) 9965:23	9856:32	621:22 (+25)	
	ENC	7744						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
710001 ^U	NO. 1 ENGINE - DESALINATION WASH							Service ATA:71
	MOS	26-Apr-25						CPCP
	HRS	9210:10	400 (+30/-30)		(9610:10) 9744:01	9640:10	400 (+30)	
	ENC	7890						
710001 ^U	NO. 2 ENGINE - DESALINATION WASH							Service ATA:71
	MOS	26-Apr-25						CPCP
	HRS	9210:10	400 (+30/-30)		(9610:10) 9744:01	9640:10	400 (+30)	
	ENC	7890						
710005	NO. 1 ENGINE - COMPRESSOR PERFORMANCE RECOVERY WASH							Service ATA:71
	MOS/MSC	01-Feb-08	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
710005	NO. 2 ENGINE - COMPRESSOR PERFORMANCE RECOVERY WASH							Service ATA:71
	MOS/MSC	01-Feb-08	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
712001	LEFT ENGINE AFT ISOLATOR							Component ATA:71
PN:LM-463-SA5	MOS/MSC	01-Feb-08	O/C					
SN:LK0184	HRS	0		TSN 0				
WC#: 71.190	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
712001	RIGHT ENGINE AFT ISOLATOR							Component ATA:71
PN:LM-463-SA6	MOS/MSC	01-Feb-08	O/C					
SN:LK0200	HRS	0		TSN 0				
WC#: 71.190	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
712002	LEFT BOTTOM ENGINE FWD ISOLATOR							Component ATA:71
PN:LM-463-SA7	MOS/MSC	01-Feb-08	O/C					
SN:LK0782	HRS	0		TSN 0				
WC#: 71.200	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
712002	LEFT TOP ENGINE FWD ISOLATOR							Component ATA:71
PN:LM-463-SA7	MOS/MSC	01-Feb-08	O/C					
SN:LK0771	HRS	0		TSN 0				
WC#: 71.200	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
712002	RIGHT BOTTOM ENGINE FWD ISOLATOR							Component ATA:71
PN:9914656-20	MOS/MSC	01-Jul-22	O/C	TSN 0				
SN:LK3316	HRS	7711:58		TSN 0				
WC#: 71.210	AFL	6829						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
712002	RIGHT TOP ENGINE FWD ISOLATOR							Component ATA:71
PN:LM-463-SA7	MOS/MSC	01-Feb-08	O/C					
SN:LK0788	HRS	0		TSN 0				
WC#: 71.210	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
712005	ENGINE VIBRATION MONITOR-							Component ATA:71
PN:2789	MOS/MSC	01-Feb-08	O/C					
SN:090763	HRS	0		TSN 0				
WC#: 71.220	AFL	0		TSN 0				
PROC. REF: AMM 77-20-00PROC. REF: AMM 77-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71EN1	NO. 1 ENGINE							Component ATA:71
PN:30B4258-01	MOS/MSC	25-Mar-19	E/C	TSO 0				
SN:PCE-CG0375	HRS	6089:30		TSN 5955:36, TSO 0				
WC#: 71.EN1	AFL	5651		TSN 5506				
PROC. REF: AMM 71-00-30PROC. REF: AMM 71-00-30								
71EN2	NO. 2 ENGINE							Component ATA:71
PN:30B4258-01	MOS/MSC	01-Jul-22	E/C					
SN:PCE-CG0376	HRS	7711:58		TSN 7578:07				
WC#: 71.EN2	AFL	6829		TSN 6684				
PROC. REF: AMM 71-00-30PROC. REF: AMM 71-00-30								
ATA 72 - ENGINE								
720010 ^S	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION - EEC - CHECK FOR MINOR FAULTS (AS INDICATED BY EICAS)							Service ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								PKG:1
720010 ^S	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION - EEC - CHECK FOR MINOR FAULTS (AS INDICATED BY EICAS)							Service ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								PKG:1
720020 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION - ENGINE TUBES AND EXTERNALS - CHECK FOR SECURITY OF ALL ACCESSIBLE CONNECTIONS, CLAMPS AND BRACKETS, EVIDENCE OF WEAR, CHAFING, CRACKS AND CORROSION AND EVIDENCE OF FUEL OR OIL LEAKS, INCLUDING NO. 4 BRG. TUBES							Service ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720020 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION - ENGINE TUBES AND EXTERNALS - CHECK FOR SECURITY OF ALL ACCESSIBLE CONNECTIONS, CLAMPS AND BRACKETS, EVIDENCE OF WEAR, CHAFING, CRACKS AND CORROSION AND EVIDENCE OF FUEL OR OIL LEAKS, INCLUDING NO. 4 BRG. TUBES							Service ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								PKG:1
720025	NO. 1 ENGINE - OVERHAUL ENGINE							Service ATA:72
	MOS	21-Feb-19						OVERHAUL
	HRS	5955:36	6000 (+100)		(11955:36) 12089:27	12055:36	2745:26 (+100)	
	ENC	5506						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720025	NO. 2 ENGINE - OVERHAUL ENGINE							Service ATA:72
	MOS	09-Mar-19						OVERHAUL
	HRS	5955:36	6000 (+100)		(11955:36) 12089:27	12055:36	2745:26 (+100)	
	ENC	5506						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720030	NO. 1 ENGINE - HOT SECTION INSPECTION							Service ATA:72
	MOS	12-Dec-24						
	HRS	9092:25	3000 (+250)	Adj -136:49	(11955:36) 12089:27	12205:36	2745:26 (+250)	
	ENC	7785						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720030	NO. 2 ENGINE - HOT SECTION INSPECTION							Service ATA:72
	MOS	12-Dec-24						
	HRS	9092:25	3000 (+250)	Adj -136:49	(11955:36) 12089:27	12205:36	2745:26 (+250)	
	ENC	7785						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720035	NO. 1 ENGINE - OIL ANALYSIS							Service ATA:72
	MOS/MSC	01-Feb-08	N/A	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720035	NO. 2 ENGINE - OIL ANALYSIS							Service ATA:72
	MOS/MSC	01-Feb-08	N/A	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720040 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION - WIRING - CHECK FOR SECURITY OF ALL ACCESSIBLE CONNECTIONS, CLAMPS AND BRACKETS AND FOR EVIDENCE OF WEAR, CHAFING, CRACKS AND CORROSION							Service ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								PKG:1
720040 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION - WIRING - CHECK FOR SECURITY OF ALL ACCESSIBLE CONNECTIONS, CLAMPS AND BRACKETS AND FOR EVIDENCE OF WEAR, CHAFING, CRACKS AND CORROSION							Service ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								PKG:1
720050 ^S	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION - WIRING HARNESS CONNECTORS - CHECK FOR SECURITY							Service ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720050 ^S	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION - WIRING HARNESS CONNECTORS - CHECK FOR SECURITY							Service ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
								PKG:1
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								
720055 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION - SDI WIRING HARNESS - INSPECT FOR A MINIMUM CLEARANCE BETWEEN OUTER ELECTRICAL WIRING HARNESS AND THE FOLLOWING LOCATIONS: OIL PUMP COVER COLD START VALVE HOUSING ; OIL PUMP COVER BOLTS ; OIL PUMP HOUSING AND FAN CASE RIBS							Service ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
								PKG:1
PROC. REF: EMM 73-20-03PROC. REF: EMM 73-20-03								
720055 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION - SDI WIRING HARNESS - INSPECT FOR A MINIMUM CLEARANCE BETWEEN OUTER ELECTRICAL WIRING HARNESS AND THE FOLLOWING LOCATIONS: OIL PUMP COVER COLD START VALVE HOUSING ; OIL PUMP COVER BOLTS ; OIL PUMP HOUSING AND FAN CASE RIBS							Service ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
								PKG:1
PROC. REF: EMM 73-20-03PROC. REF: EMM 73-20-03								
720060 ^S	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION - FAN BLADES - CHECK FOR EROSION OF OUTER 3 INCHES OF THE LE							Service ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
								PKG:1
PROC. REF: EMM 72-30-01, EMM 72-30-01, EMM 72-30-01PROC. REF: EMM 72-30-01, EMM 72-30-01, EMM 72-30-01								
720060 ^S	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION - FAN BLADES - CHECK FOR EROSION OF OUTER 3 INCHES OF THE LE							Service ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
								PKG:1
PROC. REF: EMM 72-30-01, EMM 72-30-01, EMM 72-30-01PROC. REF: EMM 72-30-01, EMM 72-30-01, EMM 72-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720070 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION - FAN CASE AND COMPRESSORINLET - INSPECTION OF FAN CASE, COMPRESSOR INLET FAN BLADES AND NOSE CONE. CHECK FOR FOD DEPOSITS, CORROSION AND EROSION							Service ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 72-30-01, EMM 72-30-01, EMM 72-30-01PROC. REF: EMM 72-30-01, EMM 72-30-01, EMM 72-30-01								PKG:1
720070 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION - FAN CASE AND COMPRESSORINLET - INSPECTION OF FAN CASE, COMPRESSOR INLET FAN BLADES AND NOSE CONE. CHECK FOR FOD DEPOSITS, CORROSION AND EROSION							Service ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 72-30-01, EMM 72-30-01, EMM 72-30-01PROC. REF: EMM 72-30-01, EMM 72-30-01, EMM 72-30-01								PKG:1
720071	NO. 1 ENGINE - BORESCOPE INSPECTION FIRST STAGE HP TURBINE BLADES FIRST-STAGE HP TURBINE BLADES							Service ATA:72
PN:30B6501-01	MOS	02-Oct-24						
SN:NSN	HRS	9031:32	800 (+30)	Adj 60:53	(9892:25) 10026:16	9922:25	682:15 (+30)	
	ENC	7744	800	Adj 41	(8585) 8730		695	
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720071	NO. 2 ENGINE - BORESCOPE INSPECTION FIRST STAGE HP TURBINE BLADES FIRST-STAGE HP TURBINE BLADES							Service ATA:72
PN:30B6501-01	MOS	02-Oct-24						
SN:NSN	HRS	9031:32	800 (+30)	Adj 60:53	(9892:25) 10026:16	9922:25	682:15 (+30)	
	ENC	7744	800	Adj 41	(8585) 8730		695	
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720076	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION - ENGINE HP TURBINE COMPONENTS - DO A BORESCOPE INSPECTION OF FIRST-STAGE HP TURBINE BLADE							Service ATA:72
	MOS	12-Dec-24						
	HRS	9092:25	3000 (+250)	Adj -136:49	(11955:36) 12089:27	12205:36	2745:26 (+250)	
	ENC	7785						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720076	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION - ENGINE HP TURBINE COMPONENTS - DO A BORESCOPE INSPECTION OF FIRST-STAGE HP TURBINE BLADE							Service ATA:72
	MOS	12-Dec-24						
	HRS	9092:25	3000 (+250)	Adj -136:49	(11955:36) 12089:27	12205:36	2745:26 (+250)	
	ENC	7785						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720080	NO. 1 ENGINE - BYPASSDUCTS - CHECK OUTER BYPASS DUCTS FOR DAMAGE							Service ATA:72
	MOS/MSC	01-Feb-08	O/C	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 72-70-01PROC. REF: EMM 72-70-01								
720080	NO. 2 ENGINE - BYPASSDUCTS - CHECK OUTER BYPASS DUCTS FOR DAMAGE							Service ATA:72
	MOS/MSC	01-Feb-08	O/C	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 72-70-01PROC. REF: EMM 72-70-01								
720090 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION - FAN EXIT STATOR VANES - CHECK FOR FOD DEPOSITS, CORROSION AND EROSION							Service ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720090 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION - FAN EXIT STATOR VANES - CHECK FOR FOD DEPOSITS, CORROSION AND EROSION							Service ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								PKG:1
720110	NO. 1 ENGINE - ACCESSORIES - SECURITY OF INSTALLATION.CHECK FOR FUEL AND OIL LEAKS EXTERNALLY AND AT DRAINS							Service ATA:72
	MOS/MSC	01-Feb-08	O/C	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								
720110	NO. 2 ENGINE - ACCESSORIES - SECURITY OF INSTALLATION.CHECK FOR FUEL AND OIL LEAKS EXTERNALLY AND AT DRAINS							Service ATA:72
	MOS/MSC	01-Feb-08	O/C	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								
720115	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION - ENGINE HP TURBINE COMPONENTS - DO A BORESCOPE INSPECTION OF FIRST-STAGE TURBINE VANE							Service ATA:72
	MOS	12-Dec-24						
	HRS	9092:25	3000 (+250)	Adj -136:49	(11955:36) 12089:27	12205:36	2745:26 (+250)	
	ENC	7785						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720115	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION - ENGINE HP TURBINE COMPONENTS - DO A BORESCOPE INSPECTION OF FIRST-STAGE TURBINE VANE							Service ATA:72
	MOS	12-Dec-24						
	HRS	9092:25	3000 (+250)	Adj -136:49	(11955:36) 12089:27	12205:36	2745:26 (+250)	
	ENC	7785						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720125	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION - ENGINE HP TURBINE COMPONENTS - DO A BORESCOPE INSPECTION OF FIRST-STAGE HP TURBINE SHROUD SEGMENT							Service ATA:72
	MOS	12-Dec-24						
	HRS	9092:25	3000 (+250)	Adj -136:49	(11955:36) 12089:27	12205:36	2745:26 (+250)	
	ENC	7785						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720125	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION - ENGINE HP TURBINE COMPONENTS - DO A BORESCOPE INSPECTION OF FIRST-STAGE HP TURBINE SHROUD SEGMENT							Service ATA:72
	MOS	12-Dec-24						
	HRS	9092:25	3000 (+250)	Adj -136:49	(11955:36) 12089:27	12205:36	2745:26 (+250)	
	ENC	7785						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720130	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION - ENGINE HP TURBINE COMPONENTS - DO A BORESCOPE INSPECTION OF SECOND-STAGE HP TURBINE SHROUD SEGMENT							Service ATA:72
	MOS	12-Dec-24						
	HRS	9092:25	3000 (+250)	Adj -136:49	(11955:36) 12089:27	12205:36	2745:26 (+250)	
	ENC	7785						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720130	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION - ENGINE HP TURBINE COMPONENTS - DO A BORESCOPE INSPECTION OF SECOND-STAGE HP TURBINE SHROUD SEGMENT							Service ATA:72
	MOS	12-Dec-24						
	HRS	9092:25	3000 (+250)	Adj -136:49	(11955:36) 12089:27	12205:36	2745:26 (+250)	
	ENC	7785						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720136	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION - ENGINE HP TURBINE COMPONENTS - DO A BORESCOPE INSPECTION OF SECOND-STAGE HP TURBINE VANE							Service ATA:72
	MOS	12-Dec-24						
	HRS	9092:25	3000 (+250)	Adj -136:49	(11955:36) 12089:27	12205:36	2745:26 (+250)	
	ENC	7785						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720136	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION - ENGINE HP TURBINE COMPONENTS - DO A BORESCOPE INSPECTION OF SECOND-STAGE HP TURBINE VANE							Service ATA:72
	MOS	12-Dec-24						
	HRS	9092:25	3000 (+250)	Adj -136:49	(11955:36) 12089:27	12205:36	2745:26 (+250)	
	ENC	7785						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720145	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION - ENGINE HP TURBINE COMPONENTS - DO A BORESCOPE INSPECTION OF SECOND-STAGE HP TURBINE BLADE							Service ATA:72
	MOS	12-Dec-24						
	HRS	9092:25	3000 (+250)	Adj -136:49	(11955:36) 12089:27	12205:36	2745:26 (+250)	
	ENC	7785						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720145	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION - ENGINE HP TURBINE COMPONENTS - DO A BORESCOPE INSPECTION OF SECOND-STAGE HP TURBINE BLADE							Service ATA:72
	MOS	12-Dec-24						
	HRS	9092:25	3000 (+250)	Adj -136:49	(11955:36) 12089:27	12205:36	2745:26 (+250)	
	ENC	7785						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720200 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION - ENGINE LP TURBINE AREA - INSPECTION OF LP TURBINE AREA (INCLUDING EXHAUST, MIXER AND CONE)						Service	ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 72-50-02PROC. REF: EMM 72-50-02								PKG:1
720200 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION - ENGINE LP TURBINE AREA - INSPECTION OF LP TURBINE AREA (INCLUDING EXHAUST, MIXER AND CONE)						Service	ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 72-50-02PROC. REF: EMM 72-50-02								PKG:1
720210 ^S	NO. 1 ENGINE - OIL QUANTITY - CHECK OIL LEVEL AND REPLENISH IF REQUIRED, CHECK CONDITION AND SECURITY OF OIL FILLER CAP						Service	ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								PKG:1
720210 ^S	NO. 2 ENGINE - OIL QUANTITY - CHECK OIL LEVEL AND REPLENISH IF REQUIRED, CHECK CONDITION AND SECURITY OF OIL FILLER CAP						Service	ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								PKG:1
720220 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION - AGB PAD SEALS - CHECK PAD SEAL FOR OIL LEAKS. LEAK RATE OF 1 DROP/5 MINUTES FROM ANY PAD SEAL IS ACCEPTABLE						Service	ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								
720220 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION - AGB PAD SEALS - CHECK PAD SEAL FOR OIL LEAKS. LEAK RATE OF 1 DROP/5 MINUTES FROM ANY PAD SEAL IS ACCEPTABLE						Service	ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
								PKG:1
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								
720240 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION - DUMP VALVE - SECURITY AND LEAKAGE						Service	ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
								PKG:1
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								
720240 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION - DUMP VALVE - SECURITY AND LEAKAGE						Service	ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
								PKG:1
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								
720250 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION - FUEL/OIL HEAT EXCHANGER - INSPECT FOR SECURITY AND LEAKAGE						Service	ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
								PKG:1
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								
720250 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION - FUEL/OIL HEAT EXCHANGER - INSPECT FOR SECURITY AND LEAKAGE						Service	ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
								PKG:1
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720260 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION - FUEL WASTE EJECTOR - INSPECT FOR SECURITY AND LEAKAGE							Service ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
								PKG:1
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								
720260 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION - FUEL WASTE EJECTOR - INSPECT FOR SECURITY AND LEAKAGE							Service ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
								PKG:1
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								
720270 ^S	NO. 1 ENGINE - P1 AND P3 AIR TUBES - DRAIN CONDENSATION TRAPS. CHECK FOR WEAR, CHAFING, CRACKS AND CORROSION							Service ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
								PKG:1
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								
720270 ^S	NO. 2 ENGINE - P1 AND P3 AIR TUBES - DRAIN CONDENSATION TRAPS. CHECK FOR WEAR, CHAFING, CRACKS AND CORROSION							Service ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
								PKG:1
PROC. REF: EMM 72-30-01PROC. REF: EMM 72-30-01								
720280 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION - P1/T1 SENSORS, N1, N2 SPEEDSENSORS, T4.5 PROBES - VISUAL CHECK FOR CONDITION OF ACCESSIBLE WIRING HARNESSSES AND SECURITY OF CONNECTORS							Service ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
								PKG:1
PROC. REF: EMM 77-20-01, EMM 77-20-01PROC. REF: EMM 77-20-01, EMM 77-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720280 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION - P1/T1 SENSORS, N1, N2 SPEEDSENSORS, T4.5 PROBES - VISUAL CHECK FOR CONDITION OF ACCESSIBLE WIRING HARNESSSES AND SECURITY OF CONNECTORS							Service ATA:72
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 77-20-01, EMM 77-20-01PROC. REF: EMM 77-20-01, EMM 77-20-01								PKG:1
721045	NO. 1 ENGINE - REGULAR OPERATION AS ALTERNATE TO PRESERVATION OF INACTIVE ENGINES							Service ATA:72
	MOS/MSC	01-Feb-08	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
721045	NO. 2 ENGINE - REGULAR OPERATION AS ALTERNATE TO PRESERVATION OF INACTIVE ENGINES							Service ATA:72
	MOS/MSC	01-Feb-08	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
722001	NO. 1 ENGINE - 3RD-STAGE LP TURBINE DISK							Component ATA:72
PN:30A2323	MOS	21-Feb-19						LIFE LIMIT
SN:MAA13825	HRS	5955:36						
	ENC	5506		TSN 6883	(11999) 12144 (M)		4109	
	ACCCYC	0	15000	TSN 6883			5137	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722001	NO. 2 ENGINE - 3RD-STAGE LP TURBINE DISK							Component ATA:72
PN:30A2323	MOS	09-Mar-19						LIFE LIMIT
SN:MAA44096	HRS	5955:36						
	ENC	5506		TSN 6883	(11999) 12144 (M)		4109	
	ACCCYC	0	15000	TSN 6883			5137	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
722002	NO. 1 ENGINE - 4TH-STAGE LP TURBINE DISK							Component ATA:72
PN:30A2324	MOS	21-Feb-19						LIFE LIMIT
SN:MAA14141	HRS	5955:36						
	ENC	5506		TSN 6883	(11999) 12144 (M)		4109	
	ACCCYC	0	15000	TSN 6883			5137	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722002	NO. 2 ENGINE - 4TH-STAGE LP TURBINE DISK							Component ATA:72
PN:30A2324	MOS	09-Mar-19						LIFE LIMIT
SN:MAA42909	HRS	5955:36						
	ENC	5506		TSN 6883	(11999) 12144 (M)		4109	
	ACCCYC	0	15000	TSN 6883			5137	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722003	NO. 1 ENGINE - 5TH-STAGE LP TURBINE DISK							Component ATA:72
PN:30A2305	MOS	21-Feb-19						LIFE LIMIT
SN:MAA30703	HRS	5955:36						
	ENC	5506		TSN 6883	(11999) 12144 (M)		4109	
	ACCCYC	0	15000	TSN 6883			5137	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722003	NO. 2 ENGINE - 5TH-STAGE LP TURBINE DISK							Component ATA:72
PN:30A2305	MOS	09-Mar-19						LIFE LIMIT
SN:MAA42549	HRS	5955:36						
	ENC	5506		TSN 6883	(11999) 12144 (M)		4109	
	ACCCYC	0	15000	TSN 6883			5137	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
722004	NO. 1 ENGINE - LP COMPRESSOR SHAFT							Component ATA:72
PN:30B3897-01	MOS	21-Feb-19		TSO 0				LIFE LIMIT
SN:56A457	HRS	5955:36		TSO 0				
	ENC	5506		TSN 9383, TSO 0	(27564) 27709 (M)		19674	
	ACCCYC	0	30000	TSN 9383			17374	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722004	NO. 2 ENGINE - LP COMPRESSOR SHAFT							Component ATA:72
PN:30B3897-01	MOS	09-Mar-19		TSO 0				LIFE LIMIT
SN:DDAA001A946	HRS	5955:36		TSO 0				
	ENC	5506		TSN 7489, TSO 0	(27564) 27709 (M)		19674	
	ACCCYC	0	30000	TSN 7489			19268	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722005	NO. 1 ENGINE - HP COMPRESSOR (1ST-STAGE) ROTOR							Component ATA:72
PN:30B4811-01	MOS	21-Feb-19						LIFE LIMIT
SN:A0028WK2	HRS	5955:36						
	ENC	5506		TSN 5506	(15000) 15145 (M)		7110	
	ACCCYC	0	15000	TSN 5506				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722005	NO. 2 ENGINE - HP COMPRESSOR (1ST-STAGE) ROTOR							Component ATA:72
PN:30B4811-01	MOS	09-Mar-19						LIFE LIMIT
SN:A0028WK4	HRS	5955:36						
	ENC	5506		TSN 5506	(15000) 15145 (M)		7110	
	ACCCYC	0	15000	TSN 5506				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
722006	NO. 1 ENGINE - (2ND-STAGE) HP COMPRESSOR ROTOR							Component ATA:72
PN:30B6082-01	MOS	21-Feb-19						LIFE LIMIT
SN:A0028M1A	HRS	5955:36						
	ENC	5506		TSN 5506	(15000) 15145 (M)		7110	
	ACCCYC	0	15000	TSN 5506				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722006	NO. 2 ENGINE - (2ND-STAGE) HP COMPRESSOR ROTOR							Component ATA:72
PN:30B6082-01	MOS	09-Mar-19						LIFE LIMIT
SN:A0028DR7	HRS	5955:36						
	ENC	5506		TSN 5506	(15000) 15145 (M)		7110	
	ACCCYC	0	15000	TSN 5506				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722007	NO. 1 ENGINE - (3RD-STAGE) HP COMPRESSOR ROTOR							Component ATA:72
PN:30B3933-01	MOS	21-Feb-19						LIFE LIMIT
SN:TXA1B3535	HRS	5955:36						
	ENC	5506		TSN 5506	(15000) 15145 (M)		7110	
	ACCCYC	0	15000	TSN 5506				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722007	NO. 2 ENGINE - (3RD-STAGE) HP COMPRESSOR ROTOR							Component ATA:72
PN:30B3933-01	MOS	09-Mar-19						LIFE LIMIT
SN:TXA1B3699	HRS	5955:36						
	ENC	5506		TSN 5506	(15000) 15145 (M)		7110	
	ACCCYC	0	15000	TSN 5506				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
722008	NO. 1 ENGINE - (4TH-STAGE) HP COMPRESSOR ROTOR							Component ATA:72
PN:30B3934-01	MOS	21-Feb-19						LIFE LIMIT
SN:TXA1B3361	HRS	5955:36						
	ENC	5506		TSN 5506	(15000) 15145 (M)		7110	
	ACCCYC	0	15000	TSN 5506				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722008	NO. 2 ENGINE - (4TH-STAGE) HP COMPRESSOR ROTOR							Component ATA:72
PN:30B3934-01	MOS	09-Mar-19						LIFE LIMIT
SN:TXA1B3462	HRS	5955:36						
	ENC	5506		TSN 5506	(15000) 15145 (M)		7110	
	ACCCYC	0	15000	TSN 5506				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722009	NO. 1 ENGINE - HP TURBINE ROTOR REAR COVER							Component ATA:72
PN:30B5619-01	MOS	21-Feb-19						LIFE LIMIT
SN:A0027EN0	HRS	5955:36						
	ENC	5506		TSN 5506	(15000) 15145 (M)		7110	
	ACCCYC	0	15000	TSN 5506				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722009	NO. 2 ENGINE - HP TURBINE ROTOR REAR COVER							Component ATA:72
PN:30B5619-01	MOS	09-Mar-19						LIFE LIMIT
SN:A0027EMW	HRS	5955:36						
	ENC	5506		TSN 5506	(15000) 15145 (M)		7110	
	ACCCYC	0	15000	TSN 5506				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722010	NO. 1 ENGINE - HP COMPRESSOR TIE SHAFT							Component ATA:72
PN:30B4054-01	MOS/MSC	01-Feb-08	O/C					
SN:EAB000C914	HRS	0						
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722010	NO. 2 ENGINE - HP COMPRESSOR TIE SHAFT							Component ATA:72
PN:30B4054-01	MOS/MSC	01-Feb-08	O/C					
SN:EAAB000C915	HRS	0						
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722011	NO. 1 ENGINE - FAN HUB							Component ATA:72
PN:30B4080-01	MOS	21-Feb-19						LIFE LIMIT
SN:A00283YD	HRS	5955:36						
	ENC	5506		TSN 7709	(9999) 10144 (M)		2109	
	ACCCYC	0	14000	TSN 7709			2953	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722011	NO. 2 ENGINE - FAN HUB							Component ATA:72
PN:30B4080-01	MOS	09-Mar-19						LIFE LIMIT
SN:A0027R5D	HRS	5955:36						
	ENC	5506		TSN 7709	(9999) 10144 (M)		2109	
	ACCCYC	0	14000	TSN 7709			2953	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722012	NO. 1 ENGINE - HP TURBINE ROTOR FRONT COVER							Component ATA:72
PN:30B6202-01	MOS	21-Feb-19						LIFE LIMIT
SN:A0028K15	HRS	5955:36						
	ENC	5506		TSN 5506	(15000) 15145 (M)		7110	
	ACCCYC	0	15000	TSN 5506				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
722012	NO. 2 ENGINE - HP TURBINE ROTOR FRONT COVER							Component ATA:72
PN:30B6202-01	MOS	09-Mar-19						LIFE LIMIT
SN:A0028K16	HRS	5955:36						
	ENC	5506		TSN 5506	(15000) 15145 (M)		7110	
	ACCCYC	0	15000	TSN 5506				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722013	NO. 1 ENGINE - 1ST-STAGE HP TURBINE DISK							Component ATA:72
PN:30B6351-01	MOS	21-Feb-19		TSN 0				LIFE LIMIT
SN:A004BF1N	HRS	5955:36		TSN 0				
	ENC	5506		TSN 0	(20506) 20651 (M)		12616	
	ACCCYC	0	15000	TSN 0				
PROC. REF: GENERIC NO REF, EMM 72-50-01PROC. REF: GENERIC NO REF, EMM 72-50-01								
722013	NO. 2 ENGINE - 1ST-STAGE HP TURBINE DISK							Component ATA:72
PN:30B6351-01	MOS	09-Mar-19		TSN 0				LIFE LIMIT
SN:A004D72A	HRS	5955:36		TSN 0				
	ENC	5506		TSN 0	(20506) 20651 (M)		12616	
	ACCCYC	0	15000	TSN 0				
PROC. REF: GENERIC NO REF, EMM 72-50-01PROC. REF: GENERIC NO REF, EMM 72-50-01								
722014	NO. 1 ENGINE - 2ND-STAGE HP TURBINE DISK							Component ATA:72
PN:30B4642-01	MOS	21-Feb-19		TSN 0				LIFE LIMIT
SN:A004C2KP	HRS	5955:36		TSN 0				
	ENC	5506		TSN 0	(15506) 15651 (M)		7616	
	ACCCYC	0	10000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
722014	NO. 2 ENGINE - 2ND-STAGE HP TURBINE DISK							Component ATA:72
PN:30B4642-01	MOS	09-Mar-19						LIFE LIMIT
SN:A0028APP	HRS	5955:36						
	ENC	5506		TSN 5506	(10000) 10145 (M)		2110	
	ACCCYC	0	10000	TSN 5506				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722015	NO. 1 ENGINE - HP COMPRESSOR SHAFT							Component ATA:72
PN:30B4697-01	MOS/MSC	01-Feb-08	O/C					
SN:EAB000B870	HRS	0						
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722015	NO. 2 ENGINE - HP COMPRESSOR SHAFT							Component ATA:72
PN:30B4697-01	MOS/MSC	01-Feb-08	O/C					
SN:EAB000C569	HRS	0						
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722016	NO. 1 ENGINE - STUB COMPRESSOR ROTOR SHAFT							Component ATA:72
PN:30B4737-01	MOS/MSC	21-Feb-19	O/C	TSN 0				
SN:EAAE000K5005	HRS	5955:36		TSN 0				
	ENC	5506		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722016	NO. 2 ENGINE - STUB COMPRESSOR ROTOR SHAFT							Component ATA:72
PN:30B4737-01	MOS/MSC	09-Mar-19	O/C	TSN 0				
SN:EAAE000L755	HRS	5955:36		TSN 0				
	ENC	5506		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
722017	NO. 1 ENGINE - CENTRIFUGAL IMPELLER							Component ATA:72
PN:30B4796-01	MOS	21-Feb-19		TSN 0				LIFE LIMIT
SN:A00473T2	HRS	5955:36		TSN 0				
	ENC	5506		TSN 0	(12099) 12244 (M)		4209	
	ACCCYC	0	6000	TSN 0			3830	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722017	NO. 2 ENGINE - CENTRIFUGAL IMPELLER							Component ATA:72
PN:30B4796-01	MOS	09-Mar-19		TSN 0				LIFE LIMIT
SN:A004AMW7	HRS	5955:36		TSN 0				
	ENC	5506		TSN 0	(12099) 12244 (M)		4209	
	ACCCYC	0	6000	TSN 0			3830	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722019	NO. 1 ENGINE - FIRST STAGE HP TURBINE BLADES							Component ATA:72
PN:30B6501-01	MOS	21-Feb-19		TSN 0				DISCARD
SN:NSN	HRS	5955:36	6000 (+25/-25)	TSN 0	(11955:36) 12089:27	11980:36	2745:26 (+25)	
	ENC	5506	6000	TSN 0	(11506) 11651		3616	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722019	NO. 2 ENGINE - FIRST STAGE HP TURBINE BLADES							Component ATA:72
PN:30B6501-01	MOS	01-Jul-22						DISCARD
SN:NSN	HRS	7578:07	6000 (+25/-25)	TSN 0	(13578:07) 13711:58	13603:07	4367:57 (+25)	
	ENC	6684	6000	TSN 0	(12684) 12829		4794	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
722020	NO. 1 ENGINE - 2ND STAGE HIGH TURBINE BLADES							Component ATA:72
PN:30B7703-01	MOS	12-Dec-24						DISCARD
SN:NSN	HRS	9092:25	6000 (+25/-25)	TSN 0	(15092:25) 15226:16	15117:25	5882:15 (+25)	
	ENC	7785	6000	TSN 0	(13785) 13930		5895	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722020	NO. 2 ENGINE - 2ND STAGE HIGH TURBINE BLADES							Component ATA:72
PN:30B7703-01	MOS	12-Dec-24						DISCARD
SN:NSN	HRS	9092:25	6000 (+25/-25)	TSN 0	(15092:25) 15226:16	15117:25	5882:15 (+25)	
	ENC	7785	6000	TSN 0	(13785) 13930		5895	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722021	NO. 1 ENGINE - HP TURBINE ROTOR AIR SEAL							Component ATA:72
PN:31B6205-01	MOS	21-Feb-19						LIFE LIMIT
SN:AWE010823	HRS	5955:36						
	ENC	5506		TSN 5506	(15000) 15145 (M)		7110	
	ACCCYC	0	15000	TSN 5506				
PROC. REF: GENERIC NO REF, EMM 72-50-01PROC. REF: GENERIC NO REF, EMM 72-50-01								
722021	NO. 2 ENGINE - HP TURBINE ROTOR AIR SEAL							Component ATA:72
PN:31B6205-01	MOS	09-Mar-19						LIFE LIMIT
SN:AWE010733	HRS	5955:36						
	ENC	5506		TSN 5506	(15000) 15145 (M)		7110	
	ACCCYC	0	15000	TSN 5506				
PROC. REF: GENERIC NO REF, EMM 72-50-01PROC. REF: GENERIC NO REF, EMM 72-50-01								
722023	NO. 1 ENGINE - INBOARD P1/T1 SENSOR							Component ATA:72
PN:30B5895-02	MOS/MSC	21-Feb-19	O/C					
SN:ADXAB001788	HRS	5955:36						
	ENC	5506						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: EMM 77-20-02PROC. REF: EMM 77-20-02								
722023	NO. 1 ENGINE - OUTBOARD P1/T1 SENSOR							Component ATA:72
PN:30B5895-02	MOS/MSC	21-Feb-19	O/C					
SN:ADXAB001790	HRS	5955:36						
	ENC	5506						
PROC. REF: EMM 77-20-02PROC. REF: EMM 77-20-02								
722023	NO. 2 ENGINE - INBOARD P1/T1 SENSOR							Component ATA:72
PN:30B5895-02	MOS/MSC	09-Mar-19	O/C					
SN:ADXAB001746	HRS	5955:36						
	ENC	5506						
PROC. REF: EMM 77-20-02PROC. REF: EMM 77-20-02								
722023	NO. 2 ENGINE - OUTBOARD P1/T1 SENSOR							Component ATA:72
PN:30B5895-02	MOS/MSC	09-Mar-19	O/C					
SN:ADXAB001777	HRS	5955:36						
	ENC	5506						
PROC. REF: EMM 77-20-02PROC. REF: EMM 77-20-02								
723105	NO. 1 ENGINE - GAS GENERATOR CASE ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	01-Feb-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-30-02PROC. REF: EMM 72-30-02								
723105	NO. 2 ENGINE - GAS GENERATOR CASE ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	01-Feb-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-30-02PROC. REF: EMM 72-30-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
724020	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION - ENGINE COMBUSTION COMPONENTS - DO A BORESCOPE INSPECTION OF COMBUSTION CHAMBER							Service ATA:72
	MOS	12-Dec-24						
	HRS	9092:25	3000 (+250)	Adj -136:49	(11955:36) 12089:27	12205:36	2745:26 (+250)	
	ENC	7785						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
724020	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION - ENGINE COMBUSTION COMPONENTS - DO A BORESCOPE INSPECTION OF COMBUSTION CHAMBER							Service ATA:72
	MOS	12-Dec-24						
	HRS	9092:25	3000 (+250)	Adj -136:49	(11955:36) 12089:27	12205:36	2745:26 (+250)	
	ENC	7785						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726010	NO. 1 ENGINE - AGB STARTER PAD SEAL							Component ATA:72
PN:30B7925	MOS	14-Jun-24						
SN:NSN	HRS	8843:54	800 (+30/-30)	TSN 0	(9643:54) 9777:45	9673:54	433:44 (+30)	
	ENC	7611						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726010	NO. 2 ENGINE - AGB STARTER PAD SEAL							Component ATA:72
PN:30B7925	MOS	14-Jun-24						
SN:NSN	HRS	8843:54	800 (+30/-30)	TSN 0	(9643:54) 9777:45	9673:54	433:44 (+30)	
	ENC	7611						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726012	NO. 1 ENGINE - ALTERNATOR PAD SEAL							Component ATA:72
PN:30B7926	MOS	14-Jun-24						
SN:NSN	HRS	8843:54	800 (+30/-30)	TSN 0	(9643:54) 9777:45	9673:54	433:44 (+30)	
	ENC	7611						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
726012	NO. 2 ENGINE - ALTERNATOR PAD SEAL							Component ATA:72
PN:30B7926	MOS	14-Jun-24						
SN:NSN	HRS	8843:54	800 (+30/-30)	TSN 0	(9643:54) 9777:45	9673:54	433:44 (+30)	
	ENC	7611						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726020	NO. 1 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - AC GENERATOR (PMA)							Service ATA:72
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726020	NO. 2 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - AC GENERATOR (PMA)							Service ATA:72
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 73 - ENGINE FUEL AND CONTROL								
730001	NO. 1 ENGINE - FUEL FLOW TRANSMITTER							Component ATA:73
PN:9-127-96	MOS/MSC	09-Jul-24	O/C	TSO 0				
SN:105998395	HRS	8914		TSO 0				
	ENC	7659						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
730001	NO. 2 ENGINE - FUEL FLOW TRANSMITTER							Component ATA:73
PN:9-127-96	MOS/MSC	24-Jul-24	O/C	TSO 0				
SN:105998-1579	HRS	8920:45		TSO 0				
	ENC	7665						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731002	LEFT FUEL PRESSURE SWITCH							Component ATA:73
PN:SPDG6435	MOS/MSC	01-Feb-08	O/C					
SN:0721100	HRS	0		TSN 0				
WC#: 73.010	AFL	0		TSN 0				
PROC. REF: AMM 73-10-00PROC. REF: AMM 73-10-00								
731002	RIGHT FUEL PRESSURE SWITCH							Component ATA:73
PN:SPDG6435	MOS/MSC	21-Mar-14	O/C	TSN 0				
SN:1135627	HRS	3009:30						
WC#: 73.010	AFL	3371						
PROC. REF: AMM 73-10-00PROC. REF: AMM 73-10-00								
731005	NO. 1 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - FUEL START VALVE							Service ATA:73
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731005	NO. 2 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - FUEL START VALVE							Service ATA:73
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731006	NO. 1 ENGINE - OVERHAUL - FUEL NOZZLE							Service ATA:73
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731006	NO. 2 ENGINE - OVERHAUL - FUEL NOZZLE							Service ATA:73
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731007	NO. 1 ENGINE - OVERHAUL - VALVE FUEL SHUTOFF							Service ATA:73
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731007	NO. 2 ENGINE - OVERHAUL - VALVE FUEL SHUTOFF							Service ATA:73
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731008	NO. 1 ENGINE - DISCARD FUEL SHUTOFF CABLE							Component ATA:73
PN:PN	MOS			TSN 0				DISCARD
SN:UNKNOWN	HRS		6000 (+100)	TSN 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TSN 0				
PROC. REF: EMM 73-10-05PROC. REF: EMM 73-10-05								
731008	NO. 2 ENGINE - DISCARD FUEL SHUTOFF CABLE							Component ATA:73
PN:PN	MOS			TSN 0				DISCARD
SN:UNKNOWN	HRS		6000 (+100)	TSN 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TSN 0				
PROC. REF: EMM 73-10-05PROC. REF: EMM 73-10-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731009	NO. 1 ENGINE - OVERHAUL/DISCARD - FUEL PUMP							Service ATA:73
	MOS/MSC	01-Feb-08	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731009	NO. 2 ENGINE - OVERHAUL/DISCARD - FUEL PUMP							Service ATA:73
	MOS/MSC	01-Feb-08	A/R	TAC 0				
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731010	NO. 1 ENGINE - FUEL FILTER							Component ATA:73
PN:30B6653-01	MOS	12-Dec-24						DISCARD
SN:NSN	HRS	9092:25	1200 (+25/-25)	TSN 0	(10292:25) 10426:16	10317:25	1082:15 (+25)	
	ENC	7785						
PROC. REF: EMM 73-10-03PROC. REF: EMM 73-10-03								
731010	NO. 2 ENGINE - FUEL FILTER							Component ATA:73
PN:30B6653-01	MOS	12-Dec-24						DISCARD
SN:NSN	HRS	9092:25	1200 (+25/-25)	TSN 0	(10292:25) 10426:16	10317:25	1082:15 (+25)	
	ENC	7785						
PROC. REF: EMM 73-10-03PROC. REF: EMM 73-10-03								
731015 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION - FUEL FILTER - REMOVE AND CHECK FOR FOREIGN MATTER AND DAMAGE							Service ATA:73
PN:30B6653-01	MOS	02-Oct-24						
SN:NSN	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 73-10-03PROC. REF: EMM 73-10-03								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731015 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION - FUEL FILTER - REMOVE AND CHECK FOR FOREIGN MATTER AND DAMAGE							Service ATA:73
PN:30B6653-01	MOS	02-Oct-24						
SN:NSN	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 73-10-03PROC. REF: EMM 73-10-03								PKG:1
731020	NO. 1 ENGINE - GENERAL VISUAL INSPECTION - INSPECT EMERGENCY FSOV LINKAGE							Service ATA:73
	MOS	12-Dec-24						
	HRS	9092:25	3000 (+250)	Adj -136:49	(11955:36) 12089:27	12205:36	2745:26 (+250)	
	ENC	7785						
PROC. REF: EMM 73-10-05PROC. REF: EMM 73-10-05								
731020	NO. 2 ENGINE - GENERAL VISUAL INSPECTION - INSPECT EMERGENCY FSOV LINKAGE							Service ATA:73
	MOS	12-Dec-24						
	HRS	9092:25	3000 (+250)	Adj -136:49	(11955:36) 12089:27	12205:36	2745:26 (+250)	
	ENC	7785						
PROC. REF: EMM 73-10-05PROC. REF: EMM 73-10-05								
731021	NO. 1 ENGINE - EMERGENCY FSOV ASSEMBLY - DO THE RIGGING PROCEDURE							Service ATA:73
	MOS	12-Dec-24						
	HRS	9092:25	3000 (+250)	Adj -136:49	(11955:36) 12089:27	12205:36	2745:26 (+250)	
	ENC	7785						
PROC. REF: EMM 73-10-05PROC. REF: EMM 73-10-05								
731021	NO. 2 ENGINE - EMERGENCY FSOV ASSEMBLY - DO THE RIGGING PROCEDURE							Service ATA:73
	MOS	12-Dec-24						
	HRS	9092:25	3000 (+250)	Adj -136:49	(11955:36) 12089:27	12205:36	2745:26 (+250)	
	ENC	7785						
PROC. REF: EMM 73-10-05PROC. REF: EMM 73-10-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731022	NO. 1 ENGINE - EMERGENCY FSOV ASSEMBLY - DO THE DIMENSIONAL INSPECTION							Service ATA:73
	MOS	12-Dec-24						
	HRS	9092:25	3000 (+250)	Adj -136:49	(11955:36) 12089:27	12205:36	2745:26 (+250)	
	ENC	7785						
731022	NO. 2 ENGINE - EMERGENCY FSOV ASSEMBLY - DO THE DIMENSIONAL INSPECTION							Service ATA:73
	MOS	12-Dec-24						
	HRS	9092:25	3000 (+250)	Adj -136:49	(11955:36) 12089:27	12205:36	2745:26 (+250)	
	ENC	7785						
731025	NO. 1 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - FUEL FILTER BYPASS SWITCH							Service ATA:73
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731025	NO. 2 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - FUEL FILTER BYPASS SWITCH							Service ATA:73
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731030	NO. 1 ENGINE - CLEAN/INSPECT PRIMARY FUEL NOZZLES							Service ATA:73
	MOS	12-Dec-24						
	HRS	9092:25	3000 (+250)	Adj -136:49	(11955:36) 12089:27	12205:36	2745:26 (+250)	
	ENC	7785						
PROC. REF: EMM 73-10-04, EMM 73-10-04PROC. REF: EMM 73-10-04, EMM 73-10-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731030	NO. 2 ENGINE - CLEAN/INSPECT PRIMARY FUEL NOZZLES							Service ATA:73
	MOS	12-Dec-24						
	HRS	9092:25	3000 (+250)	Adj -136:49	(11955:36) 12089:27	12205:36	2745:26 (+250)	
	ENC	7785						
PROC. REF: EMM 73-10-04, EMM 73-10-04PROC. REF: EMM 73-10-04, EMM 73-10-04								
731045	NO. 1 ENGINE - UPPER FUEL NOZZLE							Component ATA:73
PN:30B6456-01	MOS/MSC	21-Feb-19	O/C	TSN 0				
SN:A004A9MD	HRS	5955:36		TSN 0				
	ENC	5506		TSN 0				
PROC. REF: EMM 73-10-04, EMM 73-10-04PROC. REF: EMM 73-10-04, EMM 73-10-04								
731045	NO. 2 ENGINE - UPPER FUEL NOZZLE							Component ATA:73
PN:30B6456-01	MOS/MSC	01-Jul-22	O/C	TSO 0				
SN:A002710B	HRS	7578:07		TSO 0				
	ENC	6684						
PROC. REF: EMM 73-10-04, EMM 73-10-04PROC. REF: EMM 73-10-04, EMM 73-10-04								
731050	NO. 1 ENGINE - LOWER FUEL NOZZLE							Component ATA:73
PN:30B6456-01	MOS/MSC	21-Feb-19	O/C	TSN 0				
SN:A004A6Y2	HRS	5955:36		TSN 0				
	ENC	5506		TSN 0				
PROC. REF: EMM 72-40-01, EMM 72-40-01, EMM 72-40-01, EMM 72-40-01PROC. REF: EMM 72-40-01, EMM 72-40-01, EMM 72-40-01, EMM 72-40-01								
731050	NO. 2 ENGINE - LOWER FUEL NOZZLE							Component ATA:73
PN:30B6456-01	MOS/MSC	01-Jul-22	O/C	TSO 0				
SN:A00275LT	HRS	7578:07		TSO 0				
	ENC	6684						
PROC. REF: EMM 72-40-01, EMM 72-40-01, EMM 72-40-01, EMM 72-40-01PROC. REF: EMM 72-40-01, EMM 72-40-01, EMM 72-40-01, EMM 72-40-01								
731090	NO. 1 ENGINE - VALVE FUEL SHUTOFF							Component ATA:73
PN:PN	MOS/MSC	01-Feb-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-05PROC. REF: EMM 73-10-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731090	NO. 2 ENGINE - VALVE FUEL SHUTOFF							Component ATA:73
PN:PN	MOS/MSC	01-Feb-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-05PROC. REF: EMM 73-10-05								
732001	NO. 1 ENGINE - ENGINE ELECTRONIC CONTROL							Component ATA:73
PN:822822-4-005	MOS/MSC	21-Feb-19	O/C	TSR 0				
SN:07083525	HRS	5955:36		TSN 5955:36, TSR 0				
	ENC	5506		TSR 0				
PROC. REF: EMM 73-20-02PROC. REF: EMM 73-20-02								
732001	NO. 2 ENGINE - ENGINE ELECTRONIC CONTROL							Component ATA:73
PN:822822-4-005	MOS/MSC	09-Mar-19	O/C	TSR 0				
SN:07096075	HRS	5955:36		TSN 5955:36, TSR 0				
	ENC	5506		TSR 0				
PROC. REF: EMM 73-20-02PROC. REF: EMM 73-20-02								
732002	NO. 1 ENGINE - HYDRO MECH FUEL CONTROL							Component ATA:73
PN:8060-509	MOS/MSC	21-Feb-19	O/C	TSO 0				
SN:16505205	HRS	5955:36		TSO 0				
	ENC	5506		TSO 0				
PROC. REF: EMM 73-20-01PROC. REF: EMM 73-20-01								
732002	NO. 2 ENGINE - HYDRO MECH FUEL CONTROL							Component ATA:73
PN:8060-509	MOS/MSC	09-Mar-19	O/C	TSO 0				
SN:15339813	HRS	5955:36		TSO 0				
	ENC	5506		TSO 0				
PROC. REF: EMM 73-20-01PROC. REF: EMM 73-20-01								
732004	NO. 1 ENGINE - FUEL, START & DUMP VALVE							Component ATA:73
PN:31B5131-03	MOS/MSC	09-Jul-24	O/C	TSO 0				
SN:9959516637	HRS	8914		TSO 0				
	ENC	7659						
PROC. REF: EMM 73-10-05PROC. REF: EMM 73-10-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
732004	NO. 2 ENGINE - FUEL, START & DUMP VALVE							Component ATA:73
PN:31B5131-03	MOS/MSC	09-Jul-24	O/C	TSO 0				
SN:9959516692	HRS	8914		TSO 0				
	ENC	7659						
PROC. REF: EMM 73-10-05PROC. REF: EMM 73-10-05								
732007	NO. 1 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - EEC							Service ATA:73
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732007	NO. 2 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - EEC							Service ATA:73
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732008	NO. 1 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - WIRING HARNESS (OUTER, INNER FRONT AND REAR)							Service ATA:73
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: EMM 73-20-03, EMM 73-20-03PROC. REF: EMM 73-20-03, EMM 73-20-03								
732008	NO. 2 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - WIRING HARNESS (OUTER, INNER FRONT AND REAR)							Service ATA:73
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: EMM 73-20-03, EMM 73-20-03PROC. REF: EMM 73-20-03, EMM 73-20-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
732020	NO. 1 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST/DISCARD - MOTIVE FLOW VALVE							Service ATA:73
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732020	NO. 2 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST/DISCARD - MOTIVE FLOW VALVE							Service ATA:73
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732030 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION - HMU - INSPECT FOR SECURITY, LEAKAGE AND FUEL LEAKS AT TUBE CONNECTIONS							Service ATA:73
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 73-20-01PROC. REF: EMM 73-20-01								PKG:1
732030 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION - HMU - INSPECT FOR SECURITY, LEAKAGE AND FUEL LEAKS AT TUBE CONNECTIONS							Service ATA:73
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 73-20-01PROC. REF: EMM 73-20-01								PKG:1
ATA 74 - IGNITION								
741001I	NO. 1 ENGINE - UPPER IGNITION EXCITER							Component ATA:74
PN:9047980-21	MOS/MSC	21-Feb-19	O/C	TSN 0				
SN:NNA18490037	HRS	5955:36		TSN 0				
	ENC	5506		TSN 0				
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
741001I	NO. 2 ENGINE - UPPER IGNITION EXCITER							Component ATA:74
PN:9047980-21	MOS/MSC	09-Mar-19	O/C					
SN:NNA07381824	HRS	5955:36		TSN 5955:36				
	ENC	5506						
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								
741001O	NO. 1 ENGINE - LOWER IGNITION EXCITER							Component ATA:74
PN:9047980-21	MOS/MSC	21-Feb-19	O/C	TSN 0				
SN:NNA18490042	HRS	5955:36		TSN 0				
	ENC	5506		TSN 0				
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								
741001O	NO. 2 ENGINE - LOWER IGNITION EXCITER							Component ATA:74
PN:9047980-21	MOS/MSC	09-Mar-19	O/C	TSO 0				
SN:NNA07277808	HRS	5955:36		TSO 0				
	ENC	5506						
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								
741010 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION - IGNITION EXCITERS - CHECK FOR SECURITY AND CORROSION							Service ATA:74
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
								PKG:1
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								
741010 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION - IGNITION EXCITERS - CHECK FOR SECURITY AND CORROSION							Service ATA:74
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
								PKG:1
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
741020 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION - IGNITION CABLES - CHECK FOR CHAFING, WEAR AND SECURITY							Service ATA:74
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								PKG:1
741020 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION - IGNITION CABLES - CHECK FOR CHAFING, WEAR AND SECURITY							Service ATA:74
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								PKG:1
741030 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION - SPARK IGNITERS - CHECK FOR CLEANLINESS AND EROSION							Service ATA:74
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								PKG:1
741030 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION - SPARK IGNITERS - CHECK FOR CLEANLINESS AND EROSION							Service ATA:74
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								PKG:1
741040 ^S	NO. 1 ENGINE - IGNITIONSYSTEM - OPERATIONAL TEST							Service ATA:74
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
741040 ^S	NO. 2 ENGINE - IGNITIONSYSTEM - OPERATIONAL TEST							Service ATA:74
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								PKG:1
742001	NO. 1 ENGINE - REPLACE UPPER IGNITOR PLUG							Component ATA:74
PN:CH34682	MOS	28-Jul-23						REPLACE
SN:NSN	HRS	8267:12	6000 (+100)	TSN 0	(14267:12) 14401:03	14367:12	5057:02 (+100)	
	ENC	7192						
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								
742001	NO. 2 ENGINE - REPLACE UPPER IGNITOR PLUG							Component ATA:74
PN:31B5168-01	MOS	17-Nov-21						REPLACE
SN:NSN	HRS	7490:26	6000 (+100)	TSN 0	(13490:26) 13624:17	13590:26	4280:16 (+100)	
	ENC	6618						
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								
742002	NO. 1 ENGINE - REPLACE LOWER IGNITOR PLUG							Component ATA:74
PN:CH34682	MOS	21-Feb-19		TSN 0				REPLACE
SN:UNKNOWN	HRS	5955:36	6000 (+100)	TSN 0	(11955:36) 12089:27	12055:36	2745:26 (+100)	
	ENC	5506		TSN 0				
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								
742002	NO. 2 ENGINE - REPLACE LOWER IGNITOR PLUG							Component ATA:74
PN:CH34682	MOS	27-Aug-20						REPLACE
SN:NSN	HRS	6739:53	6000 (+100)	TSN 0	(12739:53) 12873:44	12839:53	3529:43 (+100)	
	ENC	6109						
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
742003	NO. 1 ENGINE - UPPER TOP IGNITOR LEAD							Component ATA:74
PN:CH53238-1	MOS/MSC	21-Feb-19	O/C	TSN 0				
SN:182811	HRS	5955:36		TSN 0				
	ENC	5506		TSN 0				
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								
742003	NO. 2 ENGINE - UPPER TOP IGNITOR LEAD							Component ATA:74
PN:CH53238-1	MOS/MSC	09-Mar-19	O/C	TSN 0				
SN:182819	HRS	5955:36		TSN 0				
	ENC	5506		TSN 0				
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								
742004	NO. 1 ENGINE - LOWER BOTTOM IGNITOR LEAD							Component ATA:74
PN:CH53238-1	MOS/MSC	21-Feb-19	O/C	TSN 0				
SN:182812	HRS	5955:36		TSN 0				
	ENC	5506		TSN 0				
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								
742004	NO. 2 ENGINE - LOWER BOTTOM IGNITOR LEAD							Component ATA:74
PN:CH53238-1	MOS/MSC	09-Mar-19	O/C	TSN 0				
SN:182459	HRS	5955:36		TSN 0				
	ENC	5506		TSN 0				
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								
ATA 75 - AIR								
751001	NO. 1 ENGINE - SOLENOID, CPRSR BLEED VALVE							Component ATA:75
PN:540-1167-3	MOS/MSC	21-Feb-19	O/C	TSR 0				
SN:1173	HRS	5955:36		TSR 0				
	ENC	5506		TSR 0				
PROC. REF: EMM 75-30-02PROC. REF: EMM 75-30-02								
751001	NO. 2 ENGINE - SOLENOID, CPRSR BLEED VALVE							Component ATA:75
PN:540-1167-3	MOS/MSC	09-Mar-19	O/C	TSR 0				
SN:1471	HRS	5955:36		TSR 0				
	ENC	5506		TSR 0				
PROC. REF: EMM 75-30-02PROC. REF: EMM 75-30-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
751002	NO. 1 ENGINE - LINEAR ACTUATOR							Component ATA:75
PN:2600-1	MOS/MSC	21-Feb-19	O/C	TSO 0				
SN:2600345	HRS	5955:36		TSO 0				
	ENC	5506		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
751002	NO. 2 ENGINE - LINEAR ACTUATOR							Component ATA:75
PN:2600-1	MOS/MSC	09-Mar-19	O/C	TSO 0				
SN:SAU06-193	HRS	5955:36		TSO 0				
	ENC	5506		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
751005	NO. 1 ENGINE - LEFT P2.5 BLEED VALVE							Component ATA:75
PN:31B5759-01	MOS/MSC	21-Feb-19	O/C	TSO 0				
SN:AHX008330	HRS	5955:36		TSO 0				
	ENC	5506		TSO 0				
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								
751005	NO. 2 ENGINE - LEFT P2.5 BLEED VALVE							Component ATA:75
PN:31B5759-01	MOS/MSC	09-Mar-19	O/C	TSO 0				
SN:AHX004088	HRS	5955:36		TSO 0				
	ENC	5506		TSO 0				
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								
751006	NO. 1 ENGINE - RIGHT P2.5 BLEED VALVE							Component ATA:75
PN:31B5759-01	MOS/MSC	21-Feb-19	O/C	TSO 0				
SN:AHX008266	HRS	5955:36		TSO 0				
	ENC	5506		TSO 0				
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								
751006	NO. 2 ENGINE - RIGHT P2.5 BLEED VALVE							Component ATA:75
PN:31B5759-01	MOS/MSC	09-Mar-19	O/C	TSO 0				
SN:AHX003789	HRS	5955:36		TSO 0				
	ENC	5506		TSO 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								
751007	NO. 1 ENGINE - TOP P2.8 BLEED VALVE							Component ATA:75
PN:31B5756-01	MOS/MSC	21-Feb-19	O/C	TSO 0				
SN:AHX010446	HRS	5955:36		TSO 0				
	ENC	5506		TSO 0				
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								
751007	NO. 2 ENGINE - TOP P2.8 BLEED VALVE							Component ATA:75
PN:31B5756-01	MOS/MSC	09-Mar-19	O/C	TSO 0				
SN:AHX003953	HRS	5955:36		TSO 0				
	ENC	5506		TSO 0				
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								
751008	NO. 1 ENGINE - BOTTOM P2.8 BLEED VALVE							Component ATA:75
PN:31B5756-01	MOS/MSC	21-Feb-19	O/C	TSO 0				
SN:AHX010387	HRS	5955:36		TSO 0				
	ENC	5506		TSO 0				
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								
751008	NO. 2 ENGINE - BOTTOM P2.8 BLEED VALVE							Component ATA:75
PN:31B5756-01	MOS/MSC	09-Mar-19	O/C	TSO 0				
SN:AHX003951	HRS	5955:36		TSO 0				
	ENC	5506		TSO 0				
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								
751020	NO. 1 ENGINE - OVERHAUL - ANTI-ICING VALVE							Service ATA:75
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
751020	NO. 2 ENGINE - OVERHAUL - ANTI-ICING VALVE							Service ATA:75
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
753001	NO. 1 ENGINE - OVERHAUL - COMPRESSOR BLEED VALVES							Service ATA:75
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
753001	NO. 2 ENGINE - OVERHAUL - COMPRESSOR BLEED VALVES							Service ATA:75
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
753002	NO. 1 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - COMPRESSOR BOV SOLENOID							Service ATA:75
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
753002	NO. 2 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - COMPRESSOR BOV SOLENOID							Service ATA:75
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
753004	NO. 1 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - LINEAR STATOR VANE ACTUATOR							Service ATA:75
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
753004	NO. 2 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - LINEAR STATOR VANE ACTUATOR							Service ATA:75
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
753010	NO. 1 ENGINE - INSPECTION /OPERATIONAL CHECK P2.5 AND P2.8 BLEED VALVES							Service ATA:75
	MOS	12-Dec-24						
	HRS	9092:25	3000 (+250)	Adj -136:49	(11955:36) 12089:27	12205:36	2745:26 (+250)	
	ENC	7785						
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								
753010	NO. 2 ENGINE - INSPECTION /OPERATIONAL CHECK P2.5 AND P2.8 BLEED VALVES							Service ATA:75
	MOS	12-Dec-24						
	HRS	9092:25	3000 (+250)	Adj -136:49	(11955:36) 12089:27	12205:36	2745:26 (+250)	
	ENC	7785						
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								
753020	NO. 1 ENGINE - GENERAL VISUAL INSPECTION - BOV SOLENOID FILTER - INSPECTION OF BLEED VALVE CONTROL UNIT FILTER							Service ATA:75
	MOS	12-Dec-24						
	HRS	9092:25	3000 (+250)	Adj -136:49	(11955:36) 12089:27	12205:36	2745:26 (+250)	
	ENC	7785						
PROC. REF: EMM 75-30-02PROC. REF: EMM 75-30-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
753020	NO. 2 ENGINE - GENERAL VISUAL INSPECTION - BOV SOLENOID FILTER - INSPECTION OF BLEED VALVE CONTROL UNIT FILTER							Service ATA:75
	MOS	12-Dec-24						
	HRS	9092:25	3000 (+250)	Adj -136:49	(11955:36) 12089:27	12205:36	2745:26 (+250)	
	ENC	7785						
PROC. REF: EMM 75-30-02PROC. REF: EMM 75-30-02								
754001	NO. 1 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - P3 TRANSDUCER							Service ATA:75
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
754001	NO. 2 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - P3 TRANSDUCER							Service ATA:75
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 76 - ENGINE CONTROLS								
761001	NO. 1 ENGINE - ENGINE DIAGNOSTIC UNIT							Component ATA:76
PN:822492-2-006	MOS/MSC	21-Feb-19	O/C	TSR 0				
SN:07057823	HRS	5955:36		TSN 5955:36, TSR 0				
	ENC	5506		TSR 0				
PROC. REF: EMM 77-40-01PROC. REF: EMM 77-40-01								
761001	NO. 2 ENGINE - ENGINE DIAGNOSTIC UNIT							Component ATA:76
PN:822492-2-006	MOS/MSC	09-Mar-19	O/C	TSR 0				
SN:07068267	HRS	5955:36		TSN 5955:36, TSR 0				
	ENC	5506		TSR 0				
PROC. REF: EMM 77-40-01PROC. REF: EMM 77-40-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
770001	STANDBY ENGINE INDICATOR							Component ATA:77
PN:10677N03M01	MOS/MSC	01-Feb-08	O/C					
SN:0328	HRS	0		TSN 0				
WC#: 77.010	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
771001	L1 SPEED N1 SENSOR							Component ATA:77
PN:30B3623-05	MOS/MSC	21-Feb-19	O/C					
SN:CH1588	HRS	5955:36		TSN 5955:36				
WC#: 77.020	AFL	5506		TSN 5506				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
771001	L2 SPEED N1 SENSOR							Component ATA:77
PN:30B3623-05	MOS/MSC	21-Feb-19	O/C					
SN:CH1687	HRS	5955:36		TSN 5955:36				
WC#: 77.020	AFL	5506		TSN 5506				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
771001	R1 SPEED N1 SENSOR							Component ATA:77
PN:30B3623-05	MOS/MSC	09-Mar-19	O/C					
SN:CH1685	HRS	5955:36		TSN 5955:36				
WC#: 77.030	AFL	5506		TSN 5506				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
771001	R2 SPEED N1 SENSOR							Component ATA:77
PN:30B3623-05	MOS/MSC	09-Mar-19	O/C					
SN:CH1717	HRS	5955:36		TSN 5955:36				
WC#: 77.030	AFL	5506		TSN 5506				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
771002	NO. 1 ENGINE - FIRE AND OVERHEAT SENSOR							Component ATA:77
PN:30B5702-01	MOS/MSC	01-Feb-08	O/C					
SN:125398	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 26-10-01PROC. REF: EMM 26-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
771002	NO. 2 ENGINE - FIRE AND OVERHEAT SENSOR							Component ATA:77
PN:30B5702-01	MOS/MSC	01-Feb-08	O/C					
SN:124817	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 26-10-01PROC. REF: EMM 26-10-01								
771011	NO. 1 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - N1 CHANNEL A SPEED SENSORS							Service ATA:77
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
771011	NO. 2 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - N1 CHANNEL A SPEED SENSORS							Service ATA:77
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
771022	NO. 1 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - N1 CHANNEL B SPEED SENSORS							Service ATA:77
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
771022	NO. 2 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - N1 CHANNEL B SPEED SENSORS							Service ATA:77
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
771030	NO. 1 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - WIRING HARNESS SPEED SENSOR							Service ATA:77
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
771030	NO. 2 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - WIRING HARNESS SPEED SENSOR							Service ATA:77
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
771040	NO. 1 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - N2 SPEED SENSORS							Service ATA:77
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
771040	NO. 2 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - N2 SPEED SENSORS							Service ATA:77
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
772010	NO. 1 ENGINE - EXAMINE AND DO A FUNCTIONAL CHECK - T4.5 HARNESS AND T4.5 TERMINAL BOX							Service ATA:77
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: EMM 77-20-01PROC. REF: EMM 77-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
772010	NO. 2 ENGINE - EXAMINE AND DO A FUNCTIONAL CHECK - T4.5 HARNESS AND T4.5 TERMINAL BOX							Service ATA:77
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: EMM 77-20-01PROC. REF: EMM 77-20-01								
772020	NO. 1 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - INBOARD P1/T1 SENSORS							Service ATA:77
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
772020	NO. 2 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - INBOARD P1/T1 SENSORS							Service ATA:77
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
772025	NO. 1 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - OUTBOARD P1/T1 SENSORS							Service ATA:77
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
772025	NO. 2 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - OUTBOARD P1/T1 SENSORS							Service ATA:77
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
773001	LEFT ENGINE ACCELEROMETER							Component ATA:77
PN:6222SM15	MOS/MSC	01-Feb-08	O/C					
SN:21081	HRS	0		TSN 0				
WC#: 77.040	AFL	0		TSN 0				
PROC. REF: AMM 77-20-00PROC. REF: AMM 77-20-00								
773001	RIGHT ENGINE ACCELEROMETER							Component ATA:77
PN:6222SM15	MOS/MSC	01-Feb-08	O/C					
SN:21083	HRS	0		TSN 0				
WC#: 77.040	AFL	0		TSN 0				
PROC. REF: AMM 77-20-00PROC. REF: AMM 77-20-00								
774001	NO. 1 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - ENGINE DIAGNOSTIC UNIT							Service ATA:77
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
774001	NO. 2 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - ENGINE DIAGNOSTIC UNIT							Service ATA:77
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 78 - EXHAUST								
78-30-00-2200 ^S	THRUST REVERSER ASSEMBLY DETAILED INSPECTION							Service ATA:78
	MOS	04-Nov-22	36 (+1m/-1m)					
	HRS	8046:12						
	AFL	7047						
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00								PKG:175

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
780002	LEFT THRUST REVERSER							Component ATA:78
PN:07ND78001-1	MOS/MSC	01-Feb-08	O/C					
SN:SVN3751	HRS	0						
WC#: 78.010	AFL	0		TSN 0				
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00								
780002	RIGHT THRUST REVERSER							Component ATA:78
PN:07ND78001-2	MOS/MSC	01-Feb-08	O/C					
SN:SVN3761	HRS	0						
WC#: 78.010	AFL	0		TSN 0				
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00								
780003	LEFT THRUST REVERSER CONTROL VALVE							Component ATA:78
PN:07ND78016-9	MOS/MSC	01-Feb-08	O/C					
SN:0179	HRS	0		TSN 0				
WC#: 78.020	AFL	0		TSN 0				
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00								
780003	RIGHT THRUST REVERSER CONTROL VALVE							Component ATA:78
PN:07ND78016-9	MOS/MSC	01-Feb-08	O/C					
SN:0172	HRS	0		TSN 0				
WC#: 78.020	AFL	0		TSN 0				
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00								
780004	LEFT INBOARD THRUST REVERSER ACTUATOR							Component ATA:78
PN:07ND78401-8	MOS/MSC	01-Feb-08	O/C					
SN:1384	HRS	0						
WC#: 78.030	AFL	0						
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00								
780004	LEFT OUTBOARD THRUST REVERSER ACTUATOR							Component ATA:78
PN:07ND78401-7	MOS/MSC	01-Feb-08	O/C					
SN:1376	HRS	0						
WC#: 78.030	AFL	0						
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
780004	RIGHT INBOARD THRUST REVERSER ACTUATOR							Component ATA:78
PN:07ND78401-7	MOS/MSC	26-Apr-25	O/C	TSR 0				
SN:1404	HRS	9344:01		TSR 0				
WC#: 78.040	AFL	8035						
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00								
780004	RIGHT OUTBOARD THRUST REVERSER ACTUATOR							Component ATA:78
PN:07ND78401-8	MOS/MSC	01-Feb-08	O/C					
SN:1372	HRS	0						
WC#: 78.040	AFL	0						
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00								
780005	LEFT THRUST REVERSER MANIFOLD							Component ATA:78
PN:AEC42750	MOS/MSC	01-Feb-08	O/C					
SN:0695	HRS	0						
WC#: 78.120	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
780005	RIGHT THRUST REVERSER MANIFOLD							Component ATA:78
PN:AEC42750	MOS/MSC	01-Feb-08	O/C					
SN:0693	HRS	0						
WC#: 78.120	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
780006	LEFT THRUST REVERSER WIRING HARNESS							Component ATA:78
PN:07ND78303-3	MOS/MSC	01-Feb-08	O/C					
SN:06421343	HRS	0						
WC#: 78.150	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
780006	RIGHT THRUST REVERSER WIRING HARNESS							Component ATA:78
PN:07ND78303-3	MOS/MSC	01-Feb-08	O/C					
SN:07344018	HRS	0						
WC#: 78.150	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
783102	LEFT DEPLOY LIMIT S4 SWITCH							Component ATA:78
PN:07ND78311-3	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0						
WC#: 78.050	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
783102	RIGHT DEPLOY LIMIT S4 SWITCH							Component ATA:78
PN:07ND78311-3	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0						
WC#: 78.050	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
783103	LEFT INBOARD LATCH ACTUATOR S5 SWITCH							Component ATA:78
PN:07ND78311-1	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0						
WC#: 78.060	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
783103	LEFT OUTBOARD LATCH ACTUATOR S3 SWITCH							Component ATA:78
PN:07ND78311-9	MOS/MSC	28-Mar-13	O/C	TSN 0				
SN:N/A	HRS	2500:06		TSN 0				
WC#: 78.060	AFL	2791						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
783103	RIGHT INBOARD LATCH ACTUATOR S5 SWITCH							Component ATA:78
PN:07ND78311-9	MOS/MSC	19-Mar-13	O/C	TSN 0				
SN:NSN	HRS	2491:42		TSN 0				
WC#: 78.070	AFL	2781						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
783103	RIGHT OUTBOARD LATCH ACTUATOR S3 SWITCH							Component ATA:78
PN:07ND78311-1	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0						
WC#: 78.070	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
783104	LEFT INBOARD UPPER UNLOCK S1 SWITCH							Component ATA:78
PN:07ND78311-7	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0						
WC#: 78.080	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
783104	LEFT OUTBOARD UPPER UNLOCK S2 SWITCH							Component ATA:78
PN:07ND78311-7	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0						
WC#: 78.080	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
783104	RIGHT INBOARD UPPER UNLOCK S1 SWITCH							Component ATA:78
PN:07ND78311-7	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0						
WC#: 78.090	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
783104	RIGHT OUTBOARD UPPER UNLOCK S2 SWITCH							Component ATA:78
PN:07ND78311-7	MOS/MSC	21-Oct-10	O/C	TSN 0				
SN:NSN	HRS	1402:06		TSN 0				
WC#: 78.090	AFL	1574		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
783105	LEFT INBOARD LOWER UNLOCK S6 SWITCH							Component ATA:78
PN:07ND78311-7	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0						
WC#: 78.100	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
783105	LEFT OUTBOARD LOWER UNLOCK S7 SWITCH							Component ATA:78
PN:07ND78311-7	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0						
WC#: 78.100	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
783105	RIGHT INBOARD LOWER UNLOCK S6 SWITCH							Component ATA:78
PN:07ND78311-7	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0						
WC#: 78.110	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
783105	RIGHT OUTBOARD LOWER UNLOCK S7 SWITCH							Component ATA:78
PN:07ND78311-7	MOS/MSC	22-Apr-09	O/C					
SN:NSN	HRS	641						
WC#: 78.110	AFL	716		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
ATA 79 - OIL								
791001	NO. 1 ENGINE - HEAT FUEL OIL EXCHANGER							Component ATA:79
PN:31B5790-02	MOS/MSC	01-Feb-08	O/C					
SN:2192	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 79-20-02PROC. REF: EMM 79-20-02								
791001	NO. 2 ENGINE - HEAT FUEL OIL EXCHANGER							Component ATA:79
PN:31B5790-02	MOS/MSC	01-Feb-08	O/C					
SN:2180	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 79-20-02PROC. REF: EMM 79-20-02								
791002	NO. 1 ENGINE - OIL LEVEL SENSOR							Component ATA:79
PN:30B3851-03	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 79-30-03PROC. REF: EMM 79-30-03								
791002	NO. 2 ENGINE - OIL LEVEL SENSOR							Component ATA:79
PN:30B3851-03	MOS/MSC	01-Feb-08	O/C					
SN:NSN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 79-30-03PROC. REF: EMM 79-30-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
792010	NO. 1 ENGINE - OIL FILTER ELEMENT							Component ATA:79
PN:30B6652-01	MOS	12-Dec-24						DISCARD
SN:NSN	HRS	9092:25	1200 (+25/-25)	TSN 0	(10292:25) 10426:16	10317:25	1082:15 (+25)	
	ENC	7785						
PROC. REF: EMM 79-20-01PROC. REF: EMM 79-20-01								
792010	NO. 2 ENGINE - OIL FILTER ELEMENT							Component ATA:79
PN:30B6652-01	MOS	12-Dec-24						DISCARD
SN:NSN	HRS	9092:25	1200 (+25/-25)	TSN 0	(10292:25) 10426:16	10317:25	1082:15 (+25)	
	ENC	7785						
PROC. REF: EMM 79-20-01PROC. REF: EMM 79-20-01								
792015 ^S	NO. 1 ENGINE - DETAILED INSPECTION - ENGINE OIL FILTER - EXAMINE OIL FILTER ELEMENT							Service ATA:79
PN:30B6652-01	MOS	02-Oct-24						
SN:NSN	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 79-20-01PROC. REF: EMM 79-20-01								PKG:1
792015 ^S	NO. 2 ENGINE - DETAILED INSPECTION - ENGINE OIL FILTER - EXAMINE OIL FILTER ELEMENT							Service ATA:79
PN:30B6652-01	MOS	02-Oct-24						
SN:NSN	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 79-20-01PROC. REF: EMM 79-20-01								PKG:1
792018	NO. 1 ENGINE - OIL PUMP ASSY							Component ATA:79
PN:30B6552-01	MOS/MSC	01-Feb-08	O/C					
SN:22A358	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 79-20-05PROC. REF: EMM 79-20-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
792018	NO. 2 ENGINE - OIL PUMP ASSY							Component ATA:79
PN:30B6552-01	MOS/MSC	01-Feb-08	O/C					
SN:22A359	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 79-20-05PROC. REF: EMM 79-20-05								
792020	NO. 1 ENGINE - GENERAL VISUAL INSPECTION - NO. 3 BRG SCAVENGE OIL TUBE - VISUAL CHECK FOR LEAKAGE							Service ATA:79
	MOS	26-Apr-25						
	HRS	9210:10	1200 (+25/-25)		(10410:10) 10544:01	10435:10	1200 (+25)	
	ENC	7890						
PROC. REF: EMM 79-20-03PROC. REF: EMM 79-20-03								
792020	NO. 2 ENGINE - GENERAL VISUAL INSPECTION - NO. 3 BRG SCAVENGE OIL TUBE - VISUAL CHECK FOR LEAKAGE							Service ATA:79
	MOS	26-Apr-25						
	HRS	9210:10	1200 (+25/-25)		(10410:10) 10544:01	10435:10	1200 (+25)	
	ENC	7890						
PROC. REF: EMM 79-20-03PROC. REF: EMM 79-20-03								
792030	NO. 1 ENGINE - CHANGE OIL							Service ATA:79
	MOS	26-Apr-25	12	Adj -1	31-Mar-26		339 d	
	HRS	9210:10	1200 (+50/-50)		(10410:10) 10544:01	10460:10	1200 (+50)	
	ENC	7890						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
792030	NO. 2 ENGINE - CHANGE OIL							Service ATA:79
	MOS	26-Apr-25	12	Adj -1	31-Mar-26		339 d	
	HRS	9210:10	1200 (+50/-50)		(10410:10) 10544:01	10460:10	1200 (+50)	
	ENC	7890						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
792040	NO. 1 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - OIL FILTER BYPASS SWITCH							Service ATA:79
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
792040	NO. 2 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - OIL FILTER BYPASS SWITCH							Service ATA:79
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
793001	NO. 1 ENGINE - DISCARD - CHIP DETECTOR							Service ATA:79
	MOS			TAC 0				DISCARD
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
793001	NO. 2 ENGINE - DISCARD - CHIP DETECTOR							Service ATA:79
	MOS			TAC 0				DISCARD
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
793002	NO. 1 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - LOW OIL PRESSURE SWITCH							Service ATA:79
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
793002	NO. 2 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - LOW OIL PRESSURE SWITCH							Service ATA:79
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
793003	NO. 1 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - OIL TANK FILLER CAP							Service ATA:79
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
793003	NO. 2 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - OIL TANK FILLER CAP							Service ATA:79
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
793020 ^S	NO. 1 ENGINE - DETAILED INSPECTION ENGINE CHIP DETECTOR - FUNCTIONAL ELECTRICAL AND MAGNETIC INSPECTION							Service ATA:79
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 79-30-01PROC. REF: EMM 79-30-01								PKG:1
793020 ^S	NO. 2 ENGINE - DETAILED INSPECTION ENGINE CHIP DETECTOR - FUNCTIONAL ELECTRICAL AND MAGNETIC INSPECTION							Service ATA:79
	MOS	02-Oct-24						
	HRS	9031:32	800 (+25/-25)					
	ENC	7744						
PROC. REF: EMM 79-30-01PROC. REF: EMM 79-30-01								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
793030	NO. 1 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - OIL LEVEL SENSOR							Service ATA:79
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
793030	NO. 2 ENGINE - GENERAL VISUAL INSPECTION/FUNCTIONAL TEST - OIL LEVEL SENSOR							Service ATA:79
	MOS			TAC 0				
	HRS		6000 (+100)	TAC 0	(11955:36) 12089:27 (M)	12055:36	2745:26 (+100)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
793100	LEFT ENGINE OIL PRESSURE TRANSMITTER							Component ATA:79
PN:9912464-1	MOS/MSC	06-Feb-23	O/C	TSN 0				
SN:8212-9-104	HRS	8146:50		TSN 0				
WC#: 79.010	AFL	7141						
PROC. REF: AMM 79-30-00PROC. REF: AMM 79-30-00								
793100	RIGHT ENGINE OIL PRESSURE TRANSMITTER							Component ATA:79
PN:APTE-237C-1000-250D	MOS/MSC	30-Sep-16	O/C	TSN 0				
SN:8212-9-59	HRS	4495:54		TSN 0				
WC#: 79.010	AFL	4443						
	APH	1797						
	APS	4997						
PROC. REF: AMM 79-30-00PROC. REF: AMM 79-30-00								
793101	LEFT OIL TEMPERATURE SENSOR							Component ATA:79
PN:102-00083	MOS/MSC	01-Feb-08	O/C					
SN:06008	HRS	0		TSN 0				
WC#: 79.020	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of:
12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
793101	RIGHT OIL TEMPERATURE SENSOR							Component ATA:79
PN:102-00083	MOS/MSC	01-Feb-08	O/C					
SN:06200	HRS	0		TSN 0				
WC#: 79.020	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

Status Report

Model: 680 - CITATION SOVEREIGN Serial: 680-0185 RegNo: D-CEIS HRS: 9344:01 AFL: 8035 As Of: 12-Mar-2025

26-Apr-2025 01:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 80 - STARTING								
80-10-00-2100 ^S	275 AMPERE STARTER GENERATOR L/HIRF DETAILED INSPECTION							Service ATA:80
	MOS	27-Oct-23	24 (+1m/-1m)					
	HRS	8589:45						
	AFL	7472						
	APH							
	APS							
								PKG:190
PROC. REF: AMM 80-10-00PROC. REF: AMM 80-10-00								
80-10-00-9601	LEFT ENGINE STARTER GENERATOR (REPLACE BEARINGS AND ARMATURE FUNCTIONAL CHECK) RESTORATION - AIRPLANES -0310 AND ON ANDAIRPLANES -0001 THRU -0170INCORPORATING SB680-24-08AND SB680-49-09 ANDAIRPLANES -0171 THRU -0309INCORPORATING SB680-49-09							Component ATA:80
PN:23291-005	MOS	24-Jul-24						RESTORE
SN:P2671	HRS	9054:36	1200 (+25/-25)	TSO 0	10254:36	10279:36	910:35 (+25)	
WC#: 80.010	AFL	7810						
PROC. REF: AMM 80-10-00PROC. REF: AMM 80-10-00								
80-10-00-9601	RIGHT ENGINE STARTER GENERATOR (REPLACE BEARINGS AND ARMATURE FUNCTIONAL CHECK) RESTORATION - AIRPLANES -0310 AND ON ANDAIRPLANES -0001 THRU -0170INCORPORATING SB680-24-08AND SB680-49-09 ANDAIRPLANES -0171 THRU -0309INCORPORATING SB680-49-09							Component ATA:80
PN:23291-005	MOS	02-Oct-24						RESTORE
SN:P2591	HRS	9165:23	1200 (+25/-25)	TSO 0	10365:23	10390:23	1021:22 (+25)	
WC#: 80.010	AFL	7889						
PROC. REF: AMM 80-10-00PROC. REF: AMM 80-10-00								
80-10-00-9603	AUXILIARY POWER UNIT STARTERGENERATOR (REPLACE BEARINGS AND ARMATURE FUNCTIONAL CHECK) RESTORATION - AIRPLANES -0310 AND ON AND AIRPLANES -0001 THRU -0170INCORPORATING SB680-24-08 AND SB680-49-09 AND AIRPLANES -0171 THRU -0309INCORPORATING SB680-49-09							Component ATA:80
PN:23291-005	MOS	12-Dec-24						RESTORE
SN:P3318	HRS	9226:16						
WC#: 80.020	AFL	7930						
	APH	3561	1200 (+25/-25)	TSO 0	4761	4786	1133 (+25)	
	APS			TSO 0				
PROC. REF: AMM 80-10-00PROC. REF: AMM 80-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task