



Status Report

560XLS+CITATION
XLS+ (MSG)

S/N 560XL-6295 OK-WND

OWNER: AEROPARTNER A.S.

ADDRESS: K LETISTI / HANGAR C
PRAGUE 161 00

OFFICE:

FAX:

OPERATOR: AEROPARTNER A.S.

ADDRESS: K LETISTI / HANGAR C
PRAGUE 161 00

OFFICE:

FAX:

ANALYST: GUILLAUME DUCLOS
EMAIL: GUILLAUME.DUCLOS@CAMPSYSTEMS.EU

+33-1.55.93.45.84 (DIRECT)
+33-1.55.93.45.80 (MAIN)
WWW.CAMPSYSTEMS.COM

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL/REGNO: 560XL-6295/OK-WND	MODEL: 560XLS+CITATION XLS+ (MSG)	MANUFACTURER: TEXTRON AVIATION INC.
-----------------	--	--	--

CERTIFICATION DATE: 17-DEC-2020

LAST ACTUALS:

2576:12	A/C HRS	as of 07-JAN-2026
1666	AFL	as of 07-JAN-2026
928:06	APH	as of 13-NOV-2025
1523	APS	as of 08-SEP-2025

APU	SERIAL/PART: P-1098/3800722-1	MODEL: RE100 (XL)	MANUFACTURER: HONEYWELL
------------	--------------------------------------	--------------------------	--------------------------------

INSTALLED ON: 01-JAN-2021

0	APU HRS	0 A/C HRS
0	APUS	

LAST ACTUALS:

928:06	APU HRS	as of 13-NOV-2025
1523	APUS	as of 08-SEP-2025

ENGINE NO. 1	SERIAL/PART: PCE-DF0599/30J2934-01	MODEL: PW545C	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
---------------------	---	----------------------	---

INSTALLED ON: 01-JAN-2021

0	ENG. HRS	0 A/C HRS
0	ENC	

LAST ACTUALS:

2576:12	ENG. HRS	as of 07-JAN-2026
1666	ENC	as of 07-JAN-2026

ENGINE NO. 2	SERIAL/PART: PCE-DF0598/30J2934-01	MODEL: PW545C	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
---------------------	---	----------------------	---

INSTALLED ON: 01-JAN-2021

0	ENG. HRS	0 A/C HRS
0	ENC	

LAST ACTUALS:

2576:12	ENG. HRS	as of 07-JAN-2026
1666	ENC	as of 07-JAN-2026



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA GENERAL								
35 ^U	FTLB CHECK							Service ATA:--
	MOS	12-Dec-25	1		31-Jan-26		19 d	
	HRS	2564:59						
	AFL	1658						
CAMO ^U								
	AMP ANNUAL CHECK							Service ATA:--
	DAYS	11-Dec-24	365		11-Dec-25		OVD	
	HRS							
	AFL							
CAMP1 ^U								
	OIL CONSUMPTION CHECK							Service ATA:--
	MOS	12-Dec-25	2		28-Feb-26		47 d	
	HRS	2564:59	100		2664:59		88:47	
	AFL	1658						
IFR CHECK ^U								
	RADIO AND RADIONAVIGATION EQUIPMENT SENSITIVITY CHECK (IFR CHECK)							Service ATA:--
	MOS	28-Nov-25	12		30-Nov-26		322 d	
	HRS	2556:19						
	AFL	1654						
	APH							
	APS							
USER ^U								
	AV8 CORROSION INHIBITOR APPLICATION							Service ATA:--
	MOS	31-Mar-25	6		30-Nov-25 (M)		OVD	
	HRS	2152:04						
	AFL	1404						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
A56E-231123	APU - REVIEW HONEYWELL SERVICE INFORMATION LETTER APU-49, REVISION 13 - SPECTROMETRIC OIL AND FILTER ANALYSIS PROGRAM (SOAP)							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	APUS							
PROC. REF: RCF A56EPROC. REF: RCF A56E								
A56E-250212	APU - REVIEW HONEYWELL SERVICE INFORMATION LETTER (SIL) SIL NO. APU-49 REV 14							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	APUS							
PROC. REF: RCF A56EPROC. REF: RCF A56E								
C56E-230301	REVIEW OF CITATION EXCEL 560XL-XLS/XLS+ TIME LIMITS AND MAINTENANCE CHECKS (TLMC) CH 5 REV 48, DATED MARCH 1, 2023							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								
C56E-231113	REVIEW OF AUDIT SUMMARY CHANGE FORM - TASK CODE CHANGE FOR 055005							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								
C56E-240104	REVIEW OF AUDIT SUMMARY CHANGE FORM - AUDIT OF ITEM CODE 055010							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
C56E-240703A	REVIEW OF CITATION EXCEL 560XL-XLS/XLS+ AIRWORTHINESS LIMITATIONS (ALS) CH 4 REV 17, DATED JULY 3, 2024							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								
C56E-240703B	REVIEW OF CITATION EXCEL 560XL-XLS/XLS+ TIME LIMITS AND MAINTENANCE CHECKS (TLMC) CH 5 REV 49, DATED JULY 3, 2024							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								
C56E-240822	REVIEW OF AUDIT SUMMARY CHANGE FORM - AUDIT OF ITEM CODE 24-32-00-7204							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								
C56E-240903	REVIEW OF AUDIT SUMMARY CHANGE FORM - AUDIT OF ITEM CODES 24-32-00-7205 AND 24-32-00-9600							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								
C56E-241112	REVIEW OF AUDIT SUMMARY CHANGE FORM - AUDIT OF DISCARD TASKS							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT SUMMARY CHANGE FORM
	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
C56E-241219	REVIEW OF AUDIT SUMMARY CHANGE FORM - AUDIT OF ITEM CODE 26-21-00-7100							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								
C56E-250428	REVIEW OF AUDIT SUMMARY CHANGE FORM - AUDIT OF ITEM CODE 26-21-01-9600.1, 26-21-01-9602, 26-21-01-9602.1, AND 055017							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								
C56E-250707	REVIEW OF AUDIT SUMMARY CHANGE FORM - AUDIT OF ITEM CODE 5-12-20							Service ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								
C56E-250715	REVIEW OF CITATION EXCEL 560XL-XLS/XLS+ TIME LIMITS AND MAINTENANCE CHECKS (TLMC) CH 5 REV 50, DATED JULY 15, 2025							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								
E56D-221024	NO. 1 ENGINE - REVIEW PW545C EMM REV 29.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56DPROC. REF: RCF E56D								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E56D-221024	NO. 2 ENGINE - REVIEW PW545C EMM REV 29.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56DPROC. REF: RCF E56D								
E56D-230424	NO. 1 ENGINE - REVIEW PW545C EMM REV 30.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56DPROC. REF: RCF E56D								
E56D-230424	NO. 2 ENGINE - REVIEW PW545C EMM REV 30.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56DPROC. REF: RCF E56D								
E56D-230906	NO. 1 ENGINE - REVIEW PW545C TASK CODE AND TOLERANCE CHANGES							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56DPROC. REF: RCF E56D								
E56D-230906	NO. 2 ENGINE - REVIEW PW545C TASK CODE AND TOLERANCE CHANGES							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56DPROC. REF: RCF E56D								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E56D-231023	NO. 1 ENGINE - REVIEW PW545C EMM REV 31.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56DPROC. REF: RCF E56D								
E56D-231023	NO. 2 ENGINE - REVIEW PW545C EMM REV 31.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56DPROC. REF: RCF E56D								
E56D-231106	NO. 1 ENGINE - REVIEW PW545C EMM REV 32.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56DPROC. REF: RCF E56D								
E56D-231106	NO. 2 ENGINE - REVIEW PW545C EMM REV 32.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56DPROC. REF: RCF E56D								
E56D-240422	NO. 1 ENGINE - REVIEW PW545C EMM REV 33.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56DPROC. REF: RCF E56D								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E56D-240422	NO. 2 ENGINE - REVIEW PW545C EMM REV 33.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56DPROC. REF: RCF E56D								
E56D-241021	NO. 1 ENGINE - REVIEW PW545C EMM REV 35.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56DPROC. REF: RCF E56D								
E56D-241021	NO. 2 ENGINE - REVIEW PW545C EMM REV 35.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56DPROC. REF: RCF E56D								
ATA 04 - LIMITATIONS								
4-12-MB	INSPECTION DOCUMENT MB							Package ATA:04
	MOS/MSC	17-Dec-20	N/A					N/A BY SERIAL NUMBER
	HRS	0						
	AFL	0						
PROC. REF: ALS 4-12-MB, AMM GENERIC 1PROC. REF: ALS 4-12-MB, AMM GENERIC 1								PKG:161
4-12-MD	INSPECTION DOCUMENT MD							Package ATA:04
	MOS	17-Dec-20	T:120		31-Dec-30		1814 d	
	HRS	0	T:6000		6000		3423:48	
	AFL	0						
PROC. REF: ALS 4-12-MD, AMM GENERIC 1PROC. REF: ALS 4-12-MD, AMM GENERIC 1								PKG:163

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 04 - LIMITATIONS								
4-12-ME	INSPECTION DOCUMENT ME							Package ATA:04
	MOS	17-Dec-20						AIRWORTHINESS
	HRS	0	15000		15000		12423:48	
	AFL	0						
PROC. REF: ALS 4-12-ME, AMM GENERIC 1PROC. REF: ALS 4-12-ME, AMM GENERIC 1								PKG:164
4-12-MF	INSPECTION DOCUMENT MF							Package ATA:04
	MOS	17-Dec-20						AIRWORTHINESS
	HRS	0	T:7500		7500		4923:48	
	AFL	0						
PROC. REF: ALS 4-12-MF, AMM GENERIC 1PROC. REF: ALS 4-12-MF, AMM GENERIC 1								PKG:165
4-12-MG	INSPECTION DOCUMENT MG							Package ATA:04
	MOS/MSC	17-Dec-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: ALS 4-12-MG, AMM GENERIC 1PROC. REF: ALS 4-12-MG, AMM GENERIC 1								PKG:166
4-12-MH	INSPECTION DOCUMENT MH							Package ATA:04
	MOS/MSC	17-Dec-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: ALS 4-12-MHPROC. REF: ALS 4-12-MH								PKG:167
4-12-MI	INSPECTION DOCUMENT MI							Package ATA:04
	MOS/MSC	17-Dec-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: ALS 4-12-MI, AMM GENERIC 1PROC. REF: ALS 4-12-MI, AMM GENERIC 1								PKG:168

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL: 1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 04 - LIMITATIONS								
4-12-MJ	INSPECTION DOCUMENT MJ							Package ATA:04
	MOS	17-Dec-20						AIRWORTHINESS
	HRS	0	13000		13000		10423:48	
	AFL	0						
PROC. REF: ALS 4-12-MJ, AMM GENERIC 1PROC. REF: ALS 4-12-MJ, AMM GENERIC 1								PKG:169
4-12-MK	INSPECTION DOCUMENT MK							Package ATA:04
	MOS/MSC	17-Dec-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: ALS 4-12-MK, AMM GENERIC 1PROC. REF: ALS 4-12-MK, AMM GENERIC 1								PKG:170
4-12-ML	INSPECTION DOCUMENT ML							Package ATA:04
	MOS	17-Dec-20						AIRWORTHINESS
	HRS	0	T:11500		11500		8923:48	
	AFL	0						
PROC. REF: ALS 4-12-ML, AMM GENERIC 1PROC. REF: ALS 4-12-ML, AMM GENERIC 1								PKG:171
4-12-MM	INSPECTION DOCUMENT MM							Package ATA:04
	MOS	17-Dec-20						AIRWORTHINESS
	HRS	0	T:11000		11000		8423:48	
	AFL	0						
PROC. REF: ALS 4-12-MM, AMM GENERIC 1PROC. REF: ALS 4-12-MM, AMM GENERIC 1								PKG:172
4-12-MN	INSPECTION DOCUMENT MN							Package ATA:04
	MOS	17-Dec-20						AIRWORTHINESS
	HRS	0	T:9000		9000		6423:48	
	AFL	0						
PROC. REF: ALS 4-12-MN, AMM GENERIC 1PROC. REF: ALS 4-12-MN, AMM GENERIC 1								PKG:173

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL: 1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 04 - LIMITATIONS								
4-12-MO	INSPECTION DOCUMENT MO							Package ATA:04
	MOS	17-Dec-20						AIRWORTHINESS
	HRS	0	T:12500		12500		9923:48	
	AFL	0						
PROC. REF: ALS 4-12-MO, AMM GENERIC 1PROC. REF: ALS 4-12-MO, AMM GENERIC 1								PKG:174
4-12-MP	INSPECTION DOCUMENT MP							Package ATA:04
	MOS/MSC	17-Dec-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: ALS 4-12-MP, AMM GENERIC 1PROC. REF: ALS 4-12-MP, AMM GENERIC 1								PKG:246
4-12-MV	INSPECTION DOCUMENT MV							Package ATA:04
	MOS	EFF	24		31-Jul-26 *		200 d	AIRWORTHINESS
	HRS							
	AFL							
PROC. REF: ALS 4-12-MVPROC. REF: ALS 4-12-MV								PKG:532
4-50-00-7100	TIME LIMITED DISPATCH FAULT OPERATIONAL CHECK (AIRPLANES -6001 AND ON)							Service ATA:04
	MOS/MSC	EFF	A/R					
	HRS							
	AFL							
PROC. REF: ALS 4-50-00, AMM 4-50-00PROC. REF: ALS 4-50-00, AMM 4-50-00								
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
050007 ^U	INSPECT ARC ANNUAL REVIEW							Service ATA:05
	MOS/MSC	09-Sep-25	DUE		22-Sep-26 (M)		253 d	
	HRS	2436:09						
	AFL	1588						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
055000	NO. 1 ENGINE - FOD							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055000	NO. 2 ENGINE - FOD							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055005	NO. 1 ENGINE - BIRD STRIKE							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055005	NO. 2 ENGINE - BIRD STRIKE							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055010	NO. 1 ENGINE - ENGINE WINDMILLING IN FLIGHT							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00, EMM 05-50-00PROC. REF: EMM 05-50-00, EMM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
055010	NO. 2 ENGINE - ENGINE WINDMILLING IN FLIGHT							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055015	NO. 1 ENGINE - LIGHTNING STRIKE							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055015	NO. 2 ENGINE - LIGHTNING STRIKE							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055020	NO. 1 ENGINE - FUEL FILTER IMPENDING / ACTUAL BYPASS							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055020	NO. 2 ENGINE - FUEL FILTER IMPENDING / ACTUAL BYPASS							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
055025	NO. 1 ENGINE - ENGINE EXPOSED TO FIRE EXTINGUISHING AGENT							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055025	NO. 2 ENGINE - ENGINE EXPOSED TO FIRE EXTINGUISHING AGENT							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055030	NO. 1 ENGINE - INCORRECT ENGINE SHUTDOWN ON THE GROUND							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055030	NO. 2 ENGINE - INCORRECT ENGINE SHUTDOWN ON THE GROUND							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055035	NO. 1 ENGINE - HEAVY LANDING							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
055035	NO. 2 ENGINE - HEAVY LANDING							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055040	NO. 1 ENGINE - SUSTAINED RUNNING AT AN OIL TEMPERATURE OUTSIDE OF LIMITS							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055040	NO. 2 ENGINE - SUSTAINED RUNNING AT AN OIL TEMPERATURE OUTSIDE OF LIMITS							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055045	NO. 1 ENGINE - HIGHER-THAN-NORMAL ITT TRANSIENT EXCURSION ON ENGINE START DUE TO A FROZEN FAN							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055045	NO. 2 ENGINE - HIGHER-THAN-NORMAL ITT TRANSIENT EXCURSION ON ENGINE START DUE TO A FROZEN FAN							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
055055	NO. 1 ENGINE - LEAKAGE OF P3 AIR IN THE NACELLE (FROM ENGINE P3 AIR TUBES, CABIN AIR BLEED PORTS OR AIRFRAME TUBES)							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055055	NO. 2 ENGINE - LEAKAGE OF P3 AIR IN THE NACELLE (FROM ENGINE P3 AIR TUBES, CABIN AIR BLEED PORTS OR AIRFRAME TUBES)							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055060	NO. 1 ENGINE - AIRCRAFT FLOWN THROUGH A CLOUD OF VOLCANIC ASH							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055060	NO. 2 ENGINE - AIRCRAFT FLOWN THROUGH A CLOUD OF VOLCANIC ASH							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055065	NO. 1 ENGINE - STARTER GENERATOR FAIL INDICATION							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
055065	NO. 2 ENGINE - STARTER GENERATOR FAIL INDICATION							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055070	NO. 1 ENGINE - HYDRAULIC PUMP UNSCHEDULED REMOVAL							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055070	NO. 2 ENGINE - HYDRAULIC PUMP UNSCHEDULED REMOVAL							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055075	NO. 1 ENGINE - FUEL CONTAMINATION							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								
055075	NO. 2 ENGINE - FUEL CONTAMINATION							Service ATA:05
	MOS/MSC	17-Dec-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL: 1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
057120	NO. 1 ENGINE - INSPECTION LOW UTILIZATION							Service ATA:05
	MOS	17-Dec-20	T:120 (+1m)		31-Dec-30	31-Jan-31	1814 d (+31)	
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-20-00PROC. REF: EMM 05-20-00								
057120	NO. 2 ENGINE - INSPECTION LOW UTILIZATION							Service ATA:05
	MOS	17-Dec-20	T:120 (+1m)		31-Dec-30	31-Jan-31	1814 d (+31)	
	HRS	0						
	ENC	0						
PROC. REF: EMM 05-20-00PROC. REF: EMM 05-20-00								
5-12-01	INSPECTION DOCUMENT 1							Package ATA:05
	MOS	17-Dec-25	12 (+1m/-1m)	Adj -31d	30-Nov-26	31-Dec-26	322 d (+31)	
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
PROC. REF: TLMC 5-12-01PROC. REF: TLMC 5-12-01								PKG:509
5-12-03	INSPECTION DOCUMENT 3							Package ATA:05
	MOS	07-Jan-25	24 (+1m/-1m)	Adj -52d	30-Nov-26	31-Dec-26	322 d (+31)	
	HRS	2078:40						
	AFL	1352						
PROC. REF: TLMC 5-12-03PROC. REF: TLMC 5-12-03								PKG:511
5-12-06	INSPECTION DOCUMENT 6							Package ATA:05
	MOS	31-Mar-25	48 (+1m/-1m)	Adj -104d	31-Dec-28	31-Jan-29	1084 d (+31)	
	HRS	2152:04						
	AFL	1404						
PROC. REF: TLMC 5-12-06PROC. REF: TLMC 5-12-06								PKG:513

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-12-07	INSPECTION DOCUMENT 7							Package ATA:05
	MOS	12-Jun-24						
	HRS	1606:02	1600 (+25/-25)	Adj -6:02	3200	3225	623:48 (+25)	
	AFL	1047						
PROC. REF: TLMC 5-12-07PROC. REF: TLMC 5-12-07								PKG:514
5-12-08	INSPECTION DOCUMENT 8							Package ATA:05
	MOS	31-Mar-25						
	HRS	2152:04	2400 (+25/-25)		4552:04	4577:04	1975:52 (+25)	
	AFL	1404						
PROC. REF: TLMC 5-12-08PROC. REF: TLMC 5-12-08								PKG:515
5-12-11	INSPECTION DOCUMENT 11							Package ATA:05
	MOS	22-Jan-25	24 (+1m/-1m)	Adj -36d	31-Dec-26	31-Jan-27	353 d (+31)	
	HRS	2088:19						
	AFL	1361						
PROC. REF: TLMC 5-12-11PROC. REF: TLMC 5-12-11								PKG:516
5-12-12	INSPECTION DOCUMENT 12							Package ATA:05
	MOS	17-Dec-25	60 (+1m/-1m)		31-Dec-30	31-Jan-31	1814 d (+31)	
	HRS	2568:20						
	AFL	1660						
PROC. REF: TLMC 5-12-12PROC. REF: TLMC 5-12-12								PKG:517
5-12-13	INSPECTION DOCUMENT 13							Package ATA:05
	MOS	17-Dec-20	72 (+1m/-1m)		31-Dec-26	31-Jan-27	353 d (+31)	
	HRS	0						
	AFL	0						
PROC. REF: TLMC 5-12-13PROC. REF: TLMC 5-12-13								PKG:518

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-12-16	INSPECTION DOCUMENT 16							Package ATA:05
	MOS	17-Dec-20	96 (+1m/-1m)		31-Dec-28	31-Jan-29	1084 d (+31)	
	HRS	0						
	AFL	0						
								PKG:519
PROC. REF: TLMC 5-12-16PROC. REF: TLMC 5-12-16								
5-12-17	INSPECTION DOCUMENT 17							Package ATA:05
	MOS	17-Dec-20						
	HRS	0	T:6000 (+25/-25)		6000	6025	3423:48 (+25)	
	AFL	0						
								PKG:520
PROC. REF: TLMC 5-12-17PROC. REF: TLMC 5-12-17								
5-12-19	INSPECTION DOCUMENT 19							Package ATA:05
	MOS	27-May-25						
	HRS	2271:38	400 (+25/-25)		2671:38	2696:38	95:26 (+25)	
	AFL	1480						
	APH							
								PKG:522
PROC. REF: TLMC 5-12-19PROC. REF: TLMC 5-12-19								
5-12-21 ^S	INSPECTION DOCUMENT 21							Package ATA:05
	MOS	12-Nov-25	3 (+1m/-1m)					
	HRS	2544:52	200 (+25/-25)					
	AFL	1649						
	APH							
								PKG:524
PROC. REF: TLMC 5-12-21PROC. REF: TLMC 5-12-21								
5-12-22	INSPECTION DOCUMENT 22							Package ATA:05
	MOS	17-Dec-20						
	HRS	0	6600 (+25/-25)		6600	6625	4023:48 (+25)	
	AFL	0						
								PKG:525
PROC. REF: TLMC 5-12-22PROC. REF: TLMC 5-12-22								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-12-25	INSPECTION DOCUMENT 25							Package ATA:05
	MOS	17-Dec-20						
	HRS	0	7200 (+25/-25)		7200	7225	4623:48 (+25)	
	AFL	0						
PROC. REF: TLMC 5-12-25PROC. REF: TLMC 5-12-25								PKG:526
ATA 08 - LEVELING AND WEIGHING								
08-10-00 ^U	AIRCRAFT WEIGHT AND BALANCE							Service ATA:08
	MOS	16-Sep-22	48		16-Sep-26		247 d	
	HRS							
	AFL							
ATA 08 - LEVELING AND WEIGHING								
08-10-00M ^U	AIRCRAFT WEIGHT AND BALANCE - MEDICAL							Service ATA:08
	MOS	22-Jan-24	48		22-Jan-28		740 d	
	HRS							
	AFL							
ATA 12 - SERVICING								
12-20-21-1600 ^S	WATER SEPARATOR (CLEANING) RESTORATION							Service ATA:12
	MOS	12-Jun-24						
	HRS	1606:02	1600 (+25/-25)					
	AFL	1047						
PROC. REF: AMM 12-20-21PROC. REF: AMM 12-20-21								PKG:514
ATA 12 - SERVICING								
12-20-21-1601 ^S	OZONE CONVERTERS (CLEANING) RESTORATION							Service ATA:12
	MOS	17-Dec-20						
	HRS	0	6600 (+25/-25)					
	AFL	0						
PROC. REF: AMM 12-20-21PROC. REF: AMM 12-20-21								PKG:525

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
12-20-27-6400	^S	FLAP ROLLER LUBRICATION						Service ATA:12
	MOS	17-Dec-25	12 (+1m/-1m)					
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
								PKG:509
PROC. REF: AMM 12-20-27PROC. REF: AMM 12-20-27								
12-20-27-6401	^S	TRIM ACTUATORS LUBRICATION						Service ATA:12
	MOS	17-Dec-25	12 (+1m/-1m)					
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
								PKG:509
PROC. REF: AMM 12-20-27PROC. REF: AMM 12-20-27								
12-20-27-6403	^S	HORIZONTAL STABILIZER SCISSOR FITTING BOLTS AND AFT PIVOT BOLTS LUBRICATION						Service ATA:12
	MOS	07-Jan-25	24 (+1m/-1m)					
	HRS	2078:40						
	AFL	1352						
								PKG:511
PROC. REF: AMM 12-20-27PROC. REF: AMM 12-20-27								
12-20-32-6100	^S	SHIMMY DAMPER SERVICING						Service ATA:12
	MOS	17-Dec-25	12 (+1m/-1m)					
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
								PKG:509
PROC. REF: AMM 12-20-32PROC. REF: AMM 12-20-32								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
12-20-32-6400 ^S	LANDING GEAR AND LANDING GEAR DOORS LUBRICATION							Service ATA:12
	MOS	17-Dec-25	12 (+1m/-1m)					
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
PROC. REF: AMM 12-20-32PROC. REF: AMM 12-20-32								PKG:509
12-20-52-6400 ^S	CABIN DOOR HINGE LUBRICATION							Service ATA:12
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
PROC. REF: AMM 12-20-52PROC. REF: AMM 12-20-52								PKG:513
12-20-52-6401 ^S	DOOR KEYED CAM LOCK LUBRICATION							Service ATA:12
	MOS	17-Dec-25	12 (+1m/-1m)					
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
PROC. REF: AMM 12-20-52PROC. REF: AMM 12-20-52								PKG:509
12-20-78-6400 ^S	THRUST REVERSER GUIDE ROD (D-5100NS AEROSOL SPRAY METHOD) LUBRICATION							Service ATA:12
	MOS	27-May-25						
	HRS	2271:38	400 (+25/-25)					
	AFL	1480						
	APH							
PROC. REF: AMM 12-20-78PROC. REF: AMM 12-20-78								PKG:522

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL: 1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
12-20-78-6401 ^S	THRUST REVERSER PIVOT POINT (WC-393 METHOD) LUBRICATION (AIRPLANES -5001 AND ON)							Service ATA:12
	MOS	27-May-25						
	HRS	2271:38	400 (+25/-25)					
	AFL	1480						
	APH							
								PKG:522
PROC. REF: AMM 12-20-78PROC. REF: AMM 12-20-78								
12-26-00-6001	15 DAY HIGH EXPOSURE AREA WASH							Service ATA:12
	DAYS/MSC	12-Jul-21	A/R					
	HRS	181:54						
	AFL	120						
PROC. REF: AMM 12-26-00PROC. REF: AMM 12-26-00								
12-26-00-6002	45 DAY MEDIUM EXPOSURE AREA WASH							Service ATA:12
	DAYS/MSC	12-Jul-21	A/R					
	HRS	181:54						
	AFL	120						
PROC. REF: AMM 12-26-00PROC. REF: AMM 12-26-00								
12-26-00-6003	FULL EXTERIOR WATER WASH TO INCLUDE ALL ZONES							Service ATA:12
	MOS/MSC		A/R					
	HRS							
	AFL							
PROC. REF: AMM 12-26-00PROC. REF: AMM 12-26-00								
ATA 21 - AIR CONDITIONING								
21-22-00-2900 ^S	CABIN AIR DISTRIBUTION CHECK VALVES (BORESCOPE) SPECIAL DETAILED INSPECTION							Service ATA:21
	MOS	17-Dec-20	96 (+1m/-1m)					
	HRS	0						
	AFL	0						
								PKG:519
PROC. REF: AMM 21-22-00PROC. REF: AMM 21-22-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL: 1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-22-00-9600	COCKPIT SIDE WINDOW DEFOG FILTER DISCARD							Service ATA:21
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 21-22-00PROC. REF: AMM 21-22-00								
21-30-00-7200 ^S	PRESSURIZATION SYSTEM OPERATIONAL AND FUNCTIONAL CHECK							Service ATA:21
	MOS	07-Jan-25	24 (+1m/-1m)					
	HRS	2078:40						
	AFL	1352						
PROC. REF: AMM 21-30-00PROC. REF: AMM 21-30-00								PKG:511
21-31-05-7200 ^S	CABIN ALTITUDE PRESSURE SWITCH FUNCTIONAL CHECK							Service ATA:21
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
PROC. REF: AMM 21-31-05, AMM 21-31-05PROC. REF: AMM 21-31-05, AMM 21-31-05								PKG:513
21-51-00-1	ENVIRONMENTAL CONTROL SYSTEM (ECS) - TROUBLESHOOTING							Service ATA:21
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 21-51-00PROC. REF: AMM 21-51-00								
21-51-00-2	ENVIRONMENTAL CONTROL SYSTEM (ECS) - MAINTENANCE PRACTICES							Service ATA:21
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 21-51-00PROC. REF: AMM 21-51-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-52-00-2100 ^S	VAPOR CYCLE COOLING SYSTEM HOUR METER VISUAL CHECK (AIRPLANES INCORPORATING VAPOR CYCLE COOLING WITH 1134104-1 AND -5 COMPRESSOR MOTORS)							Service ATA:21
	MOS/MSC	17-Dec-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 21-52-00PROC. REF: AMM 21-52-00								PKG:246
21-52-00-2200 ^S	VAPOR CYCLE COOLING SYSTEM 12 MONTH MAINTENANCE (AIRPLANES INCORPORATING VAPOR CYCLE COOLING SYSTEM)							Service ATA:21
	MOS	17-Dec-25	12					
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
PROC. REF: AMM 21-52-00PROC. REF: AMM 21-52-00								PKG:509
211002	EMERGENCY PRESSURIZATION FLOW (UY005) VALVE							Component ATA:21
PN:4713-19	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1748	HRS	0		TSN 0				
WC#: 21.010	AFL	0		TSN 0				
PROC. REF: AMM 21-12-00PROC. REF: AMM 21-12-00								
211120	LEFT BI LEVEL VALVE							Component ATA:21
PN:1988-00-3	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4600	HRS	0		TSN 0				
WC#: 21.230	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
211120	RIGHT BI LEVEL VALVE							Component ATA:21
PN:1988-00-3	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4610	HRS	0		TSN 0				
WC#: 21.230	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
212100	LOWER LEFT WARM AIR CHECK VALVE							Component ATA:21
PN:4001-20	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:8324A	HRS	0		TSN 0				
WC#: 21.500	AFL	0		TSN 0				
PROC. REF: AMM 21-22-00PROC. REF: AMM 21-22-00								
212100	LOWER RIGHT WARM AIR CHECK VALVE							Component ATA:21
PN:4001-20	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:8339A	HRS	0		TSN 0				
WC#: 21.500	AFL	0		TSN 0				
PROC. REF: AMM 21-22-00PROC. REF: AMM 21-22-00								
212100	UPPER LEFT COOL AIR CHECK VALVE							Component ATA:21
PN:4001-20	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:8329A	HRS	0		TSN 0				
WC#: 21.510	AFL	0		TSN 0				
PROC. REF: AMM 21-21-00PROC. REF: AMM 21-21-00								
212100	UPPER RIGHT COOL AIR CHECK VALVE							Component ATA:21
PN:4001-20	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:8330A	HRS	0		TSN 0				
WC#: 21.510	AFL	0		TSN 0				
PROC. REF: AMM 21-21-00PROC. REF: AMM 21-21-00								
212200	MOTOR AND BLOWER ASSEMBLY							Component ATA:21
PN:7003-400	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1327	HRS	0		TSN 0				
WC#: 21.240	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213005	MANUAL TOGGLE VALVE							Component ATA:21
PN:52773-114	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:5078	HRS	0		TSN 0				
WC#: 21.250	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
213006	CABIN ALTITUDE (U1005) CONTROLLER							Component ATA:21
PN:52770-116	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:5193	HRS	0		TSN 0				
WC#: 21.050	AFL	0		TSN 0				
PROC. REF: AMM 21-30-00PROC. REF: AMM 21-30-00								
213007	PRIMARY OUTFLOW VALVE							Component ATA:21
PN:52771-314	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:5153	HRS	0		TSN 0				
WC#: 21.080	AFL	0		TSN 0				
PROC. REF: AMM 21-30-00PROC. REF: AMM 21-30-00								
213007	SECONDARY OUTFLOW VALVE							Component ATA:21
PN:52772-114	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:5126	HRS	0		TSN 0				
WC#: 21.080	AFL	0		TSN 0				
PROC. REF: AMM 21-30-00PROC. REF: AMM 21-30-00								
213101	ALT PRESSURE SWITCH							Component ATA:21
PN:GB300NA161	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1942700	HRS	0		TSN 0				
WC#: 21.260	AFL	0		TSN 0				
PROC. REF: AMM 21-31-05PROC. REF: AMM 21-31-05								
215001	ENVIRONMENTAL CONTROL UNIT							Component ATA:21
PN:2215460-4	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1607	HRS	0		TSN 0				
WC#: 21.270	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
215004	PAC OVERHEAT SWITCH							Component ATA:21
PN:927223-2-3	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:698	HRS	0		TSN 0				
WC#: 21.270	AFL	0		TSN 0				
PROC. REF: AMM 21-61-00PROC. REF: AMM 21-61-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
215005	ACM COOLING TURBINE							Component ATA:21
PN:2206610-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1583	HRS	0		TSN 0				
WC#: 21.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
215006	HEAT EXCHANGER							Component ATA:21
PN:2340594-6	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1753	HRS	0		TSN 0				
WC#: 21.280	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
215101	WATER SEPARATOR TEMP 1 SENSOR							Component ATA:21
PN:1E62-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2BU22	HRS	0		TSN 0				
WC#: 21.290	AFL	0		TSN 0				
PROC. REF: AMM 21-51-00PROC. REF: AMM 21-51-00								
216002	ENVIRONMENTAL TEMP CONTROLLER							Component ATA:21
PN:1E64-2	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2BU2	HRS	0		TSN 0				
WC#: 21.310	AFL	0		TSN 0				
PROC. REF: AMM 21-61-00PROC. REF: AMM 21-61-00								
216003	NO. 1 CABIN TEMP SENSOR							Component ATA:21
PN:1E47-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1BU6	HRS	0		TSN 0				
WC#: 21.320	AFL	0		TSN 0				
PROC. REF: AMM 21-61-00PROC. REF: AMM 21-61-00								
216003	NO. 2 CABIN TEMP SENSOR							Component ATA:21
PN:1E47-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:10BU26	HRS	0		TSN 0				
WC#: 21.320	AFL	0		TSN 0				
PROC. REF: AMM 21-61-00PROC. REF: AMM 21-61-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
216009	CABIN ZONE TEMPERATURE (UC021) SENSOR							Component ATA:21
PN:1E46-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1BT138	HRS	0		TSN 0				
WC#: 21.190	AFL	0		TSN 0				
PROC. REF: AMM 21-61-00PROC. REF: AMM 21-61-00								
216009	COCKPIT ZONE TEMPERATURE (UF029) SENSOR							Component ATA:21
PN:1E46-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1BU2	HRS	0		TSN 0				
WC#: 21.190	AFL	0		TSN 0				
PROC. REF: AMM 21-61-00PROC. REF: AMM 21-61-00								
216099	ECU TEMP CONTROL VALVE							Component ATA:21
PN:27241287-14	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:BU61F	HRS	0		TSN 0				
WC#: 21.330	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
216100	LEFT CABIN TEMPERATURE CONTROL (VT029) VALVE							Component ATA:21
PN:27241287-14	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:5BU63F	HRS	0		TSN 0				
WC#: 21.040	AFL	0		TSN 0				
PROC. REF: AMM 21-61-00PROC. REF: AMM 21-61-00								
216100	RIGHT COCKPIT TEMPERATURE CONTROL (VT030) VALVE							Component ATA:21
PN:27241287-14	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:5BU62F	HRS	0		TSN 0				
WC#: 21.040	AFL	0		TSN 0				
PROC. REF: AMM 21-61-00PROC. REF: AMM 21-61-00								
216101	LEFT CABIN DUCT OVERHEAT (SC013) SWITCH							Component ATA:21
PN:1173T42	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4365	HRS	0		TSN 0				
WC#: 21.200	AFL	0		TSN 0				
PROC. REF: AMM 21-61-00PROC. REF: AMM 21-61-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
216101	RIGHT COCKPIT DUCT OVERHEAT (SF034) SWITCH							Component ATA:21
PN:1173T42	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4384	HRS	0		TSN 0				
WC#: 21.200	AFL	0		TSN 0				
PROC. REF: AMM 21-61-00PROC. REF: AMM 21-61-00								
217001	WATER SEPARATOR							Component ATA:21
PN:2341316-3	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:5156	HRS	0		TSN 0				
WC#: 21.210	AFL	0		TSN 0				
PROC. REF: AMM 21-51-00, AMM 21-51-00PROC. REF: AMM 21-51-00, AMM 21-51-00								
217101	LEFT OZONE CONVERTER							Component ATA:21
PN:31A437-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2513	HRS	0		TSN 0				
WC#: 21.220	AFL	0		TSN 0				
PROC. REF: AMM 21-71-00PROC. REF: AMM 21-71-00								
217101	RIGHT OZONE CONVERTER							Component ATA:21
PN:31A437-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2619	HRS	0		TSN 0				
WC#: 21.220	AFL	0		TSN 0				
PROC. REF: AMM 21-71-00PROC. REF: AMM 21-71-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
221010	AILERON DRIVE SERVO							Component ATA:22
PN:822-1168-022	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4KVDK6	HRS	0		TSN 0				
WC#: 22.010	AFL	0		TSN 0				
PROC. REF: AMM 22-11-01PROC. REF: AMM 22-11-01								
221010	AUTOPILOT ELEVATOR TRIM SERVO							Component ATA:22
PN:822-1168-023	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4GPKHC	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-11-01PROC. REF: AMM 22-11-01								
221010	ELEVATOR DRIVE SERVO							Component ATA:22
PN:822-1168-022	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4KVDHG	HRS	0		TSN 0				
WC#: 22.020	AFL	0		TSN 0				
PROC. REF: AMM 22-11-01PROC. REF: AMM 22-11-01								
221010	RUDDER DRIVE SERVO							Component ATA:22
PN:822-1168-022	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4KVDK1	HRS	0		TSN 0				
WC#: 22.030	AFL	0		TSN 0				
PROC. REF: AMM 22-11-01PROC. REF: AMM 22-11-01								
ATA 23 - COMMUNICATIONS								
23-10-00-7100 ^S	CREW OXYGEN MASK MICROPHONE AND SWITCH OPERATIONAL CHECK							Service ATA:23
	MOS	17-Dec-25	12 (+1m/-1m)					
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
PROC. REF: AMM 23-10-00PROC. REF: AMM 23-10-00								PKG:509

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
23-50-00-7100 ^S	AUDIO AMPLIFIER EMERGENCY SWITCH OPERATIONAL CHECK (AIRPLANES -5001 THRU -6000)							Service ATA:23
	MOS	17-Dec-25	12 (+1m/-1m)					
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
PROC. REF: AMM 23-50-00PROC. REF: AMM 23-50-00								PKG:509
23-60-00-7200 ^S	STATIC DISCHARGING SYSTEM FUNCTIONAL CHECK							Service ATA:23
	MOS	22-Jan-25	24 (+1m/-1m)					
	HRS	2088:19						
	AFL	1361						
PROC. REF: AMM 23-60-00PROC. REF: AMM 23-60-00								PKG:516
23-70-00-9600	DK120 OR DK120/90 COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON BATTERY DISCARD							Component ATA:23
PN:147-E5542-00	MOS		72 (+1m/-1m)	TSN 0	01-Feb-26 (M)	01-Mar-26	20 d (+28)	DISCARD
SN:ULB033080	HRS			TSN 0				
WC#: 23.210	AFL			TSN 0				
PROC. REF: AMM 23-70-00PROC. REF: AMM 23-70-00								
23-90-20-7200	NO. 2 TRANSPONDER FUNCTIONAL CHECK (AIRPLANES -5001 THRU -6000)							Service ATA:23
PN:622-9210-501	MOS/MSC	08-Aug-24	N/A					N/A BY A/C SERIAL NUMBER
SN:4L0M6F	HRS	1783:08						
WC#: 23.610	AFL	1157						
PROC. REF: AMM 23-90-20PROC. REF: AMM 23-90-20								
231003	HIGH FREQUENCY RECEIVER/EXCITER							Component ATA:23
PN:PN	MOS/MSC	08-Mar-22	O/C					
SN:NOT INSTALLED	HRS	611:54						
WC#: 23.020	AFL	372						
PROC. REF: AMM 23-11-00PROC. REF: AMM 23-11-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
231006	H.F. ANTENNA COUPLER							Component ATA:23
PN:PN	MOS/MSC	08-Mar-22	O/C					
SN:NOT INSTALLED	HRS	611:54						
WC#: 23.280	AFL	372						
PROC. REF: AMM 23-11-00, AMM 23-12-00, AMM 23-12-05PROC. REF: AMM 23-11-00, AMM 23-12-00, AMM 23-12-05								
231050	AIRCELL CONFIGURATION MODULE							Component ATA:23
PN:P14126	MOS/MSC	04-Mar-21	O/C	TSN 0				
SN:1412625667	HRS	33:42		TSN 0				
	AFL	22		TSN 0				
PROC. REF: AMM 23-15-07PROC. REF: AMM 23-15-07								
231501	FLITEPHONE VI ASSEMBLY ANTENNA							Component ATA:23
PN:S67-1575-165	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:449-9939	HRS	0		TSN 0				
WC#: 23.080	AFL	0		TSN 0				
PROC. REF: AMM 23-15-00PROC. REF: AMM 23-15-00								
231503	COCKPIT HANDSET PHONE							Component ATA:23
PN:P12192-001	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1219240215	HRS	0		TSN 0				
WC#: 23.450	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
232003	NO. 1 COMM ANTENNA							Component ATA:23
PN:S65-8280-45	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:326-1457	HRS	0		TSN 0				
WC#: 23.270	AFL	0		TSN 0				
PROC. REF: AMM 23-80-01, AMM 23-20-01PROC. REF: AMM 23-80-01, AMM 23-20-01								
232003	NO. 2 COMM ANTENNA							Component ATA:23
PN:21-38-1RF/36	MOS/MSC	31-Mar-25	O/C	TSN 0				
SN:51366	HRS	2152:04		TSN 0				
WC#: 23.270	AFL	1404		TSN 0				
PROC. REF: AMM 23-80-01, AMM 23-20-01PROC. REF: AMM 23-80-01, AMM 23-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
232003	NO. 3 COMM ANTENNA							Component ATA:23
PN:21-38-1RF/36	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:51139	HRS	0		TSN 0				
WC#: 23.470	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF, AMM 23-20-01PROC. REF: GENERIC NO REF, AMM 23-20-01								
232006	AIRCELL ROUTER							Component ATA:23
PN:12083-001	MOS/MSC	22-Jan-25	O/C	TSN 0				
SN:1208314668	HRS	2088:19		TSN 0				
	AFL	1361		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
232009	NAV/COMM CONTROL							Component ATA:23
PN:822-2177-001	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4KV8HN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-80-01PROC. REF: AMM 23-80-01								
232010	NO. 1 COMM TRANSCEIVER							Component ATA:23
PN:822-1468-110	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:78JY3	HRS	0		TSN 0				
WC#: 23.290	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
232010	NO. 3 COMM TRANSCEIVER							Component ATA:23
PN:822-1468-310	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:78H45	HRS	0		TSN 0				
WC#: 23.290	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
232015	#6 SEAT AIRCELL HANDSET							Component ATA:23
PN:P12192-001	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1219240433	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
232015	# 7 SEAT AIRCELL HANDSET							Component ATA:23
PN:P12192-001	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1219240444	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
232021	AIRCELL AXCESS SATELLITE TRANSCEIVER							Component ATA:23
PN:P12023	MOS/MSC	22-Jan-25	O/C	TSN 0				
SN:1202313822	HRS	2088:19		TSN 0				
	AFL	1361		TSN 0				
PROC. REF: AMM 23-15-06PROC. REF: AMM 23-15-06								
232023 ^U	AFT GOGO ANTENNA							Component ATA:23
PN:P35500	MOS/MSC	04-Mar-21	O/C	TSN 0				
SN:3550001851	HRS	33:42		TSN 0				
	AFL	22		TSN 0				
232023 ^U	FWD GOGO ANTENNA							Component ATA:23
PN:P35500	MOS/MSC	04-Mar-21	O/C	TSN 0				
SN:3550001862	HRS	33:42		TSN 0				
	AFL	22		TSN 0				
232025 ^U	# 1 REMOTE WIFI ANTENNA							Component ATA:23
PN:P16917-001	MOS/MSC	18-Sep-22	O/C					
SN:1691700114377	HRS	681:20						
	AFL	423						
232025 ^U	# 2 REMOTE WIFI ANTENNA							Component ATA:23
PN:P16917-001	MOS/MSC	18-Sep-22	O/C					
SN:1691700109470	HRS	681:20						
	AFL	423						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
232025 ^U	#3 REMOTE WIFI ANTENNA							Component ATA:23
PN:P16917-001	MOS/MSC	18-Sep-22	O/C					
SN:1691700114313	HRS	681:20						
	AFL	423						
232025 ^U	#4 REMOTE WIFI ANTENNA							Component ATA:23
PN:P16917-001	MOS/MSC	18-Sep-22	O/C					
SN:1691700114698	HRS	681:20						
	AFL	423						
232025 ^U	#5 REMOTE WIFI ANTENNA							Component ATA:23
PN:P16917-001	MOS/MSC	18-Sep-22	O/C					
SN:1691700114884	HRS	681:20						
	AFL	423						
232025 ^U	#6 REMOTE WIFI ANTENNA							Component ATA:23
PN:P16917-001	MOS/MSC	18-Sep-22	O/C					
SN:1691700114321	HRS	681:20						
	AFL	423						
232030 ^U	#1 TERRESTRIAL MODEM ANTENNA							Component ATA:23
PN:P18350-001	MOS/MSC	18-Sep-22	O/C					
SN:1835004480	HRS	681:20						
	AFL	423						
232030 ^U	#2 TERRESTRIAL MODEM ANTENNA							Component ATA:23
PN:P18350-001	MOS/MSC	18-Sep-22	O/C					
SN:1835004892	HRS	681:20						
	AFL	423						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
235001	NO. 1 AUDIO CONTROL PANEL AMPLIFIER							Component ATA:23
PN:822-2381-230	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4LTGCK	HRS	0		TSN 0				
WC#: 23.320	AFL	0		TSN 0				
PROC. REF: AMM 23-30-01PROC. REF: AMM 23-30-01								
235001	NO. 2 AUDIO CONTROL PANEL AMPLIFIER							Component ATA:23
PN:822-2381-230	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4LTGCL	HRS	0		TSN 0				
WC#: 23.320	AFL	0		TSN 0				
PROC. REF: AMM 23-30-01PROC. REF: AMM 23-30-01								
235005	NO. 1 RADIO INTERFACE UNIT							Component ATA:23
PN:822-1863-577	MOS/MSC	12-Nov-25	O/C	TSN 0				
SN:4KM1G	HRS	2544:52		TSN 0				
WC#: 23.580	AFL	1649		TSN 0				
PROC. REF: AMM 23-52-00PROC. REF: AMM 23-52-00								
235005	NO. 2 RADIO INTERFACE UNIT							Component ATA:23
PN:822-1864-022	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4L0PTD	HRS	0		TSN 0				
WC#: 23.580	AFL	0		TSN 0				
PROC. REF: AMM 23-52-00PROC. REF: AMM 23-52-00								
237001	COCKPIT VOICE RECORDER							Component ATA:23
PN:2100-1025-22	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2022059	HRS	0		TSN 0				
WC#: 23.200	AFL	0		TSN 0				
PROC. REF: AMM 23-70-00PROC. REF: AMM 23-70-00								
237004	CVR CONTROL UNIT							Component ATA:23
PN:S251-1120-00	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2037650	HRS	0		TSN 0				
WC#: 23.190	AFL	0		TSN 0				
PROC. REF: AMM 23-70-00PROC. REF: AMM 23-70-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-32-00-7202	42 AMP-HOUR CONCORDE LEAD ACID MAIN BATTERY (CAPACITY CHECK) FUNCTIONAL CHECK							Service ATA:24
PN:S3597-8	MOS	12-Nov-25	6 (+1m/-1m)	Adj 13d	31-May-26	30-Jun-26	139 d (+30)	
SN:41384138	HRS	2544:52	300 (+25/-25)		2844:52	2869:52	268:40 (+25)	
	AFL	1649						
PROC. REF: AMM 24-32-00PROC. REF: AMM 24-32-00								PKG:524
24-32-00-9600	NO. 1 SECURAPLANE BATTERY DISCARD							Service ATA:24
PN:100-2410-04	MOS	08-Aug-24	48 (+1m/-1m)		31-Aug-28	30-Sep-28	962 d (+30)	DISCARD
SN:1009	HRS	1783:08						
	AFL	1157						
PROC. REF: AMM 24-32-00PROC. REF: AMM 24-32-00								
24-41-02-7200 ^S	EXTERNAL POWER OVERVOLTAGE SYSTEM FUNCTIONAL CHECK							Service ATA:24
	MOS	17-Dec-20	72 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 24-41-02PROC. REF: AMM 24-41-02								PKG:518
240001	LEFT POWER CONTROL (UD015) UNIT							Component ATA:24
PN:91479-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:3291	HRS	0		TSN 0				
WC#: 24.030	AFL	0		TSN 0				
PROC. REF: AMM 24-20-01PROC. REF: AMM 24-20-01								
240001	RIGHT POWER CONTROL (UE016) UNIT							Component ATA:24
PN:91479-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:3292	HRS	0		TSN 0				
WC#: 24.030	AFL	0		TSN 0				
PROC. REF: AMM 24-20-01PROC. REF: AMM 24-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
242050	LEFT AC (UD017) GENERATOR							Component ATA:24
PN:91372-3	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2119B	HRS	0		TSN 0				
WC#: 24.020	AFL	0		TSN 0				
PROC. REF: AMM 24-20-01PROC. REF: AMM 24-20-01								
242050	RIGHT AC (UE018) GENERATOR							Component ATA:24
PN:91372-3	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2118B	HRS	0		TSN 0				
WC#: 24.020	AFL	0		TSN 0				
PROC. REF: AMM 24-20-01PROC. REF: AMM 24-20-01								
243003	APU GENERATOR (UT032) CONTROL UNIT							Component ATA:24
PN:51525-001F	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:P9182	HRS	0		TSN 0				
WC#: 24.080	AFL	0		TSN 0				
PROC. REF: AMM 24-31-02PROC. REF: AMM 24-31-02								
243003	LEFT GENERATOR (UT007) CONTROL UNIT							Component ATA:24
PN:51525-001F	MOS/MSC	28-May-21	O/C					
SN:P9156	HRS	86:30						
WC#: 24.070	AFL	62						
PROC. REF: AMM 24-31-01PROC. REF: AMM 24-31-01								
243003	RIGHT GENERATOR (UT008) CONTROL UNIT							Component ATA:24
PN:51525-001F	MOS/MSC	16-Jun-21	O/C	TSN 0				
SN:P6873	HRS	108:36		TSN 0				
WC#: 24.070	AFL	80		TSN 0				
PROC. REF: AMM 24-31-01PROC. REF: AMM 24-31-01								
243004	LEFT DC (EI011) AMMETER							Component ATA:24
PN:MD144-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:K19-11068	HRS	0		TSN 0				
WC#: 24.150	AFL	0		TSN 0				
PROC. REF: AMM 24-32-00PROC. REF: AMM 24-32-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
243004	RIGHT DC (EI010) AMMETER							Component ATA:24
PN:MD144-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:K19-11067	HRS	0		TSN 0				
WC#: 24.150	AFL	0		TSN 0				
PROC. REF: AMM 24-32-00PROC. REF: AMM 24-32-00								
243005	DC (EI009) VOLTMETER							Component ATA:24
PN:C662502-0101	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:C20-10780	HRS	0		TSN 0				
WC#: 24.140	AFL	0		TSN 0				
PROC. REF: AMM 24-32-00PROC. REF: AMM 24-32-00								
243007	MAIN SHIP (UY006) BATTERY							Component ATA:24
PN:S3597-8	MOS/MSC	08-Aug-24	O/C	TSN 0				
SN:41384138	HRS	1783:08		TSN 0				
WC#: 24.040	AFL	1157		TSN 0				
PROC. REF: AMM 24-32-00PROC. REF: AMM 24-32-00								
243015	BATTERY DISCONNECT (KY001) RELAY							Component ATA:24
PN:A876K	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:CU-78386	HRS	0		TSN 0				
WC#: 24.060	AFL	0		TSN 0				
PROC. REF: AMM 24-41-02PROC. REF: AMM 24-41-02								
243016	OVERVOLTAGE (UZ003) MONITOR-							Component ATA:24
PN:1645-1-3	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:5594	HRS	0		TSN 0				
WC#: 24.050	AFL	0		TSN 0				
PROC. REF: AMM 24-41-02PROC. REF: AMM 24-41-02								
245001	NZ022 DIAGNOSTICS PCB							Component ATA:24
PN:6618828-7	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:413	HRS	0		TSN 0				
WC#: 24.410	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
245002	LEFT START NZ013 PCB							Component ATA:24
PN:6618829-14	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:730	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
245002	RIGHT START NZ013 PCB							Component ATA:24
PN:6618829-14	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:732	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
245082	DIMMING NZ023 PCB							Component ATA:24
PN:6518366-3	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:916	HRS	0		TSN 0				
WC#: 24.200	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
245083	PCB AUDIO CONTROL							Component ATA:24
PN:6618831-11	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:404	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
245084	LANDING GEAR NZ004 PCB							Component ATA:24
PN:6618821-14	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:404	HRS	0		TSN 0				
WC#: 24.220	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
245086	SQUAT SW NZ006 PCB							Component ATA:24
PN:6618706-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1177	HRS	0		TSN 0				
WC#: 24.230	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
245087	CABIN DOOR NZ007 PCB							Component ATA:24
PN:6618823-16	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:440	HRS	0		TSN 0				
WC#: 24.230	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
245088	LANDING GEAR CONT NZ009 PCB							Component ATA:24
PN:6618822-6	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:406	HRS	0		TSN 0				
WC#: 24.240	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
245091	NO TAKE-OFF NZ008 PCB							Component ATA:24
PN:6618824-6	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:417	HRS	0		TSN 0				
WC#: 24.240	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
245092	LEFT FUEL NZ015 PCB							Component ATA:24
PN:6618825-6	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:757	HRS	0		TSN 0				
WC#: 24.250	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
245092	RIGHT FUEL NZ014 PCB							Component ATA:24
PN:6618825-6	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:754	HRS	0		TSN 0				
WC#: 24.250	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
245094	HYD NZ016 PCB							Component ATA:24
PN:6618820-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:417	HRS	0		TSN 0				
WC#: 24.260	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
245095	POS TAIL NZ017 PCB							Component ATA:24
PN:6618827-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:412	HRS	0		TSN 0				
WC#: 24.260	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
245096	LEFT ANTI ICE NZ019 PCB							Component ATA:24
PN:6618826-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:704	HRS	0		TSN 0				
WC#: 24.270	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
245096	RIGHT ANTI-ICE NZ018 PCB							Component ATA:24
PN:6618826-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:706	HRS	0		TSN 0				
WC#: 24.270	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
245098	RUDDER BIAS NZ029 PCB							Component ATA:24
PN:6618830-7	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:460	HRS	0		TSN 0				
WC#: 24.280	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
245099	PCB-APU CURRENT LIMITER							Component ATA:24
PN:6618833-5	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:401	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
245103	APU NZ025 PCB							Component ATA:24
PN:6618808-43	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:411	HRS	0		TSN 0				
WC#: 24.290	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
245104	APU NZ026 PCB							Component ATA:24
PN:6618809-6	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:421	HRS	0		TSN 0				
WC#: 24.290	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
245105	TAIL DEICE CONT NZ031 PCB							Component ATA:24
PN:6618730-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:770	HRS	0		TSN 0				
WC#: 24.300	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
245106	TAIL DEICE MON NZ033 PCB							Component ATA:24
PN:6618731-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:768	HRS	0		TSN 0				
WC#: 24.300	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
245107	MISCELLANEOUS NZ035 PCB							Component ATA:24
PN:6618832-17	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:402	HRS	0		TSN 0				
WC#: 24.310	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 25 - EQUIPMENT/FURNISHINGS								
25-11-01-2200 ^S	CREW SEATS DETAILED INSPECTION							Service ATA:25
	MOS	31-Mar-25						
	HRS	2152:04	2400 (+25/-25)					
	AFL	1404						
PROC. REF: AMM 25-11-01PROC. REF: AMM 25-11-01								PKG:515

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-21-01-2200 ^S	PASSENGER SEATS AND FORWARD AND AFT SIDE-FACING SEATS DETAILED INSPECTION							Service ATA:25
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
								PKG:513
PROC. REF: AMM 25-21-01PROC. REF: AMM 25-21-01								
25-60-00-2200	FIRST AID KIT DETAILED INSPECTION							Service ATA:25
PN:PN	MOS	17-Dec-25	12 (+1m/-1m)		31-Dec-26	31-Jan-27	353 d (+31)	
SN:UNKNOWN	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
								PKG:509
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								
25-60-00-2201 ^S	SMOKE GOGGLES DETAILED INSPECTION							Service ATA:25
	MOS	17-Dec-25	12 (+1m/-1m)					
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
								PKG:509
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 1							Component ATA:25
PN:P01074-207	MOS	17-Dec-20	120	TSN 5	31-Jul-30		1661 d	RESTORE
SN:20070240035	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 10							Component ATA:25
PN:P01074-207	MOS	17-Dec-20	120	TSN 5	31-Jul-30		1661 d	RESTORE
SN:20070240070	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 11							Component ATA:25
PN:P01074-207	MOS	17-Dec-20	120	TSN 5	31-Jul-30		1661 d	RESTORE
SN:20070240076.	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 2							Component ATA:25
PN:P01074-207	MOS	17-Dec-20	120	TSN 5	31-Jul-30		1661 d	RESTORE
SN:20070240149	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 3							Component ATA:25
PN:P01074-207	MOS	17-Dec-20	120	TSN 5	31-Jul-30		1661 d	RESTORE
SN:20070240074	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 4							Component ATA:25
PN:P01074-207	MOS	17-Dec-20	120	TSN 5	31-Jul-30		1661 d	RESTORE
SN:20070240069	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 5							Component ATA:25
PN:P01074-207	MOS	17-Dec-20	120	TSN 5	31-Jul-30		1661 d	RESTORE
SN:20070240075	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 6							Component ATA:25
PN:P01074-207	MOS	17-Dec-20	120	TSN 5	31-Jul-30		1661 d	RESTORE
SN:20070240066	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 7							Component ATA:25
PN:P01074-207	MOS	17-Dec-20	120	TSN 5	31-Jul-30		1661 d	RESTORE
SN:20070240081	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 8							Component ATA:25
PN:P01074-207	MOS	17-Dec-20	120	TSN 5	31-Jul-30		1661 d	RESTORE
SN:20070240114	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 9							Component ATA:25
PN:P01074-207	MOS	17-Dec-20	120	TSN 5	31-Jul-30		1661 d	RESTORE
SN:20070240153	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								
25-60-00-9602 ^S	CREW FLASHLIGHT D-CELL BATTERY DISCARD							Service ATA:25
	MOS	17-Dec-25	12 (+1m/-1m)					
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								
25-60-10-7203	ARTEX C406-N EMERGENCY LOCATORTRANSMITTER SYSTEM DETAILED INSPECTION AND FUNCTIONAL CHECK (AIRPLANES -5565 AND ON)							Service ATA:25
PN:453-5060	MOS	28-Nov-25	12	Adj -21d	30-Nov-26		322 d	
SN:252-1054	HRS	2556:19						
WC#: 25.220	AFL	1654						
	APH							
	APS							
PROC. REF: AMM 25-60-10PROC. REF: AMM 25-60-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-60-10-9600	EMERGENCY LOCATOR TRANSMITTER BATTERY DISCARD							Component ATA:25
PN:452-0133	MOS	04-Jul-25	60 (+1m/-1m)	TSN 0, Adj 27d	31-Jul-30	31-Aug-30	1661 d (+31)	DISCARD
SN:1018549-031	HRS	2277:28		TSN 0				
WC#: 25.020	AFL	1483		TSN 0				
PROC. REF: AMM 25-60-10PROC. REF: AMM 25-60-10								
250120	AC OUTLET UNIV 115							Component ATA:25
PN:106300-10	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:6410820	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
250120	AC OUTLET UNIV 115							Component ATA:25
PN:106300-10	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:6400820	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
250120	AC OUTLET UNIV 115							Component ATA:25
PN:106300-10	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:6440820	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
250120	AC OUTLET UNIV 115							Component ATA:25
PN:106300-9	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4440920	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
250120	AC OUTLET UNIV 115							Component ATA:25
PN:106300-8	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:20190619	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
250120	AC OUTLET UNIV 115							Component ATA:25
PN:106300-8	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:20840919	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
250395	AC POWER CNTROL							Component ATA:25
PN:106070-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:86470820	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
250395	AC POWER CONTROL							Component ATA:25
PN:106070-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:86250320	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
250395	AC POWER CONTROL							Component ATA:25
PN:106070-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:86330620	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
250395	AC POWER CONTROL							Component ATA:25
PN:106070-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:86480820	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
250395	AC POWER CONTROL							Component ATA:25
PN:106070-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:85581019	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
250395	AC POWER CONTROL							Component ATA:25
PN:106070-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:85671019	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252320	GALLEY SWITCH PANEL							Component ATA:25
PN:101016-12	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:3620219	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252525	EXTERNALLY SERVICABLE TOILET							Component ATA:25
PN:15900-023	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:462	HRS	0		TSN 0				
WC#: 25.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
256002	EMERGENCY LOCATOR TRANSMITTER							Component ATA:25
PN:453-5060	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:252-1054	HRS	0		TSN 0				
WC#: 25.020	AFL	0		TSN 0				
PROC. REF: AMM 25-61-04, AMM 25-61-05, AMM 25-61-06PROC. REF: AMM 25-61-04, AMM 25-61-05, AMM 25-61-06								
256004	ELT ANTENNA							Component ATA:25
PN:110-340	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:621518	HRS	0		TSN 0				
WC#: 25.030	AFL	0		TSN 0				
PROC. REF: AMM 25-61-04, AMM 25-61-05, AMM 25-61-06PROC. REF: AMM 25-61-04, AMM 25-61-05, AMM 25-61-06								
256061	ROSEVIEW MONITOR							Component ATA:25
PN:1060-001	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:20010053	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-35-01PROC. REF: AMM 23-35-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
256062	CKPT CONTROLLER-ROSEN							Component ATA:25
PN:0300-412	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:20020167	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
256063	FIRST AID KIT							Component ATA:25
PN:PN	MOS/MSC	27-May-25	H/T	TSN 53				
SN:UNKNOWN	HRS	2271:38		TSN 2271:38				
	AFL	1480		TSN 1480				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
ATA 26 - FIRE PROTECTION								
26-11-00-7200 ^S	OPTIONAL BAGGAGE COMPARTMENT AND LAVATORY SMOKE DETECTION SYSTEM FUNCTIONAL CHECK							Service ATA:26
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
PROC. REF: AMM 26-11-00PROC. REF: AMM 26-11-00								PKG:513
26-20-00-2200	ENGINE FIRE DEPLOYMENT CHECK TEESPECIAL DETAILED INSPECTION							Service ATA:26
	MOS/MSC	17-Dec-20	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00								
26-21-00-2200 ^S	ENGINE FIRE EXTINGUISHER WIRING DETAILED INSPECTION							Service ATA:26
	MOS		24					AIRWORTHINESS
	HRS							
	AFL							
PROC. REF: AMM 26-21-00PROC. REF: AMM 26-21-00								PKG:532

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-21-00-7100 ^S	ENGINE FIRE EXTINGUISHING SYSTEM FUNCTIONAL CHECK							Service ATA:26
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
								PKG:513
PROC. REF: AMM 26-21-00, AMM 26-21-00PROC. REF: AMM 26-21-00, AMM 26-21-00								
26-21-01-7100	AFT ENGINE FIRE EXTINGUISHER BOTTLE LOW PRESSURE SWITCH OPERATIONAL CHECK							Service ATA:26
PN:30400037-1	MOS	02-Sep-25	60		30-Sep-30		1722 d	
SN:71973B1	HRS	2427:28						
	AFL	1580						
HydroCheck Date: : 02-Sep-25								
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
26-21-01-7100	FWD ENGINE FIRE EXTINGUISHER BOTTLE LOW PRESSURE SWITCH OPERATIONAL CHECK							Service ATA:26
PN:30400037-1	MOS	02-Sep-25	60		30-Sep-30		1722 d	
SN:72260B1	HRS	2427:28						
	AFL	1580						
HydroCheck Date: : 02-Sep-25								
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
26-21-01-7200	OPTIONAL AFT VANITY FIRE EXTINGUISHERBOTTLE (WEIGHT CHECK) FUNCTIONAL CHECK(AIRPLANES -6224 AND ON)							Service ATA:26
	MOS	17-Dec-20	60		31-Dec-25		OVD	
	HRS	0						
	AFL	0						
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
26-21-01-7800	AFT ENGINE FIRE EXTINGUISHER BOTTLE (HYDROSTATIC TEST) RESTORATION							Service ATA:26
PN:30400037-1	MOS	02-Sep-25	60		31-Jul-30		1661 d	
SN:71973B1	HRS	2427:28						
	AFL	1580						
HydroCheck Date: : 01-Jul-25								
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-21-01-7800	FORWARD ENGINE FIRE EXTINGUISHER BOTTLE (HYDROSTATIC TEST) RESTORATION							Service ATA:26
PN:30400037-1	MOS	02-Sep-25	60		31-Jul-30		1661 d	
SN:72260B1	HRS	2427:28						
	AFL	1580						
			HydroCheck Date: : 01-Jul-25					
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
26-21-01-9600	13083-5 AFT ENGINE FIRE EXTINGUISHER AFT CARTRIDGE SQUIB DISCARD - TOTAL LIFE							Service ATA:26
PN:13083-5	MOS	01-May-20	108 (+1m/-1m)		31-May-29	30-Jun-29	1235 d (+30)	LIFE LIMIT
SN:NSN	HRS							
	AFL							
			Manufacture Date:: 01-May-20					
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
26-21-01-9600	13083-5 AFT ENGINE FIRE EXTINGUISHER FORWARD CARTRIDGE SQUIB DISCARD - TOTAL LIFE							Service ATA:26
PN:13083-5	MOS	01-Jun-20	108 (+1m/-1m)		30-Jun-29	31-Jul-29	1265 d (+31)	LIFE LIMIT
SN:NSN	HRS							
	AFL							
			Manufacture Date:: 01-Jun-20					
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
26-21-01-9600	13083-5 FORWARD ENGINE FIRE EXTINGUISHER AFT CARTRIDGE SQUIB DISCARD - TOTAL LIFE							Service ATA:26
PN:13083-5	MOS	01-Nov-19	108 (+1m/-1m)		30-Nov-28	31-Dec-28	1053 d (+31)	LIFE LIMIT
SN:NSN	HRS							
	AFL							
			Manufacture Date:: 01-Nov-19					
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
26-21-01-9600	13083-5 FORWARD ENGINE FIRE EXTINGUISHER FORWARD CARTRIDGE SQUIB DISCARD - TOTAL LIFE							Service ATA:26
PN:13083-5	MOS	01-Aug-19	108 (+1m/-1m)		31-Aug-28	30-Sep-28	962 d (+30)	LIFE LIMIT
SN:NSN	HRS							
	AFL							
			Manufacture Date:: 01-Aug-19					
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-21-01-9600.1	13083-5 AFT ENGINE FIRE EXTINGUISHER AFT CARTRIDGE SQUIB DISCARD - SERVICE LIFE							Service ATA:26
PN:13083-5	MOS	01-Oct-20	72 (+1m/-1m)		31-Oct-26	30-Nov-26	292 d (+30)	SERVICE LIFE LIMIT
SN:NSN	HRS							
	AFL							
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
26-21-01-9600.1	13083-5 AFT ENGINE FIRE EXTINGUISHER FORWARD CARTRIDGE SQUIB DISCARD - SERVICE LIFE							Service ATA:26
PN:13083-5	MOS	01-Oct-20	72 (+1m/-1m)		31-Oct-26	30-Nov-26	292 d (+30)	SERVICE LIFE LIMIT
SN:NSN	HRS							
	AFL							
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
26-21-01-9600.1	13083-5 FORWARD ENGINE FIRE EXTINGUISHER AFT CARTRIDGE SQUIB DISCARD - SERVICE LIFE							Service ATA:26
PN:13083-5	MOS	01-Oct-20	72 (+1m/-1m)		31-Oct-26	30-Nov-26	292 d (+30)	SERVICE LIFE LIMIT
SN:NSN	HRS							
	AFL							
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
26-21-01-9600.1	13083-5 FORWARD ENGINE FIRE EXTINGUISHER FORWARD CARTRIDGE SQUIB DISCARD - SERVICE LIFE							Service ATA:26
PN:13083-5	MOS	01-Oct-20	72 (+1m/-1m)		31-Oct-26	30-Nov-26	292 d (+30)	SERVICE LIFE LIMIT
SN:NSN	HRS							
	AFL							
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
26-21-01-9601	13083-5 AUXILIARY POWER UNIT FIRE EXTINGUISHER CARTRIDGE SQUIB DISCARD - TOTAL LIFE							Service ATA:26
PN:13083-5	MOS	01-Aug-20	108 (+1m/-1m)		31-Aug-29	30-Sep-29	1327 d (+30)	LIFE LIMIT
SN:96090A1	HRS							
	AFL							
Manufacture Date:: 01-Aug-20								
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-21-01-9601.1	13083-5 AUXILIARY POWER UNIT FIRE EXTINGUISHER CARTRIDGE SQUIB DISCARD - SERVICE LIFE							Service ATA:26
PN:13083-5	MOS	01-Oct-20	72 (+1m/-1m)		31-Oct-26	30-Nov-26	292 d (+30)	SERVICE LIFE LIMIT
SN:96090A1	HRS							
	AFL							
Installation Date: : 01-Oct-20								
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
26-22-00-2200	CABIN PORTABLE FIRE EXTINGUISHER (HALON AND NON-HALON) DETAILED AND (WEIGHT) FUNCTIONAL CHECK							Service ATA:26
PN:C352	MOS	28-Nov-25	12	Adj -21d	30-Nov-26		322 d	
SN:G-01221557	HRS	2556:19						
WC#: 26.080	AFL	1654						
	APH							
	APS							
PROC. REF: AMM 26-22-00PROC. REF: AMM 26-22-00								
26-22-00-2200	COCKPIT PORTABLE FIRE EXTINGUISHER (HALON AND NON-HALON) DETAILED AND (WEIGHT) FUNCTIONAL CHECK							Service ATA:26
PN:C352	MOS	28-Nov-25	12	Adj -21d	30-Nov-26		322 d	
SN:G-01221588	HRS	2556:19						
WC#: 26.080	AFL	1654						
	APH							
	APS							
PROC. REF: AMM 26-22-00PROC. REF: AMM 26-22-00								
26-22-00-2201	CABIN PORTABLE FIRE EXTINGUISHER (HALON) RESTORATION (INTERNAL INSPECTION)							Service ATA:26
PN:C352	MOS	28-Nov-25	72		30-Nov-31		2148 d	OVERHAUL
SN:G-01221557	HRS	2556:19						
	AFL	1654						
PROC. REF: AMM 26-22-00PROC. REF: AMM 26-22-00								
26-22-00-2201	COCKPIT PORTABLE FIRE EXTINGUISHER (HALON) RESTORATION (INTERNAL INSPECTION)							Service ATA:26
PN:C352	MOS	28-Nov-25	72		30-Nov-31		2148 d	OVERHAUL
SN:G-01221588	HRS	2556:19						
	AFL	1654						
PROC. REF: AMM 26-22-00PROC. REF: AMM 26-22-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL: 1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C / W	Interval	TSX / Adj.	Next Due (ENG / APU) A / C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-22-00-7800		CABIN PORTABLE FIRE EXTINGUISHER (HALON)(HYDROSTATIC TEST) FUNCTIONAL CHECK						Service ATA:26
PN:C352	MOS	28-Nov-25	144		30-Nov-37		4340 d	HYDROSTATIC TEST
SN:G-01221557	HRS	2556:19						
	AFL	1654						
			HydroCheck Date: : 28-Nov-25					
PROC. REF: AMM 26-22-00PROC. REF: AMM 26-22-00								
26-22-00-7800		COCKPIT PORTABLE FIRE EXTINGUISHER (HALON)(HYDROSTATIC TEST) FUNCTIONAL CHECK						Service ATA:26
PN:C352	MOS	28-Nov-25	144		30-Nov-37		4340 d	HYDROSTATIC TEST
SN:G-01221588	HRS	2556:19						
	AFL	1654						
			HydroCheck Date: : 28-Nov-25					
PROC. REF: AMM 26-22-00PROC. REF: AMM 26-22-00								
26-23-00-2200 ^S		AUXILIARY POWER UNIT FIRE EXTINGUISHER WIRING DETAILED INSPECTION						Service ATA:26
	MOS		24					AIRWORTHINESS
	HRS							
	AFL							
								PKG:532
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								
26-23-00-7100 ^S		AUXILIARY POWER UNIT FIRE EXTINGUISHING SYSTEM OPERATIONAL AND FUNCTIONAL CHECK						Service ATA:26
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
								PKG:513
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								
26-23-00-7101		AUXILIARY POWER UNIT FIRE EXTINGUISHER BOTTLE LOW PRESSURE SWITCH OPERATIONAL CHECK						Service ATA:26
PN:30100033-7	MOS	02-Sep-25	60		30-Sep-30		1722 d	
SN:42941A1	HRS	2427:28						
	AFL	1580						
			HydroCheck Date: : 02-Sep-25					
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-23-00-7800	APU FIRE EXTINGUISHER BOTTLE (HYDROSTATIC TEST) RESTORATION							Service ATA:26
PN:30100033-7	MOS	02-Sep-25	60		30-Jun-30		1630 d	
SN:42941A1	HRS	2427:28						
	AFL	1580						
HydroCheck Date: : 01-Jun-25								
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								
261002	LEFT ENGINE FIRE DETECT (UT021) CONTROL UNIT							Component ATA:26
PN:377-02838	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2009-520	HRS	0		TSN 0				
WC#: 26.020	AFL	0		TSN 0				
PROC. REF: AMM 26-11-02PROC. REF: AMM 26-11-02								
261002	RIGHT ENGINE FIRE DETECT (UT020) CONTROL UNIT							Component ATA:26
PN:377-02838	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2009-518	HRS	0		TSN 0				
WC#: 26.020	AFL	0		TSN 0				
PROC. REF: AMM 26-11-02PROC. REF: AMM 26-11-02								
262001	AFT ENGINE FIRE BOTTLE							Component ATA:26
PN:30400037-1	MOS/MSC	02-Sep-25	O/C	TSO 0				
SN:71973B1	HRS	2427:28		TSO 0				
WC#: 26.040	AFL	1580		TSO 0				
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
262001	APU FIRE BOTTLE							Component ATA:26
PN:30100033-7	MOS/MSC	02-Sep-25	O/C	TSO 0				
SN:42941A1	HRS	2427:28		TSO 0				
WC#: 26.050	AFL	1580		TSO 0				
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								
262001	FORWARD ENGINE FIRE BOTTLE							Component ATA:26
PN:30400037-1	MOS/MSC	02-Sep-25	O/C	TSO 0				
SN:72260B1	HRS	2427:28		TSO 0				
WC#: 26.030	AFL	1580		TSO 0				
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
262002	CABIN PORTABLE FIRE EXTINGUISHER							Component ATA:26
PN:C352	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:G-01221557	HRS	0		TSN 0				
WC#: 26.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
262002	COCKPIT PORTABLE FIRE EXTINGUISHER							Component ATA:26
PN:C352	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:G-01221588	HRS	0		TSN 0				
WC#: 26.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
263004	AUXILIARY POWER UNIT FIRE EXTINGUISHER CARTRIDGE SQUIB							Component ATA:26
PN:13083-5	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:96090A1	HRS	0		TSN 0				
WC#: 26.050	AFL	0		TSN 0				
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								
263006	FORWARD ENGINE FIRE EXTINGUISHER FORWARD CARTRIDGE SQUIB							Component ATA:26
PN:13083-5	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:NSN	HRS	0		TSN 0				
WC#: 26.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
263008	FORWARD ENGINE FIRE EXTINGUISHER AFT CARTRIDGE SQUIB							Component ATA:26
PN:13083-5	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:NSN	HRS	0		TSN 0				
WC#: 26.030	AFL	0		TSN 0				
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
263010	AFT ENGINE FIRE EXTINGUISHER FORWARD CARTRIDGE SQUIB							Component ATA:26
PN:13083-5	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:NSN	HRS	0		TSN 0				
WC#: 26.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
263012	AFT ENGINE FIRE EXTINGUISHER AFT CARTRIDGE SQUIB							Component ATA:26
PN:13083-5	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:NSN	HRS	0		TSN 0				
WC#: 26.040	AFL	0		TSN 0				
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
ATA 27 - FLIGHT CONTROLS								
27-10-00-2201 ^S	AILERON WING CABLE DETAILED INSPECTION (AIRPLANES -5556 AND ON, AND AIRPLANES -5002 THRU -5555 INCORPORATING SB560XL-27-22)							Service ATA:27
	MOS	31-Mar-25						
	HRS	2152:04	2400 (+25/-25)					
	AFL	1404						
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								PKG:515
27-10-00-2202 ^S	AILERON TRIM ACTUATOR DETAILED INSPECTION							Service ATA:27
	MOS	17-Dec-25	12 (+1m/-1m)					
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								PKG:509
27-10-00-2203 ^S	AILERON AND AILERON TRIM DETAILED INSPECTION AND FUNCTIONAL CHECK							Service ATA:27
	MOS	31-Mar-25						
	HRS	2152:04	2400 (+25/-25)					
	AFL	1404						
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								PKG:515

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-10-00-7201	^S	AILERON TRIM TAB AND PUSHROD (FREE PLAY) FUNCTIONAL CHECK						Service ATA:27
	MOS	12-Jun-24						
	HRS	1606:02	1600 (+25/-25)					
	AFL	1047						
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								PKG:514
27-20-00-2200	^S	RUDDER BIAS CABLE ASSEMBLY DETAILED INSPECTION						Service ATA:27
	MOS	31-Mar-25						
	HRS	2152:04	2400 (+25/-25)					
	AFL	1404						
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:515
27-20-00-2201	^S	RUDDER TRIM ACTUATOR DETAILED INSPECTION						Service ATA:27
	MOS	17-Dec-25	12 (+1m/-1m)					
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:509
27-20-00-2202	^S	RUDDER AND RUDDER TRIM DETAILED INSPECTION AND FUNCTIONAL CHECK						Service ATA:27
	MOS	31-Mar-25						
	HRS	2152:04	2400 (+25/-25)					
	AFL	1404						
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:515
27-20-00-7201	^S	RUDDER TRIM ACTUATOR AND PUSHROD (FREE PLAY)FUNCTIONAL CHECK						Service ATA:27
	MOS	12-Jun-24						
	HRS	1606:02	1600 (+25/-25)					
	AFL	1047						
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:514

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-31-00-2200	^S	ELEVATOR AND TRIM TAB SYSTEM DETAILED INSPECTION						Service ATA:27
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
								PKG:513
PROC. REF: AMM 27-31-00PROC. REF: AMM 27-31-00								
27-31-00-2201	^S	ELEVATOR AND ELEVATOR TRIM DETAILED INSPECTION AND FUNCTIONAL CHECK						Service ATA:27
	MOS	31-Mar-25						
	HRS	2152:04	2400 (+25/-25)					
	AFL	1404						
								PKG:515
PROC. REF: AMM 27-31-00PROC. REF: AMM 27-31-00								
27-31-00-7201	^S	ELEVATOR TRIM TAB AND PUSHROD (FREE PLAY)FUNCTIONAL CHECK						Service ATA:27
	MOS	12-Jun-24						
	HRS	1606:02	1600 (+25/-25)					
	AFL	1047						
								PKG:514
PROC. REF: AMM 27-31-00PROC. REF: AMM 27-31-00								
27-40-00-7200	^S	TWO-POSITION HORIZONTAL STABILIZER FUNCTIONAL CHECK						Service ATA:27
	MOS	31-Mar-25						
	HRS	2152:04	2400 (+25/-25)					
	AFL	1404						
								PKG:515
PROC. REF: AMM 27-40-00PROC. REF: AMM 27-40-00								
27-51-00-2200	^S	FLAP CABLES DETAILED INSPECTION AND FUNCTIONAL CHECK						Service ATA:27
	MOS	31-Mar-25						
	HRS	2152:04	2400 (+25/-25)					
	AFL	1404						
								PKG:515
PROC. REF: AMM 27-51-00PROC. REF: AMM 27-51-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-71-00-7100	^S	CONTROL (GUST) LOCK SYSTEM OPERATIONAL CHECK						Service ATA:27
	MOS	17-Dec-25	12 (+1m/-1m)					
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
PROC. REF: AMM 27-71-00PROC. REF: AMM 27-71-00								PKG:509
270001		THROTTLE QUADRANT ASSEMBLY						Component ATA:27
PN:6665260-4	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:ICE-0000116	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
271003		LEFT AILERON ASSEMBLY						Component ATA:27
PN:6624031-4	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:29822185	HRS	0		TSN 0				
WC#: 27.660	AFL	0		TSN 0				
PROC. REF: AMM 27-10-01PROC. REF: AMM 27-10-01								
271004		RIGHT AILERON ASSEMBLY						Component ATA:27
PN:6624032-4	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:29810795	HRS	0		TSN 0				
WC#: 27.660	AFL	0		TSN 0				
PROC. REF: AMM 27-10-01PROC. REF: AMM 27-10-01								
272001		RUDDER BIAS SHUTOFF VALVE						Component ATA:27
PN:5307-1	MOS/MSC	23-Jul-24	O/C					
SN:1933C	HRS	1742:08						
WC#: 27.020	AFL	1125						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
272002	LEFT STICK SHAKER (MC001) UNIT							Component ATA:27
PN:201	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:180294A-21	HRS	0		TSN 0				
WC#: 27.050	AFL	0		TSN 0				
PROC. REF: AMM 27-33-00PROC. REF: AMM 27-33-00								
272002	RIGHT STICK SHAKER (MF004) UNIT							Component ATA:27
PN:201	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:181687-05	HRS	0		TSN 0				
WC#: 27.050	AFL	0		TSN 0				
PROC. REF: AMM 27-33-00PROC. REF: AMM 27-33-00								
272004	RUDDER ASSEMBLY							Component ATA:27
PN:6633000-31	MOS/MSC	25-Jan-23	O/C					
SN:29975737	HRS	825:13						
WC#: 27.670	AFL	522						
PROC. REF: AMM 27-20-01PROC. REF: AMM 27-20-01								
273007	LEFT ELEVATOR ASSEMBLY							Component ATA:27
PN:6634200-13	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:29572112	HRS	0		TSN 0				
WC#: 27.680	AFL	0		TSN 0				
PROC. REF: AMM 27-31-01PROC. REF: AMM 27-31-01								
273008	RIGHT ELEVATOR ASSEMBLY							Component ATA:27
PN:6634200-14	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:29667003	HRS	0		TSN 0				
WC#: 27.680	AFL	0		TSN 0				
PROC. REF: AMM 27-31-01PROC. REF: AMM 27-31-01								
274000	HORIZONTAL STABILIZER ACTUATOR							Component ATA:27
PN:41016450-101	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1378D	HRS	0		TSN 0				
WC#: 27.060	AFL	0		TSN 0				
PROC. REF: AMM 27-40-00PROC. REF: AMM 27-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
274001	HYDRAULIC MANIFOLD ASSEMBLY							Component ATA:27
PN:9912625-19	MOS/MSC	09-Feb-22	O/C	TSO 0				
SN:0632	HRS	571:12		TSO 0				
WC#: 27.260	AFL	349		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
274013	HORIZONTAL STABILIZER ISOLATION (UY015) VALVE							Component ATA:27
PN:4220-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:650	HRS	0		TSN 0				
WC#: 27.090	AFL	0		TSN 0				
PROC. REF: AMM 27-40-00, AMM 27-40-00PROC. REF: AMM 27-40-00, AMM 27-40-00								
274044	HORIZONTAL STAB VALVE ASSY							Component ATA:27
PN:4218-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:646	HRS	0		TSN 0				
WC#: 27.270	AFL	0		TSN 0				
PROC. REF: AMM 27-40-00, AMM 27-40-00PROC. REF: AMM 27-40-00, AMM 27-40-00								
275001	FLAP CONTROL (UY024) VALVE							Component ATA:27
PN:4216-3	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:648	HRS	0		TSN 0				
WC#: 27.110	AFL	0		TSN 0				
PROC. REF: AMM 27-51-04, AMM 27-51-04PROC. REF: AMM 27-51-04, AMM 27-51-04								
275003	LEFT FLAP ACTUATOR							Component ATA:27
PN:1535000-3	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:3831	HRS	0		TSN 0				
WC#: 27.120	AFL	0		TSN 0				
PROC. REF: AMM 27-51-04PROC. REF: AMM 27-51-04								
275003	RIGHT FLAP ACTUATOR							Component ATA:27
PN:1535000-3	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:3883	HRS	0		TSN 0				
WC#: 27.120	AFL	0		TSN 0				
PROC. REF: AMM 27-51-04PROC. REF: AMM 27-51-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
276001	LEFT SPEED BRAKE ACTUATOR							Component ATA:27
PN:1535500-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4248	HRS	0		TSN 0				
WC#: 27.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
276001	RIGHT SPEED BRAKE ACTUATOR							Component ATA:27
PN:1535500-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4239	HRS	0		TSN 0				
WC#: 27.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
276002	SPEED BRAKE CONTROL VALVE							Component ATA:27
PN:4216-2	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:651	HRS	0		TSN 0				
WC#: 27.180	AFL	0		TSN 0				
PROC. REF: AMM 27-61-05PROC. REF: AMM 27-61-05								
276003	SPEED BRAKE SAFETY VALVE							Component ATA:27
PN:4217-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:658	HRS	0		TSN 0				
WC#: 27.320	AFL	0		TSN 0				
PROC. REF: AMM 27-61-05PROC. REF: AMM 27-61-05								
ATA 28 - FUEL								
28-00-02-2200	MICROBIOLOGICAL CONTAMINATION INSPECTION (AIRPLANES NOT USING THE BIOCIDAL PREVENTATIVE TREATMENT)							Service ATA:28
	MOS/MSC	17-Dec-20	A/R					DISCRETIONARY
	HRS	0						
	AFL	0						
PROC. REF: AMM 28-00-02PROC. REF: AMM 28-00-02								
28-00-02-2201	MICROBIOLOGICAL CONTAMINATION INSPECTION (AIRPLANES USING THE BIOCIDAL PREVENTATIVE TREATMENT)							Service ATA:28
	MOS/MSC	17-Dec-20	A/R					DISCRETIONARY
	HRS	0						
	AFL	0						
PROC. REF: AMM 28-00-02PROC. REF: AMM 28-00-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-11-04-2200 ^S FUEL FILLER CAP DETAILED INSPECTION AND LUBRICATION Service ATA:28								
	MOS	17-Dec-25	12 (+1m/-1m)					
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
PROC. REF: AMM 28-11-04PROC. REF: AMM 28-11-04								PKG:509
28-42-00-7100 ^S FUEL LOW LEVEL FLOAT SWITCH OPERATIONAL CHECK Service ATA:28								
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
PROC. REF: AMM 28-42-00PROC. REF: AMM 28-42-00								PKG:513
280003 LEFT FUEL RELIEF VALVE ASSY Component ATA:28								
PN:840203-105	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2751	HRS	0		TSN 0				
WC#: 28.460	AFL	0		TSN 0				
PROC. REF: AMM 28-11-08PROC. REF: AMM 28-11-08								
280003 RIGHT FUEL RELIEF VALVE ASSY Component ATA:28								
PN:840203-105	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2796	HRS	0		TSN 0				
WC#: 28.460	AFL	0		TSN 0				
PROC. REF: AMM 28-11-08PROC. REF: AMM 28-11-08								
280004 LEFT HIGH LVL FUEL VALVE Component ATA:28								
PN:61087	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:7750	HRS	0		TSN 0				
WC#: 28.470	AFL	0		TSN 0				
PROC. REF: AMM 28-22-00PROC. REF: AMM 28-22-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
280004	RIGHT HIGH LVL FUEL VALVE							Component ATA:28
PN:61087	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:7717	HRS	0		TSN 0				
WC#: 28.470	AFL	0		TSN 0				
PROC. REF: AMM 28-22-00PROC. REF: AMM 28-22-00								
281101	LEFT FUEL VENT FLOAT VALVE							Component ATA:28
PN:60221-4	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:7750	HRS	0		TSN 0				
WC#: 28.150	AFL	0		TSN 0				
PROC. REF: AMM 28-11-03PROC. REF: AMM 28-11-03								
281101	RIGHT FUEL VENT FLOAT VALVE							Component ATA:28
PN:60221-4	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:3494	HRS	0		TSN 0				
WC#: 28.150	AFL	0		TSN 0				
PROC. REF: AMM 28-11-03PROC. REF: AMM 28-11-03								
282011	LEFT AFT SCAVENGE FUEL EJECTOR PUMP							Component ATA:28
PN:2950024-101	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:6070	HRS	0		TSN 0				
WC#: 28.260	AFL	0		TSN 0				
PROC. REF: AMM 28-21-03PROC. REF: AMM 28-21-03								
282011	LEFT FORWARD SCAVENGE FUEL EJECTOR PUMP							Component ATA:28
PN:2950024-101	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:6117	HRS	0		TSN 0				
WC#: 28.240	AFL	0		TSN 0				
PROC. REF: AMM 28-21-03PROC. REF: AMM 28-21-03								
282011	LEFT MID SCAVENGE FUEL EJECTOR PUMP							Component ATA:28
PN:2950024-101	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:6113	HRS	0		TSN 0				
WC#: 28.250	AFL	0		TSN 0				
PROC. REF: AMM 28-21-03PROC. REF: AMM 28-21-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282011	RIGHT AFT SCAVENGE FUEL EJECTOR PUMP							Component ATA:28
PN:2950024-101	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:6085	HRS	0		TSN 0				
WC#: 28.260	AFL	0		TSN 0				
PROC. REF: AMM 28-21-03PROC. REF: AMM 28-21-03								
282011	RIGHT FORWARD SCAVENGE FUEL EJECTOR PUMP							Component ATA:28
PN:2950024-101	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:6114	HRS	0		TSN 0				
WC#: 28.240	AFL	0		TSN 0				
PROC. REF: AMM 28-21-03PROC. REF: AMM 28-21-03								
282011	RIGHT MID SCAVENGE FUEL EJECTOR PUMP							Component ATA:28
PN:2950024-101	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:6115	HRS	0		TSN 0				
WC#: 28.250	AFL	0		TSN 0				
PROC. REF: AMM 28-21-03PROC. REF: AMM 28-21-03								
282012	LEFT FUEL BOOST CARTRIDGE							Component ATA:28
PN:LR55505-2	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:E-263	HRS	0		TSN 0				
WC#: 28.480	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
282012	LEFT WING BOOST FUEL ELECTRIC PUMP							Component ATA:28
PN:LR55540B	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:B2141	HRS	0		TSN 0				
WC#: 28.230	AFL	0		TSN 0				
PROC. REF: AMM 28-21-01PROC. REF: AMM 28-21-01								
282012	RIGHT FUEL BOOST CARTRIDGE							Component ATA:28
PN:LR55505-2	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:E-236	HRS	0		TSN 0				
WC#: 28.480	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282012	RIGHT WING BOOST FUEL ELECTRIC PUMP							Component ATA:28
PN:LR55540B	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:B2112	HRS	0		TSN 0				
WC#: 28.230	AFL	0		TSN 0				
PROC. REF: AMM 28-21-01PROC. REF: AMM 28-21-01								
282013	LEFT WING PRIMARY MOTIVE FLOW EJECTOR PUMP							Component ATA:28
PN:2950023-101	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2105	HRS	0		TSN 0				
WC#: 28.220	AFL	0		TSN 0				
PROC. REF: AMM 28-21-02PROC. REF: AMM 28-21-02								
282013	RIGHT WING PRIMARY MOTIVE FLOW EJECTOR PUMP							Component ATA:28
PN:2950023-101	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2102	HRS	0		TSN 0				
WC#: 28.220	AFL	0		TSN 0				
PROC. REF: AMM 28-21-02PROC. REF: AMM 28-21-02								
282014	FUEL CROSSFEED ACTUATOR							Component ATA:28
PN:MA20A1029-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:AA753802	HRS	0		TSN 0				
WC#: 28.490	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
282100	LEFT WING SINGLE PT REFUEL/DEFUEL SHUTOFF VALVE							Component ATA:28
PN:80002-101	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2770	HRS	0		TSN 0				
WC#: 28.350	AFL	0		TSN 0				
PROC. REF: AMM 28-22-00PROC. REF: AMM 28-22-00								
282100	RIGHT WING SINGLE PT REFUEL/DEFUEL SHUTOFF VALVE							Component ATA:28
PN:80002-101	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2769	HRS	0		TSN 0				
WC#: 28.350	AFL	0		TSN 0				
PROC. REF: AMM 28-22-00PROC. REF: AMM 28-22-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282106	FUEL CROSSFEED VALVE							Component ATA:28
PN:125838AW	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:AA755072	HRS	0		TSN 0				
WC#: 28.300	AFL	0		TSN 0				
PROC. REF: AMM 28-21-06PROC. REF: AMM 28-21-06								
282108	LEFT MOTIVE FLOW SHUTOFF (UY009) VALVE							Component ATA:28
PN:4151	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2096	HRS	0		TSN 0				
WC#: 28.310	AFL	0		TSN 0				
PROC. REF: AMM 28-21-06PROC. REF: AMM 28-21-06								
282108	RIGHT MOTIVE FLOW SHUTOFF (UY008) VALVE							Component ATA:28
PN:4151	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2072	HRS	0		TSN 0				
WC#: 28.310	AFL	0		TSN 0				
PROC. REF: AMM 28-21-06PROC. REF: AMM 28-21-06								
282118	LEFT FUEL SHUT-OFF VALVE							Component ATA:28
PN:71498	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2439A	HRS	0		TSN 0				
WC#: 28.500	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
282118	RIGHT FUEL SHUT-OFF VALVE							Component ATA:28
PN:71498	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2426A	HRS	0		TSN 0				
WC#: 28.500	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
282200	LEFT LOW LEVEL VALVE ASSY							Component ATA:28
PN:726400-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:3121	HRS	0		TSN 0				
WC#: 28.510	AFL	0		TSN 0				
PROC. REF: AMM 28-22-00PROC. REF: AMM 28-22-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282200	RIGHT LOW LEVEL VALVE ASSY							Component ATA:28
PN:726400-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:3115	HRS	0		TSN 0				
WC#: 28.510	AFL	0		TSN 0				
PROC. REF: AMM 28-22-00PROC. REF: AMM 28-22-00								
282201	VALVE-REFUEL/DEFUEL							Component ATA:28
PN:9036-351-2	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:NSN	HRS	0		TSN 0				
WC#: 28.520	AFL	0		TSN 0				
PROC. REF: AMM 28-22-00PROC. REF: AMM 28-22-00								
282202	LEFT FUEL VALVE ASSY							Component ATA:28
PN:750800-2	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:3630	HRS	0		TSN 0				
WC#: 28.530	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
282202	RIGHT FUEL VALVE ASSY							Component ATA:28
PN:750800-2	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:3628	HRS	0		TSN 0				
WC#: 28.530	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
284012	LEFT LOW FUEL LEVEL SENSOR							Component ATA:28
PN:L16H-15	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1512	HRS	0		TSN 0				
WC#: 28.540	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
284012	RIGHT LOW FUEL LEVEL SENSOR							Component ATA:28
PN:L16H-15	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1506	HRS	0		TSN 0				
WC#: 28.540	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284013	LEFT WING FUEL QTY W0 PROBE							Component ATA:28
PN:10634T07Y00	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:MN50120	HRS	0		TSN 0				
WC#: 28.360	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00								
284013	RIGHT WING FUEL QTY W0 PROBE							Component ATA:28
PN:10634T07Y00	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:MN49402	HRS	0		TSN 0				
WC#: 28.360	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00								
284014	LEFT WING FUEL QTY W1 PROBE							Component ATA:28
PN:10634T02Y00	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:MN50244	HRS	0		TSN 0				
WC#: 28.370	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00								
284014	RIGHT WING FUEL QTY W1 PROBE							Component ATA:28
PN:10634T02Y00	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:MN50238	HRS	0		TSN 0				
WC#: 28.370	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00								
284015	LEFT WING FUEL QTY W2 PROBE							Component ATA:28
PN:10634T03Y00	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:MN49423	HRS	0		TSN 0				
WC#: 28.380	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00								
284015	RIGHT WING FUEL QTY W2 PROBE							Component ATA:28
PN:10634T03Y00	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:MN49428	HRS	0		TSN 0				
WC#: 28.380	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284016	LEFT WING FUEL QTY W3 PROBE							Component ATA:28
PN:10634T04Y00	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:MN49706	HRS	0		TSN 0				
WC#: 28.390	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00								
284016	RIGHT WING FUEL QTY W3 PROBE							Component ATA:28
PN:10634T04Y00	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:MN49707	HRS	0		TSN 0				
WC#: 28.390	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00								
284017	LEFT WING FUEL QTY W4 PROBE							Component ATA:28
PN:10634T05Y00	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:MN49732	HRS	0		TSN 0				
WC#: 28.400	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00								
284017	RIGHT WING FUEL QTY W4 PROBE							Component ATA:28
PN:10634T05Y00	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:MN49730	HRS	0		TSN 0				
WC#: 28.400	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00								
284018	LEFT WING FUEL QTY W5 PROBE							Component ATA:28
PN:10634T01Y00	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:MN49384	HRS	0		TSN 0				
WC#: 28.410	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00								
284018	RIGHT WING FUEL QTY W5 PROBE							Component ATA:28
PN:10634T01Y00	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:MN49389	HRS	0		TSN 0				
WC#: 28.410	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284019	LEFT WING FUEL QTY W6 PROBE							Component ATA:28
PN:10634T06Y00	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:MN48170	HRS	0		TSN 0				
WC#: 28.420	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00								
284019	RIGHT WING FUEL QTY W6 PROBE							Component ATA:28
PN:10634T06Y00 - 9912498-6	MOS/MSC	12-Nov-25	O/C	TSO 0				
SN:MN12766	HRS	2544:52		TSO 0				
WC#: 28.420	AFL	1649		TSO 0				
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00								
284196	FUEL QUANTITY SIGNAL CONDITIONER							Component ATA:28
PN:10635B03Y04	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:19081821	HRS	0		TSN 0				
WC#: 28.440	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00								
ATA 29 - HYDRAULIC POWER								
29-11-04-9600 ^S	HYDRAULIC SYSTEM FILTERS DISCARD							Service ATA:29
	MOS	17-Dec-20	72 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 29-11-04PROC. REF: AMM 29-11-04								PKG:518
291001	HYDRAULIC RESERVOIR							Component ATA:29
PN:7470-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1214	HRS	0		TSN 0				
WC#: 29.010	AFL	0		TSN 0				
PROC. REF: AMM 29-11-01PROC. REF: AMM 29-11-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
291002	LEFT HYDRAULIC PUMP							Component ATA:29
PN:4120-045000	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:0435A	HRS	0		TSN 0				
WC#: 29.050	AFL	0		TSN 0				
PROC. REF: AMM 29-11-03PROC. REF: AMM 29-11-03								
291002	RIGHT HYDRAULIC PUMP							Component ATA:29
PN:4120-045000	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:0436A	HRS	0		TSN 0				
WC#: 29.050	AFL	0		TSN 0				
PROC. REF: AMM 29-11-03PROC. REF: AMM 29-11-03								
291005	LEFT HYDRAULIC FLOW SWITCH							Component ATA:29
PN:3520020100-4	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:8226	HRS	0		TSN 0				
WC#: 29.070	AFL	0		TSN 0				
PROC. REF: AMM 29-11-04PROC. REF: AMM 29-11-04								
291005	RIGHT HYDRAULIC FLOW SWITCH							Component ATA:29
PN:3520020100-4	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:8225	HRS	0		TSN 0				
WC#: 29.070	AFL	0		TSN 0				
PROC. REF: AMM 29-11-04PROC. REF: AMM 29-11-04								
291008	SPEED BRAKE THERMAL RELIEF VALVE							Component ATA:29
PN:2664	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:645	HRS	0		TSN 0				
WC#: 29.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
291010	HYD PRESS SWITCH							Component ATA:29
PN:80637	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2022	HRS	0		TSN 0				
WC#: 29.190	AFL	0		TSN 0				
PROC. REF: AMM 29-11-06PROC. REF: AMM 29-11-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
291013	LEFT FIREWALL HYD SHUTOFF VALVE							Component ATA:29
PN:AV24B1325C5	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:AA741918	HRS	0		TSN 0				
WC#: 29.060	AFL	0		TSN 0				
PROC. REF: AMM 29-11-02, AMM 29-11-02PROC. REF: AMM 29-11-02, AMM 29-11-02								
291013	RIGHT FIREWALL HYD SHUTOFF VALVE							Component ATA:29
PN:AV24B1325C5	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:AA741919	HRS	0		TSN 0				
WC#: 29.060	AFL	0		TSN 0				
PROC. REF: AMM 29-11-02, AMM 29-11-02PROC. REF: AMM 29-11-02, AMM 29-11-02								
ATA 30 - ICE AND RAIN PROTECTION								
30-11-00-7100 ^S	BLEED AIR ANTI-ICE SYSTEMS OPERATIONAL CHECK							Service ATA:30
	MOS	17-Dec-25	12 (+1m/-1m)					
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
PROC. REF: AMM 30-11-00PROC. REF: AMM 30-11-00								PKG:509
30-12-00-7100 ^S	HORIZONTAL STABILIZER DEICE SYSTEM OPERATIONAL CHECK							Service ATA:30
	MOS	17-Dec-25	12 (+1m/-1m)					
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
PROC. REF: AMM 30-12-00PROC. REF: AMM 30-12-00								PKG:509

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-12-01 ^U	GOODRICH DEICE BOOT – SURFACE CARE							Service ATA:30
	MOS	17-Dec-25	6		30-Jun-26		169 d	
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
30-21-00-1	ENGINE AIR INLET ANTI-ICE - TROUBLESHOOTING							Service ATA:30
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 30-21-00PROC. REF: AMM 30-21-00								
30-21-00-1	NO. 1 ENGINE - ENGINE AIR INLET ANTI-ICE - TROUBLESHOOTING							Service ATA:30
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: AMM 30-21-00PROC. REF: AMM 30-21-00								
30-21-00-1	NO. 2 ENGINE - ENGINE AIR INLET ANTI-ICE - TROUBLESHOOTING							Service ATA:30
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: AMM 30-21-00PROC. REF: AMM 30-21-00								
30-31-00-1	PITOT-STATIC ANTI-ICE SYSTEM - TROUBLESHOOTING							Service ATA:30
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 30-31-00PROC. REF: AMM 30-31-00								
30-31-00-2	PITOT-STATIC ANTI-ICE SYSTEM - MAINTENANCE PRACTICES							Service ATA:30
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL: 1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PROC. REF: AMM 30-31-00PROC. REF: AMM 30-31-00								
30-32-00-2	TOTAL AIR TEMPERATURE PROBE ANTI-ICE - MAINTENANCE PRACTICES							Service ATA:30
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 30-32-00PROC. REF: AMM 30-32-00								
301001	LEFT WING ANTI-ICE BLEED AIR UNDER TEMP SL013 SWITCH							Component ATA:30
PN:1173T42-4	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:5691	HRS	0		TSN 0				
WC#: 30.010	AFL	0		TSN 0				
PROC. REF: AMM 30-11-00PROC. REF: AMM 30-11-00								
301001	RIGHT WING ANTI-ICE BLEED AIR UNDER TEMP SR016 SWITCH							Component ATA:30
PN:1173T42-4	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:5686	HRS	0		TSN 0				
WC#: 30.010	AFL	0		TSN 0				
PROC. REF: AMM 30-11-00PROC. REF: AMM 30-11-00								
301002	ISOLATION VALVE							Component ATA:30
PN:2602-36	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2804	HRS	0		TSN 0				
WC#: 30.160	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301008	LEFT DEICE TAIL VALVE							Component ATA:30
PN:3D2353-06	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:N193752	HRS	0		TSN 0				
WC#: 30.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301008	RIGHT DEICE TAIL VALVE							Component ATA:30
PN:3D2353-06	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:N193754	HRS	0		TSN 0				
WC#: 30.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301020	WINDSHIELD RAIN REMOVAL MN001 FAN							Component ATA:30
PN:011598-501	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:C20100253	HRS	0		TSN 0				
WC#: 30.140	AFL	0		TSN 0				
PROC. REF: AMM 30-40-00PROC. REF: AMM 30-40-00								
301137	LEFT WING INLET ANTI-ICE PRESSURE REG SHUTOFF VD001 VALVE							Component ATA:30
PN:1962-00-7	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:7294	HRS	0		TSN 0				
WC#: 30.100	AFL	0		TSN 0				
PROC. REF: AMM 30-11-00PROC. REF: AMM 30-11-00								
301137	RIGHT WING INLET ANTI-ICE PRESSURE REG SHUTOFF VE002 VALVE							Component ATA:30
PN:1962-00-7	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:7289	HRS	0		TSN 0				
WC#: 30.100	AFL	0		TSN 0				
PROC. REF: AMM 30-11-00PROC. REF: AMM 30-11-00								
301201	LEFT TAIL DEICE PRESSURE SV005 SWITCH							Component ATA:30
PN:1106P55-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:12781	HRS	0		TSN 0				
WC#: 30.090	AFL	0		TSN 0				
PROC. REF: AMM 30-12-02PROC. REF: AMM 30-12-02								
301201	RIGHT TAIL DEICE PRESSURE SV004 SWITCH							Component ATA:30
PN:1106P55-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:12780	HRS	0		TSN 0				
WC#: 30.090	AFL	0		TSN 0				
PROC. REF: AMM 30-12-02PROC. REF: AMM 30-12-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301202	LEFT HORIZ STAB DEICE BOOT							Component ATA:30
PN:P29S4D5280-11	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:NFD0480	HRS	0		TSN 0				
WC#: 30.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301202	RIGHT HORIZ STAB DEICE BOOT							Component ATA:30
PN:P29S4D5280-12	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:NFD610	HRS	0		TSN 0				
WC#: 30.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
302101	LEFT PRESSURE REG VALVE							Component ATA:30
PN:1946-00-19	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:6483	HRS	0		TSN 0				
WC#: 30.190	AFL	0		TSN 0				
PROC. REF: AMM 30-21-00PROC. REF: AMM 30-21-00								
302101	RIGHT PRESSURE REG VALVE							Component ATA:30
PN:1946-00-19	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:6484	HRS	0		TSN 0				
WC#: 30.190	AFL	0		TSN 0				
PROC. REF: AMM 30-21-00PROC. REF: AMM 30-21-00								
302104	LEFT NACELLE INLET SWITCH							Component ATA:30
PN:1173T0759	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:8753	HRS	0		TSN 0				
WC#: 30.105	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
302104	RIGHT NACELLE INLET SWITCH							Component ATA:30
PN:1173T0759	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:8787	HRS	0		TSN 0				
WC#: 30.105	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
303001	LEFT PITOT TUBE							Component ATA:30
PN:PH1100-1-VCW	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:AS11196988	HRS	0		TSN 0				
WC#: 30.210	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
303001	RIGHT PITOT TUBE							Component ATA:30
PN:PH1100-1-VCW	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:AS11196989	HRS	0		TSN 0				
WC#: 30.210	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
303001	STANDBY PITOT TUBE							Component ATA:30
PN:PH1100-1-RCDW	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:AS09203710	HRS	0		TSN 0				
WC#: 30.220	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
304100	LEFT WINDSHIELD CONTROLLER							Component ATA:30
PN:856-1-3	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1133	HRS	0		TSN 0				
WC#: 30.230	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
304100	RIGHT WINDSHIELD CONTROLLER							Component ATA:30
PN:856-1-3	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1124	HRS	0		TSN 0				
WC#: 30.230	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720080	NO. 1 ENGINE - ANTI-ICING VALVE							Component ATA:30
PN:30J4184	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:5527	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 75-10-01PROC. REF: EMM 75-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL: 1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
720080	NO. 2 ENGINE - ANTI-ICING VALVE							Component ATA:30
PN:30J4184	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:5518	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 75-10-01PROC. REF: EMM 75-10-01								
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-20-01-9600 ^S	DIGITAL CLOCK AA LONG LIFE BATTERY DISCARD							Service ATA:31
	MOS	17-Dec-25	12 (+1m/-1m)					
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
								PKG:509
PROC. REF: AMM 31-20-01PROC. REF: AMM 31-20-01								
31-30-04-9600	DK120 OR DK120/90 FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON BATTERY DISCARD							Component ATA:31
PN:266E5542-00	MOS/MSC	15-Aug-22	DUE	TSN 0	31-Aug-26 (M)		231 d	DISCARD
SN:ULB034585	HRS	680		TSN 0				
WC#: 31.100	AFL	422		TSN 0				
Expiry Date: : 31-Aug-26								
PROC. REF: AMM 31-30-04PROC. REF: AMM 31-30-04								
312001	LEFT HAND DIGITAL CLOCK							Component ATA:31
PN:M877A5V	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:25085	HRS	0		TSN 0				
WC#: 31.010	AFL	0		TSN 0				
PROC. REF: AMM 31-20-01PROC. REF: AMM 31-20-01								
312002I	INCLINOMETER							Component ATA:31
PN:NS-5DMG2-RXA	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1849023	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
313001	FDR ACCELEROMETER							Component ATA:31
PN:3001-01-111-3	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:0320-DT9940P	HRS	0		TSN 0				
WC#: 31.040	AFL	0		TSN 0				
PROC. REF: AMM 31-30-01, AMM 31-30-02PROC. REF: AMM 31-30-01, AMM 31-30-02								
313003	LEFT ENGINE ACCELEROMETER							Component ATA:31
PN:6222SM15	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:23497	HRS	0		TSN 0				
WC#: 31.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
313003	RIGHT ENGINE ACCELEROMETER							Component ATA:31
PN:6222SM15	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:23513	HRS	0		TSN 0				
WC#: 31.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
313006	FLIGHT DATA RECORDER							Component ATA:31
PN:S3100-626 (2100-2045-00)	MOS/MSC	15-Aug-22	O/C	TSN 0				
SN:001240835	HRS	680		TSN 0				
WC#: 31.030	AFL	422		TSN 0				
PROC. REF: AMM 31-30-01, AMM 31-30-02, AMM 31-30-03PROC. REF: AMM 31-30-01, AMM 31-30-02, AMM 31-30-03								
313010	FLIGHT DATA AQUISITION (FDAU) UNIT							Component ATA:31
PN:3001-7440-03	MOS/MSC	15-Aug-22	O/C	TSN 0				
SN:002056569	HRS	680		TSN 0				
	AFL	422		TSN 0				
PROC. REF: AMM 31-30-02PROC. REF: AMM 31-30-02								
313011	INBOARD FLIGHT DATA RECORDER (PCB) PRINTED CIRCUIT BOARD							Component ATA:31
PN:8718973-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:443	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
313011	OUTBOARD FLIGHT DATA RECORDER (PCB) PRINTED CIRCUIT BOARD							Component ATA:31
PN:8718973-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:440	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
313023	MINI QUICK ACCESS RECORDER							Component ATA:31
PN:QAR200-30-04	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2035232	HRS	0		TSN 0				
WC#: 23.600	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
316001	TILT INDICATOR							Component ATA:31
PN:3001J72	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:26001	HRS	0		TSN 0				
WC#: 31.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
316016	ROSEVIEW LX PROCESSOR							Component ATA:31
PN:0603-003	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:20080100	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 32 - LANDING GEAR								
32-00-00-2101 ^S	LANDING GEAR DOORS GENERAL VISUAL INSPECTION							Service ATA:32
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
PROC. REF: AMM 32-00-00PROC. REF: AMM 32-00-00								
PKG:513								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-00-00-7100 ^S	LANDING GEAR SYSTEM GENERAL VISUAL INSPECTION, OPERATIONAL CHECK AND FUNCTIONAL CHECK							Service ATA:32
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
PROC. REF: AMM 32-00-00PROC. REF: AMM 32-00-00								PKG:513
32-10-00-2200 ^S	MAIN LANDING GEAR DETAILED INSPECTION							Service ATA:32
	MOS	31-Mar-25						
	HRS	2152:04	2400 (+25/-25)					
	AFL	1404						
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								PKG:515
32-10-00-2201	MAIN LANDING GEAR ACTUATOR ROD END DETAILED INSPECTION (AIRPLANES OPERATING IN SEVERE CORROSION ENVIRONMENTS)							Service ATA:32
	MOS	EFF	48		31-Jul-28 *		931 d	SEVERE CORROSION ZONE
	HRS							
	AFL							
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
32-10-00-9600 ^S	MAIN LANDING GEAR OLEO BREATHER VENT DISCARD							Service ATA:32
	MOS	17-Dec-25	12 (+1m/-1m)					
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								PKG:509
32-10-00-9601	LEFT MAIN LANDING GEAR TRUNNION SUBASSEMBLY DISCARD							Component ATA:32
PN:6641630-41	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:29777274	HRS	0		TSN 0				
WC#: 32.030	AFL	0	33300	TSN 0	33300		31634	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10-00-9601	RIGHT MAIN LANDING GEAR TRUNNION SUBASSEMBLY DISCARD							Component ATA:32
PN:6641630-42	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:29662374	HRS	0		TSN 0				
WC#: 32.030	AFL	0	33300	TSN 0	33300		31634	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
32-10-00-9602	LEFT MAIN LANDING GEARTRAILING LINK ASSEMBLY DISCARD							Component ATA:32
PN:6641530-3	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:29777274	HRS	0		TSN 0				
WC#: 32.120	AFL	0	33300	TSN 0	33300		31634	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
32-10-00-9602	RIGHT MAIN LANDING GEARTRAILING LINK ASSEMBLY DISCARD							Component ATA:32
PN:6641530-4	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:29662374	HRS	0		TSN 0				
WC#: 32.120	AFL	0	33300	TSN 0	33300		31634	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
32-10-00-9603	LEFT MAIN LANDING GEAR TRAILING LINK SPACER DISCARD							Component ATA:32
PN:6641533-2	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:29777274	HRS	0		TSN 0				
WC#: 32.050	AFL	0	33300	TSN 0	33300		31634	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
32-10-00-9603	RIGHT MAIN LANDING GEAR TRAILING LINK SPACER DISCARD							Component ATA:32
PN:6641533-2	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:29662374	HRS	0		TSN 0				
WC#: 32.050	AFL	0	33300	TSN 0	33300		31634	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
32-10-00-9604	LEFT (EXCEPT UPPER CAP) MAIN LANDING GEAR OLEO ASSEMBLY DISCARD							Component ATA:32
PN:6641615-7	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:29786427	HRS	0		TSN 0				
WC#: 32.040	AFL	0	38000	TSN 0	38000		36334	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10-00-9604	RIGHT (EXCEPT UPPER CAP) MAIN LANDING GEAR OLEO ASSEMBLY DISCARD							Component ATA:32
PN:6641615-7	MOS	07-May-25						LIFE LIMIT
SN:28185174	HRS	2217:23						
WC#: 32.040	AFL	1448	38000	TSN 1267	38181		36515	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
32-10-00-9604.1	LEFT UPPER CAP MAIN LANDING GEAR OLEO ASSEMBLY DISCARD							Component ATA:32
PN:6641616-5	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:29786427	HRS	0		TSN 0				
WC#: 32.060	AFL	0	14900	TSN 0	14900		13234	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
32-10-00-9604.1	RIGHT UPPER CAP MAIN LANDING GEAR OLEO ASSEMBLY DISCARD							Component ATA:32
PN:6641616-5	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:29786399	HRS	0		TSN 0				
WC#: 32.060	AFL	0	14900	TSN 0	14900		13234	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
32-10-00-9605	LEFT MAIN LANDING GEAR ACTUATOR ASSEMBLY DISCARD							Component ATA:32
PN:1550000-7	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:2140	HRS	0		TSN 0				
WC#: 32.180	AFL	0	70200	TSN 0	70200		68534	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
32-10-00-9605	RIGHT MAIN LANDING GEAR ACTUATOR ASSEMBLY DISCARD							Component ATA:32
PN:1550000-8	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:2148	HRS	0		TSN 0				
WC#: 32.180	AFL	0	70200	TSN 0	70200		68534	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
32-20-00-2200 ^S	NOSE LANDING GEAR DETAILED INSPECTION							Service ATA:32
	MOS	31-Mar-25						
	HRS	2152:04	2400 (+25/-25)					
	AFL	1404						

PKG:515

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								
32-20-00-9600	NOSE LANDING GEAR ASSEMBLY DISCARD							Component ATA:32
PN:6642635-6	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:29905338	HRS	0		TSN 0				
WC#: 32.130	AFL	0	33300	TSN 0	33300		31634	
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								
32-20-00-9601	NOSE LANDING GEAR ACTUATOR DISCARD							Component ATA:32
PN:9912491-6	MOS	04-Jul-25						LIFE LIMIT
SN:1282	HRS	2277:28		TSN 2152:04				
WC#: 32.190	AFL	1483	33300	TSN 1404	33379		31713	
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								
32-30-09-7800	EMERGENCY GEAR EXTENSION/BRAKE PNEUMATIC STORAGE BOTTLE(HYDROSTATIC TEST) RESTORATION							Service ATA:32
PN:40005347-3	MOS	30-Jun-23	36		30-Jun-26		169 d	
SN:5306	HRS	1148:25						
WC#: 32.780	AFL	745						
	APH	494:42						
HydroCheck Date: : 30-Jun-23								
PROC. REF: AMM 32-30-09PROC. REF: AMM 32-30-09								
32-30-09-9600	EMERGENCY GEAR EXTENSION / BRAKE PNEUMATIC STORAGE BOTTLE ASSEMBLY DISCARD							Component ATA:32
PN:40005347-3	MOS	13-Sep-23	288	TSO 199	28-Feb-31		1873 d	LIFE LIMIT
SN:5306	HRS	1148:25						
WC#: 32.230	AFL	745						
	APH	494:42						
Manufacture Date:: 28-Feb-07								
PROC. REF: AMM 32-30-09PROC. REF: AMM 32-30-09								
32-40-00-2200	LEFT MAIN LANDING GEAR BRAKES DETAILED INSPECTION, MAIN LANDING GEAR AXLE GENERAL VISUAL INSPECTION, AND FUNCTIONAL (WEAR PIN) CHECK							Service ATA:32
PN:3-1571-6	MOS/MSC		WHL/C					
SN:D0087	HRS							
	AFL							
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-40-00-2200	RIGHT MAIN LANDING GEAR BRAKES DETAILED INSPECTION, MAIN LANDING GEAR AXLE GENERAL VISUAL INSPECTION, AND FUNCTIONAL (WEAR PIN) CHECK							Service ATA:32
PN:3-1571	MOS/MSC	31-Mar-25	WHL/C					
SN:0399	HRS	2152:04						
WC#: 32.760	AFL	1404						
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00								
32-40-00-2201 ^S	MAIN LANDING GEAR BRAKE MASTER CYLINDER DETAILED INSPECTION (AIRPLANES -5001 THRU -5500)							Service ATA:32
	MOS	12-Jun-24						
	HRS	1606:02	1600 (+25/-25)					
	AFL	1047						
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00								PKG:514
32-40-00-2202 ^S	EMERGENCY BRAKE SYSTEM DETAILED INSPECTION							Service ATA:32
	MOS	31-Mar-25						
	HRS	2152:04	2400 (+25/-25)					
	AFL	1404						
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00								PKG:515
32-40-00-2203	NOSE LANDING GEAR AXLE GENERAL VISUAL INSPECTION							Service ATA:32
	MOS/MSC	17-Dec-20	WHL/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00								
32-40-00-7100 ^S	EMERGENCY BRAKE SYSTEM OPERATIONAL CHECK							Service ATA:32
	MOS	31-Mar-25						
	HRS	2152:04	2400 (+25/-25)					
	AFL	1404						
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00								PKG:515

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-40-00-9600 ^S	BRAKE SYSTEM FILTERS DISCARD (AIRPLANES -5001 THRU -5500)							Service ATA:32
	MOS	31-Mar-25						
	HRS	2152:04	2400 (+25/-25)					
	AFL	1404						
								PKG:515
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00								
32-40-00-9601 ^S	POWER BRAKE AND ANTISKID FILTER ELEMENT DISCARD (AIRPLANES -5501 AND ON)							Service ATA:32
	MOS	31-Mar-25						
	HRS	2152:04	2400 (+25/-25)					
	AFL	1404						
								PKG:515
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00								
32-41-00-2101	OPTIONAL NOSE WHEEL SPIN UP GENERAL INSPECTION							Service ATA:32
PN:3-1418	MOS/MSC		WHL/C					
SN:D0240	HRS							
	AFL							
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-41-00-2200	LEFT MAIN LANDING GEAR WHEEL AND TIRE DETAILED INSPECTION							Service ATA:32
PN:3-1571-6	MOS/MSC	27-May-25	24 / WHL/C		31-May-27		504 d	
SN:D0087	HRS	2271:38						
	AFL	1480						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-41-00-2200	RIGHT MAIN LANDING GEAR WHEEL AND TIRE DETAILED INSPECTION							Service ATA:32
PN:3-1571	MOS/MSC	31-Mar-25	24 / WHL/C		31-Mar-27		443 d	
SN:0399	HRS	2152:04						
	AFL	1404						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-41-00-2800	NOSE LANDING GEAR WHEEL (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service ATA:32
PN:3-1418	MOS/MSC		T/C					
SN:D0240	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-41-00-2801	LEFT MAIN LANDING GEAR WHEEL (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service ATA:32
PN:3-1571-6	MOS/MSC		T/C					
SN:D0087	HRS							
	AFL							
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-41-00-2801	RIGHT MAIN LANDING GEAR WHEEL (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service ATA:32
PN:3-1571	MOS/MSC	31-Mar-25	T/C					
SN:0399	HRS	2151:04						
	AFL	1404						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-41-00-7200	OPTIONAL NOSE WHEEL SPIN UP FUNCTIONAL CHECK							Service ATA:32
PN:3-1418	MOS/MSC		WHL/C					
SN:D0240	HRS							
	AFL							
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-50-00-2200 ^S	STEERING SYSTEM DETAILED INSPECTION							Service ATA:32
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
PROC. REF: AMM 32-50-00PROC. REF: AMM 32-50-00								PKG:513
32-50-00-7200 ^S	STEERING CABLE SYSTEM FUNCTIONAL CHECK							Service ATA:32
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
PROC. REF: AMM 32-50-00PROC. REF: AMM 32-50-00								PKG:513

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321001	LEFT MAIN GEAR ASSEMBLY							Component ATA:32
PN:6641501-33L	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:29805505	HRS	0		TSN 0				
WC#: 32.010	AFL	0		TSN 0				
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
321002	RIGHT MAIN GEAR ASSEMBLY							Component ATA:32
PN:6641501-34R	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:29863473	HRS	0		TSN 0				
WC#: 32.020	AFL	0		TSN 0				
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
322002	NOSE GEAR SHIMMY DAMPER							Component ATA:32
PN:5543001-13	MOS/MSC	31-Mar-25	O/C	TSO 0				
SN:31092429C	HRS	2152:04		TSO 0				
WC#: 32.140	AFL	1404		TSO 0				
PROC. REF: AMM 32-20-01PROC. REF: AMM 32-20-01								
323004	LEFT UPLOCK ACTUATOR							Component ATA:32
PN:5527504-3	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:5205	HRS	0		TSN 0				
WC#: 32.150	AFL	0		TSN 0				
PROC. REF: AMM 32-30-05PROC. REF: AMM 32-30-05								
323004	NOSE UPLOCK ACTUATOR							Component ATA:32
PN:5527504-3	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:5214	HRS	0		TSN 0				
WC#: 32.160	AFL	0		TSN 0				
PROC. REF: AMM 32-30-05PROC. REF: AMM 32-30-05								
323004	RIGHT UPLOCK ACTUATOR							Component ATA:32
PN:5527504-3	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:5212	HRS	0		TSN 0				
WC#: 32.150	AFL	0		TSN 0				
PROC. REF: AMM 32-30-05PROC. REF: AMM 32-30-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323005	PRESSURE EMER GEAR GAUGE							Component ATA:32
PN:19940929-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:76731	HRS	0		TSN 0				
WC#: 32.490	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
323007	LANDING GEAR CONTROL (VY047) VALVE							Component ATA:32
PN:4219-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:645	HRS	0		TSN 0				
WC#: 32.240	AFL	0		TSN 0				
PROC. REF: AMM 32-30-02PROC. REF: AMM 32-30-02								
323008	DUMP VALVE							Component ATA:32
PN:9615	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:645	HRS	0		TSN 0				
WC#: 32.170	AFL	0		TSN 0				
PROC. REF: AMM 32-30-06PROC. REF: AMM 32-30-06								
323009	LANDING GEAR CONTROL							Component ATA:32
PN:049801-001	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:217	HRS	0		TSN 0				
WC#: 32.500	AFL	0		TSN 0				
PROC. REF: AMM 32-30-01PROC. REF: AMM 32-30-01								
323014	LOADING VALVE							Component ATA:32
PN:4215-2	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:522	HRS	0		TSN 0				
WC#: 32.500	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324001	LEFT MAIN WHEEL ASSEMBLY							Component ATA:32
PN:3-1571-6	MOS/MSC	31-Jan-22	O/C					
SN:D0087	HRS	551:36						
WC#: 32.390	AFL	341						
PROC. REF: AMM 32-41-02PROC. REF: AMM 32-41-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324001	RIGHT MAIN WHEEL ASSEMBLY							Component ATA:32
PN:3-1571	MOS/MSC	31-Mar-25	O/C					
SN:0399	HRS	2151:04						
WC#: 32.400	AFL	1404						
PROC. REF: AMM 32-41-02PROC. REF: AMM 32-41-02								
324002	NOSE WHEEL ASSEMBLY							Component ATA:32
PN:3-1418	MOS/MSC	19-Feb-22	O/C					
SN:D0240	HRS	592:12						
WC#: 32.410	AFL	358						
PROC. REF: AMM 32-41-01PROC. REF: AMM 32-41-01								
324003	LEFT MAIN BRAKE ASSEMBLY							Component ATA:32
PN:2-1601-1 - 9912487-7	MOS/MSC	27-May-25	O/C	TSO 0				
SN:0688	HRS	2271:38		TSO 0				
WC#: 32.260	AFL	1480		TSO 0				
PROC. REF: AMM 32-42-01PROC. REF: AMM 32-42-01								
324004	RIGHT MAIN BRAKE ASSEMBLY							Component ATA:32
PN:2-1601-1 - 9912487-7	MOS/MSC	27-May-25	O/C	TSO 0				
SN:1853	HRS	2271:38		TSO 0				
WC#: 32.260	AFL	1480		TSO 0				
PROC. REF: AMM 32-42-01PROC. REF: AMM 32-42-01								
324005	LEFT MAIN TIRE							Component ATA:32
PN:M13702	MOS/MSC	27-May-25	O/C	TSN 0				
SN:4068T078	HRS	2271:38		TSN 0				
WC#: 32.390	AFL	1480		TSN 0				
	APH							
PROC. REF: AMM 32-41-02PROC. REF: AMM 32-41-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324005	RIGHT MAIN TIRE							Component ATA:32
PN:M13702	MOS/MSC	27-May-25	O/C	TSN 0				
SN:2168T225	HRS	2271:38		TSN 0				
WC#: 32.400	AFL	1480		TSN 0				
	APH							
PROC. REF: AMM 32-41-02PROC. REF: AMM 32-41-02								
324006	NOSE TIRE							Component ATA:32
PN:031-613-8 - 9914070 -1	MOS/MSC	13-Aug-25	O/C	TSN 0				
SN:2318T00429	HRS	2399:28		TSN 0				
WC#: 32.410	AFL	1559		TSN 0				
	APH							
PROC. REF: AMM 32-41-01PROC. REF: AMM 32-41-01								
324009	POWER BRAKE VALVE							Component ATA:32
PN:9912627-6	MOS/MSC	26-Jun-21	O/C					
SN:719	HRS	137:12						
WC#: 32.270	AFL	96						
PROC. REF: AMM 32-44-20PROC. REF: AMM 32-44-20								
324010	LEFT EXTEND/RETRACT VALVE							Component ATA:32
PN:98120	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:5606A	HRS	0		TSN 0				
WC#: 32.510	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324010	NOSE EXTEND/RETRACT VALVE							Component ATA:32
PN:98120	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:5614A	HRS	0		TSN 0				
WC#: 32.520	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324010	RIGHT EXTEND/RETRACT VALVE							Component ATA:32
PN:98120	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:55618A	HRS	0		TSN 0				
WC#: 32.510	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324014	EMERGENCY AIR BRAKE CONTROL VALVE							Component ATA:32
PN:65830-4	MOS/MSC	30-Aug-21	O/C	TSO 0				
SN:1008	HRS	276:36		TSO 0				
WC#: 32.370	AFL	175		TSO 0				
PROC. REF: AMM 32-42-09PROC. REF: AMM 32-42-09								
324015	LEFT BRAKE SHUTTLE VALVE							Component ATA:32
PN:211-114	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2628	HRS	0		TSN 0				
WC#: 32.530	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324015	RIGHT BRAKE SHUTTLE VALVE							Component ATA:32
PN:211-114	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2629	HRS	0		TSN 0				
WC#: 32.530	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324019	BRAKE PRESS PUMP ASSEMBLY							Component ATA:32
PN:640931	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:7BU23	HRS	0		TSN 0				
WC#: 32.350	AFL	0		TSN 0				
PROC. REF: AMM 32-44-20PROC. REF: AMM 32-44-20								
324020	ANTISKID CONTROL (UY009) VALVE							Component ATA:32
PN:39-837	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1365	HRS	0		TSN 0				
WC#: 32.280	AFL	0		TSN 0				
PROC. REF: AMM 32-44-20PROC. REF: AMM 32-44-20								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324022	ANTISKID DIGITAL CONTROL							Component ATA:32
PN:42-985-2	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1126B	HRS	0		TSN 0				
WC#: 32.540	AFL	0		TSN 0				
PROC. REF: AMM 32-42-08PROC. REF: AMM 32-42-08								
324023	POWER BRAKE ACCUMULATOR							Component ATA:32
PN:7551-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:545	HRS	0		TSN 0				
WC#: 32.290	AFL	0		TSN 0				
PROC. REF: AMM 32-44-20PROC. REF: AMM 32-44-20								
324025	PRESSURE (SN011) SWITCH							Component ATA:32
PN:GPP1250-52	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2003495	HRS	0		TSN 0				
WC#: 32.360	AFL	0		TSN 0				
PROC. REF: AMM 32-42-06PROC. REF: AMM 32-42-06								
324026	POWER PACK MOTOR							Component ATA:32
PN:MP50B1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:5656	HRS	0		TSN 0				
WC#: 32.550	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324027	ANTISKID FAULT DISPLAY							Component ATA:32
PN:42-92750	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2861A	HRS	0		TSN 0				
WC#: 32.550	AFL	0		TSN 0				
PROC. REF: AMM 32-42-00PROC. REF: AMM 32-42-00								
324101	PARKING BRAKE VALVE							Component ATA:32
PN:3-1418	MOS/MSC	19-Feb-22	O/C					
SN:D0240	HRS	592:12						
WC#: 32.380	AFL	358						
PROC. REF: AMM 32-42-03PROC. REF: AMM 32-42-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324153	PRESS ANTISKID BRK SWITCH							Component ATA:32
PN:GPP1250-73	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2002125	HRS	0		TSN 0				
WC#: 32.580	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324200	ANTISKID PRESSURE GAUGE							Component ATA:32
PN:19940929-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:76726	HRS	0		TSN 0				
WC#: 32.560	AFL	0		TSN 0				
PROC. REF: AMM 32-42-06PROC. REF: AMM 32-42-06								
324201	ANTI SKID BRAKE UN011							Component ATA:32
PN:6617515-6	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:5656	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324206	ANTISKID HYD RELIEF VALVE							Component ATA:32
PN:1785-2	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1440	HRS	0		TSN 0				
WC#: 32.580	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
326005	LEFT MAIN GEAR UP & LOCKED (S3) SWITCH							Component ATA:32
PN:PN	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.450	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
326005	NOSE GEAR UP & LOCKED (SN001) SWITCH							Component ATA:32
PN:65-430087	MOS/MSC	31-Mar-25	O/C	TSN 0				
SN:UNKNOWN	HRS	2152:04		TSN 0				
WC#: 32.460	AFL	1404		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
326005	RIGHT MAIN GEAR UP & LOCKED (S3) SWITCH							Component ATA:32
PN:PN	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.450	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ICA-560XL-32-00001 U	NOSE LANDING GEAR STEERING BEARING							Service ATA:32
	MOS/MSC	17-Dec-20	-					ICA
	HRS	0						
	AFL	0						
NDT U	NDT (EDDY CURRENT)							Service ATA:32
	MOS/MSC		-					
	HRS							
	AFL							
NDT EDDY CURRENT U	NDT (EDDY CURRENT)							Service ATA:32
	MOS/MSC		-					
	HRS							
	AFL							
ATA 33 - LIGHTS								
33-20-04-03 U	#1 ENTRY DOOR LOWER STEP FOWARD LIGHT							Component ATA:33
PN:6900163-001	MOS/MSC	23-Jan-22	O/C	TSN 0				
SN:04478	HRS	532:12		TSN 0				
	AFL	327		TSN 0				
33-20-04-03 U	#2 ENTRY DOOR LOWER STEP AFT LIGHT							Component ATA:33
PN:PN	MOS/MSC		O/C					
SN:UNKNOWN	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-20-04-03 ^U	#3 ENTRY DOOR MIDDLE STEP FOWARD LIGHT							Component ATA:33
PN:PN	MOS/MSC		O/C					
SN:UNKNOWN	HRS							
	AFL							
33-20-04-03 ^U	#4 ENTRY DOOR MIDDLE STEP AFT LIGHT							Component ATA:33
PN:PN	MOS/MSC		O/C					
SN:UNKNOWN	HRS							
	AFL							
33-20-04-03 ^U	#6 ENTRY DOOR UPPER STEP AFT LIGHT							Component ATA:33
PN:PN	MOS/MSC		O/C					
SN:UNKNOWN	HRS							
	AFL							
33-40-00-7200 ^S	TAIL LIGHT NAVIGATION ASSEMBLY (NAV-LED 72 SEGMENT) FUNCTIONAL CHECK							Service ATA:33
	MOS	07-Jan-25	24 (+1m/-1m)					
	HRS	2078:40						
	AFL	1352						
								PKG:511
PROC. REF: AMM 33-40-00PROC. REF: AMM 33-40-00								
33-50-00-7100 ^S	EMERGENCY LIGHTING SYSTEM OPERATIONAL CHECK							Service ATA:33
	MOS	07-Jan-25	24 (+1m/-1m)					
	HRS	2078:40						
	AFL	1352						
								PKG:511
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-50-00-7200 ^S	EMERGENCY LIGHTING BATTERY PACK(S) (CAPACITY CHECK) FUNCTIONAL CHECK							Service ATA:33
	MOS	17-Dec-25	12 (+1m/-1m)					
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
								PKG:509
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00								
33-50-00-9600	AFT EMERGENCY LIGHTING BATTERY PACK RESTORATION							Service ATA:33
PN:9913-1	MOS	12-Nov-25	48 (+1m/-1m)		12-Nov-29	12-Dec-29	1400 d (+30)	
SN:1299	HRS	2544:52						
	AFL	1649						
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00								
33-50-00-9600	FORWARD EMERGENCY LIGHTING BATTERY PACK RESTORATION							Service ATA:33
PN:9913-1	MOS	12-Nov-25	48 (+1m/-1m)		12-Nov-29	12-Dec-29	1400 d (+30)	
SN:527	HRS	2544:52						
	AFL	1649						
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00								
331001	CENTER 5 VDC UN004 DIMMER POWER SUPPLY							Component ATA:33
PN:273-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:564	HRS	0		TSN 0				
WC#: 33.010	AFL	0		TSN 0				
PROC. REF: AMM 33-10-01PROC. REF: AMM 33-10-01								
331001	LEFT 5 VDC UN002 DIMMER POWER SUPPLY							Component ATA:33
PN:273-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:559	HRS	0		TSN 0				
WC#: 33.010	AFL	0		TSN 0				
PROC. REF: AMM 33-10-01PROC. REF: AMM 33-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
331011	EL PANEL INVERTER							Component ATA:33
PN:EM2044-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:6538A	HRS	0		TSN 0				
WC#: 33.180	AFL	0		TSN 0				
PROC. REF: AMM 33-10-01PROC. REF: AMM 33-10-01								
331012	CABIN & ENTRY LIGHT PANEL SWITCH							Component ATA:33
PN:101016-4	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:60150117	HRS	0		TSN 0				
WC#: 33.025	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
334001	PULSE LITE CONTROL							Component ATA:33
PN:2401C	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:TR02848	HRS	0		TSN 0				
WC#: 33.300	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
334003	TAIL LIGHT ASSY							Component ATA:33
PN:01-0770966-00	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:07144A	HRS	0		TSN 0				
WC#: 33.310	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
334006	LEFT STROBE POWER SUPPLY							Component ATA:33
PN:01-0771120-00	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1598	HRS	0		TSN 0				
WC#: 33.320	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
334006	RIGHT STROBE POWER SUPPLY							Component ATA:33
PN:01-0771120-00	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1593	HRS	0		TSN 0				
WC#: 33.320	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
335001	AFT EMERGENCY LIGHTING UC020 BATTERY PACK							Component ATA:33
PN:9913-1	MOS/MSC	12-Nov-25	O/C					
SN:1299	HRS	2544:52						
WC#: 33.170	AFL	1649						
PROC. REF: AMM 33-50-01PROC. REF: AMM 33-50-01								
335001	FORWARD EMERGENCY LIGHTING UC019 BATTERY PACK							Component ATA:33
PN:9913-1	MOS/MSC	12-Nov-25	O/C					
SN:527	HRS	2544:52						
WC#: 33.170	AFL	1649						
	APH							
PROC. REF: AMM 33-50-01PROC. REF: AMM 33-50-01								
ATA 34 - NAVIGATION								
190-00926-01	NO. 1 ATC TRANSPONDER							Component ATA:34
PN:622-9210-501	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4L0MFL	HRS	0		TSN 0				
WC#: 34.440	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
34-52-00-2100	CATEGORY II COMPONENT (BENCH CHECK) DETAILED INSPECTION (AIRPLANES -6001 THRU - 6500)							Service ATA:34
	MOS	EFF	12		31-Jul-26 *		200 d	
	HRS							
	AFL							
	APH							
	APS							
PROC. REF: AMM 34-52-00PROC. REF: AMM 34-52-00								
34-52-00-7100	CATEGORY II COMPONENT FUNCTIONAL CHECK (AIRPLANES -6001 THRU - 6500)							Service ATA:34
	MOS/MSC		N/A					
	HRS							
	AFL							
PROC. REF: AMM 34-52-00PROC. REF: AMM 34-52-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-53-07-7200		NO. 1 TRANSPONDER FUNCTIONAL CHECK (AIRPLANES -6001 AND ON)						Service ATA:34
PN:622-9210-501	MOS	08-Aug-24	24		31-Aug-26		231 d	
SN:4LOMFL	HRS	1783:08						
	AFL	1157						
			Calibration Date: : 08-Aug-24					
PROC. REF: AMM 34-53-07PROC. REF: AMM 34-53-07								
34-53-07-7200		NO. 2 TRANSPONDER FUNCTIONAL CHECK (AIRPLANES -6001 AND ON)						Service ATA:34
PN:622-9210-501	MOS	08-Aug-24	24		31-Aug-26		231 d	
SN:4LOM6F	HRS	1783:08						
	AFL	1157						
			Calibration Date: : 08-Aug-24					
PROC. REF: AMM 34-53-07PROC. REF: AMM 34-53-07								
34-90-12-7200		NO.1 (PILOT) PITOT-STATIC SYSTEM FUNCTIONAL CHECK(AIRPLANES -6001 AND ON)						Service ATA:34
PN:822-1109-126	MOS	08-Aug-24	24	Adj -5d	31-Aug-26		231 d	
SN:4M9LY6	HRS	1783:08						
	AFL	1157						
			Calibration Date: : 08-Aug-24					
PROC. REF: AMM 34-90-12PROC. REF: AMM 34-90-12								
34-90-12-7200		NO.2 (CO-PILOT) PITOT-STATIC SYSTEM FUNCTIONAL CHECK(AIRPLANES -6001 AND ON)						Service ATA:34
PN:822-1109-126	MOS	08-Aug-24	24		31-Aug-26		231 d	
SN:4M9M4G	HRS	1783:08						
	AFL	1157						
			Calibration Date: : 08-Aug-24					
PROC. REF: AMM 34-90-12PROC. REF: AMM 34-90-12								
340037		MAGNETOMETER						Component ATA:34
PN:501-1826-03	MOS/MS	17-Dec-20	O/C	TSN 0				
SN:10455	HRS	0		TSN 0				
WC#: 34.010	AFL	0		TSN 0				
PROC. REF: AMM 34-22-02PROC. REF: AMM 34-22-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341009	SAFE FLIGHT AOA UF004 SENSOR							Component ATA:34
PN:C-12717-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1871708-07	HRS	0		TSN 0				
WC#: 34.110	AFL	0		TSN 0				
PROC. REF: AMM 34-14-01PROC. REF: AMM 34-14-01								
341011	SAFE FLIGHT AOA UC009 COMPUTER							Component ATA:34
PN:C13006-3	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:181339A-02	HRS	0		TSN 0				
WC#: 34.100	AFL	0		TSN 0				
PROC. REF: AMM 34-14-01PROC. REF: AMM 34-14-01								
341014	SAFE FLIGHT AOA FI003 INDEXER							Component ATA:34
PN:C12763-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:180994A-14	HRS	0		TSN 0				
WC#: 34.110	AFL	0		TSN 0				
PROC. REF: AMM 34-14-01PROC. REF: AMM 34-14-01								
341016	SECONDARY ADU							Component ATA:34
PN:9200-30000-080	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:7233	HRS	0		TSN 0				
WC#: 34.205	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
341017	MEGGITT SECONDARY FLIGHT (EI016) DISPLAY							Component ATA:34
PN:9200-34502-0101	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2857	HRS	0		TSN 0				
WC#: 34.180	AFL	0		TSN 0				
PROC. REF: AMM 34-22-01PROC. REF: AMM 34-22-01								
341105	NO. 1 CONFIGURATION STRAPPING UNIT SWITCH							Component ATA:34
PN:822-1363-002	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4LTVH8	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341105	NO. 2 CONFIGURATION STRAPPING UNIT SWITCH							Component ATA:34
PN:822-1363-002	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4LTVHM	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
341106	NO. 1 TAWS,WAAS OPTIONS CONTROL MODULE							Component ATA:34
PN:822-1484-228	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4GNC0G	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
341106	NO. 2 TAWS,WAAS OPTIONS CONTROL MODULE							Component ATA:34
PN:822-1484-228	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4LTTGN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
341107	NO. 1 (PILOT) AIR DATA COMPUTER							Component ATA:34
PN:822-1109-126	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4M9LY6	HRS	0		TSN 0				
WC#: 34.070	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1, AMM 34-11-05PROC. REF: AMM GENERIC 1, AMM 34-11-05								
341107	NO. 2 (COPILOT) AIR DATA COMPUTER							Component ATA:34
PN:822-1109-126	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4M9M4G	HRS	0		TSN 0				
WC#: 34.070	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1, AMM 34-11-05PROC. REF: AMM GENERIC 1, AMM 34-11-05								
342005	1 FLIGHT GUIDANCE COMPUTER							Component ATA:34
PN:822-1108-143	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4MCRFM	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342005	2 FLIGHT GUIDANCE COMPUTER							Component ATA:34
PN:822-1108-143	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4K35DY	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
342008	NO. 1 IAPS POWER SUPPLY							Component ATA:34
PN:822-1137-001	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4LTVYR	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
342008	NO. 2 IAPS POWER SUPPLY							Component ATA:34
PN:822-1137-001	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4LTX54	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
342009	IAPS ENVIRONMENTAL CONTROLLER							Component ATA:34
PN:822-1167-001	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4LTV0G	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
342020	AFT INPUT/OUTPUT IOC CONCENTRATOR							Component ATA:34
PN:822-2065-001	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4LTXNG	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
342020	FORWARD INPUT/OUTPUT IOC CONCENTRATOR							Component ATA:34
PN:822-2065-001	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4MCPK4	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342033	MAINTENANCE DIAGNOSTIC COMPUTER							Component ATA:34
PN:822-1987-007	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4LTX1G	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
342045	NO. 1 CONTROL DISPLAY PANEL							Component ATA:34
PN:822-2388-001	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4LYVR6	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-28-00PROC. REF: AMM 34-28-00								
342045	NO. 2 CONTROL DISPLAY PANEL							Component ATA:34
PN:822-2388-001	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4LYX1C	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-28-00PROC. REF: AMM 34-28-00								
342050	LEFT FLUX DETECTOR							Component ATA:34
PN:822-1193-001	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:305830	HRS	0		TSN 0				
WC#: 34.245	AFL	0		TSN 0				
PROC. REF: AMM 34-21-05PROC. REF: AMM 34-21-05								
342050	RIGHT FLUX DETECTOR							Component ATA:34
PN:822-1193-001	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:305854	HRS	0		TSN 0				
WC#: 34.245	AFL	0		TSN 0				
PROC. REF: AMM 34-21-05PROC. REF: AMM 34-21-05								
342054	ELEC HORIZ SIT INDICATOR							Component ATA:34
PN:501-1879-0102	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1708B	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-23-05PROC. REF: AMM 34-23-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342055	DATA CONCENTRATOR UNIT							Component ATA:34
PN:822-1538-104	MOS/MSC	12-Jul-23	O/C	TSO 0				
SN:4C3YGR	HRS	1008:51		TSO 0				
	AFL	655						
	APH							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
342057	NO. 1 CURSOR CONTROL PANEL							Component ATA:34
PN:822-2389-001	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4LYVVD	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-28-00PROC. REF: AMM 34-28-00								
342057	NO. 2 CURSOR CONTROL PANEL							Component ATA:34
PN:822-2389-001	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4LYVX9	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-28-00PROC. REF: AMM 34-28-00								
342064	NO. 1 STANDBY BATTERY PACK							Component ATA:34
PN:100-2410-04	MOS/MSC	08-Aug-24	O/C					
SN:1009	HRS	1783:08						
	AFL	1157						
PROC. REF: AMM 24-32-00PROC. REF: AMM 24-32-00								
342081	NO. 1 PRIMARY FLIGHT (PFD) DISPLAY							Component ATA:34
PN:822-1993-100	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4DL95L	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-28-00PROC. REF: AMM 34-28-00								
342081	NO. 2 PRIMARY FLIGHT (PFD) DISPLAY							Component ATA:34
PN:822-1993-100	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4M9M31	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-28-00PROC. REF: AMM 34-28-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342083	LEFT AHRS COMPUTER							Component ATA:34
PN:822-1110-002	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4M3FPK	HRS	0		TSN 0				
WC#: 34.285	AFL	0		TSN 0				
PROC. REF: AMM 34-21-01, AMM 34-21-05PROC. REF: AMM 34-21-01, AMM 34-21-05								
342083	RIGHT AHRS COMPUTER							Component ATA:34
PN:822-1110-002	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4LD6CG	HRS	0		TSN 0				
WC#: 34.285	AFL	0		TSN 0				
PROC. REF: AMM 34-21-01, AMM 34-21-05PROC. REF: AMM 34-21-01, AMM 34-21-05								
342084	NO. 1 MULTI FUNCTION (MFD) DISPLAY							Component ATA:34
PN:822-2349-100	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4M9M29	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-28-00PROC. REF: AMM 34-28-00								
342084	NO. 2 MULTI FUNCTION (MFD) DISPLAY							Component ATA:34
PN:822-2349-100	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4M9MLY	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-28-00PROC. REF: AMM 34-28-00								
342200	DATA CONFIGURATION MODULE							Component ATA:34
PN:9230-34012-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2888	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
343001	GLIDESLOPE ANTENNA COUPLER							Component ATA:34
PN:DGSC20-02	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:9375	HRS	0		TSN 0				
WC#: 34.370	AFL	0		TSN 0				
PROC. REF: AMM 34-31-01PROC. REF: AMM 34-31-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
343001	NAVIGATION ANTENNA COUPLER							Component ATA:34
PN:CI-120-5	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:617420	HRS	0		TSN 0				
WC#: 34.335	AFL	0		TSN 0				
PROC. REF: AMM 34-31-01PROC. REF: AMM 34-31-01								
343002	MARKER BEACON ANTENNA COUPLER							Component ATA:34
PN:CI509	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:630114	HRS	0		TSN 0				
WC#: 34.380	AFL	0		TSN 0				
PROC. REF: AMM 34-31-01, AMM 34-31-01PROC. REF: AMM 34-31-01, AMM 34-31-01								
344022	RADIO ALTIMETER ALT-55B TRANSCEIVER							Component ATA:34
PN:822-0615-206	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4M3MD0	HRS	0		TSN 0				
WC#: 34.020	AFL	0		TSN 0				
PROC. REF: AMM 34-12-01, AMM 34-12-02PROC. REF: AMM 34-12-01, AMM 34-12-02								
344023	AFT RADIO ALT RECEIVER ANTENNA							Component ATA:34
PN:S67-2002	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:101298	HRS	0		TSN 0				
WC#: 34.060	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
344023	FORWARD RADIO ALT TRANSMITTER ANTENNA							Component ATA:34
PN:S67-2002	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:101289	HRS	0		TSN 0				
WC#: 34.060	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
344024	EGPWS COMPUTER							Component ATA:34
PN:69000941-102	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:MK5A-08842	HRS	0		TSN 0				
WC#: 34.355	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL: 1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 34-41-02, AMM 34-41-02PROC. REF: AMM 34-41-02, AMM 34-41-02								
344030C	RECEIVER/ANT/ WEATHER RADAR TRANSCEIVER							Component ATA:34
PN:622-8439-004	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4M3HTY	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-41-01PROC. REF: AMM 34-41-01								
344103	IAPS CARD CAGE							Component ATA:34
PN:822-2191-001	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4LTTM3	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-62-00PROC. REF: AMM 34-62-00								
345004	LEFT NO. 1 XPNDR BOTTOM ANTENNA							Component ATA:34
PN:L10-611-14	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:113693	HRS	0		TSN 0				
WC#: 34.365	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
345004	RIGHT NO. 2 XPNDR BOTTOM ANTENNA							Component ATA:34
PN:L10-611-14	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:13846	HRS	0		TSN 0				
WC#: 34.365	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
345005	LEFT NO. 1 TOP TRANSPONDER DIVERSITY ANTENNA							Component ATA:34
PN:L10-611-14	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:13637	HRS	0		TSN 0				
WC#: 34.490	AFL	0		TSN 0				
PROC. REF: AMM 34-53-07PROC. REF: AMM 34-53-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345005	RIGHT NO. 2 TOP TRANSPONDER DIVERSITY ANTENNA							Component ATA:34
PN:L10-611-14	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:13908	HRS	0		TSN 0				
WC#: 34.490	AFL	0		TSN 0				
PROC. REF: AMM 34-53-07PROC. REF: AMM 34-53-07								
345007	NO.1 DISTANCE MEASURING EQUIPMENT (DME) ANTENNA							Component ATA:34
PN:L10-611-14	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:13890	HRS	0		TSN 0				
WC#: 34.470	AFL	0		TSN 0				
PROC. REF: AMM 34-53-01, AMM 34-53-01PROC. REF: AMM 34-53-01, AMM 34-53-01								
345007	NO.2 DISTANCE MEASURING EQUIPMENT (DME) ANTENNA							Component ATA:34
PN:L10-611-14	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:13902	HRS	0		TSN 0				
WC#: 34.470	AFL	0		TSN 0				
PROC. REF: AMM 34-53-01, AMM 34-53-01PROC. REF: AMM 34-53-01, AMM 34-53-01								
345014	NO. 1 ADF ANTENNA							Component ATA:34
PN:622-7383-001	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4L0PDH	HRS	0		TSN 0				
WC#: 34.385	AFL	0		TSN 0				
PROC. REF: AMM 34-51-01PROC. REF: AMM 34-51-01								
345017	MARKER BEACON ANTENNA							Component ATA:34
PN:MB10-754	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2802	HRS	0		TSN 0				
WC#: 34.380	AFL	0		TSN 0				
PROC. REF: AMM 34-31-01, AMM 34-31-01PROC. REF: AMM 34-31-01, AMM 34-31-01								
345018	GLIDESLOPE ANTENNA							Component ATA:34
PN:RGS10-48	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:21151	HRS	0		TSN 0				
WC#: 34.370	AFL	0		TSN 0				
PROC. REF: AMM 34-31-01PROC. REF: AMM 34-31-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345034	NO. 2 ATC TRANSPONDER							Component ATA:34
PN:622-9210-501	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4L0M6F	HRS	0		TSN 0				
WC#: 34.440	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
345037	NO. 1 DME TRANSCEIVER							Component ATA:34
PN:822-1466-001	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4L0D23	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
345037	NO. 2 DME TRANSCEIVER							Component ATA:34
PN:822-1466-001	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4L0D26	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
345048	NO. 1 FMS-CONTROL DISPLAY UNIT							Component ATA:34
PN:822-0884-604	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4M9LR8	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-60-02, AMM 34-60-04PROC. REF: AMM 34-60-02, AMM 34-60-04								
345048	NO. 2 FMS-CONTROL DISPLAY UNIT							Component ATA:34
PN:822-0884-604	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4M9PP3	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-60-02, AMM 34-60-04PROC. REF: AMM 34-60-02, AMM 34-60-04								
345056	NO. 1 NAV VOR/ILS/ADF RECEIVER							Component ATA:34
PN:822-1465-001	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4L0D03	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345057	NO. 2 NAV (VOR/ILS) RECEIVER							Component ATA:34
PN:822-1579-001	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4L0V2K	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
345065	NO. 1 EXTERNAL COMPENSATION UNIT							Component ATA:34
PN:822-1200-003	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4K1F31	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-21-05PROC. REF: AMM 34-21-05								
345065	NO. 2 EXTERNAL COMPENSATION UNIT							Component ATA:34
PN:822-1200-003	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4K1F95	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-21-05PROC. REF: AMM 34-21-05								
345065	NO. 3 EXTERNAL COMPENSATION UNIT							Component ATA:34
PN:822-1200-997	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4K1G1V	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-21-05PROC. REF: AMM 34-21-05								
345068	FILE SERVER UNIT							Component ATA:34
PN:822-1543-201	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4M87D3	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
345069	XM WEATHER RECEIVER UNIT							Component ATA:34
PN:822-2031-002	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4KV8X8	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345070F	1 EXT COMPENSATION FSU UNIT							Component ATA:34
PN:822-1200-998	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4K1FTN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
345078	NO. 1 GPS W/SBAS RECEIVER							Component ATA:34
PN:822-2189-102	MOS/MSC	26-Aug-25	O/C	TSO 0				
SN:4RGR1Y	HRS	2423:16		TSO 0				
	AFL	1575		TSO 0				
PROC. REF: AMM 34-60-04PROC. REF: AMM 34-60-04								
345078	NO. 2 GPS W/SBAS RECEIVER							Component ATA:34
PN:822-2189-102	MOS/MSC	26-Aug-25	O/C	TSO 0				
SN:4G5861	HRS	2423:16		TSO 0				
	AFL	1575		TSO 0				
PROC. REF: AMM 34-60-04PROC. REF: AMM 34-60-04								
345079	NO. 1 GPS FLT MGMT COMPUTER							Component ATA:34
PN:822-0883-038	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4LTX7H	HRS	0		TSN 0				
WC#: 34.445	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
345079	NO. 2 GPS FLT MGMT COMPUTER							Component ATA:34
PN:822-0883-038	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4LTX9C	HRS	0		TSN 0				
WC#: 34.445	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
345080	MULTI-FUNCTION DISPLAY							Component ATA:34
PN:822-0883-084	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.660	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345082	FLIGHT GUIDANCE PANEL							Component ATA:34
PN:822-1107-116	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4LYX71	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
345083	FMS DATA BASE UNIT							Component ATA:34
PN:822-2215-602	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4LTX1T	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
345093	NO.1 GPS ANTENNA							Component ATA:34
PN:CI401-460	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:628161	HRS	0		TSN 0				
WC#: 34.500	AFL	0		TSN 0				
PROC. REF: AMM 34-54-01, AMM 34-60-02PROC. REF: AMM 34-54-01, AMM 34-60-02								
345093	NO.2 GPS ANTENNA							Component ATA:34
PN:S67-1575-132	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:435-6905	HRS	0		TSN 0				
WC#: 34.500	AFL	0		TSN 0				
PROC. REF: AMM 34-54-01, AMM 34-60-02PROC. REF: AMM 34-54-01, AMM 34-60-02								
345201	LEFT NAV ANTENNA							Component ATA:34
PN:DMN4-17-1N	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:618773	HRS	0		TSN 0				
WC#: 34.475	AFL	0		TSN 0				
PROC. REF: AMM 34-52-04PROC. REF: AMM 34-52-04								
345201	RIGHT NAV ANTENNA							Component ATA:34
PN:DMN4-17-1N	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:618775	HRS	0		TSN 0				
WC#: 34.475	AFL	0		TSN 0				
PROC. REF: AMM 34-52-04PROC. REF: AMM 34-52-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
346001	TCAS PROCESSOR							Component ATA:34
PN:822-3075-001	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:78JGH	HRS	0		TSN 0				
WC#: 34.495	AFL	0		TSN 0				
PROC. REF: AMM 34-44-00, AMM 34-44-01, AMM 34-44-01, AMM 34-44-06PROC. REF: AMM 34-44-00, AMM 34-44-01, AMM 34-44-01, AMM 34-44-06								
346002	BOTTOM TCAS ANTENNA							Component ATA:34
PN:622-8973-001	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4KNLT8	HRS	0		TSN 0				
WC#: 34.505	AFL	0		TSN 0				
PROC. REF: AMM 34-44-01, AMM 34-44-00, AMM 34-44-06PROC. REF: AMM 34-44-01, AMM 34-44-00, AMM 34-44-06								
346002	TOP TCAS ANTENNA							Component ATA:34
PN:622-8973-001	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4KNFD4	HRS	0		TSN 0				
WC#: 34.505	AFL	0		TSN 0				
PROC. REF: AMM 34-44-01, AMM 34-44-00, AMM 34-44-06PROC. REF: AMM 34-44-01, AMM 34-44-00, AMM 34-44-06								
ATA 35 - OXYGEN								
35-10-00-2200 ^S	CREW MASKS AND STOWAGE BOXES DETAILED INSPECTION							Service ATA:35
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
								PKG:513
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00								
35-10-00-9600	MC10-16-150, MC10-16-100, OR MLD20-505 COPILOT CREW MASK (ACCOMPLISH SUPPLIER TESTING AND FAULT ISOLATION TASK) RESTORATION							Service ATA:35
PN:MC10-16-150	MOS	20-Jul-20	72 (+1m/-1m)	31-Jul-26 (M)	31-Aug-26	200 d (+31)	OVERHAUL	
SN:B162921	HRS							
	AFL							
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-10-00-9600	MC10-16-150, MC10-16-100, OR MLD20-505 PILOT CREW MASK (ACCOMPLISH SUPPLIER TESTING AND FAULT ISOLATION TASK) RESTORATION							Service ATA:35
PN:MC10-16-150	MOS	20-Jul-20	72 (+1m/-1m)		31-Jul-26 (M)	31-Aug-26	200 d (+31)	OVERHAUL
SN:B163030	HRS							
	AFL							
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00								
35-20-00-2200 ^S	PASSENGER DROP BOXES AND MASK ASSEMBLY DETAILED INSPECTION							Service ATA:35
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
								PKG:513
PROC. REF: AMM 35-20-00PROC. REF: AMM 35-20-00								
35-20-00-7100 ^S	PASSENGER OXYGEN SYSTEM OPERATIONAL CHECK							Service ATA:35
	MOS	07-Jan-25	24 (+1m/-1m)					
	HRS	2078:40						
	AFL	1352						
								PKG:511
PROC. REF: AMM 35-20-00PROC. REF: AMM 35-20-00								
35-20-00-7200 ^S	PASSENGER OXYGEN SYSTEM FUNCTIONAL CHECK							Service ATA:35
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
								PKG:513
PROC. REF: AMM 35-20-00PROC. REF: AMM 35-20-00								
35-30-00-2200 ^S	OPTIONAL PROTECTIVE BREATHING EQUIPMENT DETAILED INSPECTION							Service ATA:35
	MOS	17-Dec-25	12 (+1m/-1m)					
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
								PKG:509
PROC. REF: AMM 35-30-00PROC. REF: AMM 35-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-90-00-7800	OXYGEN BOTTLE ASSEMBLY (HYDROSTATIC TEST) RESTORATION(DOT-SP 8162)							Service ATA:35
PN:804882-14	MOS	31-Mar-25	60		31-Dec-29		1449 d	
SN:C07010477	HRS	2152:04						
WC#: 35.140	AFL	1404						
HydroCheck Date: : 17-Dec-24								
PROC. REF: AMM 35-90-00PROC. REF: AMM 35-90-00								
35-90-00-9600	OXYGEN BOTTLE ASSEMBLY (DISCARD)							Component ATA:35
PN:804882-14	MOS	31-Mar-25	180	TSN 73	31-Mar-34		3000 d	LIFE LIMIT
SN:C07010477	HRS	2152:04						
WC#: 35.010	AFL	1404						
Manufacture Date:: 01-Mar-19								
PROC. REF: AMM 35-90-00PROC. REF: AMM 35-90-00								
351001	OXYGEN PRESSURE (EI002) GAGE							Component ATA:35
PN:C668512-0101	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:A20-14061	HRS	0		TSN 0				
WC#: 35.040	AFL	0		TSN 0				
PROC. REF: AMM 35-01-02PROC. REF: AMM 35-01-02								
351002	OXYGEN PRESSURE GAUGE							Component ATA:35
PN:C668512-0101	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:J19-12045	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-01-02PROC. REF: AMM 35-01-02								
351007	OXYGEN REGULATOR							Component ATA:35
PN:804881-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:C19041047	HRS	0		TSN 0				
WC#: 35.070	AFL	0		TSN 0				
PROC. REF: AMM 35-01-01PROC. REF: AMM 35-01-01								
351008	PASSENGER OXYGEN CONTROL VALVE							Component ATA:35
PN:P21006	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:R20040088	HRS	0		TSN 0				
WC#: 35.050	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL: 1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01								
351012	COPILOT OXYGEN MASK							Component ATA:35
PN:MC10-16-150	MOS/MSC	20-Jul-20	H/T	TSN 0				
SN:B162921	HRS			TSN 0				
WC#: 35.020	AFL			TSN 0				
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00								
351012	PILOT OXYGEN MASK							Component ATA:35
PN:MC10-16-150	MOS/MSC	20-Jul-20	H/T	TSN 0				
SN:B163030	HRS			TSN 0				
WC#: 35.020	AFL			TSN 0				
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00								
352001	PASSENGER OXYGEN ALTITUDE PRESSURE SWITCH							Component ATA:35
PN:6690054-2	MOS/MSC	31-Mar-25	O/C	TSN 0				
SN:UNKNOWN	HRS	2152:04		TSN 0				
WC#: 35.060	AFL	1404		TSN 0				
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01								
ATA 36 - PNEUMATIC								
36-11-00-1	PNEUMATIC DISTRIBUTION - TROUBLESHOOTING							Service ATA:36
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 36-11-00PROC. REF: AMM 36-11-00								
36-11-00-2	PNEUMATIC DISTRIBUTION - MAINTENANCE PRACTICES							Service ATA:36
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 36-11-00PROC. REF: AMM 36-11-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
36-11-03-2100 ^S	PRECOOLER HEAT EXCHANGER GENERAL VISUAL INSPECTION							Service ATA:36
	MOS	17-Dec-25	12 (+1m/-1m)					
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
PROC. REF: AMM 36-11-03PROC. REF: AMM 36-11-03								PKG:509
36-12-00-2200 ^S	AUXILIARY POWER UNIT BLEED AIR CHECK VALVE DETAILED INSPECTION							Service ATA:36
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
PROC. REF: AMM 36-12-00PROC. REF: AMM 36-12-00								PKG:513
36-15-00-1700 ^S	PARTICULATE TRAP (CLEANING) RESTORATION							Service ATA:36
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
PROC. REF: AMM 36-15-00PROC. REF: AMM 36-15-00								PKG:513
361010	DOOR SOLENOID VALVE							Component ATA:36
PN:5035-00-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:3567	HRS	0		TSN 0				
WC#: 36.070	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
361011	LEFT HEAT EXCHANGER ACTUATOR							Component ATA:36
PN:1E50-2	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1BU12	HRS	0		TSN 0				
WC#: 36.080	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
361011	RIGHT HEAT EXCHANGER ACTUATOR							Component ATA:36
PN:1E50-2	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2BU13	HRS	0		TSN 0				
WC#: 36.080	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
361101	LEFT BLEED AIR OVERTEMP (ST017) SWITCH							Component ATA:36
PN:1173T181-2	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:8800	HRS	0		TSN 0				
WC#: 36.010	AFL	0		TSN 0				
PROC. REF: AMM 36-11-00PROC. REF: AMM 36-11-00								
361101	RIGHT BLEED AIR OVERTEMP (ST014) SWITCH							Component ATA:36
PN:1173T181-2	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:8784	HRS	0		TSN 0				
WC#: 36.010	AFL	0		TSN 0				
PROC. REF: AMM 36-11-00PROC. REF: AMM 36-11-00								
361102	LEFT BLEED AIR MANIFOLD TEMPERATURE (TT001) SENSOR							Component ATA:36
PN:1E51-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:3BU137	HRS	0		TSN 0				
WC#: 36.020	AFL	0		TSN 0				
PROC. REF: AMM 36-11-00PROC. REF: AMM 36-11-00								
361102	RIGHT BLEED AIR MANIFOLD TEMPERATURE (TT002) SENSOR							Component ATA:36
PN:1E51-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:3BU136	HRS	0		TSN 0				
WC#: 36.020	AFL	0		TSN 0				
PROC. REF: AMM 36-11-00PROC. REF: AMM 36-11-00								
361103	LEFT HEAT B/A EXCHANGER							Component ATA:36
PN:8230-2	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:S4883T3701	HRS	0		TSN 0				
WC#: 36.100	AFL	0		TSN 0				
PROC. REF: AMM 36-11-01PROC. REF: AMM 36-11-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
361103	RIGHT HEAT B/A EXCHANGER							Component ATA:36
PN:8230-2	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:S4883T3673	HRS	0		TSN 0				
WC#: 36.100	AFL	0		TSN 0				
PROC. REF: AMM 36-11-01PROC. REF: AMM 36-11-01								
361104	LEFT PRECOOLER VD003 VALVE							Component ATA:36
PN:1406-7	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1108	HRS	0		TSN 0				
WC#: 36.110	AFL	0		TSN 0				
PROC. REF: AMM 36-11-01PROC. REF: AMM 36-11-01								
361104	RIGHT PRECOOLER VD003 VALVE							Component ATA:36
PN:1406-8	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2076	HRS	0		TSN 0				
WC#: 36.110	AFL	0		TSN 0				
PROC. REF: AMM 36-11-01PROC. REF: AMM 36-11-01								
361208	APU-CHECK VALVE							Component ATA:36
PN:8C1045	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:3478	HRS	0		TSN 0				
WC#: 36.160	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
361208	RUDDER BIAS CHECK VALVE							Component ATA:36
PN:8C1045	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:3452	HRS	0		TSN 0				
WC#: 36.120	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
361500	NO. 1 B/A CHECK VALVE							Component ATA:36
PN:8C1045	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:3445	HRS	0		TSN 0				
WC#: 36.130	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
361500	NO. 2 B/A CHECK VALVE							Component ATA:36
PN:8C1045	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:3450	HRS	0		TSN 0				
WC#: 36.130	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
361534	SERVICE AIR REGULATOR							Component ATA:36
PN:1H75-18	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2BU17	HRS	0		TSN 0				
WC#: 36.140	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
ATA 38 - WATER/WASTE								
38-30-02-2200 ^S	EXTERNALLY SERVICEABLE TOILET SYSTEM DETAILED INSPECTION							Service ATA:38
	MOS	07-Jan-25	24 (+1m/-1m)					
	HRS	2078:40						
	AFL	1352						
PROC. REF: AMM 38-30-02PROC. REF: AMM 38-30-02								PKG:511
ATA 49 - AIRBORNE AUXILIARY POWER								
49-00-00-2100 ^S	AUXILIARY POWER UNIT GENERAL VISUAL INSPECTION AND OPERATIONAL CHECK							Service ATA:49
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
	APH							
PROC. REF: AMM 49-00-00, AMM 49-00-00PROC. REF: AMM 49-00-00, AMM 49-00-00								PKG:513
49-00-00-2103 ^S	AUXILIARY POWER UNIT CONTAINMENT BOX ASSEMBLY GENERAL VISUAL INSPECTION							Service ATA:49
	MOS	17-Dec-20	72 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 49-00-00PROC. REF: AMM 49-00-00								PKG:518

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
49-00-00-9600	APU - COMPRESSOR ROTOR							Component ATA:49
PN:70722359-1	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:19-162053-41860	HRS	0		TSN 0				
WC#: 49.040	APUS	0	12000	TSN 0	12000		10477	
PROC. REF: AMM 49-00-00PROC. REF: AMM 49-00-00								
49-00-00-9601	APU - TURBINE ROTOR							Component ATA:49
PN:70722360-1	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:19-156101-10886	HRS	0		TSN 0				
WC#: 49.050	APUS	0	4000	TSN 0	4000		2477	
PROC. REF: AMM 49-00-00PROC. REF: AMM 49-00-00								
49-30-00-9600	APU - FUEL FILTER ELEMENT							Component ATA:49
PN:3882440-1	MOS	07-Jan-25	24 (+1m)	TSN 0, Adj -52d	30-Nov-26	31-Dec-26	322 d (+31)	
SN:UNKNOWN	HRS	783:06	900 (+45)	TSN 0	1683:06	1728:06	755 (+45)	
WC#: 49.230	APUS	1327		TSN 0				
PROC. REF: MM 49-30-03, AMM 49-30-00PROC. REF: MM 49-30-03, AMM 49-30-00								
49-40-00-2200	APU - AUXILIARY POWER UNIT IGNITER PLUG DETAILED INSPECTION							Service ATA:49
PN:PN	MOS	07-Jan-25	24 (+1m)	Adj -52d	30-Nov-26	31-Dec-26	322 d (+31)	
SN:UNKNOWN	HRS	783:06	900 (+45)		1683:06	1728:06	755 (+45)	
WC#: 49.210	APUS	1327						
PROC. REF: AMM 49-40-00, MM 49-40-02PROC. REF: AMM 49-40-00, MM 49-40-02								
49-70-01-2200	APU - REMOVE CHIP DETECTOR , CLEAN, EXAMINE AND INSTALL							Service ATA:49
PN:PN	MOS	02-Sep-25	12 (+1m)	Adj -25d	31-Aug-26	30-Sep-26	231 d (+30)	
SN:UNKNOWN	HRS	899	450 (+45)		1349	1394	420:54 (+45)	
WC#: 49.190	APUS	1523						
PROC. REF: AMM 49-70-01, MM 49-90-02PROC. REF: AMM 49-70-01, MM 49-90-02								
49-90-00-9600	APU - CHANGE OIL							Service ATA:49
	MOS	07-Jan-25	24 (+1m)	Adj -52d	30-Nov-26	31-Dec-26	322 d (+31)	
	HRS	783:06	900 (+45)		1683:06	1728:06	755 (+45)	
WC#: 49.030	APUS	1327						
PROC. REF: MM 49-10-00, AMM 49-90-00PROC. REF: MM 49-10-00, AMM 49-90-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
49-90-00-9600	APU - REMOVE AND REPLACE OIL FILTER ELEMENT							Service ATA:49
	MOS	07-Jan-25	24 (+1m)	Adj -52d	30-Nov-26	31-Dec-26	322 d (+31)	
	HRS	783:06	900 (+45)		1683:06	1728:06	755 (+45)	
WC#: 49.060	APUS	1327						
PROC. REF: MM 49-90-04, AMM 49-90-00PROC. REF: MM 49-90-04, AMM 49-90-00								
490001	APU - APU ELECTRONIC CONTROL							Component ATA:49
PN:2119552-4	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1-N0725	HRS	0		TSN 0				
WC#: 49.020	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
490003	APU - BLEED AIR SHUTOFF VALVE							Component ATA:49
PN:1413-19	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1691	HRS	0		TSN 0				
WC#: 49.080	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
490004	APU - DC AMMETER							Component ATA:49
PN:MD144-3	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:J19-11667	HRS	0		TSN 0				
WC#: 49.090	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
490005	APU - OVERHEAT DETECTOR							Component ATA:49
PN:3001-212-1004/455-9	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:217153	HRS	0		TSN 0				
WC#: 49.100	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
490010 ^U	APU - BELLOWS,ENCSD							Component ATA:49
PN:3827449-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
491005	APU - HOUSING ASSEMBLY							Component ATA:49
PN:3863409-6	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:20-1034-23881	HRS	0		TSN 0				
	APUS	0		TSN 0				
491011	APU - GENERATOR MATCHED SEAL SET							Component ATA:49
PN:70722432-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:00025	HRS	0		TSN 0				
	APUS	0		TSN 0				
492010	APU - POWER SECTION ASSEMBLY							Component ATA:49
PN:3801116-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:6011721159	HRS	0		TSN 0				
	APUS	0		TSN 0				
492015	APU - BEARING, ROLLER, CYLINDRICAL							Component ATA:49
PN:70722450-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:20-162111-01174	HRS	0		TSN 0				
	APUS	0		TSN 0				
492020 ^U	APU - TIE ROD TURB ROTOR							Component ATA:49
PN:3842338-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
492025	APU - TURBINE ROTOR, RADIAL - INVESTMENT CASTI							Component ATA:49
PN:3842305-111	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:19-156101-10886	HRS	0		TSN 0				
	APUS	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
492031	APU - COMPRESSOR MATCHED SEAL SET							Component ATA:49
PN:70722248-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:00152	HRS	0		TSN 0				
	APUS	0		TSN 0				
492035	APU - COMPRESSOR ROTOR, FORGING							Component ATA:49
PN:3613567-111	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:19-162053-41860	HRS	0		TSN 0				
	APUS	0		TSN 0				
492040	APU - BEARING BALL ANLR							Component ATA:49
PN:3822570-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:19-162255-34776	HRS	0		TSN 0				
	APUS	0		TSN 0				
493000	APU - FUEL CONTROL ASSEMBLY							Component ATA:49
PN:3883900-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2002486	HRS	0		TSN 0				
WC#: 49.130	APUS	0		TSN 0				
493001	APU FUEL SHUTOFF (VT002) VALVE							Component ATA:49
PN:66503-101165-001	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:19-437	HRS	0		TSN 0				
WC#: 49.010	AFL	0		TSN 0				
PROC. REF: AMM 49-30-00PROC. REF: AMM 49-30-00								
493025	APU - VALVE & SLEEVE ASSY METERING, MATCHED, F C							Component ATA:49
PN:3601509-5	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:19-150493-04391	HRS	0		TSN 0				
	APUS	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
493030	APU - TORQUE MOTOR, FUEL CONTROL							Component ATA:49
PN:3883912-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:19-437	HRS	0		TSN 0				
	APUS	0		TSN 0				
494001	APU ENGINE ELECTRONIC CONTROL (VT031) UNIT							Component ATA:49
PN:2119552-4	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:10-N0725	HRS	0		TSN 0				
WC#: 49.020	AFL	0		TSN 0				
PROC. REF: AMM 49-40-00PROC. REF: AMM 49-40-00								
494002	APU - IGNITION UNIT							Component ATA:49
PN:3888000-7	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:J20010073	HRS	0		TSN 0				
WC#: 49.140	APUS	0		TSN 0				
496000	APU - CIRCUIT CARD ASSEMBLY, CPU							Component ATA:49
PN:4243248-10	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2002-01425	HRS	0		TSN 0				
	APUS	0		TSN 0				
496005	APU - CIRCUIT CARD ASSY, POWER SUPPLY							Component ATA:49
PN:4243324-8	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1951-01413	HRS	0		TSN 0				
	APUS	0		TSN 0				
497006	APU - RPM/MAX INDICATOR							Component ATA:49
PN:MD680-4	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:J19-10878	HRS	0		TSN 0				
WC#: 49.220	APUS	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
499000	APU - LOW OIL PRESSURE SWITCH							Component ATA:49
PN:3876351-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:19-150241-102799	HRS	0		TSN 0				
WC#: 49.260	APUS	0		TSN 0				
499001	APU - LUBE PUMP ASSEMBLY							Component ATA:49
PN:3881825-2	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:P-336	HRS	0		TSN 0				
WC#: 49.240	APUS	0		TSN 0				
499002	APU - OIL LEVEL SWITCH							Component ATA:49
PN:3876318-3	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1916222102040	HRS	0		TSN 0				
WC#: 49.280	APUS	0		TSN 0				
49APU1	APU							Component ATA:49
PN:3800722-1	MOS/MSC	16-Sep-20	E/C					
SN:P-1098	HRS							
WC#: 49.APU1	AFL							
ATA 52 - DOORS								
52-10-00-2100 ^S	CABIN DOOR SEALS GENERAL VISUAL INSPECTION							Service ATA:52
	MOS	17-Dec-25	12 (+1m/-1m)					
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
								PKG:509
PROC. REF: AMM 52-10-00PROC. REF: AMM 52-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-10-00-2200 ^S	CABIN DOOR ASSEMBLY INTERNAL DETAILED INSPECTION							Service ATA:52
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
PROC. REF: AMM 52-10-00PROC. REF: AMM 52-10-00								PKG:513
52-10-00-2200-ME ^S	CABIN DOOR ASSEMBLY DETAILED INSPECTION							Service ATA:52
	MOS	17-Dec-20						AIRWORTHINESS
	HRS	0	15000					
WC#: 53.070	AFL	0						
PROC. REF: AMM 52-10-00PROC. REF: AMM 52-10-00								PKG:164
52-20-00-2200 ^S	EMERGENCY EXIT DOOR ASSEMBLY DETAILED INSPECTION AND OPERATIONAL CHECK							Service ATA:52
	MOS	07-Jan-25	24 (+1m/-1m)					
	HRS	2078:40						
	AFL	1352						
PROC. REF: AMM 52-20-00PROC. REF: AMM 52-20-00								PKG:511
52-20-00-2200-ME ^S	EMERGENCY EXIT DOOR ASSEMBLY DETAILED INSPECTION							Service ATA:52
	MOS	17-Dec-20						AIRWORTHINESS
	HRS	0	15000					
WC#: 53.080	AFL	0						
PROC. REF: AMM 52-20-00PROC. REF: AMM 52-20-00								PKG:164
52-20-00-2201	EMERGENCY EXIT DOOR INTERNAL DETAILED INSPECTION							Service ATA:52
	MOS	17-Dec-20	96 (+1m/-1m)		31-Dec-28	31-Jan-29	1084 d (+31)	
	HRS	0						
	AFL	0						
PROC. REF: AMM 52-20-00PROC. REF: AMM 52-20-00								PKG:519

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-30-00-2200 ^S	BAGGAGE DOOR ASSEMBLY DETAILED INSPECTION							Service ATA:52
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
								PKG:513
PROC. REF: AMM 52-30-00PROC. REF: AMM 52-30-00								
521003	ACOUSTIC LOWER FWD SEAL							Component ATA:52
PN:9522-15	MOS/MSC	02-Oct-25	O/C	TSN 0				
SN:1328	HRS	2484:53		TSN 0				
WC#: 52.120	AFL	1618		TSN 0				
	APH							
	APS							
PROC. REF: AMM 52-10-04PROC. REF: AMM 52-10-04								
521004	ACOUSTIC UPPER SEAL							Component ATA:52
PN:9522-11	MOS/MSC	02-Oct-25	O/C	TSN 0				
SN:2069	HRS	2484:53		TSN 0				
WC#: 52.120	AFL	1618		TSN 0				
PROC. REF: AMM 52-10-04PROC. REF: AMM 52-10-04								
521005	ACOUSTIC LOWER AFT SEAL							Component ATA:52
PN:9522-13	MOS/MSC	02-Oct-25	O/C	TSN 0				
SN:1875	HRS	2484:53		TSN 0				
WC#: 52.120	AFL	1618		TSN 0				
	APH							
	APS							
PROC. REF: AMM 52-10-04PROC. REF: AMM 52-10-04								
527000	EMERGENCY EXIT SWITCH							Component ATA:52
PN:8-405-04	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:B84431	HRS	0		TSN 0				
WC#: 52.130	AFL	0		TSN 0				
PROC. REF: AMM 52-20-00PROC. REF: AMM 52-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-00-00-2100 ^S	FUSELAGE FAIRING INTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
								PKG:513
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								
53-00-00-2101 ^S	FUSELAGE AND FAIRING EXTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
								PKG:513
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								
53-00-00-2102 ^S	COMMUNICATION AND NAVIGATION ANTENNA MOUNTING CORROSION GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
								PKG:513
PROC. REF: TLMC 5-12-06PROC. REF: TLMC 5-12-06								
53-00-00-2201 ^S	FORWARD AND AFT LOWER FAIRING EXTERNAL L/HIRF DETAILED INSPECTION							Service ATA:53
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
								PKG:513
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								
53-00-00-9600	LEFT NOSE LANDING GEAR TRUNNION SUPPORT ASSEMBLY DISCARD							Component ATA:53
PN:6613020-63	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:127046-022	HRS	0		TSN 0				
WC#: 53.090	AFL	0	25500	TSN 0	25500		23834	
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-00-00-9600	RIGHT NOSE LANDING GEAR TRUNNION SUPPORT ASSEMBLY DISCARD							Component ATA:53
PN:6613020-64	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:127873-002	HRS	0		TSN 0				
WC#: 53.090	AFL	0	25500	TSN 0	25500		23834	
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								
53-00-00-9601	NOSE LANDING GEAR ACTUATOR FITTING ASSEMBLY DISCARD							Component ATA:53
PN:6211191-3-1	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:6295	HRS	0		TSN 0				
WC#: 53.100	AFL	0	25500	TSN 0	25500		23834	
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								
53-10-00-2100 ^S	NOSE LANDING GEAR WHEEL WELL AND DOOR INTERNAL ZONAL GENERAL VISUALINSPECTION							Service ATA:53
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								PKG:513
53-10-00-2101 ^S	NOSE SECTION INTERNAL ZONAL GENERAL VISUAL INSPECTION AND RESTORATION							Service ATA:53
	MOS	17-Dec-20	72 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								PKG:518
53-10-00-2102 ^S	NOSE AVIONICS COMPONENTS WIRING AND BULKHEAD CONNECTORS STANDALONE EZAPGENERAL VISUAL INSPECTION							Service ATA:53
	MOS	17-Dec-20	72 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								PKG:518

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-00-2103	^S	NOSE AVIONICS L/HIRF STANDALONE GENERAL VISUAL INSPECTION (AIRPLANES -5001THRU -6000)						Service ATA:53
	MOS	17-Dec-20	72 (+1m/-1m)					
	HRS	0						
	AFL	0						
								PKG:518
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								
53-10-00-2200	^S	NOSE LANDING GEAR AND WHEEL WELL STRUCTURE AND CORROSION GENERAL VISUAL AND DETAILED INSPECTION						Service ATA:53
	MOS	17-Dec-25	12 (+1m/-1m)					CPCP
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
								PKG:509
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								
53-10-00-2201	^S	NOSE STRUCTURE INTERNAL DETAILED INSPECTION						Service ATA:53
	MOS	17-Dec-20	96 (+1m/-1m)					
	HRS	0						
	AFL	0						
								PKG:519
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								
53-10-00-2202	^S	NOSE NON-METALLIC STRUCTURE (RADOME, DOOR DRIP CAPS) INTERNAL DETAILEDINSPECTION						Service ATA:53
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
								PKG:513
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								
53-10-00-2203	^S	RADOME DIVERTER STRIPS L/HIRF DETAILED INSPECTION						Service ATA:53
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
								PKG:513
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-11-2200 ^S	LOWER AFT CABIN INTERNAL (BELOW EXTERNALLY SERVICED TOILET) STRUCTURAL AND CORROSION (BORESCOPE) SPECIAL DETAILED INSPECTION						Service	ATA:53
	MOS	17-Dec-25	12 (+1m/-1m)				CPCP	
	HRS	2568:20						
	AFL	1660						
PROC. REF: AMM 53-10-11PROC. REF: AMM 53-10-11								PKG:509
53-10-11-2201 ^S	AFT CABIN LOWER SKIN (BELOW DROP AISLE) INTERNAL STRUCTURAL AND CORROSIONDETAILED INSPECTION						Service	ATA:53
	MOS	17-Dec-25	12 (+1m/-1m)				CPCP	
	HRS	2568:20						
	AFL	1660						
PROC. REF: AMM 53-10-11PROC. REF: AMM 53-10-11								PKG:509
53-10-11-2202 ^S	LOWER AFT CABIN INTERNAL (BELOW CARRY-OUT TOILET) STRUCTURAL AND CORROSION DETAILED INSPECTION (IF INSTALLED)						Service	ATA:53
	MOS	17-Dec-25	12 (+1m/-1m)				CPCP	
	HRS	2568:20						
	AFL	1660						
PROC. REF: AMM 53-10-11PROC. REF: AMM 53-10-11								PKG:509
53-10-11-2501 ^S	INSPECT FORWARD PRESSURE BULKHEAD (EDDY CURRENT) SPECIAL DETAILED INSPECTION						Service	ATA:53
	MOS	17-Dec-20	T:120					
	HRS	0	T:6000					
WC#: 53.350	AFL	0						
PROC. REF: AMM 53-10-11PROC. REF: AMM 53-10-11								PKG:163
53-10-11-2502 ^S	AFT PRESSURE BULKHEAD GENERAL VISUAL INSPECTION						Service	ATA:53
	MOS	17-Dec-20					AIRWORTHINESS	
	HRS	0	15000					
WC#: 53.340	AFL	0						
PROC. REF: AMM 53-10-11PROC. REF: AMM 53-10-11								PKG:164

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL: 1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-12-2100	^S	BAGGAGE DOOR AND FORWARD TAILCONE INTERNAL ZONAL GENERAL VISUAL INSPECTION						Service ATA:53
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
PROC. REF: AMM 53-10-12PROC. REF: AMM 53-10-12								PKG:513
53-10-12-2101	^S	TAILCONE EXTERNAL ZONAL GENERAL VISUAL INSPECTION						Service ATA:53
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
PROC. REF: AMM 53-10-12PROC. REF: AMM 53-10-12								PKG:513
53-10-12-2102	^S	AUXILIARY POWER UNIT ENCLOSURE AND STINGER INTERNAL ZONAL GENERAL VISUAL INSPECTION AND RESTORATION						Service ATA:53
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
PROC. REF: AMM 53-10-12PROC. REF: AMM 53-10-12								PKG:513
53-10-12-2103	^S	FORWARD TAILCONE AVIONICS COMPONENTS, WIRE BUNDLES AND CONNECTORSSTANDALONE EZAP GENERAL VISUAL INSPECTION						Service ATA:53
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
PROC. REF: AMM 53-10-12PROC. REF: AMM 53-10-12								PKG:513
53-10-12-2104	^S	AUXILIARY POWER UNIT GENERATOR POWER FEEDER CABLES STANDALONE EZAPGENERAL VISUAL INSPECTION						Service ATA:53
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
PROC. REF: AMM 53-10-12PROC. REF: AMM 53-10-12								PKG:513

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-12-2200 ^S	AUXILIARY POWER UNIT GENERATOR, AUXILIARY POWER UNIT GENERATOR CONTROL UNIT, AND LEFT / RIGHT ENGINEGENERATOR CONTROL UNIT L/HIRF DETAILED INSPECTION							Service ATA:53
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
PROC. REF: AMM 53-10-12PROC. REF: AMM 53-10-12								PKG:513
53-20-00-2100 ^S	COCKPIT INTERNAL (BELOW FLOORLINE) ZONAL GENERAL VISUAL INSPECTION AND RESTORATION							Service ATA:53
	MOS	17-Dec-20	72 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00								PKG:518
53-20-00-2101 ^S	COCKPIT INTERNAL (ABOVE FLOORLINE) ZONAL GENERAL VISUAL INSPECTION AND RESTORATION							Service ATA:53
	MOS	17-Dec-20	96 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00								PKG:519
53-20-00-2102 ^S	COCKPIT WIRE BUNDLES STANDALONE EZAP GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	17-Dec-20	72 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00								PKG:518
53-20-00-2103 ^S	COCKPIT AVIONICS COMPONENTS AND WIRE BUNDLES STANDALONE EZAP GENERALVISUAL INSPECTION							Service ATA:53
	MOS	17-Dec-20	96 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00								PKG:519

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-20-00-2104	COCKPIT AVIONICS CONTROL HEAD L/HIRF STANDALONE GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	17-Dec-20	96 (+1m/-1m)		31-Dec-28	31-Jan-29	1084 d (+31)	
	HRS	0						
	AFL	0						
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00								PKG:519
53-30-00-2100 ^S	CABIN INTERNAL ZONAL GENERAL VISUAL INSPECTION AND RESTORATION							Service ATA:53
	MOS	17-Dec-20	96 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00								PKG:519
53-30-00-2101 ^S	FORWARD CABIN (BELOW FLOORLINE) INTERNAL GENERAL VISUAL INSPECTION AND RESTORATION							Service ATA:53
	MOS	17-Dec-20	96 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00								PKG:519
53-30-00-2200 ^S	ELEVATOR AND ELEVATOR TRIM CONTROL SYSTEM SUPPORT STRUCTURAL DETAILED INSPECTION							Service ATA:53
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00								PKG:513
53-30-01-2100 ^S	UPPER FUSELAGE SKIN FROM RIGHT STRINGER 13 TO LEFT STRINGER 13 GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	17-Dec-20						AIRWORTHINESS
	HRS	0	13000					
WC#: 53.010	AFL	0						
PROC. REF: AMM 53-30-01PROC. REF: AMM 53-30-01								PKG:169

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-30-01-2101 ^S	LOWER FUSELAGE SKIN FROM RIGHT STRINGER 13 TO LEFT STRINGER 13 GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	17-Dec-20						AIRWORTHINESS
	HRS	0	15000					
WC#: 53.020	AFL	0						
PROC. REF: AMM 53-30-01PROC. REF: AMM 53-30-01								PKG:164
53-30-01-2500 ^S	FUSELAGE EXTERNAL SURFACE (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service ATA:53
	MOS	17-Dec-20						
	HRS	0	7200 (+25/-25)					
	AFL	0						
PROC. REF: AMM 53-30-01PROC. REF: AMM 53-30-01								PKG:526
53-30-01-2501 ^S	UPPER FUSELAGE SKIN SPLICE AT BL 0.00 (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service ATA:53
	MOS	17-Dec-20						AIRWORTHINESS
	HRS	0	15000					
WC#: 53.030	AFL	0						
PROC. REF: AMM 53-30-01PROC. REF: AMM 53-30-01								PKG:164
53-30-01-2502 ^S	LOWER FUSELAGE SKIN SPLICES AT STRINGERS 13R AND 13L (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service ATA:53
	MOS	17-Dec-20						AIRWORTHINESS
	HRS	0	15000					
WC#: 53.040	AFL	0						
PROC. REF: AMM 53-30-01PROC. REF: AMM 53-30-01								PKG:164
53-31-00-2200 ^S	COMPOSITE VENTRAL STRAKE DETAILED INSPECTION							Service ATA:53
	MOS	17-Dec-20	96 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 53-31-00PROC. REF: AMM 53-31-00								PKG:519

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
531030	INSPECT DRAIN HOLE IN LOWER FORWARD EDGE OF TAILCONE STINGER FOR PROPER SIZE							Service ATA:53
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM GENERIC 1, MSC CUSTOMER SUPPORTPROC. REF: AMM GENERIC 1, MSC CUSTOMER SUPPORT								

ATA 54 - NACELLES/PYLONS

54-50-01-2100 ^S	ENGINES COWLINGS AND PYLONS INTERNAL AND EXTERNAL ZONAL GENERAL VISUAL INSPECTION AND RESTORATION							Service ATA:54
	MOS	07-Jan-25	24 (+1m/-1m)					
	HRS	2078:40						
	AFL	1352						
								PKG:511
PROC. REF: AMM 54-50-01PROC. REF: AMM 54-50-01								

54-50-01-2101 ^S	ENGINE COWLING, ENGINE PYLON FIREWALL GENERAL VISUAL INSPECTION							Service ATA:54
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
								PKG:513
PROC. REF: AMM 54-50-01PROC. REF: AMM 54-50-01								

54-50-10-2100 ^S	ACCOMPLISH AFT ENGINE BEAM GENERAL VISUAL INSPECTION (AIRPLANES -5001 THRU -5060)							Service ATA:54
	MOS/MSC	17-Dec-20	N/A					
	HRS	0						
WC#: 71.120	AFL	0						
								PKG:161
PROC. REF: AMM 54-50-10, AMM 54-50-10PROC. REF: AMM 54-50-10, AMM 54-50-10								

ATA 55 - STABILIZERS

55-00-00-2200 ^S	EMPENNAGE COVE STRUCTURE AND CORROSION DETAILED INSPECTION							Service ATA:55
	MOS	17-Dec-25	12 (+1m/-1m)					CPCP
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
								PKG:509

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
PROC. REF: AMM 55-00-00PROC. REF: AMM 55-00-00								
55-10-00-2100	^S	EMPENNAGE EXTERNAL ZONAL GENERAL VISUAL INSPECTION						Service ATA:55
	MOS	17-Dec-20	72 (+1m/-1m)					
	HRS	0						
	AFL	0						
								PKG:518
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								
55-10-00-2101	^S	HORIZONTAL STABILIZER SURFACES INTERNAL ZONAL GENERAL VISUAL INSPECTION						Service ATA:55
	MOS	17-Dec-20	96 (+1m/-1m)					
	HRS	0						
	AFL	0						
								PKG:519
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								
55-10-00-2200	^S	HORIZONTAL STABILIZER POSITION SWITCHES L/HIRF DETAILED INSPECTION						Service ATA:55
	MOS	17-Dec-20	72 (+1m/-1m)					
	HRS	0						
	AFL	0						
								PKG:518
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								
55-10-00-2201	^S	FLUX DETECTORS L/HIRF DETAILED INSPECTION						Service ATA:55
	MOS	17-Dec-20	72 (+1m/-1m)					
	HRS	0						
	AFL	0						
								PKG:518
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								
55-10-00-2900	^S	INTERNAL HORIZONTAL STABILIZER (BORESCOPE) SPECIAL DETAILED INSPECTION						Service ATA:55
	MOS	17-Dec-20	96 (+1m/-1m)					
	HRS	0						
	AFL	0						
								PKG:519
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-20-00-2200 ^S	ELEVATOR ASSEMBLY DETAILED INSPECTION							Service ATA:55
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
PROC. REF: AMM 55-20-00PROC. REF: AMM 55-20-00								PKG:513
55-30-00-2102 ^S	VERTICAL STABILIZER INTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:55
	MOS	17-Dec-20	96 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00								PKG:519
55-30-00-2200 ^S	RUDDER AND RUDDER TRIM CONTROL SYSTEM STRUCTURAL SUPPORT DETAILED INSPECTION							Service ATA:55
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00								PKG:513
55-30-00-2201 ^S	VERTICAL STABILIZER PIVOT FITTING DETAILED INSPECTION							Service ATA:55
	MOS	17-Dec-20						
	HRS	0	T:6000 (+25/-25)					
	AFL	0						
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00								PKG:520
55-30-00-2500 ^S	VERTICAL STABILIZER REAR SPAR CAP AT WL 146 (EDDY CURRENT) SPECIAL DETAILED INSPECTION (AIRPLANES -5001 THRU -5020)							Service ATA:55
	MOS/MSC	17-Dec-20	N/A					
	HRS	0						
WC#: 55.030	AFL	0						
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00								PKG:166

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-30-00-2501 ^S	VERTICAL STABILIZER REAR SPAR NESTED ANGLE AT WL 146 (EDDY CURRENT) SPECIAL DETAILED INSPECTION (AIRPLANES -5001 THRU -5020)						Service	ATA:55
	MOS/MSC	17-Dec-20	N/A					
	HRS	0						
WC#: 55.040	AFL	0						
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00							PKG:167	
55-30-00-2502 ^S	VERTICAL STABILIZER REAR SPAR STRAP AT WL 146.00 (EDDY CURRENT) SPECIAL DETAILED INSPECTION (AIRPLANES -5001 THRU -5020)						Service	ATA:55
	MOS/MSC	17-Dec-20	N/A					
	HRS	0						
WC#: 55.050	AFL	0						
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00							PKG:168	
55-30-00-2503 ^S	VERTICAL STABILIZER FORWARD SPAR STRAP AT WL 150 (EDDY CURRENT) SPECIAL DETAILED INSPECTION (AIRPLANES -5001 THRU -5020)						Service	ATA:55
	MOS/MSC	17-Dec-20	N/A					
	HRS	0						
WC#: 55.010	AFL	0						
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00							PKG:170	
55-30-00-2900 ^S	VERTICAL (STABILIZER AREAS WITH LIMITED ACCESS) (BORESCOPE) INTERNAL SPECIALDETAILED INSPECTION						Service	ATA:55
	MOS	17-Dec-20	96 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00							PKG:519	
55-40-00-2200 ^S	RUDDER AND RUDDER TRIM TAB DETAILED INSPECTION						Service	ATA:55
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
PROC. REF: AMM 55-40-00PROC. REF: AMM 55-40-00							PKG:513	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
551001	HORIZONTAL STABILIZER ASSEMBLY							Component ATA:55
PN:PN	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
ATA 56 - WINDOWS								
56-11-00-2200 ^S	HEATED WINDSHIELD ASSEMBLY HUMP SEAL DETAILED INSPECTION							Service ATA:56
	MOS	17-Dec-25	12 (+1m/-1m)					
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00								PKG:509
56-11-00-2201 ^S	COCKPIT OPENABLE AFT SIDE WINDOW HINGE AND LATCH DETAILED INSPECTION							Service ATA:56
	MOS	12-Jun-24						
	HRS	1606:02	1600 (+25/-25)					
	AFL	1047						
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00								PKG:514
56-11-00-2202 ^S	WINDSHIELD DETAILED INSPECTION							Service ATA:56
	MOS	07-Jan-25	24 (+1m/-1m)					
	HRS	2078:40						
	AFL	1352						
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00								PKG:511
56-11-00-2203 ^S	WINDSHIELD RETAINER DETAILED INSPECTION							Service ATA:56
	MOS	17-Dec-20	96 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00								PKG:519

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-11-00-2204	^S	COCKPIT AND OPENABLE SIDE WINDOW INTERNAL STRUCTURE DETAILED INSPECTION						Service ATA:56
	MOS	17-Dec-20	96 (+1m/-1m)					
	HRS	0						
	AFL	0						
								PKG:519
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00								
56-11-00-2207	^S	OPENABLE SIDE COCKPIT WINDOWS (TRANSPARENCY) DETAILED INSPECTION						Service ATA:56
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
								PKG:513
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00								
56-11-00-7200	^S	HEATED WINDSHIELD ASSEMBLY FASTENER TORQUE FUNCTIONAL CHECK						Service ATA:56
	MOS	31-Mar-25						
	HRS	2152:04	2400 (+25/-25)					
	AFL	1404						
								PKG:515
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00								
56-11-00-7201	^S	WINDSHIELD SURFACE SEAL (MIST SPRAY) FUNCTIONAL CHECK						Service ATA:56
	MOS	17-Dec-25	12 (+1m/-1m)					
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
								PKG:509
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00								
561001		LEFT MAIN WINDSHIELD ASSY, (LH)						Component ATA:56
PN:NP139731-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:19330H4525	HRS	0		TSN 0				
WC#: 56.010	AFL	0		TSN 0				
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
561001	RIGHT MAIN WINDSHIELD ASSEMBLY, (RH)							Component ATA:56
PN:NP139731-2	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:19303H1401	HRS	0		TSN 0				
WC#: 56.010	AFL	0		TSN 0				
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00								
561004	LEFT ELECTRICALLY HEATED COCKPIT FORWARD SIDE WINDOW							Component ATA:56
PN:NP139722-7	MOS/MSC	08-Oct-21	O/C	TSN 0				
SN:21166H0828	HRS	314		TSN 0				
WC#: 56.020	AFL	198		TSN 0				
PROC. REF: AMM 56-12-00PROC. REF: AMM 56-12-00								
561004	RIGHT ELECTRICALLY HEATED COCKPIT FORWARD SIDE WINDOW							Component ATA:56
PN:NP139722-8	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:19207H1367	HRS	0		TSN 0				
WC#: 56.020	AFL	0		TSN 0				
PROC. REF: AMM 56-12-00PROC. REF: AMM 56-12-00								
561005	LEFT OPENABLE COCKPIT AFT SIDE WINDOW							Component ATA:56
PN:NP139703-3	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:10063	HRS	0		TSN 0				
WC#: 56.030	AFL	0		TSN 0				
PROC. REF: AMM 56-13-00PROC. REF: AMM 56-13-00								
561005	RIGHT OPENABLE COCKPIT AFT SIDE WINDOW							Component ATA:56
PN:NP139703-4	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:10070	HRS	0		TSN 0				
WC#: 56.030	AFL	0		TSN 0				
PROC. REF: AMM 56-13-00PROC. REF: AMM 56-13-00								
562001	LEFT NO. 2 CABIN WINDOW							Component ATA:56
PN:167400-03	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:10712	HRS	0		TSN 0				
WC#: 56.060	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
562001	LEFT NO. 3 CABIN WINDOW							Component ATA:56
PN:167400-03	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:10720	HRS	0		TSN 0				
WC#: 56.070	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00								
562001	LEFT NO. 4 CABIN WINDOW							Component ATA:56
PN:167400-03	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:10705	HRS	0		TSN 0				
WC#: 56.080	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00								
562001	LEFT NO. 5 CABIN WINDOW							Component ATA:56
PN:167400-03	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:10667	HRS	0		TSN 0				
WC#: 56.090	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00								
562001	LEFT NO. 6 CABIN WINDOW							Component ATA:56
PN:167400-03	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:10771	HRS	0		TSN 0				
WC#: 56.100	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00								
562001	RIGHT NO. 1 EMERGENCY DOOR WINDOW							Component ATA:56
PN:167400-03	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:10768	HRS	0		TSN 0				
WC#: 56.050	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00								
562001	RIGHT NO. 2 CABIN WINDOW							Component ATA:56
PN:167400-03	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:10776	HRS	0		TSN 0				
WC#: 56.060	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
562001	RIGHT NO. 3 CABIN WINDOW							Component ATA:56
PN:167400-03	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:10781	HRS	0		TSN 0				
WC#: 56.070	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00								
562001	RIGHT NO. 4 CABIN WINDOW							Component ATA:56
PN:167400-03	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:10770	HRS	0		TSN 0				
WC#: 56.080	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00								
562001	RIGHT NO. 5 CABIN WINDOW							Component ATA:56
PN:167400-03	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:10773	HRS	0		TSN 0				
WC#: 56.090	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00								
562001	RIGHT NO. 6 CABIN WINDOW							Component ATA:56
PN:167400-03	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:10859	HRS	0		TSN 0				
WC#: 56.100	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00								
ATA 57 - WINGS								
57-00-00-2100 ^S	WING EXTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:57
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								PKG:513

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-00-00-2101	^S	WING INTERNAL ZONAL GENERAL VISUAL INSPECTION						Service ATA:57
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
								PKG:513
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
57-00-00-2102	^S	WING FUEL PROBE WIRING HARNESS STANDALONE EZAP GENERAL VISUAL INSPECTION						Service ATA:57
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
								PKG:513
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
57-00-00-2200	^S	WING COVE AND REAR SPAR STRUCTURE AND CORROSION DETAILED INSPECTION						Service ATA:57
	MOS	17-Dec-25	12 (+1m/-1m)					CPCP
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
								PKG:509
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
57-10-00-2100	^S	LEFT AND RIGHT MAIN LANDING GEAR WHEEL WELL AND DOOR INTERNAL ZONAL GENERALVISUAL INSPECTION						Service ATA:57
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
								PKG:513
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00								
57-10-00-2101	^S	LEFT AND RIGHT WING FORWARD SPAR (FORWARD SIDE) AND WING TIP INTERNALSTANDALONE GENERAL VISUAL INSPECTION						Service ATA:57
	MOS	17-Dec-20	96 (+1m/-1m)					
	HRS	0						
	AFL	0						
								PKG:519
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-00-2200	^S	MAIN LANDING GEAR AND WHEEL WELL STRUCTURE AND CORROSION DETAILED GENERAL VISUAL INSPECTION						Service ATA:57
	MOS	17-Dec-25	12 (+1m/-1m)					CPCP
	HRS	2568:20						
	AFL	1660						
	APH							
	APS							
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00								PKG:509
57-10-00-2500	^S	LOWER WING MAIN SPAR LOWER SKIN SPLICE AT WS 22.50 (EDDY CURRENT AND ULTRASONIC) SPECIAL DETAILED INSPECTION						Service ATA:57
	MOS	17-Dec-20						AIRWORTHINESS
	HRS	0	T:7500					
	AFL	0						
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00								PKG:165
57-10-00-2501	^S	LOWER WING MAIN SPAR SKIN SPLICE FLANGE AT WS 11.50 (EDDY CURRENT AND ULTRASONIC) SPECIAL DETAILED INSPECTION						Service ATA:57
	MOS	17-Dec-20						AIRWORTHINESS
	HRS	0	T:11500					
	AFL	0						
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00								PKG:171
57-10-00-2502	^S	LOWER WING MAIN SPAR AT WS 114.57 (EDDY CURRENT) SPECIAL DETAILED INSPECTION						Service ATA:57
	MOS	17-Dec-20						AIRWORTHINESS
	HRS	0	T:11000					
WC#: 57.030	AFL	0						
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00								PKG:172
57-10-00-2503	^S	LOWER WING MAIN SPAR AT WS 131.07 (EDDY CURRENT) SPECIAL DETAILED INSPECTION						Service ATA:57
	MOS	17-Dec-20						AIRWORTHINESS
	HRS	0	T:9000					
WC#: 57.040	AFL	0						
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00								PKG:173

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-00-2504 ^S	LOWER WING MAIN SPAR AT WS 149.57 (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service ATA:57
	MOS	17-Dec-20						AIRWORTHINESS
	HRS	0	T:12500					
WC#: 57.050	AFL	0						
								PKG:174
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00								
57-10-00-9600	LEFT MAIN LANDING GEAR FORWARD TRUNNION FITTING DISCARD							Component ATA:57
PN:6622123-5	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:455601-5	HRS	0		TSN 0				
WC#: 57.070	AFL	0	23800	TSN 0	23800		22134	
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00								
57-10-00-9600	RIGHT MAIN LANDING GEAR FORWARD TRUNNION FITTING DISCARD							Component ATA:57
PN:6622123-6	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:452158-1	HRS	0		TSN 0				
WC#: 57.070	AFL	0	23800	TSN 0	23800		22134	
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00								
57-10-00-9601	LEFT MAIN LANDING GEAR AFT TRUNNION FITTING DISCARD							Component ATA:57
PN:6622124-5	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:446693-5	HRS	0		TSN 0				
WC#: 57.060	AFL	0	23800	TSN 0	23800		22134	
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00								
57-10-00-9601	RIGHT MAIN LANDING GEAR AFT TRUNNION FITTING DISCARD							Component ATA:57
PN:6622124-6	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:453846-2	HRS	0		TSN 0				
WC#: 57.060	AFL	0	23800	TSN 0	23800		22134	
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00								
57-10-00-9602	LEFT MAIN LANDING GEAR ACTUATOR FITTING DISCARD							Component ATA:57
PN:6621125-9	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:446050-2	HRS	0		TSN 0				
WC#: 57.120	AFL	0	23800	TSN 0	23800		22134	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00								
57-10-00-9602	RIGHT MAIN LANDING GEAR ACTUATOR FITTING DISCARD							Component ATA:57
PN:6621125-10	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:441307-5	HRS	0		TSN 0				
WC#: 57.120	AFL	0	23800	TSN 0	23800		22134	
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00								
57-30-01-2100 ^S	WING TIP INTERNAL ZONAL GENERAL VISUAL INSPECTION AND RESTORATION							Service ATA:57
	MOS	17-Dec-20	96 (+1m/-1m)					
	HRS	0						
	AFL	0						
								PKG:519
PROC. REF: AMM 57-30-01PROC. REF: AMM 57-30-01								
57-50-00-2200 ^S	SPEED BRAKE PANELS AND ATTACHMENT FITTINGS DETAILED INSPECTION							Service ATA:57
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
								PKG:513
PROC. REF: AMM 57-50-00PROC. REF: AMM 57-50-00								
57-50-03-2200 ^S	AILERON, AILERON TRIM TAB AND HINGE BRACKETS DETAILED INSPECTION							Service ATA:57
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
								PKG:513
PROC. REF: AMM 57-50-03PROC. REF: AMM 57-50-03								
57-50-04-2900 ^S	INBOARD AND OUTBOARD FLAPS DETAILED INSPECTION							Service ATA:57
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
								PKG:513
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-50-04-9600	LEFT WING LEFT INBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.130	AFL	0	5000	TSN 0	5000		3334	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
57-50-04-9600	LEFT WING LEFT OUTBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.130	AFL	0	5000	TSN 0	5000		3334	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
57-50-04-9600	LEFT WING RIGHT INBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.140	AFL	0	5000	TSN 0	5000		3334	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
57-50-04-9600	LEFT WING RIGHT OUTBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.140	AFL	0	5000	TSN 0	5000		3334	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
57-50-04-9600	RIGHT WING LEFT INBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.150	AFL	0	5000	TSN 0	5000		3334	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
57-50-04-9600	RIGHT WING LEFT OUTBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.150	AFL	0	5000	TSN 0	5000		3334	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-50-04-9600	RIGHT WING RIGHT INBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.160	AFL	0	5000	TSN 0	5000		3334	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
57-50-04-9600	RIGHT WING RIGHT OUTBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.160	AFL	0	5000	TSN 0	5000		3334	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
57-50-04-9600.1	LEFT WING LEFT INBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.280	AFL	0	5000	TSN 0	5000		3334	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
57-50-04-9600.1	LEFT WING LEFT OUTBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.280	AFL	0	5000	TSN 0	5000		3334	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
57-50-04-9600.1	LEFT WING RIGHT INBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.290	AFL	0	5000	TSN 0	5000		3334	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
57-50-04-9600.1	LEFT WING RIGHT OUTBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.290	AFL	0	5000	TSN 0	5000		3334	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-50-04-9600.1	RIGHT WING LEFT INBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.300	AFL	0	5000	TSN 0	5000		3334	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
57-50-04-9600.1	RIGHT WING LEFT OUTBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.300	AFL	0	5000	TSN 0	5000		3334	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
57-50-04-9600.1	RIGHT WING RIGHT INBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.310	AFL	0	5000	TSN 0	5000		3334	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
57-50-04-9600.1	RIGHT WING RIGHT OUTBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component ATA:57
PN:PN	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.310	AFL	0	5000	TSN 0	5000		3334	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
57-60-00-2200 ^S	AILERON, AILERON WING SECTORS AND AILERON TRIM COMPONENTS STRUCTURE DETAILED INSPECTION							Service ATA:57
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
PROC. REF: AMM 57-60-00PROC. REF: AMM 57-60-00								
575001	LEFT INBOARD PANEL FLAP							Component ATA:57
PN:6525130-37	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:29822927	HRS	0		TSN 0				
WC#: 57.080	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL: 1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: AMM 57-50-01PROC. REF: AMM 57-50-01								
575002	RIGHT INBOARD PANEL FLAP						Component	ATA:57
PN:6525130-38	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:29808322	HRS	0		TSN 0				
WC#: 57.080	AFL	0		TSN 0				
PROC. REF: AMM 57-50-01PROC. REF: AMM 57-50-01								
575003	LEFT OUTBOARD PANEL FLAP						Component	ATA:57
PN:6525135-35	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:29852882	HRS	0		TSN 0				
WC#: 57.090	AFL	0		TSN 0				
PROC. REF: AMM 57-50-01PROC. REF: AMM 57-50-01								
575004	RIGHT OUTBOARD PANEL FLAP						Component	ATA:57
PN:6525135-36	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:29774301	HRS	0		TSN 0				
WC#: 57.090	AFL	0		TSN 0				
ATA 70 - STANDARD PRACTICES - ENGINES								
700040 ^S	NO. 1 ENGINE - CHECK ENGINE FOR SECURITY OF CONNECTIONS, CLAMPS AND BRACKETS						Service	ATA:70
	MOS/MSC	17-Dec-20	N/A					
	HRS	0						
	ENC	0						
								PKG:2
PROC. REF: EMM 70-00-00PROC. REF: EMM 70-00-00								
ATA 71 - POWER PLANT								
71-00-00	NO. 1 ENGINE - CHECK NO. 6 - ENGINE CALIBRATION						Service	ATA:71
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00-00	NO. 1 ENGINE - EEC TRIM (N1, T45, TLA GAIN AND TLA BIAS) AND DCU INITIALIZATION							Service ATA:71
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
71-00-00	NO. 1 ENGINE - ENGINE CONDITION TREND MONITORING							Service ATA:71
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
71-00-00	NO. 1 ENGINE - ENGINE INTERNAL WASH							Service ATA:71
	MOS/MSC	30-Oct-21	A/R					
	HRS							
	ENC							
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
71-00-00	NO. 1 ENGINE - MOP DELTA SETTING (MAIN OIL PRESSURE)							Service ATA:71
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
71-00-00	NO. 1 ENGINE - MOPLO SETTING							Service ATA:71
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
71-00-00	NO. 1 ENGINE - ON AIRCRAFT FAN TRIM BALANCING							Service ATA:71
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00-00	NO. 2 ENGINE - CHECK NO. 6 - ENGINE CALIBRATION							Service ATA:71
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
71-00-00	NO. 2 ENGINE - EEC TRIM (N1, T45, TLA GAIN AND TLA BIAS) AND DCU INITIALIZATION							Service ATA:71
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
71-00-00	NO. 2 ENGINE - ENGINE CONDITION TREND MONITORING							Service ATA:71
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
71-00-00	NO. 2 ENGINE - ENGINE INTERNAL WASH							Service ATA:71
	MOS/MSC	30-Oct-21	A/R					
	HRS							
	ENC							
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
71-00-00	NO. 2 ENGINE - MOP DELTA SETTING (MAIN OIL PRESSURE)							Service ATA:71
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
71-00-00	NO. 2 ENGINE - MOPLO SETTING							Service ATA:71
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00-00	NO. 2 ENGINE - ON AIRCRAFT FAN TRIM BALANCING							Service ATA:71
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
71-00-00-2100 ^S	ENGINE FIRE DETECTION ELEMENT STANDALONE EZAP GENERAL VISUAL INSPECTION							Service ATA:71
	MOS	07-Jan-25	24 (+1m/-1m)					
	HRS	2078:40						
	AFL	1352						
PROC. REF: AMM 71-00-00PROC. REF: AMM 71-00-00								PKG:511
71-00-00-2200 ^S	ENGINE STARTER GENERATOR, ALTERNATOR, ALTERNATOR PCU, FULL AUTHORITY DIGITAL ELECTRONIC CONTROL L/HIRF DETAILED INSPECTION							Service ATA:71
	MOS	07-Jan-25	24 (+1m/-1m)					
	HRS	2078:40						
	AFL	1352						
PROC. REF: AMM 71-00-00PROC. REF: AMM 71-00-00								PKG:511
71-00-00-2201 ^S	ENGINE COWLING L/HIRF DETAILED INSPECTION							Service ATA:71
	MOS	31-Mar-25	48 (+1m/-1m)					
	HRS	2152:04						
	AFL	1404						
PROC. REF: AMM 71-00-00PROC. REF: AMM 71-00-00								PKG:513
71-22-00-9600	LEFT AFT ENGINE ISOLATOR MOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHING FUNCTIONAL CHECK) RESTORATION							Component ATA:71
PN:LM451-SA2	MOS	17-Dec-20		TSN 0				ENGINE OVERHAUL
SN:LK2147	HRS	0	10000	TSN 0	10000		7423:48	
WC#: 71.010	AFL	0		TSN 0				
PROC. REF: AMM 71-22-00PROC. REF: AMM 71-22-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-22-00-9600	LEFT BOTTOM FORWARD ENGINE ISOLATORMOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHINGFUNCTIONAL CHECK) RESTORATION							Component ATA:71
PN:LM451-SA4	MOS	17-Dec-20		TSN 0				ENGINE OVERHAUL
SN:LK4731	HRS	0	10000	TSN 0	10000		7423:48	
WC#: 71.030	AFL	0		TSN 0				
PROC. REF: AMM 71-22-00PROC. REF: AMM 71-22-00								
71-22-00-9600	LEFT UPPER FORWARD ENGINE ISOLATORMOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHINGFUNCTIONAL CHECK) RESTORATION							Component ATA:71
PN:LM451-SA4	MOS	17-Dec-20		TSN 0				ENGINE OVERHAUL
SN:LK4745	HRS	0	10000	TSN 0	10000		7423:48	
WC#: 71.020	AFL	0		TSN 0				
PROC. REF: AMM 71-22-00PROC. REF: AMM 71-22-00								
71-22-00-9600	RIGHT AFT ENGINE ISOLATOR MOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHING FUNCTIONAL CHECK) RESTORATION							Component ATA:71
PN:LM451-SA2	MOS	17-Dec-20		TSN 0				ENGINE OVERHAUL
SN:LK2146	HRS	0	10000	TSN 0	10000		7423:48	
WC#: 71.010	AFL	0		TSN 0				
PROC. REF: AMM 71-22-00PROC. REF: AMM 71-22-00								
71-22-00-9600	RIGHT BOTTOM FORWARD ENGINE ISOLATORMOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHINGFUNCTIONAL CHECK) RESTORATION							Component ATA:71
PN:LM451-SA4	MOS	17-Dec-20		TSN 0				ENGINE OVERHAUL
SN:LK4738	HRS	0	10000	TSN 0	10000		7423:48	
WC#: 71.030	AFL	0		TSN 0				
PROC. REF: AMM 71-22-00PROC. REF: AMM 71-22-00								
71-22-00-9600	RIGHT UPPER FORWARD ENGINE ISOLATORMOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHINGFUNCTIONAL CHECK) RESTORATION							Component ATA:71
PN:LM451-SA4	MOS	17-Dec-20		TSN 0				ENGINE OVERHAUL
SN:LK4741	HRS	0	10000	TSN 0	10000		7423:48	
WC#: 71.020	AFL	0		TSN 0				
PROC. REF: AMM 71-22-00PROC. REF: AMM 71-22-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-30-01	NO. 1 ENGINE - ENGINE OIL CHIP DETECTOR - MAINTENANCE PRACTICES (AIRPLANES -5071 AND ON)							Service ATA:71
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-30-01	NO. 2 ENGINE - ENGINE OIL CHIP DETECTOR - MAINTENANCE PRACTICES (AIRPLANES -5071 AND ON)							Service ATA:71
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-51-00-2	NO. 1 ENGINE - ENGINE ELECTRICAL HARNESS - MAINTENANCE PRACTICES							Service ATA:71
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-51-00-2	NO. 2 ENGINE - ENGINE ELECTRICAL HARNESS - MAINTENANCE PRACTICES							Service ATA:71
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-71-00-2100 ^S	ENGINE DRAINS GENERAL VISUAL INSPECTION							Service ATA:71
	MOS	31-Mar-25						
	HRS	2152:04	2400 (+25/-25)					
	AFL	1404						
PROC. REF: AMM 71-71-00PROC. REF: AMM 71-71-00								PKG:515
712005	ENG VIBRATION MONITOR-							Component ATA:71
PN:2789	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:111956	HRS	0		TSN 0				
WC#: 71.060	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71EN1	NO. 1 ENGINE							Component ATA:71
PN:30J2934-01	MOS/MSC	21-Sep-20	E/C					
SN:PCE-DF0599	HRS							
WC#: 71.EN1	AFL							
71EN2 NO. 2 ENGINE								
PN:30J2934-01	MOS/MSC	21-Sep-20	E/C					Component ATA:71
SN:PCE-DF0598	HRS							
WC#: 71.EN2	AFL							
ATA 72 - ENGINE								
72-00-00	NO. 1 ENGINE - BORESCOPE INSPECTION							Service ATA:72
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
72-00-00	NO. 1 ENGINE - HOT SECTION INSPECTION (HSI)							Service ATA:72
	MOS	17-Dec-20						
	HRS	0	2750 (+50)		(2750) 2750	2800	173:48 (+50)	
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
72-00-00	NO. 2 ENGINE - BORESCOPE INSPECTION							Service ATA:72
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00	NO. 2 ENGINE - HOT SECTION INSPECTION (HSI)							Service ATA:72
	MOS	17-Dec-20						
	HRS	0	2750 (+50)		(2750) 2750	2800	173:48 (+50)	
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
72-31-00-201	NO. 1 ENGINE - LP COMPRESSOR SECTION - ENGINE MOUNT GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY AND CONDITION OF THE ENGINE MOUNT							Service ATA:72
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: EMM 70-00-00PROC. REF: EMM 70-00-00								
72-31-00-201	NO. 2 ENGINE - LP COMPRESSOR SECTION - ENGINE MOUNT GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY AND CONDITION OF THE ENGINE MOUNT							Service ATA:72
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: EMM 70-00-00PROC. REF: EMM 70-00-00								
72-31-00-202	NO. 1 ENGINE - LP COMPRESSOR SECTION - EXTERNAL ENGINE GENERAL VISUAL INSPECTION: DO AN INSPECTION FOR FUEL AND OIL LEAKS, CORROSION, CRACKS AND SIGNS OF DAMAGE							Service ATA:72
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: EMM 70-00-00PROC. REF: EMM 70-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-31-00-202	NO. 2 ENGINE - LP COMPRESSOR SECTION - EXTERNAL ENGINE GENERAL VISUAL INSPECTION: DO AN INSPECTION FOR FUEL AND OIL LEAKS, CORROSION, CRACKS AND SIGNS OF DAMAGE							Service ATA:72
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: EMM 70-00-00PROC. REF: EMM 70-00-00								PKG:2
72-31-00-203	NO. 1 ENGINE - BLEED VALVE SEAT ON THE INTERMEDIATE CASE AND MAIN INTERMEDIATE CASE FLANGES (BOREScope WHERE REQUIRED)							Service ATA:72
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 70-00-00, EMM 72-30-02PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 70-00-00, EMM 72-30-02								
72-31-00-203	NO. 1 ENGINE - EXTREME ENVIRONMENT INSPECTION - TREAT FOR CORROSION AS REQUIRED (MAGNESIUM CORROSION TREATMENT)							Service ATA:72
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 70-00-00, EMM 72-30-02PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 70-00-00, EMM 72-30-02								
72-31-00-203	NO. 1 ENGINE - LP COMPRESSOR SECTION - COMPRESSOR INLET GENERAL VISUAL INSPECTION: DO AN INSPECTION OF THE ABRADABLE FAN SEAL FOR DAMAGE							Service ATA:72
	MOS/MSC	17-Dec-20	PR/C					
	HRS	0						
	ENC	0						
PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 70-00-00, EMM 72-30-02PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 70-00-00, EMM 72-30-02								PKG:2
72-31-00-203	NO. 1 ENGINE - LP COMPRESSOR SECTION - COMPRESSOR INLET GENERAL VISUAL INSPECTION: DO AN INSPECTION OF THE COMPRESSOR INLET FAN, FAN EXIT STATOR VANES FOR CLEANLINESS							Service ATA:72
	MOS/MSC	17-Dec-20	PR/C					
	HRS	0						
	ENC	0						
PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 70-00-00, EMM 72-30-02PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 70-00-00, EMM 72-30-02								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-31-00-203	NO. 1 ENGINE - LP COMPRESSOR SECTION - COMPRESSOR INLET GENERAL VISUAL INSPECTION: DO AN INSPECTION OF THE COMPRESSOR INLET FAN, FAN EXIT STATOR VANES FOR DAMAGE, CORROSION, EROSION AND FOD							Service ATA:72
	MOS/MSC	17-Dec-20	PR/C					
	HRS	0						
	ENC	0						
								PKG:2
PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 70-00-00, EMM 72-30-02PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 70-00-00, EMM 72-30-02								
72-31-00-203	NO. 1 ENGINE - LP COMPRESSOR SECTION - EXAMINE THE BOTTOM CENTER AREA OF THE FAN CASE FOR ICE. MAKE SURE THAT THE FAN TURNS FREELY							Service ATA:72
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
								PKG:2
PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 70-00-00, EMM 72-30-02PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 70-00-00, EMM 72-30-02								
72-31-00-203	NO. 2 ENGINE - BLEED VALVE SEAT ON THE INTERMEDIATE CASE AND MAIN INTERMEDIATE CASE FLANGES (BORESCOPE WHERE REQUIRED)							Service ATA:72
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
								PKG:2
PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 70-00-00, EMM 72-30-02PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 70-00-00, EMM 72-30-02								
72-31-00-203	NO. 2 ENGINE - EXTREME ENVIRONMENT INSPECTION - TREAT FOR CORROSION AS REQUIRED (MAGNESIUM CORROSION TREATMENT)							Service ATA:72
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
								PKG:2
PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 70-00-00, EMM 72-30-02PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 70-00-00, EMM 72-30-02								
72-31-00-203	NO. 2 ENGINE - LP COMPRESSOR SECTION - COMPRESSOR INLET GENERAL VISUAL INSPECTION: DO AN INSPECTION OF THE ABRADABLE FAN SEAL FOR DAMAGE							Service ATA:72
	MOS/MSC	17-Dec-20	PR/C					
	HRS	0						
	ENC	0						
								PKG:2
PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 70-00-00, EMM 72-30-02PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 70-00-00, EMM 72-30-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-31-00-203	NO. 2 ENGINE - LP COMPRESSOR SECTION - COMPRESSOR INLET GENERAL VISUAL INSPECTION: DO AN INSPECTION OF THE COMPRESSOR INLET FAN, FAN EXIT STATOR VANES FOR CLEANLINESS							Service ATA:72
	MOS/MSC	17-Dec-20	PR/C					
	HRS	0						
	ENC	0						
PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 70-00-00, EMM 72-30-02PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 70-00-00, EMM 72-30-02								PKG:2
72-31-00-203	NO. 2 ENGINE - LP COMPRESSOR SECTION - COMPRESSOR INLET GENERAL VISUAL INSPECTION: DO AN INSPECTION OF THE COMPRESSOR INLET FAN, FAN EXIT STATOR VANES FOR DAMAGE, CORROSION, EROSION AND FOD							Service ATA:72
	MOS/MSC	17-Dec-20	PR/C					
	HRS	0						
	ENC	0						
PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 70-00-00, EMM 72-30-02PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 70-00-00, EMM 72-30-02								PKG:2
72-31-00-203	NO. 2 ENGINE - LP COMPRESSOR SECTION - EXAMINE THE BOTTOM CENTER AREA OF THE FAN CASE FOR ICE. MAKE SURE THAT THE FAN TURNS FREELY							Service ATA:72
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 70-00-00, EMM 72-30-02PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 70-00-00, EMM 72-30-02								
72-31-00-901	NO. 1 ENGINE - LP COMPRESSOR SECTION - LOW PRESSURE COMPRESSOR SECTION (ENGINE TBO) RESTORATION							Service ATA:72
	MOS	17-Dec-20						
	HRS	0	5000 (+25/-25)		(5000) 5000	5025	2423:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-31-00-901	NO. 2 ENGINE - LP COMPRESSOR SECTION - LOW PRESSURE COMPRESSOR SECTION (ENGINE TBO) RESTORATION							Service ATA:72
	MOS	17-Dec-20						
	HRS	0	5000 (+25/-25)		(5000) 5000	5025	2423:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-32-00-201	NO. 1 ENGINE - HP COMPRESSOR SECTION - COMPRESSOR SECTION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:72
	MOS	17-Dec-20						
	HRS	0	2750 (+25/-25)		(2750) 2750	2775	173:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-32-00-201	NO. 2 ENGINE - HP COMPRESSOR SECTION - COMPRESSOR SECTION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:72
	MOS	17-Dec-20						
	HRS	0	2750 (+25/-25)		(2750) 2750	2775	173:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-32-00-901	NO. 1 ENGINE - HP COMPRESSOR SECTION - HIGH PRESSURE COMPRESSOR SECTION (ENGINE TBO) RESTORATION							Service ATA:72
	MOS	17-Dec-20						
	HRS	0	5000 (+25/-25)		(5000) 5000	5025	2423:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-32-00-901	NO. 2 ENGINE - HP COMPRESSOR SECTION - HIGH PRESSURE COMPRESSOR SECTION (ENGINE TBO) RESTORATION							Service ATA:72
	MOS	17-Dec-20						
	HRS	0	5000 (+25/-25)		(5000) 5000	5025	2423:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-40-00-201	NO. 1 ENGINE - COMBUSTION SECTION - COMBUSTION SECTION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:72
	MOS	17-Dec-20						
	HRS	0	2750 (+25/-25)		(2750) 2750	2775	173:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-40-00-201	NO. 2 ENGINE - COMBUSTION SECTION - COMBUSTION SECTION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:72
	MOS	17-Dec-20						
	HRS	0	2750 (+25/-25)		(2750) 2750	2775	173:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-40-00-901	NO. 1 ENGINE - COMBUSTION SECTION -COMBUSTION SECTION (ENGINE TBO) RESTORATION							Service ATA:72
	MOS	17-Dec-20						
	HRS	0	5000 (+25/-25)		(5000) 5000	5025	2423:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-40-00-901	NO. 2 ENGINE - COMBUSTION SECTION -COMBUSTION SECTION (ENGINE TBO) RESTORATION							Service ATA:72
	MOS	17-Dec-20						
	HRS	0	5000 (+25/-25)		(5000) 5000	5025	2423:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-50-00-201	NO. 1 ENGINE - TURBINE SECTION - TURBINE SECTION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:72
	MOS	17-Dec-20						
	HRS	0	2750 (+25/-25)		(2750) 2750	2775	173:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-50-00-201	NO. 2 ENGINE - TURBINE SECTION - TURBINE SECTION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:72
	MOS	17-Dec-20						
	HRS	0	2750 (+25/-25)		(2750) 2750	2775	173:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-50-00-701	NO. 1 ENGINE - TURBINE SECTION - PERFORMANCE CALIBRATION (5-POINT RUN) FUNCTIONAL CHECK: DO A PERFORMANCE CALIBRATION CHECK AND COMPARE WITH PREVIOUS 5-POINT PERFORMANCE CALIBRATION							Service ATA:72
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-50-00-701	NO. 2 ENGINE - TURBINE SECTION - PERFORMANCE CALIBRATION (5-POINT RUN) FUNCTIONAL CHECK: DO A PERFORMANCE CALIBRATION CHECK AND COMPARE WITH PREVIOUS 5-POINT PERFORMANCE CALIBRATION							Service ATA:72
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-50-00-901	NO. 1 ENGINE - TURBINE SECTION - DISCARD THE HPT NUT AND KEYWASHER							Service ATA:72
	MOS	EFF						
	HRS	EFF	5000 (+25/-25)		(5000) 5000 *	5025	2423:48 (+25)	
	ENC							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-50-00-901	NO. 1 ENGINE - TURBINE SECTION - TURBINE SECTION (ENGINE TBO) RESTORATION							Service ATA:72
	MOS	17-Dec-20						
	HRS	0	5000 (+25/-25)		(5000) 5000	5025	2423:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-50-00-901	NO. 2 ENGINE - TURBINE SECTION - DISCARD THE HPT NUT AND KEYWASHER							Service ATA:72
	MOS	EFF						
	HRS	EFF	5000 (+25/-25)		(5000) 5000 *	5025	2423:48 (+25)	
	ENC							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-50-00-901	NO. 2 ENGINE - TURBINE SECTION - TURBINE SECTION (ENGINE TBO) RESTORATION							Service ATA:72
	MOS	17-Dec-20						
	HRS	0	5000 (+25/-25)		(5000) 5000	5025	2423:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-60-00-201	NO. 1 ENGINE - ACCESSORY GEARBOX - ENGINE ACCESSORY GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY OF INSTALLATION AND GENERAL CONDITION OF ACCESSORIES AND GEARBOX							Service ATA:72
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PKG:2								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-60-00-201	NO. 2 ENGINE - ACCESSORY GEARBOX - ENGINE ACCESSORY GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY OF INSTALLATION AND GENERAL CONDITION OF ACCESSORIES AND GEARBOX							Service ATA:72
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PKG:2								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-60-00-901	NO. 1 ENGINE - ACCESSORY GEARBOX - ACCESSORY GEARBOX (ENGINE TBO) RESTORATION							Service ATA:72
	MOS	17-Dec-20						
	HRS	0	5000 (+25/-25)		(5000) 5000	5025	2423:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-60-00-901	NO. 2 ENGINE - ACCESSORY GEARBOX - ACCESSORY GEARBOX (ENGINE TBO) RESTORATION							Service ATA:72
	MOS	17-Dec-20						
	HRS	0	5000 (+25/-25)		(5000) 5000	5025	2423:48 (+25)	
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-00-201	NO. 1 ENGINE - BYPASS SECTION - BYPASS DUCTS AND FAIRINGS GENERAL VISUAL INSPECTION: DO A CHECK FOR CLEANLINESS AND FOD. DO AN INSPECTION FOR CRACKS IN THE OUTER BYPASS DUCT, REAR BYPASS DUCT, STRUTS AND FAIRING.							Service ATA:72
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: EMM 72-70-01PROC. REF: EMM 72-70-01								PKG:2
72-70-00-201	NO. 2 ENGINE - BYPASS SECTION - BYPASS DUCTS AND FAIRINGS GENERAL VISUAL INSPECTION: DO A CHECK FOR CLEANLINESS AND FOD. DO AN INSPECTION FOR CRACKS IN THE OUTER BYPASS DUCT, REAR BYPASS DUCT, STRUTS AND FAIRING.							Service ATA:72
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: EMM 72-70-01PROC. REF: EMM 72-70-01								PKG:2
72-70-00-202	NO. 1 ENGINE - BYPASS SECTION - BYPASS SECTION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:72
	MOS	17-Dec-20						
	HRS	0	2750 (+25/-25)		(2750) 2750	2775	173:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-00-202	NO. 2 ENGINE - BYPASS SECTION - BYPASS SECTION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:72
	MOS	17-Dec-20						
	HRS	0	2750 (+25/-25)		(2750) 2750	2775	173:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-70-00-901	NO. 1 ENGINE - BYPASS SECTION - BYPASS SECTION (ENGINE TBO) RESTORATION							Service ATA:72
	MOS	17-Dec-20						
	HRS	0	5000 (+25/-25)		(5000) 5000	5025	2423:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-70-00-901	NO. 2 ENGINE - BYPASS SECTION - BYPASS SECTION (ENGINE TBO) RESTORATION							Service ATA:72
	MOS	17-Dec-20						
	HRS	0	5000 (+25/-25)		(5000) 5000	5025	2423:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720001	NO. 1 ENGINE - ENGINE PRESERVATION - 1 TO 7 DAYS							Service ATA:72
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720001	NO. 2 ENGINE - ENGINE PRESERVATION - 1 TO 7 DAYS							Service ATA:72
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720002	NO. 1 ENGINE - ENGINE PRESERVATION - 8 TO 28 DAYS							Service ATA:72
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720002	NO. 2 ENGINE - ENGINE PRESERVATION - 8 TO 28 DAYS							Service ATA:72
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720003	NO. 1 ENGINE - ENGINE PRESERVATION - 29 TO 90 DAYS							Service ATA:72
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720003	NO. 2 ENGINE - ENGINE PRESERVATION - 29 TO 90 DAYS							Service ATA:72
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720004	NO. 1 ENGINE - ENGINE PRESERVATION - 91 DAYS AND OVER							Service ATA:72
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720004	NO. 2 ENGINE - ENGINE PRESERVATION - 91 DAYS AND OVER							Service ATA:72
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720005	NO. 1 ENGINE - ENGINE DEPRESERVATION							Service ATA:72
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720005	NO. 2 ENGINE - ENGINE DEPRESERVATION							Service ATA:72
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720006	NO. 1 ENGINE - REGULAR OPERATION AS ALTERNATIVE TO PRESERVATION OF INACTIVE ENGINES							Service ATA:72
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720006	NO. 2 ENGINE - REGULAR OPERATION AS ALTERNATIVE TO PRESERVATION OF INACTIVE ENGINES							Service ATA:72
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720020	NO. 1 ENGINE - CHECK TIME LIMITED DISPATCH ANNUNCIATIONS							Service ATA:72
	MOS	12-Nov-25						
	HRS	2544:52	150 (+20)		(2694:52) 2694:52	2714:52	118:40 (+20)	
	ENC	1649						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
720020	NO. 2 ENGINE - CHECK TIME LIMITED DISPATCH ANNUNCIATIONS							Service ATA:72
	MOS	12-Nov-25						
	HRS	2544:52	150 (+20)		(2694:52) 2694:52	2714:52	118:40 (+20)	
	ENC	1649						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
721010	NO. 1 ENGINE - ACCESSORY GEARBOX SHAFT							Component ATA:72
PN:30J2937-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:PKAAA843615	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
721010	NO. 2 ENGINE - ACCESSORY GEARBOX SHAFT							Component ATA:72
PN:30J2937-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:PKAAA854134	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722001	NO. 1 ENGINE - OIL PUMP ASSEMBLY							Component ATA:72
PN:30J3365-03	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:EC01A006A653	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 79-20-02PROC. REF: EMM 79-20-02								
722001	NO. 2 ENGINE - OIL PUMP ASSEMBLY							Component ATA:72
PN:30J3365-03	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:EC01A006A646	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 79-20-02PROC. REF: EMM 79-20-02								
723000	NO. 1 ENGINE - LP COMPRESSOR SHAFT							Component ATA:72
PN:30J3206-01	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:PKAAA854713	HRS	0		TSN 0				
	ENC	0		TSN 0	(20000) 20000 (M)		18334	
	ACCCYC	0	20000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723000	NO. 2 ENGINE - LP COMPRESSOR SHAFT							Component ATA:72
PN:30J3206-01	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:PKAAA854708	HRS	0		TSN 0				
	ENC	0		TSN 0	(20000) 20000 (M)		18334	
	ACCCYC	0	20000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL: 1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723010	NO. 1 ENGINE - LP COMPRESSOR FAN ROTOR							Component ATA:72
PN:30J2921-01	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:A004NYNB	HRS	0		TSN 0				
	ENC	0		TSN 0	(10000) 10000 (M)		8334	
	ACCCYC	0	10000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723010	NO. 2 ENGINE - LP COMPRESSOR FAN ROTOR							Component ATA:72
PN:30J2921-01	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:A004NN9F	HRS	0		TSN 0				
	ENC	0		TSN 0	(10000) 10000 (M)		8334	
	ACCCYC	0	10000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723020	NO. 1 ENGINE - LP COMPRESSOR BOOST ROTOR							Component ATA:72
PN:30J2210-01	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:A004AH44	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		11834	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723020	NO. 2 ENGINE - LP COMPRESSOR BOOST ROTOR							Component ATA:72
PN:30J2210-01	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:A004NBH7	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		11834	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL: 1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723030	NO. 1 ENGINE - 1ST STAGE HP COMPRESSOR ROTOR							Component ATA:72
PN:30J2821-01	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:A004KTP1	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		11834	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723030	NO. 2 ENGINE - 1ST STAGE HP COMPRESSOR ROTOR							Component ATA:72
PN:30J2821-01	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:A004KTPR	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		11834	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723040	NO. 1 ENGINE - 2ND STAGE HP COMPRESSOR ROTOR							Component ATA:72
PN:30J2429-01	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:EAAE000Y201	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		11834	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723040	NO. 2 ENGINE - 2ND STAGE HP COMPRESSOR ROTOR							Component ATA:72
PN:30J2429-01	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:EAAE000Y132	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		11834	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723050	NO. 1 ENGINE - HP TURBINE AIR SEAL							Component ATA:72
PN:30J4164	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:ECB8551	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL: 1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723050	NO. 2 ENGINE - HP TURBINE AIR SEAL							Component ATA:72
PN:30J4164	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:ECB8853	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723060	NO. 1 ENGINE - CENTRIFUGAL IMPELLER							Component ATA:72
PN:30J1450-01	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:A004FFAW	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		11834	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723060	NO. 2 ENGINE - CENTRIFUGAL IMPELLER							Component ATA:72
PN:30J1450-01	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:A004NBP2	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		11834	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723101	NO. 1 ENGINE - FAN CASE ASSEMBLY							Component ATA:72
PN:30J3460-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:BDA33014396	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-30-02PROC. REF: EMM 72-30-02								
723101	NO. 2 ENGINE - FAN CASE ASSEMBLY							Component ATA:72
PN:30J3460-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:BDA33014392	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-30-02PROC. REF: EMM 72-30-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723102	NO. 1 ENGINE - INTERMEDIATE CASE ASSEMBLY							Component ATA:72
PN:30J3740-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:A004MPYK	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723102	NO. 2 ENGINE - INTERMEDIATE CASE ASSEMBLY							Component ATA:72
PN:30J3740-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:A004M70P	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723211	NO. 1 ENGINE - NO. 1 FLANGED ROLLER BEARING							Component ATA:72
PN:30J3209-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:AEB0319124	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723211	NO. 2 ENGINE - NO. 1 FLANGED ROLLER BEARING							Component ATA:72
PN:30J3209-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:AEB0319125	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723212	NO. 1 ENGINE - NO. 2 FLANGED ROLLER BEARING							Component ATA:72
PN:30J3209-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:AEB0319128	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723212	NO. 2 ENGINE - NO. 2 FLANGED ROLLER BEARING							Component ATA:72
PN:30J3209-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:AEB0319133	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723213	NO. 1 ENGINE - NO. 3 FLANGED ROLLER BEARING							Component ATA:72
PN:30J3209-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:AEB0319129	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723213	NO. 2 ENGINE - NO. 3 FLANGED ROLLER BEARING							Component ATA:72
PN:30J3209-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:AEB0319135	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723214	NO. 1 ENGINE - NO. 4 FLANGED ROLLER BEARING							Component ATA:72
PN:30J3209-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:AEB0319130	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723214	NO. 2 ENGINE - NO. 4 FLANGED ROLLER BEARING							Component ATA:72
PN:30J3209-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:AEB0320265	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723215	NO. 1 ENGINE - NO. 5 FLANGED ROLLER BEARING							Component ATA:72
PN:30J3209-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:AEB0319136	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723215	NO. 2 ENGINE - NO. 5 FLANGED ROLLER BEARING							Component ATA:72
PN:30J3209-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:AEB0324682	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723216	NO. 1 ENGINE - NO. 6 FLANGED ROLLER BEARING							Component ATA:72
PN:30J3209-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:AEB0324690	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723216	NO. 2 ENGINE - NO. 6 FLANGED ROLLER BEARING							Component ATA:72
PN:30J3209-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:AEB0324683	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723220	NO. 1 ENGINE - NO. 1 ANNULAR BALL BEARING							Component ATA:72
PN:31J2816-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:FCN520767	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723220	NO. 2 ENGINE - NO. 1 ANNULAR BALL BEARING							Component ATA:72
PN:31J2816-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:FCN520768	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723221	NO. 1 ENGINE - NO. 2 ANNULAR BALL BEARING							Component ATA:72
PN:31J2322-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:FCN528935	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723221	NO. 2 ENGINE - NO. 2 ANNULAR BALL BEARING							Component ATA:72
PN:31J2322-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:FCN528941	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723225	NO. 1 ENGINE - NO. 5 CYLINDRICAL ROLLER BEARING							Component ATA:72
PN:31J2552-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:FCN518891	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723225	NO. 2 ENGINE - NO. 5 CYLINDRICAL ROLLER BEARING							Component ATA:72
PN:31J2552-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:FCN518900	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723230	NO. 1 ENGINE - GAS GENERATOR CASE ASSEMBLY							Component ATA:72
PN:30J3519-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:RWA94F124	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723230	NO. 2 ENGINE - GAS GENERATOR CASE ASSEMBLY							Component ATA:72
PN:30J3519-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:RWA86F706	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723240	NO. 1 ENGINE - GAS GENERATOR DIFFUSER SET							Component ATA:72
PN:30J2801-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:A004P0C7	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-30-05PROC. REF: EMM 72-30-05								
723240	NO. 2 ENGINE - GAS GENERATOR DIFFUSER SET							Component ATA:72
PN:30J2801-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:A004NPN4	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-30-05PROC. REF: EMM 72-30-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723250	NO. 1 ENGINE - HIGH PRESSURE TURBINE ROTOR SEAL							Component ATA:72
PN:30J3652-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:PKAAA819471	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723250	NO. 2 ENGINE - HIGH PRESSURE TURBINE ROTOR SEAL							Component ATA:72
PN:30J3652-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:PKAAA832583	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723255	NO. 1 ENGINE - HIGH PRESSURE COMPRESSOR SHAFT							Component ATA:72
PN:30J2997-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:EAAE000T069	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723255	NO. 2 ENGINE - HIGH PRESSURE COMPRESSOR SHAFT							Component ATA:72
PN:30J2997-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:EAAE000N702	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723260	NO. 1 ENGINE - NO. 3 ANNULAR BALL BEARING							Component ATA:72
PN:31J1272-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:FCN529482	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723260	NO. 2 ENGINE - NO. 3 ANNULAR BALL BEARING							Component ATA:72
PN:31J1272-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:FCN529480	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723265	NO. 1 ENGINE - NO. 3 BEARING SEAL RUNNER							Component ATA:72
PN:31J2757-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:AFD01E595	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723265	NO. 2 ENGINE - NO. 3 BEARING SEAL RUNNER							Component ATA:72
PN:31J2757-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:AFD01E592	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723270	NO. 1 ENGINE - GEARBOX DRIVE SPIRAL BEVEL GEARSHAFT							Component ATA:72
PN:31J1654-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:PKAAA869810	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723270	NO. 2 ENGINE - GEARBOX DRIVE SPIRAL BEVEL GEARSHAFT							Component ATA:72
PN:31J1654-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:PKAAA846948	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723360	NO. 1 ENGINE - FRONT NO.4 BEARING SEAL RUNNER							Component ATA:72
PN:30J3651-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:MDA19010967	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-30-05PROC. REF: EMM 72-30-05								
723360	NO. 2 ENGINE - FRONT NO.4 BEARING SEAL RUNNER							Component ATA:72
PN:30J3651-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:MDA19010948	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-30-05PROC. REF: EMM 72-30-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723365	NO. 1 ENGINE - REAR NO.4 BEARING SEAL RUNNER							Component ATA:72
PN:30J3653-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:MDA19006945	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-30-05PROC. REF: EMM 72-30-05								
723365	NO. 2 ENGINE - REAR NO.4 BEARING SEAL RUNNER							Component ATA:72
PN:30J3653-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:MDA19006936	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-30-05PROC. REF: EMM 72-30-05								
724001	NO. 1 ENGINE - INNER COMBUSTION CHAMBER LINER							Component ATA:72
PN:30J3782-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:A004NNDT	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
724001	NO. 1 ENGINE - OUTER COMBUSTION CHAMBER LINER							Component ATA:72
PN:30J3746-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:A004NBLE	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
724001	NO. 2 ENGINE - INNER COMBUSTION CHAMBER LINER							Component ATA:72
PN:30J3782-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:A004M89M	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
724001	NO. 2 ENGINE - OUTER COMBUSTION CHAMBER LINER							Component ATA:72
PN:30J3746-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:A004NB7A	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
724020	NO. 1 ENGINE - HPT VANE RING							Component ATA:72
PN:30J2431CL02	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:PDAM7MKL01	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-40-01PROC. REF: EMM 72-40-01								
724020	NO. 2 ENGINE - HPT VANE RING							Component ATA:72
PN:30J2431CL02	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:PDAM7KWU01	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-40-01PROC. REF: EMM 72-40-01								
724030	NO. 1 ENGINE - CASE ASSEMBLY, TURBINE							Component ATA:72
PN:31H3148-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:MAP46515	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
724030	NO. 2 ENGINE - CASE ASSEMBLY, TURBINE							Component ATA:72
PN:31H3148-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:MAP43261	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - 1ST-STAGE TURBINE DISK							Component ATA:72
PN:30J3461-01	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:A004NBHA	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		11834	
	ACCCYC	0	13500	TSN 0				
PROC. REF: EMM 72-50-01PROC. REF: EMM 72-50-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725010	NO. 2 ENGINE - 1ST-STAGE TURBINE DISK							Component ATA:72
PN:30J3461-01	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:A004NBH8	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		11834	
	ACCCYC	0	13500	TSN 0				
PROC. REF: EMM 72-50-01PROC. REF: EMM 72-50-01								
725020	NO. 1 ENGINE - 2ND-STAGE TURBINE DISK							Component ATA:72
PN:30H3172	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:ABT06622	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		11834	
	ACCCYC	0	13500	TSN 0				
PROC. REF: EMM 72-50-01PROC. REF: EMM 72-50-01								
725020	NO. 2 ENGINE - 2ND-STAGE TURBINE DISK							Component ATA:72
PN:30H3172	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:ABT06624	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		11834	
	ACCCYC	0	13500	TSN 0				
PROC. REF: EMM 72-50-01PROC. REF: EMM 72-50-01								
725030	NO. 1 ENGINE - 3RD-STAGE TURBINE DISK							Component ATA:72
PN:30H3173	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:ABT05560	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		11834	
	ACCCYC	0	13500	TSN 0				
PROC. REF: EMM 72-50-01PROC. REF: EMM 72-50-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL: 1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725030	NO. 2 ENGINE - 3RD-STAGE TURBINE DISK							Component ATA:72
PN:30H3173	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:ABT05562	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		11834	
	ACCCYC	0	13500	TSN 0				
PROC. REF: EMM 72-50-01PROC. REF: EMM 72-50-01								
725040	NO. 1 ENGINE - 4TH-STAGE TURBINE DISK							Component ATA:72
PN:30H3174	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:ABT06376	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		11834	
	ACCCYC	0	13500	TSN 0				
PROC. REF: EMM 72-50-01PROC. REF: EMM 72-50-01								
725040	NO. 2 ENGINE - 4TH-STAGE TURBINE DISK							Component ATA:72
PN:30H3174	MOS	17-Dec-20		TSN 0				LIFE LIMIT
SN:ABT06544	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		11834	
	ACCCYC	0	13500	TSN 0				
PROC. REF: EMM 72-50-01PROC. REF: EMM 72-50-01								
725050-01	NO. 1 ENGINE - NO. 1 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYA9310	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-01	NO. 2 ENGINE - NO. 1 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYA9199	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050-02	NO. 1 ENGINE - NO. 2 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYA9531	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-02	NO. 2 ENGINE - NO. 2 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYA9201	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-03	NO. 1 ENGINE - NO. 3 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYA9993	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-03	NO. 2 ENGINE - NO. 3 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYA9290	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-04	NO. 1 ENGINE - NO. 4 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYA9994	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-04	NO. 2 ENGINE - NO. 4 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYA9304	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050-05	NO. 1 ENGINE - NO. 5 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYA9996	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-05	NO. 2 ENGINE - NO. 5 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYA9315	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-06	NO. 1 ENGINE - NO. 6 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB0011	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-06	NO. 2 ENGINE - NO. 6 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYA9519	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-07	NO. 1 ENGINE - NO. 7 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB0018	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-07	NO. 2 ENGINE - NO. 7 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYA9671	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050-08	NO. 1 ENGINE - NO. 8 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB0449	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-08	NO. 2 ENGINE - NO. 8 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYA9804	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-09	NO. 1 ENGINE - NO. 9 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB0459	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-09	NO. 2 ENGINE - NO. 9 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYA9812	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-10	NO. 1 ENGINE - NO. 10 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB4054	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-10	NO. 2 ENGINE - NO. 10 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB3542	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050-11	NO. 1 ENGINE - NO. 11 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB4138	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-11	NO. 2 ENGINE - NO. 11 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB3545	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-12	NO. 1 ENGINE - NO. 12 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB4387	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-12	NO. 2 ENGINE - NO. 12 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB3547	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-13	NO. 1 ENGINE - NO. 13 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB4437	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-13	NO. 2 ENGINE - NO. 13 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB3556	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050-14	NO. 1 ENGINE - NO. 14 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB4440	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-14	NO. 2 ENGINE - NO. 14 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB4136	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-15	NO. 1 ENGINE - NO. 15 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB4447	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-15	NO. 2 ENGINE - NO. 15 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB4156	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-16	NO. 1 ENGINE - NO. 16 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB4731	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-16	NO. 2 ENGINE - NO. 16 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB4159	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050-17	NO. 1 ENGINE - NO. 17 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB5781	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-17	NO. 2 ENGINE - NO. 17 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB4293	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-18	NO. 1 ENGINE - NO. 18 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB5792	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-18	NO. 2 ENGINE - NO. 18 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB4713	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-19	NO. 1 ENGINE - NO. 19 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB7107	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-19	NO. 2 ENGINE - NO. 19 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB5767	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050-20	NO. 1 ENGINE - NO. 20 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB7114	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-20	NO. 2 ENGINE - NO. 20 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB5776	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-21	NO. 1 ENGINE - NO. 21 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB7118	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-21	NO. 2 ENGINE - NO. 21 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB6964	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-22	NO. 1 ENGINE - NO. 22 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB7120	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-22	NO. 2 ENGINE - NO. 22 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB7001	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050-23	NO. 1 ENGINE - NO. 23 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB7128	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-23	NO. 2 ENGINE - NO. 23 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB7012	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-24	NO. 1 ENGINE - NO. 24 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB7497	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-24	NO. 2 ENGINE - NO. 24 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB7326	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-25	NO. 1 ENGINE - NO. 25 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB7709	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-25	NO. 2 ENGINE - NO. 25 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB7434	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050-26	NO. 1 ENGINE - NO. 26 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB7713	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-26	NO. 2 ENGINE - NO. 26 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB7447	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-27	NO. 1 ENGINE - NO. 27 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYC7603	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-27	NO. 2 ENGINE - NO. 27 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB7461	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-28	NO. 1 ENGINE - NO. 28 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYC7687	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-28	NO. 2 ENGINE - NO. 28 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB7520	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050-29	NO. 1 ENGINE - NO. 29 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYC8185	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-29	NO. 2 ENGINE - NO. 29 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYB7521	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-30	NO. 1 ENGINE - NO. 30 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYC8278	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-30	NO. 2 ENGINE - NO. 30 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYC7661	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-31	NO. 1 ENGINE - NO. 31 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0161	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-31	NO. 2 ENGINE - NO. 31 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYC7667	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050-32	NO. 1 ENGINE - NO. 32 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0174	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-32	NO. 2 ENGINE - NO. 32 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYC7749	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-33	NO. 1 ENGINE - NO. 33 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0285	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-33	NO. 2 ENGINE - NO. 33 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYC7755	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-34	NO. 1 ENGINE - NO. 34 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0288	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-34	NO. 2 ENGINE - NO. 34 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYC7756	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050-35	NO. 1 ENGINE - NO. 35 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0293	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-35	NO. 2 ENGINE - NO. 35 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYC7757	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-36	NO. 1 ENGINE - NO. 36 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0295	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-36	NO. 2 ENGINE - NO. 36 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYC7759	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-37	NO. 1 ENGINE - NO. 37 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0300	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-37	NO. 2 ENGINE - NO. 37 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYC7763	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050-38	NO. 1 ENGINE - NO. 38 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0303	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-38	NO. 2 ENGINE - NO. 38 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYC7770	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-39	NO. 1 ENGINE - NO. 39 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0318	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-39	NO. 2 ENGINE - NO. 39 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYC7774	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-40	NO. 1 ENGINE - NO. 40 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0319	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-40	NO. 2 ENGINE - NO. 40 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYC7872	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050-41	NO. 1 ENGINE - NO. 41 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0326	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-41	NO. 2 ENGINE - NO. 41 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYC7887	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-42	NO. 1 ENGINE - NO. 42 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0328	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-42	NO. 2 ENGINE - NO. 42 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYC8031	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-43	NO. 1 ENGINE - NO. 43 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0330	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-43	NO. 2 ENGINE - NO. 43 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYC8054	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050-44	NO. 1 ENGINE - NO. 44 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0448	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-44	NO. 2 ENGINE - NO. 44 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYC8207	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-45	NO. 1 ENGINE - NO. 45 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0454	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-45	NO. 2 ENGINE - NO. 45 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYC8241	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-46	NO. 1 ENGINE - NO. 46 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0455	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-46	NO. 2 ENGINE - NO. 46 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0310	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050-47	NO. 1 ENGINE - NO. 47 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0535	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-47	NO. 2 ENGINE - NO. 47 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0332	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-48	NO. 1 ENGINE - NO. 48 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0536	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-48	NO. 2 ENGINE - NO. 48 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0442	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-49	NO. 1 ENGINE - NO. 49 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0537	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-49	NO. 2 ENGINE - NO. 49 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0541	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050-50	NO. 1 ENGINE - NO. 50 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0548	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-50	NO. 2 ENGINE - NO. 50 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0645	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-51	NO. 1 ENGINE - NO. 51 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0551	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-51	NO. 2 ENGINE - NO. 51 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0860	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-52	NO. 1 ENGINE - NO. 52 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0558	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-52	NO. 2 ENGINE - NO. 52 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD1550	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050-53	NO. 1 ENGINE - NO. 53 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0559	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-53	NO. 2 ENGINE - NO. 53 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD1561	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-54	NO. 1 ENGINE - NO. 54 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0646	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-54	NO. 2 ENGINE - NO. 54 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD1571	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-55	NO. 1 ENGINE - NO. 55 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0659	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-55	NO. 2 ENGINE - NO. 55 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD1573	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050-56	NO. 1 ENGINE - NO. 56 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0740	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-56	NO. 2 ENGINE - NO. 56 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD1575	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-57	NO. 1 ENGINE - NO. 57 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0745	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-57	NO. 2 ENGINE - NO. 57 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD1777	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-58	NO. 1 ENGINE - NO. 58 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0746	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-58	NO. 2 ENGINE - NO. 58 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD1789	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050-59	NO. 1 ENGINE - NO. 59 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0749	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-59	NO. 2 ENGINE - NO. 59 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD1791	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-60	NO. 1 ENGINE - NO. 60 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0750	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-60	NO. 2 ENGINE - NO. 60 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD1798	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-61	NO. 1 ENGINE - HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0752	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-61	NO. 2 ENGINE - HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD1814	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050-62	NO. 1 ENGINE - HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0756	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-62	NO. 2 ENGINE - HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD1817	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-63	NO. 1 ENGINE - HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0759	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-63	NO. 2 ENGINE - HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD1874	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-64	NO. 1 ENGINE - HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0849	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-64	NO. 2 ENGINE - HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD1879	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050-65	NO. 1 ENGINE - HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0852	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-65	NO. 2 ENGINE - HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD1890	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-66	NO. 1 ENGINE - HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0853	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-66	NO. 2 ENGINE - HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD1891	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-67	NO. 1 ENGINE - HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD0870	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-67	NO. 2 ENGINE - HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD1894	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050-68	NO. 1 ENGINE - HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD1818	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-68	NO. 2 ENGINE - HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD1896	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-69	NO. 1 ENGINE - HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD1834	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-69	NO. 2 ENGINE - HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD1898	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-70	NO. 1 ENGINE - HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD1920	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050-70	NO. 2 ENGINE - HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:30J1581-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:HWYD1899	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725150	NO. 1 ENGINE - STAGE 2 TURBINE MULTIPLE VANE ASSEMBLY							Component ATA:72
PN:31H3132-06	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:MAP41037	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725150	NO. 2 ENGINE - STAGE 2 TURBINE MULTIPLE VANE ASSEMBLY							Component ATA:72
PN:31H3132-06	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:MAP46651	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725160	NO. 1 ENGINE - STAGE 3 TURBINE MULTIPLE VANE ASSEMBLY							Component ATA:72
PN:31H3133-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:MAP49335	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725160	NO. 2 ENGINE - STAGE 3 TURBINE MULTIPLE VANE ASSEMBLY							Component ATA:72
PN:31H3133-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:MAP49336	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725170	NO. 1 ENGINE - STAGE 4 TURBINE MULTIPLE VANE ASSEMBLY							Component ATA:72
PN:31H3134-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:MAP42750	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725170	NO. 2 ENGINE - STAGE 4 TURBINE MULTIPLE VANE ASSEMBLY							Component ATA:72
PN:31H3134-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:MAP42747	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725205	NO. 1 ENGINE - CYLINDRICAL ROLLER BEARING							Component ATA:72
PN:30J3670-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:FCN528045	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725205	NO. 2 ENGINE - CYLINDRICAL ROLLER BEARING							Component ATA:72
PN:30J3670-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:FCN521956	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725210	NO. 1 ENGINE - LPT ROTOR BALANCING ASSEMBLY							Component ATA:72
PN:31H3160-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:BU5452081	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725210	NO. 2 ENGINE - LPT ROTOR BALANCING ASSEMBLY							Component ATA:72
PN:31H3160-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:BU5452083	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725220	NO. 1 ENGINE - TURBINE EXHAUST CASE ASSEMBLY							Component ATA:72
PN:31H3038-06	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:MAP96154	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-50-03PROC. REF: EMM 72-50-03								
725220	NO. 2 ENGINE - TURBINE EXHAUST CASE ASSEMBLY							Component ATA:72
PN:31H3038-06	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:MAP96161	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-50-03PROC. REF: EMM 72-50-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
726010	NO. 1 ENGINE - FLANGED BALL BEARING							Component ATA:72
PN:30J2936-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:FAA1905573	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726010	NO. 2 ENGINE - FLANGED BALL BEARING							Component ATA:72
PN:30J2936-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:FAA1905566	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726020	NO. 1 ENGINE - UPPER SPIRAL BEVEL GEARBOX DRIVE GEARSHAFT							Component ATA:72
PN:30J2938-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:PKAAA852139	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726020	NO. 2 ENGINE - UPPER SPIRAL BEVEL GEARBOX DRIVE GEARSHAFT							Component ATA:72
PN:30J2938-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:PKAAA852143	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726030	NO. 1 ENGINE - LOWER SPIRAL BEVEL GEARBOX DRIVE GEARSHAFT							Component ATA:72
PN:30J2939-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:PKAAA852162	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726030	NO. 2 ENGINE - LOWER SPIRAL BEVEL GEARBOX DRIVE GEARSHAFT							Component ATA:72
PN:30J2939-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:PKAAA852156	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
726040	NO. 1 ENGINE - AC, ALTERNATOR DRIVE SPUR GEARSHAFT ASSEMBLY							Component ATA:72
PN:30J2973-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:PKAAA853928	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-60-01PROC. REF: EMM 72-60-01								
726040	NO. 2 ENGINE - AC, ALTERNATOR DRIVE SPUR GEARSHAFT ASSEMBLY							Component ATA:72
PN:30J2973-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:PKAAA853940	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-60-01PROC. REF: EMM 72-60-01								
726050	NO. 1 ENGINE - ACCESSORY DRIVE GEARSHAFT ASSEMBLY							Component ATA:72
PN:30J3620-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:PKAAA842362	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-60-01, EMM 72-60-01PROC. REF: EMM 72-60-01, EMM 72-60-01								
726050	NO. 2 ENGINE - ACCESSORY DRIVE GEARSHAFT ASSEMBLY							Component ATA:72
PN:30J3620-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:PKAAA842353	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-60-01, EMM 72-60-01PROC. REF: EMM 72-60-01, EMM 72-60-01								
726055	NO. 1 ENGINE - FUEL CONTROL DRIVE GEARSHAFT SPUR							Component ATA:72
PN:30J3619-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:PKAAA841043	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726055	NO. 2 ENGINE - FUEL CONTROL DRIVE GEARSHAFT SPUR							Component ATA:72
PN:30J3619-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:PKAAA841036	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
726060	NO. 1 ENGINE - ANNULAR BALL BEARING							Component ATA:72
PN:30J3207-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:AEB0315488	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726060	NO. 2 ENGINE - ANNULAR BALL BEARING							Component ATA:72
PN:30J3207-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:AEB0315489	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726070	NO. 1 ENGINE - CYL ROLLER BEARING							Component ATA:72
PN:31J1292-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:FCN530858	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726070	NO. 2 ENGINE - CYL ROLLER BEARING							Component ATA:72
PN:31J1292-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:FCN530865	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726080	NO. 1 ENGINE - BALL BEARING							Component ATA:72
PN:31J2196-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:FAA1912644	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726080	NO. 2 ENGINE - BALL BEARING							Component ATA:72
PN:31J2196-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:FAA1917554	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
726090	NO. 1 ENGINE - FLANGED BALL BEARING							Component ATA:72
PN:31J2637-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:FAA1909482	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726090	NO. 2 ENGINE - FLANGED BALL BEARING							Component ATA:72
PN:31J2637-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:FAA1909488	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
727001	NO. 1 ENGINE - FRONT OUTER BYPASS DUCT ASSY							Component ATA:72
PN:30J3357-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:KYAA029A168	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-70-01PROC. REF: EMM 72-70-01								
727001	NO. 2 ENGINE - FRONT OUTER BYPASS DUCT ASSY							Component ATA:72
PN:30J3357-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:KYAA030A095	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-70-01PROC. REF: EMM 72-70-01								
727002	NO. 1 ENGINE - REAR BYPASS DUCT ASSY							Component ATA:72
PN:30J3358-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:KYAA029A322	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-70-01PROC. REF: EMM 72-70-01								
727002	NO. 2 ENGINE - REAR BYPASS DUCT ASSY							Component ATA:72
PN:30J3358-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:KYAA029A321	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-70-01PROC. REF: EMM 72-70-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-11-00-201	NO. 1 ENGINE - FUEL DISTRIBUTION - FUEL OIL HEAT EXCHANGER GENERAL VISUAL INSPECTION: DO AN INSPECTION FOR SECURITY, LEAKAGE AND GENERAL CONDITION							Service ATA:73
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
73-11-00-201	NO. 2 ENGINE - FUEL DISTRIBUTION - FUEL OIL HEAT EXCHANGER GENERAL VISUAL INSPECTION: DO AN INSPECTION FOR SECURITY, LEAKAGE AND GENERAL CONDITION							Service ATA:73
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
73-11-00-202	NO. 1 ENGINE - FUEL DISTRIBUTION - FUEL METERING AND CONTROL COMPONENTS GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY, LEAKAGE AND GENERAL CONDITION							Service ATA:73
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
73-11-00-202	NO. 2 ENGINE - FUEL DISTRIBUTION - FUEL METERING AND CONTROL COMPONENTS GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY, LEAKAGE AND GENERAL CONDITION							Service ATA:73
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-11-00-203	NO. 1 ENGINE - FUEL DISTRIBUTION - EXTERNAL TUBING GENERAL VISUAL INSPECTION: EXAMINE FOR SIGNS OF WEAR, CHAFING, CRACKS, LEAKS AND CORROSION							Service ATA:73
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
73-11-00-203	NO. 2 ENGINE - FUEL DISTRIBUTION - EXTERNAL TUBING GENERAL VISUAL INSPECTION: EXAMINE FOR SIGNS OF WEAR, CHAFING, CRACKS, LEAKS AND CORROSION							Service ATA:73
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
73-11-00-204	NO. 1 ENGINE - FUEL DISTRIBUTION - FUEL DISTRIBUTION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:73
	MOS	17-Dec-20						
	HRS	0	2750 (+25/-25)		(2750) 2750	2775	173:48 (+25)	
	ENC	0						
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
73-11-00-204	NO. 2 ENGINE - FUEL DISTRIBUTION - FUEL DISTRIBUTION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:73
	MOS	17-Dec-20						
	HRS	0	2750 (+25/-25)		(2750) 2750	2775	173:48 (+25)	
	ENC	0						
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-11-00-205	NO. 1 ENGINE - FUEL DISTRIBUTION - FUEL FILTER ELEMENT DETAILED INSPECTION: DO AN INSPECTION FOR FOREIGN MATERIAL AND DAMAGE							Service ATA:73
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
73-11-00-205	NO. 2 ENGINE - FUEL DISTRIBUTION - FUEL FILTER ELEMENT DETAILED INSPECTION: DO AN INSPECTION FOR FOREIGN MATERIAL AND DAMAGE							Service ATA:73
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
73-11-00-206	NO. 1 ENGINE - FUEL DISTRIBUTION - EMERGENCY FUEL SHUTOFF SYSTEM DETAILED INSPECTION: DO AN INSPECTION THROUGH HOLE IN THE EXHAUST CONE AND CHECK FOR SECURITY OF CONTROL LEVER, SIGNS OF OIL LEAKS OR CARBON AT NO.5 BEARING AREA. DO AN INSPECTION OF CABLE AND LINKAGES							Service ATA:73
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-11-00-206	NO. 2 ENGINE - FUEL DISTRIBUTION - EMERGENCY FUEL SHUTOFF SYSTEM DETAILED INSPECTION: DO AN INSPECTION THROUGH HOLE IN THE EXHAUST CONE AND CHECK FOR SECURITY OF CONTROL LEVER, SIGNS OF OIL LEAKS OR CARBON AT NO.5 BEARING AREA. DO AN INSPECTION OF CABLE AND LINKAGES							Service ATA:73
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL: 1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-11-00-701	NO. 1 ENGINE - FUEL DISTRIBUTION - EMERGENCY FUEL SHUTOFF SYSTEM OPERATIONAL CHECK: REMOVAL/ADJUSTMENT & INSTALLATION							Service ATA:73
	MOS	17-Dec-20						
	HRS	0	2750 (+25/-25)		(2750) 2750	2775	173:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-11-00-701	NO. 2 ENGINE - FUEL DISTRIBUTION - EMERGENCY FUEL SHUTOFF SYSTEM OPERATIONAL CHECK: REMOVAL/ADJUSTMENT & INSTALLATION							Service ATA:73
	MOS	17-Dec-20						
	HRS	0	2750 (+25/-25)		(2750) 2750	2775	173:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-11-00-901	NO. 1 ENGINE - FUEL DISTRIBUTION - FUEL FILTER ELEMENT DISCARD: INSTALL THE NEW FUEL FILTER ELEMENT							Service ATA:73
	MOS	04-Jul-25						
	HRS	2277:28	1200 (+25/-25)		(3477:28) 3477:28	3502:28	901:16 (+25)	
	ENC	1483						
PROC. REF: EMM 73-10-05PROC. REF: EMM 73-10-05								
73-11-00-901	NO. 2 ENGINE - FUEL DISTRIBUTION - FUEL FILTER ELEMENT DISCARD: INSTALL THE NEW FUEL FILTER ELEMENT							Service ATA:73
	MOS	04-Jul-25						
	HRS	2277:28	1200 (+25/-25)		(3477:28) 3477:28	3502:28	901:16 (+25)	
	ENC	1483						
PROC. REF: EMM 73-10-05PROC. REF: EMM 73-10-05								
73-11-00-902	NO. 1 ENGINE - FUEL DISTRIBUTION - FUEL DISTRIBUTION (ENGINE TBO) RESTORATION							Service ATA:73
	MOS	17-Dec-20						
	HRS	0	5000 (+25/-25)		(5000) 5000	5025	2423:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-11-00-902	NO. 2 ENGINE - FUEL DISTRIBUTION - FUEL DISTRIBUTION (ENGINE TBO) RESTORATION							Service ATA:73
	MOS	17-Dec-20						
	HRS	0	5000 (+25/-25)		(5000) 5000	5025	2423:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-21-00-201	NO. 1 ENGINE - FUEL CONTROLLING - ENGINE WIRING HARNESS GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY OF ALL CLAMPS AND BRACKETS, EXAMINE THE CABLES FOR SIGNS OF WEAR, FRAYING, CHAFING AND CRACKS. DO A CHECK FOR SECURITY OF ALL WIRING HARNESS CONNECTORS. EXAMINE THE OUTER SURFACES FOR CRACKS AND CORROSION							Service ATA:73
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PKG:2								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-21-00-201	NO. 2 ENGINE - FUEL CONTROLLING - ENGINE WIRING HARNESS GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY OF ALL CLAMPS AND BRACKETS, EXAMINE THE CABLES FOR SIGNS OF WEAR, FRAYING, CHAFING AND CRACKS. DO A CHECK FOR SECURITY OF ALL WIRING HARNESS CONNECTORS. EXAMINE THE OUTER SURFACES FOR CRACKS AND CORROSION							Service ATA:73
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PKG:2								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-21-00-901	NO. 1 ENGINE - FUEL CONTROLLING - ENGINE WIRING HARNESS (CLEANING) RESTORATION: DISCONNECT EACH WIRING HARNESS CONNECTOR, CLEAN, INSPECT AND CONNECT AGAIN. DO THE NECESSARY ENGINE CHECKS AFTER WIRING HARNESS REPLACEMENT							Service ATA:73
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: EMM 73-20-03, EMM 73-20-02, EMM 73-20-02PROC. REF: EMM 73-20-03, EMM 73-20-02, EMM 73-20-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-21-00-901	NO. 2 ENGINE - FUEL CONTROLLING - ENGINE WIRING HARNESS (CLEANING) RESTORATION: DISCONNECT EACH WIRING HARNESS CONNECTOR, CLEAN, INSPECT AND CONNECT AGAIN. DO THE NECESSARY ENGINE CHECKS AFTER WIRING HARNESS REPLACEMENT							Service ATA:73
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: EMM 73-20-03, EMM 73-20-02, EMM 73-20-02PROC. REF: EMM 73-20-03, EMM 73-20-02, EMM 73-20-02								
73-21-00-902	NO. 1 ENGINE - FUEL CONTROLLING - FUEL CONTROLLING (ENGINE TBO) RESTORATION							Service ATA:73
	MOS	17-Dec-20						
	HRS	0	5000 (+25/-25)		(5000) 5000	5025	2423:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-21-00-902	NO. 2 ENGINE - FUEL CONTROLLING - FUEL CONTROLLING (ENGINE TBO) RESTORATION							Service ATA:73
	MOS	17-Dec-20						
	HRS	0	5000 (+25/-25)		(5000) 5000	5025	2423:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-21-00-903	NO. 1 ENGINE - ENGINE CONTROL - EEC - DOWNLOAD THE DCU DATA							Service ATA:73
	MOS/MSC	23-Jan-22	N/A					
	HRS	532:12						
	ENC	327						
PROC. REF: EMM 72-00-01PROC. REF: EMM 72-00-01								
73-21-00-903	NO. 2 ENGINE - ENGINE CONTROL - EEC - DOWNLOAD THE DCU DATA							Service ATA:73
	MOS/MSC	23-Jan-22	N/A					
	HRS	532:12						
	ENC	327						
PROC. REF: EMM 72-00-01PROC. REF: EMM 72-00-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-30-00-1	NO. 1 ENGINE - ENGINE FUEL INDICATING - TROUBLESHOOTING							Service ATA:73
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-30-00-1	NO. 2 ENGINE - ENGINE FUEL INDICATING - TROUBLESHOOTING							Service ATA:73
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-30-00-2	NO. 1 ENGINE - ENGINE FUEL INDICATING - MAINTENANCE PRACTICES							Service ATA:73
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 73-30-02PROC. REF: EMM 73-30-02								
73-30-00-2	NO. 2 ENGINE - ENGINE FUEL INDICATING - MAINTENANCE PRACTICES							Service ATA:73
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 73-30-02PROC. REF: EMM 73-30-02								
731004	NO. 1 ENGINE - EXAMINE FUEL MANIFOLD							Service ATA:73
	MOS	17-Dec-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731004	NO. 2 ENGINE - EXAMINE FUEL MANIFOLD							Service ATA:73
	MOS	17-Dec-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731015	NO. 1 ENGINE - EXAMINE AND FUNCTIONAL TEST FUEL FILTER DIFFERENTIAL PRESSURE SWITCH							Service ATA:73
	MOS	17-Dec-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731015	NO. 2 ENGINE - EXAMINE AND FUNCTIONAL TEST FUEL FILTER DIFFERENTIAL PRESSURE SWITCH							Service ATA:73
	MOS	17-Dec-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731101	NO. 1 ENGINE - NO. 1 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:30J2313-02	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:DEAAB48001	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
731101	NO. 2 ENGINE - NO. 1 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:30J2313-02	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:DEAAB44466	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
731102	NO. 1 ENGINE - NO. 2 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:30J2313-02	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:DEAAB48002	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731102	NO. 2 ENGINE - NO. 2 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:30J2313-02	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:DEAAB44468	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
731103	NO. 1 ENGINE - NO. 3 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:30J2313-02	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:DEAAB48003	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
731103	NO. 2 ENGINE - NO. 3 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:30J2313-02	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:DEAAB44469	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
731104	NO. 1 ENGINE - NO. 4 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:30J2313-02	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:DEAAB48004	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
731104	NO. 2 ENGINE - NO. 4 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:30J2313-02	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:DEAAB44470	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
731105	NO. 1 ENGINE - NO. 5 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:30J2313-02	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:DEAAB48005	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731105	NO. 2 ENGINE - NO. 5 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:30J2313-02	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:DEAAB44473	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
731106	NO. 1 ENGINE - NO. 6 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:30J2313-02	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:DEAAB48006	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
731106	NO. 2 ENGINE - NO. 6 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:30J2313-02	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:DEAAB44474	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
731107	NO. 1 ENGINE - NO. 7 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:30J2313-02	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:DEAAB48007	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
731107	NO. 2 ENGINE - NO. 7 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:30J2313-02	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:DEAAB44487	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
731108	NO. 1 ENGINE - NO. 8 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:30J2313-02	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:DEAAB48008	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731108	NO. 2 ENGINE - NO. 8 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:30J2313-02	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:DEAAB44488	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
731109	NO. 1 ENGINE - NO. 9 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:30J2313-02	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:DEAAB48009	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
731109	NO. 2 ENGINE - NO. 9 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:30J2313-02	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:DEAAB44492	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
731110	NO. 1 ENGINE - NO. 10 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:30J2313-02	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:DEAAB52317	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
731110	NO. 2 ENGINE - NO. 10 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:30J2313-02	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:DEAAB44496	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
731111	NO. 1 ENGINE - NO. 11 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:30J2313-02	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:DEAAB52320	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731111	NO. 2 ENGINE - NO. 11 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:30J2313-02	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:DEAAB44498	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
731150	NO. 1 ENGINE - FUEL NOZZLE ASSEMBLY - OVERHAUL OR REFURBISH							Service ATA:73
	MOS	17-Dec-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731150	NO. 2 ENGINE - FUEL NOZZLE ASSEMBLY - OVERHAUL OR REFURBISH							Service ATA:73
	MOS	17-Dec-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732001	NO. 1 ENGINE - HYDROMECHANICAL FUEL CONTROL							Component ATA:73
PN:30J3050-03	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:F86074	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732001	NO. 2 ENGINE - HYDROMECHANICAL FUEL CONTROL							Component ATA:73
PN:30J3050-03	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:F86149	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732002	NO. 1 ENGINE - ELECTRICAL WIRING HARNESS							Component ATA:73
PN:30J2970-06	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:ADXAX001161	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
PROC. REF: EMM 73-20-02PROC. REF: EMM 73-20-02								
732002	NO. 2 ENGINE - ELECTRICAL WIRING HARNESS							Component ATA:73
PN:30J2970-06	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:ADXAX001156	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-20-02PROC. REF: EMM 73-20-02								
732003	NO. 1 ENGINE - OVERHAUL FADEC (EEC)							Service ATA:73
	MOS	17-Dec-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732003	NO. 2 ENGINE - OVERHAUL FADEC (EEC)							Service ATA:73
	MOS	17-Dec-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
733001	LEFT FUEL FLOW TRANSMITTER							Component ATA:73
PN:9-231-28	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:L10331	HRS	0		TSN 0				
WC#: 73.020	AFL	0		TSN 0				
PROC. REF: AMM 73-30-00PROC. REF: AMM 73-30-00								
733001	RIGHT FUEL FLOW TRANSMITTER							Component ATA:73
PN:9-231-28	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:L10455	HRS	0		TSN 0				
WC#: 73.020	AFL	0		TSN 0				
PROC. REF: AMM 73-30-00PROC. REF: AMM 73-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
733004	LEFT FUEL PRESSURE SWITCH							Component ATA:73
PN:6057-3	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:3751	HRS	0		TSN 0				
WC#: 73.010	AFL	0		TSN 0				
PROC. REF: AMM 73-30-02PROC. REF: AMM 73-30-02								
733004	RIGHT FUEL PRESSURE SWITCH							Component ATA:73
PN:6057-3	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:3783	HRS	0		TSN 0				
WC#: 73.010	AFL	0		TSN 0				
PROC. REF: AMM 73-30-02PROC. REF: AMM 73-30-02								
ATA 74 - IGNITION								
74-20-00-201	NO. 1 ENGINE - IGNITION - IGNITION EXCITER GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY AND GENERAL CONDITION							Service ATA:74
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								PKG:2
74-20-00-201	NO. 2 ENGINE - IGNITION - IGNITION EXCITER GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY AND GENERAL CONDITION							Service ATA:74
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								PKG:2
74-20-00-204	NO. 1 ENGINE - IGNITION - IGNITERS (TIP MEASUREMENT) FUNCTIONAL CHECK: DO A CHECK FOR CLEANLINESS AND MEASURE EROSION							Service ATA:74
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: EMM 74-20-02PROC. REF: EMM 74-20-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
74-20-00-204	NO. 2 ENGINE - IGNITION - IGNITERS (TIP MEASUREMENT) FUNCTIONAL CHECK: DO A CHECK FOR CLEANLINESS AND MEASURE EROSION							Service ATA:74
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: EMM 74-20-02PROC. REF: EMM 74-20-02								
74-20-00-205	NO. 1 ENGINE - IGNITION - IGNITION CABLES GENERAL VISUAL INSPECTION: DO A CHECK FOR CHAFING, WEAR AND SECURITY							Service ATA:74
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: EMM 74-20-01PROC. REF: EMM 74-20-01								
74-20-00-205	NO. 2 ENGINE - IGNITION - IGNITION CABLES GENERAL VISUAL INSPECTION: DO A CHECK FOR CHAFING, WEAR AND SECURITY							Service ATA:74
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: EMM 74-20-01PROC. REF: EMM 74-20-01								
74-20-00-206	NO. 1 ENGINE - IGNITION - INGITION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:74
	MOS	17-Dec-20						
	HRS	0	2750 (+25/-25)		(2750) 2750	2775	173:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
74-20-00-206	NO. 2 ENGINE - IGNITION - INGITION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:74
	MOS	17-Dec-20						
	HRS	0	2750 (+25/-25)		(2750) 2750	2775	173:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
74-20-00-701	NO. 1 ENGINE - IGNITION - IGNITERS OPERATIONAL CHECK: DO AN OPERATIONAL TEST							Service ATA:74
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
74-20-00-701	NO. 2 ENGINE - IGNITION - IGNITERS OPERATIONAL CHECK: DO AN OPERATIONAL TEST							Service ATA:74
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
74-20-00-901	NO. 1 ENGINE - IGNITION - IGNITION (ENGINE TBO) RESTORATION							Service ATA:74
	MOS	17-Dec-20						
	HRS	0	5000 (+25/-25)		(5000) 5000	5025	2423:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
74-20-00-901	NO. 2 ENGINE - IGNITION - IGNITION (ENGINE TBO) RESTORATION							Service ATA:74
	MOS	17-Dec-20						
	HRS	0	5000 (+25/-25)		(5000) 5000	5025	2423:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
741000	NO. 1 ENGINE - CLEAN AND EXAMINE IGNITION EXCITER BOX							Service ATA:74
	MOS	17-Dec-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
741000	NO. 2 ENGINE - CLEAN AND EXAMINE IGNITION EXCITER BOX							Service ATA:74
	MOS	17-Dec-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
741001	NO. 1 ENGINE - IGNITION EXCITER							Component ATA:74
PN:31J2807-07	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:NNA19370117	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								
741001	NO. 2 ENGINE - IGNITION EXCITER							Component ATA:74
PN:31J2807-07	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:NNA19450032	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01								
742002	NO. 1 ENGINE - SHORT IGNITOR LEAD							Component ATA:74
PN:30J4166	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:NNAS19230007	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
742002	NO. 2 ENGINE - SHORT IGNITOR LEAD							Component ATA:74
PN:30J4166	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:NNAS19230005	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
742003	NO. 1 ENGINE - LONG IGNITOR LEAD							Component ATA:74
PN:30J4167	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:NNA18150339	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
742003	NO. 2 ENGINE - LONG IGNITOR LEAD							Component ATA:74
PN:30J4167	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:NNA18160069	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 75 - AIR								
75-10-00-201	NO. 1 ENGINE - AIR SYSTEM - ANTI-ICE VALVE AND P3 ANTI-ICE TUBE (LEAK CHECK) GENERAL VISUAL INSPECTION: DO A CHECK FOR LEAKAGE AT P3 AIR SUPPLY TO BLEED VALVE, ANT-ICE VALVE, ANTI-ICE AIR TUBE AND FCU							Service ATA:75
PN:30J4184	MOS	04-Jul-25						
SN:5527	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PKG:2								
75-10-00-201	NO. 2 ENGINE - AIR SYSTEM - ANTI-ICE VALVE AND P3 ANTI-ICE TUBE (LEAK CHECK) GENERAL VISUAL INSPECTION: DO A CHECK FOR LEAKAGE AT P3 AIR SUPPLY TO BLEED VALVE, ANT-ICE VALVE, ANTI-ICE AIR TUBE AND FCU							Service ATA:75
PN:30J4184	MOS	04-Jul-25						
SN:5518	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PKG:2								
75-10-00-202	NO. 1 ENGINE - AIR SYSTEM - P3 BELLOWS SEAL AND BLEED AIR TRANSFER TUBE GENERAL VISUAL INSPECTION: DO A VISUAL INSPECTION FOR AIR LEAK							Service ATA:75
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
75-10-00-202	NO. 2 ENGINE - AIR SYSTEM - P3 BELLOWS SEAL AND BLEED AIR TRANSFER TUBE GENERAL VISUAL INSPECTION: DO A VISUAL INSPECTION FOR AIR LEAK							Service ATA:75
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
75-10-00-203	NO. 1 ENGINE - AIR SYSTEM - BLEED OFF VALVE GENERAL VISUAL INSPECTION: EXAMINE THE TORQUE MOTOR ELECTRICAL CONNECTION FOR SECURITY, FRAYING AND CORROSION							Service ATA:75
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								PKG:2
75-10-00-203	NO. 2 ENGINE - AIR SYSTEM - BLEED OFF VALVE GENERAL VISUAL INSPECTION: EXAMINE THE TORQUE MOTOR ELECTRICAL CONNECTION FOR SECURITY, FRAYING AND CORROSION							Service ATA:75
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								PKG:2
75-10-00-204	NO. 1 ENGINE - AIR SYSTEM - AIR SYSTEM (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:75
	MOS	17-Dec-20						
	HRS	0	2750 (+25/-25)		(2750) 2750	2775	173:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
75-10-00-204	NO. 2 ENGINE - AIR SYSTEM - AIR SYSTEM (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:75
	MOS	17-Dec-20						
	HRS	0	2750 (+25/-25)		(2750) 2750	2775	173:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
75-10-00-901	NO. 1 ENGINE - AIR SYSTEM - AIR SYSTEM (ENGINE TBO) RESTORATION							Service ATA:75
	MOS	17-Dec-20						
	HRS	0	5000 (+25/-25)		(5000) 5000	5025	2423:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
75-10-00-901	NO. 2 ENGINE - AIR SYSTEM - AIR SYSTEM (ENGINE TBO) RESTORATION							Service ATA:75
	MOS	17-Dec-20						
	HRS	0	5000 (+25/-25)		(5000) 5000	5025	2423:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
75-30-01	NO. 1 ENGINE - COMPRESSOR BLEED AIR - MAINTENANCE PRACTICES							Service ATA:75
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								
75-30-01	NO. 2 ENGINE - COMPRESSOR BLEED AIR - MAINTENANCE PRACTICES							Service ATA:75
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
750100	NO. 1 ENGINE - ANTI ICING VALVE - OVERHAUL OR REFURBISH							Service ATA:75
	MOS	17-Dec-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
750100	NO. 2 ENGINE - ANTI ICING VALVE - OVERHAUL OR REFURBISH							Service ATA:75
	MOS	17-Dec-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
751003	NO. 1 ENGINE - COMPRESSOR BLEED VALVE ASSY							Component ATA:75
PN:30J2954-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:AHX2100515	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								
751003	NO. 2 ENGINE - COMPRESSOR BLEED VALVE ASSY							Component ATA:75
PN:30J2954-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:AHX2100514	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								
751004	NO. 1 ENGINE - BLEED SERVO VALVE							Component ATA:75
PN:30J3491-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:TRAXY000430	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								
751004	NO. 2 ENGINE - BLEED SERVO VALVE							Component ATA:75
PN:30J3491-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:TRAXY000432	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								
751005	NO. 1 ENGINE - LINEAR TRANSDUCER							Component ATA:75
PN:30J3053-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:120291686	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								
751005	NO. 2 ENGINE - LINEAR TRANSDUCER							Component ATA:75
PN:30J3053-01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:120291687	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								
751006	NO. 1 ENGINE - REPLACE BOV TORQUE MOTOR							Service ATA:75
	MOS	EFF						
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	2423:48 (+100)	
	ENC							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
751006	NO. 2 ENGINE - REPLACE BOV TORQUE MOTOR							Service ATA:75
	MOS	EFF						
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	2423:48 (+100)	
	ENC							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
751030	NO. 1 ENGINE - AIR SYSTEM - INTERCOMPRESSOR BLEED VALVE, SERVO VALVE (PRE-SB30420): REPLACE WITH POST-SB30420 OR SUBSEQUENT INTERCOMPRESSOR BLEED VALVE, SERVO VALVE							Service ATA:75
	MOS/MSC	17-Dec-20	T:A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL: 1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
751030	NO. 2 ENGINE - AIR SYSTEM - INTERCOMPRESSOR BLEED VALVE, SERVO VALVE (PRE-SB30420): REPLACE WITH POST-SB30420 OR SUBSEQUENT INTERCOMPRESSOR BLEED VALVE, SERVO VALVE							Service ATA:75
	MOS/MSC	17-Dec-20	T:A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01								
751050	NO. 1 ENGINE - OVERHAUL LINEAR VARIABLE DIFFERENTIAL TRANSFORMER							Service ATA:75
	MOS	17-Dec-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
751050	NO. 2 ENGINE - OVERHAUL LINEAR VARIABLE DIFFERENTIAL TRANSFORMER							Service ATA:75
	MOS	17-Dec-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
753001	NO. 1 ENGINE - EXAMINE P3 AIR INERTIAL SEPARATOR							Service ATA:75
	MOS	17-Dec-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
753001	NO. 2 ENGINE - EXAMINE P3 AIR INERTIAL SEPARATOR							Service ATA:75
	MOS	17-Dec-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
753005	NO. 1 ENGINE - EXAMINE (PER CIR) COMPRESSOR AIR BLEED VALVE							Service ATA:75
	MOS	17-Dec-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
753005	NO. 2 ENGINE - EXAMINE (PER CIR) COMPRESSOR AIR BLEED VALVE							Service ATA:75
	MOS	17-Dec-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 76 - ENGINE CONTROLS								
76-10-00-7201 ^S	FUEL CONTROL UNIT THROTTLE LEVER CUTOFF FUNCTIONAL CHECK (AIRPLANES -5197 THRU-6000, AND AIRPLANES -5001 THRU -5196 INCORPORATING SB560XL-76-03)							Service ATA:76
	MOS/MSC	27-May-25	N/A					
	HRS	2271:38						
	AFL	1480						
	APH							
PROC. REF: AMM 76-10-00PROC. REF: AMM 76-10-00								PKG:522
761001	NO. 1 ENGINE - ELECTRONIC ENGINE CONTROL							Component ATA:76
PN:30J3051-08	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2020011949	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-20-03PROC. REF: EMM 73-20-03								
761001	NO. 2 ENGINE - ELECTRONIC ENGINE CONTROL							Component ATA:76
PN:30J3051-08	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2020011458	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-20-03PROC. REF: EMM 73-20-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
77-10-00-201	NO. 1 ENGINE - ENGINE INDICATING (N1, N2 AND ITT) - ENGINE WIRING HARNESS GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY OF ALL CLAMPS AND BRACKETS, CABLES FOR SIGNS OF WEAR, FRAYING, CHAFING AND CRACKS							Service ATA:77
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
77-10-00-201	NO. 1 ENGINE - ENGINE INDICATING (N1, N2 AND ITT) - ENGINE WIRING HARNESS GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY OF ALL WIRING HARNESS CONNECTORS. EXAMINE THE OUTER SURFACES FOR CRACKS AND CORROSION							Service ATA:77
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
77-10-00-201	NO. 2 ENGINE - ENGINE INDICATING (N1, N2 AND ITT) - ENGINE WIRING HARNESS GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY OF ALL CLAMPS AND BRACKETS, CABLES FOR SIGNS OF WEAR, FRAYING, CHAFING AND CRACKS							Service ATA:77
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
77-10-00-201	NO. 2 ENGINE - ENGINE INDICATING (N1, N2 AND ITT) - ENGINE WIRING HARNESS GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY OF ALL WIRING HARNESS CONNECTORS. EXAMINE THE OUTER SURFACES FOR CRACKS AND CORROSION							Service ATA:77
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
77-10-00-202	NO. 1 ENGINE - ENGINE INDICATING (N1,N2 AND ITT) - ENGINE INDICATING SPEED SENSOR (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:77
	MOS	17-Dec-20						
	HRS	0	2750 (+25/-25)		(2750) 2750	2775	173:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
77-10-00-202	NO. 2 ENGINE - ENGINE INDICATING (N1,N2 AND ITT) - ENGINE INDICATING SPEED SENSOR (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:77
	MOS	17-Dec-20						
	HRS	0	2750 (+25/-25)		(2750) 2750	2775	173:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
77-10-00-901	NO. 1 ENGINE - ENGINE INDICATING (N1, N2 AND ITT) - ENGINE WIRING HARNESS (CLEANING) RESTORATION: DISCONNECT EACH WIRING HARNESS CONNECTOR, CLEAN, INSPECT AND CONNECT AGAIN. DO THE NECESSARY ENGINE CHECKS AFTER WIRING HARNESS REPLACEMENT							Service ATA:77
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
77-10-00-901	NO. 2 ENGINE - ENGINE INDICATING (N1, N2 AND ITT) - ENGINE WIRING HARNESS (CLEANING) RESTORATION: DISCONNECT EACH WIRING HARNESS CONNECTOR, CLEAN, INSPECT AND CONNECT AGAIN. DO THE NECESSARY ENGINE CHECKS AFTER WIRING HARNESS REPLACEMENT							Service ATA:77
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
77-10-00-902	NO. 1 ENGINE - ENGINE INDICATING (N1, N2 AND ITT) - ENGINE INDICATING SPEED SENSOR SYSTEM (ENGINE TBO) RESTORATION							Service ATA:77
	MOS	17-Dec-20						
	HRS	0	5000 (+25/-25)		(5000) 5000	5025	2423:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
77-10-00-902	NO. 2 ENGINE - ENGINE INDICATING (N1, N2 AND ITT) - ENGINE INDICATING SPEED SENSOR SYSTEM (ENGINE TBO) RESTORATION							Service ATA:77
	MOS	17-Dec-20						
	HRS	0	5000 (+25/-25)		(5000) 5000	5025	2423:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
77-20-02	NO. 1 ENGINE - T6 SYSTEM - MAINTENANCE PRACTICES							Service ATA:77
	MOS	17-Dec-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
77-20-02	NO. 2 ENGINE - T6 SYSTEM - MAINTENANCE PRACTICES							Service ATA:77
	MOS	17-Dec-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
77-30-00-2	NO. 1 ENGINE - ENGINE VIBRATION MONITORING - MAINTENANCE PRACTICES							Service ATA:77
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
77-30-00-2	NO. 2 ENGINE - ENGINE VIBRATION MONITORING - MAINTENANCE PRACTICES							Service ATA:77
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
77-40-00-2	INTEGRATED ENGINE INSTRUMENTS - MAINTENANCE PRACTICES							Service ATA:77
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 77-40-00PROC. REF: AMM 77-40-00								
77-40-01	NO. 1 ENGINE - DATA COLLECTION UNIT (DCU) - MAINTENANCE PRACTICES							Service ATA:77
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 77-40-01PROC. REF: EMM 77-40-01								
77-40-01	NO. 2 ENGINE - DATA COLLECTION UNIT (DCU) - MAINTENANCE PRACTICES							Service ATA:77
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 77-40-01PROC. REF: EMM 77-40-01								
771007	STANDBY ENGINE INDICATOR							Component ATA:77
PN:10677N02M01	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:0862A	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 77-40-00PROC. REF: AMM 77-40-00								
774001	NO. 1 ENGINE - DATA COLLECTION UNIT							Component ATA:77
PN:30J3470-02	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:19075860	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 77-40-01PROC. REF: EMM 77-40-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
774001	NO. 2 ENGINE - DATA COLLECTION UNIT							Component ATA:77
PN:30J3470-02	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:19074564	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 77-40-01PROC. REF: EMM 77-40-01								
ATA 78 - EXHAUST								
78-10-00-201	NO. 1 ENGINE - ENGINE EXHAUST - TURBINE EXHAUST CASE AND MIXER (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:78
	MOS	17-Dec-20						
	HRS	0	2750 (+25/-25)		(2750) 2750	2775	173:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
78-10-00-201	NO. 2 ENGINE - ENGINE EXHAUST - TURBINE EXHAUST CASE AND MIXER (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:78
	MOS	17-Dec-20						
	HRS	0	2750 (+25/-25)		(2750) 2750	2775	173:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
78-10-00-202	NO. 1 ENGINE - ENGINE EXHAUST - EMERGENCY FUEL SHUT OFF LEVER AND CABLE DETAILED INSPECTION: DO AN INSPECTION THROUGH HOLE IN THE EXHAUST CONE FOR SECURITY OF CONTROL LEVER, SIGNS OF OIL LEAKS OR CARBON AT NO.5 BEARING AREA, EXAMINE THE CABLE AND LINKAGES							Service ATA:78
	MOS	12-Jun-24						
	HRS	1606:02	1600 (+25/-25)		(3206:02) 3206:02	3231:02	629:50 (+25)	
	ENC	1047						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
78-10-00-202	NO. 2 ENGINE - ENGINE EXHAUST - EMERGENCY FUEL SHUT OFF LEVER AND CABLE DETAILED INSPECTION: DO AN INSPECTION THROUGH HOLE IN THE EXHAUST CONE FOR SECURITY OF CONTROL LEVER, SIGNS OF OIL LEAKS OR CARBON AT NO.5 BEARING AREA, EXAMINE THE CABLE AND LINKAGES							Service ATA:78
	MOS	12-Jun-24						
	HRS	1606:02	1600 (+25/-25)		(3206:02) 3206:02	3231:02	629:50 (+25)	
	ENC	1047						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
78-10-00-901	NO. 1 ENGINE - ENGINE EXHAUST - TURBINE EXHAUST CASE AND MIXER (ENGINE TBO) RESTORATION							Service ATA:78
	MOS	17-Dec-20						
	HRS	0	5000 (+25/-25)		(5000) 5000	5025	2423:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
78-10-00-901	NO. 2 ENGINE - ENGINE EXHAUST - TURBINE EXHAUST CASE AND MIXER (ENGINE TBO) RESTORATION							Service ATA:78
	MOS	17-Dec-20						
	HRS	0	5000 (+25/-25)		(5000) 5000	5025	2423:48 (+25)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
78-31-00-2200 ^S	THRUST REVERSER ASSEMBLY DETAILED INSPECTION							Service ATA:78
	MOS	12-Jun-24						
	HRS	1606:02	1600 (+25/-25)					
	AFL	1047						
								PKG:514
PROC. REF: AMM 78-31-00PROC. REF: AMM 78-31-00								
78-31-00-7200 ^S	THRUST REVERSER ASSEMBLY FUNCTIONAL CHECK AND OPERATIONAL CHECK							Service ATA:78
	MOS	12-Jun-24						
	HRS	1606:02	1600 (+25/-25)					
	AFL	1047						
								PKG:514
PROC. REF: AMM 78-31-00PROC. REF: AMM 78-31-00								
783001	LEFT ENGINE THRUST REVERSER ASSEMBLY							Component ATA:78
PN:64ND-78002-7	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:EX1849-4	HRS	0		TSN 0				
WC#: 78.010	AFL	0		TSN 0				
PROC. REF: AMM 78-31-00PROC. REF: AMM 78-31-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
783001	RIGHT ENGINE THRUST REVERSER ASSEMBLY							Component ATA:78
PN:64ND-78002-8	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:EX1851-2	HRS	0		TSN 0				
WC#: 78.010	AFL	0		TSN 0				
PROC. REF: AMM 78-31-00PROC. REF: AMM 78-31-00								
783002	LEFT THRUST REVERSER VALVE							Component ATA:78
PN:4221	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1272	HRS	0		TSN 0				
WC#: 78.020	AFL	0		TSN 0				
PROC. REF: AMM 78-31-01PROC. REF: AMM 78-31-01								
783002	RIGHT THRUST REVERSER VALVE							Component ATA:78
PN:4221	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1265	HRS	0		TSN 0				
WC#: 78.020	AFL	0		TSN 0				
PROC. REF: AMM 78-31-01PROC. REF: AMM 78-31-01								
783010	LEFT INBOARD THRUST REVERSER ACTUATOR							Component ATA:78
PN:64ND-78204-7	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4367	HRS	0		TSN 0				
WC#: 78.030	AFL	0		TSN 0				
PROC. REF: AMM 78-31-01PROC. REF: AMM 78-31-01								
783010	LEFT OUTBOARD THRUST REVERSER ACTUATOR							Component ATA:78
PN:64ND-78204-7	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4369	HRS	0		TSN 0				
WC#: 78.030	AFL	0		TSN 0				
PROC. REF: AMM 78-31-01PROC. REF: AMM 78-31-01								
783010	RIGHT INBOARD THRUST REVERSER ACTUATOR							Component ATA:78
PN:2564000-7	MOS/MSC	18-Jun-22	O/C	TSO 0				
SN:4129	HRS	641:24		TSO 0				
WC#: 78.040	AFL	398		TSO 0				
PROC. REF: AMM 78-31-01PROC. REF: AMM 78-31-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
783010	RIGHT OUTBOARD THRUST REVERSER ACTUATOR							Component ATA:78
PN:64ND-78204-7	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:4368	HRS	0		TSN 0				
WC#: 78.040	AFL	0		TSN 0				
PROC. REF: AMM 78-31-01PROC. REF: AMM 78-31-01								
783100	LEFT THRUST REVERSER MANIFOLD ASSEMBLY							Component ATA:78
PN:8245	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1255	HRS	0		TSN 0				
WC#: 78.050	AFL	0		TSN 0				
PROC. REF: AMM 78-31-01PROC. REF: AMM 78-31-01								
783100	RIGHT THRUST REVERSER MANIFOLD ASSEMBLY							Component ATA:78
PN:8245	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1248	HRS	0		TSN 0				
WC#: 78.050	AFL	0		TSN 0				
PROC. REF: AMM 78-31-01PROC. REF: AMM 78-31-01								
783101	LEFT ARM PRESSURE SWITCH							Component ATA:78
PN:80637-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2028	HRS	0		TSN 0				
WC#: 78.060	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
783101	RIGHT ARM PRESSURE SWITCH							Component ATA:78
PN:80637-1	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:2019	HRS	0		TSN 0				
WC#: 78.060	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
783102	LEFT THRUST REVERSER ISOLATION VALVE							Component ATA:78
PN:64ND-78304-7	MOS/MSC	23-May-23	O/C					
SN:D0274	HRS							
WC#: 78.070	AFL							
PROC. REF: AMM 78-31-01PROC. REF: AMM 78-31-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
783102	RIGHT THRUST REVERSER ISOLATION VALVE							Component ATA:78
PN:4222	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:1250M	HRS	0		TSN 0				
WC#: 78.070	AFL	0		TSN 0				
PROC. REF: AMM 78-31-01PROC. REF: AMM 78-31-01								
ATA 79 - OIL								
79-10-00-201	NO. 1 ENGINE - OIL SYSTEM - EXTERNAL OIL TUBE GENERAL VISUAL INSPECTION: EXAMINE FOR SIGNS OF WEAR, CHAFING, CRACKS, LEAKS AND CORROSION							Service ATA:79
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
79-10-00-201	NO. 2 ENGINE - OIL SYSTEM - EXTERNAL OIL TUBE GENERAL VISUAL INSPECTION: EXAMINE FOR SIGNS OF WEAR, CHAFING, CRACKS, LEAKS AND CORROSION							Service ATA:79
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
79-10-00-202	NO. 1 ENGINE - OIL SYSTEM - FUEL OIL HEAT EXCHANGER GENERAL VISUAL INSPECTION: DO AN INSPECTION FOR SECURITY, LEAKAGE AND GENERAL CONDITION. NO LEAKAGE PERMITTED							Service ATA:79
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
79-10-00-202	NO. 2 ENGINE - OIL SYSTEM - FUEL OIL HEAT EXCHANGER GENERAL VISUAL INSPECTION: DO AN INSPECTION FOR SECURITY, LEAKAGE AND GENERAL CONDITION. NO LEAKAGE PERMITTED							Service ATA:79
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
79-10-00-203	NO. 1 ENGINE - OIL SYSTEM - ACCESSORY GEAR BOX PAD SEAL GENERAL VISUAL INSPECTION: EXAMINE THE PAD SEALS FOR OIL LEAKS							Service ATA:79
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
79-10-00-203	NO. 2 ENGINE - OIL SYSTEM - ACCESSORY GEAR BOX PAD SEAL GENERAL VISUAL INSPECTION: EXAMINE THE PAD SEALS FOR OIL LEAKS							Service ATA:79
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
79-10-00-204	NO. 1 ENGINE - OIL SYSTEM - EXTERNAL ENGINE GENERAL VISUAL INSPECTION: EXAMINE FOR FUEL AND OIL LEAKS, CORROSION, CRACKS AND SIGNS OF DAMAGE							Service ATA:79
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
79-10-00-204	NO. 2 ENGINE - OIL SYSTEM - EXTERNAL ENGINE GENERAL VISUAL INSPECTION: EXAMINE FOR FUEL AND OIL LEAKS, CORROSION, CRACKS AND SIGNS OF DAMAGE							Service ATA:79
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-10-00-205	NO. 1 ENGINE - OIL SYSTEM - OIL FILTER DETAILED INSPECTION: REMOVE AND DO A CHECK FOR FOREIGN MATERIAL AND DAMAGE							Service ATA:79
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: EMM 79-20-01PROC. REF: EMM 79-20-01								PKG:2
79-10-00-205	NO. 2 ENGINE - OIL SYSTEM - OIL FILTER DETAILED INSPECTION: REMOVE AND DO A CHECK FOR FOREIGN MATERIAL AND DAMAGE							Service ATA:79
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: EMM 79-20-01PROC. REF: EMM 79-20-01								PKG:2
79-10-00-206	NO. 1 ENGINE - OIL SYSTEM - OIL SPECIAL DETAILED INSPECTION: DO A CHECK FOR OIL LEVEL WITH THE OUTBOARD SIGHT GLASS							Service ATA:79
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 72-00-00PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 72-00-00								
79-10-00-206	NO. 1 ENGINE - OIL SYSTEM - OIL SPECIAL DETAILED INSPECTION: DO A CHECK FOR OIL LEVEL WITH THE OUTBOARD SIGHT GLASS. MONITOR THE OIL QUALITY ON CONDITION AND DO ANALYSIS PERIODICALLY AS OBERVATIONS WARRANT							Service ATA:79
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 72-00-00PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 72-00-00								
79-10-00-206	NO. 2 ENGINE - OIL SYSTEM - OIL SPECIAL DETAILED INSPECTION: DO A CHECK FOR OIL LEVEL WITH THE OUTBOARD SIGHT GLASS							Service ATA:79
	MOS/MSC	17-Dec-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 72-00-00PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-10-00-206	NO. 2 ENGINE - OIL SYSTEM - OIL SPECIAL DETAILED INSPECTION: DO A CHECK FOR OIL LEVEL WITH THE OUTBOARD SIGHT GLASS. MONITOR THE OIL QUALITY ON CONDITION AND DO ANALYSIS PERIODICALLY AS OBERVATIONS WARRANT							Service ATA:79
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 72-00-00PROC. REF: EMM 70-00-00, EMM 72-00-00, EMM 72-00-00								
79-10-00-208 ^U	NO. 1 ENGINE - OIL SYSTEM - MAGNETIC CHIP DETECTOR/COLLECTOR GENERAL VISUAL INSPECTION: REMOVE AND DO A CHECK FOR METALLIC DEBRIS							Service ATA:79
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
79-10-00-208 ^U	NO. 2 ENGINE - OIL SYSTEM - MAGNETIC CHIP DETECTOR/COLLECTOR GENERAL VISUAL INSPECTION: REMOVE AND DO A CHECK FOR METALLIC DEBRIS							Service ATA:79
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
79-10-00-208/209	NO. 1 ENGINE - OIL SYSTEM - MAGNETIC CHIP DETECTOR/COLLECTOR GENERAL VISUAL INSPECTION: REMOVE AND DO A CHECK FOR METALLIC DEBRIS							Service ATA:79
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REF, EMM 79-30-01PROC. REF: GENERIC NO REF, EMM 79-30-01								
79-10-00-208/209	NO. 2 ENGINE - OIL SYSTEM - MAGNETIC CHIP DETECTOR/COLLECTOR GENERAL VISUAL INSPECTION: REMOVE AND DO A CHECK FOR METALLIC DEBRIS							Service ATA:79
	MOS	04-Jul-25						
	HRS	2277:28	800 (+25/-25)		(3077:28) 3077:28	3102:28	501:16 (+25)	
	ENC	1483						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
PROC. REF: GENERIC NO REF, EMM 79-30-01PROC. REF: GENERIC NO REF, EMM 79-30-01								
79-10-00-901	NO. 1 ENGINE - OVERHAUL ENGINE							Service ATA:79
	MOS	17-Dec-20						ENGINE OVERHAUL
	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						
PROC. REF: EMM 79-20-01PROC. REF: EMM 79-20-01								
79-10-00-901	NO. 2 ENGINE - OVERHAUL ENGINE							Service ATA:79
	MOS	17-Dec-20						ENGINE OVERHAUL
	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						
PROC. REF: EMM 79-20-01PROC. REF: EMM 79-20-01								
79-10-00-902	NO. 1 ENGINE - OIL SYSTEM - OIL FILTER DISCARD: INSTALL THE NEW OIL FILTER ELEMENT							Service ATA:79
	MOS	04-Jul-25						
	HRS	2277:28	1200 (+25/-25)		(3477:28) 3477:28	3502:28	901:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
79-10-00-902	NO. 2 ENGINE - OIL SYSTEM - OIL FILTER DISCARD: INSTALL THE NEW OIL FILTER ELEMENT							Service ATA:79
	MOS	04-Jul-25						
	HRS	2277:28	1200 (+25/-25)		(3477:28) 3477:28	3502:28	901:16 (+25)	
	ENC	1483						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
790020	NO. 1 ENGINE - CHANGE OIL							Service ATA:79
	MOS/MSC	17-Dec-20	O/C					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
790020	NO. 2 ENGINE - CHANGE OIL							Service ATA:79
	MOS/MSC	17-Dec-20	O/C					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
792010	NO. 1 ENGINE - EXAMINE AND DO A FUNCTION TEST OIL FILTER DIFFERENTIAL PRESSURE SWITCH							Service ATA:79
	MOS	17-Dec-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
792010	NO. 2 ENGINE - EXAMINE AND DO A FUNCTION TEST OIL FILTER DIFFERENTIAL PRESSURE SWITCH							Service ATA:79
	MOS	17-Dec-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
793002	LEFT OIL TEMP XMTR SENSOR							Component ATA:79
PN:102-00083	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:266333	HRS	0		TSN 0				
WC#: 79.010	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
793002	RIGHT OIL TEMP XMTR SENSOR							Component ATA:79
PN:102-00083	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:266246	HRS	0		TSN 0				
WC#: 79.010	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
793003	NO. 1 ENGINE - FUEL OIL HEAT EXCHANGER							Component ATA:79
PN:31J2955-03	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:0026404698	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02								
793003	NO. 2 ENGINE - FUEL OIL HEAT EXCHANGER							Component ATA:79
PN:31J2955-03	MOS/MSC	17-Dec-20	O/C	TSN 0				
SN:0026404697	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02								
793005	NO. 1 ENGINE - OVERHAUL OR REFURBISH OIL TANK FILLER CAP							Service ATA:79
	MOS	17-Dec-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
793005	NO. 2 ENGINE - OVERHAUL OR REFURBISH OIL TANK FILLER CAP							Service ATA:79
	MOS	17-Dec-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
793010	NO. 1 ENGINE - OVERHAUL OR REFURBISH FUEL OIL HEAT EXCHANGER FUEL TO OIL HEAT EXCHANGER							Service ATA:79
PN:31J2955-03	MOS	17-Dec-20						
SN:0026404698	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
793010	NO. 2 ENGINE - OVERHAUL OR REFURBISH FUEL OIL HEAT EXCHANGER FUEL TO OIL HEAT EXCHANGER							Service ATA:79
PN:31J2955-03	MOS	17-Dec-20						
SN:0026404697	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
793021	NO. 1 ENGINE - INSPECT OIL LEVEL INDICATOR (SIGHT GLASS)							Service ATA:79
	MOS	17-Dec-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
793021	NO. 2 ENGINE - INSPECT OIL LEVEL INDICATOR (SIGHT GLASS)							Service ATA:79
	MOS	17-Dec-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	2423:48 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
793102	LEFT ENGINE OIL TRANSMITTER							Component ATA:79
PN:APTE-237E-1000-250	MOS/MS	17-Dec-20	O/C	TSN 0				
SN:8727-11-299	HRS	0		TSN 0				
WC#: 79.020	AFL	0		TSN 0				
PROC. REF: AMM 79-31-01PROC. REF: AMM 79-31-01								
793102	RIGHT ENGINE OIL TRANSMITTER							Component ATA:79
PN:APTE-237E-1000-250	MOS/MS	17-Dec-20	O/C	TSN 0				
SN:8727-11-291	HRS	0		TSN 0				
WC#: 79.020	AFL	0		TSN 0				
PROC. REF: AMM 79-31-01PROC. REF: AMM 79-31-01								
793117	LEFT OIL PRESSURE SWITCH							Component ATA:79
PN:1153P0098-01	MOS/MS	17-Dec-20	O/C	TSN 0				
SN:2839	HRS	0		TSN 0				
WC#: 79.030	AFL	0		TSN 0				
PROC. REF: AMM 79-31-01PROC. REF: AMM 79-31-01								
793117	RIGHT OIL PRESSURE SWITCH							Component ATA:79
PN:1153P0098-01	MOS/MS	17-Dec-20	O/C	TSN 0				
SN:2840	HRS	0		TSN 0				
WC#: 79.030	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XLS+CITATION XLS+ (MSG) Serial: 560XL-6295 RegNo: OK-WND HRS: 2576:12 AFL:
1666 As Of: 07-Jan-2026

12-Jan-2026 05:22 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
PROC. REF: AMM 79-31-01PROC. REF: AMM 79-31-01								
ATA 80 - STARTING								
80-10-00-9600	LEFT ENGINE STARTER - GENERATOR (BEARINGS DISCARD AND ARMATURE FUNCTIONAL CHECK) RESTORATION							Component ATA:80
PN:300SGL138Q-4	MOS	01-Oct-24		TSO 0				OVERHAUL
SN:3080XL	HRS	1926:45	1000 (+25/-25)	TSO 0	2926:45	2951:45	350:33 (+25)	
WC#: 80.010	AFL	1258		TSO 0				
	APH							
PROC. REF: AMM 80-10-00PROC. REF: AMM 80-10-00								
80-10-00-9600	RIGHT ENGINE STARTER - GENERATOR (BEARINGS DISCARD AND ARMATURE FUNCTIONAL CHECK) RESTORATION							Component ATA:80
PN:300SGL138Q-4	MOS	01-Oct-24		TSO 0				OVERHAUL
SN:S00026	HRS	1926:45	1000 (+25/-25)	TSO 0	2926:45	2951:45	350:33 (+25)	
WC#: 80.010	AFL	1258		TSO 0				
	APH							
PROC. REF: AMM 80-10-00PROC. REF: AMM 80-10-00								
80-11-00-2200	AUXILIARY POWER UNIT STARTER - GENERATOR DETAILED INSPECTION							Service ATA:80
PN:9912499-31	MOS	05-Sep-24						
SN:3332XL	HRS	1862:57						
WC#: 80.050	AFL	1211						
	APH	697:06	500 (+25/-25)		1197:06	1222:06	269 (+25)	
PROC. REF: AMM 80-11-00PROC. REF: AMM 80-11-00								
80-11-00-9600	AUXILIARY POWER UNIT STARTER - GENERATOR (BEARINGS DISCARD AND ARMATURE FUNCTIONAL CHECK) RESTORATION							Component ATA:80
PN:9912499-31	MOS	05-Sep-24		TSO 0				OVERHAUL
SN:3332XL	HRS	1862:57		TSO 0				
WC#: 80.020	AFL	1211		TSO 0				
	APH	697:06	1000 (+25/-25)	TSO 0	1697:06	1722:06	769 (+25)	
PROC. REF: AMM 80-11-00PROC. REF: AMM 80-11-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task