



Status Report

PC-12/47E NGX

S/N 2038 OK-PVN

OWNER: BELLAVIA AIR S.R.O.

ADDRESS: POD HARFOU 933/62
PRAHA PRAHA 190 00

OFFICE:

FAX:

OPERATOR: JET FOR TRIP S.R.O.

ADDRESS: ERBENOVA 877, MLADA BOLES LAV
11,
CZECH REPUBLIC CZECH 29301

OFFICE:

FAX:

CAMO: JET FOR TRIP S.R.O.

ADDRESS: ERBENOVA 877, MLADA BOLES LAV
11,
CZECH REPUBLIC CZECH 29301

OFFICE:

FAX:

ANALYST: ADRIEN LIMMELETTE

EMAIL: ADRIEN.LIMMELETTE@CAMPSYSTEMS.EU

+33 1.55.93.47.77 (DIRECT)

+33-1.55.93.45.80 (MAIN)

WWW.CAMPSYSTEMS.COM

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL/REGNO: 2038/OK-PVN	MODEL: PC-12/47E NGX	MANUFACTURER: PILATUS AIRCRAFT LTDX
-----------------	----------------------------------	-----------------------------	--

CERTIFICATION DATE: 28-AUG-2020

LAST ACTUALS:

1532:37	A/C HRS	as of 24-JAN-2026
920	AFL	as of 24-JAN-2026
0	ACH	as of 16-JAN-2026

ENGINE NO. 1	SERIAL/PART: PCE-HP0039/3126995-01 BS1369	MODEL: PT6E-67XP	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
---------------------	---	-------------------------	---

INSTALLED ON: 22-JUL-2020

0	ENG. HRS	0 A/C HRS
0	ENC	

LAST ACTUALS:

1532:37	ENG. HRS	as of 24-JAN-2026
882	ENC	as of 24-JAN-2026

PROPELLER NO. 1	SERIAL/PART: SA555/E5A01850SKD	MODEL: HC-E5A-31A	MANUFACTURER: HARTZELL PROPELLER LLC
------------------------	---------------------------------------	--------------------------	---

INSTALLED ON: 06-AUG-2020

0	PROP HRS	0 A/C HRS
0	PRC	

LAST ACTUALS:

1532:37	PROP HRS	as of 24-JAN-2026
---------	----------	-------------------



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
00-00/121 ^S	JOB CLOSE UP - AIRCRAFT - AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS REVIEWED AND COMPLIED WITH AS REQUIRED							Service ATA:00
	MOS/MSC	09-Dec-25	A/R					
	HRS	1494:43						
	AFL	883						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5 ,1,2,3,4
00-00/122 ^S	JOB CLOSE UP - AIRCRAFT - CHAPTER 4 AND CHAPTER 5 - OVERHAUL AND REPLACEMENT SCHEDULE AND TIME LIMITED INSPECTION REQUIREMENTS DATA MODULES REVIEWED AND ANY ADDITIONAL REQUIREMENTS ARE COMPLIED WITH							Service ATA:00
	MOS/MSC	09-Dec-25	A/R					
	HRS	1494:43						
	AFL	883						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5 ,1,2,3,4
00-00/481 ^S	JOB CLOSE UP - AIRCRAFT - CHECK FLIGHT MANUAL IS AT THE LATEST REVISION							Service ATA:00
	MOS/MSC	09-Dec-25	A/R					
	HRS	1494:43						
	AFL	883						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5 ,1,2,3,4
EP21-200922	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 9							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF PE21PROC. REF: RCF PE21								
EP21-200922-1	NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 9							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF PE21PROC. REF: RCF PE21								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
EP21-210119	NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 10							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-210119-1	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 10							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-210426	NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 11							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-210426-1	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 11							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-210617	NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 12							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
EP21-210617-1	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 12							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-211105	NO. 1 ENGINE - REVIEW PT6E-67XP EMM & LMM ISSUE 12 **AUDIT REPORT**							Service ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-220421	NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 14							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
EP21-220421-1	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 14							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
EP21-220620	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 15							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
EP21-220620-1	NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 15							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-221122	NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 16							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-221122-1	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 16							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-230602	NO. 1 ENGINE - REVIEW PT6E-67XP LMM/EMM ISSUE 17							Service ATA:00
	MOS/MSC	02-Jun-23	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-231103	NO. 1 ENGINE - REVIEW PT6E-67XP EM ISSUE 18							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
EP21-240617-1	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 19							Service ATA:00
	MOS/MSC	13-Sep-24	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-240620	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 20							Service ATA:00
	MOS/MSC	13-Sep-24	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-240823	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 20 AUDIT							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-241203	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 21							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-241203-1	NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 20							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
EP21-241216	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 22							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
	PROC. REF: RCF EP21PROC. REF: RCF EP21							
EP21-241216-1	NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 21							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
	PROC. REF: RCF EP21PROC. REF: RCF EP21							
EP21-250422	NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 21/EMM ISSUE 22 AUDIT							Service ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	ENC							
	PROC. REF: RCF EP21PROC. REF: RCF EP21							
P12X-200901	NO. 1 PROPELLER - REVIEW PROPELLER ICE PROTECTION SYSTEM MANUAL 180 REV. 34							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	PROC. REF: RCF P12XPROC. REF: RCF P12X							
P12X-200901-01	NO. 1 PROPELLER - REVIEW HC-E5A-31 POM 147 REV 17							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	PROC. REF: RCF P12XPROC. REF: RCF P12X							
P12X-210201	NO. 1 PROPELLER - REVIEW PROPELLER ICE PROTECTION SYSTEM MANUAL 180 REV. 35							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	PROC. REF: RCF P12XPROC. REF: RCF P12X							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
P12X-210304	NO. 1 PROPELLER - REVIEW SL HC-SL-61-61Y REV 13							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
P12X-210401	NO. 1 PROPELLER - REVIEW PROPELLER ICE PROTECTION SYSTEM MANUAL 180 TR-011							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-210601	NO. 1 PROPELLER - REVIEW PROPELLER ICE PROTECTION SYSTEM MANUAL 180 REV. 36							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-210707	NO. 1 PROPELLER - REVIEW HC-SL-61-61Y REV 14							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-220601	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER ICE PROTECTION SYSTEM MANUAL NO. 180, REVISION 38							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-220818	NO. 1 PROPELLER - REVIEW AUDIT SUMMARY CHANGE FORM FOR HARTZELL PROPELLER TASK CHANGES RELATING TO PILATUS PC-12/47E AIRCRAFT							Service ATA:00
	MOS/MSC		-					AUDIT SUMMARY CHANGE FORM
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
P12X-220831	NO. 1 PROPELLER - REVIEW REQUIREMENT CHANGE FORM FOR CHANGES TO CORROSION INHIBITOR TASK							Service ATA:00
	MOS/MSC		-					
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-221101	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER OWNER'S MANUAL NO. 147, REVISION 19							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-221201	NO. 1 PROPELLER - REVIEW HARTZELL ICE PROTECTION SYSTEM MANUAL NO. 180, REVISION 39							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-230401	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER MANUAL 180 (30-61-80) - ICE PROTECTION SYSTEM MANUAL, REVISION 40, DATED 1 APRIL 2023							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-230501A	NO. 1 PROPELLER - REVIEW HARTZELL ICE PROTECTION SYSTEM MANUAL 180 (30-61-80), TEMPORARY REVISION NO. 012, DATED MAY 2023							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-230501B	NO. 1 PROPELLER - REVIEW HARTZELL ICE PROTECTION SYSTEM MANUAL 180 (30-61-80), TEMPORARY REVISION NO. 013, DATED MAY 2023							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
P12X-230701	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER OWNER'S MANUAL NO. 147, REVISION 20							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-230901	NO. 1 PROPELLER - REVIEW HARTZELL ICE PROTECTION SYSTEM MANUAL NO. 180, REVISION 41							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-230919	NO. 1 PROPELLER - REVIEW AUDIT SUMMARY CHANGE FORM FOR TOLERANCE UPDATE TO CORROSION INHIBITOR TASK.							Service ATA:00
	MOS/MSC		-					AUDIT SUMMARY CHANGE FORM
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-231201	NO. 1 PROPELLER - REVIEW HARTZELL ICE PROTECTION SYSTEM MANUAL, REVISION 42							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-231213	NO. 1 PROPELLER - REVIEW HARTZELL SL - PROPELLER - OVERHAUL PERIODS AND SERVICE LIFE LIMITS (SL) HC-SL-61-61Y, REV 15							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-240201	NO. 1 PROPELLER - REVIEW HARTZEL PROPELLER ICE PROTECTION SYSTEM MANUAL (MM) 180 REV 43							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
P12X-240501	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER INC. HC-E5A-31 PROPELLER OWNER'S MANUAL (POM) 147 REV 21							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-240918	NO. 1 PROPELLER - REVIEW HC-E5A-31 HARTZELL SERVICE LETTER (SL) HC-SL-61-61Y REV 16							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-241001	NO. 1 PROPELLER - REVIEW HARTZEL PROPELLER ICE PROTECTION SYSTEM MANUAL (MM) 180 REV 44							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-241001B	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER INC. HC-E5A-31 PROPELLER OWNER'S MANUAL (POM) 147 REV 22							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-250401	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER LLC PROPELLER ICE PROTECTION SYSTEM MANUAL (MM) 180 REV 45							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-251101	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER LLC PROPELLER ICE PROTECTION SYSTEM MANUAL (MM) 180 REV 47							Service ATA:00
	MOS/MSC	26-Nov-25	-					REQUIREMENT CHANGE FORMS
	HRS	1491:05						
PROC. REF: RCF P12XPROC. REF: RCF P12X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PC12A00310100		PRIMUS APEX SYSTEM BUILD 12 SOFTWARE						Component ATA:00
PN:500.33.12.038	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310100-0010		SW,OPERATIONAL,APEX						Component ATA:00
PN:985.99.12.407	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310100-0030		APEX FMS PERFORMANCE DATABASE						Component ATA:00
PN:985.99.12.399	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310100-0040		ADAHRS CERTIFICATION FILE SOFTWARE						Component ATA:00
PN:985.99.12.401	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310100-0050		LOADABLE DIAGNOSIC INTERFACE (LDI)						Component ATA:00
PN:545.45.12.015	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PC12A00310100-0060		SW TOUCH SCREEN CONTROLLER						Component ATA:00
PN:985.99.12.075	MOS/MSC	27-Jun-22	O/C					
SN:UNKNOWN	HRS	604						
	AFL	313						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310100-0080		EFD-750 CONFIG FILE						Component ATA:00
PN:534.20.12.007	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310100-0100		PRIMUS APEX OPTION FILE, PC-12E						Component ATA:00
PN:534.70.12.056	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310100-0110		ECL DATABASE						Component ATA:00
PN:531.40.12.036	MOS/MSC	08-Aug-23	O/C	TSN 0				
SN:NSN	HRS	918:20		TSN 0				
	AFL	472		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310100-0120		DEVICE,DATA LOADING,WIRELESS,SW						Component ATA:00
PN:546.00.12.009	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PC12A00310100-0130		LIGHTWEIGHT DATA RECORDER DEFINITION FILE FOR APEX BUILD 12 AND UP						Component ATA:00
PN:531.30.12.032	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310108		APM SETTINGS TOOL						Component ATA:00
PN:985.99.12.408	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:12.6.1	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310147		PILOT GUIDE,APEX,PC-12						Component ATA:00
PN:985.99.12.412	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PCNG-200515		REVIEW PC-12/47E NGX AMM REV 01 ISSUE 001						Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PCNG, AMM GENERICPROC. REF: RCF PCNG, AMM GENERIC								
PCNG-201021		REVIEW CAMP TASK NUMBER CHANGES						Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PCNG, AMM GENERICPROC. REF: RCF PCNG, AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PCNG-201130		REVIEW PC-12/47E NGX AMM ISSUE 001 REV 02						Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PCNG, AMM GENERICPROC. REF: RCF PCNG, AMM GENERIC								
PCNG-210716		REVIEW PC-12/47E NGX AMM ISSUE 001 REV 03						Service ATA:00
	MOS/MSC	01-Sep-21	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PCNG, AMM GENERICPROC. REF: RCF PCNG, AMM GENERIC								
PCNG-220829		REVIEW PC-12/47E NGX AMM ISSUE 001 REV 07						Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PCNGPROC. REF: RCF PCNG								
PCNG-230116		REVIEW PC-12/47E NGX AMM ISSUE 001 REV 08						Service ATA:00
	MOS/MSC	08-Mar-23	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PCNGPROC. REF: RCF PCNG								
PCNG-240207		REVIEW PC-12/47E NGX AMM ISSUE 001 REV 10						Service ATA:00
	MOS/MSC	26-Mar-24	-					REQUIREMENT CHANGE FORMS
	HRS	0						
	AFL	0						
PROC. REF: RCF PCNGPROC. REF: RCF PCNG								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PCNG-240603	REVIEW PC-12/47E NGX AMM ISSUE 001 REV 11							Service ATA:00
	MOS/MSC	05-Aug-24	-					REQUIREMENT CHANGE FORMS
	HRS	0						
	AFL	0						
PROC. REF: RCF PCNGPROC. REF: RCF PCNG								
PCNG-240621	REVIEW PC-12/47E NGX AMM ISSUE 001 REV 12							Service ATA:00
	MOS/MSC	31-Aug-20	-					REQUIREMENT CHANGE FORMS
	HRS	0						
	AFL	0						
PROC. REF: RCF PCNGPROC. REF: RCF PCNG								
PCNG-250127	REVIEW PC-12/47E NGX AMM ISSUE 001 REV 13							Service ATA:00
	MOS/MSC	07-Feb-25	-					REQUIREMENT CHANGE FORMS
	HRS	0						
	AFL	0						
PROC. REF: RCF PCNGPROC. REF: RCF PCNG								
PCNG-260119	REVIEW PC-12/47E NGX AMM ISSUE 001 REV 14							Service ATA:00
	MOS/MSC	24-Jan-26	-					REQUIREMENT CHANGE FORMS
	HRS	1532:37						
	AFL	920						
PROC. REF: RCF PCNGPROC. REF: RCF PCNG								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 04 - LIMITATIONS								
04-CA/1	AIRCRAFT LIMIT OF VALIDITY (LOV)							Service ATA:04
	MOS	31-Aug-20						LIFE LIMIT
	HRS	0	50000		50000		48467:23	
	AFL	0	60000		60000		59080	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
04-CA/2	WING STRUCTURE LIMIT OF VALIDITY (LOV) (WITHOUT SYSTEMS AND CONTROL SYSTEM STRUCTURE SUCH AS FLAPS AND AILERONS)							Service ATA:04
	MOS	31-Aug-20						LIFE LIMIT
	HRS	0	35000		35000		33467:23	
	AFL	0	43000		43000		42080	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-20-00-00	JOB SET UP / CLOSE UP PACKAGE							Package ATA:05
	MOS/MSC	09-Dec-25	A/R					
	HRS	1494:43						
	AFL	883						
PROC. REF: AMM 12-C-05-20-00-00A-913A-APROC. REF: AMM 12-C-05-20-00-00A-913A-A								PKG:5
05-40-01-03	600 FH INSPECTION							Package ATA:05
	MOS	05-Sep-25						
	HRS	1435:41	600 (+60/-60)		2035:41	2095:41	503:04 (+60)	
	AFL	807						
PROC. REF: AMM 12-C-05-40-01-03A-000B-APROC. REF: AMM 12-C-05-40-01-03A-000B-A								PKG:1
05-40-01-04	600 FH OR 12 MONTHS INSPECTION							Package ATA:05
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -33d	03-Aug-26	09-Sep-26	186 d (+37)	
	HRS	1435:41	600 (+60/-60)		2035:41	2095:41	503:04 (+60)	
	AFL	807						
PROC. REF: AMM 12-C-05-40-01-04A-000B-APROC. REF: AMM 12-C-05-40-01-04A-000B-A								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-40-01-05	1200 FH OR 12 MONTHS INSPECTION							Package ATA:05
	MOS	05-Sep-25	12 (+10%/-10%)		27-Jul-26 (M)	02-Sep-26	179 d (+37)	
	HRS	1435:41	1200 (+60/-60)		2635:41	2695:41	1103:04 (+60)	
	AFL	807						
PROC. REF: AMM 12-C-05-40-01-05A-000B-APROC. REF: AMM 12-C-05-40-01-05A-000B-A								PKG:3
05-40-01-06	2400 FH OR 24 MONTHS INSPECTION							Package ATA:05
	MOS	14-Aug-24	24 (+10%/-10%)	Adj 17d	31-Aug-26	12-Nov-26	214 d (+73)	
	HRS	1127	2400 (+10%/-10%)		3527	3767	1994:23 (+240)	
	AFL	600						
PROC. REF: AMM 12-C-05-40-01-06A-000B-APROC. REF: AMM 12-C-05-40-01-06A-000B-A								PKG:4
05-50-16	UNSCHEDULED INSPECTION - CHECK AFTER A JET BLAST							Service ATA:05
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
	ACH	0						
PROC. REF: AMM 12-B-05-50-16-00A-282A-APROC. REF: AMM 12-B-05-50-16-00A-282A-A								
05-50/1	UNSCHEDULED INSPECTION - CHECK AFTER A HARD LANDING							Service ATA:05
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-01-00A-282B-APROC. REF: AMM 12-B-05-50-01-00A-282B-A								
05-50/10	UNSCHEDULED INSPECTION - CHECK AFTER MAXIMUM LANDING GEAR EXTENDED SPEED EXCEEDANCE							Service ATA:05
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-10-00A-282A-APROC. REF: AMM 12-B-05-50-10-00A-282A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50/11	UNSCHEDULED INSPECTION - CHECK AFTER TAIL DOWN DAMAGE INSPECTION							Service ATA:05
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-11-00A-282A-APROC. REF: AMM 12-B-05-50-11-00A-282A-A								
05-50/12	UNSCHEDULED INSPECTION - CHECK AFTER NOSE LANDING GEAR OVERTURN							Service ATA:05
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-12-00A-282A-APROC. REF: AMM 12-B-05-50-12-00A-282A-A								
05-50/15	UNSCHEDULED INSPECTION - CHECK AFTER A FLIGHT THROUGH VOLCANIC ASH OR SMOKE							Service ATA:05
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-15-00A-282A-APROC. REF: AMM 12-B-05-50-15-00A-282A-A								
05-50/18	UNSCHEDULED INSPECTION - ENGINE							Service ATA:05
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF, AMM 12-B-05-50-00-00A-018A-APROC. REF: GENERIC NO REF, AMM 12-B-05-50-00-00A-018A-A								
05-50/2	UNSCHEDULED INSPECTION - CHECK AFTER FLIGHT IN SEVERE TURBULENCE OR AFTER SEVERE MANEUVERS							Service ATA:05
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-02-00A-282A-APROC. REF: AMM 12-B-05-50-02-00A-282A-A								
05-50/3	UNSCHEDULED INSPECTION - CHECK AFTER OVERSPEED WITH FLAPS DOWN							Service ATA:05
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-03-00A-282A-APROC. REF: AMM 12-B-05-50-03-00A-282A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50/4	UNSCHEDULED INSPECTION - CHECK AFTER PROPELLER SUDDEN STOPPAGE							Service ATA:05
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-04-00A-282A-APROC. REF: AMM 12-B-05-50-04-00A-282A-A								
05-50/5	UNSCHEDULED INSPECTION - CHECK AFTER A LIGHTNING STRIKE							Service ATA:05
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-05-00A-282A-APROC. REF: AMM 12-B-05-50-05-00A-282A-A								
05-50/6	UNSCHEDULED INSPECTION - CHECK AFTER ALIGNMENT AND SYMMETRY							Service ATA:05
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-06-00A-282A-APROC. REF: AMM 12-B-05-50-06-00A-282A-A								
05-50/7	UNSCHEDULED INSPECTION - GEOMETRY INSPECTION - CHECK AFTER A FUSELAGE CARRY THROUGH FRAMES							Service ATA:05
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-07-00A-282A-APROC. REF: AMM 12-B-05-50-07-00A-282A-A								
05-50/8	UNSCHEDULED INSPECTION - CHECK AFTER MAXIMUM OPERATING SPEED EXCEEDANCE							Service ATA:05
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-05-50-08-00A-282A-APROC. REF: AMM 12-C-05-50-08-00A-282A-A								
05-50/9	UNSCHEDULED INSPECTION - CHECK AFTER MAXIMUM LANDING GEAR OPERATING SPEED EXCEEDANCE							Service ATA:05
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-09-00A-282A-APROC. REF: AMM 12-B-05-50-09-00A-282A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-CA/1 ^U	AIRCRAFT REGISTRATION - FAR 47.40							Service ATA:05
	MOS/MSC	28-Aug-20	N/A					
	HRS	0						
	AFL	0						
	ACH	0						
05-CA/10	NO. 1 ENGINE - PROPELLER SUDDEN STOPPAGE OR STRIKE							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-10, LMM 05-50-10PROC. REF: EM 05-50-10, LMM 05-50-10								
05-CA/11	NO. 1 ENGINE - PROPELLER LIGHTNING STRIKE							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-11, LMM 05-50-11PROC. REF: EM 05-50-11, LMM 05-50-11								
05-CA/12	NO. 1 ENGINE - SHORT CIRCUIT OF PROPELLER ELECTRICAL LEADS							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-12, LMM 05-50-12PROC. REF: EM 05-50-12, LMM 05-50-12								
05-CA/13	NO. 1 ENGINE - HEAVY/HARD LANDING							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-13, LMM 05-50-13PROC. REF: EM 05-50-13, LMM 05-50-13								
05-CA/14	NO. 1 ENGINE - AIRCRAFT FLIGHT THROUGH A CLOUD OF VOLCANIC ASH							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-14, LMM 05-50-14PROC. REF: EM 05-50-14, LMM 05-50-14								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-CA/15	NO. 1 ENGINE - SUSTAINED RUNNING WITH HIGH OIL PRESSURE							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-15, LMM 05-50-15PROC. REF: EM 05-50-15, LMM 05-50-15								
05-CA/16	NO. 1 ENGINE - LOSS OF OIL, NO OIL PRESSURE OR LOW OIL PRESSURE							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-16, LMM 05-50-16PROC. REF: EM 05-50-16, LMM 05-50-16								
05-CA/17	NO. 1 ENGINE - HIGH OIL PRESSURE							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-17, LMM 05-50-17PROC. REF: EM 05-50-17, LMM 05-50-17								
05-CA/18	NO. 1 ENGINE - CONTAMINATION BY FIRE EXTINGUISHING AGENTS							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-18, LMM 05-50-18PROC. REF: EM 05-50-18, LMM 05-50-18								
05-CA/19	NO. 1 ENGINE - AUDIBLE RUBBING, BINDING OR SCRAPING							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-19, LMM 05-50-19PROC. REF: EM 05-50-19, LMM 05-50-19								
05-CA/2	NO. 1 ENGINE - ENGINE OVERTORQUE							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-02, LMM 05-50-02PROC. REF: EM 05-50-02, LMM 05-50-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-CA/20	NO. 1 ENGINE - PROPELLER WINDMILLING AFTER IN - FLIGHT SHUTDOWN							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-20, LMM 05-50-20PROC. REF: EM 05-50-20, LMM 05-50-20								
05-CA/21	NO. 1 ENGINE - CONTAMINATION OF OIL WITH NON - METALLIC FOREIGN MATERIAL							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-21, LMM 05-50-21PROC. REF: EM 05-50-21, LMM 05-50-21								
05-CA/22	NO. 1 ENGINE - INGESTION OF UNAPPROVED ENGINE OIL BRANDS							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-22, LMM 05-50-22PROC. REF: EM 05-50-22, LMM 05-50-22								
05-CA/23	NO. 1 ENGINE - UNUSUAL FUEL SYSTEM CONDITION							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-23, LMM 05-50-23PROC. REF: EM 05-50-23, LMM 05-50-23								
05-CA/25	NO. 1 ENGINE - TABLE 3 SCHEDULED MAINTENANCE CHECKS - 12 MONTHS OR 600 HOURS, WHICHEVER OCCURS FIRST							Package ATA:05
	MOS	05-Sep-25	12 (+30d/-30d)	Adj -70d	27-Jun-26	27-Jul-26	149 d (+30)	
	HRS	1435:41	600 (+10%/-10%)		(2035:41) 2035:41	2095:41	503:04 (+60)	
	ENC	777						
PROC. REF: EM 05-20-00, LMM 05-20-00PROC. REF: EM 05-20-00, LMM 05-20-00								
								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-CA/26	NO. 1 ENGINE - TABLE 4 SCHEDULED MAINTENANCE CHECKS - 600 HOURS							Package ATA:05
	MOS	05-Sep-25						
	HRS	1435:41	600 (+10%/-10%)		(2035:41) 2035:41	2095:41	503:04 (+60)	
	ENC	777						
PROC. REF: EM 05-20-00, LMM 05-20-00PROC. REF: EM 05-20-00, LMM 05-20-00								PKG:3
05-CA/3	NO. 1 ENGINE - ENGINE OVERTEMPERATURE							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-03, LMM 05-50-03PROC. REF: EM 05-50-03, LMM 05-50-03								
05-CA/30	NO. 1 ENGINE - ENGINE PERFORMANCE DETERIORATION							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-01, LMM 05-50-01PROC. REF: EM 05-50-01, LMM 05-50-01								
05-CA/31	NO. 1 ENGINE - ENGINE STARTING FAULT OR AN ELECTRICAL GENERATION DEFECT ON STARTER-GENERATOR							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-25, LMM 05-50-25PROC. REF: EM 05-50-25, LMM 05-50-25								
05-CA/32	NO. 1 ENGINE - STATIC OIL LEAK BETWEEN OIL TANK AND AGB							Service ATA:05
	MOS/MSC		A/R					
	HRS							
	ENC							
PROC. REF: EM 05-50-26PROC. REF: EM 05-50-26								
05-CA/4	NO. 1 ENGINE - ENGINE OVERSPEED							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-04, LMM 05-50-04PROC. REF: EM 05-50-04, LMM 05-50-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-CA/5	NO. 1 ENGINE - ENGINE IMMERSION IN WATER							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-05, LMM 05-50-05PROC. REF: EM 05-50-05, LMM 05-50-05								
05-CA/6	NO. 1 ENGINE - DROPPED ENGINE OR COMPONENT DURING HANDLING							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-06, LMM 05-50-06PROC. REF: EM 05-50-06, LMM 05-50-06								
05-CA/7	NO. 1 ENGINE - FOREIGN OBJECT DAMAGE (FOD)/HARD MATERIAL INGESTION							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-07, LMM 05-50-07PROC. REF: EM 05-50-07, LMM 05-50-07								
05-CA/8	NO. 1 ENGINE - BIRD STRIKE/SOFT MATERIAL INGESTION							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-08, LMM 05-50-08PROC. REF: EM 05-50-08, LMM 05-50-08								
05-CA/9	NO. 1 ENGINE - CHIP DETECTOR CIRCUIT COMPLETION AND/OR UNWANTED MATERIAL IN OIL FILTER							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-09, LMM 05-50-09PROC. REF: EM 05-50-09, LMM 05-50-09								
ATA 06 - DIMENSIONS AND AREAS								
06-00/119 ^{U S}	JOB CLOSE UP - ACCESS PANELS 42AB, 42AT AND 32CT - INSTALL AS NECESSARY TO CLOSE UP THE INSPECTION.							Service ATA:06
	MOS/MSC	09-Dec-25	A/R					
	HRS	1494:43						
	AFL	883						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
PKG:5 ,1,2,3,4								
06-00/123 ^{U S}	JOB SET UP - ACCESS PANELS 42AB, 42AT AND 32CT - REMOVE AS NECESSARY TO DO THE INSPECTION							Service ATA:06
	MOS/MSC	09-Dec-25	A/R					
	HRS	1494:43						
	AFL	883						
PKG:5 ,1,2,3,4								
06-00/218	ACCESS PANELS 11AL, 11AR, 11BL, 11BR, 12AL, 12AR, 12AZ, 12AB, 12BB, 12BL, 12BR, 12BZ, 12CL, 12CR, 12CZ, 12DL, 12DR, 12DZ, 12EL, 12ER, 12EZ, 12FL, 12FR, 12FZ, 12HZ, 21GZ, 21JZ, 21PZ, 21QZ, 31AB, 31AL, 32AB, 32AL, 32BL, 32BT, 32CL, 32CT, 32DL, 33ET, 41AT, 42AT, 42AB, 51KB, 51MB, 51NB, 52KB, 52MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB, 62SB, 62TB - OPEN / REMOVE AS NECESSARY TO DO THE INSPECTION. EXAMINE AND MAKE SURE THAT THE ACCESS PANEL DRAIN HOLES ARE CLEAR							Service ATA:06
	MOS	09-Dec-25	12 (+10%/-10%)		09-Dec-26	15-Jan-27	314 d (+37)	
	HRS	1494:43	1200 (+60/-60)		2694:43	2754:43	1162:06 (+60)	
	AFL	883						
PKG:3,5 ,1,2,4								
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								
06-00/219	JOB SET UP - ACCESS PANELS: 11AL, 11AR, 11BL, 11BR, 12AL, 12AR, 12AZ, 12AB, 12BB, 12BL, 12BR, 12BZ, 12CL, 12CR, 12CZ, 12DL, 12DR, 12DZ, 12EL, 12ER, 12EZ, 12FL, 12FR, 12FZ, 12HZ, 21GZ, 21JZ, 21PZ, 21QZ, 31AB, 31AL, 32AB, 32AL, 32BL, 32BT, 32CL, 32CT, 32DL, 33ET, 41AT, 42AT, 42AB, 51KB, 51MB, 51NB, 52KB, 52MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB, 62SB, 62TB - CLOSE OR INSTALL AS NECESSARY TO CLOSE UP THE INSPECTION							Service ATA:06
	MOS	09-Dec-25	12 (+10%/-10%)		09-Dec-26	15-Jan-27	314 d (+37)	
	HRS	1494:43	1200 (+60/-60)		2694:43	2754:43	1162:06 (+60)	
	AFL	883						
PKG:3,5 ,1,2,4								
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								
06-00/518 ^S	ACCES PANEL: 21QZ - REMOVE AND EXAMINE							Service ATA:06
	MOS	05-Sep-25						
	HRS	1435:41	600 (+60/-60)					
	AFL	807						
PKG:1								
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/519 ^S	ACCES PANEL: 21QZ - INSTALL							Service ATA:06
	MOS	05-Sep-25						
	HRS	1435:41	600 (+60/-60)					
	AFL	807						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:1
06-00/520	REMOVE AND EXAMINE FUSELAGE ACCESS PANEL 21PZ,21QZ							Service ATA:06
	MOS	05-Sep-25	12 (+10%/-10%)		05-Sep-26	11-Oct-26	219 d (+36)	
	HRS	1435:41	600 (+60/-60)		2035:41	2095:41	503:04 (+60)	
	AFL	807						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:2
06-00/521	INSTALL FUSELAGE ACCESS PANEL 21PZ,21QZ							Service ATA:06
	MOS	05-Sep-25	12 (+10%/-10%)		05-Sep-26	11-Oct-26	219 d (+36)	
	HRS	1435:41	600 (+60/-60)		2035:41	2095:41	503:04 (+60)	
	AFL	807						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:2
06-00/522 ^S	ACCES PANEL: 11AL, 11AZ, 11BL, 11CL, 12AL, 12EL, 12ERT, 12EZ, 21JZ, 22AZ, 32AB, 32CT, 33ET, 51AB, 51BB, 51DB, 61AB, 61BB, 61DB - OPEN OR REMOVE. EXAMINE AND MAKE SURE THE ACCESS PANEL DRAIN HOLES ARE CLEAR							Service ATA:06
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:4
06-00/523 ^S	ACCES PANEL: 11AL, 11AZ, 11BL, 11CL, 12AL, 12EL, 12ERT, 12EZ, 21JZ, 22AZ, 32AB, 32CT, 33ET, 51AB, 51BB, 51DB, 61AB, 61BB, 61DB - CLOSE OR INSTALL							Service ATA:06
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/576 ^S	ACCESS PANELS,EMPENNAGE: 31AB, 31AL, 32AB, 32AL, 32BL, 32BT, 32CL, 32CT, 32DL, 32DR, 33DT, 33ET, 34DT, - OPEN OR REMOVE. EXAMINE.						Service	ATA:06
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+60/-60)					
	AFL	807						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:3
06-00/577 ^S	ACCESS PANELS,EMPENNAGE: 31AB, 31AL, 32AB, 32AL, 32BL, 32BT, 32CL, 32CT, 32DL, 32DR, 33DT, 33ET, 34DT, - CLOSE OR INSTALL.						Service	ATA:06
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+60/-60)					
	AFL	807						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:3
06-00/578 ^S	ACCESS PANELS, WING: 51LB, 51JB, 51KB, 51MB, 51NB, 52KB, 51MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB,62NB, 62OB, 62PB, 62RB, 62SB, 62TB - REMOVE AND EXAMINE						Service	ATA:06
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+60/-60)					
	AFL	807						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:3
06-00/579 ^S	ACCESS PANELS, WING: 51LB, 51JB, 51KB, 51MB, 51NB, 52KB, 51MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB,62NB, 62OB, 62PB, 62RB, 62SB, 62TB - INSTALL						Service	ATA:06
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+60/-60)					
	AFL	807						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:3
06-00/580 ^S	ACCESS PANELS, EMPENNAGE: 31AB, 32AB - OPEN OR REMOVE. EXAMINE						Service	ATA:06
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+60/-60)					
	AFL	807						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/581 ^S	ACCESS PANELS, EMPENNAGE: 31AB, 32AB - CLOSE OR INSTALL							Service ATA:06
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+60/-60)					
	AFL	807						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:2
06-00/582 ^S	ACCESS PANELS, EMPENNAGE: 41AT, 42AB - REMOVE AND EXAMINE							Service ATA:06
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+60/-60)					
	AFL	807						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:2
06-00/583 ^S	ACCESS PANELS, EMPENNAGE: 41AT, 42AB - INSTALL							Service ATA:06
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+60/-60)					
	AFL	807						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:2
06-00/584 ^S	ACCESS PANELS, EMPENNAGE: 51JB, 51LB, 51MB, 51NB, 52OB, 53QB, 52TB, 61JB, 61LB, 61MB, 61NB, 62OB, 62QB, 62TB - REMOVE AND EXAMINE							Service ATA:06
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+60/-60)					
	AFL	807						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:2
06-00/585 ^S	ACCESS PANELS, EMPENNAGE: 51JB, 51LB, 51MB, 51NB, 52OB, 53QB, 52TB, 61JB, 61LB, 61MB, 61NB, 62OB, 62QB, 62TB - INSTALL							Service ATA:06
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+60/-60)					
	AFL	807						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/586 ^S	ACCESS PANELS, EMPENNAGE: 32AB, 32CT, 33ET - REMOVE AND EXAMINE							Service ATA:06
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:4
06-00/587 ^S	ACCESS PANELS, EMPENNAGE: 32AB, 32CT, 33ET - INSTALL							Service ATA:06
	MOS	14-Aug-24	24 (+6m/-10%)					
	HRS	1127	2400 (+500/-10%)					
	AFL	600						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:4
06-00/588 ^S	ACCESS PANELS, EMPENNAGE: 51AB, 51BB, 51DB,, 61AB, 61BB, 61DB - REMOVE AND EXAMINE							Service ATA:06
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:4
06-00/589 ^S	ACCESS PANELS, EMPENNAGE: 51AB, 51BB, 51DB,, 61AB, 61BB, 61DB - INSTALL							Service ATA:06
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 07 - LIFTING AND SHORING								
07-10/160 ^S	JOB CLOSE UP - AIRCRAFT - LOWER TO THE GROUND, REMOVE JACKS AND DISCONNECT THE AIRCRAFT FROM GROUND AS NECESSARY TO CLOSE UP THE INSPECTION							Service ATA:07
	MOS/MSC	09-Dec-25	A/R					
	HRS	1494:43						
	AFL	883						
PROC. REF: AMM 12-B-07-10-00-00A-901A-APROC. REF: AMM 12-B-07-10-00-00A-901A-A								PKG:5 ,1,2,3,4
07-10/161 ^S	JOB SET UP - AIRCRAFT - LIFT ON JACKS AND CONNECT THE AIRCRAFT TO GROUND AS NECESSARY TO DO THE INSPECTION							Service ATA:07
	MOS/MSC	09-Dec-25	A/R					
	HRS	1494:43						
	AFL	883						
PROC. REF: AMM 12-B-07-10-00-00A-901A-APROC. REF: AMM 12-B-07-10-00-00A-901A-A								PKG:5 ,1,2,3,4
ATA 08 - LEVELING AND WEIGHING								
08-CA/1	AIRCRAFT WEIGHING							Service ATA:08
	MOS	29-May-25	48		29-May-29		1216 d	
	HRS	1341:01						
	AFL	711						
PROC. REF: AMM 12-B-08-10-00-00A-901A-APROC. REF: AMM 12-B-08-10-00-00A-901A-A								
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV								
10-10/517 ^S	EXTERNAL PROTECTIVE COVERS (MSN 2001 AND UP) - EXAMINE. REPLACE IF THE APPLICABLE COVER: - IS DAMAGED OR TORN - DOES NOT INSTALL CORRECTLY - IS MISSING ANY PARTS.							Service ATA:10
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
10-10/901	STORING - COMPLY WITH PART 1 OF THE PROCEDURE FOR AIRCRAFT BEING STORED UP TO 7 DAYS							Service ATA:10
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-10-10-01-00A-901A-APROC. REF: AMM 12-B-10-10-01-00A-901A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV								
10-10/902	STORING - COMPLY WITH PART 2 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 7 DAYS AND UP TO 28 DAYS							Service ATA:10
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-10-10-01-00A-901A-APROC. REF: AMM 12-B-10-10-01-00A-901A-A								
10-10/903	STORING - COMPLY WITH PART 3 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 28 DAYS AND UP TO 90 DAYS							Service ATA:10
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-10-10-01-00A-901A-APROC. REF: AMM 12-B-10-10-01-00A-901A-A								
10-10/904	STORING - COMPLY WITH PART 4 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 90 DAYS							Service ATA:10
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-10-10-01-00A-901A-APROC. REF: AMM 12-B-10-10-01-00A-901A-A								
10-30/901	RETURN TO SERVICE - COMPLY WITH PART 1 OF THE PROCEDURE FOR AIRCRAFT BEING STORED UP TO 7 DAYS							Service ATA:10
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-10-30-00-00A-901A-APROC. REF: AMM 12-C-10-30-00-00A-901A-A								
10-30/902	RETURN TO SERVICE - COMPLY WITH PART 2 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 7 DAYS AND UP TO 28 DAYS							Service ATA:10
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-10-30-00-00A-901A-APROC. REF: AMM 12-C-10-30-00-00A-901A-A								
10-30/903	RETURN TO SERVICE - COMPLY WITH PART 3 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 28 DAYS AND UP TO 90 DAYS							Service ATA:10
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-10-30-00-00A-901A-APROC. REF: AMM 12-C-10-30-00-00A-901A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV								
10-30/904	RETURN TO SERVICE - COMPLY WITH PART 4 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 90 DAYS							Service ATA:10
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-10-30-00-00A-901A-APROC. REF: AMM 12-C-10-30-00-00A-901A-A								
ATA 11 - PLACARDS AND MARKINGS								
11-00/220 ^S	PLACARDS AND MARKINGS - EXAMINE AND ATTACH NEW PLACARDS IF NECESSARY							Service ATA:11
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PKG:3								
PROC. REF: AMM 12-B-11-00-00-00A-040A-A, AMM 12-B-11-00-00-00A-901A-A, AMM 12-B-11-20-00-00A-901A-A, AMM 12-B-11-30-00-00A-040A-APROC. REF: AMM 12-B-11-00-00-00A-040A-A, AMM 12-B-11-00-00-00A-901A-A, AMM 12-B-11-20-00-00A-901A-A, AMM 12-B-11-30-00-00A-040A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
12-20/124 ^S	JOB SET UP - AIRCRAFT - WASH THE EXTERIOR, INCLUDING THE LANDING GEAR AND FLAP COMPARTMENTS AS REQUIRED TO DO THE INSPECTION							Service ATA:12
	MOS/MSC	09-Dec-25	A/R					
	HRS	1494:43						
	AFL	883						
PROC. REF: AMM 12-B-12-20-01-00A-902A-A, AMM 12-B-12-20-01-01A-902A-A, AMM 12-B-12-20-01-00A-902A-A, AMM 12-B-12-20-01-01A-902A-A								PKG:5 ,1,2,3,4
12-20/125 ^S	JOB SET UP - WINDSHIELDS AND WINDOWS - CLEAN							Service ATA:12
	MOS/MSC	09-Dec-25	A/R					
	HRS	1494:43						
	AFL	883						
PROC. REF: AMM 12-B-12-20-02-00A-902A-A, AMM 12-B-12-20-02-00A-902A-A								PKG:5 ,1,2,3,4
12-20/126 ^S	JOB SET UP - COCKPIT AND CABIN - CLEAN							Service ATA:12
	MOS/MSC	09-Dec-25	A/R					
	HRS	1494:43						
	AFL	883						
PROC. REF: AMM 12-B-12-20-03-00A-902A-A, AMM 12-B-12-20-03-00A-902A-A								PKG:5 ,1,2,3,4
12-CA/1	AIRCRAFT WASH							Service ATA:12
	MOS	09-Dec-25	3		09-Mar-26		39 d	
	HRS	1494:43						
	AFL	883						
PROC. REF: AMM 12-B-12-20-01-00A-902A-A, AMM 12-B-12-20-02-00A-902A-A, AMM 12-B-12-20-03-00A-902A-A, AMM 12-B-12-20-01-00A-902A-A, AMM 12-B-12-20-02-00A-902A-A, AMM 12-B-12-20-03-00A-902A-A								WO#: 2601-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 20 - STANDARD PRACTICES - AIRFRAME								
00-00/45	AIRCRAFT EXTERNAL CORROSION PROTECTIVE INSPECTION							Service ATA:20
	MOS	05-Sep-25	6 (+10%/-10%)	Adj -19d	14-Feb-26	02-Mar-26	16 d (+16)	
	HRS	1435:41						
	AFL	807						
								WO#: 2601-PVN
PROC. REF: AMM 12-B-20-40-00-00A-901A-APROC. REF: AMM 12-B-20-40-00-00A-901A-A								
00-00/45	AIRCRAFT INTERNAL CORROSION PROTECTIVE INSPECTION							Service ATA:20
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -22d	14-Aug-26	20-Sep-26	197 d (+37)	
	HRS	1435:41						
	AFL	807						
PROC. REF: AMM 12-B-20-40-00-00A-901A-APROC. REF: AMM 12-B-20-40-00-00A-901A-A								
20-CA/1	FUSELAGE BELLY DRAIN HOLE INSPECTION							Service ATA:20
	MOS	23-Feb-25	12 (+10%/-10%)		23-Feb-26	29-Mar-26	25 d (+34)	
	HRS	1278:35	1200 (+10%/-10%)		2478:35	2598:35	945:58 (+120)	
	AFL	676						
								WO#: 2601-PVN
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								
ATA 21 - AIR CONDITIONING								
21-20/221 ^S	ECS AND BLEED AIR DUCTS, PIPELINES, EQUIPMENT AND ASSOCIATED CLAMPS IN THE ENGINE COMPARTMENT - EXAMINE							Service ATA:21
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
								PKG:4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
21-20/317	ECS EMERGENCY SHUT-OFF SYSTEM CHECK							Service ATA:21
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	149 d (+36)	
	HRS	1435:41	3000 (+10%/-10%)		4435:41	4735:41	2903:04 (+300)	
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-30/314 ^S	CABIN PRESSURIZATION POSITIVE PRESSURE RELIEF VALVE - CHECK FOR CONTAMINATION OF THE VALVE POPPET AND POPPET SEAT. IF CONTAMINATION IF FOUND REMOVE AND CLEAN							Service ATA:21
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
								PKG:4
PROC. REF: AMM 12-B-21-30-02-00A-250A-APROC. REF: AMM 12-B-21-30-02-00A-250A-A								
21-30/463	CABIN PRESSURIZATION DUMP CONTROL - OPERATIONAL TEST							Service ATA:21
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	149 d (+36)	
	HRS	1435:41	600		2035:41		503:04	
	AFL	807						
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A								
21-30/464	CABIN PRESSURIZATION MANUAL CONTROL - OPERATIONAL TEST							Service ATA:21
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	149 d (+36)	
	HRS	1435:41	600		2035:41		503:04	
	AFL	807						
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A								
21-30/465	CABIN PRESSURIZATION POSITIVE PRESSURE RELIEF VALVE - FUNCTIONAL TEST							Service ATA:21
	MOS	14-Aug-24	48		14-Aug-28		928 d	
	HRS	1127	4800		5927		4394:23	
	AFL	600						
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A								
21-30/467	CABIN PRESSURIZATION NEGATIVE PRESSURE RELIEF VALVE - EXAMINE							Service ATA:21
	MOS	14-Aug-24	48 (+10%/-10%)	Adj 17d	31-Aug-28	24-Jan-29	945 d (+146)	
	HRS	1127	4800 (+10%/-10%)		5927	6407	4394:23 (+480)	
	AFL	600						
PROC. REF: AMM 12-B-21-30-05-00A-310A-APROC. REF: AMM 12-B-21-30-05-00A-310A-A								
21-30/468	CABIN PRESSURIZATION ALTITUDE LIMITING FUNCTION - FUNCTIONAL TEST							Service ATA:21
	MOS	14-Aug-24	48		14-Aug-28		928 d	
	HRS	1127	4800		5927		4394:23	
	AFL	600						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A								
21-30/469	CABIN PRESSURIZATION HIGH CABIN ALTITUDE WARNING - FUNCTIONAL TEST							Service ATA:21
	MOS	14-Aug-24	48		14-Aug-28		928 d	
	HRS	1127	4800		5927		4394:23	
	AFL	600						
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A								
21-40/128 ^S	FLIGHT COMPARTMENT FOOT HEATER (IF INSTALLED) THERMAL PROTECTION SWITCH - OPERATIONAL TEST							Service ATA:21
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PKG:3								
PROC. REF: AMM 12-B-21-43-00-00A-903A-APROC. REF: AMM 12-B-21-43-00-00A-903A-A								
21-40/330 ^S	CABIN AUXILIARY HEATER THERMAL PROTECTION SWITCH - OPERATIONAL TEST							Service ATA:21
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PKG:3								
PROC. REF: AMM 12-B-21-40-01-00A-903B-APROC. REF: AMM 12-B-21-40-01-00A-903B-A								
21-40/331 ^S	UNDERFLOOR HEATER THERMAL PROTECTION SWITCH - FUNCTIONAL TEST							Service ATA:21
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PKG:3								
PROC. REF: AMM 12-B-21-40-01-00A-903B-APROC. REF: AMM 12-B-21-40-01-00A-903B-A								
21-40/50 ^S	WATER SEPARATOR CONDENSER - CLEAN							Service ATA:21
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PKG:3								
PROC. REF: AMM 12-B-21-40-03-00A-250A-APROC. REF: AMM 12-B-21-40-03-00A-250A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-40/51	OVERTEMPERATURE SWITCH - FUNCTIONAL TEST							Service ATA:21
PN:973.81.32.216	MOS	05-Sep-25	60 (+6m/-6m)	Adj -5d	31-Aug-30	28-Feb-31	1675 d (+181)	
SN:1525	HRS	1435:41	4800 (+10%/-10%)		6235:41	6715:41	4703:04 (+480)	
	AFL	807						
PROC. REF: AMM 12-B-21-40-06-00A-903A-APROC. REF: AMM 12-B-21-40-06-00A-903A-A								
21-40/52	DUCT OVERTEMPERATURE SWITCH - FUNCTIONAL TEST							Service ATA:21
PN:973.81.32.214	MOS	05-Sep-25	60 (+6m/-6m)	Adj -5d	31-Aug-30	28-Feb-31	1675 d (+181)	
SN:1381	HRS	1435:41	4800 (+10%/-10%)		6235:41	6715:41	4703:04 (+480)	
	AFL	807						
PROC. REF: AMM 12-B-21-60-05-00A-903A-APROC. REF: AMM 12-B-21-60-05-00A-903A-A								
21-40/55 ^S	COLD AIR UNIT - ADD OIL							Service ATA:21
	MOS	05-Sep-25						
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-21-40-02-00A-902A-APROC. REF: AMM 12-B-21-40-02-00A-902A-A								PKG:1
21-40/56 ^S	HEAT EXCHANGER MATRIX - INSPECTION/CHECK							Service ATA:21
	MOS	05-Sep-25						
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-21-40-02-00A-313A-APROC. REF: AMM 12-B-21-40-02-00A-313A-A								PKG:1
21-50/499 ^S	VAPOR CYCLE COMPRESSOR CONDENSER MODULE - INSPECTION/CHECK							Service ATA:21
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-C-21-50-01-00A-313A-APROC. REF: AMM 12-C-21-50-01-00A-313A-A								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PC12A21200100		FIREWALL SHUT-OFF VALVE, S901					Component	ATA:21
PN:963.30.11.005	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1262	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-21-20-01-00A-920A-APROC. REF: AMM 12-B-21-20-01-00A-920A-A								
PC12A21200200		DUAL FLAPPER CHECK VALVE, 2.5 IN					Component	ATA:21
PN:963.30.11.106	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:3601B	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-21-30-05-00A-920A-APROC. REF: AMM 12-B-21-30-05-00A-920A-A								
PC12A21300100		CABIN PRESSURIZATION CONTROL UNIT, A176					Component	ATA:21
PN:959.90.91.147	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:65000052-00376	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-21-30-01-00A-920B-APROC. REF: AMM 12-B-21-30-01-00A-920B-A								
PC12A21300200		SAFETY VALVE					Component	ATA:21
PN:959.90.91.132	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:20-F0996	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-21-30-02-00A-920A-APROC. REF: AMM 12-B-21-30-02-00A-920A-A								
PC12A21300300		OUTFLOW VALVE, B154					Component	ATA:21
PN:959.90.91.125	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:65053598-00381	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-21-30-03-00A-920B-APROC. REF: AMM 12-B-21-30-03-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PC12A21300410	NEGATIVE PRESSURE RELIEF VALVE, LH							Component ATA:21
PN:963.30.11.106	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:3600B	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-21-30-05-00A-920A-APROC. REF: AMM 12-B-21-30-05-00A-920A-A								
PC12A21300420	NEGATIVE PRESSURE RELIEF VALVE, RH							Component ATA:21
PN:963.30.11.106	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:3605B	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-21-30-05-00A-920A-APROC. REF: AMM 12-B-21-30-05-00A-920A-A								
PC12A21400100	HP SHUT-OFF VALVE, L046							Component ATA:21
PN:959.90.20.131	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:2436	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-21-40-04-00A-920A-APROC. REF: AMM 12-B-21-40-04-00A-920A-A								
PC12A21400200	PRIMARY SHUT-OFF VALVE, L086							Component ATA:21
PN:959.90.20.132	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:2421	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-21-40-05-00A-920A-APROC. REF: AMM 12-B-21-40-05-00A-920A-A								
PC12A21400300	WATER INJECTOR							Component ATA:21
PN:959.90.20.141	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:2428	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PC12A21400400		DUAL FLAPPER CHECK VALVE, 1.5 IN					Component	ATA:21
PN:963.30.11.105	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1929B	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-21-30-05-00A-920A-APROC. REF: AMM 12-B-21-30-05-00A-920A-A								
PC12A21400500		OVERPRESSURE SWITCH, S084					Component	ATA:21
PN:973.81.15.105	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1879	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-21-40-07-00A-920A-APROC. REF: AMM 12-B-21-40-07-00A-920A-A								
PC12A21400600		HIGH-PRESSURE SWITCH, S020					Component	ATA:21
PN:973.81.15.106	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1892	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-21-40-08-00A-920A-APROC. REF: AMM 12-B-21-40-08-00A-920A-A								
PC12A21400710		UNDERFLOOR HEATER, FR 21/22, HR210					Component	ATA:21
PN:969.67.81.507	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:603520	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-21-40-01-00A-920A-APROC. REF: AMM 12-B-21-40-01-00A-920A-A								
PC12A21400720		CABIN HEATER, FR 29/30, HR291					Component	ATA:21
PN:969.67.81.507	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:603527	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-21-40-15-00A-920A-APROC. REF: AMM 12-B-21-40-15-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PC12A21400810		UNDERFLOOR HEATER RELAY, FR 21, K210					Component	ATA:21
PN:974.09.26.111	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:284	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A21400820		CABIN HEATER RELAY, FR 29, K293					Component	ATA:21
PN:974.09.26.111	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:288	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A21400900		REFRIGERATION PACK					Component	ATA:21
PN:959.90.20.111	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:2457	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-21-40-02-00A-920A-APROC. REF: AMM 12-B-21-40-02-00A-920A-A								
PC12A21401000		OVERTEMPERATURE SWITCH, BLEED AIR, S044					Component	ATA:21
PN:973.81.32.216	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1525	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-06-00A-920A-APROC. REF: AMM 12-B-21-40-06-00A-920A-A								
PC12A21500100		COMPRESSOR					Component	ATA:21
PN:959.90.22.157	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:00139	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-21-50-01-00A-920A-APROC. REF: AMM 12-C-21-50-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PC12A21500200		CONDENSER MODULE					Component	ATA:21
PN:959.90.22.145	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:00147	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-21-50-05-00A-920A-APROC. REF: AMM 12-C-21-50-05-00A-920A-A								
PC12A21500300		CONDENSER FAN					Component	ATA:21
PN:959.90.22.146	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:00152	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-21-50-04-00A-920A-APROC. REF: AMM 12-C-21-50-04-00A-920A-A								
PC12A21500400		EVAPORATOR ASSEMBLY, LH					Component	ATA:21
PN:959.90.22.150	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:00151	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-21-50-02-00A-920A-APROC. REF: AMM 12-C-21-50-02-00A-920A-A								
PC12A21500500		EVAPORATOR ASSEMBLY, RH					Component	ATA:21
PN:959.90.22.158	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:00148	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-21-50-02-00A-920A-APROC. REF: AMM 12-C-21-50-02-00A-920A-A								
PC12A21600100		INTEGRATED ECS CONTROLLER, A181					Component	ATA:21
PN:959.90.20.129	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1030	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-21-60-01-00A-920A-APROC. REF: AMM 12-B-21-60-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PC12A21600200		TEMPERATURE CONTROL VALVE					Component	ATA:21
PN:959.90.20.137	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:2432	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-21-60-02-00A-920A-APROC. REF: AMM 12-B-21-60-02-00A-920A-A								
PC12A21600300		FLOW CONTROL VALVE ACTUATOR, B155					Component	ATA:21
PN:959.90.20.161	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:000229	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-21-60-03-00A-920A-APROC. REF: AMM 12-B-21-60-03-00A-920A-A								
PC12A21600400		OVER TEMPERATURE SWITCH, ENGINE BAY, S082					Component	ATA:21
PN:973.81.32.214	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1381	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-06-00A-920A-APROC. REF: AMM 12-B-21-40-06-00A-920A-A								
PC12A21600510		DUCT TEMPERATURE SENSOR, ENGINE BAY. Z099					Component	ATA:21
PN:959.90.20.121	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:5980	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-21-60-04-00A-920A-APROC. REF: AMM 12-B-21-60-04-00A-920A-A								
PC12A21600520		DUCT TEMPERATURE SENSOR, COCKPIT, Z131					Component	ATA:21
PN:959.90.20.121	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:5983	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-21-60-04-00A-920A-APROC. REF: AMM 12-B-21-60-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PC12A21600530	DUCT TEMPERATURE SENSOR, UNDERFLOOR, Z211							Component ATA:21
PN:959.90.20.121	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:5982	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-21-60-04-00A-920A-APROC. REF: AMM 12-B-21-60-04-00A-920A-A								
PC12A21600540	DUCT TEMPERATURE SENSOR, CABIN, Z332							Component ATA:21
PN:959.90.20.121	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:6040	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-21-60-04-00A-920A-APROC. REF: AMM 12-B-21-60-04-00A-920A-A								
ATA 22 - AUTO FLIGHT								
22-10/233 ^S	PITCH, ROLL, AND YAW ACTUATORS AND CAPSTAN CONTROL CABLES - EXAMINE							Service ATA:22
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:4
22-10/60 ^S	SERVO MOUNT (PITCH, ROLL AND YAW) - REMOVE FOR CLUTCH CHECK							Service ATA:22
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-C-22-10-00-00A-313A-APROC. REF: AMM 12-C-22-10-00-00A-313A-A								PKG:3
22-20/518 ^S	ANGLE OF ATTACK (AOA) TRANSMITTERS (MSN 2001 AND UP) -EXAMINE							Service ATA:22
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
22-20/519 ^S	STICK PUSHER SYSTEM (MSN 2001 AND UP) - CHECK							Service ATA:22
	MOS	05-Sep-25						
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-C-22-20-00-00A-903A-APROC. REF: AMM 12-C-22-20-00-00A-903A-A								PKG:1
22-20/565 ^S	STICK PUSHER SYSTEM (MSN 2001 AND UP) - FUNCTIONAL TEST							Service ATA:22
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-C-22-20-00-00A-903A-APROC. REF: AMM 12-C-22-20-00-00A-903A-A								PKG:3
PC12A22100110	SERVO ACTUATOR, ROLL, A233							Component ATA:22
PN:985.99.12.275	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:KSA2700-4177	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-22-10-03-00A-920A-APROC. REF: AMM 12-B-22-10-03-00A-920A-A								
PC12A22100120	SERVO ACTUATOR, YAW, A389							Component ATA:22
PN:985.99.12.275	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:KSA2700-4180	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-22-10-04-00A-920A-APROC. REF: AMM 12-B-22-10-04-00A-920A-A								
PC12A22100130	SERVO ACTUATOR, PITCH							Component ATA:22
PN:985.99.12.275	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:KSA2700-4178	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-22-10-02-00A-920A-APROC. REF: AMM 12-B-22-10-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
PC12A22100210	SERVO MOUNT, ROLL							Component ATA:22
PN:985.99.12.133	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:KSM375-B4080	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A22100220	SERVO MOUNT, YAW							Component ATA:22
PN:985.99.12.133	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:KSM375-B4083	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A22100230	SERVO MOUNT, PITCH							Component ATA:22
PN:985.99.12.133	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:KSM375-B4084	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A22100300	FLIGHT CONTROL PANEL, A127							Component ATA:22
PN:985.99.12.258	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:KMC9200A-1184	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-22-10-05-00A-920A-APROC. REF: AMM 12-B-22-10-05-00A-920A-A								
PC12A22200100	STICK PUSHER COMPUTER, A171							Component ATA:22
PN:975.44.23.106	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:141794	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-22-20-01-00A-920A-APROC. REF: AMM 12-C-22-20-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
PC12A22200200 ANGLE OF ATTACK (AOA) TRANSMITTER, LH, HR579								Component ATA:22
PN:975.44.21.423	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:2112	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-22-20-02-00A-920A-APROC. REF: AMM 12-B-22-20-02-00A-920A-A								
PC12A22200300 ANGLE OF ATTACK (AOA) TRANSMITTER, RH, HR679								Component ATA:22
PN:975.44.21.424	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:2220	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-22-20-02-00A-920A-APROC. REF: AMM 12-B-22-20-02-00A-920A-A								
PC12A22200400 STICK SHAKER ACTUATOR, A113								Component ATA:22
PN:978.61.11.143	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1924	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-22-20-03-00A-920A-APROC. REF: AMM 12-B-22-20-03-00A-920A-A								
PC12A22200500 STICK PUSHER SERVO, A210								Component ATA:22
PN:978.61.11.103	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:81343	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-22-20-04-00A-920A-APROC. REF: AMM 12-B-22-20-04-00A-920A-A								
PC12A22200600 STICK PUSHER CAPSTAN								Component ATA:22
PN:978.61.11.124	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:81271	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-22-20-06-00A-920A-APROC. REF: AMM 12-B-22-20-06-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
23-10/322 ^S	AUDIO CONTROL PANEL EMERGENCY SWITCH - OPERATIONAL TEST							Service ATA:23
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PROC. REF: AMM 12-B-23-50-00-00A-903A-APROC. REF: AMM 12-B-23-50-00-00A-903A-A								PKG:4
23-10/323 ^S	EMERGENCY FREQUENCY COMM TUNING SWITCH - OPERATIONAL TEST							Service ATA:23
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PROC. REF: AMM 12-B-23-12-00-00A-903A-APROC. REF: AMM 12-B-23-12-00-00A-903A-A								PKG:4
PC12A23120110	MULTI MODE DIGITAL RADIO, MMDR 1, A115							Component ATA:23
PN:985.99.12.277	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:6510	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-23-12-01-00A-920A-APROC. REF: AMM 12-B-23-12-01-00A-920A-A								
PC12A23120120	MULTI MODE DIGITAL RADIO, MMDR 2, A114							Component ATA:23
PN:069-01039-0101	MOS/MSC	28-Feb-25	O/C	TSR 0				
SN:7774	HRS	1295:45		TSR 0				
	AFL	685		TSR 0				
PROC. REF: AMM 12-B-23-12-01-00A-920A-APROC. REF: AMM 12-B-23-12-01-00A-920A-A								
PC12A23120210	VHF 1 ANTENNA, LOWER, E289							Component ATA:23
PN:984.81.10.203	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:310-34984	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-23-12-02-00A-920A-APROC. REF: AMM 12-B-23-12-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
PC12A23120220	VHF 2 ANTENNA, UPPER, E319							Component ATA:23
PN:984.81.10.203	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:310-34985	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-23-12-03-00A-920A-APROC. REF: AMM 12-B-23-12-03-00A-920A-A								
PC12A23160200	SATCOM ANTENNA, IRIDIUM, FR 27/28, E272							Component ATA:23
PN:984.81.10.210	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:430-16652	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-23-16-01-00A-920A-APROC. REF: AMM 12-B-23-16-01-00A-920A-A								
PC12A23500110	AUDIO CONTROL PANEL, PILOT, A125							Component ATA:23
PN:985.99.12.055	MOS/MSC	15-Dec-22	O/C	TSN 28				
SN:B29A0115	HRS	747:17		TSN 747:17				
	AFL	397		TSN 397				
PROC. REF: AMM 12-B-23-50-01-00A-920A-APROC. REF: AMM 12-B-23-50-01-00A-920A-A								
PC12A23500120	AUDIO CONTROL PANEL, CO-PILOT, A126							Component ATA:23
PN:985.99.12.055	MOS/MSC	15-Dec-22	O/C	TSN 28				
SN:B29A0110	HRS	747:17		TSN 747:17				
	AFL	397		TSN 397				
PROC. REF: AMM 12-B-23-50-01-00A-920A-APROC. REF: AMM 12-B-23-50-01-00A-920A-A								
ATA 24 - ELECTRICAL POWER								
24-30/311	GENERATOR CONTROL UNITS, GCU 1 AND GCU 2 - FUNCTIONAL TEST OVER AND UNDER-VOLTAGE TRIP PROTECTION (CMR)							Service ATA:24
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	149 d (+36)	
	HRS	1435:41	3000		4435:41		2903:04	
	AFL	807						
PROC. REF: AMM 12-C-71-00-00-00A-903D-APROC. REF: AMM 12-C-71-00-00-00A-903D-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-30/312 ^S	EXTERNAL POWER CONTROLLER - OVER/UNDER VOLTAGE TRIP PROTECTION OPERATIONAL TEST							Service ATA:24
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PROC. REF: AMM 12-B-24-40-00-00A-903A-APROC. REF: AMM 12-B-24-40-00-00A-903A-A								PKG:4
24-30/313 ^S	DC ELECTRICAL SYSTEM - FUNCTIONAL TEST							Service ATA:24
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-C-71-00-00-00A-903D-APROC. REF: AMM 12-C-71-00-00-00A-903D-A								PKG:3
24-30/340	NO. 1 LEAD ACID BATTERY - REMOVE / CAPACITY TEST							Service ATA:24
PN:RG24-16	MOS	09-Dec-25	3 (+10%/-10%)	Adj -4d	05-Mar-26	14-Mar-26	35 d (+9)	
SN:41199183	HRS	1494:43	300 (+10%/-10%)		1794:43	1824:43	262:06 (+30)	
	AFL	883						
PROC. REF: AMM 12-B-24-30-07-00A-920A-APROC. REF: AMM 12-B-24-30-07-00A-920A-A								WO#: 2601-PVN
24-30/340	NO. 2 LEAD ACID BATTERY - REMOVE / CAPACITY TEST							Service ATA:24
PN:976.11.26.120	MOS	05-Sep-25	6 (+10%/-10%)	Adj -10d	23-Feb-26	11-Mar-26	25 d (+16)	
SN:41080978	HRS	1435:41	600 (+10%/-10%)		2035:41	2095:41	503:04 (+60)	
	AFL	807						
PROC. REF: AMM 12-B-24-30-07-00A-920A-APROC. REF: AMM 12-B-24-30-07-00A-920A-A								WO#: 2601-PVN
24-30/473	GENERATOR 1 (P/N 978.91.23.407) - BRUSH CHECK							Service ATA:24
PN:978.91.23.407	MOS	05-Sep-25						
SN:P1764	HRS	1435:41	600 (+10%/-10%)		2035:41	2095:41	503:04 (+60)	
	AFL	807						
PROC. REF: AMM 12-B-24-30-01-00A-313A-APROC. REF: AMM 12-B-24-30-01-00A-313A-A								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-30/474	STARTER/GENERATOR 2 (P/N 978.91.23.407) - BRUSH CHECK							Service ATA:24
PN:978.91.23.407	MOS	05-Sep-25						
SN:P2866	HRS	1435:41	600 (+10%/-10%)		2035:41	2095:41	503:04 (+60)	
	AFL	807						
PROC. REF: AMM 12-B-24-30-01-00A-313A-APROC. REF: AMM 12-B-24-30-01-00A-313A-A								PKG:1
24-30/492	OVERHAUL GENERATOR 1 (P/N 978.91.23.407)							Service ATA:24
PN:978.91.23.407	MOS	14-Aug-24						OVERHAUL
SN:P1764	HRS	1127	1200 (+10%/-10%)		2327	2447	794:23 (+120)	
	AFL	600						
PROC. REF: AMM 12-B-24-30-01-00A-920A-APROC. REF: AMM 12-B-24-30-01-00A-920A-A								
24-30/493	OVERHAUL STARTER/GENERATOR 2 (P/N 978.91.23.407)							Service ATA:24
PN:978.91.23.407	MOS	14-Aug-24						OVERHAUL
SN:P2866	HRS	1127	1200 (+10%/-10%)		2327	2447	794:23 (+120)	
	AFL	600						
PROC. REF: AMM 12-B-24-30-01-00A-920A-APROC. REF: AMM 12-B-24-30-01-00A-920A-A								
24-40/229 ^S	EXTERNAL POWER UNIT (EPU) RECEPTACLE - EXAMINE							Service ATA:24
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:4
24-50/509	EMERGENCY POWER SUPPLY - REMOVE / CAPACITY TEST							Service ATA:24
PN:985.83.14.953	MOS	05-Sep-25	12 (+10%/-10%)		05-Sep-26 (M)	11-Oct-26	219 d (+36)	
SN:84181	HRS	1435:41						
	AFL	807						
Installation Date: : 05-Sep-25								
PROC. REF: AMM 12-B-24-52-51-00A-920A-APROC. REF: AMM 12-B-24-52-51-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-60/133 ^S	COCKPIT CIRCUIT BREAKER PANELS AND SWITCH PANELS - EXAMINE							Service ATA:24
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:4
PC12A24300110	NO. 1 BATTERY							Component ATA:24
PN:RG24-16	MOS/MSC	04-Apr-23	O/C	TSN 13				
SN:41199183	HRS	813:35		TSN 317:05				
	AFL	425		TSN 175				
PROC. REF: AMM 12-B-24-30-07-00A-920A-A, AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-APROC. REF: AMM 12-B-24-30-07-00A-920A-A, AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-A								WO#: 2601-PVN
PC12A24300120	NO. 2 BATTERY							Component ATA:24
PN:976.11.26.120	MOS/MSC	23-Feb-25	O/C	TSN 54				
SN:41080978	HRS	1278:35		TSN 1278:35				
	AFL	676		TSN 676				
PROC. REF: AMM 12-B-24-30-07-00A-920A-A, AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-APROC. REF: AMM 12-B-24-30-07-00A-920A-A, AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-A								WO#: 2601-PVN
PC12A24300210	GENERATOR 1							Component ATA:24
PN:978.91.23.407	MOS/MSC	05-Sep-25	H/T	TSO 13				
SN:P1764	HRS	1435:41		TSN 1988:53, TSO 308:41				
	AFL	807		TSN 1672, TSO 207				
PROC. REF: AMM 12-B-24-30-01-00A-920A-APROC. REF: AMM 12-B-24-30-01-00A-920A-A								
PC12A24300220	STARTER/GENERATOR 2							Component ATA:24
PN:978.91.23.407	MOS/MSC	05-Sep-25	H/T	TSO 13				
SN:P2866	HRS	1435:41		TSN 3996:40, TSO 308:41				
	AFL	807		TSN 2370, TSO 207				
PROC. REF: AMM 12-B-24-30-01-00A-920A-APROC. REF: AMM 12-B-24-30-01-00A-920A-A								
PC12A24300310	VOLTAGE REGULATOR 1 (GCU 1)							Component ATA:24
PN:988.21.14.111	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:P5312	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PROC. REF: AMM 12-B-24-30-05-00A-920A-APROC. REF: AMM 12-B-24-30-05-00A-920A-A								
PC12A24300320 VOLTAGE REGULATOR 2 (GCU 2)								Component ATA:24
PN:988.21.14.111	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:P5269	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-30-06-00A-920A-APROC. REF: AMM 12-B-24-30-06-00A-920A-A								
PC12A24300410 CURRENT SENSOR, GENERATOR 1, LH, MT001								Component ATA:24
PN:975.50.85.111	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:N5738	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-24-30-08-00A-920A-APROC. REF: AMM 12-B-24-30-08-00A-920A-A								
PC12A24300420 CURRENT SENSOR, GENERATOR 2, RH, MT002								Component ATA:24
PN:975.50.85.111	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:N5719	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-24-30-08-00A-920A-APROC. REF: AMM 12-B-24-30-08-00A-920A-A								
PC12A24300510 GENERATOR 1 CONTACTOR, LH, K001								Component ATA:24
PN:974.03.38.113	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1407	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-24-30-08-00A-920A-APROC. REF: AMM 12-B-24-30-08-00A-920A-A								
PC12A24300520 GENERATOR 2 CONTACTOR, RH, K002								Component ATA:24
PN:974.03.38.113	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1432	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-24-30-08-00A-920A-APROC. REF: AMM 12-B-24-30-08-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PC12A24400100		BATTERY AND EXTERNAL POWER JUNCTION BOX, A381						Component ATA:24
PN:974.03.38.154	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1333	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-24-40-01-00A-920A-APROC. REF: AMM 12-B-24-40-01-00A-920A-A								
PC12A24520100		POWER JUNCTION BOX, LH, A121						Component ATA:24
PN:974.03.38.144	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1272	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-24-52-10-00A-920A-APROC. REF: AMM 12-B-24-52-10-00A-920A-A								
PC12A24520200		POWER JUNCTION BOX, RH, A122						Component ATA:24
PN:974.03.38.145	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1054	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-24-52-20-00A-920A-APROC. REF: AMM 12-B-24-52-20-00A-920A-A								
PC12A24520300		EMERGENCY POWER SUPPLY, A183						Component ATA:24
PN:985.83.14.953	MOS/MSC	05-Sep-25	DUE	TSN 12	05-Sep-26 (M)		219 d	
SN:84181	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-52-51-00A-920A-APROC. REF: AMM 12-B-24-52-51-00A-920A-A								
PC12A24520400		RELAY PANEL, FR 16-17						Component ATA:24
PN:974.20.04.262	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0231	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-24-52-30-00A-920A-APROC. REF: AMM 12-C-24-52-30-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PC12A24600100	STATIC INVERTER, A310							Component ATA:24
PN:975.02.15.107	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:8806	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-24-60-01-00A-920A-APROC. REF: AMM 12-B-24-60-01-00A-920A-A								
ATA 25 - EQUIPMENT/FURNISHINGS								
25-00/CFR	EMERGENCY LOCATOR TRANSMITTER (ELT) - BATTERY EXPIRATION CHECK / TEST							Service ATA:25
PN:985.13.80.882	MOS	05-Sep-25	12		05-Sep-26		219 d	
SN:LX1101180231	HRS	1491:05						
	AFL	850						
Inspection Date: : 05-Sep-25								
PROC. REF: CFR 14 CFR 91.207PROC. REF: CFR 14 CFR 91.207								
25-10/521 ^S	CREW SEAT BELTS (MSN 2001 AND UP) - EXAMINE							Service ATA:25
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PKG:2								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-10/522 ^S	CREW SEATS (MSN 2001 AND UP) - EXAMINE AS FAR AS POSSIBLE WITH SEATS INSTALLED							Service ATA:25
	MOS	05-Sep-25						
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PKG:1								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-10/566 ^S	CREW SEATS (MSN 2001 AND UP) - REMOVE AS NECESSARY TO DO THE INSPECTION							Service ATA:25
	MOS/MSC	09-Dec-25	A/R					
	HRS	1494:43						
	AFL	883						
PKG:5 ,1,2,3,4								
PROC. REF: AMM 12-C-25-10-01-00A-920A-APROC. REF: AMM 12-C-25-10-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-10/567 ^S	CREW SEAT (MSN 2001 AND UP) - INSTALL AS NECESSARY TO CLOSE THE INSPECTION							Service ATA:25
	MOS/MSC	09-Dec-25	A/R					
	HRS	1494:43						
	AFL	883						
PROC. REF: AMM 12-C-25-10-01-00A-920A-APROC. REF: AMM 12-C-25-10-01-00A-920A-A								PKG:5 ,1,2,3,4
25-10/568 ^S	CREW SEATS (MSN 2001 AND UP) - REMOVE CUSHIONS, COVERS AND SHELLS (REFER CMM) AND EXAMINE SEAT. INSTALL CUSHIONS, COVERS AND SHELLS							Service ATA:25
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-C-25-10-01-00A-920A-APROC. REF: AMM 12-C-25-10-01-00A-920A-A								PKG:3
25-20/511 ^S	PASSENGER SEATS (MSN 2001 AND UP) - EXAMINE AS FAR AS POSSIBLE WITH SEATS INSTALLED. MOVE THE RECLINE MECHANISM AND SWIVEL FUNCTION (EXECUTIVE SEAT ONLY) THROUGH ITS FULL MOTION AND CHECK FOR CORRECT OPERATION.							Service ATA:25
	MOS	05-Sep-25						
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: CMM CONDITION CHECKS, CMM 25-70-76PROC. REF: CMM CONDITION CHECKS, CMM 25-70-76								PKG:1
25-20/512 ^S	PASSENGER SEATS (MSN 2001 AND UP) - EXAMINE, IF NECESSARY, REFER TO THE APPLICABLE CMM:CMM 25-70-76 FOR EXECUTIVE SEATSCMM 2044-CMM026 FOR STANDARD SEATS FOR EXECUTIVE SEATS ONLY, WITH THE SEAT CUSHION REMOVED, CHECK THE HYDROLOCK REAR ATTACHMENT BOLT FOR SECURITY OF ATTACHMENT							Service ATA:25
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: CMM CONDITION CHECKS, CMM 25-70-76PROC. REF: CMM CONDITION CHECKS, CMM 25-70-76								PKG:3
25-20/523 ^S	PASSENGER SEAT BELTS AND EXTENSIONS (MSN 2001 AND UP) - EXAMINE							Service ATA:25
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-20/569 ^S	PASSENGER SEATS (MSN 2001 AND UP) - REMOVE AS NECESSARY TO DO THE INSPECTION							Service ATA:25
	MOS/MSC	09-Dec-25	A/R					
	HRS	1494:43						
	AFL	883						
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-APROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								PKG:5 ,1,2,3,4
25-20/570 ^S	PASSENGER SEATS (MSN 2001 AND UP) - INSTALL AS NECESSARY TO CLOSE THE INSPECTION							Service ATA:25
	MOS/MSC	09-Dec-25	A/R					
	HRS	1494:43						
	AFL	883						
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-APROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								PKG:5 ,1,2,3,4
25-60/232 ^S	ELT INSTALLATION - EXAMINE							Service ATA:25
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
25-60/483	PERFORM PERIODIC INSPECTIONS ON ELT, KANNAD 406 AF (WITH AND WITHOUT NAVIGATION INTERFACE UNIT) AND KANNAD INTEGRA 406 AF							Service ATA:25
PN:985.13.80.882	MOS	05-Sep-25	12		05-Sep-26		219 d	
SN:LX1101180231	HRS	1435:41						
	AFL	807						
PROC. REF: SIL PERIODIC INSPECTIONPROC. REF: SIL PERIODIC INSPECTION								
25-60/524 ^S	ELT (MSN 2001 AND UP) - OPERATIONAL TEST							Service ATA:25
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-25-63-00-00A-903B-APROC. REF: AMM 12-B-25-63-00-00A-903B-A								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-62/642	EXAMINE COPILOT LIFE VEST							Service ATA:25
PN:904.92.17.913	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	149 d (+36)	
SN:L5090437	HRS	1435:41						
	AFL	807						
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A								
25-62/642	EXAMINE NO. 1 LIFE VEST							Service ATA:25
PN:904.92.17.913	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	149 d (+36)	
SN:L4949516	HRS	1435:41						
	AFL	807						
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A								
25-62/642	EXAMINE NO. 2 LIFE VEST							Service ATA:25
PN:904.92.17.913	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	149 d (+36)	
SN:L4949518	HRS	1435:41						
	AFL	807						
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A								
25-62/642	EXAMINE NO. 3 LIFE VEST							Service ATA:25
PN:904.92.17.913	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	149 d (+36)	
SN:L4949512	HRS	1435:41						
	AFL	807						
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A								
25-62/642	EXAMINE NO. 4 LIFE VEST							Service ATA:25
PN:904.92.17.913	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	149 d (+36)	
SN:L4949511	HRS	1435:41						
	AFL	807						
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A								
25-62/642	EXAMINE NO. 5 LIFE VEST							Service ATA:25
PN:904.92.17.913	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	149 d (+36)	
SN:L4949519	HRS	1435:41						
	AFL	807						
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-62/642	EXAMINE NO. 6 LIFE VEST							Service ATA:25
PN:904.92.17.913	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	149 d (+36)	
SN:L4949510	HRS	1435:41						
	AFL	807						
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A								
25-62/642	EXAMINE NO. 7 LIFE VEST							Service ATA:25
	MOS/MSC	08-Aug-23	N/A	Adj -42d				
	HRS	918:20						
	AFL	472						
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A								
25-62/642	EXAMINE NO. 8 LIFE VEST							Service ATA:25
	MOS/MSC	08-Aug-23	N/A	Adj -42d				
	HRS	918:20						
	AFL	472						
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A								
25-62/642	EXAMINE PILOT LIFE VEST							Service ATA:25
PN:904.92.17.913	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	149 d (+36)	
SN:L5090435	HRS	1435:41						
	AFL	807						
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A								
25-62/643	REPLACE COPILOT LIFE VEST							Service ATA:25
PN:904.92.17.913	MOS	30-May-20	120		30-May-30		1582 d	REPLACE
SN:L5090437	HRS	0						
	AFL	0						
Manufacture Date:: 30-May-20								
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-62/643	REPLACE NO. 1 LIFE VEST							Service ATA:25
PN:904.92.17.913	MOS	30-Nov-19	120		30-Nov-29		1401 d	REPLACE
SN:L4949516	HRS	0						
	AFL	0						
Manufacture Date:: 30-Nov-19								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-62/643	REPLACE NO. 2 LIFE VEST							Service ATA:25
PN:904.92.17.913	MOS	30-Nov-19	120		30-Nov-29		1401 d	REPLACE
SN:L4949518	HRS	0						
	AFL	0						
Manufacture Date:: 30-Nov-19								
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-62/643	REPLACE NO. 3 LIFE VEST							Service ATA:25
PN:904.92.17.913	MOS	30-Nov-19	120		30-Nov-29		1401 d	REPLACE
SN:L4949512	HRS	0						
	AFL	0						
Manufacture Date:: 30-Nov-19								
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-62/643	REPLACE NO. 4 LIFE VEST							Service ATA:25
PN:904.92.17.913	MOS	30-Nov-19	120		30-Nov-29		1401 d	REPLACE
SN:L4949511	HRS	0						
	AFL	0						
Manufacture Date:: 30-Nov-19								
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-62/643	REPLACE NO. 5 LIFE VEST							Service ATA:25
PN:904.92.17.913	MOS	30-Nov-19	120		30-Nov-29		1401 d	REPLACE
SN:L4949519	HRS	0						
	AFL	0						
Manufacture Date:: 30-Nov-19								
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-62/643	REPLACE NO. 6 LIFE VEST							Service ATA:25
PN:904.92.17.913	MOS	30-Nov-19	120		30-Nov-29		1401 d	REPLACE
SN:L4949510	HRS	0						
	AFL	0						
Manufacture Date:: 30-Nov-19								
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-62/643	REPLACE PILOT LIFE VEST							Service ATA:25
PN:904.92.17.913	MOS	30-May-20	120		30-May-30		1582 d	REPLACE
SN:L5090435	HRS	0						
	AFL	0						
Manufacture Date:: 30-May-20								
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-63/23	DISCARD ELT BATTERY							Service ATA:25
PN:985.13.80.882	MOS/MSC	05-Sep-25	DUE		01-Mar-32 (M)		2223 d	DISCARD
SN:LX1101180231	HRS	1435:41						
	AFL	807						
Expiry Date: : 01-Mar-32								
PROC. REF: AMM 12-B-25-63-00-00A-920B-APROC. REF: AMM 12-B-25-63-00-00A-920B-A								
25-63/434	DISCARD KANNAD ELT NAV INTERFACE UNIT SERIAL MEMORY MODULE (IF KANNAD NAV INTERFACE INSTALLED)							Service ATA:25
PN:985.13.80.881	MOS	31-Aug-20	120 (+6m/-6m)		31-Aug-30	28-Feb-31	1675 d (+181)	DISCARD
SN:LX1101340564	HRS	0	16000 (+500/-500)		16000	16500	14467:23 (+500)	
	AFL	0						
PROC. REF: AMM 12-B-25-63-03-00A-920B-APROC. REF: AMM 12-B-25-63-03-00A-920B-A								
25-63/477	CLEAN UNDERWATER LOCATOR BEACON (IF INSTALLED)							Service ATA:25
PN:PN	MOS/MSC	31-Aug-20	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-25-63-04-00A-903A-APROC. REF: AMM 12-B-25-63-04-00A-903A-A								
25-63/478	FUNCTIONAL TEST UNDERWATER LOCATOR BEACON (IF INSTALLED)							Service ATA:25
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 12-B-25-63-04-00A-903A-APROC. REF: AMM 12-B-25-63-04-00A-903A-A								
25-63/479	FUNCTIONAL TEST UNDERWATER LOCATOR BEACON BATTERY VOLTAGE (IF INSTALLED)							Service ATA:25
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 12-B-25-63-04-00A-903A-APROC. REF: AMM 12-B-25-63-04-00A-903A-A								
25-63/480	DISCARD UNDERWATER LOCATOR BEACON (IF INSTALLED)							Service ATA:25
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 12-B-25-63-04-00A-920A-APROC. REF: AMM 12-B-25-63-04-00A-920A-A								
25-CA/51	FIRST AID KIT - CHECK FOR COMPLETNESS							Service ATA:25
PN:725075/725076	MOS/MSC	05-Sep-25	DUE		01-Jun-26 (M)		123 d	REPLACE
SN:1800820-008LEW	HRS	1435:41						
	AFL	807						
Expiry Date: : 01-Jun-26								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-CA/71	RENEW NOAA 406 MHZ ELT REGISTRATION							Service ATA:25
	MOS/MSC		DUE		01-Nov-26 (M)		276 d	
	HRS							
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A25100110	PILOT SEAT							Component ATA:25
PN:959.30.01.455	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:99585	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-25-10-01-00A-920A-APROC. REF: AMM 12-C-25-10-01-00A-920A-A								
PC12A25100120	CO-PILOT SEAT							Component ATA:25
PN:959.30.01.456	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:99586	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-25-10-01-00A-920A-APROC. REF: AMM 12-C-25-10-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PC12A25220100		NO. 1 PASSENGER SEAT					Component	ATA:25
PN:959.30.00.083	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:66197	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A, AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220200		NO. 2 PASSENGER SEAT					Component	ATA:25
PN:959.30.00.115	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:66198	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A, AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220300		NO. 3 PASSENGER SEAT					Component	ATA:25
PN:959.30.00.079	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:66199	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A, AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220400		NO. 4 PASSENGER SEAT					Component	ATA:25
PN:959.30.00.111	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:66200	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A, AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220500		NO. 5 PASSENGER SEAT					Component	ATA:25
PN:959.30.00.080	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:66202	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A, AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PC12A25220600		NO. 6 PASSENGER SEAT					Component	ATA:25
PN:959.30.00.111	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:66201	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A, AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220700		NO. 7 PASSENGER SEAT					Component	ATA:25
PN:525.22.12.510	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:MC1204000	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A, AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220800		NO. 8 PASSENGER SEAT					Component	ATA:25
PN:525.22.12.520	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:MC1203999	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A, AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25630100		EMERGENCY LOCATOR TRANSMITTER (ELT)					Component	ATA:25
PN:985.13.80.882	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:LX1101180231	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-63-00-00A-920B-A, AMM 12-B-25-63-00-00A-920B-A								
PC12A25630200		INTEGRA ENAV UNIT, A380					Component	ATA:25
PN:985.13.80.881	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:LX1101340564	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-63-03-00A-920B-A, AMM 12-B-25-63-03-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PC12A25630300 EMERGENCY LOCATOR TRANSMITTER (ELT) REMOTE CONTROL PANEL, A151A1								Component ATA:25
PN:985.13.80.817	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:TM0000180768	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA010 FIRST AID KIT								Component ATA:25
PN:725075/725076	MOS/MSC	05-Sep-25	H/T					
SN:1800820-008LEW	HRS	1435:41						
	AFL	807						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA110 PILOT LIFE VEST								Component ATA:25
PN:904.92.17.913	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:L5090435	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA120 COPILOT LIFE VEST								Component ATA:25
PN:904.92.17.913	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:L5090437	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA210 NO. 1 LIFE VEST								Component ATA:25
PN:904.92.17.913	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:L4949516	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA220 NO. 2 LIFE VEST								Component ATA:25
PN:904.92.17.913	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:L4949518	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PC12A256CA230		NO. 3 LIFE VEST					Component	ATA:25
PN:904.92.17.913	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:L4949512	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA240		NO. 4 LIFE VEST					Component	ATA:25
PN:904.92.17.913	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:L4949511	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA250		NO. 5 LIFE VEST					Component	ATA:25
PN:904.92.17.913	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:L4949519	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA260		NO. 6 LIFE VEST					Component	ATA:25
PN:904.92.17.913	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:L4949510	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A257CA010		ECONNECT USB PORT					Component	ATA:25
PN:106401-00	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:640520	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A257CA110		ECONNECT HIGH CAPACITY DRIVE ROUTER					Component	ATA:25
PN:CWR-451-2000-02	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:EQ201-02-00307	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PC12A257CA120		ECONNECT LOW CAPACITY DRIVE ROUTER						Component ATA:25
PN:CWR-451-2000-01	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:NSN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A257CA210		ECONNECT NO. 1 ANTENNA						Component ATA:25
PN:5W-2.40-2.50P-XTB-4	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:731829	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A257CA220		ECONNECT NO. 2 ANTENNA						Component ATA:25
PN:5W-2.40-2.50P-XTB-4	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:731831	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A257CA230		ECONNECT NO. 3 ANTENNA						Component ATA:25
PN:5W-2.40-2.50P-XTB-4	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:731792	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A257CA310		ECONNECT WIRING HARNESS						Component ATA:25
PN:2E-1301-22-0000	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:214997-1-11	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
ATA 26 - FIRE PROTECTION								
26-20/2	LIFE LIMIT - COCKPIT FIRE EXTINGUISHER (EXCEPT MODEL P3APP003010D)						Service	ATA:26
PN:959.08.06.219	MOS	01-Jun-20	120	01-Jun-30		1584 d	LIFE LIMIT	
SN:117645	HRS	0						
	AFL	0						
Manufacture Date:: 01-Jun-20								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
26-20/24 COCKPIT FIRE EXTINGUISHER (EXCEPT MODEL P3APP003010D) - CONTENTS CHECK Service ATA:26								
PN:959.08.06.219	MOS	05-Sep-25	12 (+10%/-10%)	Adj -22d	14-Aug-26	20-Sep-26	197 d (+37)	
SN:117645	HRS	1435:41						
	AFL	807						
PROC. REF: AMM 12-B-26-20-00-01A-289A-APROC. REF: AMM 12-B-26-20-00-01A-289A-A								
26-20/515 COCKPIT FIRE EXTINGUISHER (MODEL P3APP003010D) - CONTENTS CHECK Service ATA:26								
PN:959.08.06.219	MOS/MSC	31-Aug-20	N/A					
SN:117645	HRS	0						
	AFL	0						
PROC. REF: CMM 26-24-01, AMM 12-B-26-20-00-02A-289A-APROC. REF: CMM 26-24-01, AMM 12-B-26-20-00-02A-289A-A								
26-20/516 LIFE LIMIT - CABIN FIRE EXTINGUISHER (MODEL P3APP003010D) Service ATA:26								
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
26-20/516 LIFE LIMIT - COCKPIT FIRE EXTINGUISHER (MODEL P3APP003010D) Service ATA:26								
PN:959.08.06.219	MOS/MSC		N/A					
SN:117645	HRS							
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A26100100 FIRE/OVERHEAT DETECTOR, A043 Component ATA:26								
PN:975.12.10.012	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:217038	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
PC12A26200100	COCKPIT FIRE EXTINGUISHER							Component ATA:26
PN:959.08.06.219	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:117645	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-26-20-01-00A-920A-APROC. REF: AMM 12-B-26-20-01-00A-920A-A								
ATA 27 - FLIGHT CONTROLS								
27-00/402	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - BONDING LEADS TO ALL FLIGHT CONTROL SURFACES - EXAMINE							Service ATA:27
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-00/525 ^S	AILERON, ELEVATOR AND RUDDER CONTROLS (MSN 2001 AND UP) - OPERATE, MAKE SURE FULL AND FREE TRAVEL							Service ATA:27
	MOS	05-Sep-25						
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-00/71	FLIGHT CONTROL CABLES INCLUDING AUTO PILOT AND STICK PUSHER CABLES - INSPECTION/CHECK							Service ATA:27
	MOS	05-Sep-25	60 (+6m/-6m)	Adj -5d	31-Aug-30	28-Feb-31	1675 d (+181)	
	HRS	1435:41	4800 (+10%/-10%)		6235:41	6715:41	4703:04 (+480)	
	AFL	807						
PROC. REF: AMM 12-B-27-00-00-00A-313A-APROC. REF: AMM 12-B-27-00-00-00A-313A-A								
27-10/234 ^S	AILERON LH AND RH RODS AND LEVERS - EXAMINE. SPRAY PTFE TEFLON SPRAY OKS 571 (OR EQUIVALENT) AROUND THE AILERON PUSHROD GUIDE ROLLER SLEEVES AT ALL THREE LOCATIONS IN EACH WING							Service ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-10/235 ^S	AILERON ELECTRICAL BONDING STRAPS - EXAMINE							Service ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
27-10/236 ^S	AILERON CONTROLS - EXAMINE THE CONTROL CABLES AND PULLEYS AS FAR AS POSSIBLE. MOVE THE MECHANISM SO THAT YOU CAN SEE ALL PARTS OF THE CABLES AND MAKE SURE THE SAFETY CLIPS ARE FULLY ENGAGED IN THE TURN-BUCKLES							Service ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-27-10-00-00A-313A-APROC. REF: AMM 12-B-27-10-00-00A-313A-A								PKG:3
27-10/237 ^S	AILERON CABLE TENSION - CHECK							Service ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-27-10-00-00A-903A-APROC. REF: AMM 12-B-27-10-00-00A-903A-A								PKG:3
27-10/238 ^S	AILERONS - FUNCTIONAL TEST							Service ATA:27
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PROC. REF: AMM 12-B-27-10-00-00A-903A-APROC. REF: AMM 12-B-27-10-00-00A-903A-A								PKG:4
27-10/394	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON CONTROL SYSTEM - EXAMINE (CPCP)							Service ATA:27
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-27-10-00-00A-310A-APROC. REF: AMM 12-B-27-10-00-00A-310A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-10/395	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON CABLE SEGMENT - EDDY CURRENT INSPECTION							Service ATA:27
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-27-10-09-00A-353A-APROC. REF: AMM 12-B-27-10-09-00A-353A-A								
27-10/396	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON CONTROL RODS - EDDY CURRENT INSPECTION							Service ATA:27
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-27-00-01-00A-353A-APROC. REF: AMM 12-B-27-00-01-00A-353A-A								
27-10/397	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON CONTROL RODS - MAGNETIC PARTICLE INSPECTION							Service ATA:27
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-27-00-01-00A-352A-APROC. REF: AMM 12-B-27-00-01-00A-352A-A								
27-10/398	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON BELLCRANKS - EDDY CURRENT AND MAGNETIC PARTICLE INSPECTIONS							Service ATA:27
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-27-10-08-00A-352B-A, AMM 12-B-27-10-08-00A-353A-A, AMM 12-B-27-10-08-00A-353B-APROC. REF: AMM 12-B-27-10-08-00A-352B-A, AMM 12-B-27-10-08-00A-353A-A, AMM 12-B-27-10-08-00A-353B-A								
27-10/400	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON HINGE POINTS - EDDY CURRENT INSPECTION							Service ATA:27
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-57-60-06-00A-353A-APROC. REF: AMM 12-B-57-60-06-00A-353A-A								
27-10/444	LIFE LIMIT - FLIGHT CONTROL CABLES, AILERON							Service ATA:27
	MOS	31-Aug-20						LIFE LIMIT
	HRS	0	20000		20000		18467:23	
	AFL	0	27000		27000		26080	
PROC. REF: AMM 12-B-27-10-01-00A-920A-APROC. REF: AMM 12-B-27-10-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-10/445	LIFE LIMIT - AUTOPILOT CONTROL CABLE, AILERON							Service ATA:27
	MOS	31-Aug-20						LIFE LIMIT
	HRS	0	20000		20000		18467:23	
	AFL	0	27000		27000		26080	
PROC. REF: AMM 12-B-27-10-02-00A-920A-APROC. REF: AMM 12-B-27-10-02-00A-920A-A								
27-10/470 ^S	AILERON CONTROL SYSTEM BEARINGS - LUBRICATE							Service ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-27-10-00-00A-901A-APROC. REF: AMM 12-B-27-10-00-00A-901A-A								PKG:3
27-10/526 ^S	AILERON LH AND RH (MSN 2001 AND UP) - EXAMINE AND LUBRICATE THE TRIM HINGES WITH MINIMUM QUANTITY OF CPC (P10-001)							Service ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-27-10-00-00A-310A-APROC. REF: AMM 12-B-27-10-00-00A-310A-A								PKG:2
27-15/239 ^S	AILERON TRIM - FUNCTIONAL TEST							Service ATA:27
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PROC. REF: AMM 12-B-27-15-00-00A-903A-APROC. REF: AMM 12-B-27-15-00-00A-903A-A								PKG:4
27-20/240 ^S	RUDDER STATIC DISCHARGERS - EXAMINE							Service ATA:27
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-20/241 ^S	RUDDER CONTROLS - INSPECTION / CHECK							Service ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-27-20-00-00A-313A-APROC. REF: AMM 12-B-27-20-00-00A-313A-A								PKG:3
27-20/243 ^S	RUDDER CABLE TENSION - CHECK							Service ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A								PKG:3
27-20/244 ^S	RUDDER - FUNCTIONAL TEST							Service ATA:27
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A								PKG:4
27-20/245 ^S	RUDDER TRIM - FUNCTIONAL TEST							Service ATA:27
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PROC. REF: AMM 12-B-27-25-00-00A-903A-APROC. REF: AMM 12-B-27-25-00-00A-903A-A								PKG:4
27-20/246 ^S	EXAMINE RUDDER ELECTRICAL BONDING STRAPS							Service ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-20/374	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RUDDER CONTROL SYSTEM - EXAMINE (CPCP)							Service ATA:27
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-27-20-00-00A-310A-APROC. REF: AMM 12-B-27-20-00-00A-310A-A								
27-20/376	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RUDDER CABLE QUADRANT SHEAR SPIGOT - EXAMINE (CPCP)							Service ATA:27
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-27-20-05-00A-310A-APROC. REF: AMM 12-B-27-20-05-00A-310A-A								
27-20/430	RUDDER CONTROL CABLES TENSION - CHECK FOR NEW FACTORY DELIVERED AIRCRAFT THAT HAVE NOT DONE THE 1200 FH OR 12 MONTHS INSPECTION PACKAGE							Service ATA:27
	MOS/MSC	08-Jul-21	-					
	HRS	298:15						
	AFL	164						
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A								
27-20/431	RUDDER CONTROL CABLES TENSION - CHECK AFTER REPLACEMENT OF ANY RUDDER CONTROL SYSTEM CABLES (AUTOPILOT AND/OR RUDDER)							Service ATA:27
	MOS/MSC	31-Aug-20	-					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A								
27-20/446	LIFE LIMIT - FLIGHT CONTROL CABLES, RUDDER							Service ATA:27
	MOS	31-Aug-20					LIFE LIMIT	
	HRS	0	20000		20000		18467:23	
	AFL	0	27000		27000		26080	
PROC. REF: AMM 12-B-27-20-01-00A-920A-APROC. REF: AMM 12-B-27-20-01-00A-920A-A								
27-20/447	LIFE LIMIT - AUTOPILOT CONTROL CABLES, RUDDER							Service ATA:27
	MOS	31-Aug-20					LIFE LIMIT	
	HRS	0	20000		20000		18467:23	
	AFL	0	27000		27000		26080	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-B-27-20-02-00A-920A-APROC. REF: AMM 12-B-27-20-02-00A-920A-A								
27-20/527 ^S	RUDDER (MSN 2001 AND UP) - INSPECTION/CHECK							Service ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
								PKG:2
PROC. REF: AMM 12-B-55-40-00-00A-313A-APROC. REF: AMM 12-B-55-40-00-00A-313A-A								
27-20/575	REPLACE RUDDER BELLCRANK							Service ATA:27
PN:PN	MOS	31-Aug-20						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000		20000		18467:23	
	AFL	0	27000		27000		26080	
PROC. REF: AMM 12-B-27-20-04-00A-920A-APROC. REF: AMM 12-B-27-20-04-00A-920A-A								
27-30/247 ^S	ELEVATOR ELECTRICAL BONDING STRAPS - EXAMINE							Service ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
								PKG:3
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-30/248 ^S	ELEVATOR STATIC DISCHARGERS - EXAMINE							Service ATA:27
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
								PKG:4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-30/249 ^S	ELEVATOR CONTROLS - INSPECTION / CHECK							Service ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
								PKG:3
PROC. REF: AMM 12-B-27-30-00-00A-313A-APROC. REF: AMM 12-B-27-30-00-00A-313A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-30/250 ^S	ELEVATOR CABLE TENSION - CHECK							Service ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A								PKG:3
27-30/251 ^S	ELEVATOR - FUNCTIONAL TEST							Service ATA:27
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A								PKG:4
27-30/333	ELEVATOR CONTROL CABLES TENSION - CHECK FOR NEW FACTORY DELIVERED AIRCRAFT THAT HAVE NOT DONE THE 1200 FH OR 12 MONTHS INSPECTION PACKAGE							Service ATA:27
	MOS/MSC	08-Jul-21	-					
	HRS	298:15						
	AFL	160						
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A								
27-30/334	ELEVATOR CONTROL CABLES TENSION - CHECK AFTER REPLACEMENT OF ANY ELEVATOR CONTROL SYSTEM CABLES (AUTOPILOT, STICK PUSHER AND ELEVATOR)							Service ATA:27
	MOS/MSC	31-Aug-20	-					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A								
27-30/363	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR - CONTROL SYSTEM - EXAMINE (CPCP)							Service ATA:27
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-27-30-00-00A-310A-APROC. REF: AMM 12-B-27-30-00-00A-310A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-30/364	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR CONTROL RODS - EDDY CURRENT INSPECTION							Service ATA:27
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-27-00-01-00A-353A-APROC. REF: AMM 12-B-27-00-01-00A-353A-A								
27-30/365	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR CONTROL RODS - MAGNETIC PARTICLE INSPECTION							Service ATA:27
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-27-00-01-00A-352A-APROC. REF: AMM 12-B-27-00-01-00A-352A-A								
27-30/366	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR CONTROL LEVER - EDDY CURRENT INSPECTION							Service ATA:27
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-27-30-05-00A-353A-APROC. REF: AMM 12-B-27-30-05-00A-353A-A								
27-30/448	LIFE LIMIT - FLIGHT CONTROL CABLES, ELEVATOR							Service ATA:27
	MOS	31-Aug-20						LIFE LIMIT
	HRS	0	20000		20000		18467:23	
	AFL	0	27000		27000		26080	
PROC. REF: AMM 12-B-27-30-01-00A-920A-APROC. REF: AMM 12-B-27-30-01-00A-920A-A								
27-30/449	LIFE LIMIT - AUTOPILOT CONTROL CABLES, ELEVATOR							Service ATA:27
	MOS	31-Aug-20						LIFE LIMIT
	HRS	0	20000		20000		18467:23	
	AFL	0	27000		27000		26080	
PROC. REF: AMM 12-B-27-30-02-00A-920A-APROC. REF: AMM 12-B-27-30-02-00A-920A-A								
27-30/450	LIFE LIMIT - STICK PUSHER CABLES							Service ATA:27
	MOS	31-Aug-20						LIFE LIMIT
	HRS	0	20000		20000		18467:23	
	AFL	0	27000		27000		26080	
PROC. REF: AMM 12-B-22-20-06-00A-920A-APROC. REF: AMM 12-B-22-20-06-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-30/514 ^S	ELEVATOR STOPS - EXAMINE. IF FOUND MISSING, LOOSE OR DAMAGED, INSTALL A NEW OR REPAIR THE STOPS							Service ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-55-20-01-00A-904B-APROC. REF: AMM 12-B-55-20-01-00A-904B-A								PKG:3
27-30/528 ^S	ELEVATORS (MSN 2001 AND UP) - EXAMINE							Service ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-55-20-00-00A-310A-APROC. REF: AMM 12-B-55-20-00-00A-310A-A								PKG:2
27-40/1	HORIZONTAL STABILIZER TRIM - FUNCTIONAL TEST OF TRIM RUNAWAY AURAL WARNING SYSTEM (CMR)							Service ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	149 d (+36)	
	HRS	1435:41	3000		4435:41		2903:04	
	AFL	807						
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A								
27-40/252 ^S	PITCH TRIM ACTUATOR AND ATTACHMENTS - INSPECTION/CHECK							Service ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-27-40-01-00A-313A-APROC. REF: AMM 12-B-27-40-01-00A-313A-A								PKG:3
27-40/3	LIFE LIMIT - PITCH TRIM ACTUATOR							Service ATA:27
PN:978.73.14.203	MOS	31-Aug-20						LIFE LIMIT
SN:2194	HRS	0	20000		20000		18467:23	
	AFL	0	27000		27000		26080	
PROC. REF: AMM 12-B-27-40-01-00A-920A-APROC. REF: AMM 12-B-27-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-40/307	LIFE LIMIT - PITCH TRIM ACTUATOR ATTACHMENT PARTS, FAIL-SAFE PLATES AND THEIR ATTACHMENT PARTS (IPD 12-20-00-07)							Service ATA:27
PN:978.73.14.203	MOS	31-Aug-20						LIFE LIMIT
SN:2194	HRS	0	10000		10000		8467:23	
	AFL	0						
PROC. REF: AMM 12-B-27-40-02-00A-920A-APROC. REF: AMM 12-B-27-40-02-00A-920A-A								
27-40/508	PITCH TRIM ACTUATOR - OVERHAUL							Service ATA:27
PN:978.73.14.203	MOS	31-Aug-20	84		31-Aug-27		579 d	OVERHAUL
SN:2194	HRS	0	3400		3400		1867:23	
	AFL	0						
PROC. REF: AMM 12-B-27-40-01-00A-920A-APROC. REF: AMM 12-B-27-40-01-00A-920A-A								
27-40/529 ^S	HORIZONTAL STABILIZER TRIM (MSN 2001 AND UP) - OPERATIONAL TEST OF TRIM INTERRUPT AND ALTERNATE TRIM SWITCHES							Service ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
								PKG:2
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A								
27-40/530 ^S	HORIZONTAL STABILIZER TRIM (MSN 2001 AND UP) - OPERATIONAL TEST OF TRIM SYSTEM							Service ATA:27
	MOS	05-Sep-25						
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
								PKG:1
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A								
27-40/571 ^S	HORIZONTAL STABILIZER TRIM (MSN 2001 AND UP) - FUNCTIONAL TEST OF TRIM SYSTEM							Service ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
								PKG:3
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/143 ^S	JOB SET UP - FLAPS - LOWER TO 40 DEGREES AS NECESSARY TO DO THE INSPECTION							Service ATA:27
	MOS/MSC	09-Dec-25	A/R					
	HRS	1494:43						
	AFL	883						
PROC. REF: AMM 12-B-27-51-00-00A-310A-APROC. REF: AMM 12-B-27-51-00-00A-310A-A								PKG:5 ,1,2,3,4
27-50/253 ^S	FLAPS ELECTRICAL BONDING STRAPS - EXAMINE							Service ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-27-30-00-00A-313A-APROC. REF: AMM 12-B-27-30-00-00A-313A-A								PKG:3
27-50/254 ^S	FLAP MOTOR, ACTUATORS AND FLEXIBLE DRIVE SHAFTS - EXAMINE							Service ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
27-50/255 ^S	FLAPS - FUNCTIONAL TEST AND ASYMMETRY MONITOR TEST							Service ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-27-50-00-00A-903A-APROC. REF: AMM 12-B-27-50-00-00A-903A-A								PKG:3
27-50/28	OVERHAUL FLAP POWER DRIVE UNIT							Service ATA:27
PN:978.73.20.003	MOS	31-Aug-20						OVERHAUL
SN:1829	HRS	0	10000 (+500/-500)		10000	10500	8467:23 (+500)	
	AFL	0	13500 (+500/-500)		13500	14000	12580 (+500)	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/386	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP MECHANISM - EXAMINE (CPCP)							Service ATA:27
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-27-51-00-00A-310A-APROC. REF: AMM 12-B-27-51-00-00A-310A-A								
27-50/387	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP DRIVE ARM (NOT REMOVED) - EDDY CURRENT INSPECTION							Service ATA:27
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-27-51-00-00A-353A-APROC. REF: AMM 12-B-27-51-00-00A-353A-A								
27-50/388	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP DRIVE ARM (REMOVED) - EDDY CURRENT INSPECTION							Service ATA:27
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A								
27-50/389	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP SUPPORT ARM - EDDY CURRENT INSPECTION							Service ATA:27
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A								
27-50/390	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP COVE RIB FITTINGS - EDDY CURRENT INSPECTION							Service ATA:27
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A								
27-50/391	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP AFT LINKS - EDDY CURRENT INSPECTION							Service ATA:27
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/392	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP BELLCRANKS - EDDY CURRENT INSPECTION							Service ATA:27
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A								
27-50/414	LIFE LIMIT - FLAP LH							Service ATA:27
PN:557.50.12.007	MOS	31-Aug-20						LIFE LIMIT
SN:7102	HRS	0	25000		25000		23467:23	
	AFL	0	30000		30000		29080	
PROC. REF: AMM 12-B-57-50-01-00A-920A-A PROC. REF: AMM 12-B-57-50-01-00A-920A-A								
27-50/414	LIFE LIMIT - FLAP RH							Service ATA:27
PN:557.50.12.008	MOS	31-Aug-20						LIFE LIMIT
SN:7102	HRS	0	25000		25000		23467:23	
	AFL	0	30000		30000		29080	
PROC. REF: AMM 12-B-57-50-01-00A-920A-A PROC. REF: AMM 12-B-57-50-01-00A-920A-A								
27-50/437	INBOARD FLAP DRIVE ARMS (P/N 527.52.12.153 OR P/N 527.52.12.154) - IN-SITU INSPECTION/ CHECK							Service ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	149 d (+36)	
	HRS	1435:41	600 (+10%/-10%)		2035:41	2095:41	503:04 (+60)	
	AFL	807						
PROC. REF: AMM 12-B-27-51-00-00A-313A-A PROC. REF: AMM 12-B-27-51-00-00A-313A-A								
27-50/451	LIFE LIMIT - LEFT INBOARD FLAP TENSION ROD							Service ATA:27
PN:PN	MOS	31-Aug-20						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000		20000		18467:23	
	AFL	0	27000		27000		26080	
PROC. REF: AMM 12-B-27-51-01-00A-920A-A PROC. REF: AMM 12-B-27-51-01-00A-920A-A								
27-50/451	LIFE LIMIT - LEFT OUTBOARD FLAP TENSION ROD							Service ATA:27
PN:PN	MOS	31-Aug-20						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000		20000		18467:23	
	AFL	0	27000		27000		26080	
PROC. REF: AMM 12-B-27-51-03-00A-920A-A PROC. REF: AMM 12-B-27-51-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/451	LIFE LIMIT - RIGHT INBOARD FLAP TENSION ROD							Service ATA:27
PN:PN	MOS	31-Aug-20						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000		20000		18467:23	
	AFL	0	27000		27000		26080	
PROC. REF: AMM 12-B-27-51-01-00A-920A-APROC. REF: AMM 12-B-27-51-01-00A-920A-A								
27-50/451	LIFE LIMIT - RIGHT OUTBOARD FLAP TENSION ROD							Service ATA:27
PN:PN	MOS	31-Aug-20						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000		20000		18467:23	
	AFL	0	27000		27000		26080	
PROC. REF: AMM 12-B-27-51-03-00A-920A-APROC. REF: AMM 12-B-27-51-03-00A-920A-A								
27-50/475 ^S	JOB CLOSE UP - FLAPS - RETRACT TO 0 DEGREES AS NECESSARY TO CLOSE THE INSPECTION							Service ATA:27
	MOS/MSC	09-Dec-25	A/R					
	HRS	1494:43						
	AFL	883						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5 ,1,2,3,4
27-50/485	LIFE LIMIT - LEFT INBOARD FLAP ACTUATOR (P/N 978.73.20.309) (BLACK ANODIZED)							Service ATA:27
PN:978.73.20.309	MOS	31-Aug-20						LIFE LIMIT
SN:7308	HRS	0	20000		20000		18467:23	
	AFL	0	27000		27000		26080	
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/485	LIFE LIMIT - LEFT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED)							Service ATA:27
PN:978.73.20.309	MOS	31-Aug-20						LIFE LIMIT
SN:7310	HRS	0	20000		20000		18467:23	
	AFL	0	27000		27000		26080	
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/485	LIFE LIMIT - RIGHT INBOARD FLAP ACTUATOR (BLACK ANODIZED)							Service ATA:27
PN:978.73.20.309	MOS	31-Aug-20						LIFE LIMIT
SN:7301	HRS	0	20000		20000		18467:23	
	AFL	0	27000		27000		26080	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/485 LIFE LIMIT - RIGHT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED) Service ATA:27								
PN:978.73.20.309	MOS	31-Aug-20					LIFE LIMIT	
SN:7303	HRS	0	20000		20000		18467:23	
	AFL	0	27000		27000		26080	
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/494 ^S FLAP ACTUATORS (BLACK ANODIZED) (P/N 978.73.20.309) - LUBRICATE Service ATA:27								
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PKG:2								
PROC. REF: AMM 12-B-27-50-00-00A-902A-APROC. REF: AMM 12-B-27-50-00-00A-902A-A								
27-50/495 BACKLASH CHECK LEFT INBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309) Service ATA:27								
PN:978.73.20.309	MOS	14-Aug-24	24 (+10%/-10%)	Adj 17d	31-Aug-26	12-Nov-26	214 d (+73)	
SN:7308	HRS	1127	2400 (+10%/-10%)		3527	3767	1994:23 (+240)	
	AFL	600	3200 (+10%/-10%)		3800	4120	2880 (+320)	
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								
27-50/495 BACKLASH CHECK LEFT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309) Service ATA:27								
PN:978.73.20.309	MOS	14-Aug-24	24 (+10%/-10%)	Adj 17d	31-Aug-26	12-Nov-26	214 d (+73)	
SN:7310	HRS	1127	2400 (+10%/-10%)		3527	3767	1994:23 (+240)	
	AFL	600	3200 (+10%/-10%)		3800	4120	2880 (+320)	
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								
27-50/495 BACKLASH CHECK RIGHT INBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309) Service ATA:27								
PN:978.73.20.309	MOS	14-Aug-24	24 (+10%/-10%)	Adj 17d	31-Aug-26	12-Nov-26	214 d (+73)	
SN:7301	HRS	1127	2400 (+10%/-10%)		3527	3767	1994:23 (+240)	
	AFL	600	3200 (+10%/-10%)		3800	4120	2880 (+320)	
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/495	BACKLASH CHECK RIGHT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309)							Service ATA:27
PN:978.73.20.309	MOS	14-Aug-24	24 (+10%/-10%)	Adj 17d	31-Aug-26	12-Nov-26	214 d (+73)	
SN:7303	HRS	1127	2400 (+10%/-10%)		3527	3767	1994:23 (+240)	
	AFL	600	3200 (+10%/-10%)		3800	4120	2880 (+320)	
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								
27-50/506	OVERHAUL LEFT INBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309)							Service ATA:27
PN:978.73.20.309	MOS	31-Aug-20						OVERHAUL
SN:7308	HRS	0	5000 (+500/-500)		5000	5500	3467:23 (+500)	
	AFL	0	7000 (+500/-500)		7000	7500	6080 (+500)	
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/506	OVERHAUL LEFT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309)							Service ATA:27
PN:978.73.20.309	MOS	31-Aug-20						OVERHAUL
SN:7310	HRS	0	5000 (+500/-500)		5000	5500	3467:23 (+500)	
	AFL	0	7000 (+500/-500)		7000	7500	6080 (+500)	
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/506	OVERHAUL RIGHT INBOARD FLAP ACTUATOR (BLACK ANODIZED)(P/N 978.73.20.309)							Service ATA:27
PN:978.73.20.309	MOS	31-Aug-20						OVERHAUL
SN:7301	HRS	0	5000 (+500/-500)		5000	5500	3467:23 (+500)	
	AFL	0	7000 (+500/-500)		7000	7500	6080 (+500)	
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/506	OVERHAUL RIGHT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309)							Service ATA:27
PN:978.73.20.309	MOS	31-Aug-20						OVERHAUL
SN:7303	HRS	0	5000 (+500/-500)		5000	5500	3467:23 (+500)	
	AFL	0	7000 (+500/-500)		7000	7500	6080 (+500)	
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/507	DISCARD LEFT INBOARD FLAP FLEXIBLE DRIVE SHAFT (P/N945.02.02.205)							Service ATA:27
PN:945.02.02.205	MOS	31-Aug-20						DISCARD
SN:S8530	HRS	0	10000 (+500/-500)		10000	10500	8467:23 (+500)	
	AFL	0	13500 (+500/-500)		13500	14000	12580 (+500)	
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/507	DISCARD LEFT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT (P/N 945.02.02.206)							Service ATA:27
PN:945.02.02.206	MOS	31-Aug-20						DISCARD
SN:S8545	HRS	0	10000 (+500/-500)		10000	10500	8467:23 (+500)	
	AFL	0	13500 (+500/-500)		13500	14000	12580 (+500)	
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
27-50/507	DISCARD RIGHT INBOARDFLAP FLEXIBLE DRIVE SHAFT (P/N945.02.02.205)							Service ATA:27
PN:945.02.02.205	MOS	31-Aug-20						DISCARD
SN:S8598	HRS	0	10000 (+500/-500)		10000	10500	8467:23 (+500)	
	AFL	0	13500 (+500/-500)		13500	14000	12580 (+500)	
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
27-50/507	DISCARD RIGHT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT (P/N945.02.02.206)							Service ATA:27
PN:945.02.02.206	MOS	31-Aug-20						DISCARD
SN:S8544	HRS	0	10000 (+500/-500)		10000	10500	8467:23 (+500)	
	AFL	0	13500 (+500/-500)		13500	14000	12580 (+500)	
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
27-50/531 ^S	FLAPS AND FLAP SUPPORT MECHANISM (MSN 2001 AND UP) - EXAMINE							Service ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
								PKG:2
PROC. REF: AMM 12-B-27-51-00-00A-310A-APROC. REF: AMM 12-B-27-51-00-00A-310A-A								
27-50/532 ^S	FLAP UP AND DOWN LIMIT SWITCHES (MSN 2001 AND UP) - SERVICING							Service ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
								PKG:2
PROC. REF: AMM 12-B-12-20-07-00A-902A-APROC. REF: AMM 12-B-12-20-07-00A-902A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PC12A27100100		CONTROL COLUMN ASSEMBLY					Component	ATA:27
PN:527.10.12.280	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:125	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A27150100		AILERON TRIM ACTUATOR, B561					Component	ATA:27
PN:978.73.18.138	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:2220B	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-27-15-01-00A-920A-APROC. REF: AMM 12-B-27-15-01-00A-920A-A								
PC12A27200100		RUDDER BELLCRANK					Component	ATA:27
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-20-04-00A-920A-APROC. REF: AMM 12-B-27-20-04-00A-920A-A								
PC12A27250100		RUDDER TRIM ACTUATOR, B381					Component	ATA:27
PN:978.73.18.138	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:2194B	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-27-25-01-00A-920A-APROC. REF: AMM 12-B-27-25-01-00A-920A-A								
PC12A27400100		PITCH TRIM ACTUATOR					Component	ATA:27
PN:978.73.14.203	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:2194	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-40-01-00A-920A-APROC. REF: AMM 12-B-27-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PC12A27400200		TRIM ADAPTER SOLID STATE RELAY, A262XK1					Component	ATA:27
PN:974.20.01.503	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:S19447177	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A27400300		TRIM ADAPTER SOLID STATE RELAY, A262XK4					Component	ATA:27
PN:974.20.01.504	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:S19243840	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A27500100		FLAP CONTROL AND WARNING UNIT, A261					Component	ATA:27
PN:978.73.20.017	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:141683	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-27-50-05-00A-920A-APROC. REF: AMM 12-B-27-50-05-00A-920A-A								
PC12A27500200		FLAP POWER DRIVE UNIT					Component	ATA:27
PN:978.73.20.003	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:1829	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-01-00A-920A-APROC. REF: AMM 12-B-27-50-01-00A-920A-A								
PC12A27500310		LEFT INBOARD FLAP FLEXIBLE DRIVE SHAFT					Component	ATA:27
PN:945.02.02.205	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:S8530	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PC12A27500320		RIGHT INBOARD FLAP FLEXIBLE DRIVE SHAFT					Component	ATA:27
PN:945.02.02.205	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:S8598	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
PC12A27500410		LEFT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT					Component	ATA:27
PN:945.02.02.206	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:S8545	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
PC12A27500420		RIGHT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT					Component	ATA:27
PN:945.02.02.206	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:S8544	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
PC12A27500510		LEFT INBOARD FLAP ACTUATOR					Component	ATA:27
PN:978.73.20.309	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:7308	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
PC12A27500520		RIGHT INBOARD FLAP ACTUATOR					Component	ATA:27
PN:978.73.20.309	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:7301	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
PC12A27500610		LEFT OUTBOARD FLAP ACTUATOR					Component	ATA:27
PN:978.73.20.309	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:7310	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PC12A27500620 RIGHT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED)								Component ATA:27
PN:978.73.20.309	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:7303	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
PC12A27500710 ROTATION TRANSMITTER, LH, MT532								Component ATA:27
PN:978.73.20.602	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:3079	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
PC12A27500720 ROTATION TRANSMITTER, RH, MT632								Component ATA:27
PN:978.73.20.602	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:3092	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
PC12A275CA410 LEFT INBOARD FLAP TENSION ROD								Component ATA:27
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-51-01-00A-920A-APROC. REF: AMM 12-B-27-51-01-00A-920A-A								
PC12A275CA420 RIGHT INBOARD FLAP TENSION ROD								Component ATA:27
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-51-01-00A-920A-APROC. REF: AMM 12-B-27-51-01-00A-920A-A								
PC12A275CA430 LEFT OUTBOARD FLAP TENSION ROD								Component ATA:27
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-B-27-51-03-00A-920A-APROC. REF: AMM 12-B-27-51-03-00A-920A-A								
PC12A275CA440	RIGHT OUTBOARD FLAP TENSION ROD							Component ATA:27
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-51-03-00A-920A-APROC. REF: AMM 12-B-27-51-03-00A-920A-A								
ATA 28 - FUEL								
28-10/500	INWARD VENT VALVE - FUNCTIONAL TEST							Service ATA:28
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	149 d (+36)	
	HRS	1435:41	1200 (+10%/-10%)		2635:41	2755:41	1103:04 (+120)	
	AFL	807						
PROC. REF: AMM 12-C-28-10-03-00A-903A-APROC. REF: AMM 12-C-28-10-03-00A-903A-A								
28-10/501	OUTWARD VENT VALVE - OPERATIONAL TEST							Service ATA:28
	MOS	14-Aug-24	24 (+10%/-10%)	Adj 17d	31-Aug-26	12-Nov-26	214 d (+73)	
	HRS	1127	2400 (+10%/-10%)		3527	3767	1994:23 (+240)	
	AFL	600						
PROC. REF: AMM 12-C-28-10-01-00A-903A-APROC. REF: AMM 12-C-28-10-01-00A-903A-A								
28-10/533 ^S	FUEL TANK FILLER CAPS (MSN 2001 AND UP) - EXAMINE							Service ATA:28
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
28-10/534 ^S	FUEL (MSN 2001 AND UP) - REMOVE A SAMPLE FROM EACH DRAIN VALVE AND EXAMINE FOR WATER							Service ATA:28
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-10/639	CONTAMINATION ANALYSIS							Service ATA:28
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -22d	14-Aug-26	20-Sep-26	197 d (+37)	
	HRS	1435:41						
	AFL	807						
PROC. REF: AMM 12-C-28-00-00-00A-377A-A, AMM 12-C-28-00-00-01A-901A-APROC. REF: AMM 12-C-28-00-00-00A-377A-A, AMM 12-C-28-00-00-01A-901A-A								
28-10/645	FUEL TANK - VISUAL INSPECTION FOR CONTAMINATION							Service ATA:28
	MOS	14-Aug-24	24 (+10%/-10%)	Adj -48d	27-Jun-26	08-Sep-26	149 d (+73)	
	HRS	1127						
	AFL	600						
PROC. REF: AMM 12-C-28-10-00-00A-310C-APROC. REF: AMM 12-C-28-10-00-00A-310C-A								
28-20/149 ^S	FIREWALL FUEL SHUT-OFF VALVE - OPERATE THE FUEL EMERGENCY SHUT-OFF LEVER AND MAKE SURE THE FIREWALL SHUT-OFF VALVE OPENS AND CLOSSES FULLY TO EACH DEAD STOP. MAKE SURE MOVEMENT IS FREE AND CHECK IF INITIAL PULL OUT FORCE AT THE LEVER OUTER END IS BELOW 44.5 N (10 lBF)							Service ATA:28
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
28-20/256 ^S	FUEL SYSTEM COMPONENTS - EXAMINE AS FAR AS POSSIBLE WITH THOSE ACCESS PANELS OPENED/REMOVED IN THIS INSPECTION PACKAGE							Service ATA:28
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:4
28-20/502	FUEL TANK VENT FLOAT VALVE AND FLAME ARRESTER - OPERATIONAL TEST							Service ATA:28
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	149 d (+36)	
	HRS	1435:41	600 (+10%/-10%)		2035:41	2095:41	503:04 (+60)	
	AFL	807						
PROC. REF: AMM 12-C-28-20-00-00A-903A-APROC. REF: AMM 12-C-28-20-00-00A-903A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-20/503	INSPECTION/CHECK FLAME ARRESTOR MESH SCREEN							Service ATA:28
	MOS	31-Aug-20						
	HRS	0	4800 (+10%/-10%)		4800	5280	3267:23 (+480)	
	AFL	0						
PROC. REF: AMM 12-C-28-20-11-01A-313A-APROC. REF: AMM 12-C-28-20-11-01A-313A-A								
28-20/504 ^S	MOTIVE FLOW LINE INSULATION (INSIDE FUEL TANK) - INSPECTION/CHECK							Service ATA:28
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PKG:3								
PROC. REF: AMM 12-C-28-20-09-01A-313A-APROC. REF: AMM 12-C-28-20-09-01A-313A-A								
28-20/505 ^S	FUEL DELIVERY LINE (INSIDE FUEL TANK) - INSPECTION/CHECK							Service ATA:28
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PKG:4								
PROC. REF: AMM 12-C-28-20-10-00A-313A-APROC. REF: AMM 12-C-28-20-10-00A-313A-A								
PC12A28200100	FIREWALL SHUT OFF VALVE							Component ATA:28
PN:963.87.22.302	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0057	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-28-20-08-00A-920A-APROC. REF: AMM 12-C-28-20-08-00A-920A-A								
PC12A28200200	FUEL PRESSURE TRANSDUCER							Component ATA:28
PN:975.21.15.225	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:8496-4-50	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PC12A28200310		BOOSTER PUMP, LH, B511					Component	ATA:28
PN:968.84.11.408	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0058	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-28-20-04-00A-920A-APROC. REF: AMM 12-C-28-20-04-00A-920A-A								
PC12A28200320		BOOSTER PUMP, RH, B611					Component	ATA:28
PN:968.84.11.408	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0076	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-28-20-04-00A-920A-APROC. REF: AMM 12-C-28-20-04-00A-920A-A								
PC12A28200410		TRANSFER JET PUMP, LH					Component	ATA:28
PN:968.84.71.112	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0145	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-28-20-05-00A-920A-APROC. REF: AMM 12-C-28-20-05-00A-920A-A								
PC12A28200420		TRANSFER JET PUMP, RH					Component	ATA:28
PN:968.84.71.112	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0156	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-28-20-05-00A-920A-APROC. REF: AMM 12-C-28-20-05-00A-920A-A								
PC12A28200510		DELIVERY AND TRANSFER JET PUMP, LH					Component	ATA:28
PN:968.84.71.111	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0072	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-28-20-06-00A-920A-APROC. REF: AMM 12-C-28-20-06-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PC12A28200520 DELIVERY AND TRANSFER JET PUMP, RH								Component ATA:28
PN:968.84.71.111	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0069	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-28-20-06-00A-920A-APROC. REF: AMM 12-C-28-20-06-00A-920A-A								
PC12A28200610 MOTIVE FLOW NON RETURN VALVE, LH								Component ATA:28
PN:963.82.21.319	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0064	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-28-20-09-00A-920A-APROC. REF: AMM 12-C-28-20-09-00A-920A-A								
PC12A28200620 MOTIVE FLOW NON RETURN VALVE, RH								Component ATA:28
PN:963.82.21.319	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0077	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-28-20-09-00A-920A-APROC. REF: AMM 12-C-28-20-09-00A-920A-A								
PC12A28200710 INWARD VENT NON RETURN VALVE, LH								Component ATA:28
PN:963.04.26.520	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:RG2-2355	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-28-10-03-00A-920A-APROC. REF: AMM 12-C-28-10-03-00A-920A-A								
PC12A28200720 INWARD VENT NON RETURN VALVE, RH								Component ATA:28
PN:963.04.26.520	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:RG2-2347	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-28-10-03-00A-920A-APROC. REF: AMM 12-C-28-10-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PC12A28400100	FUEL CONTROL MONITOR UNIT, A240							Component ATA:28
PN:975.37.31.340	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:135	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-28-40-04-00A-920A-APROC. REF: AMM 12-C-28-40-04-00A-920A-A								
PC12A28400210	FUEL QUANTITY HARNESS, LH, A531							Component ATA:28
PN:975.37.31.335	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:2319	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A28400220	FUEL QUANTITY HARNESS, RH, A631							Component ATA:28
PN:975.37.31.335	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:2311	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A28400310	FUEL QUANTITY SENSOR, COLLECTOR, LH							Component ATA:28
PN:975.37.31.250	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:3035	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								
PC12A28400320	FUEL QUANTITY SENSOR, COLLECTOR, RH							Component ATA:28
PN:975.37.31.250	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:3077	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PC12A28400410	FUEL QUANTITY SENSOR, INNER, LH							Component ATA:28
PN:975.37.31.251	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:3003	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								
PC12A28400420	FUEL QUANTITY SENSOR, INNER, RH							Component ATA:28
PN:975.37.31.251	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:3073	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								
PC12A28400510	FUEL QUANTITY SENSOR, CENTER, LH							Component ATA:28
PN:975.37.31.252	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:3114	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								
PC12A28400520	FUEL QUANTITY SENSOR, CENTER, RH							Component ATA:28
PN:975.37.31.252	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:3120	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								
PC12A28400610	FUEL QUANTITY SENSOR, OUTER, LH							Component ATA:28
PN:975.37.31.253	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:3181	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PC12A28400620	FUEL QUANTITY SENSOR, OUTER, RH							Component ATA:28
PN:975.37.31.253	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:3177	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								
ATA 30 - ICE AND RAIN PROTECTION								
30-10/155 ^S	INERTIAL SEPARATION SYSTEM - OPERATIONAL TEST							Service ATA:30
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-30-20-00-00A-903A-APROC. REF: AMM 12-B-30-20-00-00A-903A-A								PKG:2
30-10/260 ^S	AIRFOIL DE-ICE SYSTEM - FUNCTIONAL TEST							Service ATA:30
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-C-30-10-00-00A-903A-APROC. REF: AMM 12-C-30-10-00-00A-903A-A								PKG:3
30-10/536 ^S	WING AND HORIZONTAL STABILIZER AIRFOIL DE-ICE BOOTS (MSN 2001 AND UP) - INSPECTION/CHECK							Service ATA:30
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-30-10-00-00A-313A-APROC. REF: AMM 12-B-30-10-00-00A-313A-A								PKG:2
30-10/79	APPLY AIRFOIL DE-ICERS A SURFACE COATING OF AGE MASTER NO. 1							Service ATA:30
	MOS	05-Sep-25	6 (+10%/-10%)	Adj -5d	28-Feb-26	16-Mar-26	30 d (+16)	
	HRS	1435:41						
	AFL	807						
PROC. REF: AMM 12-B-30-10-00-00A-313A-APROC. REF: AMM 12-B-30-10-00-00A-313A-A								WO#: 2601-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-20/261 ^S	AIR BY-PASS DOOR AND OPERATING MECHANISM - EXAMINE AND LUBRICATE WITH MINIMUM QUANTITY OF CPC (P10-001)							Service ATA:30
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
30-20/537 ^S	ENGINE AIR INTAKE DE-ICE LIP (MSN 2001 AND UP) - EXAMINE AND LOOK FOR SIGNS OF GAS LEAKS-NONE ARE PERMITTED							Service ATA:30
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
30-30/329 ^S	PROBES DE-ICE SYSTEM - FUNCTIONAL TEST							Service ATA:30
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-30-30-20-00A-903A-APROC. REF: AMM 12-B-30-30-20-00A-903A-A								PKG:2
30-40/262 ^S	WINDSHIELD DE-ICE SYSTEM - OPERATIONAL TEST							Service ATA:30
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PROC. REF: AMM 12-B-30-40-00-00A-903A-APROC. REF: AMM 12-B-30-40-00-00A-903A-A								PKG:4
30-60/158 ^S	PROPELLER DE-ICE SYSTEM - INSPECTION/CHECK							Service ATA:30
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-30-60-00-00A-313B-APROC. REF: AMM 12-B-30-60-00-00A-313B-A								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-60/159 ^S	PROPELLER DE-ICE SYSTEM - OPERATIONAL TEST							Service ATA:30
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-30-60-00-00A-903B-A, AMM 12-B-30-60-00-00A-903D-A								PKG:2
PROC. REF: AMM 12-B-30-60-00-00A-903B-A, AMM 12-B-30-60-00-00A-903D-A								
PC12A30100100	AIRFOIL DE-ICE SYSTEM TIMER, A230							Component ATA:30
PN:959.89.01.044	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:UA711	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-30-10-03-00A-920A-A								
PROC. REF: AMM 12-B-30-10-03-00A-920A-A								
PC12A30100200	PRESSURE REGULATOR							Component ATA:30
PN:959.89.01.012	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:N200413	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-30-10-01-00A-920A-A								
PROC. REF: AMM 12-B-30-10-01-00A-920A-A								
PC12A30100300	WATER SEPARATOR							Component ATA:30
PN:959.89.01.010	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:N200547	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERIC								
PROC. REF: AMM GENERIC								
PC12A30100410	EJECTOR FLOW CONTROL VALVE (FCV), INBD, UPPER, L605							Component ATA:30
PN:959.89.01.008	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:N200235	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-30-10-02-00A-920A-A								
PROC. REF: AMM 12-B-30-10-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PC12A30100420	EJECTOR FLOW CONTROL VALVE (FCV), INBD, LOWER, L606							Component ATA:30
PN:959.89.01.008	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:N200230	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
PC12A30100430	EJECTOR FLOW CONTROL VALVE (FCV), OUTBD, UPPER, L600							Component ATA:30
PN:959.89.01.008	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:N200222	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
PC12A30100440	EJECTOR FLOW CONTROL VALVE (FCV), OUTBD, LOWER, L601							Component ATA:30
PN:959.89.01.008	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:N200208	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
PC12A30100450	EJECTOR FLOW CONTROL VALVE (FCV), HORIZ STAB, L602							Component ATA:30
PN:959.89.01.008	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:N200212	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
PC12A30100510	PRESSURE SWITCH, INBD, UPPER, S600							Component ATA:30
PN:973.81.14.312	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:10521	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-30-10-04-00A-920A-APROC. REF: AMM 12-C-30-10-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PC12A30100520 PRESSURE SWITCH, INBD, LOWER, S601								Component ATA:30
PN:973.81.14.312	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:10528	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-30-10-04-00A-920A-APROC. REF: AMM 12-C-30-10-04-00A-920A-A								
PC12A30100530 PRESSURE SWITCH, OUTBD, UPPER, S603								Component ATA:30
PN:973.81.14.312	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:10484	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-30-10-04-00A-920A-APROC. REF: AMM 12-C-30-10-04-00A-920A-A								
PC12A30100540 PRESSURE SWITCH, OUTBD, LOWER, S602								Component ATA:30
PN:973.81.14.312	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:10503	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-30-10-04-00A-920A-APROC. REF: AMM 12-C-30-10-04-00A-920A-A								
PC12A30100550 PRESSURE SWITCH, HORIZ STAB, S380								Component ATA:30
PN:973.81.14.312	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:10479	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-30-10-04-00A-920A-APROC. REF: AMM 12-C-30-10-04-00A-920A-A								
PC12A30140100 DE-ICING BOOT, WING, INBD, LH								Component ATA:30
PN:959.89.01.037	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:NFH6400	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-30-14-01-00A-920A-APROC. REF: AMM 12-C-30-14-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PC12A30140200	DE-ICING BOOT, WING, INBD, RH							Component ATA:30
PN:959.89.01.038	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:NFJ8560	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-30-14-01-00A-920A-APROC. REF: AMM 12-C-30-14-01-00A-920A-A								
PC12A30140300	DE-ICING BOOT, WING, OUTBD, LH							Component ATA:30
PN:959.89.01.039	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:NFK6440	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-30-14-01-00A-920A-APROC. REF: AMM 12-C-30-14-01-00A-920A-A								
PC12A30140400	DE-ICING BOOT, WING, OUTBD, RH							Component ATA:30
PN:959.89.01.040	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:NFK1990	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-30-14-01-00A-920A-APROC. REF: AMM 12-C-30-14-01-00A-920A-A								
PC12A30160100	DE-ICING BOOT, HORIZONTAL STABILIZER, LH							Component ATA:30
PN:959.89.01.041	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:NFK5260	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-30-16-01-00A-920A-APROC. REF: AMM 12-C-30-16-01-00A-920A-A								
PC12A30160200	DE-ICING BOOT, HORIZONTAL STABILIZER, RH							Component ATA:30
PN:959.89.01.042	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:NFI5320	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-30-16-01-00A-920A-APROC. REF: AMM 12-C-30-16-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PC12A30200100	INERTIAL SEPARATOR ACTUATOR							Component ATA:30
PN:978.73.15.302	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:F26141	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-30-20-01-00A-920A-APROC. REF: AMM 12-B-30-20-01-00A-920A-A								
PC12A30300110	AOA PLATE TEMPERATURE CONTROLLER, LH, A578							Component ATA:30
PN:975.44.21.418	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:UH985	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-30-30-21-00A-920A-APROC. REF: AMM 12-B-30-30-21-00A-920A-A								
PC12A30300120	AOA PLATE TEMPERATURE CONTROLLER, RH, A678							Component ATA:30
PN:975.44.21.418	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:UI020	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-30-30-21-00A-920A-APROC. REF: AMM 12-B-30-30-21-00A-920A-A								
PC12A30300210	CURRENT SENSOR, DE-ICE PANEL, LH S2351							Component ATA:30
PN:974.29.00.205	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:5020	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A30300220	CURRENT SENSOR, DE-ICE PANEL, RH S2341							Component ATA:30
PN:974.29.00.205	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:4999	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PC12A30400110	WINDSHIELD DE-ICE CONTROLLER, LH, A111							Component ATA:30
PN:972.81.32.202	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:141243	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-30-40-01-00A-920A-APROC. REF: AMM 12-B-30-40-01-00A-920A-A								
PC12A30400120	WINDSHIELD DE-ICE CONTROLLER, RH, A112							Component ATA:30
PN:972.81.32.202	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:141244	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-30-40-01-00A-920A-APROC. REF: AMM 12-B-30-40-01-00A-920A-A								
PC12A30600100	PROPELLER DE-ICE TIMER, A030							Component ATA:30
PN:4E3163-2	MOS/MSC	09-Apr-22	O/C	TSR 0				
SN:U4540	HRS	519:16		TSN 29:42, TSR 0				
	AFL	265		TSN 30, TSR 0				
PROC. REF: AMM 12-B-30-60-01-00A-920A-APROC. REF: AMM 12-B-30-60-01-00A-920A-A								
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-30/421 ^S	LDR (IF INSTALLED) - OPERATIONAL TEST							Service ATA:31
PN:985.99.20.127	MOS	05-Sep-25	12 (+10%/-10%)					
SN:002033135	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
								PKG:3
PROC. REF: AMM 12-C-31-30-01-00A-903A-APROC. REF: AMM 12-C-31-30-01-00A-903A-A								
PC12A31100100	OVERHEAD CONTROL PANEL, A140							Component ATA:31
PN:972.81.21.160	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0024	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-31-10-00-00A-920A-APROC. REF: AMM 12-B-31-10-00-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PC12A31120100		CROSSBAR PANEL, INNER, LH					Component	ATA:31
PN:972.81.21.143	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0964	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31120200		CROSSBAR PANEL, INNER, RH					Component	ATA:31
PN:972.81.21.162	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0039	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31130100		CENTRE CONSOLE PANEL, FRONT					Component	ATA:31
PN:972.81.21.165	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0033	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31130200		CENTRE CONSOLE PANEL, MIDDLE					Component	ATA:31
PN:972.81.21.159	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0039	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-76-10-00-00A-920A-APROC. REF: AMM 12-C-76-10-00-00A-920A-A								
PC12A31130300		CENTRE CONSOLE PANEL, REAR					Component	ATA:31
PN:972.81.21.161	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0032	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-33-10-02-00A-920A-APROC. REF: AMM 12-C-33-10-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PC12A31300100		COCKPIT VOICE & FLIGHT DATA RECORDER (CVFDR), A361					Component	ATA:31
PN:985.99.20.127	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:002033135	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-30-01-00A-920A-APROC. REF: AMM 12-B-31-30-01-00A-920A-A								
PC12A31300200		AREA MICROPHONE, COCKPIT, A118					Component	ATA:31
PN:985.99.20.137	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:002033412	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-31-30-02-00A-920A-APROC. REF: AMM 12-B-31-30-02-00A-920A-A								
PC12A31410100		MODULAR AVIONICS UNIT HOUSING, A200					Component	ATA:31
PN:985.99.11.966	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:2002B214	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-31-41-00-00A-920A-APROC. REF: AMM 12-C-31-41-00-00A-920A-A								
PC12A31410210		AIRCRAFT PERSONALITY MODULE (APM) 1, LH, A201					Component	ATA:31
PN:985.83.14.204	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:40845275	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31410220		AIRCRAFT PERSONALITY MODULE (APM) 2, RH, A202					Component	ATA:31
PN:985.83.14.204	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:40845259	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PC12A31420100		POWER SUPPLY MODULE (PS) 1					Component	ATA:31
PN:985.99.12.346	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:20019575	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420200		NETWORK INTERFACE CONTROLLER (NIC) 1					Component	ATA:31
PN:985.99.12.231	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:2003R942	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420300		ADVANCED GRAPHIC MODULE (AGM) 1A					Component	ATA:31
PN:985.99.12.276	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:19122730	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420400		CUSTOM INPUT/OUTPUT (CSIO) MODULE					Component	ATA:31
PN:985.99.12.251	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:20012425	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420500		ACTUATOR-INPUT/OUTPUT-PROCESSOR (AIOP) 1A MODULE					Component	ATA:31
PN:7028432-1902	MOS/MSC	03-Feb-21	O/C					
SN:1401H488	HRS	140:50						
	AFL	82						
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PC12A31420600 ACTUATOR-INPUT/OUTPUT-PROCESSOR (AIOP) 2B MODULE								Component ATA:31
PN:985.99.12.190	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:2001U943	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420700 DUAL GENERIC INPUT/OUTPUT (DGIO) MODULE								Component ATA:31
PN:985.99.12.252	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:19112801	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420800 ADVANCED GRAPHIC MODULE (AGM) 2B								Component ATA:31
PN:985.99.12.276	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:19122758	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420900 CONTROL INPUT/OUTPUT MODULE (CIO)								Component ATA:31
PN:985.99.12.028	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:19121713	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31421000 ENHANCED GROUND PROXIMITY WARNING SYSTEM (EGPWF) MODULE								Component ATA:31
PN:985.99.12.001	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:20014654	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PC12A31421100	NETWORK INTERFACE CONTROLLER (NIC) 2							Component ATA:31
PN:985.99.12.231	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:2003R994	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31421200	POWER SUPPLY MODULE (PS) 2							Component ATA:31
PN:985.99.12.346	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:20019594	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
ATA 32 - LANDING GEAR								
32-10/162 ^S	MAIN LANDING GEAR - LUBRICATE							Service ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-12-20-04-00A-902A-APROC. REF: AMM 12-B-12-20-04-00A-902A-A								PKG:2
32-10/163 ^S	MAIN LANDING GEAR LEGS - EXAMINE							Service ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
32-10/164 ^S	MAIN LANDING GEAR COMPARTMENTS - EXAMINE							Service ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10/165 ^S	MAIN LANDING GEAR SHOCK STRUTS - CHECK NITROGEN PRESSURE							Service ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-32-10-00-00A-902A-APROC. REF: AMM 12-B-32-10-00-00A-902A-A								PKG:2
32-10/263 ^S	MAIN LANDING GEAR ELECTRICAL BONDING STRAPS - EXAMINE							Service ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
32-10/315	MAIN LANDING GEAR HINGE PIN AND BUSHES - INSPECTION/CHECK							Service ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	149 d (+36)	
	HRS	1435:41	2400 (+10%/-10%)		3835:41	4075:41	2303:04 (+240)	
	AFL	807						
PROC. REF: AMM 12-B-32-10-00-00A-313B-APROC. REF: AMM 12-B-32-10-00-00A-313B-A								
32-10/346	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - LEFT MLG YOKE FITTING O (ELECTRO MECHANICAL LANDING GEAR) OVERHAUL AND EDDY CURRENT INSPECTION (CPCP)							Service ATA:32
PN:PN	MOS/MSC	31-Aug-20	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-10/346	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RIGHT MLG YOKE FITTING (ELECTRO MECHANICAL LANDING GEAR) OVERHAUL AND EDDY CURRENT INSPECTION (CPCP)							Service ATA:32
PN:PN	MOS/MSC	31-Aug-20	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10/347	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - LEFT MLG TRAILING LINK OVERHAUL AND EDDY CURRENT INSPECTION (CPCP)							Service ATA:32
PN:PN	MOS/MSC	31-Aug-20	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-10/347	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RIGHT MLG TRAILING LINK OVERHAUL AND EDDY CURRENT INSPECTION (CPCP)							Service ATA:32
PN:PN	MOS/MSC	31-Aug-20	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-10/436	MAIN LANDING GEAR SHOCK ABSORBER TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE							Service ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	149 d (+36)	
	HRS	1435:41						
	AFL	807						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/438	LH MAIN LANDING GEAR LEG FORWARD ATTACHMENT BOLT AND BUSH AND REAR ATTACHMENT BOLT AND NUT - EXAMINE							Service ATA:32
	MOS	31-Aug-20	72		31-Aug-26		214 d	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/438	RH MAIN LANDING GEAR LEG FORWARD ATTACHMENT BOLT AND BUSH AND REAR ATTACHMENT BOLT AND NUT - EXAMINE							Service ATA:32
	MOS	31-Aug-20	72		31-Aug-26		214 d	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/439	LH MAIN LANDING GEAR SPRING PACK ASSEMBLY TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE							Service ATA:32
	MOS	31-Aug-20	72		31-Aug-26		214 d	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10/439	RH MAIN LANDING GEAR SPRING PACK ASSEMBLY TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE							Service ATA:32
	MOS	31-Aug-20	72		31-Aug-26		214 d	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/440	LH MAIN LANDING GEAR FOLDING STRUT TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE							Service ATA:32
	MOS	31-Aug-20	72		31-Aug-26		214 d	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/440	RH MAIN LANDING GEAR FOLDING STRUT TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE							Service ATA:32
	MOS	31-Aug-20	72		31-Aug-26		214 d	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/441	LH MAIN LANDING GEAR DRAG LINK TOP ATTACHMENT SHEAR BOLT, CAP, BOLT AND NUTS - EXAMINE							Service ATA:32
	MOS	31-Aug-20	120		31-Aug-30		1675 d	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/441	RH MAIN LANDING GEAR DRAG LINK TOP ATTACHMENT SHEAR BOLT, CAP, BOLT AND NUTS - EXAMINE							Service ATA:32
	MOS	31-Aug-20	120		31-Aug-30		1675 d	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/80	LEFT MAIN LANDING GEAR WHEEL BEARINGS - LUBRICATE							Service ATA:32
PN:532.45.12.066	MOS/MSC	05-Sep-25	12 (+10%/-10%) / T/C		05-Sep-26 (M)	11-Oct-26	219 d (+36)	
SN:4362	HRS	1435:41						
	AFL	807						
Installation Date: : 05-Sep-25								
PROC. REF: AMM 12-B-12-20-06-00A-902A-APROC. REF: AMM 12-B-12-20-06-00A-902A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10/80	NOSE LANDING GEAR WHEEL BEARINGS - LUBRICATE							Service ATA:32
PN:532.41.12.003	MOS/MSC	26-Nov-25	12 (+10%/-10%) / T/C		28-Aug-26	04-Oct-26	211 d (+37)	
SN:2039	HRS	1491:05						
	AFL	850						
Installation Date: : 28-Aug-25								
PROC. REF: AMM 12-B-12-20-06-00A-902A-APROC. REF: AMM 12-B-12-20-06-00A-902A-A								
32-10/80	RIGHT MAIN LANDING GEAR WHEEL BEARINGS - LUBRICATE							Service ATA:32
PN:532.45.12.066	MOS/MSC	05-Sep-25	12 (+10%/-10%) / T/C		05-Sep-26 (M)	11-Oct-26	219 d (+36)	
SN:4395	HRS	1435:41						
	AFL	807						
Installation Date: : 05-Sep-25								
PROC. REF: AMM 12-B-12-20-06-00A-902A-APROC. REF: AMM 12-B-12-20-06-00A-902A-A								
32-20/166 ^S	NOSE LANDING GEAR SHOCK STRUT - CHECK NITROGEN PRESSURE							Service ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PKG:2								
PROC. REF: AMM 12-B-32-20-00-00A-902A-APROC. REF: AMM 12-B-32-20-00-00A-902A-A								
32-20/167 ^S	NOSE LANDING GEAR - LUBRICATE							Service ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PKG:2								
PROC. REF: AMM 12-B-12-20-04-00A-902A-APROC. REF: AMM 12-B-12-20-04-00A-902A-A								
32-20/168 ^S	NOSE LANDING GEAR LEG AND STEERING MECHANISM - EXAMINE, IN PARTICULAR THE STEERING ROD END (P/N 532.20.12.134) FOR THE COMPLETE RETENTION OF BEARING INTO THE STEERING ROD END HOUSING.							Service ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PKG:2								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-20/169 ^S	NOSE LANDING GEAR COMPARTMENT - EXAMINE							Service ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
32-20/265 ^S	NOSE LANDING GEAR ELECTRICAL BONDING STRAPS - EXAMINE							Service ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
32-20/403	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - NLG - OVERHAUL							Service ATA:32
PN:532.20.12.043	MOS/MSC	31-Aug-20	N/A					
SN:SI-1277	HRS	0						
	AFL	0						
PROC. REF: GENERIC CMM, CMM 32-20-05PROC. REF: GENERIC CMM, CMM 32-20-05								
32-20/416	LIFE LIMIT - NLG UPPER RIGHT HAND DRAG LINK							Service ATA:32
PN:PN	MOS	31-Aug-20						LIFE LIMIT
SN:UNKNOWN	HRS	0	25000		25000		23467:23	
	AFL	0	30000		30000		29080	
PROC. REF: AMM 12-B-32-20-05-00A-920B-APROC. REF: AMM 12-B-32-20-05-00A-920B-A								
32-30/423	LIFE LIMIT - LEFT MAIN LANDING GEAR ACTUATOR – ELECTRO MECHANICAL LANDING GEAR							Service ATA:32
PN:959.56.01.823	MOS	31-Aug-20						LIFE LIMIT
SN:1088	HRS	0						
	AFL	0	30000		30000		29080	
PROC. REF: AMM 12-B-32-30-01-00A-920B-APROC. REF: AMM 12-B-32-30-01-00A-920B-A								
32-30/423	LIFE LIMIT - NOSE LANDING GEAR ACTUATOR – ELECTRO MECHANICAL LANDING GEAR							Service ATA:32
PN:959.56.01.824	MOS	31-Aug-20						LIFE LIMIT
SN:546	HRS	0						
	AFL	0	30000		30000		29080	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 12-B-32-30-02-00A-920B-APROC. REF: AMM 12-B-32-30-02-00A-920B-A								
32-30/423	LIFE LIMIT - RIGHT MAIN LANDING GEAR ACTUATOR – ELECTRO MECHANICAL LANDING GEAR							Service ATA:32
PN:959.56.01.823	MOS	31-Aug-20						LIFE LIMIT
SN:1079	HRS	0						
	AFL	0	30000		30000		29080	
PROC. REF: AMM 12-B-32-30-01-00A-920B-APROC. REF: AMM 12-B-32-30-01-00A-920B-A								
32-30/424	EMERGENCY GEAR EXTENSION SYSTEM (ELECTRO MECHANICAL LANDING GEAR) - OPERATIONAL TEST							Service ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	149 d (+36)	
	HRS	1435:41	2000		3435:41		1903:04	
	AFL	807						
PROC. REF: AMM 12-B-32-30-10-00A-903A-APROC. REF: AMM 12-B-32-30-10-00A-903A-A								
32-30/425 ^S	ELECTRO MECHANICAL EXTENSION AND RETRACTION MECHANISM - EXAMINE ALL COMPONENTS AND THEIR ATTACHMENTS IN THE NOSE AND MAIN LANDING GEAR COMPARTMENTS							Service ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PKG:2								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-30/426	TIME DELAY RELAYS AND POWER CONTACTOR (ELECTRO MECHANICAL LANDING GEAR) - FUNCTIONAL TEST							Service ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	149 d (+36)	
	HRS	1435:41	2000		3435:41		1903:04	
	AFL	807						
PROC. REF: AMM 12-B-32-30-08-00A-903A-APROC. REF: AMM 12-B-32-30-08-00A-903A-A								
32-30/429	MAIN LANDING GEAR SPRING STRUT (ELECTRO MECHANICAL LANDING GEAR) - EXAMINE THE SPRINGS							Service ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	149 d (+36)	
	HRS	1435:41	2000		3435:41		1903:04	
	AFL	807						
PROC. REF: AMM 12-B-32-10-06-00A-313A-APROC. REF: AMM 12-B-32-10-06-00A-313A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-30/435	LEFT MAIN LANDING GEAR ELECTRO MECHANICAL ACTUATORS ANTI-ROTATION PADS - DISCARD							Service ATA:32
PN:959.56.01.823	MOS	31-Aug-20						DISCARD
SN:1088	HRS	0						
	AFL	0	12000 (+500/-500)		12000	12500	11080 (+500)	
PROC. REF: AMM 12-B-32-30-01-01A-920B-APROC. REF: AMM 12-B-32-30-01-01A-920B-A								
32-30/435	NOSE LANDING GEAR ELECTRO MECHANICAL ACTUATORS ANTI-ROTATION PADS - DISCARD							Service ATA:32
PN:959.56.01.824	MOS	31-Aug-20						DISCARD
SN:546	HRS	0						
	AFL	0	12000 (+500/-500)		12000	12500	11080 (+500)	
PROC. REF: AMM 12-B-32-30-02-01A-920B-APROC. REF: AMM 12-B-32-30-02-01A-920B-A								
32-30/435	RIGHT MAIN LANDING GEAR ELECTRO MECHANICAL ACTUATORS ANTI-ROTATION PADS - DISCARD							Service ATA:32
PN:959.56.01.823	MOS	31-Aug-20						DISCARD
SN:1079	HRS	0						
	AFL	0	12000 (+500/-500)		12000	12500	11080 (+500)	
PROC. REF: AMM 12-B-32-30-01-01A-920B-APROC. REF: AMM 12-B-32-30-01-01A-920B-A								
32-30/442	LEFT MAIN LANDING GEAR ACTUATOR TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE							Service ATA:32
PN:959.56.01.823	MOS	31-Aug-20	72		31-Aug-26		214 d	
SN:1088	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-30/442	RIGHT MAIN LANDING GEAR ACTUATOR TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE							Service ATA:32
PN:959.56.01.823	MOS	31-Aug-20	72		31-Aug-26		214 d	
SN:1079	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-40/171 ^S	MAIN WHEELS - EXAMINE. ROTATE WHEELS, MAKE SURE BEARING MOVEMENT IS SMOOTH AND FREE AND NO EXCESSIVE PLAY EXISTS							Service ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-40/173 ^S	NOSE WHEEL - EXAMINE . ROTATE WHEEL, MAKE SURE BEARING MOVEMENT IS SMOOTH AND FREE AND NO EXCESSIVE PLAY EXISTS							Service ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
32-40/538 ^S	MAIN WHEEL TIRES (MSN 2001 AND UP) - EXAMINE AND CHECK TIRE PRESSURE							Service ATA:32
	MOS/MSC	05-Sep-25	O/C					
	HRS	1435:41						
	AFL	807						
PROC. REF: AMM 12-B-12-10-04-00A-902A-APROC. REF: AMM 12-B-12-10-04-00A-902A-A								PKG:2
32-40/539 ^S	NOSE WHEEL TIRE (MSN 2001 AND UP) - EXAMINE AND CHECK TIRE PRESSURE							Service ATA:32
	MOS/MSC	26-Nov-25	O/C					
	HRS	1491:05						
	AFL	850						
PROC. REF: AMM 12-B-12-10-04-00A-902A-APROC. REF: AMM 12-B-12-10-04-00A-902A-A								PKG:2
32-40/540 ^S	BRAKE SYSTEM (MSN 2001 AND UP) - APPLY THE PARKING BRAKE. EXAMINE THE BRAKE UNITS. MAKE SURE THAT PAD WEAR INDICATORS PROTRUDE FROM HOUSING.							Service ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
32-40/541 ^S	FLUID RESERVOIR (MSN 2001 AND UP) - CHECK AND REPLENISH, IF NECESSARY							Service ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-12-10-02-00A-902A-APROC. REF: AMM 12-B-12-10-02-00A-902A-A								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-50/404	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - NLG STEERING MECHANISM - EXAMINE							Service ATA:32
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-50-00-00A-310A-APROC. REF: AMM 12-B-32-50-00-00A-310A-A								
PC12A32100100	LEFT MAIN LANDING GEAR							Component ATA:32
PN:532.10.12.055	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:VLG1254	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-10-02-00A-920B-APROC. REF: AMM 12-B-32-10-02-00A-920B-A								
PC12A32100110	SHOCK ABSORBER ASSEMBLY, LH							Component ATA:32
PN:532.10.12.230	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:VLG1709	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-10-03-00A-920B-APROC. REF: AMM 12-B-32-10-03-00A-920B-A								
PC12A32100200	RIGHT MAIN LANDING GEAR							Component ATA:32
PN:532.10.12.056	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:VLG1251	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-10-02-00A-920B-APROC. REF: AMM 12-B-32-10-02-00A-920B-A								
PC12A32100210	SHOCK ABSORBER ASSEMBLY, RH							Component ATA:32
PN:532.10.12.230	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:VLG1702	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-10-03-00A-920B-APROC. REF: AMM 12-B-32-10-03-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32100310		SPRING STRUT, LH					Component	ATA:32
PN:532.34.12.120	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1101	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-50-02-00A-920A-APROC. REF: AMM 12-B-32-50-02-00A-920A-A								
PC12A32100320		SPRING STRUT, RH					Component	ATA:32
PN:532.34.12.120	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1100	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-50-02-00A-920A-APROC. REF: AMM 12-B-32-50-02-00A-920A-A								
PC12A321CA210		LH MLG YOKE FITTING					Component	ATA:32
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A321CA220		RH MLG YOKE FITTING					Component	ATA:32
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A321CA310		LH MLG TRAILING LINK					Component	ATA:32
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A321CA320		RH MLG TRAILING LINK					Component	ATA:32
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A32200100 NOSE LANDING GEAR								Component ATA:32
PN:532.20.12.043	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:SI-1277	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-20-02-00A-920B-APROC. REF: AMM 12-B-32-20-02-00A-920B-A								
PC12A32200110 NOSE LANDING GEAR STRUT ASSEMBLY								Component ATA:32
PN:532.20.12.044	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:SI-1277	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-20-03-00A-920B-APROC. REF: AMM 12-B-32-20-03-00A-920B-A								
PC12A32200120 SPRING PACK ASSEMBLY								Component ATA:32
PN:532.20.12.305	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:SI-0250	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A32200130 SHIMMY DAMPER ASSEMBLY								Component ATA:32
PN:532.20.12.215	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:SI-0647	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-50-01-00A-920A-APROC. REF: AMM 12-B-32-50-01-00A-920A-A								
PC12A322CA110 NLG UPPER RIGHT HAND DRAG LINK								Component ATA:32
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-20-05-00A-920B-APROC. REF: AMM 12-B-32-20-05-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32300110		LEFT MAIN LANDING GEAR ACTUATOR					Component	ATA:32
PN:959.56.01.823	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:1088	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-01-00A-920B-APROC. REF: AMM 12-B-32-30-01-00A-920B-A								
PC12A32300120		RIGHT MAIN LANDING GEAR ACTUATOR					Component	ATA:32
PN:959.56.01.823	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:1079	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-01-00A-920B-APROC. REF: AMM 12-B-32-30-01-00A-920B-A								
PC12A32300200		NOSE LANDING GEAR ACTUATOR					Component	ATA:32
PN:959.56.01.824	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:546	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-02-00A-920B-APROC. REF: AMM 12-B-32-30-02-00A-920B-A								
PC12A32300300		EMERGENCY GEAR HANDLE					Component	ATA:32
PN:959.56.01.838	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:00648	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-30-10-01A-920A-APROC. REF: AMM 12-B-32-30-10-01A-920A-A								
PC12A32300400		EMERGENCY GEAR CABLE, MAIN GEAR					Component	ATA:32
PN:959.56.01.814	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:00590	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-30-10-04A-920A-APROC. REF: AMM 12-B-32-30-10-04A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32300500		EMERGENCY GEAR CABLE, INTERMEDIATE					Component	ATA:32
PN:959.56.01.843	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:00038	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-30-10-03A-920A-APROC. REF: AMM 12-B-32-30-10-03A-920A-A								
PC12A32300600		EMERGENCY GEAR CABLE, NOSE GEAR					Component	ATA:32
PN:959.56.01.815	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:00560	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-30-10-02A-920A-APROC. REF: AMM 12-B-32-30-10-02A-920A-A								
PC12A32400110		LEFT MAIN WHEEL					Component	ATA:32
PN:532.45.12.066	MOS/MSC	05-Sep-25	O/C	TSN 61				
SN:4362	HRS	1435:41		TSN 1435:41				
	AFL	807		TSN 807				
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								
PC12A32400120		RIGHT MAIN WHEEL					Component	ATA:32
PN:532.45.12.066	MOS/MSC	05-Sep-25	O/C	TSN 61				
SN:4395	HRS	1435:41		TSN 1435:41				
	AFL	807		TSN 807				
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								
PC12A32400200		NOSE WHEEL					Component	ATA:32
PN:532.41.12.003	MOS/MSC	05-Sep-25	O/C	TSN 61				
SN:2039	HRS	1435:41		TSN 1435:41				
	AFL	807		TSN 807				
PROC. REF: AMM 12-B-32-40-02-00A-920A-APROC. REF: AMM 12-B-32-40-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32400310		BRAKE ASSEMBLY, LH					Component	ATA:32
PN:959.56.01.517	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:4092	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-40-03-00A-920B-APROC. REF: AMM 12-B-32-40-03-00A-920B-A								
PC12A32400320		BRAKE ASSEMBLY, RH					Component	ATA:32
PN:959.56.01.517	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:4102	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-40-03-00A-920B-APROC. REF: AMM 12-B-32-40-03-00A-920B-A								
PC12A32400410		MASTER BRAKE CYLINDER, PILOT, LH					Component	ATA:32
PN:959.47.51.131	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:8058	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								
PC12A32400420		MASTER BRAKE CYLINDER, PILOT, RH					Component	ATA:32
PN:959.47.51.131	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:8059	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								
PC12A32400430		MASTER BRAKE CYLINDER, CO-PILOT, LH					Component	ATA:32
PN:959.47.51.131	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:8060	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32400440		MASTER BRAKE CYLINDER, CO-PILOT, RH					Component	ATA:32
PN:959.47.51.131	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:8061	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								
PC12A32400500		PARK BRAKE VALVE					Component	ATA:32
PN:959.47.51.121	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:3321	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-40-05-00A-920A-APROC. REF: AMM 12-B-32-40-05-00A-920A-A								
PC12A324CA110		LEFT MAIN WHEEL TIRE					Component	ATA:32
PN:025-350-0	MOS/MSC	14-Aug-24	O/C	TSN 0				
SN:4012T00222	HRS	1127		TSN 0				
	AFL	600		TSN 0				
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								
PC12A324CA120		RIGHT MAIN WHEEL TIRE					Component	ATA:32
PN:025-350-0	MOS/MSC	14-Aug-24	O/C	TSN 0				
SN:3178T00308	HRS	1127		TSN 0				
	AFL	600		TSN 0				
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								
PC12A324CA210		NOSE WHEEL TIRE					Component	ATA:32
PN:021-327-0	MOS/MSC	08-Aug-23	O/C	TSN 0				
SN:1285T00226	HRS	918:20		TSN 0				
	AFL	472		TSN 0				
PROC. REF: AMM 12-B-32-40-02-00A-920A-APROC. REF: AMM 12-B-32-40-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32600110		PROXIMITY SWITCH, NLG UP, MT053					Component	ATA:32
PN:973.30.33.116	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:8419	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A32600120		PROXIMITY SWITCH, NLG DOWN MT056					Component	ATA:32
PN:973.30.33.116	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:8401	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A32600130		PROXIMITY SWITCH, MLG UP, LH, MT515					Component	ATA:32
PN:973.30.33.116	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:8456	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-60-01-00A-920B-APROC. REF: AMM 12-B-32-60-01-00A-920B-A								
PC12A32600140		PROXIMITY SWITCH, MLG UP, RH, MT615					Component	ATA:32
PN:973.30.33.116	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:8457	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-60-01-00A-920B-APROC. REF: AMM 12-B-32-60-01-00A-920B-A								
PC12A32600210		MICROSWITCH, DOWN & LOCK, LH, S519					Component	ATA:32
PN:973.30.31.217	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:01710	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-60-01-00A-920B-APROC. REF: AMM 12-B-32-60-01-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32600220		MICROSWITCH, DOWN & LOCK, RH, S619					Component	ATA:32
PN:973.30.31.217	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:01712	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-60-01-00A-920B-APROC. REF: AMM 12-B-32-60-01-00A-920B-A								
PC12A32600310		PROXIMITY SWITCH, WOW, LH, MT517					Component	ATA:32
PN:532.69.21.026	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:3894	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-60-12-00A-920B-APROC. REF: AMM 12-B-32-60-12-00A-920B-A								
PC12A32600320		PROXIMITY SWITCH, WOW, RH, MT617					Component	ATA:32
PN:532.69.21.026	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:3855	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-60-12-00A-920B-APROC. REF: AMM 12-B-32-60-12-00A-920B-A								
PC12A32600410		LANDING GEAR RELAY UNIT, K2311A1					Component	ATA:32
PN:9740926112	MOS/MSC	17-Sep-20	O/C	TSN 0				
SN:2196	HRS	17:54		TSN 0				
	AFL	24		TSN 0				
PROC. REF: AMM 12-B-32-30-08-00A-920A-APROC. REF: AMM 12-B-32-30-08-00A-920A-A								
PC12A32600420		LANDING GEAR RELAY UNIT, K2311A2					Component	ATA:32
PN:974.09.26.112	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:2174	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-30-08-00A-920A-APROC. REF: AMM 12-B-32-30-08-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-40/542 ^S	EXTERIOR LIGHTING (MSN 2001 AND UP) - OPERATIONAL TEST							Service ATA:33
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-33-40-00-00A-903A-APROC. REF: AMM 12-B-33-40-00-00A-903A-A								PKG:2
33-41/543 ^S	LANDING LIGHTS (MSN 2001 AND UP) - EXAMINE							Service ATA:33
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
33-42/544 ^S	TAXI LIGHTS (MSN 2001 AND UP) - EXAMINE							Service ATA:33
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
33-43/545 ^S	NAVIGATION AND STROBE LIGHTS (MSN 2001 AND UP) - EXAMINE							Service ATA:33
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
33-44/546 ^S	RECOGNITION LIGHTS (IF INSTALLED) (MSN 2001 AND UP) - EXAMINE							Service ATA:33
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-46/547 ^S	BEACON LIGHTS (IF INSTALLED) (MSN 2001 AND UP) - EXAMINE							Service ATA:33
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
PC12A33100100	COCKPIT LIGHT DIM UNIT, A177							Component ATA:33
PN:975.02.15.205	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:141256	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-33-10-04-00A-920A-APROC. REF: AMM 12-B-33-10-04-00A-920A-A								
PC12A33400100	WING INSPECTION LIGHT, DS155							Component ATA:33
PN:972.87.87.407	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:S19273454	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-33-40-12-00A-920A-APROC. REF: AMM 12-B-33-40-12-00A-920A-A								
PC12A33410110	LANDING LIGHT, LH, DS521							Component ATA:33
PN:972.87.69.434	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:221141-2-16	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-33-41-01-00A-920B-APROC. REF: AMM 12-C-33-41-01-00A-920B-A								
PC12A33410120	LANDING LIGHT, RH, DS621							Component ATA:33
PN:972.87.69.434	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:221141-2-19	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-33-41-01-00A-920B-APROC. REF: AMM 12-C-33-41-01-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
PC12A33420100	TAXI LIGHT, DS900							Component ATA:33
PN:972.87.69.433	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:221141-1-9	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-33-42-01-00A-920B-APROC. REF: AMM 12-C-33-42-01-00A-920B-A								
PC12A33430100	WINGTIP LIGHT, LH, DS594							Component ATA:33
PN:972.87.87.344	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:219423-5-2	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-57-33-00-00A-920B-APROC. REF: AMM 12-B-57-33-00-00A-920B-A								
PC12A33430200	WINGTIP LIGHT, RH, DS694							Component ATA:33
PN:972.87.87.345	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:221141-4-30	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-57-33-00-00A-920B-APROC. REF: AMM 12-B-57-33-00-00A-920B-A								
PC12A33430300	POWER SUPPLY, A220							Component ATA:33
PN:972.87.87.179	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:219423-4-16	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-33-43-03-00A-920B-APROC. REF: AMM 12-B-33-43-03-00A-920B-A								
PC12A33440110	RECOGNITION LIGHT, LH							Component ATA:33
PN:972.87.69.431	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:219423-1-8	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-33-44-00-00A-920C-APROC. REF: AMM 12-C-33-44-00-00A-920C-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
PC12A33440120	RECOGNITION LIGHT, RH							Component ATA:33
PN:972.87.69.431	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:219423-1-9	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-33-44-00-00A-920C-APROC. REF: AMM 12-C-33-44-00-00A-920C-A								
PC12A33460110	RED FLASHING BEACON, TOP, A410							Component ATA:33
PN:972.87.87.347	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:221141-5-29	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-33-46-00-00A-920B-APROC. REF: AMM 12-B-33-46-00-00A-920B-A								
PC12A33460120	RED FLASHING BEACON, BOTTOM, A800							Component ATA:33
PN:972.87.87.347	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:221141-5-26	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-33-46-00-00A-920B-APROC. REF: AMM 12-B-33-46-00-00A-920B-A								
ATA 34 - NAVIGATION								
34-00/183 ^S	COMMUNICATIONS AND NAVIGATION ANTENNAS - EXAMINE							Service ATA:34
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
34-00/548 ^S	COCKPIT INSTRUMENTS AND AVIONIC EQUIPMENT (MSN 2001 AND UP) - EXAMINE							Service ATA:34
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-11/268 ^S	PITOT AND STATIC SYSTEM - DRAIN							Service ATA:34
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-34-11-00-00A-901A-APROC. REF: AMM 12-B-34-11-00-00A-901A-A								PKG:3
34-11/343	STATIC PORTS PLATE HEIGHT - INSPECTION/CHECK							Service ATA:34
	MOS	14-Aug-24	24 (+10%/-10%)	Adj 17d	31-Aug-26	12-Nov-26	214 d (+73)	
	HRS	1127						
	AFL	600						
PROC. REF: AMM 12-B-34-11-12-00A-313A-APROC. REF: AMM 12-B-34-11-12-00A-313A-A								
34-11/549 ^S	PITOT TUBE (MSN 2001 AND UP) - EXAMINE							Service ATA:34
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
34-11/550 ^S	STATIC PORTS (MSN 2001 AND UP) - EXAMINE							Service ATA:34
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
34-11/82	STATIC SYSTEM - LEAK CHECK							Service ATA:34
	MOS	14-Aug-24	24 (+10%/-10%)	Adj -50d	25-Jun-26	06-Sep-26	147 d (+73)	
	HRS	1127						
	AFL	600						
Test Date: : 14-Aug-24								
PROC. REF: AMM 12-B-34-11-00-00A-903A-APROC. REF: AMM 12-B-34-11-00-00A-903A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-21/84	STANDBY MAGNETIC COMPASS (IF INSTALLED) - CHECK SWING							Service ATA:34
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 12-B-34-21-00-00A-903A-APROC. REF: AMM 12-B-34-21-00-00A-903A-A								
34-25/344	ALTITUDE AND VERTICAL SPEED INDICATION - FUNCTIONAL TEST							Service ATA:34
	MOS	14-Aug-24	24 (+10%/-10%)	Adj 17d	31-Aug-26	12-Nov-26	214 d (+73)	
	HRS	1127						
	AFL	600						
PROC. REF: AMM 12-B-34-14-00-00A-903B-APROC. REF: AMM 12-B-34-14-00-00A-903B-A								
34-26/510	ESIS MAGNETIC HEADING REFERENCE SYSTEM - CHECK SWING							Service ATA:34
PN:975.96.11.252	MOS	14-Aug-24	24 (+10%/-10%)	Adj -48d	27-Jun-26	08-Sep-26	149 d (+73)	
SN:0184	HRS	1127						
	AFL	600						
Test Date: : 14-Aug-24								
PROC. REF: AMM 12-C-34-26-40-00A-903A-APROC. REF: AMM 12-C-34-26-40-00A-903A-A								
34-54/86	NO. 1 TRANSPONDER SYSTEM (SINGLE AND DUAL SYSTEMS) - FUNCTIONAL TEST							Service ATA:34
PN:985.99.12.269	MOS	14-Aug-24	24 (+10%/-10%)	Adj -50d	25-Jun-26	06-Sep-26	147 d (+73)	
SN:KXP2290A-4353	HRS	1127						
	AFL	600						
Test Date: : 14-Aug-24								
PROC. REF: AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-10-00A-903A-APROC. REF: AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-10-00A-903A-A								
34-54/86	NO. 2 TRANSPONDER SYSTEM (SINGLE AND DUAL SYSTEMS) - FUNCTIONAL TEST							Service ATA:34
PN:985.99.12.269	MOS	14-Aug-24	24 (+10%/-10%)	Adj -50d	25-Jun-26	06-Sep-26	147 d (+73)	
SN:KXP2290A-4368	HRS	1127						
	AFL	600						
Test Date: : 14-Aug-24								
PROC. REF: AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-10-00A-903A-APROC. REF: AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-10-00A-903A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC12A34110110	PITOT TUBE, LH, HR578							Component ATA:34
PN:965.11.12.302	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:AS09195787	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-11-11-00A-920A-APROC. REF: AMM 12-B-34-11-11-00A-920A-A								
PC12A34110120	PITOT TUBE, RH, HR678							Component ATA:34
PN:965.11.12.302	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:AS10196084	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-11-11-00A-920A-APROC. REF: AMM 12-B-34-11-11-00A-920A-A								
PC12A34110210	STATIC PORT, LH, HR371							Component ATA:34
PN:965.11.22.103	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:AS10196451	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-11-12-00A-920A-APROC. REF: AMM 12-B-34-11-12-00A-920A-A								
PC12A34110220	STATIC PORT, RH, HR372							Component ATA:34
PN:965.11.22.103	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:AS10196619	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-11-12-00A-920A-APROC. REF: AMM 12-B-34-11-12-00A-920A-A								
PC12A34120110	OUTSIDE AIR TEMPERATURE (OAT) SENSOR, LH, Z588							Component ATA:34
PN:975.11.20.111	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:07213	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-12-00-01A-920A-APROC. REF: AMM 12-B-34-12-00-01A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC12A34120120		OUTSIDE AIR TEMPERATURE (OAT) SENSOR, RH, Z688					Component	ATA:34
PN:975.11.20.111	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:07241	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-12-00-01A-920A-APROC. REF: AMM 12-B-34-12-00-01A-920A-A								
PC12A34250100		AIR DATA/ATTITUDE AND HEADING REFERENCE SYSTEM (ADAHRS) UNIT, A251					Component	ATA:34
PN:065-00188-5105	MOS/MSC	02-Mar-22	O/C					
SN:KSG7200-B1564	HRS	496:30						
	AFL	250						
PROC. REF: AMM 12-B-34-25-01-00A-920A-APROC. REF: AMM 12-B-34-25-01-00A-920A-A								
PC12A34250210		MAGNETOMETER, RIB 17/18, INBOARD, A588					Component	ATA:34
PN:985.99.12.114	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:KMG7010-6437	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-25-02-00A-920B-APROC. REF: AMM 12-B-34-25-02-00A-920B-A								
PC12A34250220		MAGNETOMETER, RIB 18/19, OUTBOARD, A591					Component	ATA:34
PN:985.99.12.114	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:KMG7010-6438	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-25-02-00A-920B-APROC. REF: AMM 12-B-34-25-02-00A-920B-A								
PC12A34250310		AIR DATA/ATTITUDE AND HEADING REFERENCE SYSTEM (ADAHRS) CONFIGURATION MODULE, LH, A251A					Component	ATA:34
PN:985.99.12.129	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:5569	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-25-03-00A-920A-APROC. REF: AMM 12-B-34-25-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC12A34250320	AIR DATA/ATTITUDE AND HEADING REFERENCE SYSTEM (ADAHRS) CONFIGURATION MODULE, RH, A251B							Component ATA:34
PN:985.99.12.129	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:6375	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-25-03-00A-920A-APROC. REF: AMM 12-B-34-25-03-00A-920A-A								
PC12A34260100	ELECTRONIC STANDBY INSTRUMENT							Component ATA:34
PN:975.96.11.252	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0184	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-26-40-00A-920A-APROC. REF: AMM 12-C-34-26-40-00A-920A-A								
PC12A34260200	ELECTRONIC STANDBY INSTRUMENT SYSTEM (ESIS) MAGNETOMETER, A672							Component ATA:34
PN:985.90.03.003	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1389	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-34-26-45-00A-920A-APROC. REF: AMM 12-C-34-26-45-00A-920A-A								
PC12A34260300	ELECTRONIC STANDBY INSTRUMENT SYSTEM (ESIS) CONFIGURATION MODULE, M128							Component ATA:34
PN:985.99.12.393	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:00093	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A34320100	MARKER ANTENNA, E399							Component ATA:34
PN:984.81.10.260	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:101-8954	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-32-01-00A-920A-APROC. REF: AMM 12-B-34-32-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC12A34410100		WEATHER RADAR (WX) TRANSCEIVER, A696					Component	ATA:34
PN:071-01550-0201	MOS/MSC	23-Sep-22	O/C	TSR 0				
SN:ART2100-2639	HRS	686:35		TSR 0				
	AFL	372		TSR 0				
PROC. REF: AMM 12-C-34-41-02-00A-920A-APROC. REF: AMM 12-C-34-41-02-00A-920A-A								
PC12A34410200		WX RADAR ANTENNA, E696					Component	ATA:34
PN:985.99.11.504	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:8928	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-34-41-02-00A-920A-APROC. REF: AMM 12-C-34-41-02-00A-920A-A								
PC12A34410300		WEATHER (WX) RADAR CONFIGURATION MODULE, A694					Component	ATA:34
PN:985.99.12.182	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:CM2000-35103	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-41-04-00A-920A-APROC. REF: AMM 12-B-34-41-04-00A-920A-A								
PC12A34410400		RADOME					Component	ATA:34
PN:985.79.00.005	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1046	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-34-41-02-00A-920A-APROC. REF: AMM 12-C-34-41-02-00A-920A-A								
PC12A34410700		STORMSCOPE PROCESSOR, A349					Component	ATA:34
PN:985.99.18.006	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:105032	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-41-31-00A-920A-APROC. REF: AMM 12-B-34-41-31-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC12A34410800		STORMSCOPE ANTENNA, E348					Component	ATA:34
PN:985.99.18.009	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:104017	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-41-32-00A-920A-APROC. REF: AMM 12-B-34-41-32-00A-920A-A								
PC12A34420100		RADAR ALTIMETER TRANSCEIVER, A269					Component	ATA:34
PN:985.99.11.524	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:KRA405B-21886	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-34-42-01-00A-920A-APROC. REF: AMM 12-C-34-42-01-00A-920A-A								
PC12A34420210		RADAR ALTIMETER ANTENNA, LH, E177					Component	ATA:34
PN:984.81.29.101	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:543-98812	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-34-42-02-00A-920A-APROC. REF: AMM 12-C-34-42-02-00A-920A-A								
PC12A34420220		RADAR ALTIMETER ANTENNA, RH, E178					Component	ATA:34
PN:984.81.29.101	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:543-98814	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-34-42-02-00A-920A-APROC. REF: AMM 12-C-34-42-02-00A-920A-A								
PC12A34440100		TRAFFIC ALERT AND COLLISION AVOIDANCE SYSTEM (TCAS) PROCESSOR, A277					Component	ATA:34
PN:985.99.11.967	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:TPA24255	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-34-44-01-00A-920A-APROC. REF: AMM 12-C-34-44-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC12A34440200	TCAS ANTENNA, TOP, E219							Component ATA:34
PN:984.81.29.108	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:587-121737	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-34-44-02-00A-920A-APROC. REF: AMM 12-C-34-44-02-00A-920A-A								
PC12A34440300	TCAS ANTENNA, BOTTOM, E317							Component ATA:34
PN:984.81.10.240	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:261-134062	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-34-44-03-00A-920A-APROC. REF: AMM 12-C-34-44-03-00A-920A-A								
PC12A34510200	ANTENNA COUPLER, FR10, A103							Component ATA:34
PN:984.81.17.413	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:607698	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A34520100	DISTANCE MEASURING EQUIPMENT (DME) TRANSCEIVER, A253							Component ATA:34
PN:985.99.11.101	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:44010	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-34-52-01-00A-920A-APROC. REF: AMM 12-C-34-52-01-00A-920A-A								
PC12A34520200	DISTANCE MEASURING EQUIPMENT (DME) ANTENNA, E169							Component ATA:34
PN:984.81.10.240	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:261-134051	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-52-02-00A-920A-APROC. REF: AMM 12-B-34-52-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC12A34530100	ADF ANTENNA, E337							Component ATA:34
PN:985.99.11.167	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:KA44B-A96336	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-53-02-00A-920A-APROC. REF: AMM 12-B-34-53-02-00A-920A-A								
PC12A34540110	NO. 1 ATC TRANSPONDER							Component ATA:34
PN:985.99.12.269	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:KXP2290A-4353	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-54-01-00A-920A-APROC. REF: AMM 12-B-34-54-01-00A-920A-A								
PC12A34540120	NO. 2 ATC TRANSPONDER							Component ATA:34
PN:985.99.12.269	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:KXP2290A-4368	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-54-01-00A-920A-APROC. REF: AMM 12-B-34-54-01-00A-920A-A								
PC12A34540210	ATC ANTENNA, TOP, E249							Component ATA:34
PN:984.81.10.240	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:261-134065	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-54-03-00A-920A-APROC. REF: AMM 12-B-34-54-03-00A-920A-A								
PC12A34540220	ATC ANTENNA, BOTTOM, E166							Component ATA:34
PN:984.81.10.240	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:261-134056	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-54-02-00A-920A-A, AMM 12-B-34-54-04-00A-920A-APROC. REF: AMM 12-B-34-54-02-00A-920A-A, AMM 12-B-34-54-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC12A34570110	GLOBAL POSITIONING SYSTEM (GPS) RECEIVER 1, LH, A117							Component ATA:34
PN:985.99.12.253	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:KGS200-4724	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-34-57-01-00A-920B-APROC. REF: AMM 12-C-34-57-01-00A-920B-A								
PC12A34570120	GLOBAL POSITIONING SYSTEM (GPS) RECEIVER 2, RH, A116							Component ATA:34
PN:985.99.12.253	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:KGS200-4785	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-57-01-00A-920C-APROC. REF: AMM 12-B-34-57-01-00A-920C-A								
PC12A34570210	GLOBAL POSITIONING SYSTEM (GPS) ANTENNA 1, FR 17/18, E179							Component ATA:34
PN:985.99.11.200	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:49315957	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-34-57-02-00A-920A-APROC. REF: AMM 12-C-34-57-02-00A-920A-A								
PC12A34570220	GLOBAL POSITIONING SYSTEM (GPS) ANTENNA 2, FR 18/19, E189							Component ATA:34
PN:985.99.11.200	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:49315972	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-34-57-02-00A-920A-APROC. REF: AMM 12-C-34-57-02-00A-920A-A								
ATA 35 - OXYGEN								
35-10/269 ^S	OXYGEN PIPELINES AND EQUIPMENT - EXAMINE							Service ATA:35
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-10/458 ^S	CREW OXYGEN SYSTEM - OPERATIONAL TEST							Service ATA:35
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-35-00-00-00A-903A-A, AMM 12-B-35-00-00-00A-903B-A								PKG:3
PROC. REF: AMM 12-B-35-00-00-00A-903A-A, AMM 12-B-35-00-00-00A-903B-A								
35-10/551 ^S	HIGH PRESSURE RELIEF INDICATOR (GREEN DISK) (MSN 2001 AND UP) - MAKE SURE THAT IS IT NOT DAMAGED							Service ATA:35
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
35-10/552 ^S	OXYGEN SYSTEM (MSN 2001 AND UP) - CHECK CONTENTS							Service ATA:35
	MOS	05-Sep-25						
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:1
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
35-10/6	LIFE LIMIT - OXYGEN BOTTLE							Service ATA:35
PN:957.12.12.212	MOS	14-Aug-24	180		30-Apr-39		4839 d	LIFE LIMIT
SN:C24041386	HRS	1127						
	AFL	600						
Manufacture Date:: 30-Apr-24								
PROC. REF: SIL SIL-35-114, SIL SIL-35-114, AMM 12-B-35-10-01-00A-920A-A								
PROC. REF: SIL SIL-35-114, SIL SIL-35-114, AMM 12-B-35-10-01-00A-920A-A								
35-10/7	OXYGEN BOTTLE - HYDROSTATIC TEST							Service ATA:35
PN:957.12.12.212	MOS	14-Aug-24	60		30-Apr-29		1187 d	
SN:C24041386	HRS	1127						
	AFL	600						
HydroCheck Date: : 30-Apr-24								
PROC. REF: SIL SIL-35-114, SIL SIL-35-114, SIL SIL-35-114								
PROC. REF: SIL SIL-35-114, SIL SIL-35-114, SIL SIL-35-114								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-20/452	PASSENGER OXYGEN (DROP-DOWN MASK) SYSTEM (IF INSTALLED) - OPERATIONAL TEST							Service ATA:35
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	149 d (+36)	
	HRS	1435:41	3000		4435:41		2903:04	
	AFL	807						
PROC. REF: AMM 12-B-35-00-00-00A-903B-APROC. REF: AMM 12-B-35-00-00-00A-903B-A								
35-20/453	DISCARD NO. 1 LH SEAT PASSENGER OXYGEN MASK CARTRIDGE							Service ATA:35
PN:957-12-01-219	MOS	05-Sep-25	72		01-Dec-30		1767 d	LIFE LIMIT
SN:D24122388	HRS	1435:41						
	AFL	807						
Manufacture Date:: 01-Dec-24								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
35-20/453	DISCARD NO. 2 RH SEAT PASSENGER OXYGEN MASK CARTRIDGE							Service ATA:35
PN:957-12-01-219	MOS	05-Sep-25	72		01-Dec-30		1767 d	LIFE LIMIT
SN:D24122438	HRS	1435:41						
	AFL	807						
Manufacture Date:: 01-Dec-24								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
35-20/453	DISCARD NO. 3 LH SEAT PASSENGER OXYGEN MASK CARTRIDGE							Service ATA:35
PN:957-12-01-219	MOS	05-Sep-25	72		01-Dec-30		1767 d	LIFE LIMIT
SN:D24122430	HRS	1435:41						
	AFL	807						
Manufacture Date:: 01-Dec-24								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
35-20/453	DISCARD NO. 4 RH SEAT PASSENGER OXYGEN MASK CARTRIDGE							Service ATA:35
PN:957-12-01-219	MOS	05-Sep-25	72		01-Dec-30		1767 d	LIFE LIMIT
SN:D24122412	HRS	1435:41						
	AFL	807						
Manufacture Date:: 01-Dec-24								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-20/453		DISCARD NO. 5 LH SEAT PASSENGER OXYGEN MASK CARTRIDGE						Service ATA:35
PN:957-12-01-219	MOS	05-Sep-25	72		01-Dec-30		1767 d	LIFE LIMIT
SN:D24122390	HRS	1435:41						
	AFL	807						
Manufacture Date:: 01-Dec-24								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
35-20/453		DISCARD NO. 6 RH SEAT PASSENGER OXYGEN MASK CARTRIDGE						Service ATA:35
PN:957-12-01-219	MOS	05-Sep-25	72		01-Dec-30		1767 d	LIFE LIMIT
SN:D24122413	HRS	1435:41						
	AFL	807						
Manufacture Date:: 01-Dec-24								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
35-20/453		DISCARD NO. 7 LH SEAT PASSENGER OXYGEN MASK CARTRIDGE						Service ATA:35
PN:957-12-01-219	MOS	05-Sep-25	72		01-Dec-30		1767 d	LIFE LIMIT
SN:D24122420	HRS	1435:41						
	AFL	807						
Manufacture Date:: 01-Dec-24								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
35-20/453		DISCARD NO. 8 RH SEAT PASSENGER OXYGEN MASK CARTRIDGE						Service ATA:35
PN:957-12-01-219	MOS	05-Sep-25	72		01-Dec-30		1767 d	LIFE LIMIT
SN:D24122416	HRS	1435:41						
	AFL	807						
Manufacture Date:: 01-Dec-24								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
35-20/453		DISCARD NO. 9 LH SEAT PASSENGER OXYGEN MASK CARTRIDGE						Service ATA:35
PN:PN	MOS/MSC	31-Jan-20	N/A					
SN:UNKNOWN	HRS							
	AFL							
Manufacture Date:: 31-Jan-20								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-20/453	DISCARD TOILET PASSENGER OXYGEN MASK CARTRIDGE							Service ATA:35
PN:957-12-01-219	MOS	01-Dec-24	72		01-Dec-30		1767 d	LIFE LIMIT
SN:D24122431	HRS							
	AFL							
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
35-20/459	PASSENGER OXYGEN (PLUG-IN MASK) SYSTEM (IF INSTALLED) - OPERATIONAL TEST							Service ATA:35
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-35-00-00-00A-903A-APROC. REF: AMM 12-B-35-00-00-00A-903A-A								
35-20/87	INSPECTION/CHECK PASSENGER OXYGEN MASKS							Service ATA:35
	MOS/MSC	08-Aug-23	N/A	Adj 23d				
	HRS	918:20						
	AFL	472						
PROC. REF: AMM 12-B-35-20-00-00A-313A-APROC. REF: AMM 12-B-35-20-00-00A-313A-A								
35-CA/1	OXYGEN CYLINDER REGULATOR - OVERHAUL							Service ATA:35
PN:957.12.12.212	MOS	14-Aug-24	72 (+6m/-6m)		30-Apr-30	31-Oct-30	1552 d (+184)	OVERHAUL
SN:C24041386	HRS	1127						
	AFL	600						
OverHaul Date:: 30-Apr-24								
PROC. REF: SIL SIL-35-114PROC. REF: SIL SIL-35-114								
PC12A35100100	OXYGEN CYLINDER							Component ATA:35
PN:957.12.12.212	MOS/MSC	14-Aug-24	H/T	TSN 0				
SN:C24041386	HRS	1127		TSN 0				
	AFL	600		TSN 0				
PROC. REF: AMM 12-B-35-10-01-00A-920A-APROC. REF: AMM 12-B-35-10-01-00A-920A-A								
PC12A35100200	PRESSURE SWITCH, S153							Component ATA:35
PN:973.81.14.401	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1881	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35100310 OXYGEN MASK, PILOT								Component ATA:35
PN:957.12.01.210	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:B159925	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-35-10-02-00A-920A-APROC. REF: AMM 12-B-35-10-02-00A-920A-A								
PC12A35100320 OXYGEN MASK, CO-PILOT								Component ATA:35
PN:957.12.01.210	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:B159968	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-35-10-02-00A-920A-APROC. REF: AMM 12-B-35-10-02-00A-920A-A								
PC12A35100400 OXYGEN GAUGE, M155								Component ATA:35
PN:535.12.12.085	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:60386	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-35-20-05-00A-920A-APROC. REF: AMM 12-B-35-20-05-00A-920A-A								
PC12A35200100 3-POSITION CONTROL VALVE, S151								Component ATA:35
PN:963.32.11.102	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:R20030229	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-35-20-04-00A-920A-APROC. REF: AMM 12-B-35-20-04-00A-920A-A								
PC12A35200310 TOILET PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY								Component ATA:35
PN:PN-UNKNOWN	MOS/MSC	05-Sep-25	H/T	TSN 0				
SN:D24122431	HRS	1435:41		TSN 0				
	AFL	807		TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PC12A35200320	NO. 1 LH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY							Component ATA:35
PN:PN-UNKNOWN	MOS/MSC	05-Sep-25	H/T	TSN 0				
SN:D24122388	HRS	1435:41		TSN 0				
	AFL	807		TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A, AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200330	NO. 2 RH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY							Component ATA:35
PN:PN-UNKNOWN	MOS/MSC	05-Sep-25	H/T	TSN 0				
SN:D24122438	HRS	1435:41		TSN 0				
	AFL	807						
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A, AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200340	NO. 3 LH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY							Component ATA:35
PN:PN-UNKNOWN	MOS/MSC	05-Sep-25	H/T	TSN 0				
SN:D24122430	HRS	1435:41		TSN 0				
	AFL	807		TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A, AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200350	NO. 4 RH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY							Component ATA:35
PN:PN-UNKNOWN	MOS/MSC	05-Sep-25	H/T	TSN 0				
SN:D24122412	HRS	1435:41		TSN 0				
	AFL	807		TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A, AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200360	NO. 5 LH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY							Component ATA:35
PN:PN-UNKNOWN	MOS/MSC	05-Sep-25	H/T	TSN 0				
SN:D24122390	HRS	1435:41		TSN 0				
	AFL	807		TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A, AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200370	NO. 6 RH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY							Component ATA:35
PN:PN-UNKNOWN	MOS/MSC	05-Sep-25	H/T	TSN 0				
SN:D24122413	HRS	1435:41		TSN 0				
	AFL	807		TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A, AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PC12A35200380		NO. 7 LH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY						Component ATA:35
PN:PN-UNKNOWN	MOS/MSC	05-Sep-25	H/T	TSN 0				
SN:D24122420	HRS	1435:41		TSN 0				
	AFL	807		TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200390		NO. 8 RH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY						Component ATA:35
PN:PN-UNKNOWN	MOS/MSC	05-Sep-25	H/T	TSN 0				
SN:D24122416	HRS	1435:41		TSN 0				
	AFL	807		TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200395		NO. 9 LH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY						Component ATA:35
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-06-00A-920A-A, AMM 12-B-35-20-06-00A-920A-A								
PC12A35200400		SHUT-OFF VALVE, FR 16/17						Component ATA:35
PN:957.12.12.232	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:000291812	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200410		TOILET PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE						Component ATA:35
PN:957-12-01-219	MOS/MSC	05-Sep-25	H/T	TSN 0				
SN:D24122431	HRS	1435:41		TSN 0				
	AFL	807		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200420		NO. 1 LH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE						Component ATA:35
PN:957-12-01-219	MOS/MSC	05-Sep-25	H/T	TSN 0				
SN:D24122388	HRS	1435:41		TSN 0				
	AFL	807		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PC12A35200430	NO. 2 RH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE							Component ATA:35
PN:957-12-01-219	MOS/MSC	05-Sep-25	H/T	TSN 0				
SN:D24122438	HRS	1435:41		TSN 0				
	AFL	807		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200440	NO. 3 LH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE							Component ATA:35
PN:957-12-01-219	MOS/MSC	05-Sep-25	H/T	TSN 0				
SN:D24122430	HRS	1435:41		TSN 0				
	AFL	807		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200450	NO. 4 RH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE							Component ATA:35
PN:957-12-01-219	MOS/MSC	05-Sep-25	H/T	TSN 0				
SN:D24122412	HRS	1435:41		TSN 0				
	AFL	807		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200460	NO. 5 LH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE							Component ATA:35
PN:957-12-01-219	MOS/MSC	05-Sep-25	H/T	TSN 0				
SN:D24122390	HRS	1435:41		TSN 0				
	AFL	807		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200470	NO. 6 RH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE							Component ATA:35
PN:957-12-01-219	MOS/MSC	05-Sep-25	H/T	TSN 0				
SN:D24122413	HRS	1435:41		TSN 0				
	AFL	807		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200480	NO. 7 LH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE							Component ATA:35
PN:957-12-01-219	MOS/MSC	05-Sep-25	H/T	TSN 0				
SN:D24122420	HRS	1435:41		TSN 0				
	AFL	807		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PC12A35200490	NO. 8 RH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE							Component ATA:35
PN:957-12-01-219	MOS/MSC	05-Sep-25	H/T	TSN 0				
SN:D24122416	HRS	1435:41		TSN 0				
	AFL	807		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200495	NO. 9 LH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE							Component ATA:35
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200500	PRESSURE TRANSDUCER FR 36/37							Component ATA:35
PN:957.12.01.184	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:8459-5-223	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 45 - CENTRAL MAINT SYSTEM								
45-45/454 ^S	CENTRAL MAINTENANCE SYSTEM - DO A CMC REPORTS - EXPORT FAULT HISTORY - SEND TO -> LOCAL STORAGE DOWNLOAD							Service ATA:45
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-45-45-00-00A-551A-APROC. REF: AMM 12-B-45-45-00-00A-551A-A								PKG:3
PC12A45450110	BUS TERMINATOR, MAINTENANCE PANEL FRONT, A157							Component ATA:45
PN:985.99.12.117	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:KBT300-5523	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A45450120	BUS TERMINATOR, MAINTENANCE PANEL REAR, A156							Component ATA:45
PN:985.99.12.117	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:KBT300-5513	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A45450130	BUS TERMINATOR, FR 18, LH, A175							Component ATA:45
PN:985.99.12.117	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:KBT300-5466	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A45450140	BUS TERMINATOR, FR 18, RH, A174							Component ATA:45
PN:985.99.12.117	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:KBT300-5519	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 46 - INFORMATION SYSTEMS								
46-26/553 ^S	PILOT AND COPILOT (IF INSTALLED) PFD REVERSIONARY SWITCHES (MSN 2001 AND UP) - OPERATIONAL TEST							Service ATA:46
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-C-46-30-05-00A-903A-APROC. REF: AMM 12-C-46-30-05-00A-903A-A								PKG:2
46-26/554 ^S	ADAHRS SENSOR SOURCE SELECT SWITCHES (MSN 2001 AND UP) - OPERATIONAL TEST							Service ATA:46
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-46-30-02-00A-903A-APROC. REF: AMM 12-B-46-30-02-00A-903A-A								PKG:2
PC12A46200100	WIRELESS DATA LOADING DEVICE, A350							Component ATA:46
PN:975.96.32.470	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:12061	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-46-21-12-00A-920A-APROC. REF: AMM 12-B-46-21-12-00A-920A-A								
PC12A46300110	PRIMARY FLIGHT DISPLAY, PILOT, M121							Component ATA:46
PN:985.99.12.371	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:2890026633	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-46-30-01-00A-920A-APROC. REF: AMM 12-C-46-30-01-00A-920A-A								
PC12A46300120	PRIMARY FLIGHT DISPLAY, CO-PILOT, M122							Component ATA:46
PN:985.99.12.371	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:2890026563	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-46-30-01-00A-920A-APROC. REF: AMM 12-C-46-30-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 46 - INFORMATION SYSTEMS								
PC12A46300130		MULTI-FUNCTION DISPLAY, UPPER, M124					Component	ATA:46
PN:985.99.12.371	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:2890026680	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-46-30-03-00A-920A-APROC. REF: AMM 12-C-46-30-03-00A-920A-A								
PC12A46300140		MULTI-FUNCTION DISPLAY, LOWER, M123					Component	ATA:46
PN:985.99.12.371	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:2890026632	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-46-30-03-00A-920A-APROC. REF: AMM 12-C-46-30-03-00A-920A-A								
PC12A46300210		PRIMARY FLIGHT DISPLAY (PFD) CONTROLLER, PILOT, A123					Component	ATA:46
PN:985.99.12.178	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:KMC2210-3713	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-46-30-02-00A-920A-APROC. REF: AMM 12-C-46-30-02-00A-920A-A								
PC12A46300220		PRIMARY FLIGHT DISPLAY (PFD) CONTROLLER, CO-PILOT, A124					Component	ATA:46
PN:985.99.12.178	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:KMC2210-3714	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-46-30-02-00A-920A-APROC. REF: AMM 12-C-46-30-02-00A-920A-A								
PC12A46300300		TOUCH-SCREEN CONTROLLER, A129					Component	ATA:46
PN:985.99.12.011	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:5593919080042	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-46-30-04-00A-920A-APROC. REF: AMM 12-C-46-30-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 46 - INFORMATION SYSTEMS								
PC12A46300400	CURSOR CONTROL DEVICE, CCD							Component ATA:46
PN:985.99.12.328	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0438	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-46-30-07-00A-920A-APROC. REF: AMM 12-C-46-30-07-00A-920A-A								
PC12A46300500	CURSOR CONTROL UNIT, A104							Component ATA:46
PN:985.99.12.202	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:55454	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-46-30-08-00A-920A-APROC. REF: AMM 12-B-46-30-08-00A-920A-A								
ATA 52 - DOORS								
52-10/189 ^S	PASSENGER/CREW DOOR SEAL - CLEAN WITH A DRY CLOTH, EXAMINE AND APPLY FRENCH CHALK (P09-002)							Service ATA:52
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
52-10/190 ^S	PASSENGER/CREW DOOR SHOOT BOLTS AND DOOR FRAME FITTINGS - EXAMINE							Service ATA:52
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
52-10/191 ^S	PASSENGER/CREW DOOR HANDLE LOCK PIN AND LATCH - EXAMINE. MAKE SURE MOVEMENT IS FREE. LUBRICATE WITH CPC (P10-001) AS NECESSARY WHEN OPERATING IN FREEZING CONDITIONS							Service ATA:52
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-10/192 ^S	PASSENGER/CREW DOOR HINGES - EXAMINE AND LUBRICATE AS NECESSARY WITH MINIMUM QUANTITY OF CPC (P10-001)							Service ATA:52
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
52-10/271 ^S	PASSENGER/CREW DOOR, COUNTERBALANCE AND CABLE SUPPORT BRACKETS - EXAMINE							Service ATA:52
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
52-10/348	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - PASSENGER/CREW DOOR - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)							Service ATA:52
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-52-10-00-00A-310A-APROC. REF: AMM 12-B-52-10-00-00A-310A-A								
52-10/405	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - PASSENGER/CREW DOOR PIANO HINGE - EDDY CURRENT INSPECTION							Service ATA:52
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-52-00-01-00A-353A-APROC. REF: AMM 12-B-52-00-01-00A-353A-A								
52-10/406	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - PASSENGER/CREW DOOR SKIN - EDDY CURRENT INSPECTION							Service ATA:52
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-52-10-01-00A-353A-APROC. REF: AMM 12-C-52-10-01-00A-353A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-10/88	PASSENGER/CREW DOOR - OXYGEN MASKS – EXAMINE WITH TRIM REMOVED. EXAMINE THE TOP STEP AREA AROUND THE INSULATION MAT FOR CORROSION. IF CORROSION IS FOUND, CONTACT PILATUS FOR A SPECIFIC REPAIR. EXAMINE DOOR HINGE PIN AND HINGE							Service ATA:52
	MOS	14-Aug-24	48 (+10%/-10%)	Adj 17d	31-Aug-28	24-Jan-29	945 d (+146)	
	HRS	1127	4000 (+10%/-10%)		5127	5527	3594:23 (+400)	
	AFL	600						
PROC. REF: AMM 12-C-25-21-03-00A-920A-A, AMM 12-C-25-22-03-00A-920A-A, AMM 12-C-52-10-00-00A-313A-APROC. REF: AMM 12-C-25-21-03-00A-920A-A, AMM 12-C-25-22-03-00A-920A-A, AMM 12-C-52-10-00-00A-313A-A								
52-20/272 ^S	EMERGENCY DOOR (DOOR REMOVED) - EXAMINE							Service ATA:52
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
								PKG:3
PROC. REF: AMM 12-B-52-20-00-00A-310A-APROC. REF: AMM 12-B-52-20-00-00A-310A-A								
52-20/273 ^S	EMERGENCY DOOR SEAL - CLEAN WITH A WET CLOTH, DRY AND EXAMINE AND APPLY FRENCH CHALK (P09-002)							Service ATA:52
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
								PKG:3
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
52-20/349	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - EMERGENCY DOOR - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)							Service ATA:52
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-52-20-00-00A-310A-APROC. REF: AMM 12-B-52-20-00-00A-310A-A								
52-30/193 ^S	CARGO DOOR SEAL - CLEAN WITH A DRY CLOTH, EXAMINE AND APPLY FRENCH CHALK (P09-002)							Service ATA:52
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
								PKG:2
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-30/194 ^S	CARGO DOOR SHOOT BOLTS, DOOR FRAME FITTINGS AND HOOKS - EXAMINE. MAKE SURE THE HOOK ROLLER BUSHES ARE FREE TO ROTATE. FOR ROLLER BUSH WEAR LIMITS REFER TO AMM							Service ATA:52
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-C-52-30-00-00A-313A-APROC. REF: AMM 12-C-52-30-00-00A-313A-A								PKG:2
52-30/195 ^S	CARGO DOOR HINGES - EXAMINE AND LUBRICATE AS NECESSARY WITH MINIMUM QUANTITY OF CPC (P10-001)							Service ATA:52
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-52-30-00-01A-353A-APROC. REF: AMM 12-B-52-30-00-01A-353A-A								PKG:2
52-30/274 ^S	CARGO DOOR - EXAMINE							Service ATA:52
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-52-30-00-00A-310A-APROC. REF: AMM 12-B-52-30-00-00A-310A-A								PKG:3
52-30/350	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - CARGO DOOR - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)							Service ATA:52
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-52-30-00-00A-310A-APROC. REF: AMM 12-B-52-30-00-00A-310A-A								
52-30/407	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - CARGO DOOR PIANO HINGE - EDDY CURRENT INSPECTION							Service ATA:52
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-52-30-00-01A-353A-APROC. REF: AMM 12-B-52-30-00-01A-353A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-30/408	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - CARGO DOOR SKIN - EDDY CURRENT INSPECTION							Service ATA:52
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-52-30-01-00A-353A-APROC. REF: AMM 12-B-52-30-01-00A-353A-A								
52-30/8	LIFE LIMIT - NO. 1 CARGO DOOR LOWER LUG FITTING							Service ATA:52
PN:PN	MOS	31-Aug-20						LIFE LIMIT
SN:UNKNOWN	HRS	0	13000		13000		11467:23	
	AFL	0	17000		17000		16080	
PROC. REF: AMM 12-B-52-30-07-00A-920A-APROC. REF: AMM 12-B-52-30-07-00A-920A-A								
52-30/8	LIFE LIMIT - NO. 2 CARGO DOOR LOWER LUG FITTING							Service ATA:52
PN:PN	MOS	31-Aug-20						LIFE LIMIT
SN:UNKNOWN	HRS	0	13000		13000		11467:23	
	AFL	0	17000		17000		16080	
PROC. REF: AMM 12-B-52-30-07-00A-920A-APROC. REF: AMM 12-B-52-30-07-00A-920A-A								
52-30/8	LIFE LIMIT - NO. 3 CARGO DOOR LOWER LUG FITTING							Service ATA:52
PN:PN	MOS	31-Aug-20						LIFE LIMIT
SN:UNKNOWN	HRS	0	13000		13000		11467:23	
	AFL	0	17000		17000		16080	
PROC. REF: AMM 12-B-52-30-07-00A-920A-APROC. REF: AMM 12-B-52-30-07-00A-920A-A								
52-30/89	CARGO DOOR - EXAMINE WITH TRIM REMOVED. EXAMINE DOOR HINGE PIN, HINGES AND THE LOCK MECHANISM							Service ATA:52
	MOS	14-Aug-24	48 (+10%/-10%)	Adj 17d	31-Aug-28	24-Jan-29	945 d (+146)	
	HRS	1127	4000 (+10%/-10%)		5127	5527	3594:23 (+400)	
	AFL	600						
PROC. REF: AMM 12-C-52-30-00-00A-313A-A, AMM 12-C-25-21-03-00A-920A-A, AMM 12-C-25-22-03-00A-920A-APROC. REF: AMM 12-C-52-30-00-00A-313A-A, AMM 12-C-25-21-03-00A-920A-A, AMM 12-C-25-22-03-00A-920A-A								
52-70/275 ^S	DOOR WARNING SYSTEM - OPERATIONAL TEST							Service ATA:52
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-C-52-70-00-00A-903A-APROC. REF: AMM 12-C-52-70-00-00A-903A-A								

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
PC12A52100100	PASSENGER DOOR							Component ATA:52
PN:552.10.12.560	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:7102	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-52-10-01-00A-920A-A, AMM 12-C-52-10-01-00A-920B-A PROC. REF: AMM 12-B-52-10-01-00A-920A-A, AMM 12-C-52-10-01-00A-920B-A								
PC12A52200100	EMERGENCY EXIT DOOR							Component ATA:52
PN:552.20.12.040	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:7102	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-52-20-00-00A-920A-A PROC. REF: AMM 12-B-52-20-00-00A-920A-A								
PC12A52300100	CARGO DOOR							Component ATA:52
PN:552.30.12.046	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:7102	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-52-30-01-00A-920A-A PROC. REF: AMM 12-B-52-30-01-00A-920A-A								
PC12A523CA010	NO. 1 CARGO DOOR LOWER LUG FITTING							Component ATA:52
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-52-30-07-00A-920A-A PROC. REF: AMM 12-B-52-30-07-00A-920A-A								
PC12A523CA020	NO. 2 CARGO DOOR LOWER LUG FITTING							Component ATA:52
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-52-30-07-00A-920A-A PROC. REF: AMM 12-B-52-30-07-00A-920A-A								
PC12A523CA030	NO. 3 CARGO DOOR LOWER LUG FITTING							Component ATA:52
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-52-30-07-00A-920A-A PROC. REF: AMM 12-B-52-30-07-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-00/276 ^S	REAR PRESSURE BULKHEAD - EXAMINE							Service ATA:53
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
53-00/277 ^S	EXAMINE FLOOR PANELS TOP AND BOTTOM SURFACE AND SEAT RAILS, AS FAR AS POSSIBLE, WITH FLOOR PANELS REMOVED							Service ATA:53
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
53-00/278 ^S	BAGGAGE/FREIGHT NET MOUNTING PLATES ATTACHMENT BOLTS AND SURROUNDING STRUCTURE - EXAMINE FOR CORROSION							Service ATA:53
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:4
53-00/279 ^S	BAGGAGE COMPARTMENT - EXAMINE							Service ATA:53
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:4
53-00/280 ^S	REAR FUSELAGE INTERNAL STRUCTURE - EXAMINE AS FAR AS POSSIBLE, IN PARTICULAR EXAMINE BATTERY MOUNTING TRAY FOR CORROSION							Service ATA:53
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-53-30-00-00A-310A-APROC. REF: AMM 12-B-53-30-00-00A-310A-A								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-00/337 ^S	CARRY THROUGH FRAMES 21 AND 24 - INSPECTION/CHECK							Service ATA:53
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-53-20-02-00A-313A-APROC. REF: AMM 12-B-53-20-02-00A-313A-A								PKG:3
53-00/351	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - UPPER LONGERONS FRAME 10 - EDDY CURRENT INSPECTION							Service ATA:53
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-53-10-06-01A-353A-APROC. REF: AMM 12-B-53-10-06-01A-353A-A								
53-00/352	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FUSELAGE FRAMES 10 TO 16 - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)							Service ATA:53
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-53-10-00-00A-310A-APROC. REF: AMM 12-B-53-10-00-00A-310A-A								
53-00/353	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FUSELAGE FRAMES 16 TO 36 - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)							Service ATA:53
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-53-20-00-00A-310A-APROC. REF: AMM 12-B-53-20-00-00A-310A-A								
53-00/354	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FUSELAGE FRAMES 36 TO 43 - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)							Service ATA:53
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-53-30-00-00A-310A-APROC. REF: AMM 12-B-53-30-00-00A-310A-A								
53-00/355	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ANTENNA STRUCTURE - EXAMINE (CPCP)							Service ATA:53
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-53-00-00-00A-310A-APROC. REF: AMM 12-B-53-00-00-00A-310A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-00/356	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ANTENNA - BOTTOM FUSELAGE SKIN - EDDY CURRENT INSPECTION							Service ATA:53
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-53-00-00-00A-353A-APROC. REF: AMM 12-B-53-00-00-00A-353A-A								
53-00/357	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ANTENNA - UPPER FUSELAGE SKIN - EDDY CURRENT INSPECTION							Service ATA:53
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-53-00-00-00A-353A-APROC. REF: AMM 12-B-53-00-00-00A-353A-A								
53-00/359	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FRAMES 21 AND 24 WING ATTACHMENTS - EDDY CURRENT INSPECTION							Service ATA:53
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-57-00-03-00A-353A-APROC. REF: AMM 12-C-57-00-03-00A-353A-A								
53-00/360	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FRAMES 21 AND 24 SIDE FRAME ATTACHMENTS - EDDY CURRENT INSPECTION							Service ATA:53
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-53-20-02-00A-353A-APROC. REF: AMM 12-B-53-20-02-00A-353A-A								
53-00/361	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FRAMES 41 AND 43 STABILIZER ATTACHMENT - EDDY CURRENT INSPECTION							Service ATA:53
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-A								
53-00/419	SUPPLEMENTAL STRUCTURAL INSPECTION - FRAME 40 - EDDY CURRENT INSPECTION							Service ATA:53
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-00/555 ^S	FUSELAGE EXTERNAL SURFACE (MSN 2001 AND UP) - EXAMINE FOR AIRCRAFT THAT EXPERIENCE STONE DAMAGE TO THE BELLY SKIN, VISUALLY EXAMINE AFFECTED AREAS FOR CRACKS							Service ATA:53
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
53-00/9	LIFE LIMIT - FUSELAGE AND ASSOCIATED STRUCTURE - PRE SB 04-009							Service ATA:53
PN:553.00.12.032	MOS	31-Aug-20						LIFE LIMIT
SN:7102	HRS	0	20000		20000		18467:23	
	AFL	0	27000		27000		26080	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-00/90	FRONT PRESSURE BULKHEAD - EXAMINE WITH INSULATION ON ENGINE AND COCKPIT SIDES REMOVED. IF INSULATION ON COCKPIT SIDE IS WET REMOVE DRY AND REINSTALL INSULATION							Service ATA:53
	MOS	14-Aug-24	48 (+10%/-10%)	Adj 17d	31-Aug-28	24-Jan-29	945 d (+146)	
	HRS	1127	4000 (+10%/-10%)		5127	5527	3594:23 (+400)	
	AFL	600						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-00/91	FUSELAGE INTERNAL BOTTOM SURFACE - EXAMINE FRAMES 10,21,24, 36 AND FRAMES ADJACENT TO DOORS AND TO EMERGENCY EXIT, WITH INSULATION REMOVED. IF CORROSION IS FOUND EXAMINE ALL FUSELAGE BOTTOM SURFACE WITH INSULATION REMOVED. IF INSULATION IS WET, REMOVE DRY AND REINSTALL INSULATION							Service ATA:53
	MOS	14-Aug-24	48 (+10%/-10%)	Adj 17d	31-Aug-28	24-Jan-29	945 d (+146)	
	HRS	1127	4000 (+10%/-10%)		5127	5527	3594:23 (+400)	
	AFL	600						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-00/92	REAR PRESSURE BULKHEAD - EXAMINE WITH TRIM REMOVED							Service ATA:53
	MOS	14-Aug-24	48 (+10%/-10%)	Adj 17d	31-Aug-28	24-Jan-29	945 d (+146)	
	HRS	1127	4000 (+10%/-10%)		5127	5527	3594:23 (+400)	
	AFL	600						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-00/93	STRUCTURE AROUND WINDOWS - EXAMINE							Service ATA:53
	MOS	14-Aug-24	48 (+10%/-10%)	Adj 17d	31-Aug-28	24-Jan-29	945 d (+146)	
	HRS	1127	4000 (+10%/-10%)		5127	5527	3594:23 (+400)	
	AFL	600						
PROC. REF: AMM 12-B-53-10-16-00A-310A-APROC. REF: AMM 12-B-53-10-16-00A-310A-A								
53-00/94	DOOR FRAMES AND EMERGENCY EXIT FRAME - EXAMINE. IF INSULATION IS INSTALLED IN THE DOOR FRAMES AND IS WET, REMOVE AND DISCARD IT (NO LONGER INSTALLED ON PRODUCTION)							Service ATA:53
	MOS	14-Aug-24	48 (+10%/-10%)	Adj 17d	31-Aug-28	24-Jan-29	945 d (+146)	
	HRS	1127	4000 (+10%/-10%)		5127	5527	3594:23 (+400)	
	AFL	600						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-30/342	STATIC PORTS CRITICAL AREA - INSPECTION/CHECK							Service ATA:53
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	149 d (+36)	
	HRS	1435:41						
	AFL	807						
PROC. REF: AMM 12-B-53-30-01-00A-313A-APROC. REF: AMM 12-B-53-30-01-00A-313A-A								
PC12A53000100	FUSELAGE AND ASSOCIATED STRUCTURE							Component ATA:53
PN:553.00.12.032	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:7102	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
ATA 55 - STABILIZERS								
55-00/10	LIFE LIMIT - TAIL STRUCTURE - PRE SB 04-009							Service ATA:55
PN:PN	MOS	31-Aug-20						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000		20000		18467:23	
	AFL	0	27000		27000		26080	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-10/319 ^S	HORIZONTAL/VERTICAL STABILIZER ATTACHMENT - INSPECTION/CHECK							Service ATA:55
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-55-00-00-00A-313A-APROC. REF: AMM 12-B-55-00-00-00A-313A-A								PKG:3
55-10/415	LIFE LIMIT - HORIZONTAL STABILIZER							Service ATA:55
PN:555.10.12.038	MOS	31-Aug-20						LIFE LIMIT
SN:1826	HRS	0	25000		25000		23467:23	
	AFL	0	30000		30000		29080	
PROC. REF: AMM 12-B-55-10-01-00A-920A-APROC. REF: AMM 12-B-55-10-01-00A-920A-A								
55-10/556 ^S	HORIZONTAL STABILIZER EXTERNAL SURFACE (MSN 2001 AND UP) - EXAMINE							Service ATA:55
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-55-10-01-00A-312A-APROC. REF: AMM 12-B-55-10-01-00A-312A-A								PKG:2
55-10/638	HORIZONTAL STABBILIZER - EXAMINE WITH BOROSCOPE							Service ATA:55
	MOS	31-Aug-20	T:240		31-Aug-40		5328 d	
	HRS	0	T:10000		10000		8467:23	
	AFL	0						
PROC. REF: AMM 12-B-55-10-01-00A-312A-APROC. REF: AMM 12-B-55-10-01-00A-312A-A								
55-10/640	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT BOLTS (P/N 555.10.12.139)							Service ATA:55
	MOS	28-Aug-20	72 (+6m/-6m)		28-Aug-26	28-Feb-27	211 d (+184)	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-55-00-00-01A-313A-APROC. REF: AMM 12-B-55-00-00-01A-313A-A								
55-10/641	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT BOLTS (P/N 555.10.12.158 AND .178)							Service ATA:55
	MOS	28-Aug-20	120 (+6m/-6m)		28-Aug-30	28-Feb-31	1672 d (+184)	
	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
PROC. REF: AMM 12-B-55-00-00-01A-313A-APROC. REF: AMM 12-B-55-00-00-01A-313A-A								
55-10/96	VERTICAL STABILIZER INTERNAL SURFACES - EXAMINE AS FAR AS POSSIBLE WITH PANELS REMOVED							Service ATA:55
	MOS	14-Aug-24	48 (+10%/-10%)	Adj 17d	31-Aug-28	24-Jan-29	945 d (+146)	
	HRS	1127	4000 (+10%/-10%)		5127	5527	3594:23 (+400)	
	AFL	600						
PROC. REF: AMM 12-B-55-30-00-00A-310A-APROC. REF: AMM 12-B-55-30-00-00A-310A-A								
55-20/362	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR - EXAMINE (CPCP)							Service ATA:55
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-55-20-00-00A-310A-APROC. REF: AMM 12-B-55-20-00-00A-310A-A								
55-20/367	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM -ELEVATOR DRIVE LEVER - EDDY CURRENT INSPECTION							Service ATA:55
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-55-20-01-00A-353A-APROC. REF: AMM 12-B-55-20-01-00A-353A-A								
55-20/368	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR HINGES - EDDY CURRENT INSPECTION							Service ATA:55
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-55-20-01-00A-353A-APROC. REF: AMM 12-B-55-20-01-00A-353A-A								
55-30/281 ^S	VERTICAL STABILIZER ELECTRICAL BONDING STRAPS - EXAMINE							Service ATA:55
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-55-30-00-00A-310A-APROC. REF: AMM 12-B-55-30-00-00A-310A-A								
								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-30/369	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - VERTICAL STABILIZER-EXAMINE (CPCP)							Service ATA:55
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-55-30-00-00A-310A-APROC. REF: AMM 12-B-55-30-00-00A-310A-A								
55-30/370	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - VERTICAL STABILIZER MAIN AND REAR SPAR ATTACHMENT TO FUSELAGE - EDDY CURRENT INSPECTION							Service ATA:55
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-A								
55-30/371	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - VERTICAL STABILIZER MAIN ATTACHMENT TO HORIZONTAL STABILIZER - EDDY CURRENT INSPECTION							Service ATA:55
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-55-00-00-00A-353A-APROC. REF: AMM 12-B-55-00-00-00A-353A-A								
55-30/372	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - VERTICAL STABILIZER PITCH TRIM ACTUATOR FITTING AND ATTACHMENT - EDDY CURRENT INSPECTION							Service ATA:55
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-55-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-02-00A-353A-A								
55-30/420	SUPPLEMENTAL STRUCTURAL INSPECTION - VERTICAL STABILIZER FORWARD ATTACHMENT TO FRAME 40 - EDDY CURRENT INSPECTION							Service ATA:55
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-55-30-03-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-30/557 ^S	VERTICAL STABILIZER EXTERNAL SURFACE (MSN 2001 AND UP) - EXAMINE, SPECIALLY AROUND REAR SPAR TOP RIVETS. IF CRACKS ARE FOUND, REFER TO SRM FOR REPAIR PROCEDURE							Service ATA:55
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-55-00-01-00A-664A-APROC. REF: AMM 12-B-55-00-01-00A-664A-A								PKG:2
55-40/373	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RUDDER-EXAMINE (CPCP)							Service ATA:55
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-55-40-00-00A-310A-APROC. REF: AMM 12-B-55-40-00-00A-310A-A								
55-40/377	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RUDDER HINGES - EDDY CURRENT INSPECTION							Service ATA:55
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-55-40-05-00A-353A-APROC. REF: AMM 12-B-55-40-05-00A-353A-A								
55-40/410	SUPPLEMENTAL STRUCTURAL INSPECTION - RUDDER TRIM TAB - EXAMINE							Service ATA:55
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-55-40-04-00A-310A-APROC. REF: AMM 12-B-55-40-04-00A-310A-A								
PC12A550CA010	TAIL STRUCTURE							Component ATA:55
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A55100100	HORIZONTAL STABILIZER							Component ATA:55
PN:555.10.12.038	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:1826	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-55-10-01-00A-920A-APROC. REF: AMM 12-B-55-10-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
PC12A55200100	ELEVATOR LH							Component ATA:55
PN:555.20.12.043	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1927	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-55-20-01-00A-920A-APROC. REF: AMM 12-B-55-20-01-00A-920A-A								
PC12A55200200	ELEVATOR RH							Component ATA:55
PN:555.20.12.044	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1922	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-55-20-01-00A-920A-APROC. REF: AMM 12-B-55-20-01-00A-920A-A								
PC12A55300100	VERTICAL STABILIZER							Component ATA:55
PN:555.30.12.042	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:7102	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-55-30-01-00A-920A-APROC. REF: AMM 12-B-55-30-01-00A-920A-A								
PC12A55400100	RUDDER							Component ATA:55
PN:555.40.12.040	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:7103	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-55-40-01-00A-920A-APROC. REF: AMM 12-B-55-40-01-00A-920A-A								
ATA 56 - WINDOWS								
56-11/12	COCKPIT OUTER SIDE, DV WINDOWS AND CABIN WINDOWS - REPLACE (IF CRACKED)							Service ATA:56
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-56-20-01-00A-920A-A, AMM 12-B-56-14-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A, AMM 12-B-56-14-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-11/13	COCKPIT INNER AND OUTER SIDE, DV WINDOWS AND CABIN WINDOWS - CHECK FOR LIMITATIONS (IF CHIPPED, CRACKED (ONLY FOR INNER SIDE WINDOWS),CRAZING, SCRATCHED, BUBBLES OR DELAMINATED)							Service ATA:56
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-56-00-00-00A-313A-APROC. REF: AMM 12-B-56-00-00-00A-313A-A								
56-11/14	LH WINDSHIELD - REPLACE (IF CRACKED IN INNER LAMINATION)							Service ATA:56
PN:959.81.10.109	MOS/MSC	31-Aug-20	A/R					
SN:19011H0294	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A								
56-11/14	RH WINDSHIELD - REPLACE (IF CRACKED IN INNER LAMINATION)							Service ATA:56
PN:959.81.10.110	MOS/MSC	31-Aug-20	A/R					
SN:18354H8645	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A								
56-11/15	LH WINDSHIELD (IF CRACKED IN OUTER LAMINATION, ONLY UNPRESSURIZED FLIGHT IS PERMITTED UP TO THE NEXT SCHEDULED INSPECTION PROVIDING IT DOES NOT CAUSE VISUAL PROBLEM)							Service ATA:56
PN:959.81.10.109	MOS/MSC	31-Aug-20	A/R					
SN:19011H0294	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A								
56-11/15	RH WINDSHIELD (IF CRACKED IN OUTER LAMINATION, ONLY UNPRESSURIZED FLIGHT IS PERMITTED UP TO THE NEXT SCHEDULED INSPECTION PROVIDING IT DOES NOT CAUSE VISUAL PROBLEM)							Service ATA:56
PN:959.81.10.110	MOS/MSC	31-Aug-20	A/R					
SN:18354H8645	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A								
56-11/332	COCKPIT SIDE WINDOWS INSPECTION/CHECK							Service ATA:56
	MOS	31-Aug-20	120 (+6m/-6m)		31-Aug-30	28-Feb-31	1675 d (+181)	
	HRS	0	11000 (+500/-500)		11000	11500	9467:23 (+500)	
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
PROC. REF: AMM 12-B-56-11-02-00A-313A-APROC. REF: AMM 12-B-56-11-02-00A-313A-A								
56-11/378	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WINDSHIELD LH AND RH AND COCKPIT SIDE WINDOWS - EXAMINE WITH WINDSHIELD AND SIDE WINDOWS REMOVED (CPCP)						Service	ATA:56
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-53-10-16-00A-310A-A, AMM 12-B-56-11-01-00A-310A-A, AMM 12-B-56-11-02-00A-310A-APROC. REF: AMM 12-B-53-10-16-00A-310A-A, AMM 12-B-56-11-01-00A-310A-A, AMM 12-B-56-11-02-00A-310A-A								
56-11/517 ^S	COCKPIT DV WINDOW - MAKE SURE THAT YOU CAN OPEN AND CLOSE THE DV WINDOW WITH ONE HAND						Service	ATA:56
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
56-11/558 ^S	WINDSHIELD LH AND RH (MSN 2001 AND UP) - EXAMINE						Service	ATA:56
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-56-00-00-00A-313A-APROC. REF: AMM 12-B-56-00-00-00A-313A-A								PKG:2
56-20/559 ^S	COCKPIT AND CABIN WINDOWS (MSN 2001 AND UP) - EXAMINE						Service	ATA:56
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-56-00-00-00A-313A-APROC. REF: AMM 12-B-56-00-00-00A-313A-A								PKG:2
PC12A56110100	WINDSHIELD LH						Component	ATA:56
PN:959.81.10.109	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:19011H0294	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
PC12A56110200	WINDSHIELD RH							Component ATA:56
PN:959.81.10.110	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:18354H8645	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A								
PC12A56110300	LEFT INNER SIDE WINDOW							Component ATA:56
PN:959.81.10.111	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:18330H5821	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-11-02-00A-920A-APROC. REF: AMM 12-B-56-11-02-00A-920A-A								
PC12A56110400	RIGHT INNER SIDE WINDOW							Component ATA:56
PN:959.81.10.112	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:18340H6935	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-11-02-00A-920A-APROC. REF: AMM 12-B-56-11-02-00A-920A-A								
PC12A56140100	DIRECT VISION WINDOW							Component ATA:56
PN:556.14.12.099	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:19351H6744	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-56-14-01-00A-920A-APROC. REF: AMM 12-B-56-14-01-00A-920A-A								
PC12A56200110	LH NO. 1 CABIN WINDOW							Component ATA:56
PN:556.20.12.040	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0003341799-005	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								
PC12A56200120	LH NO. 2 CABIN WINDOW							Component ATA:56
PN:556.20.12.040	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0003341799-001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
PC12A56200130	LH NO. 3 CABIN WINDOW							Component ATA:56
PN:556.20.12.040	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0003341799-008	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								
PC12A56200140	LH NO. 4 CABIN WINDOW							Component ATA:56
PN:556.20.12.040	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0003341799-009	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								
PC12A56200150	RH NO. 1 CABIN WINDOW							Component ATA:56
PN:556.20.12.040	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0003341794-012	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								
PC12A56200160	RH NO. 2 CABIN WINDOW							Component ATA:56
PN:556.20.12.040	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0003341806-003	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								
PC12A56200170	RH NO. 3 CABIN WINDOW							Component ATA:56
PN:556.20.12.040	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0003341802-002	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								
PC12A56200180	RH NO. 4 CABIN WINDOW							Component ATA:56
PN:556.20.12.040	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0003341802-008	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
PC12A56200190	RH NO. 5 CABIN WINDOW							Component ATA:56
PN:556.20.12.040	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0003341805-008	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								
ATA 57 - WINGS								
57-00/11	LIFE LIMIT - LEFT WING STRUCTURE - PRE SB 04-009							Service ATA:57
PN:557.00.12.061	MOS	31-Aug-20						LIFE LIMIT
SN:7102	HRS	0	20000		20000		18467:23	
	AFL	0	27000		27000		26080	
PROC. REF: AMM 12-C-57-00-00-00A-520A-A, AMM 12-C-57-00-00-00A-720A-APROC. REF: AMM 12-C-57-00-00-00A-520A-A, AMM 12-C-57-00-00-00A-720A-A								
57-00/11	LIFE LIMIT - RIGHT WING STRUCTURE - PRE SB 04-009							Service ATA:57
PN:557.00.12.062	MOS	31-Aug-20						LIFE LIMIT
SN:7102	HRS	0	20000		20000		18467:23	
	AFL	0	27000		27000		26080	
PROC. REF: AMM 12-C-57-00-00-00B-520A-A, AMM 12-C-57-00-00-00B-720A-APROC. REF: AMM 12-C-57-00-00-00B-520A-A, AMM 12-C-57-00-00-00B-720A-A								
57-00/282 ^S	WING TIP STATIC DISCHARGERS - EXAMINE							Service ATA:57
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PROC. REF: AMM 12-C-57-33-00-00A-310A-APROC. REF: AMM 12-C-57-33-00-00A-310A-A								PKG:4
57-00/283 ^S	EXAMINE WING INTERNAL SURFACES AND FLAP COMPARTMENT AS FAR AS POSSIBLE WITH ACCESS PANELS REMOVED							Service ATA:57
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-57-00-00-00A-310A-APROC. REF: AMM 12-B-57-00-00-00A-310A-A								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-00/284 ^S	WING TO FUSELAGE ATTACHMENTS - EXAMINE AS FAR AS POSSIBLE							Service ATA:57
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-C-57-00-00-00A-313A-APROC. REF: AMM 12-C-57-00-00-00A-313A-A								PKG:3
57-00/379	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING - EXAMINE ALL STRUCTURAL ELEMENTS RIB 1 TO RIB 20 (CPCP)							Service ATA:57
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-57-00-00-00A-310A-APROC. REF: AMM 12-B-57-00-00-00A-310A-A								
57-00/380	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING MAIN AND REAR SPAR TO FUSELAGE ATTACHMENT - EDDY CURRENT INSPECTION							Service ATA:57
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-57-00-03-00A-353A-A, AMM 12-C-57-00-03-01A-353A-APROC. REF: AMM 12-C-57-00-03-00A-353A-A, AMM 12-C-57-00-03-01A-353A-A								
57-00/382	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING REAR SPAR AT RIB 8 FLAP ARM ATTACHMENT - EDDY CURRENT INSPECTION							Service ATA:57
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-57-20-10-00A-353C-APROC. REF: AMM 12-B-57-20-10-00A-353C-A								
57-00/383	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING MAIN SPAR FASTENER HOLES RIB 1 THRU RIB 6 - EDDY CURRENT INSPECTION							Service ATA:57
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-57-20-10-00A-353A-APROC. REF: AMM 12-B-57-20-10-00A-353A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-00/384	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING MAIN SPAR FASTENER HOLES STRAP RIB 6 - EDDY CURRENT INSPECTION							Service ATA:57
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-57-20-05-00A-353A-APROC. REF: AMM 12-B-57-20-05-00A-353A-A								
57-00/385	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING REAR SPAR FASTENER HOLES RIB 2 THRU RIB 3 - EDDY CURRENT INSPECTION							Service ATA:57
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-57-20-10-00A-353B-APROC. REF: AMM 12-B-57-20-10-00A-353B-A								
57-00/412	SUPPLEMENTAL STRUCTURAL INSPECTION - WING TIP - EXAMINE							Service ATA:57
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-57-33-00-00A-310A-APROC. REF: AMM 12-C-57-33-00-00A-310A-A								
57-00/413	SUPPLEMENTAL STRUCTURAL INSPECTION - WING SKIN AROUND DRAIN HOLES - EDDY CURRENT INSPECTION							Service ATA:57
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-57-20-01-00A-353A-APROC. REF: AMM 12-B-57-20-01-00A-353A-A								
57-00/427	WING MAIN SPAR FASTENER HOLES STRAP RIB 6 - EDDY CURRENT INSPECTION (IF YOU FIND CRACKS, CONTACT PILATUS CUSTOMER SUPPORT FOR ADVICE)							Service ATA:57
	MOS	31-Aug-20						
	HRS	0	T:16000		16000		14467:23	
	AFL	0	T:22500		22500		21580	
PROC. REF: AMM 12-B-57-20-10-00A-353D-APROC. REF: AMM 12-B-57-20-10-00A-353D-A								
57-00/560 ^S	WING EXTERNAL SURFACES (MSN 2001 AND UP) - EXAMINE							Service ATA:57
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: AMM 12-B-57-00-00-00A-310A-APROC. REF: AMM 12-B-57-00-00-00A-310A-A								
57-00/97	WING INTERNAL SURFACES AND FLAP COMPARTMENT - EXAMINE AS FAR AS POSSIBLE WITH ALL WING PANELS REMOVED							Service ATA:57
	MOS	14-Aug-24	48 (+10%/-10%)	Adj 17d	31-Aug-28	24-Jan-29	945 d (+146)	
	HRS	1127	4000 (+10%/-10%)		5127	5527	3594:23 (+400)	
	AFL	600						
PROC. REF: AMM 12-B-57-00-00-00A-310A-APROC. REF: AMM 12-B-57-00-00-00A-310A-A								
57-00/98	LANDING GEAR COMPARTMENTS - EXAMINE, ESPECIALLY MAIN AND REAR SPAR PARTS							Service ATA:57
	MOS	14-Aug-24	48 (+10%/-10%)	Adj 17d	31-Aug-28	24-Jan-29	945 d (+146)	
	HRS	1127	4000 (+10%/-10%)		5127	5527	3594:23 (+400)	
	AFL	600						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
57-00/99	WING TO FUSELAGE ATTACHMENTS - EXAMINE ATTACHMENT FITTINGS WITH WINGS REMOVED							Service ATA:57
	MOS	31-Aug-20	120 (+6m/-6m)		31-Aug-30	28-Feb-31	1675 d (+181)	
	HRS	0	11000 (+500/-500)		11000	11500	9467:23 (+500)	
	AFL	0						
PROC. REF: AMM 12-C-57-00-00-00A-313A-APROC. REF: AMM 12-C-57-00-00-00A-313A-A								
57-60/393	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON - EXAMINE (CPCP)							Service ATA:57
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-57-60-00-00A-310A-APROC. REF: AMM 12-B-57-60-00-00A-310A-A								
57-60/411	SUPPLEMENTAL STRUCTURAL INSPECTION - AILERON TRIM TAB - EXAMINE							Service ATA:57
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-57-60-04-00A-310A-APROC. REF: AMM 12-B-57-60-04-00A-310A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PC12A57000100	LEFT WING STRUCTURE							Component ATA:57
PN:557.00.12.061	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:7102	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-57-00-00-00A-520A-A, AMM 12-C-57-00-00-00A-720A-APROC. REF: AMM 12-C-57-00-00-00A-520A-A, AMM 12-C-57-00-00-00A-720A-A								
PC12A57000200	RIGHT WING STRUCTURE							Component ATA:57
PN:557.00.12.062	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:7102	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-57-00-00-00B-520A-A, AMM 12-C-57-00-00-00B-720A-APROC. REF: AMM 12-C-57-00-00-00B-520A-A, AMM 12-C-57-00-00-00B-720A-A								
PC12A57500100	LH FLAP							Component ATA:57
PN:557.50.12.007	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:7102	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-57-50-01-00A-920A-APROC. REF: AMM 12-B-57-50-01-00A-920A-A								
PC12A57500200	RH FLAP							Component ATA:57
PN:557.50.12.008	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:7102	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-57-50-01-00A-920A-APROC. REF: AMM 12-B-57-50-01-00A-920A-A								
PC12A57600100	LEFT AILERON							Component ATA:57
PN:557.60.12.371	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:7102	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-57-60-02-00A-920A-APROC. REF: AMM 12-C-57-60-02-00A-920A-A								
PC12A57600200	RIGHT AILERON							Component ATA:57
PN:557.60.12.372	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:7102	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-57-60-02-00A-920A-APROC. REF: AMM 12-C-57-60-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
61-00/457	NO. 1 PROPELLER - PERIODIC INSPECTIONS AND MAINTENANCE							Service ATA:61
	MOS	05-Sep-25						
	HRS	1435:41	600		(2035:41) 2035:41		503:04	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
61-10/08	NO. 1 PROPELLER - DE-ICE COMPONENT OVERHAUL							Service ATA:61
	MOS/MSC	06-Aug-20	N/A					
	HRS	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
61-10/37	NO. 1 PROPELLER - OVERHAUL							Service ATA:61
	MOS	06-Aug-20	72		06-Aug-26		189 d	OVERHAUL
	HRS	0	4000		(4000) 4000		2467:23	
PROC. REF: SL HC-SL-61-61Y, POM 61-00-47PROC. REF: SL HC-SL-61-61Y, POM 61-00-47								
61-CA/02	NO. 1 PROPELLER - ACCOMPLISH A DETAIL INSPECTION							Service ATA:61
	MOS	05-Sep-25	12		05-Sep-26		219 d	
	HRS	1435:41	600 (+10%)		(2035:41) 2035:41	2095:41	503:04 (+60)	
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/03	NO. 1 PROPELLER - PROPELLER DE-ICE SYSTEM - INSPECTION/CHECK							Service ATA:61
	MOS	05-Sep-25	12		05-Sep-26		219 d	
	HRS	1435:41	600		(2035:41) 2035:41		503:04	
PROC. REF: MM 30-61-80PROC. REF: MM 30-61-80								
61-CA/04	NO. 1 PROPELLER - LUBRICATE							Service ATA:61
	MOS	05-Sep-25	12		05-Sep-26		219 d	
	HRS	1435:41	600 (+10%)		(2035:41) 2035:41	2095:41	503:04 (+60)	
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
61-CA/04-10	NO. 1 PROPELLER - APPLY CORROSION INHIBITOR TO STEEL COUNTERWEIGHTS							Service ATA:61
	MOS	05-Sep-25	12	Adj -22d	14-Aug-26		197 d	
	HRS	1435:41	600 (+10%)		(2035:41) 2035:41	2095:41	503:04 (+60)	
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/05	NO. 1 PROPELLER - INSPECT BLADE USING COIN-TAP							Service ATA:61
	MOS	14-Aug-24						
	HRS	1127	1200		(2327) 2327		794:23	
PROC. REF: POM 61-00-47, MRM 61-13-70PROC. REF: POM 61-00-47, MRM 61-13-70								
61-CA/06	NO. 1 PROPELLER - INSPECT EROSION SHIELD USING COIN-TAP							Service ATA:61
	MOS	05-Sep-25	12		05-Sep-26		219 d	
	HRS	1435:41	600		(2035:41) 2035:41		503:04	
PROC. REF: POM 61-00-47, MRM 61-13-70PROC. REF: POM 61-00-47, MRM 61-13-70								
61-CA/09	NO. 1 PROPELLER - PRE-FLIGHT CHECKS							Service ATA:61
	MOS/MSC	31-Aug-21	A/R					
	HRS	357						
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/10	NO. 1 PROPELLER - OPERATIONAL CHECK							Service ATA:61
	MOS/MSC	13-Mar-20	A/R					
	HRS	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
61-CA/11	NO. 1 PROPELLER - OVERSPEED/OVERTORQUE							Service ATA:61
	MOS/MSC	13-Mar-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
61-CA/12	NO. 1 PROPELLER - LIGHTNING STRIKE							Service ATA:61
	MOS/MSC	13-Mar-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
PROC. REF: POM 61-00-47, MM 30-61-80PROC. REF: POM 61-00-47, MM 30-61-80								
61-CA/13	NO. 1 PROPELLER - FOREING OBJECT STRIKE/GROUND STRIKE							Service ATA:61
	MOS/MSC	13-Mar-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
PROC. REF: POM 61-00-47, MM 30-61-80PROC. REF: POM 61-00-47, MM 30-61-80								
61-CA/14	NO. 1 PROPELLER - FIRE/HEAT DAMAGE							Service ATA:61
	MOS/MSC	13-Mar-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
PROC. REF: POM 61-00-47, MM 30-61-80PROC. REF: POM 61-00-47, MM 30-61-80								
61-CA/15	NO. 1 PROPELLER - SUDDEN STOPPAGE							Service ATA:61
	MOS/MSC	13-Mar-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/16	NO. 1 PROPELLER - ENGINE OIL CONTAMINATION							Service ATA:61
	MOS/MSC	13-Mar-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/17	NO. 1 PROPELLER - LONG TERM STORAGE							Service ATA:61
	MOS/MSC	13-Mar-20	A/R					
	HRS	0						
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
61-CA/2 ^S	NO. 1 ENGINE - DO A CHECK OF THE PCU FOR INSTALLATION AND LEAKS							Service ATA:61
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 61-20-01, LMM 61-20-01PROC. REF: EM 61-20-01, LMM 61-20-01								PKG:2
61-CA/3	NO. 1 ENGINE - OVERHAUL PROPELLER CONTROL UNIT							Service ATA:61
PN:3126986-03	MOS	31-Aug-20						OVERHAUL
SN:WDA140496	HRS	0	5000 (+500)		(5000) 5000	5500	3467:23 (+500)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
61PR1	NO. 1 PROPELLER							Component ATA:61
PN:HC-E5A-31A	MOS/MSC	28-Aug-20	PP/C	TSN 0				
SN:SA555	HRS	0		TSN 0				
WC#: 61.PR1	AFL	0		TSN 0				
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM								
PC12A61100100010	NO. 1 PROPELLER - NO. 1 BLADE							Component ATA:61
PN:NC10245B	MOS/MSC	13-Mar-20	O/C	TSN 0				
SN:C4586	HRS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A61100100020	NO. 1 PROPELLER - NO. 2 BLADE							Component ATA:61
PN:NC10245B	MOS/MSC	13-Mar-20	O/C	TSN 0				
SN:C4459	HRS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A61100100030	NO. 1 PROPELLER - NO. 3 BLADE							Component ATA:61
PN:NC10245B	MOS/MSC	13-Mar-20	O/C	TSN 0				
SN:C4620	HRS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
PC12A61100100040		NO. 1 PROPELLER - NO. 4 BLADE					Component	ATA:61
PN:NC10245B	MOS/MSC	13-Mar-20	O/C	TSN 0				
SN:C4587	HRS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A61100100050		NO. 1 PROPELLER - NO. 5 BLADE					Component	ATA:61
PN:NC10245B	MOS/MSC	13-Mar-20	O/C	TSN 0				
SN:C4610	HRS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA612001		NO. 1 ENGINE - PROPELLER CONTROL UNIT					Component	ATA:61
PN:3126986-03	MOS/MSC	01-May-20	H/T	TSN 0				
SN:WDA140496	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 61-20-01, EM 61-20-01, LMM 61-20-01, LMM 61-20-01PROC. REF: EM 61-20-01, EM 61-20-01, LMM 61-20-01, LMM 61-20-01								
ATA 70 - STANDARD PRACTICES - ENGINES								
70-CA/1 ^S		NO. 1 ENGINE - DO A VISUAL INSPECTION OF EXTERNAL TUBES, ELBOWS AND HOSES FOR LEAKS					Service	ATA:70
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 70-30-00, LMM 70-30-00PROC. REF: EM 70-30-00, LMM 70-30-00								PKG:2
70-CA/2 ^S		NO. 1 ENGINE - DO A VISUAL EXAMINATION OF THE ENGINE EXTERNAL ACCESSORIES FOR LEAKS					Service	ATA:70
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 70-30-00, LMM 70-30-00PROC. REF: EM 70-30-00, LMM 70-30-00								PKG:2
ATA 71 - POWER PLANT								
71-00/16		LIFE LIMIT - ENGINE MOUNTING FRAME - PRE SB 04-009					Service	ATA:71
PN:571.20.12.008	MOS	31-Aug-20					LIFE LIMIT	
SN:131	HRS	0	20000		20000		18467:23	
	AFL	0	27000		27000		26080	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
PROC. REF: AMM 12-C-71-00-05-00A-920A-APROC. REF: AMM 12-C-71-00-05-00A-920A-A								
71-00/17	LIFE LIMIT - ENGINE MOUNTING FRAME, REPLACE ALL BOLTS, WASHERS AND NUTS							Service ATA:71
PN:571.20.12.008	MOS	31-Aug-20						LIFE LIMIT
SN:131	HRS	0	11000		11000		9467:23	
	AFL	0						
PROC. REF: AMM 12-C-71-00-05-00A-920A-APROC. REF: AMM 12-C-71-00-05-00A-920A-A								
71-00/204 ^S	JOB CLOSE UP - POWER PLANT - DO A POST INSPECTION GROUND RUN TESTS AS NECESSARY TO CLOSE UP INSPECTION							Service ATA:71
	MOS/MSC	09-Dec-25	A/R					
	HRS	1494:43						
	AFL	883						
								PKG:5 ,1,2,3,4
PROC. REF: AMM 12-C-71-00-00-00A-903A-APROC. REF: AMM 12-C-71-00-00-00A-903A-A								
71-00/205 ^S	ENGINE TUBULAR MOUNTING FRAME AND SHOCKMOUNTS - EXAMINE. REPLACE SHOCKMOUNT IF CRACKS IN ELASTOMER ARE MORE THAN 25,4 MM (1IN) LONG AND/OR 1,5MM (0.06 IN) DEEP							Service ATA:71
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
								PKG:3
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-00/287 ^S	JOB SET UP - POWER PLANT - DO AN INSPECTION GROUND RUN AS NECESSARY. MAKE RECORD OF ANY DEFECTS.							Service ATA:71
	MOS/MSC	09-Dec-25	A/R					
	HRS	1494:43						
	AFL	883						
								PKG:5 ,1,2,3,4
PROC. REF: AMM 12-C-71-00-00-00A-903A-APROC. REF: AMM 12-C-71-00-00-00A-903A-A								
71-00/301 ^S	ENGINE TUBULAR MOUNTING FRAME FIREWALL ATTACHMENT FITTINGS - EXAMINE WITH FIREWALL INSULATION BLANKET REMOVED AS NECESSARY. IF CRACKED, BLISTERED OR FLAKING PAINT IS FOUND ON THE MOUNTING FRAME REFER TO SRM							Service ATA:71
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
								PKG:3
PROC. REF: AMM 12-B-54-20-02-00A-664A-APROC. REF: AMM 12-B-54-20-02-00A-664A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00/327	LIFE LIMIT - ENGINE MOUNTING FRAME - POST SB 04-009							Service ATA:71
PN:571.20.12.008	MOS/MSC	31-Aug-20	N/A					LIFE LIMIT
SN:131	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-71-00-05-00A-920A-APROC. REF: AMM 12-C-71-00-05-00A-920A-A								
71-00/401	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ENGINE MOUNT - MAGNETIC PARTICLE INSPECTION							Service ATA:71
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-71-00-05-00A-352A-APROC. REF: AMM 12-C-71-00-05-00A-352A-A								
71-00/476 ^S	JOB CLOSE UP - P&WC AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS - REVIEWED AND COMPLIED WITH AS NECESSARY							Service ATA:71
	MOS/MSC	09-Dec-25	A/R					
	HRS	1494:43						
	AFL	883						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5 ,1,2,3,4
71-00/490	OVERHAUL LOWER LEFT ENGINE SHOCK MOUNT ASSEMBLY							Service ATA:71
PN:944.81.21.409	MOS	31-Aug-20						OVERHAUL
SN:12403	HRS	0	5000 (+500/-500)		5000	5500	3467:23 (+500)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-00/490	OVERHAUL LOWER RIGHT ENGINE SHOCK MOUNT ASSEMBLY							Service ATA:71
PN:944.81.21.409	MOS	31-Aug-20						OVERHAUL
SN:12434	HRS	0	5000 (+500/-500)		5000	5500	3467:23 (+500)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-00/490	OVERHAUL UPPER CENTER ENGINE SHOCK MOUNT ASSEMBLY							Service ATA:71
PN:944.81.21.409	MOS	31-Aug-20						OVERHAUL
SN:12423	HRS	0	5000 (+500/-500)		5000	5500	3467:23 (+500)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00/490	OVERHAUL UPPER LEFT ENGINE SHOCK MOUNT ASSEMBLY							Service ATA:71
PN:944.81.21.409	MOS	31-Aug-20						OVERHAUL
SN:12413	HRS	0	5000 (+500/-500)		5000	5500	3467:23 (+500)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-00/490	OVERHAUL UPPER RIGHT ENGINE SHOCK MOUNT ASSEMBLY							Service ATA:71
PN:944.81.21.409	MOS	31-Aug-20						OVERHAUL
SN:12425	HRS	0	5000 (+500/-500)		5000	5500	3467:23 (+500)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-00/561 ^S	ENGINE DRAIN MAST AND TANK (MSN 2001 AND UP) - EXAMINE THE DRAIN MASKS FOR FUEL LEAKS (NO LEAKS PERMITTED) AND DRAIN COLLECTOR TANK							Service ATA:71
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
71-00/573 ^S	NO. 1 ENGINE - POWER PLANT AND ACCESSORIES INSPECTION							Service ATA:71
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
71-10/207 ^S	JOB SET UP - ENGINE COWLING 43AL AND 43AR - OPEN AND EXAMINE. SPECIFICALLY THE CONDITION OF THE RUBBING STRIPS AND FASTENERS. LUBRICATE THE HINGES WITH A MINIMUM OF CPC (PT.NO. P10-001)							Service ATA:71
	MOS/MSC	09-Dec-25	A/R					
	HRS	1494:43						
	AFL	883						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5 ,1,2,3,4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-10/208 ^S	JOB CLOSE UP - ENGINE COWLING 43AL AND 43AR - CLOSE AS NECESSARY TO CLOSE UP THE INSPECTION							Service ATA:71
	MOS/MSC	09-Dec-25	A/R					
	HRS	1494:43						
	AFL	883						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5 ,1,2,3,4
71-CA/1	NO. 1 ENGINE - ENGINE HOT SECTION INSPECTION (HSI)							Service ATA:71
	MOS	01-May-20						
	HRS	0	2500 (+100/-100)		(2500) 2500	2600	967:23 (+100)	
	ENC	0						
PROC. REF: EM 72-00-00PROC. REF: EM 72-00-00								
71-CA/10	NO. 1 ENGINE - POWER PLANT - ENGINE PERFORMANCE OPERATIONAL TEST							Service ATA:71
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 71-00-08, LMM 71-00-08PROC. REF: EM 71-00-08, LMM 71-00-08								
71-CA/11	NO. 1 ENGINE - POWER PLANT - TORQUEMETER OPERATIONAL TEST							Service ATA:71
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 71-00-10, LMM 71-00-10PROC. REF: EM 71-00-10, LMM 71-00-10								
71-CA/12	NO. 1 ENGINE - POWER PLANT - BLEED VALVE OPERATIONAL TEST							Service ATA:71
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 71-00-11, LMM 71-00-11PROC. REF: EM 71-00-11, LMM 71-00-11								
71-CA/13	NO. 1 ENGINE - POWER PLANT - IGNITION SYSTEM OPERATIONAL TEST							Service ATA:71
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: AMM 12-C-74-00-00-00A-903A-APROC. REF: AMM 12-C-74-00-00-00A-903A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-CA/2 ^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE SCAVENGE OIL PUMP HOUSING FOR LEAKS							Service ATA:71
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 71-00-01, LMM 71-00-01PROC. REF: EM 71-00-01, LMM 71-00-01								PKG:2
71-CA/3 ^S	NO. 1 ENGINE - DO A FUNCTIONAL TEST OF SPARK IGNITERS							Service ATA:71
	MOS	05-Sep-25						
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 71-00-18, LMM 71-00-18PROC. REF: EM 71-00-18, LMM 71-00-18								PKG:3
71-CA/4 ^S	NO. 1 ENGINE - DO A CHECK OF THE DRAIN VALVE FOR INSTALLATION AND LEAKS							Service ATA:71
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 71-00-19, LMM 71-00-19PROC. REF: EM 71-00-19, LMM 71-00-19								PKG:2
71-CA/5	NO. 1 ENGINE - COMPRESSOR/DESALINATION WASH							Service ATA:71
	MOS/MSC	05-Sep-25	A/R					
	HRS	1435:41						
	ENC	777						
PROC. REF: EM 71-00-14, EM 71-00-15, LMM 71-00-14, LMM 71-00-15, AMM 12-B-12-20-01-00A-902A-APROC. REF: EM 71-00-14, EM 71-00-15, LMM 71-00-14, LMM 71-00-15, AMM 12-B-12-20-01-00A-902A-A								
71-CA/6	NO. 1 ENGINE - TURBINE WASH							Service ATA:71
	DAYS/MSC	05-Sep-25	A/R					
	HRS	1435:41						
	ENC	777						
PROC. REF: EM 71-00-17PROC. REF: EM 71-00-17								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-CA/7	NO. 1 ENGINE - DO A COMPRESSOR PERFORMANCE RECOVERY WASH							Service ATA:71
	MOS/MSC	01-May-20	O/C					
	HRS	0						
	ENC	0						
PROC. REF: EM 71-00-16, LMM 71-00-16, AMM 12-B-12-20-01-00A-902A-APROC. REF: EM 71-00-16, LMM 71-00-16, AMM 12-B-12-20-01-00A-902A-A								
71-CA/8	NO. 1 ENGINE - ENGINE CONDITION TREND MONITORING (ECTM)							Service ATA:71
	MOS/MSC	15-Dec-22	A/R					
	HRS	747:17						
	ENC	397						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-CA/9	NO. 1 ENGINE - EXTERNAL WASH							Service ATA:71
	DAYS/MSC	EFF	O/C					
	HRS							
	ENC							
PROC. REF: EM 71-00-17, LMM 71-00-13PROC. REF: EM 71-00-17, LMM 71-00-13								
71EN1	NO. 1 ENGINE							Component ATA:71
PN:3126995-01 BS1369	MOS/MSC	22-Jul-20	E/C	TSN 0				
SN:PCE-HP0039	HRS	0		TSN 0				
WC#: 71.EN1	AFL	0		TSN 0				
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM								
PC12A71000100	ENGINE MOUNTING FRAME							Component ATA:71
PN:571.20.12.008	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:131	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-71-00-05-00A-920A-APROC. REF: AMM 12-C-71-00-05-00A-920A-A								
PC12A71000210	SHOCK MOUNT, LOWER LH							Component ATA:71
PN:944.81.21.409	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:12403	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-71-00-00-00A-920A-BPROC. REF: AMM 12-C-71-00-00-00A-920A-B								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
PC12A71000220		SHOCK MOUNT, UPPER LH					Component	ATA:71
PN:944.81.21.409	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:12413	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-71-00-00-00A-920A-BPROC. REF: AMM 12-C-71-00-00-00A-920A-B								
PC12A71000230		SHOCK MOUNT, UPPER CENTER					Component	ATA:71
PN:944.81.21.409	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:12423	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-71-00-00-00A-920A-BPROC. REF: AMM 12-C-71-00-00-00A-920A-B								
PC12A71000240		SHOCK MOUNT, UPPER RH					Component	ATA:71
PN:944.81.21.409	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:12425	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-71-00-00-00A-920A-BPROC. REF: AMM 12-C-71-00-00-00A-920A-B								
PC12A71000250		SHOCK MOUNT, LOWER RH					Component	ATA:71
PN:944.81.21.409	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:12434	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-71-00-00-00A-920A-BPROC. REF: AMM 12-C-71-00-00-00A-920A-B								
ATA 72 - ENGINE								
72-00/18/CT-1		NO. 1 ENGINE - REPLACE NO. 1 COMPRESSOR TURBINE BLADE					Service	ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYH7445	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-10		NO. 1 ENGINE - REPLACE NO. 10 COMPRESSOR TURBINE BLADE					Service	ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYH7555	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-11	NO. 1 ENGINE - REPLACE NO. 11 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYH7560	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-12	NO. 1 ENGINE - REPLACE NO. 12 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	31-Aug-20						REPLACE
SN:HWYH7563	HRS	0	5000		(5000) 5000		3467:23	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-13	NO. 1 ENGINE - REPLACE NO. 13 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYH7593	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-14	NO. 1 ENGINE - REPLACE NO. 14 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYH7621	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-15	NO. 1 ENGINE - REPLACE NO. 15 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYK3051	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-16	NO. 1 ENGINE - REPLACE NO. 16 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	31-Aug-20						REPLACE
SN:HWYK4312	HRS	0	5000		(5000) 5000		3467:23	
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-17	NO. 1 ENGINE - REPLACE NO. 17 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYK4315	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-18	NO. 1 ENGINE - REPLACE NO. 18 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYK7377	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-19	NO. 1 ENGINE - REPLACE NO. 19 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYK7392	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-2	NO. 1 ENGINE - REPLACE NO. 2 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYH7452	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-20	NO. 1 ENGINE - REPLACE NO. 20 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYK7444	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-21	NO. 1 ENGINE - REPLACE NO. 21 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYK7464	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-22	NO. 1 ENGINE - REPLACE NO. 22 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYK8881	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-23	NO. 1 ENGINE - REPLACE NO. 23 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYK9208	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-24	NO. 1 ENGINE - REPLACE NO. 24 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYK9209	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-25	NO. 1 ENGINE - REPLACE NO. 25 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYK9211	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-26	NO. 1 ENGINE - REPLACE NO. 26 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL3353	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-27	NO. 1 ENGINE - REPLACE NO. 27 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL3363	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-28	NO. 1 ENGINE - REPLACE NO. 28 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL3663	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-29	NO. 1 ENGINE - REPLACE NO. 29 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL3670	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-3	NO. 1 ENGINE - REPLACE NO. 3 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYH7456	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-30	NO. 1 ENGINE - REPLACE NO. 30 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL3682	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-31	NO. 1 ENGINE - REPLACE NO. 31 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL3803	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-32	NO. 1 ENGINE - REPLACE NO. 32 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL3804	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-33	NO. 1 ENGINE - REPLACE NO. 33 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL5028	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-34	NO. 1 ENGINE - REPLACE NO. 34 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL5112	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-35	NO. 1 ENGINE - REPLACE NO. 35 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL5113	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-36	NO. 1 ENGINE - REPLACE NO. 36 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL5115	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-37	NO. 1 ENGINE - REPLACE NO. 37 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL5123	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-38	NO. 1 ENGINE - REPLACE NO. 38 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL5215	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-39	NO. 1 ENGINE - REPLACE NO. 39 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL5222	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-4	NO. 1 ENGINE - REPLACE NO. 4 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYH7460	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-40	NO. 1 ENGINE - REPLACE NO. 40 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL5923	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-41	NO. 1 ENGINE - REPLACE NO. 41 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL5935	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-42	NO. 1 ENGINE - REPLACE NO. 42 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL5979	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-43	NO. 1 ENGINE - REPLACE NO. 43 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL5990	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-44	NO. 1 ENGINE - REPLACE NO. 44 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL5995	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-45	NO. 1 ENGINE - REPLACE NO. 45 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL6009	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-46	NO. 1 ENGINE - REPLACE NO. 46 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL6010	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-47	NO. 1 ENGINE - REPLACE NO. 47 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL6021	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-48	NO. 1 ENGINE - REPLACE NO. 48 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL6023	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-49	NO. 1 ENGINE - REPLACE NO. 49 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL6041	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-5	NO. 1 ENGINE - REPLACE NO. 5 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYH7470	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-6	NO. 1 ENGINE - REPLACE NO. 6 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYH7472	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-7	NO. 1 ENGINE - REPLACE NO. 7 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYH7482	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-8	NO. 1 ENGINE - REPLACE NO. 8 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYH7493	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-9	NO. 1 ENGINE - REPLACE NO. 9 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYH7554	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/PT2-1	NO. 1 ENGINE - REPLACE NO. 1 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH05B622	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-10	NO. 1 ENGINE - REPLACE NO. 10 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH08B810	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-11	NO. 1 ENGINE - REPLACE NO. 11 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH08B816	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-12	NO. 1 ENGINE - REPLACE NO. 12 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH08B828	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-13	NO. 1 ENGINE - REPLACE NO. 13 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH08B844	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-14	NO. 1 ENGINE - REPLACE NO. 14 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH08B846	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-15	NO. 1 ENGINE - REPLACE NO. 15 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH08B868	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-16	NO. 1 ENGINE - REPLACE NO. 16 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH08B886	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-17	NO. 1 ENGINE - REPLACE NO. 17 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B889	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-18	NO. 1 ENGINE - REPLACE NO. 18 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B044	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-19	NO. 1 ENGINE - REPLACE NO. 19 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B045	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-2	NO. 1 ENGINE - REPLACE NO. 2 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH05B655	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-20	NO. 1 ENGINE - REPLACE NO. 20 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B046	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-21	NO. 1 ENGINE - REPLACE NO. 21 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B074	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-22	NO. 1 ENGINE - REPLACE NO. 22 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B081	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-23	NO. 1 ENGINE - REPLACE NO. 23 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B083	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-24	NO. 1 ENGINE - REPLACE NO. 24 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B086	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-25	NO. 1 ENGINE - REPLACE NO. 25 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B099	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-26	NO. 1 ENGINE - REPLACE NO. 26 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B120	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-27	NO. 1 ENGINE - REPLACE NO. 27 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B123	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-28	NO. 1 ENGINE - REPLACE NO. 28 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B124	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-29	NO. 1 ENGINE - REPLACE NO. 29 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B128	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-3	NO. 1 ENGINE - REPLACE NO. 3 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH08B670	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-30	NO. 1 ENGINE - REPLACE NO. 30 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B129	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-31	NO. 1 ENGINE - REPLACE NO. 31 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B181	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-32	NO. 1 ENGINE - REPLACE NO. 32 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B188	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-33	NO. 1 ENGINE - REPLACE NO. 33 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B209	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-34	NO. 1 ENGINE - REPLACE NO. 34 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B211	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-35	NO. 1 ENGINE - REPLACE NO. 35 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B407	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-36	NO. 1 ENGINE - REPLACE NO. 36 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH24A163	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-37	NO. 1 ENGINE - REPLACE NO. 37 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH50A335	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-38	NO. 1 ENGINE - REPLACE NO. 38 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH50A340	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-39	NO. 1 ENGINE - REPLACE NO. 39 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH59A033	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-4	NO. 1 ENGINE - REPLACE NO. 4 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH08B673	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-40	NO. 1 ENGINE - REPLACE NO. 40 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH62A187	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-41	NO. 1 ENGINE - REPLACE NO. 41 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH62A196	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-42	NO. 1 ENGINE - REPLACE NO. 42 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH66A473	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-43	NO. 1 ENGINE - REPLACE NO. 43 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH66A573	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-5	NO. 1 ENGINE - REPLACE NO. 5 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH08B674	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-6	NO. 1 ENGINE - REPLACE NO. 6 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH08B693	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-7	NO. 1 ENGINE - REPLACE NO. 7 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH08B704	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-8	NO. 1 ENGINE - REPLACE NO. 8 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH08B709	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-9	NO. 1 ENGINE - REPLACE NO. 9 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH08B739	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/488	NO. 1 ENGINE - OVERHAUL							Service ATA:72
	MOS	31-Aug-20						OVERHAUL
	HRS	0	5000 (+100/-100)		(5000) 5000	5100	3467:23 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-00/489	NO. 1 ENGINE - ENGINE ACCESSORIES OVERHAUL							Service ATA:72
	MOS/MSC	07-Aug-20	A/R					OVERHAUL
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-CA/1	NO. 1 ENGINE - PROPELLER SHAFT AREA - DO A VISUAL EXAMINATION FOR LEAKAGE AND CORROSION							Service ATA:72
	MOS/MSC	05-Sep-25	A/R					
	HRS	1435:41						
	ENC	770						
PROC. REF: EM 72-10-00, LMM 72-10-00PROC. REF: EM 72-10-00, LMM 72-10-00								
72-CA/10	NO. 1 ENGINE - SERVICE LIFE LIMIT COMPRESSOR ROTOR SHAFT							Service ATA:72
PN:3043063	MOS	31-Aug-20						LIFE LIMIT
SN:PKAAA885402	HRS	0						
	ENC	0			(24000) 24038 (M)		23118	
	ACCCYC	0	24000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-CA/11	NO. 1 ENGINE - SERVICE LIFE LIMIT 1ST-STAGE COMPRESSOR ROTOR							Service ATA:72
PN:3042701	MOS	31-Aug-20						LIFE LIMIT
SN:FRAEPLYT85	HRS	0						
	ENC	0			(24000) 24038 (M)		23118	
	ACCCYC	0	24000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-CA/12	NO. 1 ENGINE - SERVICE LIFE LIMIT 2ND-STAGE COMPRESSOR ROTOR							Service ATA:72
PN:3040942	MOS	31-Aug-20						LIFE LIMIT
SN:MCAKAXWT312	HRS	0						
	ENC	0			(24000) 24038 (M)		23118	
	ACCCYC	0	24000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-CA/13	NO. 1 ENGINE - SERVICE LIFE LIMIT 3RD-STAGE COMPRESSOR ROTOR							Service ATA:72
PN:3040933	MOS	31-Aug-20						LIFE LIMIT
SN:FRAEPYLT95	HRS	0						
	ENC	0			(24000) 24038 (M)		23118	
	ACCCYC	0	24000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-CA/14	NO. 1 ENGINE - SERVICE LIFE LIMIT 4TH-STAGE COMPRESSOR ROTOR							Service ATA:72
PN:3040944	MOS	31-Aug-20						LIFE LIMIT
SN:EAAE000Y479	HRS	0						
	ENC	0			(24000) 24038 (M)		23118	
	ACCCYC	0	24000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-CA/15	NO. 1 ENGINE - SERVICE LIFE LIMIT CENTRIFUGAL IMPELLER							Service ATA:72
PN:3036898	MOS	31-Aug-20						LIFE LIMIT
SN:CRAZAFRW091	HRS	0						
	ENC	0			(24000) 24038 (M)		23118	
	ACCCYC	0	24000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-CA/16	NO. 1 ENGINE - SERVICE LIFE LIMIT COMPRESSOR TURBINE DISK							Service ATA:72
PN:3078454-01	MOS	31-Aug-20						LIFE LIMIT
SN:FRAEPYNT104	HRS	0						
	ENC	0			(11111) 11149 (M)		10229	
	ACCCYC	0	10000	Adj -16			9190	
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-CA/17	NO. 1 ENGINE - SERVICE LIFE LIMIT 1ST-STAGE POWER TURBINE DISK							Service ATA:72
PN:3056485-01	MOS	31-Aug-20						LIFE LIMIT
SN:A004P3B4	HRS	0						
	ENC	0			(15000) 15038 (M)		14118	
	ACCCYC	0	15000					
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
72-CA/18	NO. 1 ENGINE - SERVICE LIFE LIMIT 2ND-STAGE POWER TURBINE DISK							Service ATA:72
PN:3123253-01	MOS	31-Aug-20						LIFE LIMIT
SN:YUAB001R132	HRS	0						
	ENC	0			(15000) 15038 (M)		14118	
	ACCCYC	0	15000					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-CA/2 ^S	NO. 1 ENGINE - DO A DETAILED INSPECTION OF THE TURBINE EXHAUST DUCT							Service ATA:72
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 72-54-01, LMM 72-54-01PROC. REF: EM 72-54-01, LMM 72-54-01								PKG:2
72-CA/22	NO. 1 ENGINE - ENGINE GENERAL - MECHANICAL GENERAL FAULT ISOLATION PROCEDURE							Service ATA:72
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 72-00-00, LMM 72-00-00PROC. REF: EM 72-00-00, LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-CA/23	NO. 1 ENGINE - ENGINE GENERAL - ENGINE ELECTRONIC CONTROL (EEC) GENERAL FAULT ISOLATION PROCEDURE							Service ATA:72
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 72-00-00, LMM 72-00-00PROC. REF: EM 72-00-00, LMM 72-00-00								
72-CA/24	NO. 1 ENGINE - ENGINE GENERAL - ENGINE CONDITION TREND MONITORING (ECTM) SHIFT GENERAL FAULT ISOLATION PROCEDURE							Service ATA:72
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 72-00-00, LMM 72-00-00PROC. REF: EM 72-00-00, LMM 72-00-00								
72-CA/25	NO. 1 ENGINE - ENGINE GENERAL - DATA COLLECTION AND TRANSMISSION UNIT (DCTU) GENERAL FAULT ISOLATION PROCEDURE							Service ATA:72
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 72-00-00, LMM 72-00-00PROC. REF: EM 72-00-00, LMM 72-00-00								
72-CA/3 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION OF THE GAS GENERATOR CASE							Service ATA:72
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 72-32-00, LMM 72-32-00PROC. REF: EM 72-32-00, LMM 72-32-00								PKG:2
72-CA/4 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION OF THE AIR INLET SCREEN							Service ATA:72
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 72-20-01, LMM 72-20-01PROC. REF: EM 72-20-01, LMM 72-20-01								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-CA/5 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION WITH A MIRROR OR A BORESCOPE INSPECTION OF THE FIRST - STAGE COMPRESSOR ROTOR							Service ATA:72
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 72-31-01, LMM 72-31-01PROC. REF: EM 72-31-01, LMM 72-31-01								PKG:2
72-CA/6 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION OF THE COMPRESSOR INLET CASE							Service ATA:72
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 72-20-02, LMM 72-20-02PROC. REF: EM 72-20-02, LMM 72-20-02								PKG:2
72-CA/7 ^S	NO. 1 ENGINE - DO A VISUAL VISUAL EXAMINATION OF THE CENTER FIRESEAL							Service ATA:72
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 72-00-03, LMM 72-00-03PROC. REF: EM 72-00-03, LMM 72-00-03								PKG:2
72-CA/8 ^S	NO. 1 ENGINE - DO A BORESCOPE INSPECTION OF THE ENGINE HOT SECTION							Service ATA:72
	MOS	05-Sep-25						
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 72-00-00, EM 72-00-00, LMM 72-00-00, LMM 72-00-00PROC. REF: EM 72-00-00, EM 72-00-00, LMM 72-00-00, LMM 72-00-00								PKG:3
PT6EA723201	NO. 1 ENGINE - 1ST-STAGE COMPRESSOR ROTOR							Component ATA:72
PN:3042701	MOS/MSC	01-May-20	H/T	TSN 0				
SN:FRAEPLYLT85	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA723202	NO. 1 ENGINE - 2ND-STAGE COMPRESSOR ROTOR							Component ATA:72
PN:3040942	MOS/MSC	01-May-20	H/T	TSN 0				
SN:MCAKAXWT312	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA723203	NO. 1 ENGINE - 3RD-STAGE COMPRESSOR ROTOR							Component ATA:72
PN:3040933	MOS/MSC	01-May-20	H/T	TSN 0				
SN:FRAEPYLT95	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA723204	NO. 1 ENGINE - 4TH-STAGE COMPRESSOR ROTOR							Component ATA:72
PN:3040944	MOS/MSC	01-May-20	H/T	TSN 0				
SN:EAAE000Y479	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA723205	NO. 1 ENGINE - CENTRIFUGAL IMPELLER							Component ATA:72
PN:3036898	MOS/MSC	01-May-20	H/T	TSN 0				
SN:CRAZAFRW091	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA723206	NO. 1 ENGINE - COMPRESSOR ROTOR SHAFT							Component ATA:72
PN:3043063	MOS/MSC	01-May-20	H/T	TSN 0				
SN:PKAAA885402	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA723211	NO. 1 ENGINE - GAS GENERATOR CASE ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	01-May-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725101	NO. 1 ENGINE - COMPRESSOR TURBINE DISK							Component ATA:72
PN:3078454-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:FRAEPYNT104	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725102	NO. 1 ENGINE - COMPRESSOR TURBINE STATOR ASSEMBLY							Component ATA:72
PN:3078611CL01	MOS/MSC	01-May-20	O/C	TSN 0				
SN:HLAACL01B046	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-03, EM 72-51-03PROC. REF: EM 72-51-03, EM 72-51-03								
PT6EA725150	NO. 1 ENGINE - NO. 1 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYH7445	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725151	NO. 1 ENGINE - NO. 2 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYH7452	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725152	NO. 1 ENGINE - NO. 3 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYH7456	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725153	NO. 1 ENGINE - NO. 4 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYH7460	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725154	NO. 1 ENGINE - NO. 5 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYH7470	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725155	NO. 1 ENGINE - NO. 6 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYH7472	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725156	NO. 1 ENGINE - NO. 7 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYH7482	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725157	NO. 1 ENGINE - NO. 8 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYH7493	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725158	NO. 1 ENGINE - NO. 9 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYH7554	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725159	NO. 1 ENGINE - NO. 10 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYH7555	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725160	NO. 1 ENGINE - NO. 11 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYH7560	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725161	NO. 1 ENGINE - NO. 12 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYH7563	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725162	NO. 1 ENGINE - NO. 13 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYH7593	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725163	NO. 1 ENGINE - NO. 14 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYH7621	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725164	NO. 1 ENGINE - NO. 15 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYK3051	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725165	NO. 1 ENGINE - NO. 16 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYK4312	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725166	NO. 1 ENGINE - NO. 17 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYK4315	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725167	NO. 1 ENGINE - NO. 18 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYK7377	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725168	NO. 1 ENGINE - NO. 19 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYK7392	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725169	NO. 1 ENGINE - NO. 20 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYK7444	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725170	NO. 1 ENGINE - NO. 21 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYK7464	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725171	NO. 1 ENGINE - NO. 22 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYK8881	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725172	NO. 1 ENGINE - NO. 23 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYK9208	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725173	NO. 1 ENGINE - NO. 24 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYK9209	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725174	NO. 1 ENGINE - NO. 25 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYK9211	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725175	NO. 1 ENGINE - NO. 26 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL3353	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725176	NO. 1 ENGINE - NO. 27 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL3363	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725177	NO. 1 ENGINE - NO. 28 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL3663	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725178	NO. 1 ENGINE - NO. 29 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL3670	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725179	NO. 1 ENGINE - NO. 30 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL3682	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725180	NO. 1 ENGINE - NO. 31 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL3803	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725181	NO. 1 ENGINE - NO. 32 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL3804	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725182	NO. 1 ENGINE - NO. 33 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL5028	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725183	NO. 1 ENGINE - NO. 34 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL5112	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725184	NO. 1 ENGINE - NO. 35 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL5113	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725185	NO. 1 ENGINE - NO. 36 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL5115	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725186	NO. 1 ENGINE - NO. 37 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL5123	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725187	NO. 1 ENGINE - NO. 38 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL5215	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725188	NO. 1 ENGINE - NO. 39 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL5222	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725189	NO. 1 ENGINE - NO. 40 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL5923	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725190	NO. 1 ENGINE - NO. 41 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL5935	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725191	NO. 1 ENGINE - NO. 42 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL5979	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725192	NO. 1 ENGINE - NO. 43 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL5990	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725193	NO. 1 ENGINE - NO. 44 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL5995	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725194	NO. 1 ENGINE - NO. 45 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL6009	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725195	NO. 1 ENGINE - NO. 46 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL6010	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725196	NO. 1 ENGINE - NO. 47 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL6021	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725197	NO. 1 ENGINE - NO. 48 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL6023	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725198	NO. 1 ENGINE - NO. 49 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL6041	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725201	NO. 1 ENGINE - 1ST-STAGE POWER TURBINE DISK							Component ATA:72
PN:3056485-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:A004P3B4	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725202	NO. 1 ENGINE - 2ND-STAGE POWER TURBINE DISK							Component ATA:72
PN:3123253-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:YUAB001R132	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725222	NO. 1 ENGINE - NO. 1 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH05B622	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725223	NO. 1 ENGINE - NO. 2 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH05B655	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725224	NO. 1 ENGINE - NO. 3 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH08B670	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725225	NO. 1 ENGINE - NO. 4 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH08B673	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725226	NO. 1 ENGINE - NO. 5 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH08B674	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725227	NO. 1 ENGINE - NO. 6 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH08B693	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725228	NO. 1 ENGINE - NO. 7 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH08B704	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725229	NO. 1 ENGINE - NO. 8 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH08B709	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725230	NO. 1 ENGINE - NO. 9 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH08B739	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725231	NO. 1 ENGINE - NO. 10 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH08B810	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725232	NO. 1 ENGINE - NO. 11 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH08B816	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725233	NO. 1 ENGINE - NO. 12 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH08B828	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725234	NO. 1 ENGINE - NO. 13 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH08B844	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725235	NO. 1 ENGINE - NO. 14 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH08B846	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725236	NO. 1 ENGINE - NO. 15 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH08B868	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725237	NO. 1 ENGINE - NO. 16 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH08B886	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725238	NO. 1 ENGINE - NO. 17 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH09B889	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725239	NO. 1 ENGINE - NO. 18 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH09B044	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725240	NO. 1 ENGINE - NO. 19 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH09B045	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725241	NO. 1 ENGINE - NO. 20 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH09B046	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725242	NO. 1 ENGINE - NO. 21 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH09B074	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725243	NO. 1 ENGINE - NO. 22 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH09B081	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725244	NO. 1 ENGINE - NO. 23 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH09B083	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725245	NO. 1 ENGINE - NO. 24 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH09B086	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725246	NO. 1 ENGINE - NO. 25 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH09B099	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725247	NO. 1 ENGINE - NO. 26 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH09B120	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725248	NO. 1 ENGINE - NO. 27 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH09B123	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725249	NO. 1 ENGINE - NO. 28 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH09B124	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725250	NO. 1 ENGINE - NO. 29 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH09B128	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725251	NO. 1 ENGINE - NO. 30 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH09B129	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725252	NO. 1 ENGINE - NO. 31 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH09B181	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725253	NO. 1 ENGINE - NO. 32 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH09B188	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725254	NO. 1 ENGINE - NO. 33 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH09B209	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725255	NO. 1 ENGINE - NO. 34 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH09B211	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725256	NO. 1 ENGINE - NO. 35 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH09B407	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725257	NO. 1 ENGINE - NO. 36 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH24A163	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725258	NO. 1 ENGINE - NO. 37 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH50A335	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725259	NO. 1 ENGINE - NO. 38 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH50A340	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725260	NO. 1 ENGINE - NO. 39 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH59A033	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725261	NO. 1 ENGINE - NO. 40 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH62A187	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725262	NO. 1 ENGINE - NO. 41 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH62A196	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725263	NO. 1 ENGINE - NO. 42 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH66A473	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725264	NO. 1 ENGINE - NO. 43 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH66A573	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA72CA10	NO. 1 ENGINE - GAS GENERATOR MODULE							Component ATA:72
PN:3126994-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-02-00, EM 72-02-00PROC. REF: EM 72-02-00, EM 72-02-00								
PT6EA72CA20	NO. 1 ENGINE - POWER SECTION MODULE							Component ATA:72
PN:3126989-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-01-00, EM 72-01-00, LMM 72-01-00, LMM 72-01-00PROC. REF: EM 72-01-00, EM 72-01-00, LMM 72-01-00, LMM 72-01-00								
ATA 73 - ENGINE FUEL AND CONTROL								
73-CA/1 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION OF ALL HARNESS CONNECTIONS, HARNESS ROUTING, CLAMPS AND BRACKETS ARE ATTACHED CORRECTLY - ENGINE ELECTRICAL WIRING HARNESS							Service ATA:73
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 73-20-02, LMM 73-20-02PROC. REF: EM 73-20-02, LMM 73-20-02								PKG:2
73-CA/10 ^S	NO. 1 ENGINE - EXAMINE THE FUEL FILTER							Service ATA:73
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 73-10-06, LMM 73-10-06PROC. REF: EM 73-10-06, LMM 73-10-06								PKG:2
73-CA/12	NO. 1 ENGINE - OVERHAUL OIL-TO-FUEL HEATER							Service ATA:73
PN:3124177-01	MOS	31-Aug-20						OVERHAUL
SN:WA61274	HRS	0	5000 (+500)		(5000) 5000	5500	3467:23 (+500)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-CA/13	NO. 1 ENGINE - OVERHAUL ENGINE ELECTRONIC CONTROL (EEC)							Service ATA:73
PN:3126984-05	MOS	27-Jun-22		TAC 25				OVERHAUL
SN:WDA140608	HRS	604	5000 (+500)	TAC 604	(5000) 5000	5500	3467:23 (+500)	
	ENC	313		TAC 313				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-CA/14	NO. 1 ENGINE - OVERHAUL FLOW DIVIDER							Service ATA:73
PN:3133739-01	MOS	07-Aug-20						OVERHAUL
SN:20AUR0045	HRS	0	5000 (+500)		(5000) 5000	5500	3467:23 (+500)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-CA/15	NO. 1 ENGINE - OVERHAUL FUEL CONTROL UNIT							Service ATA:73
PN:3126985-04	MOS	31-Aug-21						OVERHAUL
SN:WDA140838	HRS	357	5000 (+500)		(5357) 5357	5857	3824:23 (+500)	
	ENC	186						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-CA/2 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION OF ALL HARNESS CONNECTIONS, CLAMPS AND BRACKETS ARE ATTACHED CORRECTLY, EEC WIRING HARNESS							Service ATA:73
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 73-20-05, LMM 73-20-05PROC. REF: EM 73-20-05, LMM 73-20-05								PKG:2
73-CA/20	NO. 1 ENGINE - REPLACE ENGINE ELECTRONIC CONTROL (EEC)							Service ATA:73
PN:3126984-05	MOS/MSC	27-Jun-22	N/A					
SN:WDA140608	HRS	604						
	ENC	313						
PROC. REF: EM 73-20-04, EM 73-20-04, LMM 73-20-04, LMM 73-20-04PROC. REF: EM 73-20-04, EM 73-20-04, LMM 73-20-04, LMM 73-20-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-CA/3 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION OF ALL HARNESS CONNECTIONS, CLAMPS AND BRACKETS ARE ATTACHED CORRECTLY, DCTU TO EEC WIRING HARNESS							Service ATA:73
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 73-20-03, LMM 73-20-03PROC. REF: EM 73-20-03, LMM 73-20-03								PKG:2
73-CA/4 ^S	NO. 1 ENGINE - DO A CHECK OF THE FCU FOR INSTALLATION							Service ATA:73
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 73-20-01, LMM 73-20-01PROC. REF: EM 73-20-01, LMM 73-20-01								PKG:2
73-CA/5 ^S	NO. 1 ENGINE - DO A CHECK OF THE FLOW DIVIDER FOR INSTALLATION AND LEAKS							Service ATA:73
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 73-10-08, LMM 73-10-08PROC. REF: EM 73-10-08, LMM 73-10-08								PKG:2
73-CA/6 ^S	NO. 1 ENGINE - DO A CHECK OF THE OIL - TO - FUEL HEATER INSTALLATION							Service ATA:73
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 73-10-04, LMM 73-10-04PROC. REF: EM 73-10-04, LMM 73-10-04								PKG:2
73-CA/7 ^S	NO. 1 ENGINE - REMOVE, DISCARD AND REPLACE THE FUEL FILTER ELEMENT							Service ATA:73
	MOS	05-Sep-25						REPLACE
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 73-10-06, EM 73-10-06, LMM 73-10-06, LMM 73-10-06PROC. REF: EM 73-10-06, EM 73-10-06, LMM 73-10-06, LMM 73-10-06								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-CA/9 ^S	NO. 1 ENGINE - DO A LEAK TEST AND A FUNCTIONAL TEST OF THE FUEL MANIFOLD ADAPTERS/NOZZLE ASSEMBLIES							Service ATA:73
	MOS	05-Sep-25						
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 73-10-05, LMM 73-10-05PROC. REF: EM 73-10-05, LMM 73-10-05								PKG:3
PC12A73200100 ELECTRONIC ENGINE CONTROL UNIT Component ATA:73								
PN:3126984-05	MOS/MSC	27-Jun-22	O/C	TSN 22				
SN:WDA140608	HRS	604		TSN 604				
	AFL	313		TSN 313				
PROC. REF: AMM 12-C-73-20-03-00A-920A-APROC. REF: AMM 12-C-73-20-03-00A-920A-A								
PC12A73300100 FUEL FLOW TRANSMITTER, MT042 Component ATA:73								
PN:975.35.12.108	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:00026	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-73-30-01-00A-920A-APROC. REF: AMM 12-C-73-30-01-00A-920A-A								
PT6EA731001 NO. 1 ENGINE - OIL-TO-FUEL HEATER Component ATA:73								
PN:3124177-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:WA61274	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 73-10-04, EM 73-10-04, LMM 73-10-04, LMM 73-10-04PROC. REF: EM 73-10-04, EM 73-10-04, LMM 73-10-04, LMM 73-10-04								
PT6EA731002 NO. 1 ENGINE - FLOW DIVIDER Component ATA:73								
PN:3133739-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:20AUR0045	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 73-10-08, EM 73-10-08, LMM 73-10-08, LMM 73-10-08PROC. REF: EM 73-10-08, EM 73-10-08, LMM 73-10-08, LMM 73-10-08								
PT6EA732001 NO. 1 ENGINE - FUEL CONTROL UNIT Component ATA:73								
PN:3126985-04	MOS/MSC	31-Aug-21	H/T					
SN:WDA140838	HRS	357						
	ENC	192						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
PROC. REF: EM 73-20-01, EM 73-20-01, LMM 73-20-01, LMM 73-20-01PROC. REF: EM 73-20-01, EM 73-20-01, LMM 73-20-01, LMM 73-20-01								
PT6EA73CA10	NO. 1 ENGINE - FUEL FLOW TRANSMITTER, MT042							Component ATA:73
PN:975.35.12.108	MOS/MSC	01-May-20	O/C	TSN 0				
SN:00026	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: AMM 12-C-73-30-01-00A-920A-APROC. REF: AMM 12-C-73-30-01-00A-920A-A								
PT6EA73CA20	NO. 1 ENGINE - ELECTRONIC ENGINE CONTROL (EEC)							Component ATA:73
PN:3126984-05	MOS/MSC	27-Jun-22	H/T	TSN 25				
SN:WDA140608	HRS	604		TSN 604				
	ENC	313		TSN 313				
PROC. REF: EM 73-20-04, EM 73-20-04, LMM 73-20-04, LMM 73-20-04, AMM 12-C-73-20-03-00A-920A-APROC. REF: EM 73-20-04, EM 73-20-04, LMM 73-20-04, LMM 73-20-04, AMM 12-C-73-20-03-00A-920A-A								
ATA 74 - IGNITION								
74-00/562 ^S	IGNITION SYSTEM (MSN 2001 AND UP) - OPERATIONAL TEST							Service ATA:74
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PKG:2								
PROC. REF: AMM 12-C-74-00-00-00A-903A-APROC. REF: AMM 12-C-74-00-00-00A-903A-A								
74-CA/1 ^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE IGNITION EXCITER							Service ATA:74
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PKG:2								
PROC. REF: EM 74-10-01, LMM 74-10-01PROC. REF: EM 74-10-01, LMM 74-10-01								
74-CA/2 ^S	NO. 1 ENGINE - DO A DETAILED INSPECTION OF SPARK IGNITER							Service ATA:74
	MOS	05-Sep-25						
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PKG:3								
PROC. REF: EM 74-20-02, LMM 74-20-02PROC. REF: EM 74-20-02, LMM 74-20-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
74-CA/3 ^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE IGNITION CABLES							Service ATA:74
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 74-20-01, LMM 74-20-01PROC. REF: EM 74-20-01, LMM 74-20-01								PKG:2
74-CA/6	NO. 1 ENGINE - OVERHAUL IGNITION EXCITER							Service ATA:74
PN:3043937-08	MOS	07-Aug-20						OVERHAUL
SN:200100	HRS	0	5000 (+500)		(5000) 5000	5500	3467:23 (+500)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA741001	NO. 1 ENGINE - IGNITION EXCITER							Component ATA:74
PN:3043937-08	MOS/MSC	01-May-20	H/T	TSN 0				
SN:200100	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 74-10-01, EM 74-10-01, LMM 74-10-01, LMM 74-10-01PROC. REF: EM 74-10-01, EM 74-10-01, LMM 74-10-01, LMM 74-10-01								
PT6EA74CA10	NO. 1 ENGINE - 4 O'CLOCK SPARK IGNITER							Component ATA:74
PN:CH34055	MOS/MSC	14-Aug-24	H/T	TSN 0				
SN:NSN	HRS	1127		TSN 0				
	ENC	587		TSN 0				
PROC. REF: EM 74-20-02, EM 74-20-02, LMM 74-20-02, LMM 74-20-02PROC. REF: EM 74-20-02, EM 74-20-02, LMM 74-20-02, LMM 74-20-02								
PT6EA74CA11	NO. 1 ENGINE - REPLACE 4 O'CLOCK IGNITER							Service ATA:74
PN:CH34055	MOS	14-Aug-24						
SN:NSN	HRS	1127	600 (+10%)		(1727) 1727	1787	194:23 (+60)	
	ENC	587						
PROC. REF: EM 74-20-02, EM 74-20-02PROC. REF: EM 74-20-02, EM 74-20-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
PT6EA74CA20	NO. 1 ENGINE - 9 O'CLOCK SPARK IGNITER							Component ATA:74
PN:CH34055	MOS/MSC	14-Aug-24	H/T	TSN 0				
SN:NSN	HRS	1127		TSN 0				
	ENC	587		TSN 0				
PROC. REF: EM 74-20-02, EM 74-20-02, LMM 74-20-02, LMM 74-20-02PROC. REF: EM 74-20-02, EM 74-20-02, LMM 74-20-02, LMM 74-20-02								
PT6EA74CA21	NO. 1 ENGINE - REPLACE 9 O'CLOCK IGNITER							Service ATA:74
PN:CH34055	MOS	14-Aug-24						
SN:NSN	HRS	1127	600 (+10%)		(1727) 1727	1787	194:23 (+60)	
	ENC	587						
PROC. REF: EM 74-20-02, EM 74-20-02PROC. REF: EM 74-20-02, EM 74-20-02								
ATA 75 - AIR								
75-CA/1	NO. 1 ENGINE - OVERHAUL COMPRESSOR BLEED VALVE							Service ATA:75
PN:3136596	MOS	07-Aug-20						OVERHAUL
SN:AHX5000198	HRS	0	5000 (+500)		(5000) 5000	5500	3467:23 (+500)	
	ENC							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA753001	NO. 1 ENGINE - COMPRESSOR BLEED VALVE							Component ATA:75
PN:3136596	MOS/MSC	31-Aug-21	H/T					
SN:AHX5000198	HRS	357						
	ENC	192						
PROC. REF: EM 75-30-02, EM 75-30-02, LMM 75-30-02, LMM 75-30-02PROC. REF: EM 75-30-02, EM 75-30-02, LMM 75-30-02, LMM 75-30-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 76 - ENGINE CONTROLS								
76-00/563 ^S	COCKPIT CONTROL QUADRANT (MSN 2001 AND UP) - EXAMINE							Service ATA:76
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
PC12A76100100	THROTTLE QUADRANT, A135							Component ATA:76
PN:944.30.19.605	MOS/MSC	02-Mar-21	O/C	TSN 0				
SN:5	HRS	158:40		TSN 0				
	AFL	90		TSN 0				
PROC. REF: AMM 12-C-76-10-00-00A-920A-APROC. REF: AMM 12-C-76-10-00-00A-920A-A								
PT6EA76CA10 ^U	NO. 1 ENGINE - THROTTLE QUADRANT, A135							Component ATA:76
PN:944.30.19.605	MOS/MSC	02-Mar-21	O/C	TSN 0				
SN:5	HRS	158:40		TSN 0				
	ENC	90		TSN 0				
ATA 77 - ENGINE INDICATING								
77-CA/1 ^S	NO. 1 ENGINE - MAKE SURE THAT THE ENGINE TRIM PARAMETERS ITT TRIM VALUE DISPLAYED IN THE COCKPIT MATCHES WITH THE ENGINE DATA PLATE IF NECESSARY, CORRECT							Service ATA:77
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 77-40-01, LMM 77-40-01PROC. REF: EM 77-40-01, LMM 77-40-01								PKG:2
77-CA/2 ^S	NO. 1 ENGINE - MAKE SURE THAT NO EEC FAULT IS PRESENT. IF FAULT PRESENT, FOLLOW THE NECESSARY MAINTENANCE TASK TO RETRIEVE THE FAULT CODES AND SPOTLIGHT FOR FAULT ISOLATION.							Service ATA:77
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 72-00-00, LMM 72-00-00PROC. REF: EM 72-00-00, LMM 72-00-00								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
PC12A77400100	DATA COLLECTION TRANSMISSION UNIT							Component ATA:77
PN:3134180-05	MOS/MSC	22-Jul-22	O/C	TSN 0				
SN:PES500157	HRS	630:35		TSN 0				
	AFL	327		TSN 0				
PROC. REF: AMM 12-C-77-41-00-00A-920A-APROC. REF: AMM 12-C-77-41-00-00A-920A-A								

PC12A77400200	DATA COLLECTION AND TRANSMISSION UNIT (DCTU)-ENGINE ELECTRONIC CONTROL UNIT (EEC) HARNESS							Component ATA:77
PN:3129052-02	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:PES00071	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-77-41-01-01A-920A-APROC. REF: AMM 12-C-77-41-01-01A-920A-A								

PT6EA77CA10	NO. 1 ENGINE - DATA COLLECTION TRANSMISSION UNIT							Component ATA:77
PN:3134180-05	MOS/MSC	01-May-20	O/C	TSN 0				
SN:PES500143	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 77-40-01, EM 77-40-01, LMM 77-40-01, LMM 77-40-01, AMM 12-C-77-41-00-00A-920A-APROC. REF: EM 77-40-01, EM 77-40-01, LMM 77-40-01, LMM 77-40-01, AMM 12-C-77-41-00-00A-920A-A								

PT6EA77CA11	NO. 1 ENGINE - DCTU-EEC HARNESS							Component ATA:77
PN:3129052-02	MOS/MSC	01-May-20	O/C	TSN 0				
SN:PES00071	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 73-20-03, EM 73-20-03, LMM 73-20-03, LMM 73-20-03, AMM 12-C-77-41-01-01A-920A-APROC. REF: EM 73-20-03, EM 73-20-03, LMM 73-20-03, LMM 73-20-03, AMM 12-C-77-41-01-01A-920A-A								

ATA 78 - EXHAUST

78-00/564 ^S	EXHAUST STUBS (MSN 2001 AND UP) - EXAMINE							Service ATA:78
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

PKG:2

ATA 79 - OIL

79-20/289 ^S	ENGINE OIL COOLER - EXAMINE. MAKE SURE OUTLET DOOR HAS FULL AND FREE MOVEMENT							Service ATA:79
	MOS	05-Sep-25	12 (+10%/-10%)					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
79-20/43	OVERHAUL OIL COOLER							Service ATA:79
PN:968.32.14.102	MOS	07-Aug-20						OVERHAUL
SN:T2020	HRS	0	5000 (+10%/-10%)		5000	5500	3467:23 (+500)	
	AFL	0						
PROC. REF: AMM 12-C-79-20-02-00A-920A-APROC. REF: AMM 12-C-79-20-02-00A-920A-A								
79-CA/1	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE ENGINE OIL QUANTITY							Service ATA:79
	MOS/MSC	05-Sep-25	A/R					
	HRS	1435:41						
	ENC	770						
PROC. REF: EM 79-00-00, LMM 79-00-00PROC. REF: EM 79-00-00, LMM 79-00-00								
79-CA/2	NO. 1 ENGINE - DO A CHECK OF THE OIL LEVEL FILLER CAP AND INDICATOR TO MAKE SURE THAT THE FILLER CAP IS CORRECTLY INSTALLED AND LOCKED							Service ATA:79
	MOS/MSC	05-Sep-25	A/R					
	HRS	1435:41						
	ENC	770						
PROC. REF: EM 79-30-06, LMM 79-30-06PROC. REF: EM 79-30-06, LMM 79-30-06								
79-CA/3 ^S	NO. 1 ENGINE - REMOVE, DISCARD AND REPLACE THE OIL FILTER ELEMENT							Service ATA:79
	MOS	05-Sep-25						REPLACE
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 79-20-01, EM 79-20-01, LMM 79-20-01, LMM 79-20-01PROC. REF: EM 79-20-01, EM 79-20-01, LMM 79-20-01, LMM 79-20-01								PKG:3
79-CA/4	NO. 1 ENGINE - P&WC'S OIL ANALYSIS TECHNOLOGY							Service ATA:79
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 79-00-00, LMM 79-00-00PROC. REF: EM 79-00-00, LMM 79-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-CA/5 ^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE RGB CHIP DETECTOR FOR DEBRIS							Service ATA:79
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 79-30-01, LMM 79-30-01PROC. REF: EM 79-30-01, LMM 79-30-01								PKG:2
79-CA/6 ^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE AGB CHIP DETECTOR FOR DEBRIS							Service ATA:79
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 79-30-03, LMM 79-30-03PROC. REF: EM 79-30-03, LMM 79-30-03								PKG:2
79-CA/7 ^S	NO. 1 ENGINE - EXAMINE THE OIL FILTER AND SECONDARY SCREEN COARSE HAT - TYPE SCREEN ATTACHED TO THE INNER END OF THE FILTER							Service ATA:79
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 79-20-01, LMM 79-20-01PROC. REF: EM 79-20-01, LMM 79-20-01								PKG:2
PC12A79200100	OIL COOLER							Component ATA:79
PN:968.32.14.102	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:T2020	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-79-20-02-00A-920A-APROC. REF: AMM 12-C-79-20-02-00A-920A-A								
PC12A79200200	THERMAL ACTUATOR							Component ATA:79
PN:978.73.01.002	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:2291	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-79-20-02-00A-920A-APROC. REF: AMM 12-C-79-20-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
PC12A79300100	PRESSURE SWITCH							Component ATA:79
PN:973.81.14.305	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1967	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-79-30-04-00A-920A-APROC. REF: AMM 12-B-79-30-04-00A-920A-A								
PT6EA79CA10	NO. 1 ENGINE - OIL COOLER							Component ATA:79
PN:968.32.14.102	MOS/MSC	01-May-20	O/C	TSN 0				
SN:T2020	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: AMM 12-C-79-20-02-00A-920A-APROC. REF: AMM 12-C-79-20-02-00A-920A-A								
PT6EA79CA20	NO. 1 ENGINE - THERMAL ACTUATOR							Component ATA:79
PN:978.73.01.002	MOS/MSC	01-May-20	O/C	TSN 0				
SN:2291	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: AMM 12-C-79-20-02-00A-920A-APROC. REF: AMM 12-C-79-20-02-00A-920A-A								
PT6EA79CA30	NO. 1 ENGINE - PRESSURE SWITCH							Component ATA:79
PN:973.81.14.305	MOS/MSC	01-May-20	O/C	TSN 0				
SN:1967	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: AMM 12-B-79-30-04-00A-920A-APROC. REF: AMM 12-B-79-30-04-00A-920A-A								
ATA 99 - OPTIONAL KITS								
99-CAA-02 ^U	AVIONICS TEST (RADIO-COMMUNICATION AND NAVIGATION EQUIPMENT TEST)							Service ATA:99
	MOS	05-Sep-25	12		05-Sep-26		219 d	
	HRS	1435:41						
	AFL	807						
99-CAA-04 ^U	PITOT-STATIC SYSTEM LEAK TEST							Service ATA:99
	MOS	14-Aug-24	24		14-Aug-26		197 d	
	HRS	1127						
	AFL	600						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 99 - OPTIONAL KITS								
99-CAA-06 ^U	TRANSPONDER AND ALTITUDE ENCODER TEST - EASA SIB 2011-15							Service ATA:99
	MOS	14-Aug-24	24		14-Aug-26		197 d	
	HRS	1127						
	AFL	600						
99-CAA-07 ^U	ELT ANNUAL TESTING - EASA SIB 2019-09							Service ATA:99
	MOS	05-Sep-25	12		05-Sep-26		219 d	
	HRS	1435:41						
	AFL	807						
99-CAA-08 ^U	AIRCRAFT TIRES - REPLACEMENT							Service ATA:99
	MOS	28-Aug-20	180		24-Aug-35 (M)		3494 d	
	HRS	0						
	AFL	0						
99-CAA-09 ^U	FLEXIBLE (RUBBER) FLUID HOSES - REPLACEMENT							Service ATA:99
	MOS	28-Aug-20	180		24-Aug-35 (M)		3494 d	
	HRS	0						
	AFL	0						
99-NCO-03 ^U	HAND FIRE EXTINGUISHERS - INSPECTION							Service ATA:99
	MOS	05-Sep-25	12		05-Sep-26		219 d	
	HRS	1435:41						
	AFL	807						
99-NCO-05 ^U	TRANSPONDER - TEST							Service ATA:99
	MOS	14-Aug-24	24		14-Aug-26		197 d	
	HRS	1127						
	AFL	600						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1532:37 AFL: 920 As Of: 24-Jan-2026

29-Jan-2026 08:02 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 99 - OPTIONAL KITS								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task