



Status Report

PC-12/47E NGX

S/N 2038 OK-PVN

OWNER: BELLAVIA AIR S.R.O.
ADDRESS: POD HARFOU 933/62
PRAHA PRAHA 190 00
OFFICE:
FAX:

OPERATOR: JET FOR TRIP S.R.O.
ADDRESS: ERBENOVA 877, MLADA BOLES LAV
11,
CZECH REPUBLIC CZECH 29301
OFFICE:
FAX:

CAMO: JET FOR TRIP S.R.O.
ADDRESS: ERBENOVA 877, MLADA BOLES LAV
11,
CZECH REPUBLIC CZECH 29301
OFFICE:
FAX:

ANALYST: ADRIEN LIMMELETTE +33 1.55.93.47.77 (DIRECT)
EMAIL: ADRIEN.LIMMELETTE@CAMPSYSTEMS.EU +33-1.55.93.45.80 (MAIN)
WWW.CAMPSYSTEMS.COM

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL/REGNO: 2038/OK-PVN	MODEL: PC-12/47E NGX	MANUFACTURER: PILATUS AIRCRAFT LTDX
	CERTIFICATION DATE: 28-AUG-2020	LAST ACTUALS:	
		1611:01 A/C HRS	as of 23-MAR-2026
		991 AFL	as of 23-MAR-2026
		0 ACH	as of 21-FEB-2026

ENGINE NO. 1	SERIAL/PART: PCE-HP0039/3126995-01 BS1369	MODEL: PT6E-67XP	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
	INSTALLED ON: 22-JUL-2020	LAST ACTUALS:	
	0 ENG. HRS 0 A/C HRS	1611:01 ENG. HRS	as of 23-MAR-2026
	0 ENC	947 ENC	as of 23-MAR-2026

PROPELLER NO. 1	SERIAL/PART: SA555/E5A01850SKD	MODEL: HC-E5A-31A	MANUFACTURER: HARTZELL PROPELLER LLC
	INSTALLED ON: 06-AUG-2020	LAST ACTUALS:	
	0 PROP HRS 0 A/C HRS	1611:01 PROP HRS	as of 23-MAR-2026
	0 PRC		



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
00-00/121 ^S	JOB CLOSE UP - AIRCRAFT - AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS REVIEWED AND COMPLIED WITH AS REQUIRED							Service	ATA:00
	MOS/MSC	09-Dec-25	A/R						
	HRS	1494:43							
	AFL	883							
								PKG:5 ,1,2,3,4	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
00-00/122 ^S	JOB CLOSE UP - AIRCRAFT - CHAPTER 4 AND CHAPTER 5 - OVERHAUL AND REPLACEMENT SCHEDULE AND TIME LIMITED INSPECTION REQUIREMENTS DATA MODULES REVIEWED AND ANY ADDITIONAL REQUIREMENTS ARE COMPLIED WITH							Service	ATA:00
	MOS/MSC	09-Dec-25	A/R						
	HRS	1494:43							
	AFL	883							
								PKG:5 ,1,2,3,4	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
00-00/481 ^S	JOB CLOSE UP - AIRCRAFT - CHECK FLIGHT MANUAL IS AT THE LATEST REVISION							Service	ATA:00
	MOS/MSC	09-Dec-25	A/R						
	HRS	1494:43							
	AFL	883							
								PKG:5 ,1,2,3,4	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
EP21-200922	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 9							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
PROC. REF: RCF PE21PROC. REF: RCF PE21									
EP21-200922-1	NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 9							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
PROC. REF: RCF PE21PROC. REF: RCF PE21									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
EP21-210119	NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 10							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-210119-1	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 10							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-210426	NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 11							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-210426-1	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 11							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-210617	NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 12							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
EP21-210617-1	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 12							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-211105	NO. 1 ENGINE - REVIEW PT6E-67XP EMM & LMM ISSUE 12 **AUDIT REPORT**							Service ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-220421	NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 14							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
EP21-220421-1	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 14							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
EP21-220620	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 15							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
EP21-220620-1	NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 15							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-221122	NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 16							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-221122-1	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 16							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-230602	NO. 1 ENGINE - REVIEW PT6E-67XP LMM/EMM ISSUE 17							Service ATA:00
	MOS/MSC	02-Jun-23	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-231103	NO. 1 ENGINE - REVIEW PT6E-67XP EM ISSUE 18							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
EP21-240617-1	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 19							Service ATA:00
	MOS/MSC	13-Sep-24	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-240620	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 20							Service ATA:00
	MOS/MSC	13-Sep-24	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-240823	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 20 AUDIT							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-241203	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 21							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-241203-1	NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 20							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
EP21-241216	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 22							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-241216-1	NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 21							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-250422	NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 21/EMM ISSUE 22 AUDIT							Service ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
P12X-200901	NO. 1 PROPELLER - REVIEW PROPELLER ICE PROTECTION SYSTEM MANUAL 180 REV. 34							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-200901-01	NO. 1 PROPELLER - REVIEW HC-E5A-31 POM 147 REV 17							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-210201	NO. 1 PROPELLER - REVIEW PROPELLER ICE PROTECTION SYSTEM MANUAL 180 REV. 35							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
P12X-210304	NO. 1 PROPELLER - REVIEW SL HC-SL-61-61Y REV 13							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
P12X-210401	NO. 1 PROPELLER - REVIEW PROPELLER ICE PROTECTION SYSTEM MANUAL 180 TR-011							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-210601	NO. 1 PROPELLER - REVIEW PROPELLER ICE PROTECTION SYSTEM MANUAL 180 REV. 36							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-210707	NO. 1 PROPELLER - REVIEW HC-SL-61-61Y REV 14							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-220601	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER ICE PROTECTION SYSTEM MANUAL NO. 180, REVISION 38							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-220818	NO. 1 PROPELLER - REVIEW AUDIT SUMMARY CHANGE FORM FOR HARTZELL PROPELLER TASK CHANGES RELATING TO PILATUS PC-12/47E AIRCRAFT							Service ATA:00
	MOS/MSC		-					AUDIT SUMMARY CHANGE FORM
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
P12X-220831	NO. 1 PROPELLER - REVIEW REQUIREMENT CHANGE FORM FOR CHANGES TO CORROSION INHIBITOR TASK							Service	ATA:00
	MOS/MSC		-						
	HRS								
PROC. REF: RCF P12XPROC. REF: RCF P12X									
P12X-221101	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER OWNER'S MANUAL NO. 147, REVISION 19							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
PROC. REF: RCF P12XPROC. REF: RCF P12X									
P12X-221201	NO. 1 PROPELLER - REVIEW HARTZELL ICE PROTECTION SYSTEM MANUAL NO. 180, REVISION 39							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
PROC. REF: RCF P12XPROC. REF: RCF P12X									
P12X-230401	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER MANUAL 180 (30-61-80) - ICE PROTECTION SYSTEM MANUAL, REVISION 40, DATED 1 APRIL 2023							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
PROC. REF: RCF P12XPROC. REF: RCF P12X									
P12X-230501A	NO. 1 PROPELLER - REVIEW HARTZELL ICE PROTECTION SYSTEM MANUAL 180 (30-61-80), TEMPORARY REVISION NO. 012, DATED MAY 2023							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
PROC. REF: RCF P12XPROC. REF: RCF P12X									
P12X-230501B	NO. 1 PROPELLER - REVIEW HARTZELL ICE PROTECTION SYSTEM MANUAL 180 (30-61-80), TEMPORARY REVISION NO. 013, DATED MAY 2023							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
P12X-230701	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER OWNER'S MANUAL NO. 147, REVISION 20							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-230901	NO. 1 PROPELLER - REVIEW HARTZELL ICE PROTECTION SYSTEM MANUAL NO. 180, REVISION 41							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-230919	NO. 1 PROPELLER - REVIEW AUDIT SUMMARY CHANGE FORM FOR TOLERANCE UPDATE TO CORROSION INHIBITOR TASK.							Service ATA:00
	MOS/MSC		-					AUDIT SUMMARY CHANGE FORM
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-231201	NO. 1 PROPELLER - REVIEW HARTZELL ICE PROTECTION SYSTEM MANUAL, REVISION 42							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-231213	NO. 1 PROPELLER - REVIEW HARTZELL SL - PROPELLER - OVERHAUL PERIODS AND SERVICE LIFE LIMITS (SL) HC-SL-61-61Y, REV 15							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-240201	NO. 1 PROPELLER - REVIEW HARTZEL PROPELLER ICE PROTECTION SYSTEM MANUAL (MM) 180 REV 43							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
P12X-240501	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER INC. HC-E5A-31 PROPELLER OWNER'S MANUAL (POM) 147 REV 21							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-240918	NO. 1 PROPELLER - REVIEW HC-E5A-31 HARTZELL SERVICE LETTER (SL) HC-SL-61-61Y REV 16							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-241001	NO. 1 PROPELLER - REVIEW HARTZEL PROPELLER ICE PROTECTION SYSTEM MANUAL (MM) 180 REV 44							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-241001B	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER INC. HC-E5A-31 PROPELLER OWNER'S MANUAL (POM) 147 REV 22							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-250401	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER LLC PROPELLER ICE PROTECTION SYSTEM MANUAL (MM) 180 REV 45							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-251101	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER LLC PROPELLER ICE PROTECTION SYSTEM MANUAL (MM) 180 REV 47							Service ATA:00
	MOS/MSC	26-Nov-25	-					REQUIREMENT CHANGE FORMS
	HRS	1491:05						
PROC. REF: RCF P12XPROC. REF: RCF P12X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
P12X-260201	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER LLC PROPELLER ICE PROTECTION SYSTEM MANUAL (MM) 180 REV 47 (TR 015)							Service	ATA:00
	MOS/MSC		-				NEW REQMT	REQUIREMENT CHANGE FORMS	
	HRS								
PROC. REF: RCF P12XPROC. REF: RCF P12X									
PC12A00310100	PRIMUS APEX SYSTEM BUILD 12 SOFTWARE							Component	ATA:00
PN:500.33.12.038	MOS/MSC	31-Aug-20	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
	ACH	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PC12A00310100-0010	SW,OPERATIONAL,APEX							Component	ATA:00
PN:985.99.12.407	MOS/MSC	31-Aug-20	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
	ACH	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PC12A00310100-0030	APEX FMS PERFORMANCE DATABASE							Component	ATA:00
PN:985.99.12.399	MOS/MSC	31-Aug-20	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
	ACH	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PC12A00310100-0040	ADAHRS CERTIFICATION FILE SOFTWARE							Component	ATA:00
PN:985.99.12.401	MOS/MSC	31-Aug-20	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
	ACH	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
PC12A00310100-0050		LOADABLE DIAGNOSTIC INTERFACE (LDI)					Component	ATA:00	
PN:545.45.12.015	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PC12A00310100-0060		SW TOUCH SCREEN CONTROLLER					Component	ATA:00	
PN:985.99.12.075	MOS/MSC	27-Jun-22	O/C						
SN:UNKNOWN	HRS	604							
	AFL	313							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PC12A00310100-0080		EFD-750 CONFIG FILE					Component	ATA:00	
PN:534.20.12.007	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PC12A00310100-0100		PRIMUS APEX OPTION FILE, PC-12E					Component	ATA:00	
PN:534.70.12.056	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PC12A00310100-0110		ECL DATABASE					Component	ATA:00	
PN:531.40.12.036	MOS/MSC	08-Aug-23	O/C	TSN 0					
SN:NSN	HRS	918:20		TSN 0					
	AFL	472		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PC12A00310100-0120 DEVICE,DATA LOADING,WIRELESS,SW								Component ATA:00
PN:546.00.12.009	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310100-0130 LIGHTWEIGHT DATA RECORDER DEFINITION FILE FOR APEX BUILD 12 AND UP								Component ATA:00
PN:531.30.12.032	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310108 APM SETTINGS TOOL								Component ATA:00
PN:985.99.12.408	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:12.6.1	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310147 PILOT GUIDE,APEX,PC-12								Component ATA:00
PN:985.99.12.412	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PCNG-200515 REVIEW PC-12/47E NGX AMM REV 01 ISSUE 001								Service ATA:00
	MOS/MSC	-						REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PCNG, AMM GENERICPROC. REF: RCF PCNG, AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PCNG-201021	REVIEW CAMP TASK NUMBER CHANGES							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PCNG, AMM GENERICPROC. REF: RCF PCNG, AMM GENERIC								
PCNG-201130	REVIEW PC-12/47E NGX AMM ISSUE 001 REV 02							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PCNG, AMM GENERICPROC. REF: RCF PCNG, AMM GENERIC								
PCNG-210716	REVIEW PC-12/47E NGX AMM ISSUE 001 REV 03							Service ATA:00
	MOS/MSC	01-Sep-21	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PCNG, AMM GENERICPROC. REF: RCF PCNG, AMM GENERIC								
PCNG-220829	REVIEW PC-12/47E NGX AMM ISSUE 001 REV 07							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PCNGPROC. REF: RCF PCNG								
PCNG-230116	REVIEW PC-12/47E NGX AMM ISSUE 001 REV 08							Service ATA:00
	MOS/MSC	08-Mar-23	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PCNGPROC. REF: RCF PCNG								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
PCNG-240207	REVIEW PC-12/47E NGX AMM ISSUE 001 REV 10							Service	ATA:00
	MOS/MSC	26-Mar-24	-					REQUIREMENT CHANGE FORMS	
	HRS	0							
	AFL	0							
PROC. REF: RCF PCNGPROC. REF: RCF PCNG									
PCNG-240603	REVIEW PC-12/47E NGX AMM ISSUE 001 REV 11							Service	ATA:00
	MOS/MSC	05-Aug-24	-					REQUIREMENT CHANGE FORMS	
	HRS	0							
	AFL	0							
PROC. REF: RCF PCNGPROC. REF: RCF PCNG									
PCNG-240621	REVIEW PC-12/47E NGX AMM ISSUE 001 REV 12							Service	ATA:00
	MOS/MSC	31-Aug-20	-					REQUIREMENT CHANGE FORMS	
	HRS	0							
	AFL	0							
PROC. REF: RCF PCNGPROC. REF: RCF PCNG									
PCNG-250127	REVIEW PC-12/47E NGX AMM ISSUE 001 REV 13							Service	ATA:00
	MOS/MSC	07-Feb-25	-					REQUIREMENT CHANGE FORMS	
	HRS	0							
	AFL	0							
PROC. REF: RCF PCNGPROC. REF: RCF PCNG									
PCNG-260119	REVIEW PC-12/47E NGX AMM ISSUE 001 REV 14							Service	ATA:00
	MOS/MSC	24-Jan-26	-					REQUIREMENT CHANGE FORMS	
	HRS	1530:25							
	AFL	917							
PROC. REF: RCF PCNGPROC. REF: RCF PCNG									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 04 - LIMITATIONS									
04-CA/1	AIRCRAFT LIMIT OF VALIDITY (LOV)							Service	ATA:04
	MOS	31-Aug-20						LIFE LIMIT	
	HRS	0	50000		50000		48388:59		
	AFL	0	60000		60000		59009		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
04-CA/2	WING STRUCTURE LIMIT OF VALIDITY (LOV) (WITHOUT SYSTEMS AND CONTROL SYSTEM STRUCTURE SUCH AS FLAPS AND AILERONS)							Service	ATA:04
	MOS	31-Aug-20						LIFE LIMIT	
	HRS	0	35000		35000		33388:59		
	AFL	0	43000		43000		42009		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-20-00-00	JOB SET UP / CLOSE UP PACKAGE							Package	ATA:05
	MOS/MSC	09-Dec-25	A/R						
	HRS	1494:43							
	AFL	883							
PROC. REF: AMM 12-C-05-20-00-00A-913A-APROC. REF: AMM 12-C-05-20-00-00A-913A-A									
05-40-01-03	600 FH INSPECTION							Package	ATA:05
	MOS	05-Sep-25							
	HRS	1435:41	600 (+60/-60)		2035:41	2095:41	424:40 (+60)		
	AFL	807							
PROC. REF: AMM 12-C-05-40-01-03A-000B-APROC. REF: AMM 12-C-05-40-01-03A-000B-A									
05-40-01-04	600 FH OR 12 MONTHS INSPECTION							Package	ATA:05
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -33d	03-Aug-26	09-Sep-26	132 d (+37)		
	HRS	1435:41	600 (+60/-60)		2035:41	2095:41	424:40 (+60)		
	AFL	807							
PROC. REF: AMM 12-C-05-40-01-04A-000B-APROC. REF: AMM 12-C-05-40-01-04A-000B-A									

PKG:5
WO#: 2602-PVN

PKG:1

PKG:2
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-40-01-05	1200 FH OR 12 MONTHS INSPECTION							Package	ATA:05
	MOS	05-Sep-25	12 (+10%/-10%)		27-Jul-26 (M)	02-Sep-26	125 d (+37)		
	HRS	1435:41	1200 (+60/-60)		2635:41	2695:41	1024:40 (+60)		
	AFL	807							
PROC. REF: AMM 12-C-05-40-01-05A-000B-APROC. REF: AMM 12-C-05-40-01-05A-000B-A									
05-40-01-06	2400 FH OR 24 MONTHS INSPECTION							Package	ATA:05
	MOS	14-Aug-24	24 (+10%/-10%)	Adj 17d	31-Aug-26	12-Nov-26	160 d (+73)		
	HRS	1127	2400 (+10%/-10%)		3527	3767	1915:59 (+240)		
	AFL	600							
PROC. REF: AMM 12-C-05-40-01-06A-000B-APROC. REF: AMM 12-C-05-40-01-06A-000B-A									
05-50-16	UNSCHEDULED INSPECTION - CHECK AFTER A JET BLAST							Service	ATA:05
	MOS/MSC	31-Aug-20	A/R						
	HRS	0							
	AFL	0							
	ACH	0							
PROC. REF: AMM 12-B-05-50-16-00A-282A-APROC. REF: AMM 12-B-05-50-16-00A-282A-A									
05-50/1	UNSCHEDULED INSPECTION - CHECK AFTER A HARD LANDING							Service	ATA:05
	MOS/MSC	31-Aug-20	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-05-50-01-00A-282B-APROC. REF: AMM 12-B-05-50-01-00A-282B-A									
05-50/10	UNSCHEDULED INSPECTION - CHECK AFTER MAXIMUM LANDING GEAR EXTENDED SPEED EXCEEDANCE							Service	ATA:05
	MOS/MSC	31-Aug-20	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-05-50-10-00A-282A-APROC. REF: AMM 12-B-05-50-10-00A-282A-A									

PKG:3
WO#: 2602-PVN

PKG:4
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50/11	UNSCHEDULED INSPECTION - CHECK AFTER TAIL DOWN DAMAGE INSPECTION							Service	ATA:05
	MOS/MSC	31-Aug-20	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-05-50-11-00A-282A-APROC. REF: AMM 12-B-05-50-11-00A-282A-A									
05-50/12	UNSCHEDULED INSPECTION - CHECK AFTER NOSE LANDING GEAR OVERTURN							Service	ATA:05
	MOS/MSC	31-Aug-20	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-05-50-12-00A-282A-APROC. REF: AMM 12-B-05-50-12-00A-282A-A									
05-50/15	UNSCHEDULED INSPECTION - CHECK AFTER A FLIGHT THROUGH VOLCANIC ASH OR SMOKE							Service	ATA:05
	MOS/MSC	31-Aug-20	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-05-50-15-00A-282A-APROC. REF: AMM 12-B-05-50-15-00A-282A-A									
05-50/18	UNSCHEDULED INSPECTION - ENGINE							Service	ATA:05
	MOS/MSC	31-Aug-20	A/R						
	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF, AMM 12-B-05-50-00-00A-018A-APROC. REF: GENERIC NO REF, AMM 12-B-05-50-00-00A-018A-A									
05-50/2	UNSCHEDULED INSPECTION - CHECK AFTER FLIGHT IN SEVERE TURBULENCE OR AFTER SEVERE MANEUVERS							Service	ATA:05
	MOS/MSC	31-Aug-20	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-05-50-02-00A-282A-APROC. REF: AMM 12-B-05-50-02-00A-282A-A									
05-50/3	UNSCHEDULED INSPECTION - CHECK AFTER OVERSPEED WITH FLAPS DOWN							Service	ATA:05
	MOS/MSC	31-Aug-20	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-05-50-03-00A-282A-APROC. REF: AMM 12-B-05-50-03-00A-282A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50/4	UNSCHEDULED INSPECTION - CHECK AFTER PROPELLER SUDDEN STOPPAGE							Service	ATA:05
	MOS/MSC	31-Aug-20	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-05-50-04-00A-282A-APROC. REF: AMM 12-B-05-50-04-00A-282A-A									
05-50/5	UNSCHEDULED INSPECTION - CHECK AFTER A LIGHTNING STRIKE							Service	ATA:05
	MOS/MSC	31-Aug-20	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-05-50-05-00A-282A-APROC. REF: AMM 12-B-05-50-05-00A-282A-A									
05-50/6	UNSCHEDULED INSPECTION - CHECK AFTER ALIGNMENT AND SYMMETRY							Service	ATA:05
	MOS/MSC	31-Aug-20	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-05-50-06-00A-282A-APROC. REF: AMM 12-B-05-50-06-00A-282A-A									
05-50/7	UNSCHEDULED INSPECTION - GEOMETRY INSPECTION - CHECK AFTER A FUSELAGE CARRY THROUGH FRAMES							Service	ATA:05
	MOS/MSC	31-Aug-20	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-05-50-07-00A-282A-APROC. REF: AMM 12-B-05-50-07-00A-282A-A									
05-50/8	UNSCHEDULED INSPECTION - CHECK AFTER MAXIMUM OPERATING SPEED EXCEEDANCE							Service	ATA:05
	MOS/MSC	31-Aug-20	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-C-05-50-08-00A-282A-APROC. REF: AMM 12-C-05-50-08-00A-282A-A									
05-50/9	UNSCHEDULED INSPECTION - CHECK AFTER MAXIMUM LANDING GEAR OPERATING SPEED EXCEEDANCE							Service	ATA:05
	MOS/MSC	31-Aug-20	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-05-50-09-00A-282A-APROC. REF: AMM 12-B-05-50-09-00A-282A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-CA/1 ^U	AIRCRAFT REGISTRATION - FAR 47.40							Service ATA:05
	MOS/MSC	28-Aug-20	N/A					
	HRS	0						
	AFL	0						
	ACH	0						
<hr/>								
05-CA/10	NO. 1 ENGINE - PROPELLER SUDDEN STOPPAGE OR STRIKE							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-10, LMM 05-50-10PROC. REF: EM 05-50-10, LMM 05-50-10								
<hr/>								
05-CA/11	NO. 1 ENGINE - PROPELLER LIGHTNING STRIKE							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-11, LMM 05-50-11PROC. REF: EM 05-50-11, LMM 05-50-11								
<hr/>								
05-CA/12	NO. 1 ENGINE - SHORT CIRCUIT OF PROPELLER ELECTRICAL LEADS							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-12, LMM 05-50-12PROC. REF: EM 05-50-12, LMM 05-50-12								
<hr/>								
05-CA/13	NO. 1 ENGINE - HEAVY/HARD LANDING							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-13, LMM 05-50-13PROC. REF: EM 05-50-13, LMM 05-50-13								
<hr/>								
05-CA/14	NO. 1 ENGINE - AIRCRAFT FLIGHT THROUGH A CLOUD OF VOLCANIC ASH							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-14, LMM 05-50-14PROC. REF: EM 05-50-14, LMM 05-50-14								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-CA/15	NO. 1 ENGINE - SUSTAINED RUNNING WITH HIGH OIL PRESSURE							Service	ATA:05
	MOS/MSC	01-May-20	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-15, LMM 05-50-15PROC. REF: EM 05-50-15, LMM 05-50-15									
05-CA/16	NO. 1 ENGINE - LOSS OF OIL, NO OIL PRESSURE OR LOW OIL PRESSURE							Service	ATA:05
	MOS/MSC	01-May-20	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-16, LMM 05-50-16PROC. REF: EM 05-50-16, LMM 05-50-16									
05-CA/17	NO. 1 ENGINE - HIGH OIL PRESSURE							Service	ATA:05
	MOS/MSC	01-May-20	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-17, LMM 05-50-17PROC. REF: EM 05-50-17, LMM 05-50-17									
05-CA/18	NO. 1 ENGINE - CONTAMINATION BY FIRE EXTINGUISHING AGENTS							Service	ATA:05
	MOS/MSC	01-May-20	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-18, LMM 05-50-18PROC. REF: EM 05-50-18, LMM 05-50-18									
05-CA/19	NO. 1 ENGINE - AUDIBLE RUBBING, BINDING OR SCRAPING							Service	ATA:05
	MOS/MSC	01-May-20	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-19, LMM 05-50-19PROC. REF: EM 05-50-19, LMM 05-50-19									
05-CA/2	NO. 1 ENGINE - ENGINE OVERTORQUE							Service	ATA:05
	MOS/MSC	01-May-20	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-02, LMM 05-50-02PROC. REF: EM 05-50-02, LMM 05-50-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-CA/20	NO. 1 ENGINE - PROPELLER WINDMILLING AFTER IN - FLIGHT SHUTDOWN							Service	ATA:05
	MOS/MSC	01-May-20	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-20, LMM 05-50-20PROC. REF: EM 05-50-20, LMM 05-50-20									
05-CA/21	NO. 1 ENGINE - CONTAMINATION OF OIL WITH NON - METALLIC FOREIGN MATERIAL							Service	ATA:05
	MOS/MSC	01-May-20	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-21, LMM 05-50-21PROC. REF: EM 05-50-21, LMM 05-50-21									
05-CA/22	NO. 1 ENGINE - INGESTION OF UNAPPROVED ENGINE OIL BRANDS							Service	ATA:05
	MOS/MSC	01-May-20	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-22, LMM 05-50-22PROC. REF: EM 05-50-22, LMM 05-50-22									
05-CA/23	NO. 1 ENGINE - UNUSUAL FUEL SYSTEM CONDITION							Service	ATA:05
	MOS/MSC	01-May-20	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-23, LMM 05-50-23PROC. REF: EM 05-50-23, LMM 05-50-23									
05-CA/25	NO. 1 ENGINE - TABLE 3 SCHEDULED MAINTENANCE CHECKS - 12 MONTHS OR 600 HOURS, WHICHEVER OCCURS FIRST							Package	ATA:05
	MOS	05-Sep-25	12 (+30d/-30d)	Adj -70d	27-Jun-26	27-Jul-26	95 d (+30)		
	HRS	1435:41	600 (+10%/-10%)		(2035:41) 2035:41	2095:41	424:40 (+60)		
	ENC	777							
PROC. REF: EM 05-20-00, LMM 05-20-00PROC. REF: EM 05-20-00, LMM 05-20-00									

PKG:2
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-CA/26	NO. 1 ENGINE - TABLE 4 SCHEDULED MAINTENANCE CHECKS - 600 HOURS							Package	ATA:05
	MOS	05-Sep-25							
	HRS	1435:41	600 (+10%/-10%)		(2035:41) 2035:41	2095:41	424:40 (+60)		
	ENC	777							
PKG:3									
PROC. REF: EM 05-20-00, LMM 05-20-00PROC. REF: EM 05-20-00, LMM 05-20-00									
05-CA/3	NO. 1 ENGINE - ENGINE OVERTEMPERATURE							Service	ATA:05
	MOS/MSC	01-May-20	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-03, LMM 05-50-03PROC. REF: EM 05-50-03, LMM 05-50-03									
05-CA/30	NO. 1 ENGINE - ENGINE PERFORMANCE DETERIORATION							Service	ATA:05
	MOS/MSC	01-May-20	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-01, LMM 05-50-01PROC. REF: EM 05-50-01, LMM 05-50-01									
05-CA/31	NO. 1 ENGINE - ENGINE STARTING FAULT OR AN ELECTRICAL GENERATION DEFECT ON STARTER-GENERATOR							Service	ATA:05
	MOS/MSC	01-May-20	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-25, LMM 05-50-25PROC. REF: EM 05-50-25, LMM 05-50-25									
05-CA/32	NO. 1 ENGINE - STATIC OIL LEAK BETWEEN OIL TANK AND AGB							Service	ATA:05
	MOS/MSC		A/R						
	HRS								
	ENC								
PROC. REF: EM 05-50-26PROC. REF: EM 05-50-26									
05-CA/4	NO. 1 ENGINE - ENGINE OVERSPEED							Service	ATA:05
	MOS/MSC	01-May-20	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-04, LMM 05-50-04PROC. REF: EM 05-50-04, LMM 05-50-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 05 - TIME LIMITS/MAINTENANCE CHECKS

05-CA/5	NO. 1 ENGINE - ENGINE IMMERSION IN WATER							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-05, LMM 05-50-05PROC. REF: EM 05-50-05, LMM 05-50-05								

05-CA/6	NO. 1 ENGINE - DROPPED ENGINE OR COMPONENT DURING HANDLING							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-06, LMM 05-50-06PROC. REF: EM 05-50-06, LMM 05-50-06								

05-CA/7	NO. 1 ENGINE - FOREIGN OBJECT DAMAGE (FOD)/HARD MATERIAL INGESTION							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-07, LMM 05-50-07PROC. REF: EM 05-50-07, LMM 05-50-07								

05-CA/8	NO. 1 ENGINE - BIRD STRIKE/SOFT MATERIAL INGESTION							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-08, LMM 05-50-08PROC. REF: EM 05-50-08, LMM 05-50-08								

05-CA/9	NO. 1 ENGINE - CHIP DETECTOR CIRCUIT COMPLETION AND/OR UNWANTED MATERIAL IN OIL FILTER							Service ATA:05
	MOS/MSC	01-May-20	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-09, LMM 05-50-09PROC. REF: EM 05-50-09, LMM 05-50-09								

ATA 06 - DIMENSIONS AND AREAS

06-00/119 ^{US}	JOB CLOSE UP - ACCESS PANELS 42AB, 42AT AND 32CT - INSTALL AS NECESSARY TO CLOSE UP THE INSPECTION.							Service ATA:06
	MOS/MSC	09-Dec-25	A/R					
	HRS	1494:43						
	AFL	883						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
PKG:5 ,1,2,3,4									
06-00/123	U ^S	JOB SET UP - ACCESS PANELS 42AB, 42AT AND 32CT - REMOVE AS NECESSARY TO DO THE INSPECTION					Service	ATA:06	
	MOS/MSC	09-Dec-25	A/R						
	HRS	1494:43							
	AFL	883							
PKG:5 ,1,2,3,4									
06-00/218		ACCESS PANELS 11AL, 11AR, 11BL, 11BR, 12AL, 12AR, 12AZ, 12AB, 12BB, 12BL, 12BR, 12BZ, 12CL, 12CR, 12CZ, 12DL, 12DR, 12DZ, 12EL, 12ER, 12EZ, 12FL, 12FR, 12FZ, 12HZ, 21GZ, 21JZ, 21PZ, 21QZ, 31AB, 31AL, 32AB, 32AL, 32BL, 32BT, 32CL, 32CT, 32DL, 33ET, 41AT, 42AT, 42AB, 51KB, 51MB, 51NB, 52KB, 52MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB, 62SB, 62TB - OPEN / REMOVE AS NECESSARY TO DO THE INSPECTION. EXAMINE AND MAKE SURE THAT THE ACCESS PANEL DRAIN HOLES ARE CLEAR					Service	ATA:06	
	MOS	09-Dec-25	12 (+10%/-10%)		09-Dec-26	15-Jan-27	260 d (+37)		
	HRS	1494:43	1200 (+60/-60)		2694:43	2754:43	1083:42 (+60)		
	AFL	883							
PKG:3,5 ,1,2,4									
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A									
06-00/219		JOB SET UP - ACCESS PANELS: 11AL, 11AR, 11BL, 11BR, 12AL, 12AR, 12AZ, 12AB, 12BB, 12BL, 12BR, 12BZ, 12CL, 12CR, 12CZ, 12DL, 12DR, 12DZ, 12EL, 12ER, 12EZ, 12FL, 12FR, 12FZ, 12HZ, 21GZ, 21JZ, 21PZ, 21QZ, 31AB, 31AL, 32AB, 32AL, 32BL, 32BT, 32CL, 32CT, 32DL, 33ET, 41AT, 42AT, 42AB, 51KB, 51MB, 51NB, 52KB, 52MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB, 62SB, 62TB - CLOSE OR INSTALL AS NECESSARY TO CLOSE UP THE INSPECTION					Service	ATA:06	
	MOS	09-Dec-25	12 (+10%/-10%)		09-Dec-26	15-Jan-27	260 d (+37)		
	HRS	1494:43	1200 (+60/-60)		2694:43	2754:43	1083:42 (+60)		
	AFL	883							
PKG:3,5 ,1,2,4									
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A									
06-00/518	S	ACCES PANEL: 21QZ - REMOVE AND EXAMINE					Service	ATA:06	
	MOS	05-Sep-25							
	HRS	1435:41	600 (+60/-60)						
	AFL	807							
PKG:1									
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/519 ^S	ACCES PANEL: 21QZ - INSTALL							Service	ATA:06
	MOS	05-Sep-25							
	HRS	1435:41	600 (+60/-60)						
	AFL	807							
PKG:1									
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A									
06-00/520	REMOVE AND EXAMINE FUSELAGE ACCESS PANEL 21PZ,21QZ							Service	ATA:06
	MOS	05-Sep-25	12 (+10%/-10%)		05-Sep-26	11-Oct-26	165 d (+36)		
	HRS	1435:41	600 (+60/-60)		2035:41	2095:41	424:40 (+60)		
	AFL	807							
PKG:2 WO#: 2602-PVN									
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A									
06-00/521	INSTALL FUSELAGE ACCESS PANEL 21PZ,21QZ							Service	ATA:06
	MOS	05-Sep-25	12 (+10%/-10%)		05-Sep-26	11-Oct-26	165 d (+36)		
	HRS	1435:41	600 (+60/-60)		2035:41	2095:41	424:40 (+60)		
	AFL	807							
PKG:2 WO#: 2602-PVN									
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A									
06-00/522 ^S	ACCES PANEL: 11AL, 11AZ, 11BL, 11CL, 12AL, 12EL, 12ERT, 12EZ, 21JZ, 22AZ, 32AB, 32CT, 33ET, 51AB, 51BB, 51DB, 61AB, 61BB, 61DB - OPEN OR REMOVE. EXAMINE AND MAKE SURE THE ACCESS PANEL DRAIN HOLES ARE CLEAR							Service	ATA:06
	MOS	14-Aug-24	24 (+10%/-10%)						
	HRS	1127	2400 (+10%/-10%)						
	AFL	600							
PKG:4 WO#: 2602-PVN									
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/523 ^S	ACCES PANEL: 11AL, 11AZ, 11BL, 11CL, 12AL, 12EL, 12ERT, 12EZ, 21JZ, 22AZ, 32AB, 32CT, 33ET, 51AB, 51BB, 51DB, 61AB, 61BB, 61DB - CLOSE OR INSTALL							Service ATA:06
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
								PKG:4 WO#: 2602-PVN
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								
06-00/576 ^S	ACCESS PANELS,EMPENNAGE: 31AB, 31AL, 32AB, 32AL, 32BL, 32BT, 32CL, 32CT, 32DL, 32DR, 33DT, 33ET, 34DT, - OPEN OR REMOVE. EXAMINE.							Service ATA:06
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+60/-60)					
	AFL	807						
								PKG:3 WO#: 2602-PVN
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								
06-00/577 ^S	ACCESS PANELS,EMPENNAGE: 31AB, 31AL, 32AB, 32AL, 32BL, 32BT, 32CL, 32CT, 32DL, 32DR, 33DT, 33ET, 34DT, - CLOSE OR INSTALL.							Service ATA:06
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+60/-60)					
	AFL	807						
								PKG:3 WO#: 2602-PVN
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								
06-00/578 ^S	ACCESS PANELS, WING: 51LB, 51JB, 51KB, 51MB, 51NB, 52KB, 51MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB, 62SB, 62TB - REMOVE AND EXAMINE							Service ATA:06
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+60/-60)					
	AFL	807						
								PKG:3 WO#: 2602-PVN
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/579 ^S	ACCESS PANELS, WING: 51LB, 51JB, 51KB, 51MB, 51NB, 52KB, 51MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB, 62SB, 62TB - INSTALL							Service	ATA:06
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+60/-60)						
	AFL	807							
								PKG:3	WO#: 2602-PVN
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A									
06-00/580 ^S	ACCESS PANELS, EMPENNAGE: 31AB, 32AB - OPEN OR REMOVE. EXAMINE							Service	ATA:06
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+60/-60)						
	AFL	807							
								PKG:2	WO#: 2602-PVN
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A									
06-00/581 ^S	ACCESS PANELS, EMPENNAGE: 31AB, 32AB - CLOSE OR INSTALL							Service	ATA:06
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+60/-60)						
	AFL	807							
								PKG:2	WO#: 2602-PVN
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A									
06-00/582 ^S	ACCESS PANELS, EMPENNAGE: 41AT, 42AB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+60/-60)						
	AFL	807							
								PKG:2	WO#: 2602-PVN
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A									
06-00/583 ^S	ACCESS PANELS, EMPENNAGE: 41AT, 42AB - INSTALL							Service	ATA:06
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+60/-60)						
	AFL	807							
								PKG:2	WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 06 - DIMENSIONS AND AREAS

PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A

06-00/584 ^S	ACCESS PANELS, EMPENNAGE: 51JB, 51LB, 51MB, 51NB, 52OB, 53QB, 52TB, 61JB, 61LB, 61MB, 61NB, 62OB, 62QB, 62TB - REMOVE AND EXAMINE						Service	ATA:06
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+60/-60)					
	AFL	807						

PKG:2
WO#: 2602-PVN

PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A

06-00/585 ^S	ACCESS PANELS, EMPENNAGE: 51JB, 51LB, 51MB, 51NB, 52OB, 53QB, 52TB, 61JB, 61LB, 61MB, 61NB, 62OB, 62QB, 62TB - INSTALL						Service	ATA:06
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+60/-60)					
	AFL	807						

PKG:2
WO#: 2602-PVN

PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A

06-00/586 ^S	ACCESS PANELS, EMPENNAGE: 32AB, 32CT, 33ET - REMOVE AND EXAMINE						Service	ATA:06
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						

PKG:4
WO#: 2602-PVN

PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A

06-00/587 ^S	ACCESS PANELS, EMPENNAGE: 32AB, 32CT, 33ET - INSTALL						Service	ATA:06
	MOS	14-Aug-24	24 (+6m/-10%)					
	HRS	1127	2400 (+500/-10%)					
	AFL	600						

PKG:4
WO#: 2602-PVN

PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/588 ^S	ACCESS PANELS, EMPENNAGE: 51AB, 51BB, 51DB,, 61AB, 61BB, 61DB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	14-Aug-24	24 (+10%/-10%)						
	HRS	1127	2400 (+10%/-10%)						
	AFL	600							
PKG:4 WO#: 2602-PVN									
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A									
06-00/589 ^S	ACCESS PANELS, EMPENNAGE: 51AB, 51BB, 51DB,, 61AB, 61BB, 61DB - INSTALL							Service	ATA:06
	MOS	14-Aug-24	24 (+10%/-10%)						
	HRS	1127	2400 (+10%/-10%)						
	AFL	600							
PKG:4 WO#: 2602-PVN									
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A									
ATA 07 - LIFTING AND SHORING									
07-10/160 ^S	JOB CLOSE UP - AIRCRAFT - LOWER TO THE GROUND, REMOVE JACKS AND DISCONNECT THE AIRCRAFT FROM GROUND AS NECESSARY TO CLOSE UP THE INSPECTION							Service	ATA:07
	MOS/MSC	09-Dec-25	A/R						
	HRS	1494:43							
	AFL	883							
PKG:5 ,1,2,3,4									
PROC. REF: AMM 12-B-07-10-00-00A-901A-APROC. REF: AMM 12-B-07-10-00-00A-901A-A									
07-10/161 ^S	JOB SET UP - AIRCRAFT - LIFT ON JACKS AND CONNECT THE AIRCRAFT TO GROUND AS NECESSARY TO DO THE INSPECTION							Service	ATA:07
	MOS/MSC	09-Dec-25	A/R						
	HRS	1494:43							
	AFL	883							
PKG:5 ,1,2,3,4									
PROC. REF: AMM 12-B-07-10-00-00A-901A-APROC. REF: AMM 12-B-07-10-00-00A-901A-A									
ATA 08 - LEVELING AND WEIGHING									
08-CA/1	AIRCRAFT WEIGHING							Service	ATA:08
	MOS	29-May-25	48		29-May-29		1162 d		
	HRS	1341:01							
	AFL	711							
PROC. REF: AMM 12-B-08-10-00-00A-901A-APROC. REF: AMM 12-B-08-10-00-00A-901A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV									
10-10/517 ^S	EXTERNAL PROTECTIVE COVERS (MSN 2001 AND UP) - EXAMINE. REPLACE IF THE APPLICABLE COVER: - IS DAMAGED OR TORN - DOES NOT INSTALL CORRECTLY - IS MISSING ANY PARTS.							Service	ATA:10
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PKG:2 WO#: 2602-PVN									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
10-10/901	STORING - COMPLY WITH PART 1 OF THE PROCEDURE FOR AIRCRAFT BEING STORED UP TO 7 DAYS							Service	ATA:10
	MOS/MSC	31-Aug-20	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-10-10-01-00A-901A-APROC. REF: AMM 12-B-10-10-01-00A-901A-A									
10-10/902	STORING - COMPLY WITH PART 2 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 7 DAYS AND UP TO 28 DAYS							Service	ATA:10
	MOS/MSC	31-Aug-20	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-10-10-01-00A-901A-APROC. REF: AMM 12-B-10-10-01-00A-901A-A									
10-10/903	STORING - COMPLY WITH PART 3 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 28 DAYS AND UP TO 90 DAYS							Service	ATA:10
	MOS/MSC	31-Aug-20	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-10-10-01-00A-901A-APROC. REF: AMM 12-B-10-10-01-00A-901A-A									
10-10/904	STORING - COMPLY WITH PART 4 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 90 DAYS							Service	ATA:10
	MOS/MSC	31-Aug-20	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-10-10-01-00A-901A-APROC. REF: AMM 12-B-10-10-01-00A-901A-A									
10-30/901	RETURN TO SERVICE - COMPLY WITH PART 1 OF THE PROCEDURE FOR AIRCRAFT BEING STORED UP TO 7 DAYS							Service	ATA:10
	MOS/MSC	31-Aug-20	A/R						
	HRS	0							
	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 10 - PARKING, MOORING, STORE AND RET TO SERV

PROC. REF: AMM 12-C-10-30-00-00A-901A-APROC. REF: AMM 12-C-10-30-00-00A-901A-A

10-30/902	RETURN TO SERVICE - COMPLY WITH PART 2 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 7 DAYS AND UP TO 28 DAYS						Service	ATA:10
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-10-30-00-00A-901A-APROC. REF: AMM 12-C-10-30-00-00A-901A-A								

10-30/903	RETURN TO SERVICE - COMPLY WITH PART 3 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 28 DAYS AND UP TO 90 DAYS						Service	ATA:10
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-10-30-00-00A-901A-APROC. REF: AMM 12-C-10-30-00-00A-901A-A								

10-30/904	RETURN TO SERVICE - COMPLY WITH PART 4 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 90 DAYS						Service	ATA:10
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-10-30-00-00A-901A-APROC. REF: AMM 12-C-10-30-00-00A-901A-A								

ATA 11 - PLACARDS AND MARKINGS

11-00/220 ^S	PLACARDS AND MARKINGS - EXAMINE AND ATTACH NEW PLACARDS IF NECESSARY						Service	ATA:11
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						

PROC. REF: AMM 12-B-11-00-00-00A-040A-A, AMM 12-B-11-00-00-00A-901A-A, AMM 12-B-11-20-00-00A-901A-A, AMM 12-B-11-30-00-00A-040A-APROC. REF: AMM 12-B-11-00-00-00A-040A-A, AMM 12-B-11-00-00-00A-901A-A, AMM 12-B-11-20-00-00A-901A-A, AMM 12-B-11-30-00-00A-040A-A

PKG:3
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 12 - SERVICING									
12-20/124 ^S	JOB SET UP - AIRCRAFT - WASH THE EXTERIOR, INCLUDING THE LANDING GEAR AND FLAP COMPARTMENTS AS REQUIRED TO DO THE INSPECTION							Service	ATA:12
	MOS/MSC	09-Dec-25	A/R						
	HRS	1494:43							
	AFL	883							
								PKG:5 ,1,2,3,4	
PROC. REF: AMM 12-B-12-20-01-00A-902A-A, AMM 12-B-12-20-01-01A-902A-APROC. REF: AMM 12-B-12-20-01-00A-902A-A, AMM 12-B-12-20-01-01A-902A-A									
12-20/125 ^S	JOB SET UP - WINDSHIELDS AND WINDOWS - CLEAN							Service	ATA:12
	MOS/MSC	09-Dec-25	A/R						
	HRS	1494:43							
	AFL	883							
								PKG:5 ,1,2,3,4	
PROC. REF: AMM 12-B-12-20-02-00A-902A-APROC. REF: AMM 12-B-12-20-02-00A-902A-A									
12-20/126 ^S	JOB SET UP - COCKPIT AND CABIN - CLEAN							Service	ATA:12
	MOS/MSC	09-Dec-25	A/R						
	HRS	1494:43							
	AFL	883							
								PKG:5 ,1,2,3,4	
PROC. REF: AMM 12-B-12-20-03-00A-902A-APROC. REF: AMM 12-B-12-20-03-00A-902A-A									
12-CA/1	AIRCRAFT WASH							Service	ATA:12
	MOS	05-Feb-26	3		05-May-26		42 d		
	HRS	1533:25							
	AFL	919							
								WO#: 2601-PVN	
PROC. REF: AMM 12-B-12-20-01-00A-902A-A, AMM 12-B-12-20-02-00A-902A-A, AMM 12-B-12-20-03-00A-902A-APROC. REF: AMM 12-B-12-20-01-00A-902A-A, AMM 12-B-12-20-02-00A-902A-A, AMM 12-B-12-20-03-00A-902A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 20 - STANDARD PRACTICES - AIRFRAME									
00-00/45	AIRCRAFT EXTERNAL CORROSION PROTECTIVE INSPECTION							Service	ATA:20
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -19d	17-Aug-26	23-Sep-26	146 d (+37)		
	HRS	1435:41							
	AFL	807							
								WO#: 2602-PVN	
PROC. REF: AMM 12-B-20-40-00-00A-901A-APROC. REF: AMM 12-B-20-40-00-00A-901A-A									
00-00/45	AIRCRAFT INTERNAL CORROSION PROTECTIVE INSPECTION							Service	ATA:20
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -22d	14-Aug-26	20-Sep-26	143 d (+37)		
	HRS	1435:41							
	AFL	807							
								WO#: 2602-PVN	
PROC. REF: AMM 12-B-20-40-00-00A-901A-APROC. REF: AMM 12-B-20-40-00-00A-901A-A									
20-CA/1	FUSELAGE BELLY DRAIN HOLE INSPECTION							Service	ATA:20
	MOS	05-Sep-25	12 (+10%/-10%)		05-Sep-26	11-Oct-26	165 d (+36)		
	HRS	1435:41	1200 (+10%/-10%)		2635:41	2755:41	1024:40 (+120)		
	AFL	807							
								WO#: 2602-PVN	
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A									
ATA 21 - AIR CONDITIONING									
21-20/221 ^S	ECS AND BLEED AIR DUCTS, PIPELINES, EQUIPMENT AND ASSOCIATED CLAMPS IN THE ENGINE COMPARTMENT - EXAMINE							Service	ATA:21
	MOS	14-Aug-24	24 (+10%/-10%)						
	HRS	1127	2400 (+10%/-10%)						
	AFL	600							
								PKG:4 WO#: 2602-PVN	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
21-20/317	ECS EMERGENCY SHUT-OFF SYSTEM CHECK							Service	ATA:21
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	95 d (+36)		
	HRS	1435:41	3000 (+10%/-10%)		4435:41	4735:41	2824:40 (+300)		
	AFL	807							
								WO#: 2602-PVN	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-30/314 ^S	CABIN PRESSURIZATION POSITIVE PRESSURE RELIEF VALVE - CHECK FOR CONTAMINATION OF THE VALVE POPPET AND POPPET SEAT. IF CONTAMINATION IF FOUND REMOVE AND CLEAN							Service	ATA:21
	MOS	14-Aug-24	24 (+10%/-10%)						
	HRS	1127	2400 (+10%/-10%)						
	AFL	600							
								PKG:4 WO#: 2602-PVN	
PROC. REF: AMM 12-B-21-30-02-00A-250A-APROC. REF: AMM 12-B-21-30-02-00A-250A-A									
21-30/463	CABIN PRESSURIZATION DUMP CONTROL - OPERATIONAL TEST							Service	ATA:21
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	95 d (+36)		
	HRS	1435:41	600		2035:41		424:40		
	AFL	807							
								WO#: 2602-PVN	
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A									
21-30/464	CABIN PRESSURIZATION MANUAL CONTROL - OPERATIONAL TEST							Service	ATA:21
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	95 d (+36)		
	HRS	1435:41	600		2035:41		424:40		
	AFL	807							
								WO#: 2602-PVN	
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A									
21-30/465	CABIN PRESSURIZATION POSITIVE PRESSURE RELIEF VALVE - FUNCTIONAL TEST							Service	ATA:21
	MOS	14-Aug-24	48		14-Aug-28		874 d		
	HRS	1127	4800		5927		4315:59		
	AFL	600							
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A									
21-30/467	CABIN PRESSURIZATION NEGATIVE PRESSURE RELIEF VALVE - EXAMINE							Service	ATA:21
	MOS	14-Aug-24	48 (+10%/-10%)	Adj 17d	31-Aug-28	24-Jan-29	891 d (+146)		
	HRS	1127	4800 (+10%/-10%)		5927	6407	4315:59 (+480)		
	AFL	600							
PROC. REF: AMM 12-B-21-30-05-00A-310A-APROC. REF: AMM 12-B-21-30-05-00A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-30/468	CABIN PRESSURIZATION ALTITUDE LIMITING FUNCTION - FUNCTIONAL TEST							Service	ATA:21
	MOS	14-Aug-24	48		14-Aug-28		874 d		
	HRS	1127	4800		5927		4315:59		
	AFL	600							
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A									
21-30/469	CABIN PRESSURIZATION HIGH CABIN ALTITUDE WARNING - FUNCTIONAL TEST							Service	ATA:21
	MOS	14-Aug-24	48		14-Aug-28		874 d		
	HRS	1127	4800		5927		4315:59		
	AFL	600							
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A									
21-40/128 ^S	FLIGHT COMPARTMENT FOOT HEATER (IF INSTALLED) THERMAL PROTECTION SWITCH - OPERATIONAL TEST							Service	ATA:21
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
PROC. REF: AMM 12-B-21-43-00-00A-903A-APROC. REF: AMM 12-B-21-43-00-00A-903A-A									
21-40/330 ^S	CABIN AUXILIARY HEATER THERMAL PROTECTION SWITCH - OPERATIONAL TEST							Service	ATA:21
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
PROC. REF: AMM 12-B-21-40-01-00A-903B-APROC. REF: AMM 12-B-21-40-01-00A-903B-A									
21-40/331 ^S	UNDERFLOOR HEATER THERMAL PROTECTION SWITCH - FUNCTIONAL TEST							Service	ATA:21
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
PROC. REF: AMM 12-B-21-40-01-00A-903B-APROC. REF: AMM 12-B-21-40-01-00A-903B-A									

PKG:3
WO#: 2602-PVN

PKG:3
WO#: 2602-PVN

PKG:3
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-40/50 ^S WATER SEPARATOR CONDENSER - CLEAN Service ATA:21								
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-21-40-03-00A-250A-APROC. REF: AMM 12-B-21-40-03-00A-250A-A								
21-40/51 OVERTEMPERATURE SWITCH - FUNCTIONAL TEST Service ATA:21								
PN:973.81.32.216	MOS	05-Sep-25	60 (+6m/-6m)	Adj -5d	31-Aug-30	28-Feb-31	1621 d (+181)	
SN:1525	HRS	1435:41	4800 (+10%/-10%)		6235:41	6715:41	4624:40 (+480)	
	AFL	807						
PROC. REF: AMM 12-B-21-40-06-00A-903A-APROC. REF: AMM 12-B-21-40-06-00A-903A-A								
21-40/52 DUCT OVERTEMPERATURE SWITCH - FUNCTIONAL TEST Service ATA:21								
PN:973.81.32.214	MOS	05-Sep-25	60 (+6m/-6m)	Adj -5d	31-Aug-30	28-Feb-31	1621 d (+181)	
SN:1381	HRS	1435:41	4800 (+10%/-10%)		6235:41	6715:41	4624:40 (+480)	
	AFL	807						
PROC. REF: AMM 12-B-21-60-05-00A-903A-APROC. REF: AMM 12-B-21-60-05-00A-903A-A								
21-40/55 ^S COLD AIR UNIT - ADD OIL Service ATA:21								
	MOS	05-Sep-25						
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-21-40-02-00A-902A-APROC. REF: AMM 12-B-21-40-02-00A-902A-A								
21-40/56 ^S HEAT EXCHANGER MATRIX - INSPECTION/CHECK Service ATA:21								
	MOS	05-Sep-25						
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-21-40-02-00A-313A-APROC. REF: AMM 12-B-21-40-02-00A-313A-A								

PKG:3
WO#: 2602-PVN

PKG:1

PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 21 - AIR CONDITIONING

21-50/499 ^S	VAPOR CYCLE COMPRESSOR CONDENSER MODULE - INSPECTION/CHECK							Service ATA:21
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						

PKG:2
WO#: 2602-PVN

PROC. REF: AMM 12-C-21-50-01-00A-313A-APROC. REF: AMM 12-C-21-50-01-00A-313A-A

PC12A21200100	FIREWALL SHUT-OFF VALVE, S901							Component ATA:21
PN:963.30.11.005	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1262	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						

PROC. REF: AMM 12-B-21-20-01-00A-920A-APROC. REF: AMM 12-B-21-20-01-00A-920A-A

PC12A21200200	DUAL FLAPPER CHECK VALVE, 2.5 IN							Component ATA:21
PN:963.30.11.106	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:3601B	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						

PROC. REF: AMM 12-B-21-30-05-00A-920A-APROC. REF: AMM 12-B-21-30-05-00A-920A-A

PC12A21300100	CABIN PRESSURIZATION CONTROL UNIT, A176							Component ATA:21
PN:959.90.91.147	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:65000052-00376	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						

PROC. REF: AMM 12-B-21-30-01-00A-920B-APROC. REF: AMM 12-B-21-30-01-00A-920B-A

PC12A21300200	SAFETY VALVE							Component ATA:21
PN:959.90.91.132	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:20-F0996	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						

PROC. REF: AMM 12-B-21-30-02-00A-920A-APROC. REF: AMM 12-B-21-30-02-00A-920A-A

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
PC12A21300300		OUTFLOW VALVE, B154						Component	ATA:21
PN:959.90.91.125	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:65053598-00381	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-21-30-03-00A-920B-APROC. REF: AMM 12-B-21-30-03-00A-920B-A									
PC12A21300410		NEGATIVE PRESSURE RELIEF VALVE, LH						Component	ATA:21
PN:963.30.11.106	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:3600B	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-21-30-05-00A-920A-APROC. REF: AMM 12-B-21-30-05-00A-920A-A									
PC12A21300420		NEGATIVE PRESSURE RELIEF VALVE, RH						Component	ATA:21
PN:963.30.11.106	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:3605B	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-21-30-05-00A-920A-APROC. REF: AMM 12-B-21-30-05-00A-920A-A									
PC12A21400100		HP SHUT-OFF VALVE, L046						Component	ATA:21
PN:959.90.20.131	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:2436	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-21-40-04-00A-920A-APROC. REF: AMM 12-B-21-40-04-00A-920A-A									
PC12A21400200		PRIMARY SHUT-OFF VALVE, L086						Component	ATA:21
PN:959.90.20.132	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:2421	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-21-40-05-00A-920A-APROC. REF: AMM 12-B-21-40-05-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
PC12A21400300		WATER INJECTOR						Component	ATA:21
PN:959.90.20.141	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:2428	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A21400400		DUAL FLAPPER CHECK VALVE, 1.5 IN						Component	ATA:21
PN:963.30.11.105	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:1929B	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-21-30-05-00A-920A-APROC. REF: AMM 12-B-21-30-05-00A-920A-A									
PC12A21400500		OVERPRESSURE SWITCH, S084						Component	ATA:21
PN:973.81.15.105	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:1879	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-21-40-07-00A-920A-APROC. REF: AMM 12-B-21-40-07-00A-920A-A									
PC12A21400600		HIGH-PRESSURE SWITCH, S020						Component	ATA:21
PN:973.81.15.106	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:1892	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-21-40-08-00A-920A-APROC. REF: AMM 12-B-21-40-08-00A-920A-A									
PC12A21400710		UNDERFLOOR HEATER, FR 21/22, HR210						Component	ATA:21
PN:969.67.81.507	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:603520	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-21-40-01-00A-920A-APROC. REF: AMM 12-B-21-40-01-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PC12A21400720 CABIN HEATER, FR 29/30, HR291								Component ATA:21
PN:969.67.81.507	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:603527	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-21-40-15-00A-920A-APROC. REF: AMM 12-B-21-40-15-00A-920A-A								
PC12A21400810 UNDERFLOOR HEATER RELAY, FR 21, K210								Component ATA:21
PN:974.09.26.111	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:284	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A21400820 CABIN HEATER RELAY, FR 29, K293								Component ATA:21
PN:974.09.26.111	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:288	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A21400900 REFRIGERATION PACK								Component ATA:21
PN:959.90.20.111	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:2457	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-21-40-02-00A-920A-APROC. REF: AMM 12-B-21-40-02-00A-920A-A								
PC12A21401000 OVERTEMPERATURE SWITCH, BLEED AIR, S044								Component ATA:21
PN:973.81.32.216	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1525	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-06-00A-920A-APROC. REF: AMM 12-B-21-40-06-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
PC12A21500100		COMPRESSOR					Component ATA:21		
PN:959.90.22.157	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:00139	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-C-21-50-01-00A-920A-APROC. REF: AMM 12-C-21-50-01-00A-920A-A									
PC12A21500200		CONDENSER MODULE					Component ATA:21		
PN:959.90.22.145	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:00147	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-C-21-50-05-00A-920A-APROC. REF: AMM 12-C-21-50-05-00A-920A-A									
PC12A21500300		CONDENSER FAN					Component ATA:21		
PN:959.90.22.146	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:00152	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-C-21-50-04-00A-920A-APROC. REF: AMM 12-C-21-50-04-00A-920A-A									
PC12A21500400		EVAPORATOR ASSEMBLY, LH					Component ATA:21		
PN:959.90.22.150	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:00151	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-C-21-50-02-00A-920A-APROC. REF: AMM 12-C-21-50-02-00A-920A-A									
PC12A21500500		EVAPORATOR ASSEMBLY, RH					Component ATA:21		
PN:959.90.22.158	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:00148	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-C-21-50-02-00A-920A-APROC. REF: AMM 12-C-21-50-02-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PC12A21600100 INTEGRATED ECS CONTROLLER, A181								Component ATA:21
PN:959.90.20.129	MOS/MSC	31-Aug-20	O/C		TSN 0			
SN:1030	HRS	0			TSN 0			
	AFL	0			TSN 0			
	ACH	0						
PROC. REF: AMM 12-B-21-60-01-00A-920A-APROC. REF: AMM 12-B-21-60-01-00A-920A-A								
PC12A21600200 TEMPERATURE CONTROL VALVE								Component ATA:21
PN:959.90.20.137	MOS/MSC	31-Aug-20	O/C		TSN 0			
SN:2432	HRS	0			TSN 0			
	AFL	0			TSN 0			
	ACH	0						
PROC. REF: AMM 12-B-21-60-02-00A-920A-APROC. REF: AMM 12-B-21-60-02-00A-920A-A								
PC12A21600300 FLOW CONTROL VALVE ACTUATOR, B155								Component ATA:21
PN:959.90.20.161	MOS/MSC	31-Aug-20	O/C		TSN 0			
SN:000229	HRS	0			TSN 0			
	AFL	0			TSN 0			
	ACH	0						
PROC. REF: AMM 12-B-21-60-03-00A-920A-APROC. REF: AMM 12-B-21-60-03-00A-920A-A								
PC12A21600400 OVER TEMPERATURE SWITCH, ENGINE BAY, S082								Component ATA:21
PN:973.81.32.214	MOS/MSC	31-Aug-20	O/C		TSN 0			
SN:1381	HRS	0			TSN 0			
	AFL	0			TSN 0			
PROC. REF: AMM 12-B-21-40-06-00A-920A-APROC. REF: AMM 12-B-21-40-06-00A-920A-A								
PC12A21600510 DUCT TEMPERATURE SENSOR, ENGINE BAY. Z099								Component ATA:21
PN:959.90.20.121	MOS/MSC	31-Aug-20	O/C		TSN 0			
SN:5980	HRS	0			TSN 0			
	AFL	0			TSN 0			
	ACH	0						
PROC. REF: AMM 12-B-21-60-04-00A-920A-APROC. REF: AMM 12-B-21-60-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PC12A21600520 DUCT TEMPERATURE SENSOR, COCKPIT, Z131								Component ATA:21
PN:959.90.20.121	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:5983	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-21-60-04-00A-920A-APROC. REF: AMM 12-B-21-60-04-00A-920A-A								
PC12A21600530 DUCT TEMPERATURE SENSOR, UNDERFLOOR, Z211								Component ATA:21
PN:959.90.20.121	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:5982	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-21-60-04-00A-920A-APROC. REF: AMM 12-B-21-60-04-00A-920A-A								
PC12A21600540 DUCT TEMPERATURE SENSOR, CABIN, Z332								Component ATA:21
PN:959.90.20.121	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:6040	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-21-60-04-00A-920A-APROC. REF: AMM 12-B-21-60-04-00A-920A-A								
ATA 22 - AUTO FLIGHT								
22-10/233 ^S	PITCH, ROLL, AND YAW ACTUATORS AND CAPSTAN CONTROL CABLES - EXAMINE							Service ATA:22
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
22-10/60 ^S	SERVO MOUNT (PITCH, ROLL AND YAW) - REMOVE FOR CLUTCH CHECK							Service ATA:22
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-C-22-10-00-00A-313A-APROC. REF: AMM 12-C-22-10-00-00A-313A-A								

PKG:4
WO#: 2602-PVN

PKG:3
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 22 - AUTO FLIGHT

22-20/518 ^S	ANGLE OF ATTACK (AOA) TRANSMITTERS (MSN 2001 AND UP) -EXAMINE						Service	ATA:22
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						

PKG:2
WO#: 2602-PVN

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

22-20/519 ^S	STICK PUSHER SYSTEM (MSN 2001 AND UP) - CHECK						Service	ATA:22
	MOS	05-Sep-25						
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						

PKG:1

PROC. REF: AMM 12-C-22-20-00-00A-903A-APROC. REF: AMM 12-C-22-20-00-00A-903A-A

22-20/565 ^S	STICK PUSHER SYSTEM (MSN 2001 AND UP) - FUNCTIONAL TEST						Service	ATA:22
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						

PKG:3
WO#: 2602-PVN

PROC. REF: AMM 12-C-22-20-00-00A-903A-APROC. REF: AMM 12-C-22-20-00-00A-903A-A

PC12A22100110	SERVO ACTUATOR, ROLL, A233				Component	ATA:22
PN:985.99.12.275	MOS/MSC	31-Aug-20	O/C	TSN 0		
SN:KSA2700-4177	HRS	0		TSN 0		
	AFL	0		TSN 0		
	ACH	0				

PROC. REF: AMM 12-B-22-10-03-00A-920A-APROC. REF: AMM 12-B-22-10-03-00A-920A-A

PC12A22100120	SERVO ACTUATOR, YAW, A389				Component	ATA:22
PN:985.99.12.275	MOS/MSC	31-Aug-20	O/C	TSN 0		
SN:KSA2700-4180	HRS	0		TSN 0		
	AFL	0		TSN 0		
	ACH	0				

PROC. REF: AMM 12-B-22-10-04-00A-920A-APROC. REF: AMM 12-B-22-10-04-00A-920A-A

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
PC12A22100130		SERVO ACTUATOR, PITCH						Component	ATA:22
PN:985.99.12.275	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:KSA2700-4178	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-22-10-02-00A-920A-APROC. REF: AMM 12-B-22-10-02-00A-920A-A									
PC12A22100210		SERVO MOUNT, ROLL						Component	ATA:22
PN:985.99.12.133	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:KSM375-B4080	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A22100220		SERVO MOUNT, YAW						Component	ATA:22
PN:985.99.12.133	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:KSM375-B4083	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A22100230		SERVO MOUNT, PITCH						Component	ATA:22
PN:985.99.12.133	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:KSM375-B4084	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A22100300		FLIGHT CONTROL PANEL, A127						Component	ATA:22
PN:985.99.12.258	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:KMC9200A-1184	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-22-10-05-00A-920A-APROC. REF: AMM 12-B-22-10-05-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
PC12A22200100		STICK PUSHER COMPUTER, A171					Component	ATA:22	
PN:975.44.23.106	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:141794	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-C-22-20-01-00A-920A-APROC. REF: AMM 12-C-22-20-01-00A-920A-A									
PC12A22200200		ANGLE OF ATTACK (AOA) TRANSMITTER, LH, HR579					Component	ATA:22	
PN:975.44.21.423	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:2112	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-22-20-02-00A-920A-APROC. REF: AMM 12-B-22-20-02-00A-920A-A									
PC12A22200300		ANGLE OF ATTACK (AOA) TRANSMITTER, RH, HR679					Component	ATA:22	
PN:975.44.21.424	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:2220	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-22-20-02-00A-920A-APROC. REF: AMM 12-B-22-20-02-00A-920A-A									
PC12A22200400		STICK SHAKER ACTUATOR, A113					Component	ATA:22	
PN:978.61.11.143	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:1924	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-22-20-03-00A-920A-APROC. REF: AMM 12-B-22-20-03-00A-920A-A									
PC12A22200500		STICK PUSHER SERVO, A210					Component	ATA:22	
PN:978.61.11.103	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:81343	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-22-20-04-00A-920A-APROC. REF: AMM 12-B-22-20-04-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 22 - AUTO FLIGHT

PC12A22200600 STICK PUSHER CAPSTAN								Component ATA:22
PN:978.61.11.124	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:81271	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-22-20-06-00A-920A-APROC. REF: AMM 12-B-22-20-06-00A-920A-A								

ATA 23 - COMMUNICATIONS

23-10/322 ^S AUDIO CONTROL PANEL EMERGENCY SWITCH - OPERATIONAL TEST								Service ATA:23
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PROC. REF: AMM 12-B-23-50-00-00A-903A-APROC. REF: AMM 12-B-23-50-00-00A-903A-A								PKG:4 WO#: 2602-PVN

23-10/323 ^S EMERGENCY FREQUENCY COMM TUNING SWITCH - OPERATIONAL TEST								Service ATA:23
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PROC. REF: AMM 12-B-23-12-00-00A-903A-APROC. REF: AMM 12-B-23-12-00-00A-903A-A								PKG:4 WO#: 2602-PVN

PC12A23120110 MULTI MODE DIGITAL RADIO, MMDR 1, A115								Component ATA:23
PN:985.99.12.277	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:6510	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-23-12-01-00A-920A-APROC. REF: AMM 12-B-23-12-01-00A-920A-A								

PC12A23120120 MULTI MODE DIGITAL RADIO, MMDR 2, A114								Component ATA:23
PN:069-01039-0101	MOS/MSC	28-Feb-25	O/C	TSR 0				
SN:7774	HRS	1295:45		TSR 0				
	AFL	685		TSR 0				
PROC. REF: AMM 12-B-23-12-01-00A-920A-APROC. REF: AMM 12-B-23-12-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
PC12A23120210		VHF 1 ANTENNA, LOWER, E289						Component	ATA:23
PN:984.81.10.203	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:310-34984	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-23-12-02-00A-920A-APROC. REF: AMM 12-B-23-12-02-00A-920A-A									
PC12A23120220		VHF 2 ANTENNA, UPPER, E319						Component	ATA:23
PN:984.81.10.203	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:310-34985	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-23-12-03-00A-920A-APROC. REF: AMM 12-B-23-12-03-00A-920A-A									
PC12A23160200		SATCOM ANTENNA, IRIDIUM, FR 27/28, E272						Component	ATA:23
PN:984.81.10.210	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:430-16652	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-23-16-01-00A-920A-APROC. REF: AMM 12-B-23-16-01-00A-920A-A									
PC12A23500110		AUDIO CONTROL PANEL, PILOT, A125						Component	ATA:23
PN:985.99.12.055	MOS/MSC	15-Dec-22	O/C	TSN 28					
SN:B29A0115	HRS	747:17		TSN 747:17					
	AFL	397		TSN 397					
PROC. REF: AMM 12-B-23-50-01-00A-920A-APROC. REF: AMM 12-B-23-50-01-00A-920A-A									
PC12A23500120		AUDIO CONTROL PANEL, CO-PILOT, A126						Component	ATA:23
PN:985.99.12.055	MOS/MSC	15-Dec-22	O/C	TSN 28					
SN:B29A0110	HRS	747:17		TSN 747:17					
	AFL	397		TSN 397					
PROC. REF: AMM 12-B-23-50-01-00A-920A-APROC. REF: AMM 12-B-23-50-01-00A-920A-A									
ATA 24 - ELECTRICAL POWER									
24-30/311	GENERATOR CONTROL UNITS, GCU 1 AND GCU 2 - FUNCTIONAL TEST OVER AND UNDER-VOLTAGE TRIP PROTECTION (CMR)						Service	ATA:24	
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	95 d (+36)		

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
	HRS	1435:41	3000		4435:41		2824:40	
	AFL	807						
PROC. REF: AMM 12-C-71-00-00-00A-903D-APROC. REF: AMM 12-C-71-00-00-00A-903D-A								WO#: 2602-PVN
24-30/312 ^S EXTERNAL POWER CONTROLLER - OVER/UNDER VOLTAGE TRIP PROTECTION OPERATIONAL TEST								
	MOS	14-Aug-24	24 (+10%/-10%)					Service ATA:24
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PROC. REF: AMM 12-B-24-40-00-00A-903A-APROC. REF: AMM 12-B-24-40-00-00A-903A-A								PKG:4 WO#: 2602-PVN
24-30/313 ^S DC ELECTRICAL SYSTEM - FUNCTIONAL TEST								
	MOS	05-Sep-25	12 (+10%/-10%)					Service ATA:24
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-C-71-00-00-00A-903D-APROC. REF: AMM 12-C-71-00-00-00A-903D-A								PKG:3 WO#: 2602-PVN
24-30/340 NO. 1 LEAD ACID BATTERY - REMOVE / CAPACITY TEST								
PN:RG24-16	MOS	05-Feb-26	3 (+10%/-10%)		05-May-26	14-May-26	42 d (+9)	Service ATA:24
SN:41199183	HRS	1533:25	300 (+10%/-10%)		1833:25	1863:25	222:24 (+30)	
	AFL	919						
PROC. REF: AMM 12-B-24-30-07-00A-920A-APROC. REF: AMM 12-B-24-30-07-00A-920A-A								WO#: 2601-PVN
24-30/340 NO. 2 LEAD ACID BATTERY - REMOVE / CAPACITY TEST								
PN:976.11.26.120	MOS	05-Feb-26	6 (+10%/-10%)		05-Aug-26	23-Aug-26	134 d (+18)	Service ATA:24
SN:41080978	HRS	1533:25	600 (+10%/-10%)		2133:25	2193:25	522:24 (+60)	
	AFL	919						
PROC. REF: AMM 12-B-24-30-07-00A-920A-APROC. REF: AMM 12-B-24-30-07-00A-920A-A								WO#: 2601-PVN,2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-30/473 GENERATOR 1 (P/N 978.91.23.407) - BRUSH CHECK Service ATA:24								
PN:978.91.23.407	MOS	05-Sep-25						
SN:P1764	HRS	1435:41	600 (+10%/-10%)		2035:41	2095:41	424:40 (+60)	
	AFL	807						
PROC. REF: AMM 12-B-24-30-01-00A-313A-APROC. REF: AMM 12-B-24-30-01-00A-313A-A								
24-30/474 STARTER/GENERATOR 2 (P/N 978.91.23.407) - BRUSH CHECK Service ATA:24								
PN:978.91.23.407	MOS	05-Sep-25						
SN:P2866	HRS	1435:41	600 (+10%/-10%)		2035:41	2095:41	424:40 (+60)	
	AFL	807						
PROC. REF: AMM 12-B-24-30-01-00A-313A-APROC. REF: AMM 12-B-24-30-01-00A-313A-A								
24-30/492 OVERHAUL GENERATOR 1 (P/N 978.91.23.407) Service ATA:24								
PN:978.91.23.407	MOS	14-Aug-24						OVERHAUL
SN:P1764	HRS	1127	1200 (+10%/-10%)		2327	2447	715:59 (+120)	
	AFL	600						
PROC. REF: AMM 12-B-24-30-01-00A-920A-APROC. REF: AMM 12-B-24-30-01-00A-920A-A								
24-30/493 OVERHAUL STARTER/GENERATOR 2 (P/N 978.91.23.407) Service ATA:24								
PN:978.91.23.407	MOS	14-Aug-24						OVERHAUL
SN:P2866	HRS	1127	1200 (+10%/-10%)		2327	2447	715:59 (+120)	
	AFL	600						
PROC. REF: AMM 12-B-24-30-01-00A-920A-APROC. REF: AMM 12-B-24-30-01-00A-920A-A								
24-40/229 ^S EXTERNAL POWER UNIT (EPU) RECEPTACLE - EXAMINE Service ATA:24								
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

PKG:1

PKG:1

PKG:4

WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
24-50/509		EMERGENCY POWER SUPPLY - REMOVE / CAPACITY TEST					Service	ATA:24	
PN:985.83.14.953	MOS	05-Sep-25	12 (+10%/-10%)		05-Sep-26 (M)	11-Oct-26	165 d (+36)		
SN:84181	HRS	1435:41							
	AFL	807							
Installation Date: : 05-Sep-25								WO#: 2602-PVN	
PROC. REF: AMM 12-B-24-52-51-00A-920A-APROC. REF: AMM 12-B-24-52-51-00A-920A-A									
<hr/>									
24-60/133 ^S		COCKPIT CIRCUIT BREAKER PANELS AND SWITCH PANELS - EXAMINE					Service	ATA:24	
	MOS	14-Aug-24	24 (+10%/-10%)						
	HRS	1127	2400 (+10%/-10%)						
	AFL	600							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:4 WO#: 2602-PVN	
<hr/>									
PC12A24300110		NO. 1 BATTERY					Component	ATA:24	
PN:RG24-16	MOS/MSC	04-Apr-23	O/C	TSN 13					
SN:41199183	HRS	813:35		TSN 317:05					
	AFL	425		TSN 175					
PROC. REF: AMM 12-B-24-30-07-00A-920A-A, AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-APROC. REF: AMM 12-B-24-30-07-00A-920A-A, AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-A								WO#: 2601-PVN	
<hr/>									
PC12A24300120		NO. 2 BATTERY					Component	ATA:24	
PN:976.11.26.120	MOS/MSC	23-Feb-25	O/C	TSN 54					
SN:41080978	HRS	1278:35		TSN 1278:35					
	AFL	676		TSN 676					
PROC. REF: AMM 12-B-24-30-07-00A-920A-A, AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-APROC. REF: AMM 12-B-24-30-07-00A-920A-A, AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-A								WO#: 2601-PVN,2602-PVN	
<hr/>									
PC12A24300210		GENERATOR 1					Component	ATA:24	
PN:978.91.23.407	MOS/MSC	05-Sep-25	H/T	TSO 13					
SN:P1764	HRS	1435:41		TSN 1988:53, TSO 308:41					
	AFL	807		TSN 1672, TSO 207					
PROC. REF: AMM 12-B-24-30-01-00A-920A-APROC. REF: AMM 12-B-24-30-01-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PC12A24300220		STARTER/GENERATOR 2						Component ATA:24
PN:978.91.23.407	MOS/MSC	05-Sep-25	H/T	TSO 13				
SN:P2866	HRS	1435:41		TSN 3996:40, TSO 308:41				
	AFL	807		TSN 2370, TSO 207				
PROC. REF: AMM 12-B-24-30-01-00A-920A-APROC. REF: AMM 12-B-24-30-01-00A-920A-A								
PC12A24300310		VOLTAGE REGULATOR 1 (GCU 1)						Component ATA:24
PN:988.21.14.111	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:P5312	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-30-05-00A-920A-APROC. REF: AMM 12-B-24-30-05-00A-920A-A								
PC12A24300320		VOLTAGE REGULATOR 2 (GCU 2)						Component ATA:24
PN:988.21.14.111	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:P5269	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-30-06-00A-920A-APROC. REF: AMM 12-B-24-30-06-00A-920A-A								
PC12A24300410		CURRENT SENSOR, GENERATOR 1, LH, MT001						Component ATA:24
PN:975.50.85.111	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:N5738	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-24-30-08-00A-920A-APROC. REF: AMM 12-B-24-30-08-00A-920A-A								
PC12A24300420		CURRENT SENSOR, GENERATOR 2, RH, MT002						Component ATA:24
PN:975.50.85.111	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:N5719	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-24-30-08-00A-920A-APROC. REF: AMM 12-B-24-30-08-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PC12A24300510 GENERATOR 1 CONTACTOR, LH, K001								Component ATA:24
PN:974.03.38.113	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1407	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-24-30-08-00A-920A-APROC. REF: AMM 12-B-24-30-08-00A-920A-A								
PC12A24300520 GENERATOR 2 CONTACTOR, RH, K002								Component ATA:24
PN:974.03.38.113	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1432	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-24-30-08-00A-920A-APROC. REF: AMM 12-B-24-30-08-00A-920A-A								
PC12A24400100 BATTERY AND EXTERNAL POWER JUNCTION BOX, A381								Component ATA:24
PN:974.03.38.154	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1333	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-24-40-01-00A-920A-APROC. REF: AMM 12-B-24-40-01-00A-920A-A								
PC12A24520100 POWER JUNCTION BOX, LH, A121								Component ATA:24
PN:974.03.38.144	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1272	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-24-52-10-00A-920A-APROC. REF: AMM 12-B-24-52-10-00A-920A-A								
PC12A24520200 POWER JUNCTION BOX, RH, A122								Component ATA:24
PN:974.03.38.145	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1054	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-24-52-20-00A-920A-APROC. REF: AMM 12-B-24-52-20-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
PC12A24520300		EMERGENCY POWER SUPPLY, A183						Component	ATA:24
PN:985.83.14.953	MOS/MSC	05-Sep-25	DUE	TSN 12	05-Sep-26 (M)		165 d		
SN:84181	HRS	0		TSN 0					
	AFL	0		TSN 0					
								WO#: 2602-PVN	
PROC. REF: AMM 12-B-24-52-51-00A-920A-APROC. REF: AMM 12-B-24-52-51-00A-920A-A									
PC12A24520400		RELAY PANEL, FR 16-17						Component	ATA:24
PN:974.20.04.262	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:0231	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-C-24-52-30-00A-920A-APROC. REF: AMM 12-C-24-52-30-00A-920A-A									
PC12A24600100		STATIC INVERTER, A310						Component	ATA:24
PN:975.02.15.107	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:8806	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-24-60-01-00A-920A-APROC. REF: AMM 12-B-24-60-01-00A-920A-A									
ATA 25 - EQUIPMENT/FURNISHINGS									
25-00/CFR		EMERGENCY LOCATOR TRANSMITTER (ELT) - BATTERY EXPIRATION CHECK / TEST						Service	ATA:25
PN:985.13.80.882	MOS	05-Sep-25	12		05-Sep-26		165 d		
SN:LX1101180231	HRS	1491:05							
	AFL	850							
								Inspection Date: : 05-Sep-25	
								WO#: 2602-PVN	
PROC. REF: CFR 14 CFR 91.207PROC. REF: CFR 14 CFR 91.207									
25-10/521 ^S		CREW SEAT BELTS (MSN 2001 AND UP) - EXAMINE						Service	ATA:25
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
								PKG:2	
								WO#: 2602-PVN	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-10/522 ^S	CREW SEATS (MSN 2001 AND UP) - EXAMINE AS FAR AS POSSIBLE WITH SEATS INSTALLED							Service	ATA:25
	MOS	05-Sep-25							
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:1	
25-10/566 ^S	CREW SEATS (MSN 2001 AND UP) - REMOVE AS NECESSARY TO DO THE INSPECTION							Service	ATA:25
	MOS/MSC	09-Dec-25	A/R						
	HRS	1494:43							
	AFL	883							
PROC. REF: AMM 12-C-25-10-01-00A-920A-APROC. REF: AMM 12-C-25-10-01-00A-920A-A								PKG:5 ,1,2,3,4	
25-10/567 ^S	CREW SEAT (MSN 2001 AND UP) - INSTALL AS NECESSARY TO CLOSE THE INSPECTION							Service	ATA:25
	MOS/MSC	09-Dec-25	A/R						
	HRS	1494:43							
	AFL	883							
PROC. REF: AMM 12-C-25-10-01-00A-920A-APROC. REF: AMM 12-C-25-10-01-00A-920A-A								PKG:5 ,1,2,3,4	
25-10/568 ^S	CREW SEATS (MSN 2001 AND UP) - REMOVE CUSHIONS, COVERS AND SHELLS (REFER CMM) AND EXAMINE SEAT. INSTALL CUSHIONS, COVERS AND SHELLS							Service	ATA:25
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
PROC. REF: AMM 12-C-25-10-01-00A-920A-APROC. REF: AMM 12-C-25-10-01-00A-920A-A								PKG:3 WO#: 2602-PVN	
25-20/511 ^S	PASSENGER SEATS (MSN 2001 AND UP) - EXAMINE AS FAR AS POSSIBLE WITH SEATS INSTALLED. MOVE THE RECLINE MECHANISM AND SWIVEL FUNCTION (EXECUTIVE SEAT ONLY) THROUGH ITS FULL MOTION AND CHECK FOR CORRECT OPERATION.							Service	ATA:25
	MOS	05-Sep-25							
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PROC. REF: CMM CONDITION CHECKS, CMM 25-70-76PROC. REF: CMM CONDITION CHECKS, CMM 25-70-76								PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-20/512 ^S	PASSENGER SEATS (MSN 2001 AND UP) - EXAMINE, IF NECESSARY, REFER TO THE APPLICABLE CMM:CMM 25-70-76 FOR EXECUTIVE SEATSCMM 2044-CMM026 FOR STANDARD SEATS FOR EXECUTIVE SEATS ONLY, WITH THE SEAT CUSHION REMOVED, CHECK THE HYDROLOCK REAR ATTACHMENT BOLT FOR SECURITY OF ATTACHMENT							Service	ATA:25
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
PROC. REF: CMM CONDITION CHECKS, CMM 25-70-76PROC. REF: CMM CONDITION CHECKS, CMM 25-70-76								PKG:3 WO#: 2602-PVN	
25-20/523 ^S	PASSENGER SEAT BELTS AND EXTENSIONS (MSN 2001 AND UP) - EXAMINE							Service	ATA:25
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2 WO#: 2602-PVN	
25-20/569 ^S	PASSENGER SEATS (MSN 2001 AND UP) - REMOVE AS NECESSARY TO DO THE INSPECTION							Service	ATA:25
	MOS/MSC	09-Dec-25	A/R						
	HRS	1494:43							
	AFL	883							
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-APROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								PKG:5 ,1,2,3,4	
25-20/570 ^S	PASSENGER SEATS (MSN 2001 AND UP) - INSTALL AS NECESSARY TO CLOSE THE INSPECTION							Service	ATA:25
	MOS/MSC	09-Dec-25	A/R						
	HRS	1494:43							
	AFL	883							
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-APROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								PKG:5 ,1,2,3,4	
25-60/232 ^S	ELT INSTALLATION - EXAMINE							Service	ATA:25
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3 WO#: 2602-PVN	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-60/483	PERFORM PERIODIC INSPECTIONS ON ELT, KANNAD 406 AF (WITH AND WITHOUT NAVIGATION INTERFACE UNIT) AND KANNAD INTEGRA 406 AF							Service	ATA:25
PN:985.13.80.882	MOS	05-Sep-25	12		05-Sep-26		165 d		
SN:LX1101180231	HRS	1435:41							
	AFL	807							
PROC. REF: SIL PERIODIC INSPECTIONPROC. REF: SIL PERIODIC INSPECTION								WO#: 2602-PVN	
25-60/524 ^S	ELT (MSN 2001 AND UP) - OPERATIONAL TEST							Service	ATA:25
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PROC. REF: AMM 12-B-25-63-00-00A-903B-APROC. REF: AMM 12-B-25-63-00-00A-903B-A								PKG:2 WO#: 2602-PVN	
25-62/642	EXAMINE COPILOT LIFE VEST							Service	ATA:25
PN:904.92.17.913	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	95 d (+36)		
SN:L5090437	HRS	1435:41							
	AFL	807							
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A								WO#: 2602-PVN	
25-62/642	EXAMINE NO. 1 LIFE VEST							Service	ATA:25
PN:904.92.17.913	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	95 d (+36)		
SN:L4949516	HRS	1435:41							
	AFL	807							
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A								WO#: 2602-PVN	
25-62/642	EXAMINE NO. 2 LIFE VEST							Service	ATA:25
PN:904.92.17.913	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	95 d (+36)		
SN:L4949518	HRS	1435:41							
	AFL	807							
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A								WO#: 2602-PVN	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-62/642	EXAMINE NO. 3 LIFE VEST							Service	ATA:25
PN:904.92.17.913	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	95 d (+36)		
SN:L4949512	HRS	1435:41							
	AFL	807							
								WO#: 2602-PVN	
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A									
25-62/642	EXAMINE NO. 4 LIFE VEST							Service	ATA:25
PN:904.92.17.913	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	95 d (+36)		
SN:L4949511	HRS	1435:41							
	AFL	807							
								WO#: 2602-PVN	
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A									
25-62/642	EXAMINE NO. 5 LIFE VEST							Service	ATA:25
PN:904.92.17.913	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	95 d (+36)		
SN:L4949519	HRS	1435:41							
	AFL	807							
								WO#: 2602-PVN	
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A									
25-62/642	EXAMINE NO. 6 LIFE VEST							Service	ATA:25
PN:904.92.17.913	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	95 d (+36)		
SN:L4949510	HRS	1435:41							
	AFL	807							
								WO#: 2602-PVN	
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A									
25-62/642	EXAMINE NO. 7 LIFE VEST							Service	ATA:25
	MOS/MSC	08-Aug-23	N/A	Adj -42d					
	HRS	918:20							
	AFL	472							
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-62/642 EXAMINE NO. 8 LIFE VEST Service ATA:25								
	MOS/MSC	08-Aug-23	N/A	Adj -42d				
	HRS	918:20						
	AFL	472						
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A								
25-62/642 EXAMINE PILOT LIFE VEST Service ATA:25								
PN:904.92.17.913	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	95 d (+36)	
SN:L5090435	HRS	1435:41						
	AFL	807						
WO#: 2602-PVN								
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A								
25-62/643 REPLACE COPILOT LIFE VEST Service ATA:25								
PN:904.92.17.913	MOS	30-May-20	120		30-May-30		1528 d	REPLACE
SN:L5090437	HRS	0						
	AFL	0						
Manufacture Date:: 30-May-20								
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-62/643 REPLACE NO. 1 LIFE VEST Service ATA:25								
PN:904.92.17.913	MOS	30-Nov-19	120		30-Nov-29		1347 d	REPLACE
SN:L4949516	HRS	0						
	AFL	0						
Manufacture Date:: 30-Nov-19								
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-62/643 REPLACE NO. 2 LIFE VEST Service ATA:25								
PN:904.92.17.913	MOS	30-Nov-19	120		30-Nov-29		1347 d	REPLACE
SN:L4949518	HRS	0						
	AFL	0						
Manufacture Date:: 30-Nov-19								
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-62/643 REPLACE NO. 3 LIFE VEST								
PN:904.92.17.913	MOS	30-Nov-19	120		30-Nov-29		1347 d	REPLACE
SN:L4949512	HRS	0						
	AFL	0						
Manufacture Date:: 30-Nov-19								
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-62/643 REPLACE NO. 4 LIFE VEST								
PN:904.92.17.913	MOS	30-Nov-19	120		30-Nov-29		1347 d	REPLACE
SN:L4949511	HRS	0						
	AFL	0						
Manufacture Date:: 30-Nov-19								
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-62/643 REPLACE NO. 5 LIFE VEST								
PN:904.92.17.913	MOS	30-Nov-19	120		30-Nov-29		1347 d	REPLACE
SN:L4949519	HRS	0						
	AFL	0						
Manufacture Date:: 30-Nov-19								
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-62/643 REPLACE NO. 6 LIFE VEST								
PN:904.92.17.913	MOS	30-Nov-19	120		30-Nov-29		1347 d	REPLACE
SN:L4949510	HRS	0						
	AFL	0						
Manufacture Date:: 30-Nov-19								
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-62/643 REPLACE PILOT LIFE VEST								
PN:904.92.17.913	MOS	30-May-20	120		30-May-30		1528 d	REPLACE
SN:L5090435	HRS	0						
	AFL	0						
Manufacture Date:: 30-May-20								
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-63/23 DISCARD ELT BATTERY Service ATA:25								
PN:985.13.80.882	MOS/MSC	05-Sep-25	DUE		01-Mar-32 (M)		2169 d	DISCARD
SN:LX1101180231	HRS	1435:41						
	AFL	807						
Expiry Date: : 01-Mar-32								
PROC. REF: AMM 12-B-25-63-00-00A-920B-APROC. REF: AMM 12-B-25-63-00-00A-920B-A								
25-63/434 DISCARD KANNAD ELT NAV INTERFACE UNIT SERIAL MEMORY MODULE (IF KANNAD NAV INTERFACE INSTALLED) Service ATA:25								
PN:985.13.80.881	MOS	31-Aug-20	120 (+6m/-6m)		31-Aug-30	28-Feb-31	1621 d (+181)	DISCARD
SN:LX1101340564	HRS	0	16000 (+500/-500)		16000	16500	14388:59 (+500)	
	AFL	0						
PROC. REF: AMM 12-B-25-63-03-00A-920B-APROC. REF: AMM 12-B-25-63-03-00A-920B-A								
25-63/477 CLEAN UNDERWATER LOCATOR BEACON (IF INSTALLED) Service ATA:25								
PN:PN	MOS/MSC	31-Aug-20	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-25-63-04-00A-903A-APROC. REF: AMM 12-B-25-63-04-00A-903A-A								
25-63/478 FUNCTIONAL TEST UNDERWATER LOCATOR BEACON (IF INSTALLED) Service ATA:25								
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 12-B-25-63-04-00A-903A-APROC. REF: AMM 12-B-25-63-04-00A-903A-A								
25-63/479 FUNCTIONAL TEST UNDERWATER LOCATOR BEACON BATTERY VOLTAGE (IF INSTALLED) Service ATA:25								
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 12-B-25-63-04-00A-903A-APROC. REF: AMM 12-B-25-63-04-00A-903A-A								
25-63/480 DISCARD UNDERWATER LOCATOR BEACON (IF INSTALLED) Service ATA:25								
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 12-B-25-63-04-00A-920A-APROC. REF: AMM 12-B-25-63-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-CA/51		FIRST AID KIT - CHECK FOR COMPLETNESS						Service	ATA:25
PN:725075/725076	MOS/MSC	05-Sep-25	DUE		01-Jun-26 (M)		69 d	REPLACE	
SN:1800820-008LEW	HRS	1435:41							
	AFL	807							
Expiry Date: : 01-Jun-26								WO#: 2602-PVN	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
25-CA/71		RENEW NOAA 406 MHZ ELT REGISTRATION						Service	ATA:25
	MOS/MSC		DUE		01-Nov-26 (M)		222 d		
	HRS								
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PC12A25100110		PILOT SEAT						Component	ATA:25
PN:959.30.01.455	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:99585	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-C-25-10-01-00A-920A-APROC. REF: AMM 12-C-25-10-01-00A-920A-A									
PC12A25100120		CO-PILOT SEAT						Component	ATA:25
PN:959.30.01.456	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:99586	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-C-25-10-01-00A-920A-APROC. REF: AMM 12-C-25-10-01-00A-920A-A									
PC12A25220100		NO. 1 PASSENGER SEAT						Component	ATA:25
PN:959.30.00.083	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:66197	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-APROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PC12A25220200 NO. 2 PASSENGER SEAT								Component ATA:25
PN:959.30.00.115	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:66198	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-APROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220300 NO. 3 PASSENGER SEAT								Component ATA:25
PN:959.30.00.079	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:66199	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-APROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220400 NO. 4 PASSENGER SEAT								Component ATA:25
PN:959.30.00.111	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:66200	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-APROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220500 NO. 5 PASSENGER SEAT								Component ATA:25
PN:959.30.00.080	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:66202	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-APROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220600 NO. 6 PASSENGER SEAT								Component ATA:25
PN:959.30.00.111	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:66201	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-APROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PC12A25220700 NO. 7 PASSENGER SEAT								Component ATA:25
PN:525.22.12.510	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:MC1204000	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-APROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220800 NO. 8 PASSENGER SEAT								Component ATA:25
PN:525.22.12.520	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:MC1203999	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-APROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25630100 EMERGENCY LOCATOR TRANSMITTER (ELT)								Component ATA:25
PN:985.13.80.882	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:LX1101180231	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-63-00-00A-920B-APROC. REF: AMM 12-B-25-63-00-00A-920B-A								
PC12A25630200 INTEGRA ENAV UNIT, A380								Component ATA:25
PN:985.13.80.881	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:LX1101340564	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-63-03-00A-920B-APROC. REF: AMM 12-B-25-63-03-00A-920B-A								
PC12A25630300 EMERGENCY LOCATOR TRANSMITTER (ELT) REMOTE CONTROL PANEL, A151A1								Component ATA:25
PN:985.13.80.817	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:TM0000180768	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
PC12A256CA010		FIRST AID KIT						Component	ATA:25
PN:725075/725076	MOS/MSC	05-Sep-25	H/T						
SN:1800820-008LEW	HRS	1435:41							
	AFL	807							
PROC. REF: AMM GENERIC PROC. REF: AMM GENERIC									
WO#: 2602-PVN									
PC12A256CA110		PILOT LIFE VEST						Component	ATA:25
PN:904.92.17.913	MOS/MSC	31-Aug-20	H/T	TSN 0					
SN:L5090435	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC PROC. REF: AMM GENERIC									
PC12A256CA120		COPILOT LIFE VEST						Component	ATA:25
PN:904.92.17.913	MOS/MSC	31-Aug-20	H/T	TSN 0					
SN:L5090437	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC PROC. REF: AMM GENERIC									
PC12A256CA210		NO. 1 LIFE VEST						Component	ATA:25
PN:904.92.17.913	MOS/MSC	31-Aug-20	H/T	TSN 0					
SN:L4949516	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC PROC. REF: AMM GENERIC									
PC12A256CA220		NO. 2 LIFE VEST						Component	ATA:25
PN:904.92.17.913	MOS/MSC	31-Aug-20	H/T	TSN 0					
SN:L4949518	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC PROC. REF: AMM GENERIC									
PC12A256CA230		NO. 3 LIFE VEST						Component	ATA:25
PN:904.92.17.913	MOS/MSC	31-Aug-20	H/T	TSN 0					
SN:L4949512	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC PROC. REF: AMM GENERIC									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
PC12A256CA240		NO. 4 LIFE VEST							Component ATA:25
PN:904.92.17.913	MOS/MSC	31-Aug-20	H/T	TSN 0					
SN:L4949511	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A256CA250		NO. 5 LIFE VEST							Component ATA:25
PN:904.92.17.913	MOS/MSC	31-Aug-20	H/T	TSN 0					
SN:L4949519	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A256CA260		NO. 6 LIFE VEST							Component ATA:25
PN:904.92.17.913	MOS/MSC	31-Aug-20	H/T	TSN 0					
SN:L4949510	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A257CA010		ECONNECT USB PORT							Component ATA:25
PN:106401-00	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:640520	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A257CA110		ECONNECT HIGH CAPACITY DRIVE ROUTER							Component ATA:25
PN:CWR-451-2000-02	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:EQ201-02-00307	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A257CA120		ECONNECT LOW CAPACITY DRIVE ROUTER							Component ATA:25
PN:CWR-451-2000-01	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
PC12A257CA210		ECONNECT NO. 1 ANTENNA					Component		ATA:25
PN:5W-2.40-2.50P-XTB-4	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:731829	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A257CA220		ECONNECT NO. 2 ANTENNA					Component		ATA:25
PN:5W-2.40-2.50P-XTB-4	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:731831	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A257CA230		ECONNECT NO. 3 ANTENNA					Component		ATA:25
PN:5W-2.40-2.50P-XTB-4	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:731792	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A257CA310		ECONNECT WIRING HARNESS					Component		ATA:25
PN:2E-1301-22-0000	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:214997-1-11	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
ATA 26 - FIRE PROTECTION									
26-20/2	LIFE LIMIT - COCKPIT FIRE EXTINGUISHER (EXCEPT MODEL P3APP003010D)						Service	ATA:26	
PN:959.08.06.219	MOS	01-Jun-20	120		01-Jun-30		1530 d	LIFE LIMIT	
SN:117645	HRS	0							
	AFL	0							
Manufacture Date:: 01-Jun-20									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-20/24 COCKPIT FIRE EXTINGUISHER (EXCEPT MODEL P3APP003010D) - CONTENTS CHECK Service ATA:26								
PN:959.08.06.219	MOS	05-Sep-25	12 (+10%/-10%)	Adj -22d	14-Aug-26	20-Sep-26	143 d (+37)	
SN:117645	HRS	1435:41						
	AFL	807						
WO#: 2602-PVN								
PROC. REF: AMM 12-B-26-20-00-01A-289A-APROC. REF: AMM 12-B-26-20-00-01A-289A-A								
26-20/515 COCKPIT FIRE EXTINGUISHER (MODEL P3APP003010D) - CONTENTS CHECK Service ATA:26								
PN:959.08.06.219	MOS/MSC	31-Aug-20	N/A					
SN:117645	HRS	0						
	AFL	0						
PROC. REF: CMM 26-24-01, AMM 12-B-26-20-00-02A-289A-APROC. REF: CMM 26-24-01, AMM 12-B-26-20-00-02A-289A-A								
26-20/516 LIFE LIMIT - CABIN FIRE EXTINGUISHER (MODEL P3APP003010D) Service ATA:26								
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
26-20/516 LIFE LIMIT - COCKPIT FIRE EXTINGUISHER (MODEL P3APP003010D) Service ATA:26								
PN:959.08.06.219	MOS/MSC		N/A					
SN:117645	HRS							
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A26100100 FIRE/OVERHEAT DETECTOR, A043 Component ATA:26								
PN:975.12.10.012	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:217038	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A26200100 COCKPIT FIRE EXTINGUISHER Component ATA:26								
PN:959.08.06.219	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:117645	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 26 - FIRE PROTECTION

PROC. REF: AMM 12-B-26-20-01-00A-920A-APROC. REF: AMM 12-B-26-20-01-00A-920A-A

ATA 27 - FLIGHT CONTROLS

27-00/402	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - BONDING LEADS TO ALL FLIGHT CONTROL SURFACES - EXAMINE						Service	ATA:27
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

27-00/525 ^S	AILERON, ELEVATOR AND RUDDER CONTROLS (MSN 2001 AND UP) - OPERATE, MAKE SURE FULL AND FREE TRAVEL						Service	ATA:27
	MOS	05-Sep-25						
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

PKG:1

27-00/71	FLIGHT CONTROL CABLES INCLUDING AUTO PILOT AND STICK PUSHER CABLES - INSPECTION/CHECK						Service	ATA:27
	MOS	05-Sep-25	60 (+6m/-6m)	Adj -5d	31-Aug-30	28-Feb-31	1621 d (+181)	
	HRS	1435:41	4800 (+10%/-10%)		6235:41	6715:41	4624:40 (+480)	
	AFL	807						
PROC. REF: AMM 12-B-27-00-00-00A-313A-APROC. REF: AMM 12-B-27-00-00-00A-313A-A								

27-10/234 ^S	AILERON LH AND RH RODS AND LEVERS - EXAMINE. SPRAY PTFE TEFLON SPRAY OKS 571 (OR EQUIVALENT) AROUND THE AILERON PUSHROD GUIDE ROLLER SLEEVES AT ALL THREE LOCATIONS IN EACH WING						Service	ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

PKG:3
WO#: 2602-PVN

27-10/235 ^S	AILERON ELECTRICAL BONDING STRAPS - EXAMINE						Service	ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						

PKG:3
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-10/236 ^S	AILERON CONTROLS - EXAMINE THE CONTROL CABLES AND PULLEYS AS FAR AS POSSIBLE. MOVE THE MECHANISM SO THAT YOU CAN SEE ALL PARTS OF THE CABLES AND MAKE SURE THE SAFETY CLIPS ARE FULLY ENGAGED IN THE TURN-BUCKLES							Service	ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
PKG:3 WO#: 2602-PVN									
PROC. REF: AMM 12-B-27-10-00-00A-313A-APROC. REF: AMM 12-B-27-10-00-00A-313A-A									
27-10/237 ^S	AILERON CABLE TENSION - CHECK							Service	ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
PKG:3 WO#: 2602-PVN									
PROC. REF: AMM 12-B-27-10-00-00A-903A-APROC. REF: AMM 12-B-27-10-00-00A-903A-A									
27-10/238 ^S	AILERONS - FUNCTIONAL TEST							Service	ATA:27
	MOS	14-Aug-24	24 (+10%/-10%)						
	HRS	1127	2400 (+10%/-10%)						
	AFL	600							
PKG:4 WO#: 2602-PVN									
PROC. REF: AMM 12-B-27-10-00-00A-903A-APROC. REF: AMM 12-B-27-10-00-00A-903A-A									
27-10/394	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON CONTROL SYSTEM - EXAMINE (CPCP)							Service	ATA:27
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-27-10-00-00A-310A-APROC. REF: AMM 12-B-27-10-00-00A-310A-A									
27-10/395	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON CABLE SEGMENT - EDDY CURRENT INSPECTION							Service	ATA:27
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-27-10-09-00A-353A-APROC. REF: AMM 12-B-27-10-09-00A-353A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-10/396	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON CONTROL RODS - EDDY CURRENT INSPECTION							Service	ATA:27
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-27-00-01-00A-353A-APROC. REF: AMM 12-B-27-00-01-00A-353A-A									
27-10/397	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON CONTROL RODS - MAGNETIC PARTICLE INSPECTION							Service	ATA:27
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-27-00-01-00A-352A-APROC. REF: AMM 12-B-27-00-01-00A-352A-A									
27-10/398	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON BELLCRANKS - EDDY CURRENT AND MAGNETIC PARTICLE INSPECTIONS							Service	ATA:27
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-27-10-08-00A-352B-A, AMM 12-B-27-10-08-00A-353A-A, AMM 12-B-27-10-08-00A-353B-APROC. REF: AMM 12-B-27-10-08-00A-352B-A, AMM 12-B-27-10-08-00A-353A-A, AMM 12-B-27-10-08-00A-353B-A									
27-10/400	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON HINGE POINTS - EDDY CURRENT INSPECTION							Service	ATA:27
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-57-60-06-00A-353A-APROC. REF: AMM 12-B-57-60-06-00A-353A-A									
27-10/444	LIFE LIMIT - FLIGHT CONTROL CABLES, AILERON							Service	ATA:27
	MOS	31-Aug-20					LIFE LIMIT		
	HRS	0	20000		20000		18388:59		
	AFL	0	27000		27000		26009		
PROC. REF: AMM 12-B-27-10-01-00A-920A-APROC. REF: AMM 12-B-27-10-01-00A-920A-A									
27-10/445	LIFE LIMIT - AUTOPILOT CONTROL CABLE, AILERON							Service	ATA:27
	MOS	31-Aug-20					LIFE LIMIT		
	HRS	0	20000		20000		18388:59		
	AFL	0	27000		27000		26009		
PROC. REF: AMM 12-B-27-10-02-00A-920A-APROC. REF: AMM 12-B-27-10-02-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 27 - FLIGHT CONTROLS

27-10/470 ^S	AILERON CONTROL SYSTEM BEARINGS - LUBRICATE							Service ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						

PKG:3
WO#: 2602-PVN

PROC. REF: AMM 12-B-27-10-00-00A-901A-APROC. REF: AMM 12-B-27-10-00-00A-901A-A

27-10/526 ^S	AILERON LH AND RH (MSN 2001 AND UP) - EXAMINE AND LUBRICATE THE TRIM HINGES WITH MINIMUM QUANTITY OF CPC (P10-001)							Service ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						

PKG:2
WO#: 2602-PVN

PROC. REF: AMM 12-B-27-10-00-00A-310A-APROC. REF: AMM 12-B-27-10-00-00A-310A-A

27-15/239 ^S	AILERON TRIM - FUNCTIONAL TEST							Service ATA:27
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						

PKG:4
WO#: 2602-PVN

PROC. REF: AMM 12-B-27-15-00-00A-903A-APROC. REF: AMM 12-B-27-15-00-00A-903A-A

27-20/240 ^S	RUDDER STATIC DISCHARGERS - EXAMINE							Service ATA:27
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						

PKG:4
WO#: 2602-PVN

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

27-20/241 ^S	RUDDER CONTROLS - INSPECTION / CHECK							Service ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						

PKG:3
WO#: 2602-PVN

PROC. REF: AMM 12-B-27-20-00-00A-313A-APROC. REF: AMM 12-B-27-20-00-00A-313A-A

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-20/243 ^S	RUDDER CABLE TENSION - CHECK							Service	ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A								PKG:3 WO#: 2602-PVN	
27-20/244 ^S	RUDDER - FUNCTIONAL TEST							Service	ATA:27
	MOS	14-Aug-24	24 (+10%/-10%)						
	HRS	1127	2400 (+10%/-10%)						
	AFL	600							
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A								PKG:4 WO#: 2602-PVN	
27-20/245 ^S	RUDDER TRIM - FUNCTIONAL TEST							Service	ATA:27
	MOS	14-Aug-24	24 (+10%/-10%)						
	HRS	1127	2400 (+10%/-10%)						
	AFL	600							
PROC. REF: AMM 12-B-27-25-00-00A-903A-APROC. REF: AMM 12-B-27-25-00-00A-903A-A								PKG:4 WO#: 2602-PVN	
27-20/246 ^S	EXAMINE RUDDER ELECTRICAL BONDING STRAPS							Service	ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3 WO#: 2602-PVN	
27-20/374	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RUDDER CONTROL SYSTEM - EXAMINE (CPCP)							Service	ATA:27
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-27-20-00-00A-310A-APROC. REF: AMM 12-B-27-20-00-00A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-20/376	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RUDDER CABLE QUADRANT SHEAR SPIGOT - EXAMINE (CPCP)							Service	ATA:27
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-27-20-05-00A-310A-APROC. REF: AMM 12-B-27-20-05-00A-310A-A									
27-20/430	RUDDER CONTROL CABLES TENSION - CHECK FOR NEW FACTORY DELIVERED AIRCRAFT THAT HAVE NOT DONE THE 1200 FH OR 12 MONTHS INSPECTION PACKAGE							Service	ATA:27
	MOS/MSC	08-Jul-21	-						
	HRS	298:15							
	AFL	164							
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A									
27-20/431	RUDDER CONTROL CABLES TENSION - CHECK AFTER REPLACEMENT OF ANY RUDDER CONTROL SYSTEM CABLES (AUTOPILOT AND/OR RUDDER)							Service	ATA:27
	MOS/MSC	31-Aug-20	-						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A									
27-20/446	LIFE LIMIT - FLIGHT CONTROL CABLES, RUDDER							Service	ATA:27
	MOS	31-Aug-20					LIFE LIMIT		
	HRS	0	20000		20000		18388:59		
	AFL	0	27000		27000		26009		
PROC. REF: AMM 12-B-27-20-01-00A-920A-APROC. REF: AMM 12-B-27-20-01-00A-920A-A									
27-20/447	LIFE LIMIT - AUTOPILOT CONTROL CABLES, RUDDER							Service	ATA:27
	MOS	31-Aug-20					LIFE LIMIT		
	HRS	0	20000		20000		18388:59		
	AFL	0	27000		27000		26009		
PROC. REF: AMM 12-B-27-20-02-00A-920A-APROC. REF: AMM 12-B-27-20-02-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-20/527 ^S RUDDER (MSN 2001 AND UP) - INSPECTION/CHECK Service ATA:27								
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-55-40-00-00A-313A-APROC. REF: AMM 12-B-55-40-00-00A-313A-A								
27-20/575 REPLACE RUDDER BELLCRANK Service ATA:27								
PN:PN	MOS	31-Aug-20						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000		20000		18388:59	
	AFL	0	27000		27000		26009	
PROC. REF: AMM 12-B-27-20-04-00A-920A-APROC. REF: AMM 12-B-27-20-04-00A-920A-A								
27-30/247 ^S ELEVATOR ELECTRICAL BONDING STRAPS - EXAMINE Service ATA:27								
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-30/248 ^S ELEVATOR STATIC DISCHARGERS - EXAMINE Service ATA:27								
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-30/249 ^S ELEVATOR CONTROLS - INSPECTION / CHECK Service ATA:27								
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-27-30-00-00A-313A-APROC. REF: AMM 12-B-27-30-00-00A-313A-A								

PKG:2
WO#: 2602-PVN

PKG:3
WO#: 2602-PVN

PKG:4
WO#: 2602-PVN

PKG:3
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-30/250 ^S	ELEVATOR CABLE TENSION - CHECK							Service	ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
PKG:3 WO#: 2602-PVN									
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A									
27-30/251 ^S	ELEVATOR - FUNCTIONAL TEST							Service	ATA:27
	MOS	14-Aug-24	24 (+10%/-10%)						
	HRS	1127	2400 (+10%/-10%)						
	AFL	600							
PKG:4 WO#: 2602-PVN									
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A									
27-30/333	ELEVATOR CONTROL CABLES TENSION - CHECK FOR NEW FACTORY DELIVERED AIRCRAFT THAT HAVE NOT DONE THE 1200 FH OR 12 MONTHS INSPECTION PACKAGE							Service	ATA:27
	MOS/MSC	08-Jul-21	-						
	HRS	298:15							
	AFL	160							
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A									
27-30/334	ELEVATOR CONTROL CABLES TENSION - CHECK AFTER REPLACEMENT OF ANY ELEVATOR CONTROL SYSTEM CABLES (AUTOPILOT, STICK PUSHER AND ELEVATOR)							Service	ATA:27
	MOS/MSC	31-Aug-20	-						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A									
27-30/363	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR - CONTROL SYSTEM - EXAMINE (CPCP)							Service	ATA:27
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-27-30-00-00A-310A-APROC. REF: AMM 12-B-27-30-00-00A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-30/364	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR CONTROL RODS - EDDY CURRENT INSPECTION							Service	ATA:27
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-27-00-01-00A-353A-APROC. REF: AMM 12-B-27-00-01-00A-353A-A									
27-30/365	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR CONTROL RODS - MAGNETIC PARTICLE INSPECTION							Service	ATA:27
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-27-00-01-00A-352A-APROC. REF: AMM 12-B-27-00-01-00A-352A-A									
27-30/366	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR CONTROL LEVER - EDDY CURRENT INSPECTION							Service	ATA:27
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-27-30-05-00A-353A-APROC. REF: AMM 12-B-27-30-05-00A-353A-A									
27-30/448	LIFE LIMIT - FLIGHT CONTROL CABLES, ELEVATOR							Service	ATA:27
	MOS	31-Aug-20					LIFE LIMIT		
	HRS	0	20000		20000		18388:59		
	AFL	0	27000		27000		26009		
PROC. REF: AMM 12-B-27-30-01-00A-920A-APROC. REF: AMM 12-B-27-30-01-00A-920A-A									
27-30/449	LIFE LIMIT - AUTOPILOT CONTROL CABLES, ELEVATOR							Service	ATA:27
	MOS	31-Aug-20					LIFE LIMIT		
	HRS	0	20000		20000		18388:59		
	AFL	0	27000		27000		26009		
PROC. REF: AMM 12-B-27-30-02-00A-920A-APROC. REF: AMM 12-B-27-30-02-00A-920A-A									
27-30/450	LIFE LIMIT - STICK PUSHER CABLES							Service	ATA:27
	MOS	31-Aug-20					LIFE LIMIT		
	HRS	0	20000		20000		18388:59		
	AFL	0	27000		27000		26009		
PROC. REF: AMM 12-B-22-20-06-00A-920A-APROC. REF: AMM 12-B-22-20-06-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-30/514 ^S	ELEVATOR STOPS - EXAMINE. IF FOUND MISSING, LOOSE OR DAMAGED, INSTALL A NEW OR REPAIR THE STOPS							Service	ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
PROC. REF: AMM 12-B-55-20-01-00A-904B-APROC. REF: AMM 12-B-55-20-01-00A-904B-A								PKG:3 WO#: 2602-PVN	
27-30/528 ^S	ELEVATORS (MSN 2001 AND UP) - EXAMINE							Service	ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PROC. REF: AMM 12-B-55-20-00-00A-310A-APROC. REF: AMM 12-B-55-20-00-00A-310A-A								PKG:2 WO#: 2602-PVN	
27-40/1	HORIZONTAL STABILIZER TRIM - FUNCTIONAL TEST OF TRIM RUNAWAY AURAL WARNING SYSTEM (CMR)							Service	ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	95 d (+36)		
	HRS	1435:41	3000		4435:41		2824:40		
	AFL	807							
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A								WO#: 2602-PVN	
27-40/252 ^S	PITCH TRIM ACTUATOR AND ATTACHMENTS - INSPECTION/CHECK							Service	ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
PROC. REF: AMM 12-B-27-40-01-00A-313A-APROC. REF: AMM 12-B-27-40-01-00A-313A-A								PKG:3 WO#: 2602-PVN	
27-40/3	LIFE LIMIT - PITCH TRIM ACTUATOR							Service	ATA:27
PN:978.73.14.203	MOS	31-Aug-20					LIFE LIMIT		
SN:2194	HRS	0	20000		20000		18388:59		
	AFL	0	27000		27000		26009		
PROC. REF: AMM 12-B-27-40-01-00A-920A-APROC. REF: AMM 12-B-27-40-01-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-40/307		LIFE LIMIT - PITCH TRIM ACTUATOR ATTACHMENT PARTS, FAIL-SAFE PLATES AND THEIR ATTACHMENT PARTS (IPD 12-20-00-07)					Service		ATA:27
PN:978.73.14.203	MOS	31-Aug-20						LIFE LIMIT	
SN:2194	HRS	0	10000		10000		8388:59		
	AFL	0							
PROC. REF: AMM 12-B-27-40-02-00A-920A-APROC. REF: AMM 12-B-27-40-02-00A-920A-A									
27-40/508		PITCH TRIM ACTUATOR - OVERHAUL					Service		ATA:27
PN:978.73.14.203	MOS	31-Aug-20	84		31-Aug-27		525 d	OVERHAUL	
SN:2194	HRS	0	3400		3400		1788:59		
	AFL	0							
PROC. REF: AMM 12-B-27-40-01-00A-920A-APROC. REF: AMM 12-B-27-40-01-00A-920A-A									
27-40/529 ^S		HORIZONTAL STABILIZER TRIM (MSN 2001 AND UP) - OPERATIONAL TEST OF TRIM INTERRUPT AND ALTERNATE TRIM SWITCHES					Service		ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A									
27-40/530 ^S		HORIZONTAL STABILIZER TRIM (MSN 2001 AND UP) - OPERATIONAL TEST OF TRIM SYSTEM					Service		ATA:27
	MOS	05-Sep-25							
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A									
27-40/571 ^S		HORIZONTAL STABILIZER TRIM (MSN 2001 AND UP) - FUNCTIONAL TEST OF TRIM SYSTEM					Service		ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A									

PKG:2
WO#: 2602-PVN

PKG:1

PKG:3
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/143 ^S	JOB SET UP - FLAPS - LOWER TO 40 DEGREES AS NECESSARY TO DO THE INSPECTION							Service	ATA:27
	MOS/MSC	09-Dec-25	A/R						
	HRS	1494:43							
	AFL	883							
PROC. REF: AMM 12-B-27-51-00-00A-310A-APROC. REF: AMM 12-B-27-51-00-00A-310A-A								PKG:5 ,1,2,3,4	
27-50/253 ^S	FLAPS ELECTRICAL BONDING STRAPS - EXAMINE							Service	ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
PROC. REF: AMM 12-B-27-30-00-00A-313A-APROC. REF: AMM 12-B-27-30-00-00A-313A-A								PKG:3 WO#: 2602-PVN	
27-50/254 ^S	FLAP MOTOR, ACTUATORS AND FLEXIBLE DRIVE SHAFTS - EXAMINE							Service	ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3 WO#: 2602-PVN	
27-50/255 ^S	FLAPS - FUNCTIONAL TEST AND ASYMMETRY MONITOR TEST							Service	ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
PROC. REF: AMM 12-B-27-50-00-00A-903A-APROC. REF: AMM 12-B-27-50-00-00A-903A-A								PKG:3 WO#: 2602-PVN	
27-50/28	OVERHAUL FLAP POWER DRIVE UNIT							Service	ATA:27
PN:978.73.20.003	MOS	31-Aug-20						OVERHAUL	
SN:1829	HRS	0	10000 (+500/-500)		10000	10500	8388:59 (+500)		
	AFL	0	13500 (+500/-500)		13500	14000	12509 (+500)		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/386	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP MECHANISM - EXAMINE (CPCP)							Service	ATA:27
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-27-51-00-00A-310A-APROC. REF: AMM 12-B-27-51-00-00A-310A-A									
27-50/387	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP DRIVE ARM (NOT REMOVED) - EDDY CURRENT INSPECTION							Service	ATA:27
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-27-51-00-00A-353A-APROC. REF: AMM 12-B-27-51-00-00A-353A-A									
27-50/388	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP DRIVE ARM (REMOVED) - EDDY CURRENT INSPECTION							Service	ATA:27
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A									
27-50/389	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP SUPPORT ARM - EDDY CURRENT INSPECTION							Service	ATA:27
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A									
27-50/390	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP COVE RIB FITTINGS - EDDY CURRENT INSPECTION							Service	ATA:27
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A									
27-50/391	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP AFT LINKS - EDDY CURRENT INSPECTION							Service	ATA:27
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/392 SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP BELLCRANKS - EDDY CURRENT INSPECTION								
	MOS/MSC	31-Aug-20	N/A					Service ATA:27
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A, AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A								
27-50/414 LIFE LIMIT - FLAP LH								
PN:557.50.12.007	MOS	31-Aug-20						Service ATA:27
SN:7102	HRS	0	25000		25000		23388:59	LIFE LIMIT
	AFL	0	30000		30000		29009	
PROC. REF: AMM 12-B-57-50-01-00A-920A-A, AMM 12-B-57-50-01-00A-920A-A								
27-50/414 LIFE LIMIT - FLAP RH								
PN:557.50.12.008	MOS	31-Aug-20						Service ATA:27
SN:7102	HRS	0	25000		25000		23388:59	LIFE LIMIT
	AFL	0	30000		30000		29009	
PROC. REF: AMM 12-B-57-50-01-00A-920A-A, AMM 12-B-57-50-01-00A-920A-A								
27-50/437 INBOARD FLAP DRIVE ARMS (P/N 527.52.12.153 OR P/N 527.52.12.154) - IN-SITU INSPECTION/ CHECK								
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	95 d (+36)	Service ATA:27
	HRS	1435:41	600 (+10%/-10%)		2035:41	2095:41	424:40 (+60)	
	AFL	807						
PROC. REF: AMM 12-B-27-51-00-00A-313A-A, AMM 12-B-27-51-00-00A-313A-A								
27-50/451 LIFE LIMIT - LEFT INBOARD FLAP TENSION ROD								
PN:PN	MOS	31-Aug-20						Service ATA:27
SN:UNKNOWN	HRS	0	20000		20000		18388:59	LIFE LIMIT
	AFL	0	27000		27000		26009	
PROC. REF: AMM 12-B-27-51-01-00A-920A-A, AMM 12-B-27-51-01-00A-920A-A								
27-50/451 LIFE LIMIT - LEFT OUTBOARD FLAP TENSION ROD								
PN:PN	MOS	31-Aug-20						Service ATA:27
SN:UNKNOWN	HRS	0	20000		20000		18388:59	LIFE LIMIT
	AFL	0	27000		27000		26009	

WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
PROC. REF: AMM 12-B-27-51-03-00A-920A-APROC. REF: AMM 12-B-27-51-03-00A-920A-A									
27-50/451	LIFE LIMIT - RIGHT INBOARD FLAP TENSION ROD							Service	ATA:27
PN:PN	MOS	31-Aug-20						LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000		20000		18388:59		
	AFL	0	27000		27000		26009		
PROC. REF: AMM 12-B-27-51-01-00A-920A-APROC. REF: AMM 12-B-27-51-01-00A-920A-A									
27-50/451	LIFE LIMIT - RIGHT OUTBOARD FLAP TENSION ROD							Service	ATA:27
PN:PN	MOS	31-Aug-20						LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000		20000		18388:59		
	AFL	0	27000		27000		26009		
PROC. REF: AMM 12-B-27-51-03-00A-920A-APROC. REF: AMM 12-B-27-51-03-00A-920A-A									
27-50/475 ^S	JOB CLOSE UP - FLAPS - RETRACT TO 0 DEGREES AS NECESSARY TO CLOSE THE INSPECTION							Service	ATA:27
	MOS/MSC	09-Dec-25	A/R						
	HRS	1494:43							
	AFL	883							
								PKG:5 ,1,2,3,4	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-50/485	LIFE LIMIT - LEFT INBOARD FLAP ACTUATOR (P/N 978.73.20.309) (BLACK ANODIZED)							Service	ATA:27
PN:978.73.20.309	MOS	31-Aug-20						LIFE LIMIT	
SN:7308	HRS	0	20000		20000		18388:59		
	AFL	0	27000		27000		26009		
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A									
27-50/485	LIFE LIMIT - LEFT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED)							Service	ATA:27
PN:978.73.20.309	MOS	31-Aug-20						LIFE LIMIT	
SN:7310	HRS	0	20000		20000		18388:59		
	AFL	0	27000		27000		26009		
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/485		LIFE LIMIT - RIGHT INBOARD FLAP ACTUATOR (BLACK ANODIZED)						Service	ATA:27
PN:978.73.20.309	MOS	31-Aug-20						LIFE LIMIT	
SN:7301	HRS	0	20000		20000		18388:59		
	AFL	0	27000		27000		26009		
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A									
27-50/485		LIFE LIMIT - RIGHT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED)						Service	ATA:27
PN:978.73.20.309	MOS	31-Aug-20						LIFE LIMIT	
SN:7303	HRS	0	20000		20000		18388:59		
	AFL	0	27000		27000		26009		
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A									
27-50/494 ^S		FLAP ACTUATORS (BLACK ANODIZED) (P/N 978.73.20.309) - LUBRICATE						Service	ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PROC. REF: AMM 12-B-27-50-00-00A-902A-APROC. REF: AMM 12-B-27-50-00-00A-902A-A									
27-50/495		BACKLASH CHECK LEFT INBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309)						Service	ATA:27
PN:978.73.20.309	MOS	14-Aug-24	24 (+10%/-10%)	Adj 17d	31-Aug-26	12-Nov-26	160 d (+73)		
SN:7308	HRS	1127	2400 (+10%/-10%)		3527	3767	1915:59 (+240)		
	AFL	600	3200 (+10%/-10%)		3800	4120	2809 (+320)		
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A									
27-50/495		BACKLASH CHECK LEFT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309)						Service	ATA:27
PN:978.73.20.309	MOS	14-Aug-24	24 (+10%/-10%)	Adj 17d	31-Aug-26	12-Nov-26	160 d (+73)		
SN:7310	HRS	1127	2400 (+10%/-10%)		3527	3767	1915:59 (+240)		
	AFL	600	3200 (+10%/-10%)		3800	4120	2809 (+320)		
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A									

PKG:2
WO#: 2602-PVN

WO#: 2602-PVN

WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/495 BACKLASH CHECK RIGHT INBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309) Service ATA:27								
PN:978.73.20.309	MOS	14-Aug-24	24 (+10%/-10%)	Adj 17d	31-Aug-26	12-Nov-26	160 d (+73)	
SN:7301	HRS	1127	2400 (+10%/-10%)		3527	3767	1915:59 (+240)	
	AFL	600	3200 (+10%/-10%)		3800	4120	2809 (+320)	
WO#: 2602-PVN								
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								
27-50/495 BACKLASH CHECK RIGHT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309) Service ATA:27								
PN:978.73.20.309	MOS	14-Aug-24	24 (+10%/-10%)	Adj 17d	31-Aug-26	12-Nov-26	160 d (+73)	
SN:7303	HRS	1127	2400 (+10%/-10%)		3527	3767	1915:59 (+240)	
	AFL	600	3200 (+10%/-10%)		3800	4120	2809 (+320)	
WO#: 2602-PVN								
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								
27-50/506 OVERHAUL LEFT INBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309) Service ATA:27								
PN:978.73.20.309	MOS	31-Aug-20						OVERHAUL
SN:7308	HRS	0	5000 (+500/-500)		5000	5500	3388:59 (+500)	
	AFL	0	7000 (+500/-500)		7000	7500	6009 (+500)	
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/506 OVERHAUL LEFT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309) Service ATA:27								
PN:978.73.20.309	MOS	31-Aug-20						OVERHAUL
SN:7310	HRS	0	5000 (+500/-500)		5000	5500	3388:59 (+500)	
	AFL	0	7000 (+500/-500)		7000	7500	6009 (+500)	
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/506 OVERHAUL RIGHT INBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309) Service ATA:27								
PN:978.73.20.309	MOS	31-Aug-20						OVERHAUL
SN:7301	HRS	0	5000 (+500/-500)		5000	5500	3388:59 (+500)	
	AFL	0	7000 (+500/-500)		7000	7500	6009 (+500)	
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/506		OVERHAUL RIGHT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309)							Service ATA:27
PN:978.73.20.309	MOS	31-Aug-20						OVERHAUL	
SN:7303	HRS	0	5000 (+500/-500)		5000	5500	3388:59 (+500)		
	AFL	0	7000 (+500/-500)		7000	7500	6009 (+500)		
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A									
27-50/507		DISCARD LEFT INBOARD FLAP FLEXIBLE DRIVE SHAFT (P/N945.02.02.205)							Service ATA:27
PN:945.02.02.205	MOS	31-Aug-20						DISCARD	
SN:S8530	HRS	0	10000 (+500/-500)		10000	10500	8388:59 (+500)		
	AFL	0	13500 (+500/-500)		13500	14000	12509 (+500)		
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A									
27-50/507		DISCARD LEFT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT (P/N 945.02.02.206)							Service ATA:27
PN:945.02.02.206	MOS	31-Aug-20						DISCARD	
SN:S8545	HRS	0	10000 (+500/-500)		10000	10500	8388:59 (+500)		
	AFL	0	13500 (+500/-500)		13500	14000	12509 (+500)		
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A									
27-50/507		DISCARD RIGHT INBOARDFLAP FLEXIBLE DRIVE SHAFT (P/N945.02.02.205)							Service ATA:27
PN:945.02.02.205	MOS	31-Aug-20						DISCARD	
SN:S8598	HRS	0	10000 (+500/-500)		10000	10500	8388:59 (+500)		
	AFL	0	13500 (+500/-500)		13500	14000	12509 (+500)		
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A									
27-50/507		DISCARD RIGHT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT (P/N945.02.02.206)							Service ATA:27
PN:945.02.02.206	MOS	31-Aug-20						DISCARD	
SN:S8544	HRS	0	10000 (+500/-500)		10000	10500	8388:59 (+500)		
	AFL	0	13500 (+500/-500)		13500	14000	12509 (+500)		
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A									
27-50/531 ^S		FLAPS AND FLAP SUPPORT MECHANISM (MSN 2001 AND UP) - EXAMINE							Service ATA:27
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							

PKG:2
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 27 - FLIGHT CONTROLS

PROC. REF: AMM 12-B-27-51-00-00A-310A-APROC. REF: AMM 12-B-27-51-00-00A-310A-A

27-50/532 ^S		FLAP UP AND DOWN LIMIT SWITCHES (MSN 2001 AND UP) - SERVICING				Service	ATA:27
MOS	05-Sep-25	12	(+10%/-10%)				
HRS	1435:41	600	(+10%/-10%)				
AFL	807						

PKG:2
WO#: 2602-PVN

PROC. REF: AMM 12-B-12-20-07-00A-902A-APROC. REF: AMM 12-B-12-20-07-00A-902A-A

PC12A27100100		CONTROL COLUMN ASSEMBLY			Component	ATA:27
PN:527.10.12.280	MOS/MSC	31-Aug-20	O/C	TSN 0		
SN:125	HRS	0		TSN 0		
	AFL	0		TSN 0		
	ACH	0				

PROC. REF: AMM GENERICPROC. REF: AMM GENERIC

PC12A27150100		AILERON TRIM ACTUATOR, B561			Component	ATA:27
PN:978.73.18.138	MOS/MSC	31-Aug-20	O/C	TSN 0		
SN:2220B	HRS	0		TSN 0		
	AFL	0		TSN 0		
	ACH	0				

PROC. REF: AMM 12-B-27-15-01-00A-920A-APROC. REF: AMM 12-B-27-15-01-00A-920A-A

PC12A27200100		RUDDER BELLCRANK			Component	ATA:27
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0		
SN:UNKNOWN	HRS	0		TSN 0		
	AFL	0		TSN 0		

PROC. REF: AMM 12-B-27-20-04-00A-920A-APROC. REF: AMM 12-B-27-20-04-00A-920A-A

PC12A27250100		RUDDER TRIM ACTUATOR, B381			Component	ATA:27
PN:978.73.18.138	MOS/MSC	31-Aug-20	O/C	TSN 0		
SN:2194B	HRS	0		TSN 0		
	AFL	0		TSN 0		
	ACH	0				

PROC. REF: AMM 12-B-27-25-01-00A-920A-APROC. REF: AMM 12-B-27-25-01-00A-920A-A

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
PC12A27400100		PITCH TRIM ACTUATOR						Component	ATA:27
PN:978.73.14.203	MOS/MSC	31-Aug-20	H/T	TSN 0					
SN:2194	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-27-40-01-00A-920A-APROC. REF: AMM 12-B-27-40-01-00A-920A-A									
PC12A27400200		TRIM ADAPTER SOLID STATE RELAY, A262XK1						Component	ATA:27
PN:974.20.01.503	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:S19447177	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A27400300		TRIM ADAPTER SOLID STATE RELAY, A262XK4						Component	ATA:27
PN:974.20.01.504	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:S19243840	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A27500100		FLAP CONTROL AND WARNING UNIT, A261						Component	ATA:27
PN:978.73.20.017	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:141683	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-27-50-05-00A-920A-APROC. REF: AMM 12-B-27-50-05-00A-920A-A									
PC12A27500200		FLAP POWER DRIVE UNIT						Component	ATA:27
PN:978.73.20.003	MOS/MSC	31-Aug-20	H/T	TSN 0					
SN:1829	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-27-50-01-00A-920A-APROC. REF: AMM 12-B-27-50-01-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
PC12A27500310		LEFT INBOARD FLAP FLEXIBLE DRIVE SHAFT					Component	ATA:27	
PN:945.02.02.205	MOS/MSC	31-Aug-20	H/T	TSN 0					
SN:S8530	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A									
PC12A27500320		RIGHT INBOARD FLAP FLEXIBLE DRIVE SHAFT					Component	ATA:27	
PN:945.02.02.205	MOS/MSC	31-Aug-20	H/T	TSN 0					
SN:S8598	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A									
PC12A27500410		LEFT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT					Component	ATA:27	
PN:945.02.02.206	MOS/MSC	31-Aug-20	H/T	TSN 0					
SN:S8545	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A									
PC12A27500420		RIGHT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT					Component	ATA:27	
PN:945.02.02.206	MOS/MSC	31-Aug-20	H/T	TSN 0					
SN:S8544	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A									
PC12A27500510		LEFT INBOARD FLAP ACTUATOR					Component	ATA:27	
PN:978.73.20.309	MOS/MSC	31-Aug-20	H/T	TSN 0					
SN:7308	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A									
PC12A27500520		RIGHT INBOARD FLAP ACTUATOR					Component	ATA:27	
PN:978.73.20.309	MOS/MSC	31-Aug-20	H/T	TSN 0					
SN:7301	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
PC12A27500610		LEFT OUTBOARD FLAP ACTUATOR						Component	ATA:27
PN:978.73.20.309	MOS/MSC	31-Aug-20	H/T	TSN 0					
SN:7310	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A									
PC12A27500620		RIGHT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED)						Component	ATA:27
PN:978.73.20.309	MOS/MSC	31-Aug-20	H/T	TSN 0					
SN:7303	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A									
PC12A27500710		ROTATION TRANSMITTER, LH, MT532						Component	ATA:27
PN:978.73.20.602	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:3079	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A									
PC12A27500720		ROTATION TRANSMITTER, RH, MT632						Component	ATA:27
PN:978.73.20.602	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:3092	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A									
PC12A275CA410		LEFT INBOARD FLAP TENSION ROD						Component	ATA:27
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-27-51-01-00A-920A-APROC. REF: AMM 12-B-27-51-01-00A-920A-A									
PC12A275CA420		RIGHT INBOARD FLAP TENSION ROD						Component	ATA:27
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 27 - FLIGHT CONTROLS

PROC. REF: AMM 12-B-27-51-01-00A-920A-APROC. REF: AMM 12-B-27-51-01-00A-920A-A

PC12A275CA430		LEFT OUTBOARD FLAP TENSION ROD					Component	ATA:27
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

PROC. REF: AMM 12-B-27-51-03-00A-920A-APROC. REF: AMM 12-B-27-51-03-00A-920A-A

PC12A275CA440		RIGHT OUTBOARD FLAP TENSION ROD					Component	ATA:27
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

PROC. REF: AMM 12-B-27-51-03-00A-920A-APROC. REF: AMM 12-B-27-51-03-00A-920A-A

ATA 28 - FUEL

28-10/500		INWARD VENT VALVE - FUNCTIONAL TEST					Service	ATA:28
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	95 d (+36)	
	HRS	1435:41	1200 (+10%/-10%)		2635:41	2755:41	1024:40 (+120)	
	AFL	807						

WO#: 2602-PVN

PROC. REF: AMM 12-C-28-10-03-00A-903A-APROC. REF: AMM 12-C-28-10-03-00A-903A-A

28-10/501		OUTWARD VENT VALVE - OPERATIONAL TEST					Service	ATA:28
	MOS	14-Aug-24	24 (+10%/-10%)	Adj 17d	31-Aug-26	12-Nov-26	160 d (+73)	
	HRS	1127	2400 (+10%/-10%)		3527	3767	1915:59 (+240)	
	AFL	600						

WO#: 2602-PVN

PROC. REF: AMM 12-C-28-10-01-00A-903A-APROC. REF: AMM 12-C-28-10-01-00A-903A-A

28-10/533 ^S		FUEL TANK FILLER CAPS (MSN 2001 AND UP) - EXAMINE					Service	ATA:28
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						

PKG:2
WO#: 2602-PVN

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-10/534 ^S	FUEL (MSN 2001 AND UP) - REMOVE A SAMPLE FROM EACH DRAIN VALVE AND EXAMINE FOR WATER							Service	ATA:28
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2 WO#: 2602-PVN	
28-10/639	CONTAMINATION ANALYSIS							Service	ATA:28
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -22d	14-Aug-26	20-Sep-26	143 d (+37)		
	HRS	1435:41							
	AFL	807							
PROC. REF: AMM 12-C-28-00-00-00A-377A-A, AMM 12-C-28-00-00-01A-901A-APROC. REF: AMM 12-C-28-00-00-00A-377A-A, AMM 12-C-28-00-00-01A-901A-A								WO#: 2602-PVN	
28-10/645	FUEL TANK - VISUAL INSPECTION FOR CONTAMINATION							Service	ATA:28
	MOS	14-Aug-24	24 (+10%/-10%)	Adj -48d	27-Jun-26	08-Sep-26	95 d (+73)		
	HRS	1127							
	AFL	600							
PROC. REF: AMM 12-C-28-10-00-00A-310C-APROC. REF: AMM 12-C-28-10-00-00A-310C-A								WO#: 2602-PVN	
28-20/149 ^S	FIREWALL FUEL SHUT-OFF VALVE - OPERATE THE FUEL EMERGENCY SHUT-OFF LEVER AND MAKE SURE THE FIREWALL SHUT-OFF VALVE OPENS AND CLOSSES FULLY TO EACH DEAD STOP. MAKE SURE MOVEMENT IS FREE AND CHECK IF INITIAL PULL OUT FORCE AT THE LEVER OUTER END IS BELOW 44.5 N (10 IBF)							Service	ATA:28
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2 WO#: 2602-PVN	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-20/256 ^S	FUEL SYSTEM COMPONENTS - EXAMINE AS FAR AS POSSIBLE WITH THOSE ACCESS PANELS OPENED/REMOVED IN THIS INSPECTION PACKAGE							Service	ATA:28
	MOS	14-Aug-24	24 (+10%/-10%)						
	HRS	1127	2400 (+10%/-10%)						
	AFL	600							
								PKG:4 WO#: 2602-PVN	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
28-20/502	FUEL TANK VENT FLOAT VALVE AND FLAME ARRESTER - OPERATIONAL TEST							Service	ATA:28
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	95 d (+36)		
	HRS	1435:41	600 (+10%/-10%)		2035:41	2095:41	424:40 (+60)		
	AFL	807							
								WO#: 2602-PVN	
PROC. REF: AMM 12-C-28-20-00-00A-903A-APROC. REF: AMM 12-C-28-20-00-00A-903A-A									
28-20/503	INSPECTION/CHECK FLAME ARRESTOR MESH SCREEN							Service	ATA:28
	MOS	31-Aug-20							
	HRS	0	4800 (+10%/-10%)		4800	5280	3188:59 (+480)		
	AFL	0							
PROC. REF: AMM 12-C-28-20-11-01A-313A-APROC. REF: AMM 12-C-28-20-11-01A-313A-A									
28-20/504 ^S	MOTIVE FLOW LINE INSULATION (INSIDE FUEL TANK) - INSPECTION/CHECK							Service	ATA:28
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
								PKG:3 WO#: 2602-PVN	
PROC. REF: AMM 12-C-28-20-09-01A-313A-APROC. REF: AMM 12-C-28-20-09-01A-313A-A									
28-20/505 ^S	FUEL DELIVERY LINE (INSIDE FUEL TANK) - INSPECTION/CHECK							Service	ATA:28
	MOS	14-Aug-24	24 (+10%/-10%)						
	HRS	1127	2400 (+10%/-10%)						
	AFL	600							
								PKG:4 WO#: 2602-PVN	
PROC. REF: AMM 12-C-28-20-10-00A-313A-APROC. REF: AMM 12-C-28-20-10-00A-313A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PC12A28200100 FIREWALL SHUT OFF VALVE								Component ATA:28
PN:963.87.22.302	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0057	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-28-20-08-00A-920A-APROC. REF: AMM 12-C-28-20-08-00A-920A-A								
PC12A28200200 FUEL PRESSURE TRANSDUCER								Component ATA:28
PN:975.21.15.225	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:8496-4-50	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A28200310 BOOSTER PUMP, LH, B511								Component ATA:28
PN:968.84.11.408	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0058	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-28-20-04-00A-920A-APROC. REF: AMM 12-C-28-20-04-00A-920A-A								
PC12A28200320 BOOSTER PUMP, RH, B611								Component ATA:28
PN:968.84.11.408	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0076	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-28-20-04-00A-920A-APROC. REF: AMM 12-C-28-20-04-00A-920A-A								
PC12A28200410 TRANSFER JET PUMP, LH								Component ATA:28
PN:968.84.71.112	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0145	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-28-20-05-00A-920A-APROC. REF: AMM 12-C-28-20-05-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
PC12A28200420		TRANSFER JET PUMP, RH					Component ATA:28		
PN:968.84.71.112	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:0156	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-C-28-20-05-00A-920A-APROC. REF: AMM 12-C-28-20-05-00A-920A-A									
PC12A28200510		DELIVERY AND TRANSFER JET PUMP, LH					Component ATA:28		
PN:968.84.71.111	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:0072	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-C-28-20-06-00A-920A-APROC. REF: AMM 12-C-28-20-06-00A-920A-A									
PC12A28200520		DELIVERY AND TRANSFER JET PUMP, RH					Component ATA:28		
PN:968.84.71.111	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:0069	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-C-28-20-06-00A-920A-APROC. REF: AMM 12-C-28-20-06-00A-920A-A									
PC12A28200610		MOTIVE FLOW NON RETURN VALVE, LH					Component ATA:28		
PN:963.82.21.319	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:0064	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-C-28-20-09-00A-920A-APROC. REF: AMM 12-C-28-20-09-00A-920A-A									
PC12A28200620		MOTIVE FLOW NON RETURN VALVE, RH					Component ATA:28		
PN:963.82.21.319	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:0077	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-C-28-20-09-00A-920A-APROC. REF: AMM 12-C-28-20-09-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PC12A28200710 INWARD VENT NON RETURN VALVE, LH								Component ATA:28
PN:963.04.26.520	MOS/MSC	31-Aug-20	O/C		TSN 0			
SN:RG2-2355	HRS	0			TSN 0			
	AFL	0			TSN 0			
	ACH	0						
PROC. REF: AMM 12-C-28-10-03-00A-920A-APROC. REF: AMM 12-C-28-10-03-00A-920A-A								
PC12A28200720 INWARD VENT NON RETURN VALVE, RH								Component ATA:28
PN:963.04.26.520	MOS/MSC	31-Aug-20	O/C		TSN 0			
SN:RG2-2347	HRS	0			TSN 0			
	AFL	0			TSN 0			
	ACH	0						
PROC. REF: AMM 12-C-28-10-03-00A-920A-APROC. REF: AMM 12-C-28-10-03-00A-920A-A								
PC12A28400100 FUEL CONTROL MONITOR UNIT, A240								Component ATA:28
PN:975.37.31.340	MOS/MSC	31-Aug-20	O/C		TSN 0			
SN:135	HRS	0			TSN 0			
	AFL	0			TSN 0			
	ACH	0						
PROC. REF: AMM 12-C-28-40-04-00A-920A-APROC. REF: AMM 12-C-28-40-04-00A-920A-A								
PC12A28400210 FUEL QUANTITY HARNESS, LH, A531								Component ATA:28
PN:975.37.31.335	MOS/MSC	31-Aug-20	O/C		TSN 0			
SN:2319	HRS	0			TSN 0			
	AFL	0			TSN 0			
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A28400220 FUEL QUANTITY HARNESS, RH, A631								Component ATA:28
PN:975.37.31.335	MOS/MSC	31-Aug-20	O/C		TSN 0			
SN:2311	HRS	0			TSN 0			
	AFL	0			TSN 0			
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PC12A28400310 FUEL QUANTITY SENSOR, COLLECTOR, LH								Component ATA:28
PN:975.37.31.250	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:3035	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								
PC12A28400320 FUEL QUANTITY SENSOR, COLLECTOR, RH								Component ATA:28
PN:975.37.31.250	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:3077	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								
PC12A28400410 FUEL QUANTITY SENSOR, INNER, LH								Component ATA:28
PN:975.37.31.251	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:3003	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								
PC12A28400420 FUEL QUANTITY SENSOR, INNER, RH								Component ATA:28
PN:975.37.31.251	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:3073	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								
PC12A28400510 FUEL QUANTITY SENSOR, CENTER, LH								Component ATA:28
PN:975.37.31.252	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:3114	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
PC12A28400520	FUEL QUANTITY SENSOR, CENTER, RH							Component	ATA:28
PN:975.37.31.252	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:3120	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A									
PC12A28400610	FUEL QUANTITY SENSOR, OUTER, LH							Component	ATA:28
PN:975.37.31.253	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:3181	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A									
PC12A28400620	FUEL QUANTITY SENSOR, OUTER, RH							Component	ATA:28
PN:975.37.31.253	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:3177	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A									
ATA 30 - ICE AND RAIN PROTECTION									
30-10/155 ^S	INERTIAL SEPARATION SYSTEM - OPERATIONAL TEST							Service	ATA:30
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PROC. REF: AMM 12-B-30-20-00-00A-903A-APROC. REF: AMM 12-B-30-20-00-00A-903A-A									
30-10/260 ^S	AIRFOIL DE-ICE SYSTEM - FUNCTIONAL TEST							Service	ATA:30
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
PROC. REF: AMM 12-C-30-10-00-00A-903A-APROC. REF: AMM 12-C-30-10-00-00A-903A-A									

PKG:2
WO#: 2602-PVN

PKG:3
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
30-10/536 ^S	WING AND HORIZONTAL STABILIZER AIRFOIL DE-ICE BOOTS (MSN 2001 AND UP) - INSPECTION/CHECK							Service	ATA:30
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
								PKG:2 WO#: 2602-PVN	
PROC. REF: AMM 12-B-30-10-00-00A-313A-APROC. REF: AMM 12-B-30-10-00-00A-313A-A									
30-10/79	APPLY AIRFOIL DE-ICERS A SURFACE COATING OF AGE MASTER NO. 1							Service	ATA:30
	MOS	05-Feb-26	6 (+10%/-10%)		05-Aug-26	23-Aug-26	134 d (+18)		
	HRS	1533:25							
	AFL	919							
								WO#: 2601-PVN,2602-PVN	
PROC. REF: AMM 12-B-30-10-00-00A-313A-APROC. REF: AMM 12-B-30-10-00-00A-313A-A									
30-20/261 ^S	AIR BY-PASS DOOR AND OPERATING MECHANISM - EXAMINE AND LUBRICATE WITH MINIMUM QUANTITY OF CPC (P10-001)							Service	ATA:30
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
								PKG:3 WO#: 2602-PVN	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
30-20/537 ^S	ENGINE AIR INTAKE DE-ICE LIP (MSN 2001 AND UP) - EXAMINE AND LOOK FOR SIGNS OF GAS LEAKS-NONE ARE PERMITTED							Service	ATA:30
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
								PKG:2 WO#: 2602-PVN	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
30-30/329 ^S	PROBES DE-ICE SYSTEM - FUNCTIONAL TEST							Service	ATA:30
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
								PKG:2 WO#: 2602-PVN	
PROC. REF: AMM 12-B-30-30-20-00A-903A-APROC. REF: AMM 12-B-30-30-20-00A-903A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-40/262 ^S WINDSHIELD DE-ICE SYSTEM - OPERATIONAL TEST Service ATA:30								
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						
								PKG:4 WO#: 2602-PVN
PROC. REF: AMM 12-B-30-40-00-00A-903A-APROC. REF: AMM 12-B-30-40-00-00A-903A-A								
30-60/158 ^S PROPELLER DE-ICE SYSTEM - INSPECTION/CHECK Service ATA:30								
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
								PKG:2 WO#: 2602-PVN
PROC. REF: AMM 12-B-30-60-00-00A-313B-APROC. REF: AMM 12-B-30-60-00-00A-313B-A								
30-60/159 ^S PROPELLER DE-ICE SYSTEM - OPERATIONAL TEST Service ATA:30								
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
								PKG:2 WO#: 2602-PVN
PROC. REF: AMM 12-B-30-60-00-00A-903B-A, AMM 12-B-30-60-00-00A-903D-APROC. REF: AMM 12-B-30-60-00-00A-903B-A, AMM 12-B-30-60-00-00A-903D-A								
PC12A30100100 AIRFOIL DE-ICE SYSTEM TIMER, A230 Component ATA:30								
PN:959.89.01.044	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:UA711	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-30-10-03-00A-920A-APROC. REF: AMM 12-B-30-10-03-00A-920A-A								
PC12A30100200 PRESSURE REGULATOR Component ATA:30								
PN:959.89.01.012	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:N200413	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-30-10-01-00A-920A-APROC. REF: AMM 12-B-30-10-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
PC12A30100300		WATER SEPARATOR						Component	ATA:30
PN:959.89.01.010	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:N200547	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A30100410		EJECTOR FLOW CONTROL VALVE (FCV), INBD, UPPER, L605						Component	ATA:30
PN:959.89.01.008	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:N200235	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A									
PC12A30100420		EJECTOR FLOW CONTROL VALVE (FCV), INBD, LOWER, L606						Component	ATA:30
PN:959.89.01.008	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:N200230	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A									
PC12A30100430		EJECTOR FLOW CONTROL VALVE (FCV), OUTBD, UPPER, L600						Component	ATA:30
PN:959.89.01.008	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:N200222	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A									
PC12A30100440		EJECTOR FLOW CONTROL VALVE (FCV), OUTBD, LOWER, L601						Component	ATA:30
PN:959.89.01.008	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:N200208	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PC12A30100450 EJECTOR FLOW CONTROL VALVE (FCV), HORIZ STAB, L602								Component ATA:30
PN:959.89.01.008	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:N200212	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
PC12A30100510 PRESSURE SWITCH, INBD, UPPER, S600								Component ATA:30
PN:973.81.14.312	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:10521	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-30-10-04-00A-920A-APROC. REF: AMM 12-C-30-10-04-00A-920A-A								
PC12A30100520 PRESSURE SWITCH, INBD, LOWER, S601								Component ATA:30
PN:973.81.14.312	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:10528	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-30-10-04-00A-920A-APROC. REF: AMM 12-C-30-10-04-00A-920A-A								
PC12A30100530 PRESSURE SWITCH, OUTBD, UPPER, S603								Component ATA:30
PN:973.81.14.312	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:10484	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-30-10-04-00A-920A-APROC. REF: AMM 12-C-30-10-04-00A-920A-A								
PC12A30100540 PRESSURE SWITCH, OUTBD, LOWER, S602								Component ATA:30
PN:973.81.14.312	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:10503	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-30-10-04-00A-920A-APROC. REF: AMM 12-C-30-10-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PC12A30100550 PRESSURE SWITCH, HORIZ STAB, S380								Component ATA:30
PN:973.81.14.312	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:10479	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-30-10-04-00A-920A-APROC. REF: AMM 12-C-30-10-04-00A-920A-A								
PC12A30140100 DE-ICING BOOT, WING, INBD, LH								Component ATA:30
PN:959.89.01.037	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:NFH6400	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-30-14-01-00A-920A-APROC. REF: AMM 12-C-30-14-01-00A-920A-A								
PC12A30140200 DE-ICING BOOT, WING, INBD, RH								Component ATA:30
PN:959.89.01.038	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:NFJ8560	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-30-14-01-00A-920A-APROC. REF: AMM 12-C-30-14-01-00A-920A-A								
PC12A30140300 DE-ICING BOOT, WING, OUTBD, LH								Component ATA:30
PN:959.89.01.039	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:NFK6440	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-30-14-01-00A-920A-APROC. REF: AMM 12-C-30-14-01-00A-920A-A								
PC12A30140400 DE-ICING BOOT, WING, OUTBD, RH								Component ATA:30
PN:959.89.01.040	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:NFK1990	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-30-14-01-00A-920A-APROC. REF: AMM 12-C-30-14-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
PC12A30160100		DE-ICING BOOT, HORIZONTAL STABILIZER, LH					Component	ATA:30	
PN:959.89.01.041	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:NFK5260	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-C-30-16-01-00A-920A-APROC. REF: AMM 12-C-30-16-01-00A-920A-A									
PC12A30160200		DE-ICING BOOT, HORIZONTAL STABILIZER, RH					Component	ATA:30	
PN:959.89.01.042	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:NFI5320	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-C-30-16-01-00A-920A-APROC. REF: AMM 12-C-30-16-01-00A-920A-A									
PC12A30200100		INERTIAL SEPARATOR ACTUATOR					Component	ATA:30	
PN:978.73.15.302	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:F26141	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-30-20-01-00A-920A-APROC. REF: AMM 12-B-30-20-01-00A-920A-A									
PC12A30300110		AOA PLATE TEMPERATURE CONTROLLER, LH, A578					Component	ATA:30	
PN:975.44.21.418	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:UH985	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-30-30-21-00A-920A-APROC. REF: AMM 12-B-30-30-21-00A-920A-A									
PC12A30300120		AOA PLATE TEMPERATURE CONTROLLER, RH, A678					Component	ATA:30	
PN:975.44.21.418	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:UI020	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-30-30-21-00A-920A-APROC. REF: AMM 12-B-30-30-21-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PC12A30300210 CURRENT SENSOR, DE-ICE PANEL, LH S2351								Component ATA:30
PN:974.29.00.205	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:5020	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A30300220 CURRENT SENSOR, DE-ICE PANEL, RH S2341								Component ATA:30
PN:974.29.00.205	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:4999	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A30400110 WINDSHIELD DE-ICE CONTROLLER, LH, A111								Component ATA:30
PN:972.81.32.202	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:141243	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-30-40-01-00A-920A-APROC. REF: AMM 12-B-30-40-01-00A-920A-A								
PC12A30400120 WINDSHIELD DE-ICE CONTROLLER, RH, A112								Component ATA:30
PN:972.81.32.202	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:141244	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-30-40-01-00A-920A-APROC. REF: AMM 12-B-30-40-01-00A-920A-A								
PC12A30600100 PROPELLER DE-ICE TIMER, A030								Component ATA:30
PN:4E3163-2	MOS/MSC	09-Apr-22	O/C	TSR 0				
SN:U4540	HRS	519:16		TSN 29:42, TSR 0				
	AFL	265		TSN 30, TSR 0				
PROC. REF: AMM 12-B-30-60-01-00A-920A-APROC. REF: AMM 12-B-30-60-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-30/421 ^S LDR (IF INSTALLED) - OPERATIONAL TEST								Service ATA:31
PN:985.99.20.127	MOS	05-Sep-25	12 (+10%/-10%)					
SN:002033135	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PKG:3 WO#: 2602-PVN								
PROC. REF: AMM 12-C-31-30-01-00A-903A-APROC. REF: AMM 12-C-31-30-01-00A-903A-A								
PC12A31100100 OVERHEAD CONTROL PANEL, A140								Component ATA:31
PN:972.81.21.160	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0024	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-31-10-00-00A-920A-APROC. REF: AMM 12-B-31-10-00-00A-920A-A								
PC12A31120100 CROSSBAR PANEL, INNER, LH								Component ATA:31
PN:972.81.21.143	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0964	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31120200 CROSSBAR PANEL, INNER, RH								Component ATA:31
PN:972.81.21.162	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0039	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31130100 CENTRE CONSOLE PANEL, FRONT								Component ATA:31
PN:972.81.21.165	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0033	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
PC12A31130200		CENTRE CONSOLE PANEL, MIDDLE						Component	ATA:31
PN:972.81.21.159	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:0039	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-C-76-10-00-00A-920A-APROC. REF: AMM 12-C-76-10-00-00A-920A-A									
PC12A31130300		CENTRE CONSOLE PANEL, REAR						Component	ATA:31
PN:972.81.21.161	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:0032	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-C-33-10-02-00A-920A-APROC. REF: AMM 12-C-33-10-02-00A-920A-A									
PC12A31300100		COCKPIT VOICE & FLIGHT DATA RECORDER (CVFDR), A361						Component	ATA:31
PN:985.99.20.127	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:002033135	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-31-30-01-00A-920A-APROC. REF: AMM 12-B-31-30-01-00A-920A-A									
PC12A31300200		AREA MICROPHONE, COCKPIT, A118						Component	ATA:31
PN:985.99.20.137	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:002033412	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-31-30-02-00A-920A-APROC. REF: AMM 12-B-31-30-02-00A-920A-A									
PC12A31410100		MODULAR AVIONICS UNIT HOUSING, A200						Component	ATA:31
PN:985.99.11.966	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:2002B214	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-C-31-41-00-00A-920A-APROC. REF: AMM 12-C-31-41-00-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
PC12A31410210		AIRCRAFT PERSONALITY MODULE (APM) 1, LH, A201					Component	ATA:31	
PN:985.83.14.204	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:40845275	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A31410220		AIRCRAFT PERSONALITY MODULE (APM) 2, RH, A202					Component	ATA:31	
PN:985.83.14.204	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:40845259	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A31420100		POWER SUPPLY MODULE (PS) 1					Component	ATA:31	
PN:985.99.12.346	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:20019575	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A									
PC12A31420200		NETWORK INTERFACE CONTROLLER (NIC) 1					Component	ATA:31	
PN:985.99.12.231	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:2003R942	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A									
PC12A31420300		ADVANCED GRAPHIC MODULE (AGM) 1A					Component	ATA:31	
PN:985.99.12.276	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:19122730	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PC12A31420400 CUSTOM INPUT/OUTPUT (CSIO) MODULE								Component ATA:31
PN:985.99.12.251	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:20012425	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420500 ACTUATOR-INPUT/OUTPUT-PROCESSOR (AIOP) 1A MODULE								Component ATA:31
PN:7028432-1902	MOS/MSC	03-Feb-21	O/C					
SN:1401H488	HRS	140:50						
	AFL	82						
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420600 ACTUATOR-INPUT/OUTPUT-PROCESSOR (AIOP) 2B MODULE								Component ATA:31
PN:985.99.12.190	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:2001U943	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420700 DUAL GENERIC INPUT/OUTPUT (DGIO) MODULE								Component ATA:31
PN:985.99.12.252	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:19112801	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420800 ADVANCED GRAPHIC MODULE (AGM) 2B								Component ATA:31
PN:985.99.12.276	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:19122758	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PC12A31420900 CONTROL INPUT/OUTPUT MODULE (CIO)								Component ATA:31
PN:985.99.12.028	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:19121713	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31421000 ENHANCED GROUND PROXIMITY WARNING SYSTEM (EGPWF) MODULE								Component ATA:31
PN:985.99.12.001	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:20014654	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31421100 NETWORK INTERFACE CONTROLLER (NIC) 2								Component ATA:31
PN:985.99.12.231	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:2003R994	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31421200 POWER SUPPLY MODULE (PS) 2								Component ATA:31
PN:985.99.12.346	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:20019594	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
ATA 32 - LANDING GEAR								
32-10/162 ^S MAIN LANDING GEAR - LUBRICATE								Service ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-B-12-20-04-00A-902A-APROC. REF: AMM 12-B-12-20-04-00A-902A-A								

PKG:2
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10/163 ^S	MAIN LANDING GEAR LEGS - EXAMINE							Service	ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
								PKG:2 WO#: 2602-PVN	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-10/164 ^S	MAIN LANDING GEAR COMPARTMENTS - EXAMINE							Service	ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
								PKG:2 WO#: 2602-PVN	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-10/165 ^S	MAIN LANDING GEAR SHOCK STRUTS - CHECK NITROGEN PRESSURE							Service	ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
								PKG:2 WO#: 2602-PVN	
PROC. REF: AMM 12-B-32-10-00-00A-902A-APROC. REF: AMM 12-B-32-10-00-00A-902A-A									
32-10/263 ^S	MAIN LANDING GEAR ELECTRICAL BONDING STRAPS - EXAMINE							Service	ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
								PKG:3 WO#: 2602-PVN	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-10/315	MAIN LANDING GEAR HINGE PIN AND BUSHES - INSPECTION/CHECK							Service	ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	95 d (+36)		
	HRS	1435:41	2400 (+10%/-10%)		3835:41	4075:41	2224:40 (+240)		
	AFL	807							
								WO#: 2602-PVN	
PROC. REF: AMM 12-B-32-10-00-00A-313B-APROC. REF: AMM 12-B-32-10-00-00A-313B-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10/346	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - LEFT MLG YOKE FITTING O (ELECTRO MECHANICAL LANDING GEAR) OVERHAUL AND EDDY CURRENT INSPECTION (CPCP)							Service	ATA:32
PN:PN	MOS/MSC	31-Aug-20	N/A						
SN:UNKNOWN	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-10/346	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RIGHT MLG YOKE FITTING (ELECTRO MECHANICAL LANDING GEAR) OVERHAUL AND EDDY CURRENT INSPECTION (CPCP)							Service	ATA:32
PN:PN	MOS/MSC	31-Aug-20	N/A						
SN:UNKNOWN	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-10/347	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - LEFT MLG TRAILING LINK OVERHAUL AND EDDY CURRENT INSPECTION (CPCP)							Service	ATA:32
PN:PN	MOS/MSC	31-Aug-20	N/A						
SN:UNKNOWN	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-10/347	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RIGHT MLG TRAILING LINK OVERHAUL AND EDDY CURRENT INSPECTION (CPCP)							Service	ATA:32
PN:PN	MOS/MSC	31-Aug-20	N/A						
SN:UNKNOWN	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-10/436	MAIN LANDING GEAR SHOCK ABSORBER TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE							Service	ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	95 d (+36)		
	HRS	1435:41							
	AFL	807							
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A									

WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10/438	LH MAIN LANDING GEAR LEG FORWARD ATTACHMENT BOLT AND BUSH AND REAR ATTACHMENT BOLT AND NUT - EXAMINE							Service	ATA:32
	MOS	31-Aug-20	72		31-Aug-26		160 d		
	HRS	0							
	AFL	0							
								WO#: 2602-PVN	
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A									
32-10/438	RH MAIN LANDING GEAR LEG FORWARD ATTACHMENT BOLT AND BUSH AND REAR ATTACHMENT BOLT AND NUT - EXAMINE							Service	ATA:32
	MOS	31-Aug-20	72		31-Aug-26		160 d		
	HRS	0							
	AFL	0							
								WO#: 2602-PVN	
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A									
32-10/439	LH MAIN LANDING GEAR SPRING PACK ASSEMBLY TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE							Service	ATA:32
	MOS	31-Aug-20	72		31-Aug-26		160 d		
	HRS	0							
	AFL	0							
								WO#: 2602-PVN	
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A									
32-10/439	RH MAIN LANDING GEAR SPRING PACK ASSEMBLY TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE							Service	ATA:32
	MOS	31-Aug-20	72		31-Aug-26		160 d		
	HRS	0							
	AFL	0							
								WO#: 2602-PVN	
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A									
32-10/440	LH MAIN LANDING GEAR FOLDING STRUT TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE							Service	ATA:32
	MOS	31-Aug-20	72		31-Aug-26		160 d		
	HRS	0							
	AFL	0							
								WO#: 2602-PVN	
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10/440	RH MAIN LANDING GEAR FOLDING STRUT TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE							Service	ATA:32
	MOS	31-Aug-20	72		31-Aug-26		160 d		
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								WO#: 2602-PVN	
32-10/441	LH MAIN LANDING GEAR DRAG LINK TOP ATTACHMENT SHEAR BOLT, CAP, BOLT AND NUTS - EXAMINE							Service	ATA:32
	MOS	31-Aug-20	120		31-Aug-30		1621 d		
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A									
32-10/441	RH MAIN LANDING GEAR DRAG LINK TOP ATTACHMENT SHEAR BOLT, CAP, BOLT AND NUTS - EXAMINE							Service	ATA:32
	MOS	31-Aug-20	120		31-Aug-30		1621 d		
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A									
32-10/80	LEFT MAIN LANDING GEAR WHEEL BEARINGS - LUBRICATE							Service	ATA:32
PN:532.45.12.066	MOS/MSC	05-Sep-25	12 (+10%/-10%) / T/C		05-Sep-26 (M)	11-Oct-26	165 d (+36)		
SN:4362	HRS	1435:41							
	AFL	807							
Installation Date: : 05-Sep-25								WO#: 2602-PVN	
PROC. REF: AMM 12-B-12-20-06-00A-902A-APROC. REF: AMM 12-B-12-20-06-00A-902A-A									
32-10/80	NOSE LANDING GEAR WHEEL BEARINGS - LUBRICATE							Service	ATA:32
PN:532.41.12.003	MOS/MSC	26-Nov-25	12 (+10%/-10%) / T/C		28-Aug-26	04-Oct-26	157 d (+37)		
SN:2039	HRS	1491:05							
	AFL	850							
Installation Date: : 28-Aug-25								WO#: 2602-PVN	
PROC. REF: AMM 12-B-12-20-06-00A-902A-APROC. REF: AMM 12-B-12-20-06-00A-902A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10/80 RIGHT MAIN LANDING GEAR WHEEL BEARINGS - LUBRICATE Service ATA:32								
PN:532.45.12.066	MOS/MSC	05-Sep-25	12 (+10%/-10%) / T/C		05-Sep-26 (M)	11-Oct-26	165 d (+36)	
SN:4395	HRS	1435:41						
	AFL	807						
Installation Date: : 05-Sep-25								WO#: 2602-PVN
PROC. REF: AMM 12-B-12-20-06-00A-902A-APROC. REF: AMM 12-B-12-20-06-00A-902A-A								
32-20/166 ^S NOSE LANDING GEAR SHOCK STRUT - CHECK NITROGEN PRESSURE Service ATA:32								
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
								PKG:2 WO#: 2602-PVN
PROC. REF: AMM 12-B-32-20-00-00A-902A-APROC. REF: AMM 12-B-32-20-00-00A-902A-A								
32-20/167 ^S NOSE LANDING GEAR - LUBRICATE Service ATA:32								
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
								PKG:2 WO#: 2602-PVN
PROC. REF: AMM 12-B-12-20-04-00A-902A-APROC. REF: AMM 12-B-12-20-04-00A-902A-A								
32-20/168 ^S NOSE LANDING GEAR LEG AND STEERING MECHANISM - EXAMINE, IN PARTICULAR THE STEERING ROD END (P/N 532.20.12.134) FOR THE COMPLETE RETENTION OF BEARING INTO THE STEERING ROD END HOUSING. Service ATA:32								
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
								PKG:2 WO#: 2602-PVN
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-20/169 ^S NOSE LANDING GEAR COMPARTMENT - EXAMINE Service ATA:32								
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
								PKG:2 WO#: 2602-PVN
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 32 - LANDING GEAR

32-20/265 ^S	NOSE LANDING GEAR ELECTRICAL BONDING STRAPS - EXAMINE							Service ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						

PKG:3
WO#: 2602-PVN

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

32-20/403	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - NLG - OVERHAUL							Service ATA:32
PN:532.20.12.043	MOS/MSC	31-Aug-20	N/A					
SN:SI-1277	HRS	0						
	AFL	0						

PROC. REF: GENERIC CMM, CMM 32-20-05PROC. REF: GENERIC CMM, CMM 32-20-05

32-20/416	LIFE LIMIT - NLG UPPER RIGHT HAND DRAG LINK							Service ATA:32
PN:PN	MOS	31-Aug-20					LIFE LIMIT	
SN:UNKNOWN	HRS	0	25000		25000		23388:59	
	AFL	0	30000		30000		29009	

PROC. REF: AMM 12-B-32-20-05-00A-920B-APROC. REF: AMM 12-B-32-20-05-00A-920B-A

32-30/423	LIFE LIMIT - LEFT MAIN LANDING GEAR ACTUATOR – ELECTRO MECHANICAL LANDING GEAR							Service ATA:32
PN:959.56.01.823	MOS	31-Aug-20					LIFE LIMIT	
SN:1088	HRS	0						
	AFL	0	30000		30000		29009	

PROC. REF: AMM 12-B-32-30-01-00A-920B-APROC. REF: AMM 12-B-32-30-01-00A-920B-A

32-30/423	LIFE LIMIT - NOSE LANDING GEAR ACTUATOR – ELECTRO MECHANICAL LANDING GEAR							Service ATA:32
PN:959.56.01.824	MOS	31-Aug-20					LIFE LIMIT	
SN:546	HRS	0						
	AFL	0	30000		30000		29009	

PROC. REF: AMM 12-B-32-30-02-00A-920B-APROC. REF: AMM 12-B-32-30-02-00A-920B-A

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-30/423 LIFE LIMIT - RIGHT MAIN LANDING GEAR ACTUATOR – ELECTRO MECHANICAL LANDING GEAR Service ATA:32								
PN:959.56.01.823	MOS	31-Aug-20						LIFE LIMIT
SN:1079	HRS	0						
	AFL	0	30000		30000		29009	
PROC. REF: AMM 12-B-32-30-01-00A-920B-APROC. REF: AMM 12-B-32-30-01-00A-920B-A								
32-30/424 EMERGENCY GEAR EXTENSION SYSTEM (ELECTRO MECHANICAL LANDING GEAR) - OPERATIONAL TEST Service ATA:32								
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	95 d (+36)	
	HRS	1435:41	2000		3435:41		1824:40	
	AFL	807						
PROC. REF: AMM 12-B-32-30-10-00A-903A-APROC. REF: AMM 12-B-32-30-10-00A-903A-A								
32-30/425^S ELECTRO MECHANICAL EXTENSION AND RETRACTION MECHANISM - EXAMINE ALL COMPONENTS AND THEIR ATTACHMENTS IN THE NOSE AND MAIN LANDING GEAR COMPARTMENTS Service ATA:32								
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-30/426 TIME DELAY RELAYS AND POWER CONTACTOR (ELECTRO MECHANICAL LANDING GEAR) - FUNCTIONAL TEST Service ATA:32								
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	95 d (+36)	
	HRS	1435:41	2000		3435:41		1824:40	
	AFL	807						
PROC. REF: AMM 12-B-32-30-08-00A-903A-APROC. REF: AMM 12-B-32-30-08-00A-903A-A								
32-30/429 MAIN LANDING GEAR SPRING STRUT (ELECTRO MECHANICAL LANDING GEAR) - EXAMINE THE SPRINGS Service ATA:32								
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	95 d (+36)	
	HRS	1435:41	2000		3435:41		1824:40	
	AFL	807						
PROC. REF: AMM 12-B-32-10-06-00A-313A-APROC. REF: AMM 12-B-32-10-06-00A-313A-A								

WO#: 2602-PVN

PKG:2
WO#: 2602-PVN

WO#: 2602-PVN

WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-30/435 LEFT MAIN LANDING GEAR ELECTRO MECHANICAL ACTUATORS ANTI-ROTATION PADS - DISCARD								
PN:959.56.01.823	MOS	31-Aug-20						Service ATA:32
SN:1088	HRS	0						DISCARD
	AFL	0	12000 (+500/-500)		12000	12500	11009 (+500)	
PROC. REF: AMM 12-B-32-30-01-01A-920B-APROC. REF: AMM 12-B-32-30-01-01A-920B-A								
32-30/435 NOSE LANDING GEAR ELECTRO MECHANICAL ACTUATORS ANTI-ROTATION PADS - DISCARD								
PN:959.56.01.824	MOS	31-Aug-20						Service ATA:32
SN:546	HRS	0						DISCARD
	AFL	0	12000 (+500/-500)		12000	12500	11009 (+500)	
PROC. REF: AMM 12-B-32-30-02-01A-920B-APROC. REF: AMM 12-B-32-30-02-01A-920B-A								
32-30/435 RIGHT MAIN LANDING GEAR ELECTRO MECHANICAL ACTUATORS ANTI-ROTATION PADS - DISCARD								
PN:959.56.01.823	MOS	31-Aug-20						Service ATA:32
SN:1079	HRS	0						DISCARD
	AFL	0	12000 (+500/-500)		12000	12500	11009 (+500)	
PROC. REF: AMM 12-B-32-30-01-01A-920B-APROC. REF: AMM 12-B-32-30-01-01A-920B-A								
32-30/442 LEFT MAIN LANDING GEAR ACTUATOR TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE								
PN:959.56.01.823	MOS	31-Aug-20	72		31-Aug-26		160 d	Service ATA:32
SN:1088	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-30/442 RIGHT MAIN LANDING GEAR ACTUATOR TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE								
PN:959.56.01.823	MOS	31-Aug-20	72		31-Aug-26		160 d	Service ATA:32
SN:1079	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								

WO#: 2602-PVN

WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-40/171 ^S	MAIN WHEELS - EXAMINE. ROTATE WHEELS, MAKE SURE BEARING MOVEMENT IS SMOOTH AND FREE AND NO EXCESSIVE PLAY EXISTS							Service	ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
								PKG:2 WO#: 2602-PVN	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-40/173 ^S	NOSE WHEEL - EXAMINE . ROTATE WHEEL, MAKE SURE BEARING MOVEMENT IS SMOOTH AND FREE AND NO EXCESSIVE PLAY EXISTS							Service	ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
								PKG:2 WO#: 2602-PVN	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-40/538 ^S	MAIN WHEEL TIRES (MSN 2001 AND UP) - EXAMINE AND CHECK TIRE PRESSURE							Service	ATA:32
	MOS/MSC	05-Sep-25	O/C						
	HRS	1435:41							
	AFL	807							
								PKG:2 WO#: 2602-PVN	
PROC. REF: AMM 12-B-12-10-04-00A-902A-APROC. REF: AMM 12-B-12-10-04-00A-902A-A									
32-40/539 ^S	NOSE WHEEL TIRE (MSN 2001 AND UP) - EXAMINE AND CHECK TIRE PRESSURE							Service	ATA:32
	MOS/MSC	26-Nov-25	O/C						
	HRS	1491:05							
	AFL	850							
								PKG:2 WO#: 2602-PVN	
PROC. REF: AMM 12-B-12-10-04-00A-902A-APROC. REF: AMM 12-B-12-10-04-00A-902A-A									
32-40/540 ^S	BRAKE SYSTEM (MSN 2001 AND UP) - APPLY THE PARKING BRAKE. EXAMINE THE BRAKE UNITS. MAKE SURE THAT PAD WEAR INDICATORS PROTRUDE FROM HOUSING.							Service	ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
								PKG:2 WO#: 2602-PVN	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-40/541 ^S	FLUID RESERVOIR (MSN 2001 AND UP) - CHECK AND REPLENISH, IF NECESSARY							Service	ATA:32
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PROC. REF: AMM 12-B-12-10-02-00A-902A-APROC. REF: AMM 12-B-12-10-02-00A-902A-A									
32-50/404	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - NLG STEERING MECHANISM - EXAMINE							Service	ATA:32
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-32-50-00-00A-310A-APROC. REF: AMM 12-B-32-50-00-00A-310A-A									
PC12A32100100	LEFT MAIN LANDING GEAR							Component	ATA:32
PN:532.10.12.055	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:VLG1254	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-32-10-02-00A-920B-APROC. REF: AMM 12-B-32-10-02-00A-920B-A									
PC12A32100110	SHOCK ABSORBER ASSEMBLY, LH							Component	ATA:32
PN:532.10.12.230	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:VLG1709	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-32-10-03-00A-920B-APROC. REF: AMM 12-B-32-10-03-00A-920B-A									
PC12A32100200	RIGHT MAIN LANDING GEAR							Component	ATA:32
PN:532.10.12.056	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:VLG1251	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-32-10-02-00A-920B-APROC. REF: AMM 12-B-32-10-02-00A-920B-A									

PKG:2
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32100210 SHOCK ABSORBER ASSEMBLY, RH Component ATA:32								
PN:532.10.12.230	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:VLG1702	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-10-03-00A-920B-APROC. REF: AMM 12-B-32-10-03-00A-920B-A								
PC12A32100310 SPRING STRUT, LH Component ATA:32								
PN:532.34.12.120	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1101	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-50-02-00A-920A-APROC. REF: AMM 12-B-32-50-02-00A-920A-A								
PC12A32100320 SPRING STRUT, RH Component ATA:32								
PN:532.34.12.120	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1100	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-50-02-00A-920A-APROC. REF: AMM 12-B-32-50-02-00A-920A-A								
PC12A321CA210 LH MLG YOKE FITTING Component ATA:32								
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A321CA220 RH MLG YOKE FITTING Component ATA:32								
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
PC12A321CA310		LH MLG TRAILING LINK					Component	ATA:32	
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A321CA320		RH MLG TRAILING LINK					Component	ATA:32	
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A32200100		NOSE LANDING GEAR					Component	ATA:32	
PN:532.20.12.043	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:SI-1277	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-32-20-02-00A-920B-APROC. REF: AMM 12-B-32-20-02-00A-920B-A									
PC12A32200110		NOSE LANDING GEAR STRUT ASSEMBLY					Component	ATA:32	
PN:532.20.12.044	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:SI-1277	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-32-20-03-00A-920B-APROC. REF: AMM 12-B-32-20-03-00A-920B-A									
PC12A32200120		SPRING PACK ASSEMBLY					Component	ATA:32	
PN:532.20.12.305	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:SI-0250	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32200130 SHIMMY DAMPER ASSEMBLY Component ATA:32								
PN:532.20.12.215	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:SI-0647	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-50-01-00A-920A-APROC. REF: AMM 12-B-32-50-01-00A-920A-A								
PC12A322CA110 NLG UPPER RIGHT HAND DRAG LINK Component ATA:32								
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-20-05-00A-920B-APROC. REF: AMM 12-B-32-20-05-00A-920B-A								
PC12A32300110 LEFT MAIN LANDING GEAR ACTUATOR Component ATA:32								
PN:959.56.01.823	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:1088	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-01-00A-920B-APROC. REF: AMM 12-B-32-30-01-00A-920B-A								
PC12A32300120 RIGHT MAIN LANDING GEAR ACTUATOR Component ATA:32								
PN:959.56.01.823	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:1079	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-01-00A-920B-APROC. REF: AMM 12-B-32-30-01-00A-920B-A								
PC12A32300200 NOSE LANDING GEAR ACTUATOR Component ATA:32								
PN:959.56.01.824	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:546	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-02-00A-920B-APROC. REF: AMM 12-B-32-30-02-00A-920B-A								
PC12A32300300 EMERGENCY GEAR HANDLE Component ATA:32								
PN:959.56.01.838	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:00648	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 12-B-32-30-10-01A-920A-APROC. REF: AMM 12-B-32-30-10-01A-920A-A								
PC12A32300400 EMERGENCY GEAR CABLE, MAIN GEAR Component ATA:32								
PN:959.56.01.814	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:00590	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-30-10-04A-920A-APROC. REF: AMM 12-B-32-30-10-04A-920A-A								
PC12A32300500 EMERGENCY GEAR CABLE, INTERMEDIATE Component ATA:32								
PN:959.56.01.843	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:00038	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-30-10-03A-920A-APROC. REF: AMM 12-B-32-30-10-03A-920A-A								
PC12A32300600 EMERGENCY GEAR CABLE, NOSE GEAR Component ATA:32								
PN:959.56.01.815	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:00560	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-30-10-02A-920A-APROC. REF: AMM 12-B-32-30-10-02A-920A-A								
PC12A32400110 LEFT MAIN WHEEL Component ATA:32								
PN:532.45.12.066	MOS/MSC	05-Sep-25	O/C	TSN 61				
SN:4362	HRS	1435:41		TSN 1435:41				
	AFL	807		TSN 807				
								WO#: 2602-PVN
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								
PC12A32400120 RIGHT MAIN WHEEL Component ATA:32								
PN:532.45.12.066	MOS/MSC	05-Sep-25	O/C	TSN 61				
SN:4395	HRS	1435:41		TSN 1435:41				
	AFL	807		TSN 807				
								WO#: 2602-PVN
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32400200		NOSE WHEEL			Component ATA:32			
PN:532.41.12.003	MOS/MSC	05-Sep-25	O/C	TSN 61				
SN:2039	HRS	1435:41		TSN 1435:41				
	AFL	807		TSN 807				
WO#: 2602-PVN								
PROC. REF: AMM 12-B-32-40-02-00A-920A-APROC. REF: AMM 12-B-32-40-02-00A-920A-A								
PC12A32400310		BRAKE ASSEMBLY, LH			Component ATA:32			
PN:959.56.01.517	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:4092	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-40-03-00A-920B-APROC. REF: AMM 12-B-32-40-03-00A-920B-A								
PC12A32400320		BRAKE ASSEMBLY, RH			Component ATA:32			
PN:959.56.01.517	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:4102	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-40-03-00A-920B-APROC. REF: AMM 12-B-32-40-03-00A-920B-A								
PC12A32400410		MASTER BRAKE CYLINDER, PILOT, LH			Component ATA:32			
PN:959.47.51.131	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:8058	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								
PC12A32400420		MASTER BRAKE CYLINDER, PILOT, RH			Component ATA:32			
PN:959.47.51.131	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:8059	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32400430 MASTER BRAKE CYLINDER, CO-PILOT, LH								Component ATA:32
PN:959.47.51.131	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:8060	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								
PC12A32400440 MASTER BRAKE CYLINDER, CO-PILOT, RH								Component ATA:32
PN:959.47.51.131	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:8061	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								
PC12A32400500 PARK BRAKE VALVE								Component ATA:32
PN:959.47.51.121	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:3321	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-40-05-00A-920A-APROC. REF: AMM 12-B-32-40-05-00A-920A-A								
PC12A324CA110 LEFT MAIN WHEEL TIRE								Component ATA:32
PN:025-350-0	MOS/MSC	14-Aug-24	O/C	TSN 0				
SN:4012T00222	HRS	1127		TSN 0				
	AFL	600		TSN 0				
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								WO#: 2602-PVN
PC12A324CA120 RIGHT MAIN WHEEL TIRE								Component ATA:32
PN:025-350-0	MOS/MSC	14-Aug-24	O/C	TSN 0				
SN:3178T00308	HRS	1127		TSN 0				
	AFL	600		TSN 0				
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A324CA210 NOSE WHEEL TIRE								Component ATA:32
PN:021-327-0	MOS/MSC	08-Aug-23	O/C	TSN 0				
SN:1285T00226	HRS	918:20		TSN 0				
	AFL	472		TSN 0				
WO#: 2602-PVN								
PROC. REF: AMM 12-B-32-40-02-00A-920A-APROC. REF: AMM 12-B-32-40-02-00A-920A-A								
PC12A32600110 PROXIMITY SWITCH, NLG UP, MT053								Component ATA:32
PN:973.30.33.116	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:8419	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A32600120 PROXIMITY SWITCH, NLG DOWN MT056								Component ATA:32
PN:973.30.33.116	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:8401	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A32600130 PROXIMITY SWITCH, MLG UP, LH, MT515								Component ATA:32
PN:973.30.33.116	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:8456	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-60-01-00A-920B-APROC. REF: AMM 12-B-32-60-01-00A-920B-A								
PC12A32600140 PROXIMITY SWITCH, MLG UP, RH, MT615								Component ATA:32
PN:973.30.33.116	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:8457	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-60-01-00A-920B-APROC. REF: AMM 12-B-32-60-01-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32600210 MICROSWITCH, DOWN & LOCK, LH, S519								Component ATA:32
PN:973.30.31.217	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:01710	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-60-01-00A-920B-APROC. REF: AMM 12-B-32-60-01-00A-920B-A								
PC12A32600220 MICROSWITCH, DOWN & LOCK, RH, S619								Component ATA:32
PN:973.30.31.217	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:01712	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-60-01-00A-920B-APROC. REF: AMM 12-B-32-60-01-00A-920B-A								
PC12A32600310 PROXIMITY SWITCH, WOW, LH, MT517								Component ATA:32
PN:532.69.21.026	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:3894	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-60-12-00A-920B-APROC. REF: AMM 12-B-32-60-12-00A-920B-A								
PC12A32600320 PROXIMITY SWITCH, WOW, RH, MT617								Component ATA:32
PN:532.69.21.026	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:3855	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-32-60-12-00A-920B-APROC. REF: AMM 12-B-32-60-12-00A-920B-A								
PC12A32600410 LANDING GEAR RELAY UNIT, K2311A1								Component ATA:32
PN:9740926112	MOS/MSC	17-Sep-20	O/C	TSN 0				
SN:2196	HRS	17:54		TSN 0				
	AFL	24		TSN 0				
PROC. REF: AMM 12-B-32-30-08-00A-920A-APROC. REF: AMM 12-B-32-30-08-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
PC12A32600420	LANDING GEAR RELAY UNIT, K2311A2							Component	ATA:32
PN:974.09.26.112	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:2174	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-32-30-08-00A-920A-APROC. REF: AMM 12-B-32-30-08-00A-920A-A									

ATA 33 - LIGHTS									
33-40/542 ^S	EXTERIOR LIGHTING (MSN 2001 AND UP) - OPERATIONAL TEST							Service	ATA:33
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PROC. REF: AMM 12-B-33-40-00-00A-903A-APROC. REF: AMM 12-B-33-40-00-00A-903A-A									

PKG:2
WO#: 2602-PVN

33-41/543 ^S	LANDING LIGHTS (MSN 2001 AND UP) - EXAMINE							Service	ATA:33
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:2
WO#: 2602-PVN

33-42/544 ^S	TAXI LIGHTS (MSN 2001 AND UP) - EXAMINE							Service	ATA:33
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:2
WO#: 2602-PVN

33-43/545 ^S	NAVIGATION AND STROBE LIGHTS (MSN 2001 AND UP) - EXAMINE							Service	ATA:33
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							

PKG:2
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
33-44/546 ^S	RECOGNITION LIGHTS (IF INSTALLED) (MSN 2001 AND UP) - EXAMINE							Service	ATA:33
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
33-46/547 ^S	BEACON LIGHTS (IF INSTALLED) (MSN 2001 AND UP) - EXAMINE							Service	ATA:33
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PC12A33100100	COCKPIT LIGHT DIM UNIT, A177							Component	ATA:33
PN:975.02.15.205	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:141256	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-33-10-04-00A-920A-APROC. REF: AMM 12-B-33-10-04-00A-920A-A									
PC12A33400100	WING INSPECTION LIGHT, DS155							Component	ATA:33
PN:972.87.87.407	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:S19273454	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-33-40-12-00A-920A-APROC. REF: AMM 12-B-33-40-12-00A-920A-A									
PC12A33410110	LANDING LIGHT, LH, DS521							Component	ATA:33
PN:972.87.69.434	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:221141-2-16	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							

PKG:2
WO#: 2602-PVN

PKG:2
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
PROC. REF: AMM 12-C-33-41-01-00A-920B-APROC. REF: AMM 12-C-33-41-01-00A-920B-A									
PC12A33410120	LANDING LIGHT, RH, DS621							Component	ATA:33
PN:972.87.69.434	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:221141-2-19	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-C-33-41-01-00A-920B-APROC. REF: AMM 12-C-33-41-01-00A-920B-A									
PC12A33420100	TAXI LIGHT, DS900							Component	ATA:33
PN:972.87.69.433	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:221141-1-9	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-C-33-42-01-00A-920B-APROC. REF: AMM 12-C-33-42-01-00A-920B-A									
PC12A33430100	WINGTIP LIGHT, LH, DS594							Component	ATA:33
PN:972.87.87.344	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:219423-5-2	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-57-33-00-00A-920B-APROC. REF: AMM 12-B-57-33-00-00A-920B-A									
PC12A33430200	WINGTIP LIGHT, RH, DS694							Component	ATA:33
PN:972.87.87.345	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:221141-4-30	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-57-33-00-00A-920B-APROC. REF: AMM 12-B-57-33-00-00A-920B-A									
PC12A33430300	POWER SUPPLY, A220							Component	ATA:33
PN:972.87.87.179	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:219423-4-16	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-33-43-03-00A-920B-APROC. REF: AMM 12-B-33-43-03-00A-920B-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
PC12A33440110		RECOGNITION LIGHT, LH					Component	ATA:33	
PN:972.87.69.431	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:219423-1-8	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-C-33-44-00-00A-920C-APROC. REF: AMM 12-C-33-44-00-00A-920C-A									
PC12A33440120		RECOGNITION LIGHT, RH					Component	ATA:33	
PN:972.87.69.431	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:219423-1-9	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-C-33-44-00-00A-920C-APROC. REF: AMM 12-C-33-44-00-00A-920C-A									
PC12A33460110		RED FLASHING BEACON, TOP, A410					Component	ATA:33	
PN:972.87.87.347	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:221141-5-29	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-33-46-00-00A-920B-APROC. REF: AMM 12-B-33-46-00-00A-920B-A									
PC12A33460120		RED FLASHING BEACON, BOTTOM, A800					Component	ATA:33	
PN:972.87.87.347	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:221141-5-26	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-33-46-00-00A-920B-APROC. REF: AMM 12-B-33-46-00-00A-920B-A									
ATA 34 - NAVIGATION									
34-00/183 ^S		COMMUNICATIONS AND NAVIGATION ANTENNAS - EXAMINE					Service	ATA:34	
	MOS	14-Aug-24	24 (+10%/-10%)						
	HRS	1127	2400 (+10%/-10%)						
	AFL	600							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:4
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-00/548 ^S	COCKPIT INSTRUMENTS AND AVIONIC EQUIPMENT (MSN 2001 AND UP) - EXAMINE							Service	ATA:34
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2 WO#: 2602-PVN	
34-11/268 ^S	PITOT AND STATIC SYSTEM - DRAIN							Service	ATA:34
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
PROC. REF: AMM 12-B-34-11-00-00A-901A-APROC. REF: AMM 12-B-34-11-00-00A-901A-A								PKG:3 WO#: 2602-PVN	
34-11/343	STATIC PORTS PLATE HEIGHT - INSPECTION/CHECK							Service	ATA:34
	MOS	14-Aug-24	24 (+10%/-10%)	Adj 17d	31-Aug-26	12-Nov-26	160 d (+73)		
	HRS	1127							
	AFL	600							
PROC. REF: AMM 12-B-34-11-12-00A-313A-APROC. REF: AMM 12-B-34-11-12-00A-313A-A								WO#: 2602-PVN	
34-11/549 ^S	PITOT TUBE (MSN 2001 AND UP) - EXAMINE							Service	ATA:34
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2 WO#: 2602-PVN	
34-11/550 ^S	STATIC PORTS (MSN 2001 AND UP) - EXAMINE							Service	ATA:34
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2 WO#: 2602-PVN	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-11/82	STATIC SYSTEM - LEAK CHECK							Service	ATA:34
	MOS	14-Aug-24	24 (+10%/-10%)	Adj -50d	25-Jun-26	06-Sep-26	93 d (+73)		
	HRS	1127							
	AFL	600							
		Test Date: : 14-Aug-24						WO#:	2602-PVN
PROC. REF: AMM 12-B-34-11-00-00A-903A-APROC. REF: AMM 12-B-34-11-00-00A-903A-A									
34-21/84	STANDBY MAGNETIC COMPASS (IF INSTALLED) - CHECK SWING							Service	ATA:34
PN:PN	MOS/MSC		N/A						
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 12-B-34-21-00-00A-903A-APROC. REF: AMM 12-B-34-21-00-00A-903A-A									
34-25/344	ALTITUDE AND VERTICAL SPEED INDICATION - FUNCTIONAL TEST							Service	ATA:34
	MOS	14-Aug-24	24 (+10%/-10%)	Adj 17d	31-Aug-26	12-Nov-26	160 d (+73)		
	HRS	1127							
	AFL	600							
		Test Date: : 14-Aug-24						WO#:	2602-PVN
PROC. REF: AMM 12-B-34-14-00-00A-903B-APROC. REF: AMM 12-B-34-14-00-00A-903B-A									
34-26/510	ESIS MAGNETIC HEADING REFERENCE SYSTEM - CHECK SWING							Service	ATA:34
PN:975.96.11.252	MOS	14-Aug-24	24 (+10%/-10%)	Adj -48d	27-Jun-26	08-Sep-26	95 d (+73)		
SN:0184	HRS	1127							
	AFL	600							
		Test Date: : 14-Aug-24						WO#:	2602-PVN
PROC. REF: AMM 12-C-34-26-40-00A-903A-APROC. REF: AMM 12-C-34-26-40-00A-903A-A									
34-54/86	NO. 1 TRANSPONDER SYSTEM (SINGLE AND DUAL SYSTEMS) - FUNCTIONAL TEST							Service	ATA:34
PN:985.99.12.269	MOS	14-Aug-24	24 (+10%/-10%)	Adj -50d	25-Jun-26	06-Sep-26	93 d (+73)		
SN:KXP2290A-4353	HRS	1127							
	AFL	600							
		Test Date: : 14-Aug-24						WO#:	2602-PVN
PROC. REF: AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-10-00A-903A-APROC. REF: AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-10-00A-903A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-54/86		NO. 2 TRANSPONDER SYSTEM (SINGLE AND DUAL SYSTEMS) - FUNCTIONAL TEST						Service	ATA:34
PN:985.99.12.269	MOS	14-Aug-24	24 (+10%/-10%)	Adj -50d	25-Jun-26	06-Sep-26	93 d (+73)		
SN:KXP2290A-4368	HRS	1127							
	AFL	600							
Test Date: : 14-Aug-24								WO#: 2602-PVN	
PROC. REF: AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-10-00A-903A-APROC. REF: AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-10-00A-903A-A									
PC12A34110110		PITOT TUBE, LH, HR578						Component	ATA:34
PN:965.11.12.302	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:AS09195787	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-34-11-11-00A-920A-APROC. REF: AMM 12-B-34-11-11-00A-920A-A									
PC12A34110120		PITOT TUBE, RH, HR678						Component	ATA:34
PN:965.11.12.302	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:AS10196084	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-34-11-11-00A-920A-APROC. REF: AMM 12-B-34-11-11-00A-920A-A									
PC12A34110210		STATIC PORT, LH, HR371						Component	ATA:34
PN:965.11.22.103	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:AS10196451	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-34-11-12-00A-920A-APROC. REF: AMM 12-B-34-11-12-00A-920A-A									
PC12A34110220		STATIC PORT, RH, HR372						Component	ATA:34
PN:965.11.22.103	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:AS10196619	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-34-11-12-00A-920A-APROC. REF: AMM 12-B-34-11-12-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC12A34120110 OUTSIDE AIR TEMPERATURE (OAT) SENSOR, LH, Z588								Component ATA:34
PN:975.11.20.111	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:07213	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-12-00-01A-920A-APROC. REF: AMM 12-B-34-12-00-01A-920A-A								
PC12A34120120 OUTSIDE AIR TEMPERATURE (OAT) SENSOR, RH, Z688								Component ATA:34
PN:975.11.20.111	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:07241	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-12-00-01A-920A-APROC. REF: AMM 12-B-34-12-00-01A-920A-A								
PC12A34250100 AIR DATA/ATTITUDE AND HEADING REFERENCE SYSTEM (ADAHRS) UNIT, A251								Component ATA:34
PN:065-00188-5105	MOS/MSC	02-Mar-22	O/C					
SN:KSG7200-B1564	HRS	496:30						
	AFL	250						
PROC. REF: AMM 12-B-34-25-01-00A-920A-APROC. REF: AMM 12-B-34-25-01-00A-920A-A								
PC12A34250210 MAGNETOMETER, RIB 17/18, INBOARD, A588								Component ATA:34
PN:985.99.12.114	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:KMG7010-6437	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-25-02-00A-920B-APROC. REF: AMM 12-B-34-25-02-00A-920B-A								
PC12A34250220 MAGNETOMETER, RIB 18/19, OUTBOARD, A591								Component ATA:34
PN:985.99.12.114	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:KMG7010-6438	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-25-02-00A-920B-APROC. REF: AMM 12-B-34-25-02-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC12A34250310 AIR DATA/ATTITUDE AND HEADING REFERENCE SYSTEM (ADAHRS) CONFIGURATION MODULE, LH, A251A								Component ATA:34
PN:985.99.12.129	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:5569	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-25-03-00A-920A-APROC. REF: AMM 12-B-34-25-03-00A-920A-A								
PC12A34250320 AIR DATA/ATTITUDE AND HEADING REFERENCE SYSTEM (ADAHRS) CONFIGURATION MODULE, RH, A251B								Component ATA:34
PN:985.99.12.129	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:6375	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-25-03-00A-920A-APROC. REF: AMM 12-B-34-25-03-00A-920A-A								
PC12A34260100 ELECTRONIC STANDBY INSTRUMENT								Component ATA:34
PN:975.96.11.252	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0184	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-26-40-00A-920A-APROC. REF: AMM 12-C-34-26-40-00A-920A-A								
PC12A34260200 ELECTRONIC STANDBY INSTRUMENT SYSTEM (ESIS) MAGNETOMETER, A672								Component ATA:34
PN:985.90.03.003	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1389	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-34-26-45-00A-920A-APROC. REF: AMM 12-C-34-26-45-00A-920A-A								
PC12A34260300 ELECTRONIC STANDBY INSTRUMENT SYSTEM (ESIS) CONFIGURATION MODULE, M128								Component ATA:34
PN:985.99.12.393	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:00093	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC12A34320100 MARKER ANTENNA, E399								Component ATA:34
PN:984.81.10.260	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:101-8954	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-32-01-00A-920A-APROC. REF: AMM 12-B-34-32-01-00A-920A-A								
PC12A34410100 WEATHER RADAR (WX) TRANSCEIVER, A696								Component ATA:34
PN:071-01550-0201	MOS/MSC	23-Sep-22	O/C	TSR 0				
SN:ART2100-2639	HRS	686:35		TSR 0				
	AFL	372		TSR 0				
PROC. REF: AMM 12-C-34-41-02-00A-920A-APROC. REF: AMM 12-C-34-41-02-00A-920A-A								
PC12A34410200 WX RADAR ANTENNA, E696								Component ATA:34
PN:985.99.11.504	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:8928	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-34-41-02-00A-920A-APROC. REF: AMM 12-C-34-41-02-00A-920A-A								
PC12A34410300 WEATHER (WX) RADAR CONFIGURATION MODULE, A694								Component ATA:34
PN:985.99.12.182	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:CM2000-35103	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-41-04-00A-920A-APROC. REF: AMM 12-B-34-41-04-00A-920A-A								
PC12A34410400 RADOME								Component ATA:34
PN:985.79.00.005	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1046	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-34-41-02-00A-920A-APROC. REF: AMM 12-C-34-41-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC12A34410700 STORMSCOPE PROCESSOR, A349								Component ATA:34
PN:985.99.18.006	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:105032	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-41-31-00A-920A-APROC. REF: AMM 12-B-34-41-31-00A-920A-A								
PC12A34410800 STORMSCOPE ANTENNA, E348								Component ATA:34
PN:985.99.18.009	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:104017	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-41-32-00A-920A-APROC. REF: AMM 12-B-34-41-32-00A-920A-A								
PC12A34420100 RADAR ALTIMETER TRANSCEIVER, A269								Component ATA:34
PN:985.99.11.524	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:KRA405B-21886	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-34-42-01-00A-920A-APROC. REF: AMM 12-C-34-42-01-00A-920A-A								
PC12A34420210 RADAR ALTIMETER ANTENNA, LH, E177								Component ATA:34
PN:984.81.29.101	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:543-98812	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-34-42-02-00A-920A-APROC. REF: AMM 12-C-34-42-02-00A-920A-A								
PC12A34420220 RADAR ALTIMETER ANTENNA, RH, E178								Component ATA:34
PN:984.81.29.101	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:543-98814	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-34-42-02-00A-920A-APROC. REF: AMM 12-C-34-42-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC12A34440100 TRAFFIC ALERT AND COLLISION AVOIDANCE SYSTEM (TCAS) PROCESSOR, A277								Component ATA:34
PN:985.99.11.967	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:TPA24255	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-34-44-01-00A-920A-APROC. REF: AMM 12-C-34-44-01-00A-920A-A								
PC12A34440200 TCAS ANTENNA, TOP, E219								Component ATA:34
PN:984.81.29.108	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:587-121737	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-34-44-02-00A-920A-APROC. REF: AMM 12-C-34-44-02-00A-920A-A								
PC12A34440300 TCAS ANTENNA, BOTTOM, E317								Component ATA:34
PN:984.81.10.240	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:261-134062	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-34-44-03-00A-920A-APROC. REF: AMM 12-C-34-44-03-00A-920A-A								
PC12A34510200 ANTENNA COUPLER, FR10, A103								Component ATA:34
PN:984.81.17.413	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:607698	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A34520100 DISTANCE MEASURING EQUIPMENT (DME) TRANSCEIVER, A253								Component ATA:34
PN:985.99.11.101	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:44010	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-34-52-01-00A-920A-APROC. REF: AMM 12-C-34-52-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
PC12A34520200	DISTANCE MEASURING EQUIPMENT (DME) ANTENNA, E169							Component	ATA:34
PN:984.81.10.240	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:261-134051	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-34-52-02-00A-920A-APROC. REF: AMM 12-B-34-52-02-00A-920A-A									
PC12A34530100	ADF ANTENNA, E337							Component	ATA:34
PN:985.99.11.167	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:KA44B-A96336	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-34-53-02-00A-920A-APROC. REF: AMM 12-B-34-53-02-00A-920A-A									
PC12A34540110	NO. 1 ATC TRANSPONDER							Component	ATA:34
PN:985.99.12.269	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:KXP2290A-4353	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-54-01-00A-920A-APROC. REF: AMM 12-B-34-54-01-00A-920A-A									
PC12A34540120	NO. 2 ATC TRANSPONDER							Component	ATA:34
PN:985.99.12.269	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:KXP2290A-4368	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-54-01-00A-920A-APROC. REF: AMM 12-B-34-54-01-00A-920A-A									
PC12A34540210	ATC ANTENNA, TOP, E249							Component	ATA:34
PN:984.81.10.240	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:261-134065	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-34-54-03-00A-920A-APROC. REF: AMM 12-B-34-54-03-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC12A34540220 ATC ANTENNA, BOTTOM, E166								Component ATA:34
PN:984.81.10.240	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:261-134056	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-54-02-00A-920A-A, AMM 12-B-34-54-04-00A-920A-APROC. REF: AMM 12-B-34-54-02-00A-920A-A, AMM 12-B-34-54-04-00A-920A-A								
PC12A34570110 GLOBAL POSITIONING SYSTEM (GPS) RECEIVER 1, LH, A117								Component ATA:34
PN:985.99.12.253	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:KGS200-4724	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-34-57-01-00A-920B-APROC. REF: AMM 12-C-34-57-01-00A-920B-A								
PC12A34570120 GLOBAL POSITIONING SYSTEM (GPS) RECEIVER 2, RH, A116								Component ATA:34
PN:985.99.12.253	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:KGS200-4785	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-34-57-01-00A-920C-APROC. REF: AMM 12-B-34-57-01-00A-920C-A								
PC12A34570210 GLOBAL POSITIONING SYSTEM (GPS) ANTENNA 1, FR 17/18, E179								Component ATA:34
PN:985.99.11.200	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:49315957	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-34-57-02-00A-920A-APROC. REF: AMM 12-C-34-57-02-00A-920A-A								
PC12A34570220 GLOBAL POSITIONING SYSTEM (GPS) ANTENNA 2, FR 18/19, E189								Component ATA:34
PN:985.99.11.200	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:49315972	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-34-57-02-00A-920A-APROC. REF: AMM 12-C-34-57-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-10/269 ^S	OXYGEN PIPELINES AND EQUIPMENT - EXAMINE							Service	ATA:35
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
								PKG:3 WO#: 2602-PVN	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
35-10/458 ^S	CREW OXYGEN SYSTEM - OPERATIONAL TEST							Service	ATA:35
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
								PKG:3 WO#: 2602-PVN	
PROC. REF: AMM 12-B-35-00-00-00A-903A-A, AMM 12-B-35-00-00-00A-903B-APROC. REF: AMM 12-B-35-00-00-00A-903A-A, AMM 12-B-35-00-00-00A-903B-A									
35-10/551 ^S	HIGH PRESSURE RELIEF INDICATOR (GREEN DISK) (MSN 2001 AND UP) - MAKE SURE THAT IS IT NOT DAMAGED							Service	ATA:35
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
								PKG:2 WO#: 2602-PVN	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
35-10/552 ^S	OXYGEN SYSTEM (MSN 2001 AND UP) - CHECK CONTENTS							Service	ATA:35
	MOS	05-Sep-25							
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
								PKG:1	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
35-10/6	LIFE LIMIT - OXYGEN BOTTLE							Service	ATA:35
PN:957.12.12.212	MOS	14-Aug-24	180		30-Apr-39		4785 d	LIFE LIMIT	
SN:C24041386	HRS	1127							
	AFL	600							
Manufacture Date:: 30-Apr-24									
PROC. REF: SIL SIL-35-114, SIL SIL-35-114, AMM 12-B-35-10-01-00A-920A-APROC. REF: SIL SIL-35-114, SIL SIL-35-114, AMM 12-B-35-10-01-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-10/7 OXYGEN BOTTLE - HYDROSTATIC TEST Service ATA:35								
PN:957.12.12.212	MOS	14-Aug-24	60		30-Apr-29		1133 d	
SN:C24041386	HRS	1127						
	AFL	600						
HydroCheck Date: : 30-Apr-24								
PROC. REF: SIL SIL-35-114, SIL SIL-35-114, SIL SIL-35-114PROC. REF: SIL SIL-35-114, SIL SIL-35-114, SIL SIL-35-114								
35-20/452 PASSENGER OXYGEN (DROP-DOWN MASK) SYSTEM (IF INSTALLED) - OPERATIONAL TEST Service ATA:35								
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	95 d (+36)	
	HRS	1435:41	3000		4435:41		2824:40	
	AFL	807						
WO#: 2602-PVN								
PROC. REF: AMM 12-B-35-00-00-00A-903B-APROC. REF: AMM 12-B-35-00-00-00A-903B-A								
35-20/453 DISCARD NO. 1 LH SEAT PASSENGER OXYGEN MASK CARTRIDGE Service ATA:35								
PN:957-12-01-219	MOS	05-Sep-25	72		01-Dec-30		1713 d	LIFE LIMIT
SN:D24122388	HRS	1435:41						
	AFL	807						
Manufacture Date:: 01-Dec-24								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
35-20/453 DISCARD NO. 2 RH SEAT PASSENGER OXYGEN MASK CARTRIDGE Service ATA:35								
PN:957-12-01-219	MOS	05-Sep-25	72		01-Dec-30		1713 d	LIFE LIMIT
SN:D24122438	HRS	1435:41						
	AFL	807						
Manufacture Date:: 01-Dec-24								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
35-20/453 DISCARD NO. 3 LH SEAT PASSENGER OXYGEN MASK CARTRIDGE Service ATA:35								
PN:957-12-01-219	MOS	05-Sep-25	72		01-Dec-30		1713 d	LIFE LIMIT
SN:D24122430	HRS	1435:41						
	AFL	807						
Manufacture Date:: 01-Dec-24								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-20/453 DISCARD NO. 4 RH SEAT PASSENGER OXYGEN MASK CARTRIDGE								
PN:957-12-01-219	MOS	05-Sep-25	72		01-Dec-30		1713 d	LIFE LIMIT
SN:D24122412	HRS	1435:41						
	AFL	807						
Manufacture Date:: 01-Dec-24								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A, AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
35-20/453 DISCARD NO. 5 LH SEAT PASSENGER OXYGEN MASK CARTRIDGE								
PN:957-12-01-219	MOS	05-Sep-25	72		01-Dec-30		1713 d	LIFE LIMIT
SN:D24122390	HRS	1435:41						
	AFL	807						
Manufacture Date:: 01-Dec-24								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A, AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
35-20/453 DISCARD NO. 6 RH SEAT PASSENGER OXYGEN MASK CARTRIDGE								
PN:957-12-01-219	MOS	05-Sep-25	72		01-Dec-30		1713 d	LIFE LIMIT
SN:D24122413	HRS	1435:41						
	AFL	807						
Manufacture Date:: 01-Dec-24								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A, AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
35-20/453 DISCARD NO. 7 LH SEAT PASSENGER OXYGEN MASK CARTRIDGE								
PN:957-12-01-219	MOS	05-Sep-25	72		01-Dec-30		1713 d	LIFE LIMIT
SN:D24122420	HRS	1435:41						
	AFL	807						
Manufacture Date:: 01-Dec-24								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A, AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
35-20/453 DISCARD NO. 8 RH SEAT PASSENGER OXYGEN MASK CARTRIDGE								
PN:957-12-01-219	MOS	05-Sep-25	72		01-Dec-30		1713 d	LIFE LIMIT
SN:D24122416	HRS	1435:41						
	AFL	807						
Manufacture Date:: 01-Dec-24								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A, AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-20/453 DISCARD NO. 9 LH SEAT PASSENGER OXYGEN MASK CARTRIDGE								Service ATA:35
PN:PN	MOS/MSC	31-Jan-20	N/A					
SN:UNKNOWN	HRS							
	AFL							
Manufacture Date:: 31-Jan-20								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
35-20/453 DISCARD TOILET PASSENGER OXYGEN MASK CARTRIDGE								Service ATA:35
PN:957-12-01-219	MOS	01-Dec-24	72		01-Dec-30		1713 d	LIFE LIMIT
SN:D24122431	HRS							
	AFL							
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
35-20/459 PASSENGER OXYGEN (PLUG-IN MASK) SYSTEM (IF INSTALLED) - OPERATIONAL TEST								Service ATA:35
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-35-00-00-00A-903A-APROC. REF: AMM 12-B-35-00-00-00A-903A-A								
35-20/87 INSPECTION/CHECK PASSENGER OXYGEN MASKS								Service ATA:35
	MOS/MSC	08-Aug-23	N/A	Adj 23d				
	HRS	918:20						
	AFL	472						
PROC. REF: AMM 12-B-35-20-00-00A-313A-APROC. REF: AMM 12-B-35-20-00-00A-313A-A								
35-CA/1 OXYGEN CYLINDER REGULATOR - OVERHAUL								Service ATA:35
PN:957.12.12.212	MOS	14-Aug-24	72 (+6m/-6m)		30-Apr-30	31-Oct-30	1498 d (+184)	OVERHAUL
SN:C24041386	HRS	1127						
	AFL	600						
OverHaul Date:: 30-Apr-24								
PROC. REF: SIL SIL-35-114PROC. REF: SIL SIL-35-114								
PC12A35100100 OXYGEN CYLINDER								Component ATA:35
PN:957.12.12.212	MOS/MSC	14-Aug-24	H/T	TSN 0				
SN:C24041386	HRS	1127		TSN 0				
	AFL	600		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PROC. REF: AMM 12-B-35-10-01-00A-920A-APROC. REF: AMM 12-B-35-10-01-00A-920A-A								
PC12A35100200 PRESSURE SWITCH, S153								Component ATA:35
PN:973.81.14.401	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:1881	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35100310 OXYGEN MASK, PILOT								Component ATA:35
PN:957.12.01.210	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:B159925	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-35-10-02-00A-920A-APROC. REF: AMM 12-B-35-10-02-00A-920A-A								
PC12A35100320 OXYGEN MASK, CO-PILOT								Component ATA:35
PN:957.12.01.210	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:B159968	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-35-10-02-00A-920A-APROC. REF: AMM 12-B-35-10-02-00A-920A-A								
PC12A35100400 OXYGEN GAUGE, M155								Component ATA:35
PN:535.12.12.085	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:60386	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-35-20-05-00A-920A-APROC. REF: AMM 12-B-35-20-05-00A-920A-A								
PC12A35200100 3-POSITION CONTROL VALVE, S151								Component ATA:35
PN:963.32.11.102	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:R20030229	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-35-20-04-00A-920A-APROC. REF: AMM 12-B-35-20-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
PC12A35200310 TOILET PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY								Component	ATA:35
PN:PN-UNKNOWN	MOS/MSC	05-Sep-25	H/T	TSN 0					
SN:D24122431	HRS	1435:41		TSN 0					
	AFL	807		TSN 0					
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A									
PC12A35200320 NO. 1 LH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY								Component	ATA:35
PN:PN-UNKNOWN	MOS/MSC	05-Sep-25	H/T	TSN 0					
SN:D24122388	HRS	1435:41		TSN 0					
	AFL	807		TSN 0					
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A									
PC12A35200330 NO. 2 RH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY								Component	ATA:35
PN:PN-UNKNOWN	MOS/MSC	05-Sep-25	H/T	TSN 0					
SN:D24122438	HRS	1435:41		TSN 0					
	AFL	807		TSN 0					
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A									
PC12A35200340 NO. 3 LH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY								Component	ATA:35
PN:PN-UNKNOWN	MOS/MSC	05-Sep-25	H/T	TSN 0					
SN:D24122430	HRS	1435:41		TSN 0					
	AFL	807		TSN 0					
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A									
PC12A35200350 NO. 4 RH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY								Component	ATA:35
PN:PN-UNKNOWN	MOS/MSC	05-Sep-25	H/T	TSN 0					
SN:D24122412	HRS	1435:41		TSN 0					
	AFL	807		TSN 0					
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A									
PC12A35200360 NO. 5 LH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY								Component	ATA:35
PN:PN-UNKNOWN	MOS/MSC	05-Sep-25	H/T	TSN 0					
SN:D24122390	HRS	1435:41		TSN 0					
	AFL	807		TSN 0					
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
PC12A35200370	NO. 6 RH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY							Component	ATA:35
PN:PN-UNKNOWN	MOS/MSC	05-Sep-25	H/T	TSN 0					
SN:D24122413	HRS	1435:41		TSN 0					
	AFL	807		TSN 0					
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A, AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A									
PC12A35200380	NO. 7 LH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY							Component	ATA:35
PN:PN-UNKNOWN	MOS/MSC	05-Sep-25	H/T	TSN 0					
SN:D24122420	HRS	1435:41		TSN 0					
	AFL	807		TSN 0					
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A, AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A									
PC12A35200390	NO. 8 RH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY							Component	ATA:35
PN:PN-UNKNOWN	MOS/MSC	05-Sep-25	H/T	TSN 0					
SN:D24122416	HRS	1435:41		TSN 0					
	AFL	807		TSN 0					
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A, AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A									
PC12A35200395	NO. 9 LH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY							Component	ATA:35
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-06-00A-920A-A, AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-06-00A-920A-A									
PC12A35200400	SHUT-OFF VALVE, FR 16/17							Component	ATA:35
PN:957.12.12.232	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:000291812	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM GENERIC, PROC. REF: AMM GENERIC									
PC12A35200410	TOILET PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:957-12-01-219	MOS/MSC	05-Sep-25	H/T	TSN 0					
SN:D24122431	HRS	1435:41		TSN 0					
	AFL	807		TSN 0					
PROC. REF: AMM GENERIC, PROC. REF: AMM GENERIC									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
PC12A35200420		NO. 1 LH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE					Component	ATA:35	
PN:957-12-01-219	MOS/MSC	05-Sep-25	H/T	TSN 0					
SN:D24122388	HRS	1435:41		TSN 0					
	AFL	807		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A35200430		NO. 2 RH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE					Component	ATA:35	
PN:957-12-01-219	MOS/MSC	05-Sep-25	H/T	TSN 0					
SN:D24122438	HRS	1435:41		TSN 0					
	AFL	807		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A35200440		NO. 3 LH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE					Component	ATA:35	
PN:957-12-01-219	MOS/MSC	05-Sep-25	H/T	TSN 0					
SN:D24122430	HRS	1435:41		TSN 0					
	AFL	807		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A35200450		NO. 4 RH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE					Component	ATA:35	
PN:957-12-01-219	MOS/MSC	05-Sep-25	H/T	TSN 0					
SN:D24122412	HRS	1435:41		TSN 0					
	AFL	807		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A35200460		NO. 5 LH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE					Component	ATA:35	
PN:957-12-01-219	MOS/MSC	05-Sep-25	H/T	TSN 0					
SN:D24122390	HRS	1435:41		TSN 0					
	AFL	807		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A35200470		NO. 6 RH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE					Component	ATA:35	
PN:957-12-01-219	MOS/MSC	05-Sep-25	H/T	TSN 0					
SN:D24122413	HRS	1435:41		TSN 0					
	AFL	807		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PC12A35200480 NO. 7 LH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE Component ATA:35								
PN:957-12-01-219	MOS/MSC	05-Sep-25	H/T	TSN 0				
SN:D24122420	HRS	1435:41		TSN 0				
	AFL	807		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200490 NO. 8 RH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE Component ATA:35								
PN:957-12-01-219	MOS/MSC	05-Sep-25	H/T	TSN 0				
SN:D24122416	HRS	1435:41		TSN 0				
	AFL	807		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200495 NO. 9 LH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE Component ATA:35								
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200500 PRESSURE TRANSDUCER FR 36/37 Component ATA:35								
PN:957.12.01.184	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:8459-5-223	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 45 - CENTRAL MAINT SYSTEM									
45-45/454 ^S	CENTRAL MAINTENANCE SYSTEM - DO A CMC REPORTS - EXPORT FAULT HISTORY - SEND TO -> LOCAL STORAGE DOWNLOAD							Service	ATA:45
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							

PKG:3
WO#: 2602-PVN

PROC. REF: AMM 12-B-45-45-00-00A-551A-APROC. REF: AMM 12-B-45-45-00-00A-551A-A

PC12A45450110	BUS TERMINATOR, MAINTENANCE PANEL FRONT, A157							Component	ATA:45
PN:985.99.12.117	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:KBT300-5523	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							

PROC. REF: AMM GENERICPROC. REF: AMM GENERIC

PC12A45450120	BUS TERMINATOR, MAINTENANCE PANEL REAR, A156							Component	ATA:45
PN:985.99.12.117	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:KBT300-5513	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							

PROC. REF: AMM GENERICPROC. REF: AMM GENERIC

PC12A45450130	BUS TERMINATOR, FR 18, LH, A175							Component	ATA:45
PN:985.99.12.117	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:KBT300-5466	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							

PROC. REF: AMM GENERICPROC. REF: AMM GENERIC

PC12A45450140	BUS TERMINATOR, FR 18, RH, A174							Component	ATA:45
PN:985.99.12.117	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:KBT300-5519	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							

PROC. REF: AMM GENERICPROC. REF: AMM GENERIC

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 46 - INFORMATION SYSTEMS									
46-26/553 ^S	PILOT AND COPILOT (IF INSTALLED) PFD REVERSIONARY SWITCHES (MSN 2001 AND UP) - OPERATIONAL TEST							Service	ATA:46
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PKG:2 WO#: 2602-PVN									
PROC. REF: AMM 12-C-46-30-05-00A-903A-APROC. REF: AMM 12-C-46-30-05-00A-903A-A									
46-26/554 ^S	ADAHRS SENSOR SOURCE SELECT SWITCHES (MSN 2001 AND UP) - OPERATIONAL TEST							Service	ATA:46
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PKG:2 WO#: 2602-PVN									
PROC. REF: AMM 12-B-46-30-02-00A-903A-APROC. REF: AMM 12-B-46-30-02-00A-903A-A									
PC12A46200100	WIRELESS DATA LOADING DEVICE, A350							Component	ATA:46
PN:975.96.32.470	MOS/MSC	31-Aug-20	O/C		TSN 0				
SN:12061	HRS	0			TSN 0				
	AFL	0			TSN 0				
	ACH	0							
PROC. REF: AMM 12-B-46-21-12-00A-920A-APROC. REF: AMM 12-B-46-21-12-00A-920A-A									
PC12A46300110	PRIMARY FLIGHT DISPLAY, PILOT, M121							Component	ATA:46
PN:985.99.12.371	MOS/MSC	31-Aug-20	O/C		TSN 0				
SN:2890026633	HRS	0			TSN 0				
	AFL	0			TSN 0				
	ACH	0							
PROC. REF: AMM 12-C-46-30-01-00A-920A-APROC. REF: AMM 12-C-46-30-01-00A-920A-A									
PC12A46300120	PRIMARY FLIGHT DISPLAY, CO-PILOT, M122							Component	ATA:46
PN:985.99.12.371	MOS/MSC	31-Aug-20	O/C		TSN 0				
SN:2890026563	HRS	0			TSN 0				
	AFL	0			TSN 0				
	ACH	0							
PROC. REF: AMM 12-C-46-30-01-00A-920A-APROC. REF: AMM 12-C-46-30-01-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 46 - INFORMATION SYSTEMS								
PC12A46300130 MULTI-FUNCTION DISPLAY, UPPER, M124								Component ATA:46
PN:985.99.12.371	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:2890026680	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-46-30-03-00A-920A-APROC. REF: AMM 12-C-46-30-03-00A-920A-A								
PC12A46300140 MULTI-FUNCTION DISPLAY, LOWER, M123								Component ATA:46
PN:985.99.12.371	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:2890026632	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-46-30-03-00A-920A-APROC. REF: AMM 12-C-46-30-03-00A-920A-A								
PC12A46300210 PRIMARY FLIGHT DISPLAY (PFD) CONTROLLER, PILOT, A123								Component ATA:46
PN:985.99.12.178	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:KMC2210-3713	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-46-30-02-00A-920A-APROC. REF: AMM 12-C-46-30-02-00A-920A-A								
PC12A46300220 PRIMARY FLIGHT DISPLAY (PFD) CONTROLLER, CO-PILOT, A124								Component ATA:46
PN:985.99.12.178	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:KMC2210-3714	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-46-30-02-00A-920A-APROC. REF: AMM 12-C-46-30-02-00A-920A-A								
PC12A46300300 TOUCH-SCREEN CONTROLLER, A129								Component ATA:46
PN:985.99.12.011	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:5593919080042	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-46-30-04-00A-920A-APROC. REF: AMM 12-C-46-30-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 46 - INFORMATION SYSTEMS

PC12A46300400		CURSOR CONTROL DEVICE, CCD					Component	ATA:46
PN:985.99.12.328	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0438	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-46-30-07-00A-920A-APROC. REF: AMM 12-C-46-30-07-00A-920A-A								

PC12A46300500		CURSOR CONTROL UNIT, A104					Component	ATA:46
PN:985.99.12.202	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:55454	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-B-46-30-08-00A-920A-APROC. REF: AMM 12-B-46-30-08-00A-920A-A								

ATA 52 - DOORS

52-10/189 ^S		PASSENGER/CREW DOOR SEAL - CLEAN WITH A DRY CLOTH, EXAMINE AND APPLY FRENCH CHALK (P09-002)					Service	ATA:52
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

PKG:2
WO#: 2602-PVN

52-10/190 ^S		PASSENGER/CREW DOOR SHOOT BOLTS AND DOOR FRAME FITTINGS - EXAMINE					Service	ATA:52
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

PKG:2
WO#: 2602-PVN

52-10/191 ^S		PASSENGER/CREW DOOR HANDLE LOCK PIN AND LATCH - EXAMINE. MAKE SURE MOVEMENT IS FREE. LUBRICATE WITH CPC (P10-001) AS NECESSARY WHEN OPERATING IN FREEZING CONDITIONS					Service	ATA:52
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						

PKG:2
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
52-10/192 ^S	PASSENGER/CREW DOOR HINGES - EXAMINE AND LUBRICATE AS NECESSARY WITH MINIMUM QUANTITY OF CPC (P10-001)						Service	ATA:52
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
52-10/271 ^S	PASSENGER/CREW DOOR, COUNTERBALANCE AND CABLE SUPPORT BRACKETS - EXAMINE						Service	ATA:52
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
52-10/348	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - PASSENGER/CREW DOOR - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)						Service	ATA:52
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-52-10-00-00A-310A-APROC. REF: AMM 12-B-52-10-00-00A-310A-A								
52-10/405	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - PASSENGER/CREW DOOR PIANO HINGE - EDDY CURRENT INSPECTION						Service	ATA:52
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-52-00-01-00A-353A-APROC. REF: AMM 12-B-52-00-01-00A-353A-A								
52-10/406	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - PASSENGER/CREW DOOR SKIN - EDDY CURRENT INSPECTION						Service	ATA:52
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-52-10-01-00A-353A-APROC. REF: AMM 12-C-52-10-01-00A-353A-A								

PKG:2
WO#: 2602-PVN

PKG:3
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-10/88	PASSENGER/CREW DOOR - OXYGEN MASKS – EXAMINE WITH TRIM REMOVED. EXAMINE THE TOP STEP AREA AROUND THE INSULATION MAT FOR CORROSION. IF CORROSION IS FOUND, CONTACT PILATUS FOR A SPECIFIC REPAIR. EXAMINE DOOR HINGE PIN AND HINGE							Service	ATA:52
	MOS	14-Aug-24	48 (+10%/-10%)	Adj 17d	31-Aug-28	24-Jan-29	891 d (+146)		
	HRS	1127	4000 (+10%/-10%)		5127	5527	3515:59 (+400)		
	AFL	600							
PROC. REF: AMM 12-C-25-21-03-00A-920A-A, AMM 12-C-25-22-03-00A-920A-A, AMM 12-C-52-10-00-00A-313A-APROC. REF: AMM 12-C-25-21-03-00A-920A-A, AMM 12-C-25-22-03-00A-920A-A, AMM 12-C-52-10-00-00A-313A-A									
52-20/272 ^S	EMERGENCY DOOR (DOOR REMOVED) - EXAMINE							Service	ATA:52
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
PROC. REF: AMM 12-B-52-20-00-00A-310A-APROC. REF: AMM 12-B-52-20-00-00A-310A-A									
52-20/273 ^S	EMERGENCY DOOR SEAL - CLEAN WITH A WET CLOTH, DRY AND EXAMINE AND APPLY FRENCH CHALK (P09-002)							Service	ATA:52
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
52-20/349	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - EMERGENCY DOOR - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)							Service	ATA:52
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-52-20-00-00A-310A-APROC. REF: AMM 12-B-52-20-00-00A-310A-A									
52-30/193 ^S	CARGO DOOR SEAL - CLEAN WITH A DRY CLOTH, EXAMINE AND APPLY FRENCH CHALK (P09-002)							Service	ATA:52
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:3
WO#: 2602-PVN

PKG:3
WO#: 2602-PVN

PKG:2
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-30/194 ^S	CARGO DOOR SHOOT BOLTS, DOOR FRAME FITTINGS AND HOOKS - EXAMINE. MAKE SURE THE HOOK ROLLER BUSHES ARE FREE TO ROTATE. FOR ROLLER BUSH WEAR LIMITS REFER TO AMM							Service	ATA:52
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
								PKG:2	WO#: 2602-PVN
PROC. REF: AMM 12-C-52-30-00-00A-313A-APROC. REF: AMM 12-C-52-30-00-00A-313A-A									
52-30/195 ^S	CARGO DOOR HINGES - EXAMINE AND LUBRICATE AS NECESSARY WITH MINIMUM QUANTITY OF CPC (P10-001)							Service	ATA:52
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
								PKG:2	WO#: 2602-PVN
PROC. REF: AMM 12-B-52-30-00-01A-353A-APROC. REF: AMM 12-B-52-30-00-01A-353A-A									
52-30/274 ^S	CARGO DOOR - EXAMINE							Service	ATA:52
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
								PKG:3	WO#: 2602-PVN
PROC. REF: AMM 12-B-52-30-00-00A-310A-APROC. REF: AMM 12-B-52-30-00-00A-310A-A									
52-30/350	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - CARGO DOOR - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)							Service	ATA:52
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-52-30-00-00A-310A-APROC. REF: AMM 12-B-52-30-00-00A-310A-A									
52-30/407	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - CARGO DOOR PIANO HINGE - EDDY CURRENT INSPECTION							Service	ATA:52
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-52-30-00-01A-353A-APROC. REF: AMM 12-B-52-30-00-01A-353A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-30/408	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - CARGO DOOR SKIN - EDDY CURRENT INSPECTION							Service	ATA:52
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-52-30-01-00A-353A-APROC. REF: AMM 12-B-52-30-01-00A-353A-A									
52-30/8	LIFE LIMIT - NO. 1 CARGO DOOR LOWER LUG FITTING							Service	ATA:52
PN:PN	MOS	31-Aug-20						LIFE LIMIT	
SN:UNKNOWN	HRS	0	13000		13000		11388:59		
	AFL	0	17000		17000		16009		
PROC. REF: AMM 12-B-52-30-07-00A-920A-APROC. REF: AMM 12-B-52-30-07-00A-920A-A									
52-30/8	LIFE LIMIT - NO. 2 CARGO DOOR LOWER LUG FITTING							Service	ATA:52
PN:PN	MOS	31-Aug-20						LIFE LIMIT	
SN:UNKNOWN	HRS	0	13000		13000		11388:59		
	AFL	0	17000		17000		16009		
PROC. REF: AMM 12-B-52-30-07-00A-920A-APROC. REF: AMM 12-B-52-30-07-00A-920A-A									
52-30/8	LIFE LIMIT - NO. 3 CARGO DOOR LOWER LUG FITTING							Service	ATA:52
PN:PN	MOS	31-Aug-20						LIFE LIMIT	
SN:UNKNOWN	HRS	0	13000		13000		11388:59		
	AFL	0	17000		17000		16009		
PROC. REF: AMM 12-B-52-30-07-00A-920A-APROC. REF: AMM 12-B-52-30-07-00A-920A-A									
52-30/89	CARGO DOOR - EXAMINE WITH TRIM REMOVED. EXAMINE DOOR HINGE PIN, HINGES AND THE LOCK MECHANISM							Service	ATA:52
	MOS	14-Aug-24	48 (+10%/-10%)	Adj 17d	31-Aug-28	24-Jan-29	891 d (+146)		
	HRS	1127	4000 (+10%/-10%)		5127	5527	3515:59 (+400)		
	AFL	600							
PROC. REF: AMM 12-C-52-30-00-00A-313A-A, AMM 12-C-25-21-03-00A-920A-A, AMM 12-C-25-22-03-00A-920A-APROC. REF: AMM 12-C-52-30-00-00A-313A-A, AMM 12-C-25-21-03-00A-920A-A, AMM 12-C-25-22-03-00A-920A-A									
52-70/275 ^S	DOOR WARNING SYSTEM - OPERATIONAL TEST							Service	ATA:52
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							

PKG:3
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
PROC. REF: AMM 12-C-52-70-00-00A-903A-APROC. REF: AMM 12-C-52-70-00-00A-903A-A								
PC12A52100100 PASSENGER DOOR Component ATA:52								
PN:552.10.12.560	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:7102	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-52-10-01-00A-920A-A, AMM 12-C-52-10-01-00A-920B-APROC. REF: AMM 12-B-52-10-01-00A-920A-A, AMM 12-C-52-10-01-00A-920B-A								
PC12A52200100 EMERGENCY EXIT DOOR Component ATA:52								
PN:552.20.12.040	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:7102	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-52-20-00-00A-920A-APROC. REF: AMM 12-B-52-20-00-00A-920A-A								
PC12A52300100 CARGO DOOR Component ATA:52								
PN:552.30.12.046	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:7102	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-52-30-01-00A-920A-APROC. REF: AMM 12-B-52-30-01-00A-920A-A								
PC12A523CA010 NO. 1 CARGO DOOR LOWER LUG FITTING Component ATA:52								
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-52-30-07-00A-920A-APROC. REF: AMM 12-B-52-30-07-00A-920A-A								
PC12A523CA020 NO. 2 CARGO DOOR LOWER LUG FITTING Component ATA:52								
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-52-30-07-00A-920A-APROC. REF: AMM 12-B-52-30-07-00A-920A-A								
PC12A523CA030 NO. 3 CARGO DOOR LOWER LUG FITTING Component ATA:52								
PN:PN	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 52 - DOORS

PROC. REF: AMM 12-B-52-30-07-00A-920A-APROC. REF: AMM 12-B-52-30-07-00A-920A-A

ATA 53 - FUSELAGE

53-00/276 ^S	REAR PRESSURE BULKHEAD - EXAMINE							Service ATA:53
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						

PKG:3
WO#: 2602-PVN

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

53-00/277 ^S	EXAMINE FLOOR PANELS TOP AND BOTTOM SURFACE AND SEAT RAILS, AS FAR AS POSSIBLE, WITH FLOOR PANELS REMOVED							Service ATA:53
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						

PKG:3
WO#: 2602-PVN

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

53-00/278 ^S	BAGGAGE/FREIGHT NET MOUNTING PLATES ATTACHMENT BOLTS AND SURROUNDING STRUCTURE - EXAMINE FOR CORROSION							Service ATA:53
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						

PKG:4
WO#: 2602-PVN

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

53-00/279 ^S	BAGGAGE COMPARTMENT - EXAMINE							Service ATA:53
	MOS	14-Aug-24	24 (+10%/-10%)					
	HRS	1127	2400 (+10%/-10%)					
	AFL	600						

PKG:4
WO#: 2602-PVN

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/280 ^S	REAR FUSELAGE INTERNAL STRUCTURE - EXAMINE AS FAR AS POSSIBLE, IN PARTICULAR EXAMINE BATTERY MOUNTING TRAY FOR CORROSION							Service	ATA:53
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
								PKG:3 WO#: 2602-PVN	
PROC. REF: AMM 12-B-53-30-00-00A-310A-APROC. REF: AMM 12-B-53-30-00-00A-310A-A									
53-00/337 ^S	CARRY THROUGH FRAMES 21 AND 24 - INSPECTION/CHECK							Service	ATA:53
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
								PKG:3 WO#: 2602-PVN	
PROC. REF: AMM 12-B-53-20-02-00A-313A-APROC. REF: AMM 12-B-53-20-02-00A-313A-A									
53-00/351	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - UPPER LONGERONS FRAME 10 - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-53-10-06-01A-353A-APROC. REF: AMM 12-B-53-10-06-01A-353A-A									
53-00/352	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FUSELAGE FRAMES 10 TO 16 - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)							Service	ATA:53
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-53-10-00-00A-310A-APROC. REF: AMM 12-B-53-10-00-00A-310A-A									
53-00/353	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FUSELAGE FRAMES 16 TO 36 - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)							Service	ATA:53
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-53-20-00-00A-310A-APROC. REF: AMM 12-B-53-20-00-00A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/354	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FUSELAGE FRAMES 36 TO 43 - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)							Service	ATA:53
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-53-30-00-00A-310A-APROC. REF: AMM 12-B-53-30-00-00A-310A-A									
53-00/355	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ANTENNA STRUCTURE - EXAMINE (CPCP)							Service	ATA:53
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-53-00-00-00A-310A-APROC. REF: AMM 12-B-53-00-00-00A-310A-A									
53-00/356	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ANTENNA - BOTTOM FUSELAGE SKIN - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-53-00-00-00A-353A-APROC. REF: AMM 12-B-53-00-00-00A-353A-A									
53-00/357	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ANTENNA - UPPER FUSELAGE SKIN - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-53-00-00-00A-353A-APROC. REF: AMM 12-B-53-00-00-00A-353A-A									
53-00/359	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FRAMES 21 AND 24 WING ATTACHMENTS - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-C-57-00-03-00A-353A-APROC. REF: AMM 12-C-57-00-03-00A-353A-A									
53-00/360	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FRAMES 21 AND 24 SIDE FRAME ATTACHMENTS - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-53-20-02-00A-353A-APROC. REF: AMM 12-B-53-20-02-00A-353A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/361	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FRAMES 41 AND 43 STABILIZER ATTACHMENT - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-A									
53-00/419	SUPPLEMENTAL STRUCTURAL INSPECTION - FRAME 40 - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-A									
53-00/555 ^S	FUSELAGE EXTERNAL SURFACE (MSN 2001 AND UP) - EXAMINE FOR AIRCRAFT THAT EXPERIENCE STONE DAMAGE TO THE BELLY SKIN, VISUALLY EXAMINE AFFECTED AREAS FOR CRACKS							Service	ATA:53
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
53-00/9	LIFE LIMIT - FUSELAGE AND ASSOCIATED STRUCTURE - PRE SB 04-009							Service	ATA:53
PN:553.00.12.032	MOS	31-Aug-20						LIFE LIMIT	
SN:7102	HRS	0	20000		20000		18388:59		
	AFL	0	27000		27000		26009		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
53-00/90	FRONT PRESSURE BULKHEAD - EXAMINE WITH INSULATION ON ENGINE AND COCKPIT SIDES REMOVED. IF INSULATION ON COCKPIT SIDE IS WET REMOVE DRY AND REINSTALL INSULATION							Service	ATA:53
	MOS	14-Aug-24	48 (+10%/-10%)	Adj 17d	31-Aug-28	24-Jan-29	891 d (+146)		
	HRS	1127	4000 (+10%/-10%)		5127	5527	3515:59 (+400)		
	AFL	600							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:2
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/91	FUSELAGE INTERNAL BOTTOM SURFACE - EXAMINE FRAMES 10,21,24, 36 AND FRAMES ADJACENT TO DOORS AND TO EMERGENCY EXIT, WITH INSULATION REMOVED. IF CORROSION IS FOUND EXAMINE ALL FUSELAGE BOTTOM SURFACE WITH INSULATION REMOVED. IF INSULATION IS WET, REMOVE DRY AND REINSTALL INSULATION							Service	ATA:53
	MOS	14-Aug-24	48 (+10%/-10%)	Adj 17d	31-Aug-28	24-Jan-29	891 d (+146)		
	HRS	1127	4000 (+10%/-10%)		5127	5527	3515:59 (+400)		
	AFL	600							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
53-00/92 REAR PRESSURE BULKHEAD - EXAMINE WITH TRIM REMOVED									
	MOS	14-Aug-24	48 (+10%/-10%)	Adj 17d	31-Aug-28	24-Jan-29	891 d (+146)	Service ATA:53	
	HRS	1127	4000 (+10%/-10%)		5127	5527	3515:59 (+400)		
	AFL	600							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
53-00/93 STRUCTURE AROUND WINDOWS - EXAMINE									
	MOS	14-Aug-24	48 (+10%/-10%)	Adj 17d	31-Aug-28	24-Jan-29	891 d (+146)	Service ATA:53	
	HRS	1127	4000 (+10%/-10%)		5127	5527	3515:59 (+400)		
	AFL	600							
PROC. REF: AMM 12-B-53-10-16-00A-310A-APROC. REF: AMM 12-B-53-10-16-00A-310A-A									
53-00/94 DOOR FRAMES AND EMERGENCY EXIT FRAME - EXAMINE. IF INSULATION IS INSTALLED IN THE DOOR FRAMES AND IS WET, REMOVE AND DISCARD IT (NO LONGER INSTALLED ON PRODUCTION)									
	MOS	14-Aug-24	48 (+10%/-10%)	Adj 17d	31-Aug-28	24-Jan-29	891 d (+146)	Service ATA:53	
	HRS	1127	4000 (+10%/-10%)		5127	5527	3515:59 (+400)		
	AFL	600							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
53-30/342 STATIC PORTS CRITICAL AREA - INSPECTION/CHECK									
	MOS	05-Sep-25	12 (+10%/-10%)	Adj -70d	27-Jun-26	02-Aug-26	95 d (+36)	Service ATA:53	
	HRS	1435:41							
	AFL	807							
PROC. REF: AMM 12-B-53-30-01-00A-313A-APROC. REF: AMM 12-B-53-30-01-00A-313A-A									

WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
PC12A53000100	FUSELAGE AND ASSOCIATED STRUCTURE							Component	ATA:53
PN:553.00.12.032	MOS/MSC	31-Aug-20	H/T	TSN 0					
SN:7102	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC PROC. REF: AMM GENERIC									

ATA 55 - STABILIZERS									
55-00/10	LIFE LIMIT - TAIL STRUCTURE - PRE SB 04-009							Service	ATA:55
PN:PN	MOS	31-Aug-20						LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000		20000		18388:59		
	AFL	0	27000		27000		26009		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

55-10/319 ^S	HORIZONTAL/VERTICAL STABILIZER ATTACHMENT - INSPECTION/CHECK							Service	ATA:55
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
PROC. REF: AMM 12-B-55-00-00-00A-313A-APROC. REF: AMM 12-B-55-00-00-00A-313A-A									
								PKG:3	
								WO#: 2602-PVN	

55-10/415	LIFE LIMIT - HORIZONTAL STABILIZER							Service	ATA:55
PN:555.10.12.038	MOS	31-Aug-20						LIFE LIMIT	
SN:1826	HRS	0	25000		25000		23388:59		
	AFL	0	30000		30000		29009		
PROC. REF: AMM 12-B-55-10-01-00A-920A-APROC. REF: AMM 12-B-55-10-01-00A-920A-A									

55-10/556 ^S	HORIZONTAL STABILIZER EXTERNAL SURFACE (MSN 2001 AND UP) - EXAMINE							Service	ATA:55
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PROC. REF: AMM 12-B-55-10-01-00A-312A-APROC. REF: AMM 12-B-55-10-01-00A-312A-A									
								PKG:2	
								WO#: 2602-PVN	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10/638	HORIZONTAL STABBILIZER - EXAMINE WITH BOROSCOPE							Service	ATA:55
	MOS	31-Aug-20	T:240		31-Aug-40		5274 d		
	HRS	0	T:10000		10000		8388:59		
	AFL	0							
PROC. REF: AMM 12-B-55-10-01-00A-312A-APROC. REF: AMM 12-B-55-10-01-00A-312A-A									
55-10/640	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT BOLTS (P/N 555.10.12.139)							Service	ATA:55
	MOS	28-Aug-20	72 (+6m/-6m)		28-Aug-26	28-Feb-27	157 d (+184)		
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-55-00-00-01A-313A-APROC. REF: AMM 12-B-55-00-00-01A-313A-A									
55-10/641	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT BOLTS (P/N 555.10.12.158 AND .178)							Service	ATA:55
	MOS	28-Aug-20	120 (+6m/-6m)		28-Aug-30	28-Feb-31	1618 d (+184)		
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-55-00-00-01A-313A-APROC. REF: AMM 12-B-55-00-00-01A-313A-A									
55-10/96	VERTICAL STABILIZER INTERNAL SURFACES - EXAMINE AS FAR AS POSSIBLE WITH PANELS REMOVED							Service	ATA:55
	MOS	14-Aug-24	48 (+10%/-10%)	Adj 17d	31-Aug-28	24-Jan-29	891 d (+146)		
	HRS	1127	4000 (+10%/-10%)		5127	5527	3515:59 (+400)		
	AFL	600							
PROC. REF: AMM 12-B-55-30-00-00A-310A-APROC. REF: AMM 12-B-55-30-00-00A-310A-A									
55-20/362	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR - EXAMINE (CPCP)							Service	ATA:55
	MOS/MS	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-55-20-00-00A-310A-APROC. REF: AMM 12-B-55-20-00-00A-310A-A									
55-20/367	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM -ELEVATOR DRIVE LEVER - EDDY CURRENT INSPECTION							Service	ATA:55
	MOS/MS	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-55-20-01-00A-353A-APROC. REF: AMM 12-B-55-20-01-00A-353A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-20/368	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR HINGES - EDDY CURRENT INSPECTION							Service	ATA:55
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-55-20-01-00A-353A-APROC. REF: AMM 12-B-55-20-01-00A-353A-A									
55-30/281 ^S	VERTICAL STABILIZER ELECTRICAL BONDING STRAPS - EXAMINE							Service	ATA:55
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
PROC. REF: AMM 12-B-55-30-00-00A-310A-APROC. REF: AMM 12-B-55-30-00-00A-310A-A									
55-30/369	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - VERTICAL STABILIZER-EXAMINE (CPCP)							Service	ATA:55
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-55-30-00-00A-310A-APROC. REF: AMM 12-B-55-30-00-00A-310A-A									
55-30/370	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - VERTICAL STABILIZER MAIN AND REAR SPAR ATTACHMENT TO FUSELAGE - EDDY CURRENT INSPECTION							Service	ATA:55
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-A									
55-30/371	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - VERTICAL STABILIZER MAIN ATTACHMENT TO HORIZONTAL STABILIZER - EDDY CURRENT INSPECTION							Service	ATA:55
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-55-00-00-00A-353A-APROC. REF: AMM 12-B-55-00-00-00A-353A-A									

PKG:3
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30/372	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - VERTICAL STABILIZER PITCH TRIM ACTUATOR FITTING AND ATTACHMENT - EDDY CURRENT INSPECTION							Service	ATA:55
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-55-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-02-00A-353A-A									
55-30/420	SUPPLEMENTAL STRUCTURAL INSPECTION - VERTICAL STABILIZER FORWARD ATTACHMENT TO FRAME 40 - EDDY CURRENT INSPECTION							Service	ATA:55
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-55-30-03-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A									
55-30/557 ^S	VERTICAL STABILIZER EXTERNAL SURFACE (MSN 2001 AND UP) - EXAMINE, SPECIALLY AROUND REAR SPAR TOP RIVETS. IF CRACKS ARE FOUND, REFER TO SRM FOR REPAIR PROCEDURE							Service	ATA:55
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PROC. REF: AMM 12-B-55-00-01-00A-664A-APROC. REF: AMM 12-B-55-00-01-00A-664A-A									
55-40/373	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RUDDER-EXAMINE (CPCP)							Service	ATA:55
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-55-40-00-00A-310A-APROC. REF: AMM 12-B-55-40-00-00A-310A-A									
55-40/377	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RUDDER HINGES - EDDY CURRENT INSPECTION							Service	ATA:55
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-55-40-05-00A-353A-APROC. REF: AMM 12-B-55-40-05-00A-353A-A									

PKG:2
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-40/410	SUPPLEMENTAL STRUCTURAL INSPECTION - RUDDER TRIM TAB - EXAMINE							Service	ATA:55
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-55-40-04-00A-310A-APROC. REF: AMM 12-B-55-40-04-00A-310A-A									
PC12A550CA010	TAIL STRUCTURE							Component	ATA:55
PN:PN	MOS/MSC	31-Aug-20	H/T		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A55100100	HORIZONTAL STABILIZER							Component	ATA:55
PN:555.10.12.038	MOS/MSC	31-Aug-20	H/T		TSN 0				
SN:1826	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 12-B-55-10-01-00A-920A-APROC. REF: AMM 12-B-55-10-01-00A-920A-A									
PC12A55200100	ELEVATOR LH							Component	ATA:55
PN:555.20.12.043	MOS/MSC	31-Aug-20	O/C		TSN 0				
SN:1927	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 12-B-55-20-01-00A-920A-APROC. REF: AMM 12-B-55-20-01-00A-920A-A									
PC12A55200200	ELEVATOR RH							Component	ATA:55
PN:555.20.12.044	MOS/MSC	31-Aug-20	O/C		TSN 0				
SN:1922	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 12-B-55-20-01-00A-920A-APROC. REF: AMM 12-B-55-20-01-00A-920A-A									
PC12A55300100	VERTICAL STABILIZER							Component	ATA:55
PN:555.30.12.042	MOS/MSC	31-Aug-20	O/C		TSN 0				
SN:7102	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 12-B-55-30-01-00A-920A-APROC. REF: AMM 12-B-55-30-01-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
PC12A55400100		RUDDER						Component ATA:55
PN:555.40.12.040	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:7103	HRS	0	TSN 0					
	AFL	0	TSN 0					
PROC. REF: AMM 12-B-55-40-01-00A-920A-APROC. REF: AMM 12-B-55-40-01-00A-920A-A								
ATA 56 - WINDOWS								
56-11/12		COCKPIT OUTER SIDE, DV WINDOWS AND CABIN WINDOWS - REPLACE (IF CRACKED)				Service ATA:56		
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-56-20-01-00A-920A-A, AMM 12-B-56-14-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A, AMM 12-B-56-14-01-00A-920A-A								
56-11/13		COCKPIT INNER AND OUTER SIDE, DV WINDOWS AND CABIN WINDOWS - CHECK FOR LIMITATIONS (IF CHIPPED, CRACKED (ONLY FOR INNER SIDE WINDOWS), CRAZING, SCRATCHED, BUBBLES OR DELAMINATED)				Service ATA:56		
	MOS/MSC	31-Aug-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-56-00-00-00A-313A-APROC. REF: AMM 12-B-56-00-00-00A-313A-A								
56-11/14		LH WINDSHIELD - REPLACE (IF CRACKED IN INNER LAMINATION)				Service ATA:56		
PN:959.81.10.109	MOS/MSC	31-Aug-20	A/R					
SN:19011H0294	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A								
56-11/14		RH WINDSHIELD - REPLACE (IF CRACKED IN INNER LAMINATION)				Service ATA:56		
PN:959.81.10.110	MOS/MSC	31-Aug-20	A/R					
SN:18354H8645	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A								
56-11/15		LH WINDSHIELD (IF CRACKED IN OUTER LAMINATION, ONLY UNPRESSURIZED FLIGHT IS PERMITTED UP TO THE NEXT SCHEDULED INSPECTION PROVIDING IT DOES NOT CAUSE VISUAL PROBLEM)				Service ATA:56		
PN:959.81.10.109	MOS/MSC	31-Aug-20	A/R					
SN:19011H0294	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A									
56-11/15	RH WINDSHIELD (IF CRACKED IN OUTER LAMINATION, ONLY UNPRESSURIZED FLIGHT IS PERMITTED UP TO THE NEXT SCHEDULED INSPECTION PROVIDING IT DOES NOT CAUSE VISUAL PROBLEM)							Service	ATA:56
PN:959.81.10.110	MOS/MSC	31-Aug-20	A/R						
SN:18354H8645	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A									
56-11/332	COCKPIT SIDE WINDOWS INSPECTION/CHECK							Service	ATA:56
	MOS	31-Aug-20	120 (+6m/-6m)		31-Aug-30	28-Feb-31	1621 d (+181)		
	HRS	0	11000 (+500/-500)		11000	11500	9388:59 (+500)		
	AFL	0							
PROC. REF: AMM 12-B-56-11-02-00A-313A-APROC. REF: AMM 12-B-56-11-02-00A-313A-A									
56-11/378	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WINDSHIELD LH AND RH AND COCKPIT SIDE WINDOWS - EXAMINE WITH WINDSHIELD AND SIDE WINDOWS REMOVED (CPCP)							Service	ATA:56
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-53-10-16-00A-310A-A, AMM 12-B-56-11-01-00A-310A-A, AMM 12-B-56-11-02-00A-310A-APROC. REF: AMM 12-B-53-10-16-00A-310A-A, AMM 12-B-56-11-01-00A-310A-A, AMM 12-B-56-11-02-00A-310A-A									
56-11/517 ^S	COCKPIT DV WINDOW - MAKE SURE THAT YOU CAN OPEN AND CLOSE THE DV WINDOW WITH ONE HAND							Service	ATA:56
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
56-11/558 ^S	WINDSHIELD LH AND RH (MSN 2001 AND UP) - EXAMINE							Service	ATA:56
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PROC. REF: AMM 12-B-56-00-00-00A-313A-APROC. REF: AMM 12-B-56-00-00-00A-313A-A									

PKG:3
WO#: 2602-PVN

PKG:2
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
56-20/559 ^S	COCKPIT AND CABIN WINDOWS (MSN 2001 AND UP) - EXAMINE							Service	ATA:56
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PKG:2 WO#: 2602-PVN									
PROC. REF: AMM 12-B-56-00-00-00A-313A-APROC. REF: AMM 12-B-56-00-00-00A-313A-A									
PC12A56110100	WINDSHIELD LH							Component	ATA:56
PN:959.81.10.109	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:19011H0294	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A									
PC12A56110200	WINDSHIELD RH							Component	ATA:56
PN:959.81.10.110	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:18354H8645	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A									
PC12A56110300	LEFT INNER SIDE WINDOW							Component	ATA:56
PN:959.81.10.111	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:18330H5821	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 12-B-56-11-02-00A-920A-APROC. REF: AMM 12-B-56-11-02-00A-920A-A									
PC12A56110400	RIGHT INNER SIDE WINDOW							Component	ATA:56
PN:959.81.10.112	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:18340H6935	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 12-B-56-11-02-00A-920A-APROC. REF: AMM 12-B-56-11-02-00A-920A-A									
PC12A56140100	DIRECT VISION WINDOW							Component	ATA:56
PN:556.14.12.099	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:19351H6744	HRS	0	TSN 0						
	AFL	0	TSN 0						
	ACH	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
PROC. REF: AMM 12-B-56-14-01-00A-920A-APROC. REF: AMM 12-B-56-14-01-00A-920A-A								
PC12A56200110 LH NO. 1 CABIN WINDOW Component ATA:56								
PN:556.20.12.040	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0003341799-005	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								
PC12A56200120 LH NO. 2 CABIN WINDOW Component ATA:56								
PN:556.20.12.040	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0003341799-001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								
PC12A56200130 LH NO. 3 CABIN WINDOW Component ATA:56								
PN:556.20.12.040	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0003341799-008	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								
PC12A56200140 LH NO. 4 CABIN WINDOW Component ATA:56								
PN:556.20.12.040	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0003341799-009	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								
PC12A56200150 RH NO. 1 CABIN WINDOW Component ATA:56								
PN:556.20.12.040	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0003341794-012	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								
PC12A56200160 RH NO. 2 CABIN WINDOW Component ATA:56								
PN:556.20.12.040	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:0003341806-003	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 56 - WINDOWS

PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A

PC12A56200170		RH NO. 3 CABIN WINDOW				Component	ATA:56
PN:556.20.12.040	MOS/MSC	31-Aug-20	O/C	TSN 0			
SN:0003341802-002	HRS	0		TSN 0			
	AFL	0		TSN 0			

PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A

PC12A56200180		RH NO. 4 CABIN WINDOW				Component	ATA:56
PN:556.20.12.040	MOS/MSC	31-Aug-20	O/C	TSN 0			
SN:0003341802-008	HRS	0		TSN 0			
	AFL	0		TSN 0			

PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A

PC12A56200190		RH NO. 5 CABIN WINDOW				Component	ATA:56
PN:556.20.12.040	MOS/MSC	31-Aug-20	O/C	TSN 0			
SN:0003341805-008	HRS	0		TSN 0			
	AFL	0		TSN 0			

PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A

ATA 57 - WINGS

57-00/11		LIFE LIMIT - LEFT WING STRUCTURE - PRE SB 04-009				Service	ATA:57
PN:557.00.12.061	MOS	31-Aug-20				LIFE LIMIT	
SN:7102	HRS	0	20000	20000	18388:59		
	AFL	0	27000	27000	26009		

PROC. REF: AMM 12-C-57-00-00-00A-520A-A, AMM 12-C-57-00-00-00A-720A-APROC. REF: AMM 12-C-57-00-00-00A-520A-A, AMM 12-C-57-00-00-00A-720A-A

57-00/11		LIFE LIMIT - RIGHT WING STRUCTURE - PRE SB 04-009				Service	ATA:57
PN:557.00.12.062	MOS	31-Aug-20				LIFE LIMIT	
SN:7102	HRS	0	20000	20000	18388:59		
	AFL	0	27000	27000	26009		

PROC. REF: AMM 12-C-57-00-00-00B-520A-A, AMM 12-C-57-00-00-00B-720A-APROC. REF: AMM 12-C-57-00-00-00B-520A-A, AMM 12-C-57-00-00-00B-720A-A

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00/282 ^S	WING TIP STATIC DISCHARGERS - EXAMINE							Service	ATA:57
	MOS	14-Aug-24	24 (+10%/-10%)						
	HRS	1127	2400 (+10%/-10%)						
	AFL	600							
PROC. REF: AMM 12-C-57-33-00-00A-310A-APROC. REF: AMM 12-C-57-33-00-00A-310A-A								PKG:4 WO#: 2602-PVN	
57-00/283 ^S	EXAMINE WING INTERNAL SURFACES AND FLAP COMPARTMENT AS FAR AS POSSIBLE WITH ACCESS PANELS REMOVED							Service	ATA:57
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
PROC. REF: AMM 12-B-57-00-00-00A-310A-APROC. REF: AMM 12-B-57-00-00-00A-310A-A								PKG:3 WO#: 2602-PVN	
57-00/284 ^S	WING TO FUSELAGE ATTACHMENTS - EXAMINE AS FAR AS POSSIBLE							Service	ATA:57
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
PROC. REF: AMM 12-C-57-00-00-00A-313A-APROC. REF: AMM 12-C-57-00-00-00A-313A-A								PKG:3 WO#: 2602-PVN	
57-00/379	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING - EXAMINE ALL STRUCTURAL ELEMENTS RIB 1 TO RIB 20 (CPCP)							Service	ATA:57
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-57-00-00-00A-310A-APROC. REF: AMM 12-B-57-00-00-00A-310A-A									
57-00/380	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING MAIN AND REAR SPAR TO FUSELAGE ATTACHMENT - EDDY CURRENT INSPECTION							Service	ATA:57
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-C-57-00-03-00A-353A-A, AMM 12-C-57-00-03-01A-353A-APROC. REF: AMM 12-C-57-00-03-00A-353A-A, AMM 12-C-57-00-03-01A-353A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00/382	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING REAR SPAR AT RIB 8 FLAP ARM ATTACHMENT - EDDY CURRENT INSPECTION							Service	ATA:57
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-57-20-10-00A-353C-APROC. REF: AMM 12-B-57-20-10-00A-353C-A									
57-00/383	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING MAIN SPAR FASTENER HOLES RIB 1 THRU RIB 6 - EDDY CURRENT INSPECTION							Service	ATA:57
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-57-20-10-00A-353A-APROC. REF: AMM 12-B-57-20-10-00A-353A-A									
57-00/384	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING MAIN SPAR FASTENER HOLES STRAP RIB 6 - EDDY CURRENT INSPECTION							Service	ATA:57
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-57-20-05-00A-353A-APROC. REF: AMM 12-B-57-20-05-00A-353A-A									
57-00/385	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING REAR SPAR FASTENER HOLES RIB 2 THRU RIB 3 - EDDY CURRENT INSPECTION							Service	ATA:57
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-57-20-10-00A-353B-APROC. REF: AMM 12-B-57-20-10-00A-353B-A									
57-00/412	SUPPLEMENTAL STRUCTURAL INSPECTION - WING TIP - EXAMINE							Service	ATA:57
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-C-57-33-00-00A-310A-APROC. REF: AMM 12-C-57-33-00-00A-310A-A									
57-00/413	SUPPLEMENTAL STRUCTURAL INSPECTION - WING SKIN AROUND DRAIN HOLES - EDDY CURRENT INSPECTION							Service	ATA:57
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
PROC. REF: AMM 12-B-57-20-01-00A-353A-APROC. REF: AMM 12-B-57-20-01-00A-353A-A									
57-00/427	WING MAIN SPAR FASTENER HOLES STRAP RIB 6 - EDDY CURRENT INSPECTION (IF YOU FIND CRACKS, CONTACT PILATUS CUSTOMER SUPPORT FOR ADVICE)							Service	ATA:57
	MOS	31-Aug-20							
	HRS	0	T:16000		16000		14388:59		
	AFL	0	T:22500		22500		21509		
PROC. REF: AMM 12-B-57-20-10-00A-353D-APROC. REF: AMM 12-B-57-20-10-00A-353D-A									
57-00/560 ^S	WING EXTERNAL SURFACES (MSN 2001 AND UP) - EXAMINE							Service	ATA:57
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
PROC. REF: AMM 12-B-57-00-00-00A-310A-APROC. REF: AMM 12-B-57-00-00-00A-310A-A									
57-00/97	WING INTERNAL SURFACES AND FLAP COMPARTMENT - EXAMINE AS FAR AS POSSIBLE WITH ALL WING PANELS REMOVED							Service	ATA:57
	MOS	14-Aug-24	48 (+10%/-10%)	Adj 17d	31-Aug-28	24-Jan-29	891 d (+146)		
	HRS	1127	4000 (+10%/-10%)		5127	5527	3515:59 (+400)		
	AFL	600							
PROC. REF: AMM 12-B-57-00-00-00A-310A-APROC. REF: AMM 12-B-57-00-00-00A-310A-A									
57-00/98	LANDING GEAR COMPARTMENTS - EXAMINE, ESPECIALLY MAIN AND REAR SPAR PARTS							Service	ATA:57
	MOS	14-Aug-24	48 (+10%/-10%)	Adj 17d	31-Aug-28	24-Jan-29	891 d (+146)		
	HRS	1127	4000 (+10%/-10%)		5127	5527	3515:59 (+400)		
	AFL	600							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
57-00/99	WING TO FUSELAGE ATTACHMENTS - EXAMINE ATTACHMENT FITTINGS WITH WINGS REMOVED							Service	ATA:57
	MOS	31-Aug-20	120 (+6m/-6m)		31-Aug-30	28-Feb-31	1621 d (+181)		
	HRS	0	11000 (+500/-500)		11000	11500	9388:59 (+500)		
	AFL	0							
PROC. REF: AMM 12-C-57-00-00-00A-313A-APROC. REF: AMM 12-C-57-00-00-00A-313A-A									

PKG:2
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-60/393 SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON - EXAMINE (CPCP)								Service ATA:57
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-57-60-00-00A-310A-APROC. REF: AMM 12-B-57-60-00-00A-310A-A								
57-60/411 SUPPLEMENTAL STRUCTURAL INSPECTION - AILERON TRIM TAB - EXAMINE								Service ATA:57
	MOS/MSC	31-Aug-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-57-60-04-00A-310A-APROC. REF: AMM 12-B-57-60-04-00A-310A-A								
PC12A57000100 LEFT WING STRUCTURE								Component ATA:57
PN:557.00.12.061	MOS/MSC	31-Aug-20	H/T		TSN 0			
SN:7102	HRS	0			TSN 0			
	AFL	0			TSN 0			
PROC. REF: AMM 12-C-57-00-00-00A-520A-A, AMM 12-C-57-00-00-00A-720A-APROC. REF: AMM 12-C-57-00-00-00A-520A-A, AMM 12-C-57-00-00-00A-720A-A								
PC12A57000200 RIGHT WING STRUCTURE								Component ATA:57
PN:557.00.12.062	MOS/MSC	31-Aug-20	H/T		TSN 0			
SN:7102	HRS	0			TSN 0			
	AFL	0			TSN 0			
PROC. REF: AMM 12-C-57-00-00-00B-520A-A, AMM 12-C-57-00-00-00B-720A-APROC. REF: AMM 12-C-57-00-00-00B-520A-A, AMM 12-C-57-00-00-00B-720A-A								
PC12A57500100 LH FLAP								Component ATA:57
PN:557.50.12.007	MOS/MSC	31-Aug-20	H/T		TSN 0			
SN:7102	HRS	0			TSN 0			
	AFL	0			TSN 0			
PROC. REF: AMM 12-B-57-50-01-00A-920A-APROC. REF: AMM 12-B-57-50-01-00A-920A-A								
PC12A57500200 RH FLAP								Component ATA:57
PN:557.50.12.008	MOS/MSC	31-Aug-20	H/T		TSN 0			
SN:7102	HRS	0			TSN 0			
	AFL	0			TSN 0			
PROC. REF: AMM 12-B-57-50-01-00A-920A-APROC. REF: AMM 12-B-57-50-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
PC12A57600100	LEFT AILERON							Component	ATA:57
PN:557.60.12.371	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:7102	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-57-60-02-00A-920A-APROC. REF: AMM 12-C-57-60-02-00A-920A-A									
PC12A57600200	RIGHT AILERON							Component	ATA:57
PN:557.60.12.372	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:7102	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-57-60-02-00A-920A-APROC. REF: AMM 12-C-57-60-02-00A-920A-A									
ATA 61 - PROPELLERS/PROPULSORS									
61-00/457	NO. 1 PROPELLER - PERIODIC INSPECTIONS AND MAINTENANCE							Service	ATA:61
	MOS	05-Sep-25							
	HRS	1435:41	600		(2035:41) 2035:41		424:40		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
61-10/08	NO. 1 PROPELLER - DE-ICE COMPONENT OVERHAUL							Service	ATA:61
	MOS/MSC	06-Aug-20	N/A						
	HRS	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
61-10/37	NO. 1 PROPELLER - OVERHAUL							Service	ATA:61
	MOS	06-Aug-20	72		06-Aug-26		135 d	OVERHAUL	
	HRS	0	4000		(4000) 4000		2388:59		
PROC. REF: SL HC-SL-61-61Y, POM 61-00-47PROC. REF: SL HC-SL-61-61Y, POM 61-00-47									
61-CA/02	NO. 1 PROPELLER - ACCOMPLISH A DETAIL INSPECTION							Service	ATA:61
	MOS	05-Sep-25	12		05-Sep-26		165 d		
	HRS	1435:41	600 (+10%)		(2035:41) 2035:41	2095:41	424:40 (+60)		
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 61 - PROPELLERS/PROPULSORS									
61-CA/03	NO. 1 PROPELLER - PROPELLER DE-ICE SYSTEM - INSPECTION/CHECK							Service	ATA:61
	MOS	05-Sep-25	12		05-Sep-26		165 d		
	HRS	1435:41	600		(2035:41) 2035:41		424:40		
PROC. REF: MM 30-61-80PROC. REF: MM 30-61-80									
61-CA/04	NO. 1 PROPELLER - LUBRICATE							Service	ATA:61
	MOS	05-Sep-25	12		05-Sep-26		165 d		
	HRS	1435:41	600 (+10%)		(2035:41) 2035:41	2095:41	424:40 (+60)		
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47									
61-CA/04-10	NO. 1 PROPELLER - APPLY CORROSION INHIBITOR TO STEEL COUNTERWEIGHTS							Service	ATA:61
	MOS	05-Sep-25	12	Adj -22d	14-Aug-26		143 d		
	HRS	1435:41	600 (+10%)		(2035:41) 2035:41	2095:41	424:40 (+60)		
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47									
61-CA/05	NO. 1 PROPELLER - INSPECT BLADE USING COIN-TAP							Service	ATA:61
	MOS	14-Aug-24							
	HRS	1127	1200		(2327) 2327		715:59		
PROC. REF: POM 61-00-47, MRM 61-13-70PROC. REF: POM 61-00-47, MRM 61-13-70									
61-CA/06	NO. 1 PROPELLER - INSPECT EROSION SHIELD USING COIN-TAP							Service	ATA:61
	MOS	05-Sep-25	12		05-Sep-26		165 d		
	HRS	1435:41	600		(2035:41) 2035:41		424:40		
PROC. REF: POM 61-00-47, MRM 61-13-70PROC. REF: POM 61-00-47, MRM 61-13-70									
61-CA/09	NO. 1 PROPELLER - PRE-FLIGHT CHECKS							Service	ATA:61
	MOS/MSC	31-Aug-21	A/R						
	HRS	357							
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 61 - PROPELLERS/PROPULSORS									
61-CA/10	NO. 1 PROPELLER - OPERATIONAL CHECK							Service	ATA:61
	MOS/MSC	13-Mar-20	A/R						
	HRS	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
61-CA/11	NO. 1 PROPELLER - OVERSPEED/OVERTORQUE							Service	ATA:61
	MOS/MSC	13-Mar-20	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47									
61-CA/12	NO. 1 PROPELLER - LIGHTNING STRIKE							Service	ATA:61
	MOS/MSC	13-Mar-20	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
PROC. REF: POM 61-00-47, MM 30-61-80PROC. REF: POM 61-00-47, MM 30-61-80									
61-CA/13	NO. 1 PROPELLER - FOREING OBJECT STRIKE/GROUND STRIKE							Service	ATA:61
	MOS/MSC	13-Mar-20	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
PROC. REF: POM 61-00-47, MM 30-61-80PROC. REF: POM 61-00-47, MM 30-61-80									
61-CA/14	NO. 1 PROPELLER - FIRE/HEAT DAMAGE							Service	ATA:61
	MOS/MSC	13-Mar-20	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
PROC. REF: POM 61-00-47, MM 30-61-80PROC. REF: POM 61-00-47, MM 30-61-80									
61-CA/15	NO. 1 PROPELLER - SUDDEN STOPPAGE							Service	ATA:61
	MOS/MSC	13-Mar-20	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
61-CA/16 NO. 1 PROPELLER - ENGINE OIL CONTAMINATION Service ATA:61								
	MOS/MSC	13-Mar-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/17 NO. 1 PROPELLER - LONG TERM STORAGE Service ATA:61								
	MOS/MSC	13-Mar-20	A/R					
	HRS	0						
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/2^S NO. 1 ENGINE - DO A CHECK OF THE PCU FOR INSTALLATION AND LEAKS Service ATA:61								
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 61-20-01, LMM 61-20-01PROC. REF: EM 61-20-01, LMM 61-20-01								
61-CA/3 NO. 1 ENGINE - OVERHAUL PROPELLER CONTROL UNIT Service ATA:61								
PN:3126986-03	MOS	31-Aug-20						OVERHAUL
SN:WDA140496	HRS	0	5000 (+500)		(5000) 5000	5500	3388:59 (+500)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
61PR1 NO. 1 PROPELLER Component ATA:61								
PN:HC-E5A-31A	MOS/MSC	28-Aug-20	PP/C	TSN 0				
SN:SA555	HRS	0		TSN 0				
WC#: 61.PR1	AFL	0		TSN 0				
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM								
PC12A61100100010 NO. 1 PROPELLER - NO. 1 BLADE Component ATA:61								
PN:NC10245B	MOS/MSC	13-Mar-20	O/C	TSN 0				
SN:C4586	HRS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

PKG:2
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 61 - PROPELLERS/PROPULSORS									
PC12A61100100020		NO. 1 PROPELLER - NO. 2 BLADE							Component ATA:61
PN:NC10245B	MOS/MSC	13-Mar-20	O/C	TSN 0					
SN:C4459	HRS	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PC12A61100100030		NO. 1 PROPELLER - NO. 3 BLADE							Component ATA:61
PN:NC10245B	MOS/MSC	13-Mar-20	O/C	TSN 0					
SN:C4620	HRS	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PC12A61100100040		NO. 1 PROPELLER - NO. 4 BLADE							Component ATA:61
PN:NC10245B	MOS/MSC	13-Mar-20	O/C	TSN 0					
SN:C4587	HRS	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PC12A61100100050		NO. 1 PROPELLER - NO. 5 BLADE							Component ATA:61
PN:NC10245B	MOS/MSC	13-Mar-20	O/C	TSN 0					
SN:C4610	HRS	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PT6EA612001		NO. 1 ENGINE - PROPELLER CONTROL UNIT							Component ATA:61
PN:3126986-03	MOS/MSC	01-May-20	H/T	TSN 0					
SN:WDA140496	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 61-20-01, EM 61-20-01, LMM 61-20-01, LMM 61-20-01PROC. REF: EM 61-20-01, EM 61-20-01, LMM 61-20-01, LMM 61-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 70 - STANDARD PRACTICES - ENGINES

70-CA/1 ^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF EXTERNAL TUBES, ELBOWS AND HOSES FOR LEAKS							Service ATA:70
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						

PKG:2
WO#: 2602-PVN

PROC. REF: EM 70-30-00, LMM 70-30-00PROC. REF: EM 70-30-00, LMM 70-30-00

70-CA/2 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION OF THE ENGINE EXTERNAL ACCESSORIES FOR LEAKS							Service ATA:70
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						

PKG:2
WO#: 2602-PVN

PROC. REF: EM 70-30-00, LMM 70-30-00PROC. REF: EM 70-30-00, LMM 70-30-00

ATA 71 - POWER PLANT

71-00/16	LIFE LIMIT - ENGINE MOUNTING FRAME - PRE SB 04-009							Service ATA:71
PN:571.20.12.008	MOS	31-Aug-20					LIFE LIMIT	
SN:131	HRS	0	20000		20000		18388:59	
	AFL	0	27000		27000		26009	

PROC. REF: AMM 12-C-71-00-05-00A-920A-APROC. REF: AMM 12-C-71-00-05-00A-920A-A

71-00/17	LIFE LIMIT - ENGINE MOUNTING FRAME, REPLACE ALL BOLTS, WASHERS AND NUTS							Service ATA:71
PN:571.20.12.008	MOS	31-Aug-20					LIFE LIMIT	
SN:131	HRS	0	11000		11000		9388:59	
	AFL	0						

PROC. REF: AMM 12-C-71-00-05-00A-920A-APROC. REF: AMM 12-C-71-00-05-00A-920A-A

71-00/204 ^S	JOB CLOSE UP - POWER PLANT - DO A POST INSPECTION GROUND RUN TESTS AS NECESSARY TO CLOSE UP INSPECTION							Service ATA:71
	MOS/MSC	09-Dec-25	A/R					
	HRS	1494:43						
	AFL	883						

PKG:5 ,1,2,3,4

PROC. REF: AMM 12-C-71-00-00-00A-903A-APROC. REF: AMM 12-C-71-00-00-00A-903A-A

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-00/205 ^S	ENGINE TUBULAR MOUNTING FRAME AND SHOCKMOUNTS - EXAMINE. REPLACE SHOCKMOUNT IF CRACKS IN ELASTOMER ARE MORE THAN 25,4 MM (1IN) LONG AND/OR 1,5MM (0.06 IN) DEEP							Service	ATA:71
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
								PKG:3 WO#: 2602-PVN	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-00/287 ^S	JOB SET UP - POWER PLANT - DO AN INSPECTION GROUND RUN AS NECESSARY. MAKE RECORD OF ANY DEFECTS.							Service	ATA:71
	MOS/MSC	09-Dec-25	A/R						
	HRS	1494:43							
	AFL	883							
								PKG:5 ,1,2,3,4	
PROC. REF: AMM 12-C-71-00-00-00A-903A-APROC. REF: AMM 12-C-71-00-00-00A-903A-A									
71-00/301 ^S	ENGINE TUBULAR MOUNTING FRAME FIREWALL ATTACHMENT FITTINGS - EXAMINE WITH FIREWALL INSULATION BLANKET REMOVED AS NECESSARY. IF CRACKED, BLISTERED OR FLAKING PAINT IS FOUND ON THE MOUNTING FRAME REFER TO SRM							Service	ATA:71
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	1200 (+10%/-10%)						
	AFL	807							
								PKG:3 WO#: 2602-PVN	
PROC. REF: AMM 12-B-54-20-02-00A-664A-APROC. REF: AMM 12-B-54-20-02-00A-664A-A									
71-00/327	LIFE LIMIT - ENGINE MOUNTING FRAME - POST SB 04-009							Service	ATA:71
PN:571.20.12.008	MOS/MSC	31-Aug-20	N/A					LIFE LIMIT	
SN:131	HRS	0							
	AFL	0							
PROC. REF: AMM 12-C-71-00-05-00A-920A-APROC. REF: AMM 12-C-71-00-05-00A-920A-A									
71-00/401	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ENGINE MOUNT - MAGNETIC PARTICLE INSPECTION							Service	ATA:71
	MOS/MSC	31-Aug-20	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-C-71-00-05-00A-352A-APROC. REF: AMM 12-C-71-00-05-00A-352A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-00/476 ^S	JOB CLOSE UP - P&WC AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS - REVIEWED AND COMPLIED WITH AS NECESSARY							Service	ATA:71
	MOS/MSC	09-Dec-25	A/R						
	HRS	1494:43							
	AFL	883							
								PKG:5 ,1,2,3,4	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-00/490	OVERHAUL LOWER LEFT ENGINE SHOCK MOUNT ASSEMBLY							Service	ATA:71
PN:944.81.21.409	MOS	31-Aug-20						OVERHAUL	
SN:12403	HRS	0	5000 (+500/-500)		5000	5500	3388:59 (+500)		
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-00/490	OVERHAUL LOWER RIGHT ENGINE SHOCK MOUNT ASSEMBLY							Service	ATA:71
PN:944.81.21.409	MOS	31-Aug-20						OVERHAUL	
SN:12434	HRS	0	5000 (+500/-500)		5000	5500	3388:59 (+500)		
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-00/490	OVERHAUL UPPER CENTER ENGINE SHOCK MOUNT ASSEMBLY							Service	ATA:71
PN:944.81.21.409	MOS	31-Aug-20						OVERHAUL	
SN:12423	HRS	0	5000 (+500/-500)		5000	5500	3388:59 (+500)		
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-00/490	OVERHAUL UPPER LEFT ENGINE SHOCK MOUNT ASSEMBLY							Service	ATA:71
PN:944.81.21.409	MOS	31-Aug-20						OVERHAUL	
SN:12413	HRS	0	5000 (+500/-500)		5000	5500	3388:59 (+500)		
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-00/490	OVERHAUL UPPER RIGHT ENGINE SHOCK MOUNT ASSEMBLY							Service	ATA:71
PN:944.81.21.409	MOS	31-Aug-20						OVERHAUL	
SN:12425	HRS	0	5000 (+500/-500)		5000	5500	3388:59 (+500)		
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-00/561 ^S	ENGINE DRAIN MAST AND TANK (MSN 2001 AND UP) - EXAMINE THE DRAIN MASKS FOR FUEL LEAKS (NO LEAKS PERMITTED) AND DRAIN COLLECTOR TANK							Service	ATA:71
	MOS	05-Sep-25	12 (+10%/-10%)						
	HRS	1435:41	600 (+10%/-10%)						
	AFL	807							
								PKG:2 WO#: 2602-PVN	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-00/573 ^S	NO. 1 ENGINE - POWER PLANT AND ACCESSORIES INSPECTION							Service	ATA:71
	MOS	05-Sep-25	12 (+30d/-30d)						
	HRS	1435:41	600 (+10%/-10%)						
	ENC	777							
								PKG:2 WO#: 2602-PVN	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-10/207 ^S	JOB SET UP - ENGINE COWLING 43AL AND 43AR - OPEN AND EXAMINE. SPECIFICALLY THE CONDITION OF THE RUBBING STRIPS AND FASTENERS. LUBRICATE THE HINGES WITH A MINIMUM OF CPC (PT.NO. P10-001)							Service	ATA:71
	MOS/MSC	09-Dec-25	A/R						
	HRS	1494:43							
	AFL	883							
								PKG:5 ,1,2,3,4	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-10/208 ^S	JOB CLOSE UP - ENGINE COWLING 43AL AND 43AR - CLOSE AS NECESSARY TO CLOSE UP THE INSPECTION							Service	ATA:71
	MOS/MSC	09-Dec-25	A/R						
	HRS	1494:43							
	AFL	883							
								PKG:5 ,1,2,3,4	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-CA/1	NO. 1 ENGINE - ENGINE HOT SECTION INSPECTION (HSI)							Service	ATA:71
	MOS	01-May-20							
	HRS	0	2500 (+100/-100)		(2500) 2500	2600	888:59 (+100)		
	ENC	0							
PROC. REF: EM 72-00-00PROC. REF: EM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-CA/10	NO. 1 ENGINE - POWER PLANT - ENGINE PERFORMANCE OPERATIONAL TEST							Service	ATA:71
	MOS/MSC	01-May-20	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 71-00-08, LMM 71-00-08PROC. REF: EM 71-00-08, LMM 71-00-08									
71-CA/11	NO. 1 ENGINE - POWER PLANT - TORQUEMETER OPERATIONAL TEST							Service	ATA:71
	MOS/MSC	01-May-20	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 71-00-10, LMM 71-00-10PROC. REF: EM 71-00-10, LMM 71-00-10									
71-CA/12	NO. 1 ENGINE - POWER PLANT - BLEED VALVE OPERATIONAL TEST							Service	ATA:71
	MOS/MSC	01-May-20	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 71-00-11, LMM 71-00-11PROC. REF: EM 71-00-11, LMM 71-00-11									
71-CA/13	NO. 1 ENGINE - POWER PLANT - IGNITION SYSTEM OPERATIONAL TEST							Service	ATA:71
	MOS/MSC	01-May-20	A/R						
	HRS	0							
	ENC	0							
PROC. REF: AMM 12-C-74-00-00-00A-903A-APROC. REF: AMM 12-C-74-00-00-00A-903A-A									
71-CA/2 ^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE SCAVENGE OIL PUMP HOUSING FOR LEAKS							Service	ATA:71
	MOS	05-Sep-25	12 (+30d/-30d)						
	HRS	1435:41	600 (+10%/-10%)						
	ENC	777							
PROC. REF: EM 71-00-01, LMM 71-00-01PROC. REF: EM 71-00-01, LMM 71-00-01									
71-CA/3 ^S	NO. 1 ENGINE - DO A FUNCTIONAL TEST OF SPARK IGNITERS							Service	ATA:71
	MOS	05-Sep-25							
	HRS	1435:41	600 (+10%/-10%)						
	ENC	777							

PKG:2
WO#: 2602-PVN

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
PROC. REF: EM 71-00-18, LMM 71-00-18PROC. REF: EM 71-00-18, LMM 71-00-18									
71-CA/4 ^S	NO. 1 ENGINE - DO A CHECK OF THE DRAIN VALVE FOR INSTALLATION AND LEAKS							Service	ATA:71
	MOS	05-Sep-25	12 (+30d/-30d)						
	HRS	1435:41	600 (+10%/-10%)						
	ENC	777							
PROC. REF: EM 71-00-19, LMM 71-00-19PROC. REF: EM 71-00-19, LMM 71-00-19									
71-CA/5	NO. 1 ENGINE - COMPRESSOR/DESALINATION WASH							Service	ATA:71
	MOS/MSC	05-Sep-25	A/R						
	HRS	1435:41							
	ENC	777							
PROC. REF: EM 71-00-14, EM 71-00-15, LMM 71-00-14, LMM 71-00-15, AMM 12-B-12-20-01-00A-902A-APROC. REF: EM 71-00-14, EM 71-00-15, LMM 71-00-14, LMM 71-00-15, AMM 12-B-12-20-01-00A-902A-A									
71-CA/6	NO. 1 ENGINE - TURBINE WASH							Service	ATA:71
	DAYS/MSC	05-Sep-25	A/R						
	HRS	1435:41							
	ENC	777							
PROC. REF: EM 71-00-17PROC. REF: EM 71-00-17									
71-CA/7	NO. 1 ENGINE - DO A COMPRESSOR PERFORMANCE RECOVERY WASH							Service	ATA:71
	MOS/MSC	01-May-20	O/C						
	HRS	0							
	ENC	0							
PROC. REF: EM 71-00-16, LMM 71-00-16, AMM 12-B-12-20-01-00A-902A-APROC. REF: EM 71-00-16, LMM 71-00-16, AMM 12-B-12-20-01-00A-902A-A									
71-CA/8	NO. 1 ENGINE - ENGINE CONDITION TREND MONITORING (ECTM)							Service	ATA:71
	MOS/MSC	15-Dec-22	A/R						
	HRS	747:17							
	ENC	397							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:2
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-CA/9 NO. 1 ENGINE - EXTERNAL WASH Service ATA:71								
	DAYS/MSC	EFF	O/C					
	HRS							
	ENC							
PROC. REF: EM 71-00-17, LMM 71-00-13PROC. REF: EM 71-00-17, LMM 71-00-13								
71EN1 NO. 1 ENGINE Component ATA:71								
PN:3126995-01 BS1369	MOS/MSC	22-Jul-20	E/C	TSN 0				
SN:PCE-HP0039	HRS	0		TSN 0				
WC#: 71.EN1	AFL	0		TSN 0				
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM								
PC12A71000100 ENGINE MOUNTING FRAME Component ATA:71								
PN:571.20.12.008	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:131	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-71-00-05-00A-920A-APROC. REF: AMM 12-C-71-00-05-00A-920A-A								
PC12A71000210 SHOCK MOUNT, LOWER LH Component ATA:71								
PN:944.81.21.409	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:12403	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-71-00-00-00A-920A-BPROC. REF: AMM 12-C-71-00-00-00A-920A-B								
PC12A71000220 SHOCK MOUNT, UPPER LH Component ATA:71								
PN:944.81.21.409	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:12413	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-71-00-00-00A-920A-BPROC. REF: AMM 12-C-71-00-00-00A-920A-B								
PC12A71000230 SHOCK MOUNT, UPPER CENTER Component ATA:71								
PN:944.81.21.409	MOS/MSC	31-Aug-20	H/T	TSN 0				
SN:12423	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-71-00-00-00A-920A-BPROC. REF: AMM 12-C-71-00-00-00A-920A-B								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
PC12A71000240		SHOCK MOUNT, UPPER RH						Component	ATA:71
PN:944.81.21.409	MOS/MSC	31-Aug-20	H/T	TSN 0					
SN:12425	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-71-00-00-00A-920A-BPROC. REF: AMM 12-C-71-00-00-00A-920A-B									
PC12A71000250		SHOCK MOUNT, LOWER RH						Component	ATA:71
PN:944.81.21.409	MOS/MSC	31-Aug-20	H/T	TSN 0					
SN:12434	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-71-00-00-00A-920A-BPROC. REF: AMM 12-C-71-00-00-00A-920A-B									
ATA 72 - ENGINE									
72-00/18/CT-1		NO. 1 ENGINE - REPLACE NO. 1 COMPRESSOR TURBINE BLADE						Service	ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A						
SN:HWYH7445	HRS	0							
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-10		NO. 1 ENGINE - REPLACE NO. 10 COMPRESSOR TURBINE BLADE						Service	ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A						
SN:HWYH7555	HRS	0							
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-11		NO. 1 ENGINE - REPLACE NO. 11 COMPRESSOR TURBINE BLADE						Service	ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A						
SN:HWYH7560	HRS	0							
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-12		NO. 1 ENGINE - REPLACE NO. 12 COMPRESSOR TURBINE BLADE						Service	ATA:72
PN:3078521-01	MOS	31-Aug-20						REPLACE	
SN:HWYH7563	HRS	0	5000		(5000) 5000		3388:59		
	ENC	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-13 NO. 1 ENGINE - REPLACE NO. 13 COMPRESSOR TURBINE BLADE Service ATA:72								
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYH7593	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-14 NO. 1 ENGINE - REPLACE NO. 14 COMPRESSOR TURBINE BLADE Service ATA:72								
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYH7621	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-15 NO. 1 ENGINE - REPLACE NO. 15 COMPRESSOR TURBINE BLADE Service ATA:72								
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYK3051	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-16 NO. 1 ENGINE - REPLACE NO. 16 COMPRESSOR TURBINE BLADE Service ATA:72								
PN:3078521-01	MOS	31-Aug-20						REPLACE
SN:HWYK4312	HRS	0	5000		(5000) 5000		3388:59	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-17 NO. 1 ENGINE - REPLACE NO. 17 COMPRESSOR TURBINE BLADE Service ATA:72								
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYK4315	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-18 NO. 1 ENGINE - REPLACE NO. 18 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYK7377	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-19 NO. 1 ENGINE - REPLACE NO. 19 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYK7392	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-2 NO. 1 ENGINE - REPLACE NO. 2 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYH7452	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-20 NO. 1 ENGINE - REPLACE NO. 20 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYK7444	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-21 NO. 1 ENGINE - REPLACE NO. 21 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYK7464	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-22 NO. 1 ENGINE - REPLACE NO. 22 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYK8881	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-23 NO. 1 ENGINE - REPLACE NO. 23 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYK9208	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
<hr/>								
72-00/18/CT-24 NO. 1 ENGINE - REPLACE NO. 24 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYK9209	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
<hr/>								
72-00/18/CT-25 NO. 1 ENGINE - REPLACE NO. 25 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYK9211	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
<hr/>								
72-00/18/CT-26 NO. 1 ENGINE - REPLACE NO. 26 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL3353	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
<hr/>								
72-00/18/CT-27 NO. 1 ENGINE - REPLACE NO. 27 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL3363	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
<hr/>								
72-00/18/CT-28 NO. 1 ENGINE - REPLACE NO. 28 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL3663	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-29 NO. 1 ENGINE - REPLACE NO. 29 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL3670	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
<hr/>								
72-00/18/CT-3 NO. 1 ENGINE - REPLACE NO. 3 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYH7456	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
<hr/>								
72-00/18/CT-30 NO. 1 ENGINE - REPLACE NO. 30 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL3682	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
<hr/>								
72-00/18/CT-31 NO. 1 ENGINE - REPLACE NO. 31 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL3803	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
<hr/>								
72-00/18/CT-32 NO. 1 ENGINE - REPLACE NO. 32 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL3804	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
<hr/>								
72-00/18/CT-33 NO. 1 ENGINE - REPLACE NO. 33 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL5028	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-34 NO. 1 ENGINE - REPLACE NO. 34 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL5112	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
<hr/>								
72-00/18/CT-35 NO. 1 ENGINE - REPLACE NO. 35 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL5113	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
<hr/>								
72-00/18/CT-36 NO. 1 ENGINE - REPLACE NO. 36 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL5115	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
<hr/>								
72-00/18/CT-37 NO. 1 ENGINE - REPLACE NO. 37 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL5123	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
<hr/>								
72-00/18/CT-38 NO. 1 ENGINE - REPLACE NO. 38 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL5215	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
<hr/>								
72-00/18/CT-39 NO. 1 ENGINE - REPLACE NO. 39 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL5222	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-4 NO. 1 ENGINE - REPLACE NO. 4 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYH7460	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-40 NO. 1 ENGINE - REPLACE NO. 40 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL5923	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-41 NO. 1 ENGINE - REPLACE NO. 41 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL5935	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-42 NO. 1 ENGINE - REPLACE NO. 42 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL5979	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-43 NO. 1 ENGINE - REPLACE NO. 43 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL5990	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-44 NO. 1 ENGINE - REPLACE NO. 44 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL5995	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-45 NO. 1 ENGINE - REPLACE NO. 45 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL6009	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
<hr/>								
72-00/18/CT-46 NO. 1 ENGINE - REPLACE NO. 46 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL6010	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
<hr/>								
72-00/18/CT-47 NO. 1 ENGINE - REPLACE NO. 47 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL6021	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
<hr/>								
72-00/18/CT-48 NO. 1 ENGINE - REPLACE NO. 48 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL6023	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
<hr/>								
72-00/18/CT-49 NO. 1 ENGINE - REPLACE NO. 49 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYL6041	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
<hr/>								
72-00/18/CT-5 NO. 1 ENGINE - REPLACE NO. 5 COMPRESSOR TURBINE BLADE								Service ATA:72
PN:3078521-01	MOS/MSC	31-Aug-20	N/A					
SN:HWYH7470	HRS	0						
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00/18/CT-6		NO. 1 ENGINE - REPLACE NO. 6 COMPRESSOR TURBINE BLADE					Service	ATA:72	
PN:3078521-01	MOS/MSC	31-Aug-20	N/A						
SN:HWYH7472	HRS	0							
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-7		NO. 1 ENGINE - REPLACE NO. 7 COMPRESSOR TURBINE BLADE					Service	ATA:72	
PN:3078521-01	MOS/MSC	31-Aug-20	N/A						
SN:HWYH7482	HRS	0							
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-8		NO. 1 ENGINE - REPLACE NO. 8 COMPRESSOR TURBINE BLADE					Service	ATA:72	
PN:3078521-01	MOS/MSC	31-Aug-20	N/A						
SN:HWYH7493	HRS	0							
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-9		NO. 1 ENGINE - REPLACE NO. 9 COMPRESSOR TURBINE BLADE					Service	ATA:72	
PN:3078521-01	MOS/MSC	31-Aug-20	N/A						
SN:HWYH7554	HRS	0							
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/PT2-1		NO. 1 ENGINE - REPLACE NO. 1 2ND STAGE POWER TURBINE BLADE					Service	ATA:72	
PN:3056693-01	MOS/MSC	31-Aug-20	N/A						
SN:TH05B622	HRS	0							
	ENC	0							
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
72-00/18/PT2-10		NO. 1 ENGINE - REPLACE NO. 10 2ND STAGE POWER TURBINE BLADE					Service	ATA:72	
PN:3056693-01	MOS/MSC	31-Aug-20	N/A						
SN:TH08B810	HRS	0							
	ENC	0							
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-11 NO. 1 ENGINE - REPLACE NO. 11 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH08B816	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-12 NO. 1 ENGINE - REPLACE NO. 12 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH08B828	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-13 NO. 1 ENGINE - REPLACE NO. 13 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH08B844	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-14 NO. 1 ENGINE - REPLACE NO. 14 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH08B846	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-15 NO. 1 ENGINE - REPLACE NO. 15 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH08B868	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-16 NO. 1 ENGINE - REPLACE NO. 16 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH08B886	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-17 NO. 1 ENGINE - REPLACE NO. 17 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B889	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-18 NO. 1 ENGINE - REPLACE NO. 18 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B044	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-19 NO. 1 ENGINE - REPLACE NO. 19 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B045	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-2 NO. 1 ENGINE - REPLACE NO. 2 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH05B655	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-20 NO. 1 ENGINE - REPLACE NO. 20 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B046	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-21 NO. 1 ENGINE - REPLACE NO. 21 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B074	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-22 NO. 1 ENGINE - REPLACE NO. 22 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B081	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-23 NO. 1 ENGINE - REPLACE NO. 23 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B083	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-24 NO. 1 ENGINE - REPLACE NO. 24 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B086	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-25 NO. 1 ENGINE - REPLACE NO. 25 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B099	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-26 NO. 1 ENGINE - REPLACE NO. 26 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B120	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-27 NO. 1 ENGINE - REPLACE NO. 27 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B123	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-28 NO. 1 ENGINE - REPLACE NO. 28 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B124	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-29 NO. 1 ENGINE - REPLACE NO. 29 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B128	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-3 NO. 1 ENGINE - REPLACE NO. 3 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH08B670	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-30 NO. 1 ENGINE - REPLACE NO. 30 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B129	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-31 NO. 1 ENGINE - REPLACE NO. 31 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B181	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-32 NO. 1 ENGINE - REPLACE NO. 32 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B188	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-33 NO. 1 ENGINE - REPLACE NO. 33 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B209	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-34 NO. 1 ENGINE - REPLACE NO. 34 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B211	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-35 NO. 1 ENGINE - REPLACE NO. 35 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH09B407	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-36 NO. 1 ENGINE - REPLACE NO. 36 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH24A163	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-37 NO. 1 ENGINE - REPLACE NO. 37 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH50A335	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-38 NO. 1 ENGINE - REPLACE NO. 38 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH50A340	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-39 NO. 1 ENGINE - REPLACE NO. 39 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH59A033	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-4 NO. 1 ENGINE - REPLACE NO. 4 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH08B673	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-40 NO. 1 ENGINE - REPLACE NO. 40 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH62A187	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-41 NO. 1 ENGINE - REPLACE NO. 41 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH62A196	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-42 NO. 1 ENGINE - REPLACE NO. 42 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH66A473	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-43 NO. 1 ENGINE - REPLACE NO. 43 2ND STAGE POWER TURBINE BLADE								Service ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A					
SN:TH66A573	HRS	0						
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00/18/PT2-5		NO. 1 ENGINE - REPLACE NO. 5 2ND STAGE POWER TURBINE BLADE						Service	ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A						
SN:TH08B674	HRS	0							
	ENC	0							
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
72-00/18/PT2-6		NO. 1 ENGINE - REPLACE NO. 6 2ND STAGE POWER TURBINE BLADE						Service	ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A						
SN:TH08B693	HRS	0							
	ENC	0							
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
72-00/18/PT2-7		NO. 1 ENGINE - REPLACE NO. 7 2ND STAGE POWER TURBINE BLADE						Service	ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A						
SN:TH08B704	HRS	0							
	ENC	0							
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
72-00/18/PT2-8		NO. 1 ENGINE - REPLACE NO. 8 2ND STAGE POWER TURBINE BLADE						Service	ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A						
SN:TH08B709	HRS	0							
	ENC	0							
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
72-00/18/PT2-9		NO. 1 ENGINE - REPLACE NO. 9 2ND STAGE POWER TURBINE BLADE						Service	ATA:72
PN:3056693-01	MOS/MSC	31-Aug-20	N/A						
SN:TH08B739	HRS	0							
	ENC	0							
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
72-00/488		NO. 1 ENGINE - OVERHAUL						Service	ATA:72
	MOS	31-Aug-20						OVERHAUL	
	HRS	0	5000 (+100/-100)		(5000) 5000	5100	3388:59 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00/489	NO. 1 ENGINE - ENGINE ACCESSORIES OVERHAUL							Service	ATA:72
	MOS/MSC	07-Aug-20	A/R					OVERHAUL	
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-CA/1	NO. 1 ENGINE - PROPELLER SHAFT AREA - DO A VISUAL EXAMINATION FOR LEAKAGE AND CORROSION							Service	ATA:72
	MOS/MSC	05-Sep-25	A/R						
	HRS	1435:41							
	ENC	770							
PROC. REF: EM 72-10-00, LMM 72-10-00PROC. REF: EM 72-10-00, LMM 72-10-00									
72-CA/10	NO. 1 ENGINE - SERVICE LIFE LIMIT COMPRESSOR ROTOR SHAFT							Service	ATA:72
PN:3043063	MOS	31-Aug-20						LIFE LIMIT	
SN:PKAAA885402	HRS	0							
	ENC	0			(24000)		23053		
					24044 (M)				
	ACCCYC	0	24000						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-CA/11	NO. 1 ENGINE - SERVICE LIFE LIMIT 1ST-STAGE COMPRESSOR ROTOR							Service	ATA:72
PN:3042701	MOS	31-Aug-20						LIFE LIMIT	
SN:FRAEPLYT85	HRS	0							
	ENC	0			(24000)		23053		
					24044 (M)				
	ACCCYC	0	24000						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-CA/12	NO. 1 ENGINE - SERVICE LIFE LIMIT 2ND-STAGE COMPRESSOR ROTOR							Service	ATA:72
PN:3040942	MOS	31-Aug-20						LIFE LIMIT	
SN:MCAKAXWT312	HRS	0							
	ENC	0			(24000)		23053		
					24044 (M)				
	ACCCYC	0	24000						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-CA/13 NO. 1 ENGINE - SERVICE LIFE LIMIT 3RD-STAGE COMPRESSOR ROTOR								Service ATA:72
PN:3040933	MOS		31-Aug-20					LIFE LIMIT
SN:FRAEPLYT95	HRS		0					
	ENC	0			(24000) 24044 (M)		23053	
	ACCCYC	0	24000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-CA/14 NO. 1 ENGINE - SERVICE LIFE LIMIT 4TH-STAGE COMPRESSOR ROTOR								
PN:3040944	MOS		31-Aug-20					LIFE LIMIT
SN:EAAE000Y479	HRS		0					
	ENC	0			(24000) 24044 (M)		23053	
	ACCCYC	0	24000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-CA/15 NO. 1 ENGINE - SERVICE LIFE LIMIT CENTRIFUGAL IMPELLER								
PN:3036898	MOS		31-Aug-20					LIFE LIMIT
SN:CRAZAFRW091	HRS		0					
	ENC	0			(24000) 24044 (M)		23053	
	ACCCYC	0	24000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-CA/16 NO. 1 ENGINE - SERVICE LIFE LIMIT COMPRESSOR TURBINE DISK								
PN:3078454-01	MOS		31-Aug-20					LIFE LIMIT
SN:FRAEPLYNT104	HRS		0					
	ENC	0			(11111) 11155 (M)		10164	
	ACCCYC	0	10000	Adj -16			9132	
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-CA/17		NO. 1 ENGINE - SERVICE LIFE LIMIT 1ST-STAGE POWER TURBINE DISK							Service ATA:72
PN:3056485-01	MOS		31-Aug-20					LIFE LIMIT	
SN:A004P3B4	HRS		0						
	ENC		0		(15000) 15044 (M)		14053		
	ACCCYC		0	15000					
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03									
72-CA/18									
72-CA/18		NO. 1 ENGINE - SERVICE LIFE LIMIT 2ND-STAGE POWER TURBINE DISK							Service ATA:72
PN:3123253-01	MOS		31-Aug-20					LIFE LIMIT	
SN:YUAB001R132	HRS		0						
	ENC		0		(15000) 15044 (M)		14053		
	ACCCYC		0	15000					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
72-CA/2^S									
72-CA/2^S		NO. 1 ENGINE - DO A DETAILED INSPECTION OF THE TURBINE EXHAUST DUCT							Service ATA:72
	MOS		05-Sep-25		12 (+30d/-30d)				
	HRS		1435:41		600 (+10%/-10%)				
	ENC		777						
PROC. REF: EM 72-54-01, LMM 72-54-01PROC. REF: EM 72-54-01, LMM 72-54-01									
72-CA/22									
72-CA/22		NO. 1 ENGINE - ENGINE GENERAL - MECHANICAL GENERAL FAULT ISOLATION PROCEDURE							Service ATA:72
	MOS/MSC		01-May-20		A/R				
	HRS		0						
	ENC		0						
PROC. REF: EM 72-00-00, LMM 72-00-00PROC. REF: EM 72-00-00, LMM 72-00-00									
72-CA/23									
72-CA/23		NO. 1 ENGINE - ENGINE GENERAL - ENGINE ELECTRONIC CONTROL (EEC) GENERAL FAULT ISOLATION PROCEDURE							Service ATA:72
	MOS/MSC		01-May-20		A/R				
	HRS		0						
	ENC		0						
PROC. REF: EM 72-00-00, LMM 72-00-00PROC. REF: EM 72-00-00, LMM 72-00-00									

PKG:2
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-CA/24	NO. 1 ENGINE - ENGINE GENERAL - ENGINE CONDITION TREND MONITORING (ECTM) SHIFT GENERAL FAULT ISOLATION PROCEDURE							Service	ATA:72
	MOS/MSC	01-May-20	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 72-00-00, LMM 72-00-00PROC. REF: EM 72-00-00, LMM 72-00-00									
72-CA/25	NO. 1 ENGINE - ENGINE GENERAL - DATA COLLECTION AND TRANSMISSION UNIT (DCTU) GENERAL FAULT ISOLATION PROCEDURE							Service	ATA:72
	MOS/MSC	01-May-20	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 72-00-00, LMM 72-00-00PROC. REF: EM 72-00-00, LMM 72-00-00									
72-CA/3 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION OF THE GAS GENERATOR CASE							Service	ATA:72
	MOS	05-Sep-25	12 (+30d/-30d)						
	HRS	1435:41	600 (+10%/-10%)						
	ENC	777							
PROC. REF: EM 72-32-00, LMM 72-32-00PROC. REF: EM 72-32-00, LMM 72-32-00									
72-CA/4 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION OF THE AIR INLET SCREEN							Service	ATA:72
	MOS	05-Sep-25	12 (+30d/-30d)						
	HRS	1435:41	600 (+10%/-10%)						
	ENC	777							
PROC. REF: EM 72-20-01, LMM 72-20-01PROC. REF: EM 72-20-01, LMM 72-20-01									
72-CA/5 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION WITH A MIRROR OR A BORESCOPE INSPECTION OF THE FIRST - STAGE COMPRESSOR ROTOR							Service	ATA:72
	MOS	05-Sep-25	12 (+30d/-30d)						
	HRS	1435:41	600 (+10%/-10%)						
	ENC	777							
PROC. REF: EM 72-31-01, LMM 72-31-01PROC. REF: EM 72-31-01, LMM 72-31-01									

PKG:2
WO#: 2602-PVN

PKG:2
WO#: 2602-PVN

PKG:2
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-CA/6^S NO. 1 ENGINE - DO A VISUAL EXAMINATION OF THE COMPRESSOR INLET CASE								
	MOS	05-Sep-25	12 (+30d/-30d)					Service ATA:72
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
								PKG:2 WO#: 2602-PVN
PROC. REF: EM 72-20-02, LMM 72-20-02PROC. REF: EM 72-20-02, LMM 72-20-02								
72-CA/7^S NO. 1 ENGINE - DO A VISUAL VISUAL EXAMINATION OF THE CENTER FIRESEAL								
	MOS	05-Sep-25	12 (+30d/-30d)					Service ATA:72
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
								PKG:2 WO#: 2602-PVN
PROC. REF: EM 72-00-03, LMM 72-00-03PROC. REF: EM 72-00-03, LMM 72-00-03								
72-CA/8^S NO. 1 ENGINE - DO A BORESCOPE INSPECTION OF THE ENGINE HOT SECTION								
	MOS	05-Sep-25						Service ATA:72
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
								PKG:3
PROC. REF: EM 72-00-00, EM 72-00-00, LMM 72-00-00, LMM 72-00-00PROC. REF: EM 72-00-00, EM 72-00-00, LMM 72-00-00, LMM 72-00-00								
PT6EA723201 NO. 1 ENGINE - 1ST-STAGE COMPRESSOR ROTOR								
PN:3042701	MOS/MSC	01-May-20	H/T	TSN 0				Component ATA:72
SN:FRAEPLYT85	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA723202 NO. 1 ENGINE - 2ND-STAGE COMPRESSOR ROTOR								
PN:3040942	MOS/MSC	01-May-20	H/T	TSN 0				Component ATA:72
SN:MCAKAXWT312	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
PT6EA723203		NO. 1 ENGINE - 3RD-STAGE COMPRESSOR ROTOR					Component		ATA:72
PN:3040933	MOS/MSC	01-May-20	H/T	TSN 0					
SN:FRAEPYLT95	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PT6EA723204		NO. 1 ENGINE - 4TH-STAGE COMPRESSOR ROTOR					Component		ATA:72
PN:3040944	MOS/MSC	01-May-20	H/T	TSN 0					
SN:EAAE000Y479	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PT6EA723205		NO. 1 ENGINE - CENTRIFUGAL IMPELLER					Component		ATA:72
PN:3036898	MOS/MSC	01-May-20	H/T	TSN 0					
SN:CRAZAFRW091	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PT6EA723206		NO. 1 ENGINE - COMPRESSOR ROTOR SHAFT					Component		ATA:72
PN:3043063	MOS/MSC	01-May-20	H/T	TSN 0					
SN:PKAAA885402	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PT6EA723211		NO. 1 ENGINE - GAS GENERATOR CASE ASSEMBLY					Component		ATA:72
PN:PN	MOS/MSC	01-May-20	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PT6EA725101		NO. 1 ENGINE - COMPRESSOR TURBINE DISK					Component		ATA:72
PN:3078454-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:FRAEPYNT104	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725102 NO. 1 ENGINE - COMPRESSOR TURBINE STATOR ASSEMBLY								Component ATA:72
PN:3078611CL01	MOS/MSC	01-May-20	O/C	TSN 0				
SN:HLAACL01B046	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-03, EM 72-51-03PROC. REF: EM 72-51-03, EM 72-51-03								
PT6EA725150 NO. 1 ENGINE - NO. 1 COMPRESSOR TURBINE BLADE								Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYH7445	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725151 NO. 1 ENGINE - NO. 2 COMPRESSOR TURBINE BLADE								Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYH7452	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725152 NO. 1 ENGINE - NO. 3 COMPRESSOR TURBINE BLADE								Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYH7456	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725153 NO. 1 ENGINE - NO. 4 COMPRESSOR TURBINE BLADE								Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYH7460	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725154 NO. 1 ENGINE - NO. 5 COMPRESSOR TURBINE BLADE								Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYH7470	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
PT6EA725155		NO. 1 ENGINE - NO. 6 COMPRESSOR TURBINE BLADE					Component	ATA:72	
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYH7472	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725156		NO. 1 ENGINE - NO. 7 COMPRESSOR TURBINE BLADE					Component	ATA:72	
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYH7482	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725157		NO. 1 ENGINE - NO. 8 COMPRESSOR TURBINE BLADE					Component	ATA:72	
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYH7493	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725158		NO. 1 ENGINE - NO. 9 COMPRESSOR TURBINE BLADE					Component	ATA:72	
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYH7554	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725159		NO. 1 ENGINE - NO. 10 COMPRESSOR TURBINE BLADE					Component	ATA:72	
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYH7555	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725160		NO. 1 ENGINE - NO. 11 COMPRESSOR TURBINE BLADE					Component	ATA:72	
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYH7560	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
PT6EA725161		NO. 1 ENGINE - NO. 12 COMPRESSOR TURBINE BLADE					Component		ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYH7563	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725162		NO. 1 ENGINE - NO. 13 COMPRESSOR TURBINE BLADE					Component		ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYH7593	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725163		NO. 1 ENGINE - NO. 14 COMPRESSOR TURBINE BLADE					Component		ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYH7621	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725164		NO. 1 ENGINE - NO. 15 COMPRESSOR TURBINE BLADE					Component		ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYK3051	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725165		NO. 1 ENGINE - NO. 16 COMPRESSOR TURBINE BLADE					Component		ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYK4312	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725166		NO. 1 ENGINE - NO. 17 COMPRESSOR TURBINE BLADE					Component		ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYK4315	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
PT6EA725167		NO. 1 ENGINE - NO. 18 COMPRESSOR TURBINE BLADE					Component ATA:72		
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYK7377	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725168		NO. 1 ENGINE - NO. 19 COMPRESSOR TURBINE BLADE					Component ATA:72		
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYK7392	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725169		NO. 1 ENGINE - NO. 20 COMPRESSOR TURBINE BLADE					Component ATA:72		
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYK7444	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725170		NO. 1 ENGINE - NO. 21 COMPRESSOR TURBINE BLADE					Component ATA:72		
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYK7464	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725171		NO. 1 ENGINE - NO. 22 COMPRESSOR TURBINE BLADE					Component ATA:72		
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYK8881	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725172		NO. 1 ENGINE - NO. 23 COMPRESSOR TURBINE BLADE					Component ATA:72		
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYK9208	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725173 NO. 1 ENGINE - NO. 24 COMPRESSOR TURBINE BLADE								Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYK9209	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725174 NO. 1 ENGINE - NO. 25 COMPRESSOR TURBINE BLADE								Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYK9211	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725175 NO. 1 ENGINE - NO. 26 COMPRESSOR TURBINE BLADE								Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL3353	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725176 NO. 1 ENGINE - NO. 27 COMPRESSOR TURBINE BLADE								Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL3363	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725177 NO. 1 ENGINE - NO. 28 COMPRESSOR TURBINE BLADE								Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL3663	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725178 NO. 1 ENGINE - NO. 29 COMPRESSOR TURBINE BLADE								Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL3670	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
PT6EA725179		NO. 1 ENGINE - NO. 30 COMPRESSOR TURBINE BLADE					Component		ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYL3682	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725180		NO. 1 ENGINE - NO. 31 COMPRESSOR TURBINE BLADE					Component		ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYL3803	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725181		NO. 1 ENGINE - NO. 32 COMPRESSOR TURBINE BLADE					Component		ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYL3804	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725182		NO. 1 ENGINE - NO. 33 COMPRESSOR TURBINE BLADE					Component		ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYL5028	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725183		NO. 1 ENGINE - NO. 34 COMPRESSOR TURBINE BLADE					Component		ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYL5112	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725184		NO. 1 ENGINE - NO. 35 COMPRESSOR TURBINE BLADE					Component		ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYL5113	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
PT6EA725185		NO. 1 ENGINE - NO. 36 COMPRESSOR TURBINE BLADE					Component	ATA:72	
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYL5115	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725186		NO. 1 ENGINE - NO. 37 COMPRESSOR TURBINE BLADE					Component	ATA:72	
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYL5123	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725187		NO. 1 ENGINE - NO. 38 COMPRESSOR TURBINE BLADE					Component	ATA:72	
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYL5215	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725188		NO. 1 ENGINE - NO. 39 COMPRESSOR TURBINE BLADE					Component	ATA:72	
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYL5222	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725189		NO. 1 ENGINE - NO. 40 COMPRESSOR TURBINE BLADE					Component	ATA:72	
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYL5923	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725190		NO. 1 ENGINE - NO. 41 COMPRESSOR TURBINE BLADE					Component	ATA:72	
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYL5935	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
PT6EA725191		NO. 1 ENGINE - NO. 42 COMPRESSOR TURBINE BLADE					Component	ATA:72	
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYL5979	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725192		NO. 1 ENGINE - NO. 43 COMPRESSOR TURBINE BLADE					Component	ATA:72	
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYL5990	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725193		NO. 1 ENGINE - NO. 44 COMPRESSOR TURBINE BLADE					Component	ATA:72	
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYL5995	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725194		NO. 1 ENGINE - NO. 45 COMPRESSOR TURBINE BLADE					Component	ATA:72	
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYL6009	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725195		NO. 1 ENGINE - NO. 46 COMPRESSOR TURBINE BLADE					Component	ATA:72	
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYL6010	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725196		NO. 1 ENGINE - NO. 47 COMPRESSOR TURBINE BLADE					Component	ATA:72	
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:HWYL6021	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725197 NO. 1 ENGINE - NO. 48 COMPRESSOR TURBINE BLADE								Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL6023	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725198 NO. 1 ENGINE - NO. 49 COMPRESSOR TURBINE BLADE								Component ATA:72
PN:3078521-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:HWYL6041	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725201 NO. 1 ENGINE - 1ST-STAGE POWER TURBINE DISK								Component ATA:72
PN:3056485-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:A004P3B4	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725202 NO. 1 ENGINE - 2ND-STAGE POWER TURBINE DISK								Component ATA:72
PN:3123253-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:YUAB001R132	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725222 NO. 1 ENGINE - NO. 1 2ND STAGE POWER TURBINE BLADE								Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH05B622	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725223 NO. 1 ENGINE - NO. 2 2ND STAGE POWER TURBINE BLADE								Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH05B655	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725224 NO. 1 ENGINE - NO. 3 2ND STAGE POWER TURBINE BLADE								Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH08B670	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725225 NO. 1 ENGINE - NO. 4 2ND STAGE POWER TURBINE BLADE								Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH08B673	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725226 NO. 1 ENGINE - NO. 5 2ND STAGE POWER TURBINE BLADE								Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH08B674	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725227 NO. 1 ENGINE - NO. 6 2ND STAGE POWER TURBINE BLADE								Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH08B693	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725228 NO. 1 ENGINE - NO. 7 2ND STAGE POWER TURBINE BLADE								Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH08B704	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725229 NO. 1 ENGINE - NO. 8 2ND STAGE POWER TURBINE BLADE								Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH08B709	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
PT6EA725230		NO. 1 ENGINE - NO. 9 2ND STAGE POWER TURBINE BLADE					Component		ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:TH08B739	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
PT6EA725231		NO. 1 ENGINE - NO. 10 2ND STAGE POWER TURBINE BLADE					Component		ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:TH08B810	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
PT6EA725232		NO. 1 ENGINE - NO. 11 2ND STAGE POWER TURBINE BLADE					Component		ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:TH08B816	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
PT6EA725233		NO. 1 ENGINE - NO. 12 2ND STAGE POWER TURBINE BLADE					Component		ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:TH08B828	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
PT6EA725234		NO. 1 ENGINE - NO. 13 2ND STAGE POWER TURBINE BLADE					Component		ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:TH08B844	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
PT6EA725235		NO. 1 ENGINE - NO. 14 2ND STAGE POWER TURBINE BLADE					Component		ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:TH08B846	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725236 NO. 1 ENGINE - NO. 15 2ND STAGE POWER TURBINE BLADE								Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH08B868	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725237 NO. 1 ENGINE - NO. 16 2ND STAGE POWER TURBINE BLADE								Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH08B886	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725238 NO. 1 ENGINE - NO. 17 2ND STAGE POWER TURBINE BLADE								Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH09B889	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725239 NO. 1 ENGINE - NO. 18 2ND STAGE POWER TURBINE BLADE								Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH09B044	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725240 NO. 1 ENGINE - NO. 19 2ND STAGE POWER TURBINE BLADE								Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH09B045	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725241 NO. 1 ENGINE - NO. 20 2ND STAGE POWER TURBINE BLADE								Component ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:TH09B046	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
PT6EA725242	NO. 1 ENGINE - NO. 21 2ND STAGE POWER TURBINE BLADE							Component	ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:TH09B074	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
PT6EA725243	NO. 1 ENGINE - NO. 22 2ND STAGE POWER TURBINE BLADE							Component	ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:TH09B081	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
PT6EA725244	NO. 1 ENGINE - NO. 23 2ND STAGE POWER TURBINE BLADE							Component	ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:TH09B083	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
PT6EA725245	NO. 1 ENGINE - NO. 24 2ND STAGE POWER TURBINE BLADE							Component	ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:TH09B086	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
PT6EA725246	NO. 1 ENGINE - NO. 25 2ND STAGE POWER TURBINE BLADE							Component	ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:TH09B099	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
PT6EA725247	NO. 1 ENGINE - NO. 26 2ND STAGE POWER TURBINE BLADE							Component	ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:TH09B120	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
PT6EA725248		NO. 1 ENGINE - NO. 27 2ND STAGE POWER TURBINE BLADE					Component	ATA:72	
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:TH09B123	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
PT6EA725249		NO. 1 ENGINE - NO. 28 2ND STAGE POWER TURBINE BLADE					Component	ATA:72	
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:TH09B124	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
PT6EA725250		NO. 1 ENGINE - NO. 29 2ND STAGE POWER TURBINE BLADE					Component	ATA:72	
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:TH09B128	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
PT6EA725251		NO. 1 ENGINE - NO. 30 2ND STAGE POWER TURBINE BLADE					Component	ATA:72	
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:TH09B129	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
PT6EA725252		NO. 1 ENGINE - NO. 31 2ND STAGE POWER TURBINE BLADE					Component	ATA:72	
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:TH09B181	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
PT6EA725253		NO. 1 ENGINE - NO. 32 2ND STAGE POWER TURBINE BLADE					Component	ATA:72	
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:TH09B188	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
PT6EA725254		NO. 1 ENGINE - NO. 33 2ND STAGE POWER TURBINE BLADE					Component		ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:TH09B209	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
PT6EA725255		NO. 1 ENGINE - NO. 34 2ND STAGE POWER TURBINE BLADE					Component		ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:TH09B211	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
PT6EA725256		NO. 1 ENGINE - NO. 35 2ND STAGE POWER TURBINE BLADE					Component		ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:TH09B407	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
PT6EA725257		NO. 1 ENGINE - NO. 36 2ND STAGE POWER TURBINE BLADE					Component		ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:TH24A163	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
PT6EA725258		NO. 1 ENGINE - NO. 37 2ND STAGE POWER TURBINE BLADE					Component		ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:TH50A335	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
PT6EA725259		NO. 1 ENGINE - NO. 38 2ND STAGE POWER TURBINE BLADE					Component		ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:TH50A340	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
PT6EA725260	NO. 1 ENGINE - NO. 39 2ND STAGE POWER TURBINE BLADE							Component	ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:TH59A033	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
PT6EA725261	NO. 1 ENGINE - NO. 40 2ND STAGE POWER TURBINE BLADE							Component	ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:TH62A187	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
PT6EA725262	NO. 1 ENGINE - NO. 41 2ND STAGE POWER TURBINE BLADE							Component	ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:TH62A196	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
PT6EA725263	NO. 1 ENGINE - NO. 42 2ND STAGE POWER TURBINE BLADE							Component	ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:TH66A473	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
PT6EA725264	NO. 1 ENGINE - NO. 43 2ND STAGE POWER TURBINE BLADE							Component	ATA:72
PN:3056693-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:TH66A573	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
PT6EA72CA10	NO. 1 ENGINE - GAS GENERATOR MODULE							Component	ATA:72
PN:3126994-01	MOS/MSC	01-May-20	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-02-00, EM 72-02-00PROC. REF: EM 72-02-00, EM 72-02-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA72CA20 NO. 1 ENGINE - POWER SECTION MODULE								Component ATA:72
PN:3126989-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-01-00, EM 72-01-00, LMM 72-01-00, LMM 72-01-00PROC. REF: EM 72-01-00, EM 72-01-00, LMM 72-01-00, LMM 72-01-00								
ATA 73 - ENGINE FUEL AND CONTROL								
73-CA/1^S NO. 1 ENGINE - DO A VISUAL EXAMINATION OF ALL HARNESS CONNECTIONS, HARNESS ROUTING, CLAMPS AND BRACKETS ARE ATTACHED CORRECTLY - ENGINE ELECTRICAL WIRING HARNESS								Service ATA:73
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PKG:2 WO#: 2602-PVN								
PROC. REF: EM 73-20-02, LMM 73-20-02PROC. REF: EM 73-20-02, LMM 73-20-02								
73-CA/10^S NO. 1 ENGINE - EXAMINE THE FUEL FILTER								Service ATA:73
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PKG:2 WO#: 2602-PVN								
PROC. REF: EM 73-10-06, LMM 73-10-06PROC. REF: EM 73-10-06, LMM 73-10-06								
73-CA/12 NO. 1 ENGINE - OVERHAUL OIL-TO-FUEL HEATER								Service ATA:73
PN:3124177-01	MOS	31-Aug-20						OVERHAUL
SN:WA61274	HRS	0	5000 (+500)		(5000) 5000	5500	3388:59 (+500)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-CA/13 NO. 1 ENGINE - OVERHAUL ENGINE ELECTRONIC CONTROL (EEC)								Service ATA:73
PN:3126984-05	MOS	27-Jun-22		TAC 25				OVERHAUL
SN:WDA140608	HRS	604	5000 (+500)	TAC 604	(5000) 5000	5500	3388:59 (+500)	
	ENC	313		TAC 313				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-CA/14		NO. 1 ENGINE - OVERHAUL FLOW DIVIDER						Service	ATA:73
PN:3133739-01	MOS	07-Aug-20						OVERHAUL	
SN:20AUR0045	HRS	0	5000 (+500)		(5000) 5000	5500	3388:59 (+500)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-CA/15		NO. 1 ENGINE - OVERHAUL FUEL CONTROL UNIT						Service	ATA:73
PN:3126985-04	MOS	31-Aug-21						OVERHAUL	
SN:WDA140838	HRS	357	5000 (+500)		(5357) 5357	5857	3745:59 (+500)		
	ENC	186							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-CA/2 ^S		NO. 1 ENGINE - DO A VISUAL EXAMINATION OF ALL HARNESS CONNECTIONS, CLAMPS AND BRACKETS ARE ATTACHED CORRECTLY, EEC WIRING HARNESS						Service	ATA:73
	MOS	05-Sep-25	12 (+30d/-30d)						
	HRS	1435:41	600 (+10%/-10%)						
	ENC	777							
PROC. REF: EM 73-20-05, LMM 73-20-05PROC. REF: EM 73-20-05, LMM 73-20-05									
73-CA/20		NO. 1 ENGINE - REPLACE ENGINE ELECTRONIC CONTROL (EEC)						Service	ATA:73
PN:3126984-05	MOS/MSC	27-Jun-22	N/A						
SN:WDA140608	HRS	604							
	ENC	313							
PROC. REF: EM 73-20-04, EM 73-20-04, LMM 73-20-04, LMM 73-20-04PROC. REF: EM 73-20-04, EM 73-20-04, LMM 73-20-04, LMM 73-20-04									
73-CA/3 ^S		NO. 1 ENGINE - DO A VISUAL EXAMINATION OF ALL HARNESS CONNECTIONS, CLAMPS AND BRACKETS ARE ATTACHED CORRECTLY, DCTU TO EEC WIRING HARNESS						Service	ATA:73
	MOS	05-Sep-25	12 (+30d/-30d)						
	HRS	1435:41	600 (+10%/-10%)						
	ENC	777							
PROC. REF: EM 73-20-03, LMM 73-20-03PROC. REF: EM 73-20-03, LMM 73-20-03									

PKG:2
WO#: 2602-PVN

PKG:2
WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-CA/4 ^S	NO. 1 ENGINE - DO A CHECK OF THE FCU FOR INSTALLATION							Service	ATA:73
	MOS	05-Sep-25	12 (+30d/-30d)						
	HRS	1435:41	600 (+10%/-10%)						
	ENC	777							
								PKG:2 WO#: 2602-PVN	
PROC. REF: EM 73-20-01, LMM 73-20-01PROC. REF: EM 73-20-01, LMM 73-20-01									
73-CA/5 ^S	NO. 1 ENGINE - DO A CHECK OF THE FLOW DIVIDER FOR INSTALLATION AND LEAKS							Service	ATA:73
	MOS	05-Sep-25	12 (+30d/-30d)						
	HRS	1435:41	600 (+10%/-10%)						
	ENC	777							
								PKG:2 WO#: 2602-PVN	
PROC. REF: EM 73-10-08, LMM 73-10-08PROC. REF: EM 73-10-08, LMM 73-10-08									
73-CA/6 ^S	NO. 1 ENGINE - DO A CHECK OF THE OIL - TO - FUEL HEATER INSTALLATION							Service	ATA:73
	MOS	05-Sep-25	12 (+30d/-30d)						
	HRS	1435:41	600 (+10%/-10%)						
	ENC	777							
								PKG:2 WO#: 2602-PVN	
PROC. REF: EM 73-10-04, LMM 73-10-04PROC. REF: EM 73-10-04, LMM 73-10-04									
73-CA/7 ^S	NO. 1 ENGINE - REMOVE, DISCARD AND REPLACE THE FUEL FILTER ELEMENT							Service	ATA:73
	MOS	05-Sep-25						REPLACE	
	HRS	1435:41	600 (+10%/-10%)						
	ENC	777							
								PKG:3	
PROC. REF: EM 73-10-06, EM 73-10-06, LMM 73-10-06, LMM 73-10-06PROC. REF: EM 73-10-06, EM 73-10-06, LMM 73-10-06, LMM 73-10-06									
73-CA/9 ^S	NO. 1 ENGINE - DO A LEAK TEST AND A FUNCTIONAL TEST OF THE FUEL MANIFOLD ADAPTERS/NOZZLE ASSEMBLIES							Service	ATA:73
	MOS	05-Sep-25							
	HRS	1435:41	600 (+10%/-10%)						
	ENC	777							
								PKG:3	
PROC. REF: EM 73-10-05, LMM 73-10-05PROC. REF: EM 73-10-05, LMM 73-10-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
PC12A73200100 ELECTRONIC ENGINE CONTROL UNIT								Component ATA:73
PN:3126984-05	MOS/MSC	27-Jun-22	O/C	TSN 22				
SN:WDA140608	HRS	604		TSN 604				
	AFL	313		TSN 313				
PROC. REF: AMM 12-C-73-20-03-00A-920A-APROC. REF: AMM 12-C-73-20-03-00A-920A-A								
PC12A73300100 FUEL FLOW TRANSMITTER, MT042								Component ATA:73
PN:975.35.12.108	MOS/MSC	31-Aug-20	O/C	TSN 0				
SN:00026	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-73-30-01-00A-920A-APROC. REF: AMM 12-C-73-30-01-00A-920A-A								
PT6EA731001 NO. 1 ENGINE - OIL-TO-FUEL HEATER								Component ATA:73
PN:3124177-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:WA61274	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 73-10-04, EM 73-10-04, LMM 73-10-04, LMM 73-10-04PROC. REF: EM 73-10-04, EM 73-10-04, LMM 73-10-04, LMM 73-10-04								
PT6EA731002 NO. 1 ENGINE - FLOW DIVIDER								Component ATA:73
PN:3133739-01	MOS/MSC	01-May-20	H/T	TSN 0				
SN:20AUR0045	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 73-10-08, EM 73-10-08, LMM 73-10-08, LMM 73-10-08PROC. REF: EM 73-10-08, EM 73-10-08, LMM 73-10-08, LMM 73-10-08								
PT6EA732001 NO. 1 ENGINE - FUEL CONTROL UNIT								Component ATA:73
PN:3126985-04	MOS/MSC	31-Aug-21	H/T					
SN:WDA140838	HRS	357						
	ENC	192						
PROC. REF: EM 73-20-01, EM 73-20-01, LMM 73-20-01, LMM 73-20-01PROC. REF: EM 73-20-01, EM 73-20-01, LMM 73-20-01, LMM 73-20-01								
PT6EA73CA10 NO. 1 ENGINE - FUEL FLOW TRANSMITTER, MT042								Component ATA:73
PN:975.35.12.108	MOS/MSC	01-May-20	O/C	TSN 0				
SN:00026	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: AMM 12-C-73-30-01-00A-920A-APROC. REF: AMM 12-C-73-30-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 73 - ENGINE FUEL AND CONTROL

PT6EA73CA20 NO. 1 ENGINE - ELECTRONIC ENGINE CONTROL (EEC)								Component ATA:73
PN:3126984-05	MOS/MSC	27-Jun-22	H/T	TSN 25				
SN:WDA140608	HRS	604		TSN 604				
	ENC	313		TSN 313				
PROC. REF: EM 73-20-04, EM 73-20-04, LMM 73-20-04, LMM 73-20-04, AMM 12-C-73-20-03-00A-920A-APROC. REF: EM 73-20-04, EM 73-20-04, LMM 73-20-04, LMM 73-20-04, AMM 12-C-73-20-03-00A-920A-A								

ATA 74 - IGNITION

74-00/562 ^S IGNITION SYSTEM (MSN 2001 AND UP) - OPERATIONAL TEST								Service ATA:74
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						
PROC. REF: AMM 12-C-74-00-00-00A-903A-APROC. REF: AMM 12-C-74-00-00-00A-903A-A								PKG:2 WO#: 2602-PVN

74-CA/1 ^S NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE IGNITION EXCITER								Service ATA:74
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 74-10-01, LMM 74-10-01PROC. REF: EM 74-10-01, LMM 74-10-01								PKG:2 WO#: 2602-PVN

74-CA/2 ^S NO. 1 ENGINE - DO A DETAILED INSPECTION OF SPARK IGNITER								Service ATA:74
	MOS	05-Sep-25						
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 74-20-02, LMM 74-20-02PROC. REF: EM 74-20-02, LMM 74-20-02								PKG:3

74-CA/3 ^S NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE IGNITION CABLES								Service ATA:74
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
PROC. REF: EM 74-20-01, LMM 74-20-01PROC. REF: EM 74-20-01, LMM 74-20-01								PKG:2 WO#: 2602-PVN

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
74-CA/6		NO. 1 ENGINE - OVERHAUL IGNITION EXCITER						Service	ATA:74
PN:3043937-08	MOS	07-Aug-20						OVERHAUL	
SN:200100	HRS	0	5000 (+500)		(5000) 5000	5500	3388:59 (+500)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PT6EA741001		NO. 1 ENGINE - IGNITION EXCITER						Component	ATA:74
PN:3043937-08	MOS/MSC	01-May-20	H/T	TSN 0					
SN:200100	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 74-10-01, EM 74-10-01, LMM 74-10-01, LMM 74-10-01PROC. REF: EM 74-10-01, EM 74-10-01, LMM 74-10-01, LMM 74-10-01									
PT6EA74CA10		NO. 1 ENGINE - 4 O'CLOCK SPARK IGNITER						Component	ATA:74
PN:CH34055	MOS/MSC	14-Aug-24	H/T	TSN 0					
SN:NSN	HRS	1127		TSN 0					
	ENC	587		TSN 0					
PROC. REF: EM 74-20-02, EM 74-20-02, LMM 74-20-02, LMM 74-20-02PROC. REF: EM 74-20-02, EM 74-20-02, LMM 74-20-02, LMM 74-20-02									
PT6EA74CA11		NO. 1 ENGINE - REPLACE 4 O'CLOCK IGNITER						Service	ATA:74
PN:CH34055	MOS	14-Aug-24							
SN:NSN	HRS	1127	600 (+10%)		(1727) 1727	1787	115:59 (+60)		
	ENC	587							
								WO#: 2602-PVN	
PROC. REF: EM 74-20-02, EM 74-20-02PROC. REF: EM 74-20-02, EM 74-20-02									
PT6EA74CA20		NO. 1 ENGINE - 9 O'CLOCK SPARK IGNITER						Component	ATA:74
PN:CH34055	MOS/MSC	14-Aug-24	H/T	TSN 0					
SN:NSN	HRS	1127		TSN 0					
	ENC	587		TSN 0					
PROC. REF: EM 74-20-02, EM 74-20-02, LMM 74-20-02, LMM 74-20-02PROC. REF: EM 74-20-02, EM 74-20-02, LMM 74-20-02, LMM 74-20-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
PT6EA74CA21	NO. 1 ENGINE - REPLACE 9 O'CLOCK IGNITER							Service	ATA:74
PN:CH34055	MOS	14-Aug-24							
SN:NSN	HRS	1127	600 (+10%)		(1727) 1727	1787	115:59 (+60)		
	ENC	587							
PROC. REF: EM 74-20-02, EM 74-20-02PROC. REF: EM 74-20-02, EM 74-20-02								WO#: 2602-PVN	

ATA 75 - AIR									
75-CA/1	NO. 1 ENGINE - OVERHAUL COMPRESSOR BLEED VALVE							Service	ATA:75
PN:3136596	MOS	07-Aug-20						OVERHAUL	
SN:AHX5000198	HRS	0	5000 (+500)		(5000) 5000	5500	3388:59 (+500)		
	ENC								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PT6EA753001	NO. 1 ENGINE - COMPRESSOR BLEED VALVE							Component	ATA:75
PN:3136596	MOS/MSC	31-Aug-21	H/T						
SN:AHX5000198	HRS	357							
	ENC	192							
PROC. REF: EM 75-30-02, EM 75-30-02, LMM 75-30-02, LMM 75-30-02PROC. REF: EM 75-30-02, EM 75-30-02, LMM 75-30-02, LMM 75-30-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 76 - ENGINE CONTROLS

76-00/563 ^S	COCKPIT CONTROL QUADRANT (MSN 2001 AND UP) - EXAMINE							Service ATA:76
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						

PKG:2
WO#: 2602-PVN

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

PC12A76100100	THROTTLE QUADRANT, A135							Component ATA:76
PN:944.30.19.605	MOS/MSC	02-Mar-21	O/C	TSN 0				
SN:5	HRS	158:40		TSN 0				
	AFL	90		TSN 0				

PROC. REF: AMM 12-C-76-10-00-00A-920A-APROC. REF: AMM 12-C-76-10-00-00A-920A-A

PT6EA76CA10 ^U	NO. 1 ENGINE - THROTTLE QUADRANT, A135							Component ATA:76
PN:944.30.19.605	MOS/MSC	02-Mar-21	O/C	TSN 0				
SN:5	HRS	158:40		TSN 0				
	ENC	90		TSN 0				

ATA 77 - ENGINE INDICATING

77-CA/1 ^S	NO. 1 ENGINE - MAKE SURE THAT THE ENGINE TRIM PARAMETERS ITT TRIM VALUE DISPLAYED IN THE COCKPIT MATCHES WITH THE ENGINE DATA PLATE IF NECESSARY, CORRECT							Service ATA:77
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						

PKG:2
WO#: 2602-PVN

PROC. REF: EM 77-40-01, LMM 77-40-01PROC. REF: EM 77-40-01, LMM 77-40-01

77-CA/2 ^S	NO. 1 ENGINE - MAKE SURE THAT NO EEC FAULT IS PRESENT. IF FAULT PRESENT, FOLLOW THE NECESSARY MAINTENANCE TASK TO RETRIEVE THE FAULT CODES AND SPOTLIGHT FOR FAULT ISOLATION.							Service ATA:77
	MOS	05-Sep-25	12 (+30d/-30d)					
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						

PKG:2
WO#: 2602-PVN

PROC. REF: EM 72-00-00, LMM 72-00-00PROC. REF: EM 72-00-00, LMM 72-00-00

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 77 - ENGINE INDICATING

PC12A77400100 DATA COLLECTION TRANSMISSION UNIT								Component ATA:77
PN:3134180-05	MOS/MSC	22-Jul-22	O/C		TSN 0			
SN:PES500157	HRS	630:35			TSN 0			
	AFL	327			TSN 0			
PROC. REF: AMM 12-C-77-41-00-00A-920A-APROC. REF: AMM 12-C-77-41-00-00A-920A-A								

PC12A77400200 DATA COLLECTION AND TRANSMISSION UNIT (DCTU)-ENGINE ELECTRONIC CONTROL UNIT (EEC) HARNESS								Component ATA:77
PN:3129052-02	MOS/MSC	31-Aug-20	O/C		TSN 0			
SN:PES00071	HRS	0			TSN 0			
	AFL	0			TSN 0			
	ACH	0						
PROC. REF: AMM 12-C-77-41-01-01A-920A-APROC. REF: AMM 12-C-77-41-01-01A-920A-A								

PT6EA77CA10 NO. 1 ENGINE - DATA COLLECTION TRANSMISSION UNIT								Component ATA:77
PN:3134180-05	MOS/MSC	01-May-20	O/C		TSN 0			
SN:PES500143	HRS	0			TSN 0			
	ENC	0			TSN 0			
PROC. REF: EM 77-40-01, EM 77-40-01, LMM 77-40-01, LMM 77-40-01, AMM 12-C-77-41-00-00A-920A-APROC. REF: EM 77-40-01, EM 77-40-01, LMM 77-40-01, LMM 77-40-01, AMM 12-C-77-41-00-00A-920A-A								

PT6EA77CA11 NO. 1 ENGINE - DCTU-EEC HARNESS								Component ATA:77
PN:3129052-02	MOS/MSC	01-May-20	O/C		TSN 0			
SN:PES00071	HRS	0			TSN 0			
	ENC	0			TSN 0			
PROC. REF: EM 73-20-03, EM 73-20-03, LMM 73-20-03, LMM 73-20-03, AMM 12-C-77-41-01-01A-920A-APROC. REF: EM 73-20-03, EM 73-20-03, LMM 73-20-03, LMM 73-20-03, AMM 12-C-77-41-01-01A-920A-A								

ATA 78 - EXHAUST

78-00/564 ^S EXHAUST STUBS (MSN 2001 AND UP) - EXAMINE								Service ATA:78
	MOS	05-Sep-25	12 (+10%/-10%)					
	HRS	1435:41	600 (+10%/-10%)					
	AFL	807						

PKG:2
WO#: 2602-PVN

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

ATA 79 - OIL

79-20/289 ^S ENGINE OIL COOLER - EXAMINE. MAKE SURE OUTLET DOOR HAS FULL AND FREE MOVEMENT								Service ATA:79
	MOS	05-Sep-25	12 (+10%/-10%)					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
	HRS	1435:41	1200 (+10%/-10%)					
	AFL	807						

PKG:3
WO#: 2602-PVN

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

79-20/43	OVERHAUL OIL COOLER							Service	ATA:79
PN:968.32.14.102	MOS	07-Aug-20						OVERHAUL	
SN:T2020	HRS	0	5000 (+10%/-10%)		5000	5500	3388:59 (+500)		
	AFL	0							

PROC. REF: AMM 12-C-79-20-02-00A-920A-APROC. REF: AMM 12-C-79-20-02-00A-920A-A

79-CA/1	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE ENGINE OIL QUANTITY							Service	ATA:79
	MOS/MSC	05-Sep-25	A/R						
	HRS	1435:41							
	ENC	770							

PROC. REF: EM 79-00-00, LMM 79-00-00PROC. REF: EM 79-00-00, LMM 79-00-00

79-CA/2	NO. 1 ENGINE - DO A CHECK OF THE OIL LEVEL FILLER CAP AND INDICATOR TO MAKE SURE THAT THE FILLER CAP IS CORRECTLY INSTALLED AND LOCKED							Service	ATA:79
	MOS/MSC	05-Sep-25	A/R						
	HRS	1435:41							
	ENC	770							

PROC. REF: EM 79-30-06, LMM 79-30-06PROC. REF: EM 79-30-06, LMM 79-30-06

79-CA/3 ^S	NO. 1 ENGINE - REMOVE, DISCARD AND REPLACE THE OIL FILTER ELEMENT							Service	ATA:79
	MOS	05-Sep-25						REPLACE	
	HRS	1435:41	600 (+10%/-10%)						
	ENC	777							

PKG:3

PROC. REF: EM 79-20-01, EM 79-20-01, LMM 79-20-01, LMM 79-20-01PROC. REF: EM 79-20-01, EM 79-20-01, LMM 79-20-01, LMM 79-20-01

79-CA/4	NO. 1 ENGINE - P&WC'S OIL ANALYSIS TECHNOLOGY							Service	ATA:79
	MOS/MSC	01-May-20	A/R						
	HRS	0							
	ENC	0							

PROC. REF: EM 79-00-00, LMM 79-00-00PROC. REF: EM 79-00-00, LMM 79-00-00

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-CA/5^S NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE RGB CHIP DETECTOR FOR DEBRIS								
	MOS	05-Sep-25	12 (+30d/-30d)					Service ATA:79
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
								PKG:2 WO#: 2602-PVN
PROC. REF: EM 79-30-01, LMM 79-30-01PROC. REF: EM 79-30-01, LMM 79-30-01								
79-CA/6^S NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE AGB CHIP DETECTOR FOR DEBRIS								
	MOS	05-Sep-25	12 (+30d/-30d)					Service ATA:79
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
								PKG:2 WO#: 2602-PVN
PROC. REF: EM 79-30-03, LMM 79-30-03PROC. REF: EM 79-30-03, LMM 79-30-03								
79-CA/7^S NO. 1 ENGINE - EXAMINE THE OIL FILTER AND SECONDARY SCREEN COARSE HAT - TYPE SCREEN ATTACHED TO THE INNER END OF THE FILTER								
	MOS	05-Sep-25	12 (+30d/-30d)					Service ATA:79
	HRS	1435:41	600 (+10%/-10%)					
	ENC	777						
								PKG:2 WO#: 2602-PVN
PROC. REF: EM 79-20-01, LMM 79-20-01PROC. REF: EM 79-20-01, LMM 79-20-01								
PC12A79200100 OIL COOLER								
PN:968.32.14.102	MOS/MSC	31-Aug-20	H/T	TSN 0				Component ATA:79
SN:T2020	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-79-20-02-00A-920A-APROC. REF: AMM 12-C-79-20-02-00A-920A-A								
PC12A79200200 THERMAL ACTUATOR								
PN:978.73.01.002	MOS/MSC	31-Aug-20	O/C	TSN 0				Component ATA:79
SN:2291	HRS	0		TSN 0				
	AFL	0		TSN 0				
	ACH	0						
PROC. REF: AMM 12-C-79-20-02-00A-920A-APROC. REF: AMM 12-C-79-20-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
PC12A79300100		PRESSURE SWITCH						Component	ATA:79
PN:973.81.14.305	MOS/MSC	31-Aug-20	O/C	TSN 0					
SN:1967	HRS	0		TSN 0					
	AFL	0		TSN 0					
	ACH	0							
PROC. REF: AMM 12-B-79-30-04-00A-920A-APROC. REF: AMM 12-B-79-30-04-00A-920A-A									
PT6EA79CA10		NO. 1 ENGINE - OIL COOLER						Component	ATA:79
PN:968.32.14.102	MOS/MSC	01-May-20	O/C	TSN 0					
SN:T2020	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: AMM 12-C-79-20-02-00A-920A-APROC. REF: AMM 12-C-79-20-02-00A-920A-A									
PT6EA79CA20		NO. 1 ENGINE - THERMAL ACTUATOR						Component	ATA:79
PN:978.73.01.002	MOS/MSC	01-May-20	O/C	TSN 0					
SN:2291	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: AMM 12-C-79-20-02-00A-920A-APROC. REF: AMM 12-C-79-20-02-00A-920A-A									
PT6EA79CA30		NO. 1 ENGINE - PRESSURE SWITCH						Component	ATA:79
PN:973.81.14.305	MOS/MSC	01-May-20	O/C	TSN 0					
SN:1967	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: AMM 12-B-79-30-04-00A-920A-APROC. REF: AMM 12-B-79-30-04-00A-920A-A									
ATA 99 - OPTIONAL KITS									
99-CAA-02 ^U		AVIONICS TEST (RADIO-COMMUNICATION AND NAVIGATION EQUIPMENT TEST)						Service	ATA:99
	MOS	05-Sep-25	12		05-Sep-26		165 d		
	HRS	1435:41							
	AFL	807							
WO#: 2602-PVN									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 99 - OPTIONAL KITS									
99-CAA-04 ^U	PITOT-STATIC SYSTEM LEAK TEST							Service	ATA:99
	MOS	14-Aug-24	24		14-Aug-26		143 d		
	HRS	1127							
	AFL	600							
								WO#: 2602-PVN	
99-CAA-06 ^U	TRANSPONDER AND ALTITUDE ENCODER TEST - EASA SIB 2011-15							Service	ATA:99
	MOS	14-Aug-24	24		14-Aug-26		143 d		
	HRS	1127							
	AFL	600							
								WO#: 2602-PVN	
99-CAA-07 ^U	ELT ANNUAL TESTING - EASA SIB 2019-09							Service	ATA:99
	MOS	05-Sep-25	12		05-Sep-26		165 d		
	HRS	1435:41							
	AFL	807							
								WO#: 2602-PVN	
99-CAA-08 ^U	AIRCRAFT TIRES - REPLACEMENT							Service	ATA:99
	MOS	28-Aug-20	180		24-Aug-35 (M)		3440 d		
	HRS	0							
	AFL	0							
99-CAA-09 ^U	FLEXIBLE (RUBBER) FLUID HOSES - REPLACEMENT							Service	ATA:99
	MOS	28-Aug-20	180		24-Aug-35 (M)		3440 d		
	HRS	0							
	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2038 RegNo: OK-PVN HRS: 1611:01 AFL: 991 As Of: 23-Mar-2026

24-Mar-2026 06:27 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 99 - OPTIONAL KITS									
99-NCO-03 ^U	HAND FIRE EXTINGUISHERS - INSPECTION							Service	ATA:99
	MOS	05-Sep-25	12		05-Sep-26		165 d		
	HRS	1435:41							
	AFL	807							
								WO#: 2602-PVN	
99-NCO-05 ^U	TRANSPONDER - TEST							Service	ATA:99
	MOS	14-Aug-24	24		14-Aug-26		143 d		
	HRS	1127							
	AFL	600							
								WO#: 2602-PVN	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task