

OWNER: ABS JETS
 ADDRESS: ABS JETS C/O CAIMITO ENTERPRISES LIMITED
 PRAGUE 6 161 00
 OFFICE: +420 220 111 196
 FAX: +420 220 112 623

OPERATOR: ABS JETS
 ADDRESS: ABS JETS C/O CAIMITO ENTERPRISES LIMITED
 PRAGUE 6 161 00
 OFFICE: +420 220 111 196
 FAX: +420 220 112 623

ANALYST: DUANE GERDES
 EMAIL: DGERDES@CAMPSYSTEMS.COM

+1 912-298-1325 (DIRECT)
 +1-631-588-3200 (MAIN)
 WWW.CAMPSYSTEMS.COM

PLEASE REACH OUT TO YOUR ANALYST TO RECORD CHANGES TO ADDRESS, LAST ACTUALS (IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL/REGNO: 6160/OK-EVO	MODEL: G650	MANUFACTURER: GULFSTREAM AEROSPACE CORPORATION
----------	---------------------------	-------------	--

CERTIFICATION DATE: 24-AUG-2015

LAST ACTUALS:		
3046.1	A/C HRS	as of 23-MAR-2026
1117	AFL	as of 23-MAR-2026
2266.5	APH	as of 23-MAR-2026
0	APS	as of 23-MAR-2026

APU	SERIAL/PART: P-269/WE3800700-1	MODEL: RE220(GVI)	MANUFACTURER: HONEYWELL
-----	--------------------------------	-------------------	-------------------------

INSTALLED ON: 13-AUG-2015

0	APU HRS	0 A/C HRS
0	APUS	

LAST ACTUALS:		
2266.5	APU HRS	as of 23-MAR-2026
0	APUS	as of 23-MAR-2026

ENGINE NO. 1	SERIAL/PART: 26163/DEL116	MODEL: BR725A1-12 (G650)	MANUFACTURER: ROLLS-ROYCE DERBY PLC
--------------	---------------------------	--------------------------	-------------------------------------

INSTALLED ON: 28-NOV-2022

0	ENG. HRS	2051.7 A/C HRS
0	ENC	

LAST ACTUALS:		
994.4	ENG. HRS	as of 23-MAR-2026
392	ENC	as of 23-MAR-2026

ENGINE NO. 2	SERIAL/PART: 26162/DER116	MODEL: BR725A1-12 (G650)	MANUFACTURER: ROLLS-ROYCE DERBY PLC
--------------	---------------------------	--------------------------	-------------------------------------

INSTALLED ON: 28-NOV-2022

0	ENG. HRS	2051.7 A/C HRS
0	ENC	

LAST ACTUALS:		
994.4	ENG. HRS	as of 23-MAR-2026
392	ENC	as of 23-MAR-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
216141 ZONE TRIM AIR VALVE CUP ASSEMBLY (COCKPIT) - DISCARD								Component ATA:21
PN:4000091-600-BT	MOS	03-Dec-25		TSN 5				DISCARD
SN:NSN	HRS	2909.1	600 (+50/-50)	TSN 0	3509.1	3559.1	463 (+50)	
	AFL	1065		TSN 0				
PROC. REF: AMM 21-61-05PROC. REF: AMM 21-61-05								
<hr/>								
216142 ZONE TRIM AIR VALVE CUP ASSEMBLY (FORWARD CABIN) - DISCARD								Component ATA:21
PN:4000091-600-BT	MOS	03-Dec-25		TSN 5				DISCARD
SN:NSN	HRS	2909.1	600 (+50/-50)	TSN 0	3509.1	3559.1	463 (+50)	
	AFL	1065		TSN 0				
PROC. REF: AMM 21-61-05PROC. REF: AMM 21-61-05								
<hr/>								
216143 ZONE TRIM AIR VALVE CUP ASSEMBLY (AFT CABIN) - DISCARD								Component ATA:21
PN:4000091-600-BT	MOS	03-Dec-25		TSN 5				DISCARD
SN:NSN	HRS	2909.1	600 (+50/-50)	TSN 0	3509.1	3559.1	463 (+50)	
	AFL	1065		TSN 0				
PROC. REF: AMM 21-61-05PROC. REF: AMM 21-61-05								
<hr/>								
ATA 23 - COMMUNICATIONS								
237220 COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON BATTERY - DISCARD								Component ATA:23
PN:DK120/90	MOS	27-Nov-25	84		31-Aug-31 (M)		1938 d	LIFE LIMIT
SN:AT234380	HRS	2909.1						
	AFL	1065						
Expiry Date: : 31-Aug-31								
PROC. REF: AMM 23-72-11PROC. REF: AMM 23-72-11								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
256143 LIFE RAFT (NO. 1) - RESTORE								
PN: 1320FAUL-6K4-1-904	MOS	21-Dec-23	36		31-Oct-26 (M)		173 d	Component ATA:25 OVERHAUL
SN: 13UL-01602	HRS	2315.6						
	AFL	802						
Expiry Date: : 31-Oct-26								
PROC. REF: AMM 25-61-03PROC. REF: AMM 25-61-03								
256144 LIFE RAFT (NO. 2) - RESTORE								
PN: 1320FAUL-6K4-1-904	MOS	21-Dec-23	36		31-Oct-26 (M)		173 d	Component ATA:25 OVERHAUL
SN:13UL-01603	HRS	2315.6						
	AFL	802						
Expiry Date: : 31-Oct-26								
PROC. REF: AMM 25-61-03PROC. REF: AMM 25-61-03								
256308 EMERGENCY LOCATOR TRANSMITTER BATTERY PACK - DISCARD								
PN:452-0133	MOS	08-Oct-23	60	TSN 14	31-Oct-27 (M)		538 d	Component ATA:25 LIFE LIMIT
SN:397417-034	HRS	2315.6		TSN 0				
	AFL	802		TSN 0				
Expiry Date: : 31-Oct-27								
PROC. REF: AMM 25-63-08-SEPROC. REF: AMM 25-63-08-SE								
256406 FIRST AID KIT (NO. 1) TIME LIMITED SUPPLIES - DISCARD								
PN:AFAK 1.0	MOS	01-Sep-25	12		31-Aug-26 (M)		112 d	Component ATA:25 DISCARD
SN:101515005	HRS	2794.6		TSR 0				
	AFL	1022		TSR 0				
Special Properties: TRACKED ITEM								
Expiry Date: : 31-Aug-26								
PROC. REF: AMM 25-64-01PROC. REF: AMM 25-64-01								
256419 DEFIBRILLATOR TIME LIMITED SUPPLIES - DISCARD								
PN:502861	MOS	04-Dec-24	12		01-Jan-27 (M)		235 d	Component ATA:25 DISCARD
SN:B15H-00458	HRS	2483.7						
	AFL	900						
Special Properties: TRACKED ITEM								
PROC. REF: AMM 25-64-03-SEPROC. REF: AMM 25-64-03-SE								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
262132 ENGINE FIRE BOTTLE CARTRIDGE (LEFT BOTTLE, LEFT SQUIB, SERVICE LIFE) - DISCARD								
PN:30903876	MOS	06-Dec-24	120	TSN 0	06-Dec-34		3131 d	Component ATA:26 SERVICE LIFE LIMIT
SN:0672DE	HRS	2483.7		TSN 0				
	AFL	900		TSN 0				
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
262133 ENGINE FIRE BOTTLE CARTRIDGE (LEFT BOTTLE, LEFT SQUIB, MANUFACTURERS LIFE) - DISCARD								
PN:30903876	MOS	06-Dec-24	180	TSN 116	01-Mar-37		3947 d	Component ATA:26 LIFE LIMIT
SN:0672DE	HRS	0		TSN 0				
	AFL	0		TSN 0				
Manufacture Date:: 01-Mar-22								
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
262134 ENGINE FIRE BOTTLE CARTRIDGE (LEFT BOTTLE, RIGHT SQUIB, SERVICE LIFE) - DISCARD								
PN:30903824	MOS	06-Dec-24	120	TSN 0	06-Dec-34		3131 d	Component ATA:26 SERVICE LIFE LIMIT
SN:1120CM	HRS	2483.7		TSN 0				
	AFL	900		TSN 0				
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
262135 ENGINE FIRE BOTTLE CARTRIDGE (LEFT BOTTLE, RIGHT SQUIB, MANUFACTURERS LIFE) - DISCARD								
PN:30903824	MOS	06-Dec-24	180	TSN 116	01-Mar-37		3947 d	Component ATA:26 LIFE LIMIT
SN:1120CM	HRS	0		TSN 0				
	AFL	0		TSN 0				
Manufacture Date:: 01-Mar-22								
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
262136 ENGINE FIRE BOTTLE CARTRIDGE (LEFT BOTTLE, APU SQUIB, SERVICE LIFE) - DISCARD								
PN:30903852	MOS	06-Dec-24	120	TSN 0	06-Dec-34		3131 d	Component ATA:26 SERVICE LIFE LIMIT
SN:0061CC	HRS	2483.7		TSN 0				
	AFL	900		TSN 0				
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
262137 ENGINE FIRE BOTTLE CARTRIDGE (LEFT BOTTLE, APU SQUIB, MANUFACTURERS LIFE) - DISCARD								
PN:30903852	MOS	06-Dec-24	180	TSN 116	01-Mar-37		3947 d	LIFE LIMIT
SN:0061CC	HRS	2483.7		TSN 0				
	AFL	900		TSN 0				
Manufacture Date:: 01-Mar-22								
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
262138 ENGINE FIRE BOTTLE CARTRIDGE (RIGHT BOTTLE, LEFT SQUIB, SERVICE LIFE) - DISCARD								
PN:30903876	MOS	06-Dec-24	120	TSN 0	06-Dec-34		3131 d	SERVICE LIFE LIMIT
SN:2641DB	HRS	2483.7		TSN 0				
	AFL	900		TSN 0				
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
262139 ENGINE FIRE BOTTLE CARTRIDGE (RIGHT BOTTLE, LEFT SQUIB, MANUFACTURERS LIFE) - DISCARD								
PN: 30903876	MOS	06-Dec-24	180	TSN 116	01-Feb-38		4284 d	LIFE LIMIT
SN:2641DB	HRS	2483.7		TSN 0				
	AFL	900		TSN 0				
Manufacture Date:: 01-Feb-23								
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
262140 ENGINE FIRE BOTTLE CARTRIDGE (RIGHT BOTTLE, RIGHT SQUIB, SERVICE LIFE) - DISCARD								
PN:30903828	MOS	06-Dec-24	120	TSN 0	06-Dec-34		3131 d	SERVICE LIFE LIMIT
SN:1082CM	HRS	2483.7		TSN 0				
	AFL	900		TSN 0				
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
262141 ENGINE FIRE BOTTLE CARTRIDGE (RIGHT BOTTLE, RIGHT SQUIB, MANUFACTURERS LIFE) - DISCARD								
PN:30903828	MOS	06-Dec-24	180	TSN 116	01-Dec-37		4222 d	LIFE LIMIT
SN:1082CM	HRS	2483.7		TSN 0				
	AFL	900		TSN 0				
Manufacture Date:: 01-Dec-22								
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
262142 ENGINE FIRE BOTTLE CARTRIDGE (RIGHT BOTTLE, SPARE SQUIB, SERVICE LIFE) - DISCARD Component ATA:26								
PN:30908552	MOS	06-Dec-24	120	TSN 0	06-Dec-34		3131 d	SERVICE LIFE LIMIT
SN:0099CC	HRS	2483.7		TSN 0				
	AFL	900		TSN 0				
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
262143 ENGINE FIRE BOTTLE CARTRIDGE (RIGHT BOTTLE, SPARE SQUIB, MANUFACTURERS LIFE) - DISCARD Component ATA:26								
PN:30908552	MOS	06-Dec-24	180	TSN 116	01-Mar-37		3947 d	LIFE LIMIT
SN:0099CC	HRS	2483.7		TSN 0				
	AFL	900		TSN 0				
Manufacture Date:: 01-Mar-22								
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
ATA 27 - FLIGHT CONTROLS								
275058 A TRACK FLAP ROLLER (LEFT INBOARD) - DISCARD Component ATA:27								
PN:60P5755371Z019	MOS	25-Feb-25		TSN 6				DISCARD
SN:NSN	HRS	2573.1	2400 (+50/-50)	TSN 0	4973.1	5023.1	1927 (+50)	
	AFL	932		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275059 A TRACK FLAP ROLLER (LEFT OUTBOARD) - DISCARD Component ATA:27								
PN:60P5755371Z019	MOS	25-Feb-25		TSN 6				DISCARD
SN:NSN	HRS	2573.1	2400 (+50/-50)	TSN 0	4973.1	5023.1	1927 (+50)	
	AFL	932		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275060 A TRACK FLAP ROLLER (LEFT TRAILING EDGE) - DISCARD Component ATA:27								
PN:KRP505-04VT	MOS	21-Dec-23		TSN 4				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1669.5 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275061 A TRACK FLAP ROLLER (RIGHT INBOARD) - DISCARD Component ATA:27								
PN:60P5755371Z019	MOS	25-Feb-25		TSN 6				DISCARD
SN:NSN	HRS	2573.1	2400 (+50/-50)	TSN 0	4973.1	5023.1	1927 (+50)	
	AFL	932		TSN 0				

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03									
275062	A TRACK FLAP ROLLER (RIGHT OUTBOARD) - DISCARD							Component	ATA:27
PN:60P5755371Z019	MOS	25-Feb-25		TSN 6				DISCARD	
SN:NSN	HRS	2573.1	2400 (+50/-50)	TSN 0	4973.1	5023.1	1927 (+50)		
	AFL	932		TSN 0					
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03									
275063	A TRACK FLAP ROLLER (RIGHT TRAILING EDGE) - DISCARD							Component	ATA:27
PN:KRP505-04VT	MOS	21-Dec-23		TSN 4				DISCARD	
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1669.5 (+50)		
	AFL	802		TSN 0					
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03									
275064	B TRACK FLAP ROLLER (LEFT INBOARD UPPER AFT) - DISCARD							Component	ATA:27
PN:60P5755371Z014	MOS	25-Feb-25		TSN 4				DISCARD	
SN:NSN	HRS	2573.1	2400 (+50/-50)	TSN 0	4973.1	5023.1	1927 (+50)		
	AFL	932		TSN 0					
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03									
275065	B TRACK FLAP ROLLER (LEFT OUTBOARD UPPER AFT) - DISCARD							Component	ATA:27
PN:60P5755371Z014	MOS	25-Feb-25		TSN 4				DISCARD	
SN:NSN	HRS	2573.1	2400 (+50/-50)	TSN 0	4973.1	5023.1	1927 (+50)		
	AFL	932		TSN 0					
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03									
275066	B TRACK FLAP ROLLER (LEFT INBOARD UPPER FORWARD) - DISCARD							Component	ATA:27
PN:60P5755371Z002	MOS	25-Feb-25		TSN 20				DISCARD	
SN:NSN	HRS	2573.1	2400 (+50/-50)	TSN 0	4973.1	5023.1	1927 (+50)		
	AFL	932		TSN 0					
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275067 B TRACK FLAP ROLLER (LEFT OUTBOARD UPPER FORWARD) - DISCARD								
PN:60P5755371Z002	MOS	21-Dec-23		TSN 7				Component ATA:27 DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1669.5 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275068 B TRACK FLAP ROLLER (LEFT INBOARD LOWER FORWARD) - DISCARD								
PN:60P5755371Z003	MOS	21-Dec-23		TSN 6				Component ATA:27 DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1669.5 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275069 B TRACK FLAP ROLLER (LEFT OUTBOARD LOWER FORWARD) - DISCARD								
PN:60P5755371Z003	MOS	21-Dec-23		TSN 6				Component ATA:27 DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1669.5 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275070 B TRACK FLAP ROLLER (RIGHT INBOARD UPPER AFT) - DISCARD								
PN:60P5755371Z014	MOS	21-Dec-23		TSN 6				Component ATA:27 DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1669.5 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275071 B TRACK FLAP ROLLER (RIGHT OUTBOARD UPPER AFT) - DISCARD								
PN:60P5755371Z001	MOS	02-Oct-19						Component ATA:27 DISCARD
SN:NSN	HRS	1201.5	2400 (+50/-50)	TSN 0	3601.5	3651.5	555.4 (+50)	
	AFL	351		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275072 B TRACK FLAP ROLLER (RIGHT INBOARD UPPER FORWARD) - DISCARD								
PN:60P5755371Z002	MOS	21-Dec-23						Component ATA:27 DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)		4800 (M)	4850	1753.9 (+50)	
	AFL	802						
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275073 B TRACK FLAP ROLLER (RIGHT OUTBOARD UPPER FORWARD) - DISCARD								
PN:60P5755371Z002	MOS	21-Dec-23		TSN 7				Component ATA:27 DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1669.5 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275074 B TRACK FLAP ROLLER (RIGHT INBOARD LOWER FORWARD) - DISCARD								
PN:60P5755371Z003	MOS	21-Dec-23		TSN 6				Component ATA:27 DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1669.5 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275075 B TRACK FLAP ROLLER (RIGHT OUTBOARD LOWER FORWARD) - DISCARD								
PN:60P5755371Z003	MOS	21-Dec-23		TSN 5				Component ATA:27 DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1669.5 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275076 C TRACK FLAP ROLLER (LEFT INBOARD UPPER AFT) - DISCARD								
PN:60P5755371Z011	MOS	11-Jan-21						Component ATA:27 DISCARD
SN:NSN	HRS	1594.1	2400 (+50/-50)	TSN 0	3994.1	4044.1	948 (+50)	
	AFL	547		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275077 C TRACK FLAP ROLLER (LEFT INBOARD LOWER FORWARD) - DISCARD								
PN:60P5755371Z003	MOS	21-Dec-23		TSN 6				Component ATA:27 DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1669.5 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275078 C TRACK FLAP ROLLER (LEFT INBOARD UPPER FORWARD) - DISCARD								
PN:60P5755371Z007	MOS	21-Dec-23		TSN 19				Component ATA:27 DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1669.5 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275079 C TRACK FLAP ROLLER (LEFT OUTBOARD UPPER FORWARD) - DISCARD								
PN:60P5755371Z007	MOS	15-Jan-21						Component ATA:27 DISCARD
SN:NSN	HRS	1594.1	2400 (+50/-50)	TSN 0	3994.1	4044.1	948 (+50)	
	AFL	547		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275080 C TRACK FLAP ROLLER (LEFT OUTBOARD UPPER AFT) - DISCARD								
PN:60P5755371Z011	MOS	15-Jan-21						Component ATA:27 DISCARD
SN:NSN	HRS	1594.1	2400 (+50/-50)	TSN 0	3994.1	4044.1	948 (+50)	
	AFL	547		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275081 C TRACK FLAP ROLLER (LEFT OUTBOARD LOWER FORWARD) - DISCARD								
PN:60P5755371Z003	MOS	21-Dec-23						Component ATA:27 DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)		4800 (M)	4850	1753.9 (+50)	
	AFL	802						
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275082 C TRACK FLAP ROLLER (RIGHT INBOARD UPPER AFT) - DISCARD								
PN:60P5755371Z011	MOS	12-Jan-21						Component ATA:27 DISCARD
SN:NSN	HRS	1594.1	2400 (+50/-50)	TSN 0	3994.1	4044.1	948 (+50)	
	AFL	547		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275083 C TRACK FLAP ROLLER (RIGHT INBOARD LOWER FORWARD) - DISCARD								
PN:60P5755371Z003	MOS	21-Dec-23						Component ATA:27 DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)		4800 (M)	4850	1753.9 (+50)	
	AFL	802						
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275084 C TRACK FLAP ROLLER (RIGHT INBOARD UPPER FORWARD) - DISCARD								
PN:60P5755371Z007	MOS	21-Dec-23		TSN 19				Component ATA:27 DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1669.5 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275085 C TRACK FLAP ROLLER (RIGHT OUTBOARD UPPER FORWARD) - DISCARD								
PN:60P5755371Z007	MOS	15-Jan-21						Component ATA:27 DISCARD
SN:NSN	HRS	1594.1	2400 (+50/-50)	TSN 0	3994.1	4044.1	948 (+50)	
	AFL	547		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275086 C TRACK FLAP ROLLER (RIGHT OUTBOARD UPPER AFT) - DISCARD								
PN:60P5755371Z011	MOS	15-Jan-21						Component ATA:27 DISCARD
SN:NSN	HRS	1594.1	2400 (+50/-50)	TSN 0	3994.1	4044.1	948 (+50)	
	AFL	547		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275087 C TRACK FLAP ROLLER (RIGHT OUTBOARD LOWER FORWARD) - DISCARD								
PN:60P5755371Z003	MOS	21-Dec-23		TSN 7				Component ATA:27 DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1669.5 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275088 D TRACK FLAP ROLLER (LEFT INBOARD UPPER) - DISCARD								
PN:60P5755371Z010	MOS	21-Dec-23		TSN 4				Component ATA:27 DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1669.5 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275089 D TRACK FLAP ROLLER (LEFT OUTBOARD UPPER) - DISCARD								
PN:60P5755371Z010	MOS	21-Dec-23		TSN 18				Component ATA:27 DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1669.5 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275090 D TRACK FLAP ROLLER (LEFT TRAILING EDGE FORWARD) - DISCARD								
PN:60P5755371Z004	MOS	21-Dec-23						Component ATA:27 DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)		4800 (M)	4850	1753.9 (+50)	
	AFL	802						
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275091 D TRACK FLAP ROLLER (LEFT TRAILING EDGE AFT) - DISCARD Component ATA:27								
PN:60P5755371Z004	MOS	21-Dec-23		TSN 18				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1669.5 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275092 D TRACK FLAP ROLLER (RIGHT INBOARD UPPER) - DISCARD Component ATA:27								
PN:60P5755371Z010	MOS	21-Dec-23		TSN 18				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1669.5 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275093 D TRACK FLAP ROLLER (RIGHT OUTBOARD UPPER) - DISCARD Component ATA:27								
PN:60P5755371Z010	MOS	21-Dec-23		TSN 4				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1669.5 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275094 D TRACK FLAP ROLLER (RIGHT TRAILING EDGE FORWARD) - DISCARD Component ATA:27								
PN:60P5755371Z004	MOS	21-Dec-23						DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)		4800 (M)	4850	1753.9 (+50)	
	AFL	802						
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275095 D TRACK FLAP ROLLER (RIGHT TRAILING EDGE AFT) - DISCARD Component ATA:27								
PN:60P5755371Z004	MOS	21-Dec-23		TSN 18				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1669.5 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275096 D TRACK FLAP DOWN LOAD CATCH ROLLER (LEFT INBOARD) - DISCARD Component ATA:27								
PN:60P5755371Z008	MOS	21-Dec-23		TSN 20				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1669.5 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275097 D TRACK FLAP DOWN LOAD CATCH ROLLER (LEFT OUTBOARD) - DISCARD								Component ATA:27
PN:60P5755371Z008	MOS	21-Dec-23						DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)		4800 (M)	4850	1753.9 (+50)	
	AFL	802						
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275098 D TRACK FLAP DOWN LOAD CATCH ROLLER (RIGHT INBOARD) - DISCARD								Component ATA:27
PN:60P5755371Z008	MOS	21-Dec-23		TSN 20				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1669.5 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
275099 D TRACK FLAP DOWN LOAD CATCH ROLLER (RIGHT OUTBOARD) - DISCARD								Component ATA:27
PN:60P5755371Z008	MOS	21-Dec-23		TSN 20				DISCARD
SN:NSN	HRS	2315.6	2400 (+50/-50)	TSN 0	4715.6	4765.6	1669.5 (+50)	
	AFL	802		TSN 0				
PROC. REF: AMM 27-51-03PROC. REF: AMM 27-51-03								
ATA 29 - HYDRAULIC POWER								
291487 LEFT SYSTEM MANIFOLD FILTER (RETURN) - DISCARD								Component ATA:29
PN:339913	MOS	22-Jan-22		TSN 0				DISCARD
SN:NSN	HRS	1745.4	3600 (+50/-50)	TSN 0	5345.4	5395.4	2299.3 (+50)	
	AFL	610		TSN 0				
PROC. REF: AMM 29-14-19PROC. REF: AMM 29-14-19								
291488 LEFT SYSTEM MANIFOLD FILTER (ENGINE-DRIVEN PUMP PRESSURE) - DISCARD								Component ATA:29
PN:339913	MOS	22-Jan-22		TSN 0				DISCARD
SN:NSN	HRS	1745.4	3600 (+50/-50)	TSN 0	5345.4	5395.4	2299.3 (+50)	
	AFL	610		TSN 0				
PROC. REF: AMM 29-14-19PROC. REF: AMM 29-14-19								
291489 LEFT SYSTEM MANIFOLD FILTER (ENGINE-DRIVEN PUMP CASE DRAIN) - DISCARD								Component ATA:29
PN:339482	MOS	22-Jan-22		TSN 0				DISCARD
SN:NSN	HRS	1745.4	3600 (+50/-50)	TSN 0	5345.4	5395.4	2299.3 (+50)	
	AFL	610		TSN 0				
PROC. REF: AMM 29-14-19PROC. REF: AMM 29-14-19								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
291490 LEFT SYSTEM MANIFOLD FILTER (POWER TRANSFER UNIT CASE DRAIN) - DISCARD								
PN:339482	MOS	22-Jan-22		TSN 0				Component ATA:29 DISCARD
SN:NSN	HRS	1745.4	3600 (+50/-50)	TSN 0	5345.4	5395.4	2299.3 (+50)	
	AFL	610		TSN 0				
PROC. REF: AMM 29-14-19PROC. REF: AMM 29-14-19								
291491 LEFT SYSTEM MANIFOLD FILTER (POWER TRANSFER UNIT PRESSURE) - DISCARD								
PN:339474	MOS	22-Jan-22		TSN 0				Component ATA:29 DISCARD
SN:NSN	HRS	1745.4	3600 (+50/-50)	TSN 0	5345.4	5395.4	2299.3 (+50)	
	AFL	610		TSN 0				
PROC. REF: AMM 29-14-19PROC. REF: AMM 29-14-19								
291492 LEFT SYSTEM MANIFOLD FILTER (AUXILIARY PUMP CASE DRAIN) - DISCARD								
PN:339482	MOS	22-Jan-22		TSN 0				Component ATA:29 DISCARD
SN:NSN	HRS	1745.4	3600 (+50/-50)	TSN 0	5345.4	5395.4	2299.3 (+50)	
	AFL	610		TSN 0				
PROC. REF: AMM 29-14-19PROC. REF: AMM 29-14-19								
291525 RIGHT SYSTEM MANIFOLD FILTER (RETURN) - DISCARD								
PN:339913	MOS	22-Jan-22		TSN 0				Component ATA:29 DISCARD
SN:NSN	HRS	1745.4	3600 (+50/-50)	TSN 0	5345.4	5395.4	2299.3 (+50)	
	AFL	610		TSN 0				
PROC. REF: AMM 29-14-20PROC. REF: AMM 29-14-20								
291526 RIGHT SYSTEM MANIFOLD FILTER (ENGINE-DRIVEN PUMP PRESSURE) - DISCARD								
PN:339913	MOS	22-Jan-22		TSN 0				Component ATA:29 DISCARD
SN:NSN	HRS	1745.4	3600 (+50/-50)	TSN 0	5345.4	5395.4	2299.3 (+50)	
	AFL	610		TSN 0				
PROC. REF: AMM 29-14-20PROC. REF: AMM 29-14-20								
291527 RIGHT SYSTEM MANIFOLD FILTER (ENGINE-DRIVEN PUMP CASE DRAIN) - DISCARD								
PN:339482	MOS	22-Jan-22		TSN 0				Component ATA:29 DISCARD
SN:NSN	HRS	1745.4	3600 (+50/-50)	TSN 0	5345.4	5395.4	2299.3 (+50)	
	AFL	610		TSN 0				
PROC. REF: AMM 29-14-20PROC. REF: AMM 29-14-20								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
292511	AUXILIARY HYDRAULIC PUMP MANIFOLD FILTER - DISCARD							Component	ATA:29
PN:339980	MOS	17-Feb-26		TSN 4				DISCARD	
SN:NSN	HRS	2909.1	600 (+50/-50)	TSN 0	3509.1	3559.1	463 (+50)		
	AFL	1065		TSN 0					
PROC. REF: AMM 29-14-19PROC. REF: AMM 29-14-19									
ATA 31 - INDICATING/RECORDING SYSTEMS									
313117	FDR UNDERWATER LOCATOR BEACON BATTERY (DK120, DK120/90 OR DK290) - DISCARD							Component	ATA:31
PN:DK120/90	MOS	21-Dec-23	84	TSN 2	31-Dec-30 (M)		1695 d	LIFE LIMIT	
SN:AT197300	HRS	2315.6		TSN 0					
	AFL	802		TSN 0					
Expiry Date: : 31-Dec-30									
PROC. REF: AMM 31-31-05PROC. REF: AMM 31-31-05									
ATA 32 - LANDING GEAR									
321008	MAIN LANDING GEAR (LEFT) - RESTORE							Component	ATA:32
PN:60P3212010A019	MOS	24-Aug-15	192	TSN 0	24-Aug-31		1931 d	OVERHAUL	
SN:GLG0164	HRS	0		TSN 0					
	AFL	0	10000	TSN 0	10000		8883		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
321009	MAIN LANDING GEAR (RIGHT) - RESTORE							Component	ATA:32
PN:60P3212011A017	MOS	24-Aug-15	192	TSN 0	24-Aug-31		1931 d	OVERHAUL	
SN:GLG0164	HRS	0		TSN 0					
	AFL	0	10000	TSN 0	10000		8883		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
321013	MAIN LANDING GEAR POST MACHINING (LEFT) - DISCARD							Component	ATA:32
PN:C1A5300LA003	MOS	24-Aug-15		TSN 0				DISCARD	
SN:CD0346	HRS	0		TSN 0					
	AFL	0	20000	TSN 0	20000		18883		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321014 MAIN LANDING GEAR POST MACHINING (RIGHT) - DISCARD								Component ATA:32
PN:C1A5300RA003	MOS	24-Aug-15		TSN 0				DISCARD
SN:CD0380	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
321238 MAIN LANDING GEAR SHOCK ABSORBER CYLINDER BODY (LEFT) - DISCARD								Component ATA:32
PN:C1M5210CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:GK0385	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-12-01PROC. REF: AMM 32-12-01								
321239 MAIN LANDING GEAR SHOCK ABSORBER CYLINDER BODY (RIGHT) - DISCARD								Component ATA:32
PN:C1M5210CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:GK0353	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-12-01PROC. REF: AMM 32-12-01								
321240 MAIN LANDING GEAR SHOCK ABSORBER PISTON MACHINING (LEFT) - DISCARD								Component ATA:32
PN:C1A5201CA001	MOS	24-Aug-15		TSN 0				LIFE LIMIT
SN:GK0407	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-12-01PROC. REF: AMM 32-12-01								
321241 MAIN LANDING GEAR SHOCK ABSORBER PISTON MACHINING (RIGHT) - DISCARD								Component ATA:32
PN:C1A5201CA001	MOS	24-Aug-15		TSN 0				LIFE LIMIT
SN:GK0368	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-12-01PROC. REF: AMM 32-12-01								
321244 MAIN LANDING GEAR SHOCK ABSORBER ATTACH PIN (LEFT UPPER) - DISCARD								Component ATA:32
PN:C1M5415CA002	MOS	24-Aug-15		TSN 0				LIFE LIMIT
SN:EXC0719	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-12-01PROC. REF: AMM 32-12-01								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321245 MAIN LANDING GEAR SHOCK ABSORBER ATTACH PIN (LEFT LOWER) - DISCARD								Component ATA:32
PN:C1M5415CA002	MOS	24-Aug-15		TSN 0				LIFE LIMIT
SN:EXC0718	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-12-01PROC. REF: AMM 32-12-01								
321246 MAIN LANDING GEAR SHOCK ABSORBER ATTACH PIN (RIGHT UPPER) - DISCARD								Component ATA:32
PN:C1M5415CA002	MOS	24-Aug-15		TSN 0				LIFE LIMIT
SN:EXC0720	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-12-01PROC. REF: AMM 32-12-01								
321247 MAIN LANDING GEAR SHOCK ABSORBER ATTACH PIN (RIGHT LOWER) - DISCARD								Component ATA:32
PN:C1M5415CA002	MOS	24-Aug-15		TSN 0				LIFE LIMIT
SN:EXC0735	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-12-01PROC. REF: AMM 32-12-01								
321248 MAIN LANDING GEAR SIDE BRACE ACTUATOR CYLINDER END CAP (LEFT) - DISCARD								Component ATA:32
PN:C1M5601CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT0248	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-14-01PROC. REF: AMM 32-14-01								
321249 MAIN LANDING GEAR SIDE BRACE ACTUATOR CYLINDER END CAP (RIGHT) - DISCARD								Component ATA:32
PN:C1M5601CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT0262	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-14-01PROC. REF: AMM 32-14-01								
321313 MAIN LANDING GEAR KNEE JOINT PIN (LEFT) - DISCARD								Component ATA:32
PN:C1A5425CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:EXC0361	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-13-01PROC. REF: AMM 32-13-01								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321314 MAIN LANDING GEAR KNEE JOINT PIN (RIGHT) - DISCARD								
PN:C1A5425CA001	MOS	24-Aug-15		TSN 0				Component ATA:32 DISCARD
SN:EXC0339	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-13-01PROC. REF: AMM 32-13-01								
321433 MAIN LANDING GEAR SPINDLE PIN (LEFT) - DISCARD								
PN:C1A5315CA002	MOS	24-Aug-15		TSN 0				Component ATA:32 LIFE LIMIT
SN:EXC0360	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-14-03PROC. REF: AMM 32-14-03								
321434 MAIN LANDING GEAR SPINDLE PIN (RIGHT) - DISCARD								
PN:C1A5315CA002	MOS	24-Aug-15		TSN 0				Component ATA:32 LIFE LIMIT
SN:EXC0357	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-14-03PROC. REF: AMM 32-14-03								
321437 MAIN LANDING GEAR SIDE BRACE FITTING PIN (LEFT) - DISCARD								
PN:C1M5640CA001	MOS	24-Aug-15		TSN 0				Component ATA:32 DISCARD
SN:EXC0353	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-14-03PROC. REF: AMM 32-14-03								
321438 MAIN LANDING GEAR SIDE BRACE FITTING PIN (RIGHT) - DISCARD								
PN:C1M5640CA001	MOS	24-Aug-15		TSN 0				Component ATA:32 DISCARD
SN:EXC0340	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-14-03PROC. REF: AMM 32-14-03								
321443 MAIN LANDING GEAR SIDE BRACE PIN (LH) (UPPER) - DISCARD								
PN:60P3215911M001	MOS	24-Aug-15						Component ATA:32 LIFE LIMIT
SN:UNKNOWN	HRS	0						
	AFL	0	20000		20000 (M)		18883	
PROC. REF: AMM 32-14-03PROC. REF: AMM 32-14-03								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321445 MAIN LANDING GEAR SIDE BRACE PIN (RH) (UPPER)- DISCARD								
PN:60P3215911M004	MOS	21-Dec-23		TSN 6				Component ATA:32 LIFE LIMIT
SN:GMI00707	HRS	2315.6		TSN 0				
	AFL	802	20000	TSN 0	20802		19685	
PROC. REF: AMM 32-14-03PROC. REF: AMM 32-14-03								
321508 MAIN LANDING GEAR FORWARD TRUNNION PIN (LEFT) - DISCARD								
PN:C1A5310CA002	MOS	24-Aug-15		TSN 0				Component ATA:32 DISCARD
SN:EXC0343	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-15-01PROC. REF: AMM 32-15-01								
321509 MAIN LANDING GEAR AFT TRUNNION PIN (LEFT) - DISCARD								
PN:C1A5311CA002	MOS	24-Aug-15		TSN 0				Component ATA:32 LIFE LIMIT
SN:EXC0358	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-15-01PROC. REF: AMM 32-15-01								
321510 MAIN LANDING GEAR FORWARD TRUNNION PIN (RIGHT) - DISCARD								
PN:C1A5310CA002	MOS	24-Aug-15		TSN 0				Component ATA:32 DISCARD
SN:EXC0346	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-15-01PROC. REF: AMM 32-15-01								
321511 MAIN LANDING GEAR AFT TRUNNION PIN (RIGHT) - DISCARD								
PN:C1A5311CA002	MOS	24-Aug-15		TSN 0				Component ATA:32 LIFE LIMIT
SN:EXC0359	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-15-01PROC. REF: AMM 32-15-01								
322002 NOSE LANDING GEAR - RESTORE								
PN:60P3222010A009	MOS	24-Aug-15		TSN 0				Component ATA:32 OVERHAUL
SN:GLG0179	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		8883	
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322205 NOSE LANDING GEAR UPPER TORSION LINK ATTACH PIN - DISCARD								
PN:C2E5251CA001	MOS	24-Aug-15						Component ATA:32 DISCARD
SN:UNKNOWN	HRS	0						
	AFL	0	20000		20000 (M)		18883	
PROC. REF: AMM 32-22-03PROC. REF: AMM 32-22-03								
322413 NOSE LANDING GEAR TRUSS BRACE FORWARD MACHINING - DISCARD								
PN:C2M5400CA001	MOS	24-Aug-15		TSN 0				Component ATA:32 DISCARD
SN:PLT190144	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-24-05PROC. REF: AMM 32-24-05								
322428 NOSE LANDING GEAR CYLINDER / TRUNNION ATTACH PIN - DISCARD								
PN:C2M5312CA001	MOS	24-Aug-15		TSN 0				Component ATA:32 DISCARD
SN:PLT420077	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-24-01PROC. REF: AMM 32-24-01								
322429 NOSE LANDING GEAR TRUSS BRACE AFT MACHINING - DISCARD								
PN:C2A5413CA001	MOS	24-Aug-15		TSN 0				Component ATA:32 DISCARD
SN:PLT190146	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-24-05PROC. REF: AMM 32-24-05								
322432 NOSE LANDING GEAR DRAG BRACE UPPER ATTACH PIN - DISCARD								
PN:C2M5421CA001	MOS	24-Aug-15		TSN 0				Component ATA:32 DISCARD
SN:PLT420090	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-24-03PROC. REF: AMM 32-24-03								
322435 NOSE LANDING GEAR TRUSS BRACE APEX PIN (LEFT) - RESTORE								
PN:PN	MOS	24-Aug-15	192	TSN 0	24-Aug-31		1931 d	Component ATA:32 RESTORE
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		8883	
PROC. REF: AMM 32-24-05-SEPROC. REF: AMM 32-24-05-SE								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322436 NOSE LANDING GEAR TRUSS BRACE APEX PIN (LEFT) - DISCARD								
PN:C2M5423CA001	MOS	24-Aug-15		TSN 0				Component ATA:32 DISCARD
SN:PLT420376	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-24-05PROC. REF: AMM 32-24-05								
322507 NOSE LANDING GEAR CYLINDER MACHINING - DISCARD								
PN:C2M5200CA001	MOS	24-Aug-15		TSN 0				Component ATA:32 DISCARD
SN:PLT0201	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-22-01PROC. REF: AMM 32-22-01								
322511 NOSE LANDING GEAR PISTON MACHINING - DISCARD								
PN:C2M5201CA001	MOS	24-Aug-15		TSN 0				Component ATA:32 DISCARD
SN:PLT0231	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-23-00PROC. REF: AMM 32-23-00								
322515 NOSE LANDING GEAR UPPER TORQUE ARM - DISCARD								
PN:C2M5202CA001	MOS	24-Aug-15		TSN 0				Component ATA:32 LIFE LIMIT
SN:PLT190162	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-22-03PROC. REF: AMM 32-22-03								
322519 NOSE LANDING GEAR LOWER TORQUE ARM - DISCARD								
PN:C2M5203CA001	MOS	24-Aug-15		TSN 0				Component ATA:32 LIFE LIMIT
SN:PLT190158	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-22-05PROC. REF: AMM 32-22-05								
322527 NOSE LANDING GEAR DRAG BRACE LOWER ATTACH PIN - DISCARD								
PN:C2A5234CA001	MOS	24-Aug-15		TSN 0				Component ATA:32 DISCARD
SN:PLT420072	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-24-03PROC. REF: AMM 32-24-03								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322531 NOSE LANDING GEAR LOWER TORQUE ARM ATTACH PIN - DISCARD Component ATA:32								
PN:C2M5235CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:NSN	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-22-05PROC. REF: AMM 32-22-05								
322535 NOSE LANDING GEAR TORQUE ARM APEX PIN - DISCARD Component ATA:32								
PN:C2M5250CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT420068	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-22-05PROC. REF: AMM 32-22-05								
322539 NOSE LANDING GEAR TRUNNION FRAME MACHINING - DISCARD Component ATA:32								
PN:C2M5300CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT0118	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-24-01PROC. REF: AMM 32-24-01								
322543 NOSE LANDING GEAR CYLINDER / TRUNNION PIN RETAINING BOLT - DISCARD Component ATA:32								
PN:C2M5314CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:NSN	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-24-01PROC. REF: AMM 32-24-01								
322550 NOSE LANDING GEAR TRUSS BRACE APEX PIN (RIGHT) - RESTORE Component ATA:32								
PN:PN	MOS	24-Aug-15	192	TSN 0	24-Aug-31		1931 d	RESTORE
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		8883	
PROC. REF: AMM 32-24-05-SEPROC. REF: AMM 32-24-05-SE								
322551 NOSE LANDING GEAR TRUSS BRACE APEX PIN (RIGHT) - DISCARD Component ATA:32								
PN:C2M5423CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT420266	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-24-05PROC. REF: AMM 32-24-05								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322555 NOSE LANDING GEAR DOWNLOCK APEX PIN - DISCARD								
PN:C2M5425CA001	MOS		24-Aug-15	TSN 0				Component ATA:32 DISCARD
SN:PLT420045	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-24-05PROC. REF: AMM 32-24-05								
322559 NOSE LANDING GEAR AFT LOCK LINK PIN - DISCARD								
PN:C2M5426CA001	MOS		24-Aug-15	TSN 0				Component ATA:32 DISCARD
SN:PLT420047	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-24-05PROC. REF: AMM 32-24-05								
322563 NOSE LANDING GEAR AFT LOCK LINK MACHINING - DISCARD								
PN:C2M5408CA001	MOS		24-Aug-15	TSN 0				Component ATA:32 DISCARD
SN:PLT420038	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-24-05PROC. REF: AMM 32-24-05								
322575 NOSE LANDING GEAR FORWARD LOCK LINK PIN - DISCARD								
PN:C2M5424CA002	MOS		24-Aug-15	TSN 0				Component ATA:32 DISCARD
SN:PLT420062	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-24-05PROC. REF: AMM 32-24-05								
322579 NOSE LANDING GEAR DRAG BRACE STRUT BODY - DISCARD								
PN:C2M4601CA001	MOS		24-Aug-15	TSN 0				Component ATA:32 DISCARD
SN:PLT420004	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-24-03PROC. REF: AMM 32-24-03								
322583 NOSE LANDING GEAR DRAG BRACE ROD END - DISCARD								
PN:C2M4602CA002	MOS		24-Aug-15	TSN 0				Component ATA:32 DISCARD
SN:DL0160	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-24-03PROC. REF: AMM 32-24-03								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322588 NOSE LANDING GEAR TRUNNION PIN (LEFT) - DISCARD								
PN:C2M5310CA001	MOS	04-Feb-16		TSN 30				Component ATA:32 LIFE LIMIT
SN:PLT29114	HRS	23.1		TSN 0				
	AFL	8	20000	TSN 0	20008		18891	
PROC. REF: AMM 32-25-01PROC. REF: AMM 32-25-01								
322589 NOSE LANDING GEAR TRUNNION PIN (RIGHT) - DISCARD								
PN:C2M5310CA001	MOS	24-Aug-15		TSN 0				Component ATA:32 LIFE LIMIT
SN:DL0092	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-25-01PROC. REF: AMM 32-25-01								
322593 NOSE LANDING GEAR FORWARD LOCK LINK MACHINING - DISCARD								
PN:C2M5404CA001	MOS	24-Aug-15		TSN 0				Component ATA:32 DISCARD
SN:PLT190222	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-24-05PROC. REF: AMM 32-24-05								
322603 NOSE LANDING GEAR DOWN AND LOCK HARNESS - DISCARD								
PN:C2E4901CA002	MOS	24-Aug-15						Component ATA:32 DISCARD
SN:UNKNOWN	HRS	0						
	AFL	0	18000		18000 (M)		16883	
PROC. REF: AMM 32-26-03PROC. REF: AMM 32-26-03								
322618 NOSE LANDING GEAR MIDDLE ELECTRICAL HARNESS - DISCARD								
PN:C2E4904CA003	MOS	24-Aug-15		TSN 0				Component ATA:32 DISCARD
SN:ICO10280	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		8883	
PROC. REF: AMM 32-26-03PROC. REF: AMM 32-26-03								
322703 MAIN LANDING GEAR SHOCK ABSORBER CAP MACHINING (LEFT) - DISCARD								
PN:C1A5205CA001	MOS	24-Aug-15		TSN 0				Component ATA:32 DISCARD
SN:AP0446	HRS	0		TSN 0				
	AFL	0	7000	TSN 0	7000		5883	
PROC. REF: AMM 32-12-01PROC. REF: AMM 32-12-01								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322707 MAIN LANDING GEAR SHOCK ABSORBER CAP MACHINING (RIGHT) - DISCARD								
PN:C1A5205CA001	MOS	24-Aug-15		TSN 0				Component ATA:32 DISCARD
SN:AP0422	HRS	0		TSN 0				
	AFL	0	7000	TSN 0	7000		5883	
PROC. REF: AMM 32-12-01PROC. REF: AMM 32-12-01								
322711 MAIN LANDING GEAR SHOCK ABSORBER CYLINDER NUT (LEFT) - DISCARD								
PN:C1M5217CA001	MOS	24-Aug-15		TSN 0				Component ATA:32 DISCARD
SN:GK0415	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-12-01PROC. REF: AMM 32-12-01								
322715 MAIN LANDING GEAR SHOCK ABSORBER CYLINDER NUT (RIGHT) - DISCARD								
PN:C1M5217CA001	MOS	24-Aug-15		TSN 0				Component ATA:32 DISCARD
SN:GK0381	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-12-01PROC. REF: AMM 32-12-01								
322727 MAIN LANDING GEAR SPINDLE PIN NUT (LEFT) - DISCARD								
PN:C1M5316CA002	MOS	24-Aug-15		TSN 0				Component ATA:32 DISCARD
SN:LHM0085	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-14-03PROC. REF: AMM 32-14-03								
322731 MAIN LANDING GEAR SPINDLE PIN NUT (RIGHT) - DISCARD								
PN:C1M5316CA002	MOS	24-Aug-15		TSN 0				Component ATA:32 DISCARD
SN:LHM0094	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-14-03PROC. REF: AMM 32-14-03								
322735 MAIN LANDING GEAR AFT PINTLE PIN NUT (LEFT) - DISCARD								
PN:C1M5313CA001	MOS	24-Aug-15		TSN 0				Component ATA:32 DISCARD
SN:EXC0402	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-15-01PROC. REF: AMM 32-15-01								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
322739 MAIN LANDING GEAR AFT PINTLE PIN NUT (RIGHT) - DISCARD								Component	ATA:32
PN:C1M5313CA001	MOS		24-Aug-15	TSN 0				DISCARD	
SN:EXC0404	HRS	0		TSN 0					
	AFL	0	20000	TSN 0	20000		18883		
PROC. REF: AMM 32-15-01PROC. REF: AMM 32-15-01									
322743 MAIN LANDING GEAR FORWARD PINTLE CROSSBOLT (LEFT) - DISCARD								Component	ATA:32
PN:C1A5319CA001	MOS		24-Aug-15	TSN 0				DISCARD	
SN:EXC0379	HRS	0		TSN 0					
	AFL	0	20000	TSN 0	20000		18883		
PROC. REF: AMM 32-15-01PROC. REF: AMM 32-15-01									
322747 MAIN LANDING GEAR FORWARD PINTLE CROSSBOLT (RIGHT) - DISCARD								Component	ATA:32
PN:C1A5319CA001	MOS		24-Aug-15	TSN 0				DISCARD	
SN:EXC0383	HRS	0		TSN 0					
	AFL	0	20000	TSN 0	20000		18883		
PROC. REF: AMM 32-15-01PROC. REF: AMM 32-15-01									
322751 MAIN LANDING GEAR AFT PINTLE CROSSBOLT (LEFT) - DISCARD								Component	ATA:32
PN:C1A5322CA001	MOS		24-Aug-15	TSN 0				DISCARD	
SN:EXC0366	HRS	0		TSN 0					
	AFL	0	20000	TSN 0	20000		18883		
PROC. REF: AMM 32-15-01PROC. REF: AMM 32-15-01									
322755 MAIN LANDING GEAR AFT PINTLE CROSSBOLT (RIGHT) - DISCARD								Component	ATA:32
PN:C1A5322CA001	MOS		24-Aug-15	TSN 0				DISCARD	
SN:EXC0369	HRS	0		TSN 0					
	AFL	0	20000	TSN 0	20000		18883		
PROC. REF: AMM 32-15-01PROC. REF: AMM 32-15-01									
322759 MAIN LANDING GEAR TRAILING ARM MACHINING (LEFT) - DISCARD								Component	ATA:32
PN:C1A5400CA001	MOS		24-Aug-15	TSN 0				DISCARD	
SN:ZKM0253	HRS	0		TSN 0					
	AFL	0	20000	TSN 0	20000		18883		
PROC. REF: AMM 32-13-01PROC. REF: AMM 32-13-01									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322763 MAIN LANDING GEAR TRAILING ARM MACHINING (RIGHT) - DISCARD								
PN:C1A5400CA001	MOS	24-Aug-15		TSN 0				Component ATA:32 DISCARD
SN:ZKM0251	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-13-01PROC. REF: AMM 32-13-01								
322783 MAIN LANDING GEAR KNEE JOINT RETENTION PIN (LEFT) - DISCARD								
PN:C1M5426CA001	MOS	21-Dec-23		TSN 59				Component ATA:32 DISCARD
SN:GRZ0060	HRS	2315.6		TSN 0				
	AFL	802	20000	TSN 0	20802		19685	
PROC. REF: AMM 32-13-01PROC. REF: AMM 32-13-01								
322787 MAIN LANDING GEAR KNEE JOINT RETENTION PIN (RIGHT) - DISCARD								
PN:C1M5426CA001	MOS	24-Aug-15		TSN 0				Component ATA:32 DISCARD
SN:CFN0262	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-13-01PROC. REF: AMM 32-13-01								
322791 MAIN LANDING GEAR SIDE BRACE ACTUATOR CYLINDER MACHINING (LEFT) - DISCARD								
PN:C1M5210CA001	MOS	24-Aug-15		TSN 0				Component ATA:32 DISCARD
SN:GK0385	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-14-01PROC. REF: AMM 32-14-01								
322795 MAIN LANDING GEAR SIDE BRACE ACTUATOR CYLINDER MACHINING (RIGHT) - DISCARD								
PN:C1M5210CA001	MOS	24-Aug-15		TSN 0				Component ATA:32 DISCARD
SN:GK0353	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-14-01PROC. REF: AMM 32-14-01								
322799 MAIN LANDING GEAR SIDE BRACE ACTUATOR PISTON MACHINING (LEFT) - DISCARD								
PN:C1M5651CA002	MOS	24-Aug-15		TSN 0				Component ATA:32 DISCARD
SN:PLT0260	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-14-01PROC. REF: AMM 32-14-01								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
322803 MAIN LANDING GEAR SIDE BRACE ACTUATOR PISTON MACHINING (RIGHT) - DISCARD								Component	ATA:32
PN:C1M5651CA002	MOS	24-Aug-15		TSN 0				DISCARD	
SN:PLT0278	HRS	0		TSN 0					
	AFL	0	20000	TSN 0	20000		18883		
PROC. REF: AMM 32-14-01PROC. REF: AMM 32-14-01									
322807 MAIN LANDING GEAR SIDE BRACE ACTUATOR LOCK SPOOL (LEFT) - DISCARD								Component	ATA:32
PN:C1M5654CA001	MOS	24-Aug-15		TSN 0				DISCARD	
SN:PLT320334	HRS	0		TSN 0					
	AFL	0	20000	TSN 0	20000		18883		
PROC. REF: AMM 32-14-01PROC. REF: AMM 32-14-01									
322811 MAIN LANDING GEAR SIDE BRACE ACTUATOR LOCK SPOOL (RIGHT) - DISCARD								Component	ATA:32
PN:C1M5654CA001	MOS	24-Aug-15		TSN 0				DISCARD	
SN:PLT320316	HRS	0		TSN 0					
	AFL	0	20000	TSN 0	20000		18883		
PROC. REF: AMM 32-14-01PROC. REF: AMM 32-14-01									
322815 MAIN LANDING GEAR SIDE BRACE ACTUATOR LOCKING SEGMENTS (LEFT) - DISCARD								Component	ATA:32
PN:C1M5655CA002	MOS	24-Aug-15		TSN 0				DISCARD	
SN:PLT320158	HRS	0		TSN 0					
	AFL	0	20000	TSN 0	20000		18883		
PROC. REF: AMM 32-14-01PROC. REF: AMM 32-14-01									
322819 MAIN LANDING GEAR SIDE BRACE ACTUATOR LOCKING SEGMENTS (RIGHT) - DISCARD								Component	ATA:32
PN:C1M5655CA002	MOS	24-Aug-15		TSN 0				DISCARD	
SN:PLT100154	HRS	0		TSN 0					
	AFL	0	20000	TSN 0	20000		18883		
PROC. REF: AMM 32-14-01PROC. REF: AMM 32-14-01									
322823 MAIN LANDING GEAR SIDE BRACE ACTUATOR CYLINDER GLAND (LEFT) - DISCARD								Component	ATA:32
PN:C1M5602CA002	MOS	24-Aug-15		TSN 0				DISCARD	
SN:PLT320248	HRS	0		TSN 0					
	AFL	0	20000	TSN 0	20000		18883		
PROC. REF: AMM 32-14-01PROC. REF: AMM 32-14-01									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322827 MAIN LANDING GEAR SIDE BRACE ACTUATOR CYLINDER GLAND (RIGHT) - DISCARD								Component ATA:32
PN:C1M5602CA002	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT320270	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-14-01PROC. REF: AMM 32-14-01								
322831 MAIN LANDING GEAR SIDE BRACE ACTUATOR ROD END MACHINING (LEFT) - DISCARD								Component ATA:32
PN:C1M5670CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT0192	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-14-01PROC. REF: AMM 32-14-01								
322835 MAIN LANDING GEAR SIDE BRACE ACTUATOR ROD END MACHINING (RIGHT) - DISCARD								Component ATA:32
PN:C1M5670CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT0207	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-14-01PROC. REF: AMM 32-14-01								
323811 NOSE LANDING GEAR RETRACTION ACTUATOR ATTACH PIN - DISCARD								Component ATA:32
PN:C2M5311CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:PLT420097	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-24-01PROC. REF: AMM 32-24-01								
323816 NOSE LANDING GEAR DOWNLOCK SPRING (RIGHT) - DISCARD								Component ATA:32
PN:C2E5441RA001	MOS	24-Aug-15						DISCARD
SN:UNKNOWN	HRS	0						
	AFL	0	20000		20000 (M)		18883	
PROC. REF: AMM 32-38-07PROC. REF: AMM 32-38-07								
323910 LANDING GEAR EMERGENCY EXTENSION NITROGEN BLOW-DOWN BOTTLE (LEFT) - DISCARD								Component ATA:32
PN:1159SCH233-11	MOS	24-Aug-15	180	TSN 0	31-Jan-30		1361 d	LIFE LIMIT
SN:ALT603-12656	HRS	0		TSN 0				
	AFL	0		TSN 0				
Manufacture Date:: 01-Jan-15								
PROC. REF: AMM 32-39-03PROC. REF: AMM 32-39-03								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323911 LANDING GEAR EMERGENCY EXTENSION NITROGEN BLOW-DOWN BOTTLE (RIGHT) - DISCARD								
PN:1159SCH233-11	MOS	24-Aug-15	180	TSN 0	31-Jan-30		1361 d	LIFE LIMIT
SN:ALT603-12659	HRS	0		TSN 0				
	AFL	0		TSN 0				
Manufacture Date:: 01-Jan-15								
PROC. REF: AMM 32-39-03PROC. REF: AMM 32-39-03								
324122 NOSE WHEEL (LEFT) - RESTORE								
PN:PN	MOS/MSC		O/C					RESTORE
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 32-41-01-SEPROC. REF: AMM 32-41-01-SE								
324235 MAIN WHEEL (LEFT OUTBOARD) - RESTORE								
PN:PN	MOS/MSC		O/C					RESTORE
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 32-42-01-SEPROC. REF: AMM 32-42-01-SE								
324236 MAIN WHEEL (LEFT INBOARD) - RESTORE								
PN:PN	MOS/MSC	24-Aug-15	O/C					RESTORE
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 32-42-01-SEPROC. REF: AMM 32-42-01-SE								
324237 MAIN WHEEL (RIGHT INBOARD) - RESTORE								
PN:PN	MOS/MSC		O/C					RESTORE
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 32-42-01-SEPROC. REF: AMM 32-42-01-SE								
324238 MAIN WHEEL (RIGHT OUTBOARD) - RESTORE								
PN:PN	MOS/MSC		O/C					RESTORE
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 32-42-01-SEPROC. REF: AMM 32-42-01-SE								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324312 MAIN LANDING GEAR BRAKE TORQUE TAKEOUT PIN (LEFT) - DISCARD Component ATA:32								
PN:C1M5420CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:EXC0350	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-13-01PROC. REF: AMM 32-13-01								
324313 MAIN LANDING GEAR BRAKE TORQUE TAKEOUT PIN (RIGHT) - DISCARD Component ATA:32								
PN:C1M5420CA001	MOS	24-Aug-15		TSN 0				DISCARD
SN:EXC0351	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18883	
PROC. REF: AMM 32-13-01PROC. REF: AMM 32-13-01								
325203 NOSE WHEEL STEERING COLLAR NUT - DISCARD Component ATA:32								
PN:MS14144L6	MOS	24-Aug-15						DISCARD
SN:UNKNOWN	HRS	0						
	AFL	0	12000		12000 (M)		10883	
PROC. REF: AMM 32-52-03PROC. REF: AMM 32-52-03								
325204 NOSE WHEEL STEERING COLLAR BOLT - DISCARD Component ATA:32								
PN:NAS6706DU12	MOS	24-Aug-15						DISCARD
SN:UNKNOWN	HRS	0						
	AFL	0	12000		12000 (M)		10883	
PROC. REF: AMM 32-52-03PROC. REF: AMM 32-52-03								
325212 NOSE WHEEL STEERING ACTUATOR - DISCARD Component ATA:32								
PN:72434-6	MOS	11-Mar-19		TSN 1				DISCARD
SN:0617	HRS	925.3		TSN 0				
	AFL	256	2500	TSN 0	2756		1639	
PROC. REF: AMM 32-52-00PROC. REF: AMM 32-52-00								
325213 NOSE WHEEL STEERING COLLAR ASSEMBLY - DISCARD Component ATA:32								
PN:C2E4810CA006	MOS	11-Mar-19						DISCARD
SN:237	HRS	925.3		TSN 554				
	AFL	256	20000	TSN 159	20097		18980	
PROC. REF: AMM 32-52-03PROC. REF: AMM 32-52-03								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
334207	WING ANTICOLLISION / NAVIGATION LIGHT (LEFT) - DISCARD							Component	ATA:33
PN:1007-3342A002-003	MOS	24-Aug-15		TSN 0				DISCARD	
SN:LM0664	HRS	0	20000	TSN 0	20000		16953.9		
	AFL	0		TSN 0					
PROC. REF: AMM 33-42-01PROC. REF: AMM 33-42-01									
334208	WING ANTICOLLISION / NAVIGATION LIGHT (RIGHT) - DISCARD							Component	ATA:33
PN:01-0790453-01	MOS	29-Sep-19		TSR 8				DISCARD	
SN:01135	HRS	1201.5	20000	TSR 0	21201.5 (M)		18155.4		
	AFL	351		TSR 0					
PROC. REF: AMM 33-42-01PROC. REF: AMM 33-42-01									
334215	TAIL ANTICOLLISION / NAVIGATION LIGHT - DISCARD							Component	ATA:33
PN:01-0790450-00	MOS	24-Aug-15		TSN 0				DISCARD	
SN:NSN	HRS	0	20000	TSN 0	20000		16953.9		
	AFL	0		TSN 0					
PROC. REF: AMM 33-42-01PROC. REF: AMM 33-42-01									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
351103 CREW OXYGEN MASK (PILOT) - RESTORE								
PN:MLD20-564	MOS	12-Jan-21	72		31-Dec-26		234 d	Component ATA:35 OVERHAUL
SN:B165248	HRS	1594.1						
	AFL	547						
OverHaul Date:: 04-Dec-20								
PROC. REF: AMM 35-11-01PROC. REF: AMM 35-11-01								
351104 CREW OXYGEN MASK (COPILOT) - RESTORE								
PN:MLD20-564	MOS	12-Jan-21	72		31-Dec-26		234 d	Component ATA:35 OVERHAUL
SN:B165431	HRS	1594.1						
	AFL	547						
OverHaul Date:: 04-Dec-20								
PROC. REF: AMM 35-11-01PROC. REF: AMM 35-11-01								
351105 CREW OXYGEN MASK (OBSERVER) - RESTORE								
PN:MLD20-564	MOS	12-Jan-21	72		31-Dec-26		234 d	Component ATA:35 OVERHAUL
SN:B165359	HRS	1594.1						
	AFL	547						
OverHaul Date:: 04-Dec-20								
PROC. REF: AMM 35-11-01PROC. REF: AMM 35-11-01								
351202 CREW OXYGEN CYLINDER - DISCARD								
PN:805983-15	MOS	24-Aug-15	180	TSN 0	31-Mar-30		1420 d	Component ATA:35 LIFE LIMIT
SN:C15060698	HRS	0		TSN 0				
	AFL	0		TSN 0				
Manufacture Date:: 31-Mar-15								
PROC. REF: AMM 35-12-01PROC. REF: AMM 35-12-01								
352302 PASSENGER OXYGEN CYLINDER - DISCARD								
PN:805983-15	MOS	24-Aug-15	180	TSN 0	28-Feb-30		1389 d	Component ATA:35 LIFE LIMIT
SN:C15051134	HRS	0		TSN 0				
	AFL	0		TSN 0				
Manufacture Date:: 28-Feb-15								
PROC. REF: AMM 35-23-01PROC. REF: AMM 35-23-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 38 - WATER/WASTE								
381233 WATER STERILIZER GERMICIDAL LAMP (SYSTEM A) - DISCARD								Component ATA:38
PN:08-130800-003	MOS	24-Aug-15		TSN 0				DISCARD
SN:NSN	HRS	0	4500	TSN 0	4500		1453.9	
	AFL	0		TSN 0				
PROC. REF: AMM 38-12-01PROC. REF: AMM 38-12-01								
381234 WATER STERILIZER GERMICIDAL LAMP (SYSTEM B) - DISCARD								Component ATA:38
PN:08-130800-003	MOS	24-Aug-15		TSN 0				DISCARD
SN:NSN	HRS	0	4500	TSN 0	4500		1453.9	
	AFL	0		TSN 0				
PROC. REF: AMM 38-12-01PROC. REF: AMM 38-12-01								
381239 WATER STERILIZER SEDIMENT FILTER CARTRIDGE (SYSTEM A, POLYPROPYLENE FILTER) - DISCARD								Component ATA:38
PN:05-01-0001	MOS	12-Dec-25		TSN 8				DISCARD
SN:NSN	HRS	2909.1	800	TSN 0	3709.1		663	
	AFL	1065		TSN 0				
PROC. REF: AMM 38-12-01PROC. REF: AMM 38-12-01								
381240 WATER STERILIZER SEDIMENT FILTER CARTRIDGE (SYSTEM B, POLYPROPYLENE FILTER) - DISCARD								Component ATA:38
PN:05-01-0001	MOS	12-Dec-25		TSN 8				DISCARD
SN:NSN	HRS	2909.1	800	TSN 0	3709.1		663	
	AFL	1065		TSN 0				
PROC. REF: AMM 38-12-01PROC. REF: AMM 38-12-01								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 49 - AIRBORNE AUXILIARY POWER									
492300	APU - COMPRESSOR IMPELLER - DISCARD							Component	ATA:49
PN:WB3822573-1	MOS	25-Apr-15		TSN 0				DISCARD	
SN:14-162053-06763	HRS	0	10000	TSN 4.9	9995.1		7728.6		
	APUS	0		TSN 3					
PROC. REF: AMM 49-23-00PROC. REF: AMM 49-23-00									
<hr/>									
492301	APU - FIRST STAGE TURBINE ROTOR DISC - DISCARD							Component	ATA:49
PN:WK3840141-3	MOS	25-Apr-15		TSN 0				DISCARD	
SN:142241003312	HRS	0	10000	TSN 4.9	9995.1		7728.6		
	APUS	0		TSN 3					
PROC. REF: AMM 49-23-00PROC. REF: AMM 49-23-00									
<hr/>									
492302	APU - SECOND STAGE TURBINE ROTOR - DISCARD							Component	ATA:49
PN:WE897994-3	MOS	25-Apr-15		TSN 0				DISCARD	
SN:14-156101-11797	HRS	0	10000	TSN 4.9	9995.1		7728.6		
	APUS	0		TSN 3					
PROC. REF: AMM 49-23-00PROC. REF: AMM 49-23-00									
<hr/>									
ATA 52 - DOORS									
521303	MAIN ENTRANCE DOOR LATCHING ACTUATOR - DISCARD							Component	ATA:52
PN:60P5210905Z101	MOS	19-Apr-18		TSN 0				DISCARD	
SN:0243	HRS	701		TSN 0					
	AFL	181	5000	TSN 0	5181		4064		
PROC. REF: AMM 52-13-03-SEPROC. REF: AMM 52-13-03-SE									
<hr/>									
521410	MAIN ENTRANCE DOOR DAMPER - DISCARD							Component	ATA:52
PN:60P5210904Z003	MOS	24-Aug-15		TSN 0				DISCARD	
SN:L208	HRS	0		TSN 0					
	AFL	0	5000	TSN 0	5000		3883		
PROC. REF: AMM 52-14-00PROC. REF: AMM 52-14-00									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
710041	NO. 1 ENGINE - ENGINE OVERHAUL - HARD TIME OPERATED							Component	ATA:71
PN:PN	MOS		17-Nov-22	TSN 0				OVERHAUL	
SN:UNKNOWN	HRS	0	10000 (+250/-250)	TSN 0	(10000) 12051.7	10250	9005.6 (+250)		
	ENC	0		TSN 0					
ATA 71 - POWER PLANT									
710041	NO. 2 ENGINE - ENGINE OVERHAUL - HARD TIME OPERATED							Component	ATA:71
PN:PN	MOS		15-Nov-22	TSN 0				OVERHAUL	
SN:UNKNOWN	HRS	0	10000 (+250/-250)	TSN 0	(10000) 12051.7	10250	9005.6 (+250)		
	ENC	0		TSN 0					
ATA 72 - ENGINE									
723175	NO. 1 ENGINE - FAN DISC - DISCARD							Component	ATA:72
PN:PN	MOS		17-Nov-22	TSN 0				DISCARD	
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0	5000	TSN 0	(5000) 5725		4608		
ATA 72 - ENGINE									
723175	NO. 2 ENGINE - FAN DISC - DISCARD							Component	ATA:72
PN:PN	MOS		15-Nov-22	TSN 0				DISCARD	
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0	5000	TSN 0	(5000) 5725		4608		
ATA 72 - ENGINE									
723176	NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 1 - DISCARD							Component	ATA:72
PN:FW86142	MOS		17-Nov-22	TSN 0				DISCARD	
SN:222977SAP110	HRS	0		TSN 0					
	ENC	0	5000	TSN 0	(5000) 5725		4608		

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723176 NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 1 - DISCARD								
PN:FW86142	MOS	15-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAS061	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723177 NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 2 - DISCARD								
PN:FW86142	MOS	17-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAP135	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723177 NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 2 - DISCARD								
PN:FW86142	MOS	15-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAS121	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723178 NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 3 - DISCARD								
PN:FW86142	MOS	17-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAP061	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723178 NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 3 - DISCARD								
PN:FW86142	MOS	15-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAM129	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723179 NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 4 - DISCARD								
PN:FW86142	MOS	17-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAN069	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723179 NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 4 - DISCARD								
PN:FW86142	MOS	15-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAN107	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723180 NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 5 - DISCARD								
PN:FW86142	MOS	17-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAS187	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723180 NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 5 - DISCARD								
PN:FW86142	MOS	15-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAM135	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723181 NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 6 - DISCARD								
PN:FW86142	MOS	17-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAP067	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723181 NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 6 - DISCARD								
PN:FW86142	MOS	15-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAP075	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723182 NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 7 - DISCARD								
PN:FW86142	MOS	17-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAM043	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723182 NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 7 - DISCARD								
PN:FW86142	MOS	15-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAN034	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723183 NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 8 - DISCARD								
PN:FW86142	MOS	17-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAP029	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723183 NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 8 - DISCARD								
PN:FW86142	MOS	15-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAN199	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	

StatusReport(Life Limit & Overhaul Items Only)

Model: G650 Serial: 6160 RegNo: OK-EVO HRS: 3046.1 AFL: 1117 As Of: 23-Mar-2026

11-May-2026 07:15 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723184	NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 9 - DISCARD							Component	ATA:72
PN:FW86142	MOS	17-Nov-22		TSN 0				DISCARD	
SN:222977SAS183	HRS	0		TSN 0					
	ENC	0	5000	TSN 0	(5000) 5725		4608		
<hr/>									
723184	NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 9 - DISCARD							Component	ATA:72
PN:FW86142	MOS	15-Nov-22		TSN 0				DISCARD	
SN:222977SAS186	HRS	0		TSN 0					
	ENC	0	5000	TSN 0	(5000) 5725		4608		
<hr/>									
723185	NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 10 - DISCARD							Component	ATA:72
PN:FW86142	MOS	17-Nov-22		TSN 0				DISCARD	
SN:222977SAP050	HRS	0		TSN 0					
	ENC	0	5000	TSN 0	(5000) 5725		4608		
<hr/>									
723185	NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 10 - DISCARD							Component	ATA:72
PN:FW86142	MOS	15-Nov-22		TSN 0				DISCARD	
SN:222977SAP122	HRS	0		TSN 0					
	ENC	0	5000	TSN 0	(5000) 5725		4608		
<hr/>									
723186	NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 11 - DISCARD							Component	ATA:72
PN:FW86142	MOS	17-Nov-22		TSN 0				DISCARD	
SN:222977SAP121	HRS	0		TSN 0					
	ENC	0	5000	TSN 0	(5000) 5725		4608		

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723186 NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 11 - DISCARD								
PN:FW86142	MOS	15-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAS114	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723187 NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 12 - DISCARD								
PN:FW86142	MOS	17-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAS065	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723187 NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 12 - DISCARD								
PN:FW86142	MOS	15-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAN187	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723188 NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 13 - DISCARD								
PN:FW86142	MOS	17-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAS034	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723188 NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 13 - DISCARD								
PN:FW86142	MOS	15-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAP109	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723189 NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 14 - DISCARD								
PN:FW86142	MOS	17-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAP124	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723189 NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 14 - DISCARD								
PN:FW86142	MOS	15-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAS126	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723190 NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 15 - DISCARD								
PN:FW86142	MOS	17-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAN066	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723190 NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 15 - DISCARD								
PN:FW86142	MOS	15-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAN142	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723191 NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 16 - DISCARD								
PN:FW86142	MOS	17-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAS033	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723191 NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 16 - DISCARD								
PN:FW86142	MOS	15-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAS135	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723192 NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 17 - DISCARD								
PN:FW86142	MOS	17-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAN008	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723192 NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 17 - DISCARD								
PN:FW86142	MOS	15-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAN053	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723193 NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 18 - DISCARD								
PN:FW86142	MOS	17-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAP106	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723193 NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 18 - DISCARD								
PN:FW86142	MOS	15-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAP136	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723194 NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 19 - DISCARD								
PN:FW86142	MOS	17-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAN009	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723194 NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 19 - DISCARD								
PN:FW86142	MOS	15-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAP117	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723195 NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 20 - DISCARD								
PN:FW86142	MOS	17-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAP066	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723195 NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 20 - DISCARD								
PN:FW86142	MOS	15-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAP077	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723196 NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 21 - DISCARD								
PN:FW86142	MOS	17-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAN007	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

StatusReport(Life Limit & Overhaul Items Only)

Model: G650 Serial: 6160 RegNo: OK-EVO HRS: 3046.1 AFL: 1117 As Of: 23-Mar-2026

11-May-2026 07:15 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723196 NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 21 - DISCARD								
PN:FW86142	MOS	15-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAN045	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723197 NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 22 - DISCARD								
PN:FW86142	MOS	17-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAN071	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723197 NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 22 - DISCARD								
PN:FW86142	MOS	15-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAM048	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723198 NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 23 - DISCARD								
PN:FW86142	MOS	17-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAP060	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	
723198 NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 23 - DISCARD								
PN:FW86142	MOS	15-Nov-22		TSN 0				Component DISCARD ATA:72
SN:222977SAM053	HRS	0		TSN 0				
	ENC	0	5000	TSN 0	(5000) 5725		4608	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

StatusReport(Life Limit & Overhaul Items Only)

Model: G650 Serial: 6160 RegNo: OK-EVO HRS: 3046.1 AFL: 1117 As Of: 23-Mar-2026

11-May-2026 07:15 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723199	NO. 1 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 24 - DISCARD							Component	ATA:72
PN:FW86142	MOS	17-Nov-22		TSN 0				DISCARD	
SN:222977SAN043	HRS	0		TSN 0					
	ENC	0	5000	TSN 0	(5000) 5725		4608		
723199 NO. 2 ENGINE - LOW-PRESSURE COMPRESSOR (FAN) BLADE NO. 24 - DISCARD									
PN:FW86142	MOS	15-Nov-22		TSN 0				DISCARD	
SN:222977SAN185	HRS	0		TSN 0					
	ENC	0	5000	TSN 0	(5000) 5725		4608		
723212 NO. 1 ENGINE - FAN SHAFT - DISCARD									
PN:PN	MOS	17-Nov-22		TSN 0				DISCARD	
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0	5000	TSN 0	(5000) 5725		4608		
723212 NO. 2 ENGINE - FAN SHAFT - DISCARD									
PN:PN	MOS	15-Nov-22		TSN 0				DISCARD	
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0	5000	TSN 0	(5000) 5725		4608		
723214 NO. 1 ENGINE - INTERMEDIATE CASE - DISCARD									
PN:PN	MOS	17-Nov-22		TSN 0				DISCARD	
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15725		14608		

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

StatusReport(Life Limit & Overhaul Items Only)

Model: G650 Serial: 6160 RegNo: OK-EVO HRS: 3046.1 AFL: 1117 As Of: 23-Mar-2026

11-May-2026 07:15 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723214	NO. 2 ENGINE - INTERMEDIATE CASE - DISCARD							Component	ATA:72
PN:PN	MOS	15-Nov-22		TSN 0				DISCARD	
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15725		14608		
<hr/>									
723301	NO. 1 ENGINE - HP COMPRESSOR FRONT DRUM (STAGE 1 DISC, STAGES 2-6 BLISKS) - DISCARD							Component	ATA:72
PN:PN	MOS	17-Nov-22		TSN 0				DISCARD	
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10725		9608		
<hr/>									
723301	NO. 2 ENGINE - HP COMPRESSOR FRONT DRUM (STAGE 1 DISC, STAGES 2-6 BLISKS) - DISCARD							Component	ATA:72
PN:PN	MOS	15-Nov-22		TSN 0				DISCARD	
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10725		9608		
<hr/>									
723303	NO. 1 ENGINE - HP COMPRESSOR REAR DRUM (STAGES 7-10 DISCS) - DISCARD							Component	ATA:72
PN:PN	MOS	17-Nov-22		TSN 0				DISCARD	
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10725		9608		
<hr/>									
723303	NO. 2 ENGINE - HP COMPRESSOR REAR DRUM (STAGES 7-10 DISCS) - DISCARD							Component	ATA:72
PN:PN	MOS	15-Nov-22		TSN 0				DISCARD	
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10725		9608		

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

StatusReport(Life Limit & Overhaul Items Only)

Model: G650 Serial: 6160 RegNo: OK-EVO HRS: 3046.1 AFL: 1117 As Of: 23-Mar-2026

11-May-2026 07:15 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
724101	NO. 1 ENGINE - CURVIC RING - DISCARD							Component	ATA:72
PN:PN	MOS	17-Nov-22		TSN 0				DISCARD	
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10725		9608		
724101 NO. 2 ENGINE - CURVIC RING - DISCARD									
PN:PN	MOS	15-Nov-22		TSN 0				DISCARD	
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10725		9608		
724103 NO. 1 ENGINE - HP TURBINE STAGE 1 DISC - DISCARD									
PN:PN	MOS	17-Nov-22		TSN 0				DISCARD	
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0	5000	TSN 0	(5000) 5725		4608		
724103 NO. 2 ENGINE - HP TURBINE STAGE 1 DISC - DISCARD									
PN:PN	MOS	15-Nov-22		TSN 0				DISCARD	
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0	5000	TSN 0	(5000) 5725		4608		
724105 NO. 1 ENGINE - HP TURBINE STAGE 2 DISC - DISCARD									
PN:PN	MOS	17-Nov-22		TSN 0				DISCARD	
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0	5000	TSN 0	(5000) 5725		4608		

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

StatusReport(Life Limit & Overhaul Items Only)

Model: G650 Serial: 6160 RegNo: OK-EVO HRS: 3046.1 AFL: 1117 As Of: 23-Mar-2026

11-May-2026 07:15 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
724105	NO. 2 ENGINE - HP TURBINE STAGE 2 DISC - DISCARD							Component	ATA:72
PN:PN	MOS	15-Nov-22		TSN 0				DISCARD	
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0	5000	TSN 0	(5000) 5725		4608		
725101 NO. 1 ENGINE - LP TURBINE STAGE 1 DISC - DISCARD									
PN:PN	MOS	17-Nov-22		TSN 0				Component DISCARD	
SN:UNKNOWN	HRS	0		TSN 0				ATA:72	
	ENC	0	10000	TSN 0	(10000) 10725		9608		
725101 NO. 2 ENGINE - LP TURBINE STAGE 1 DISC - DISCARD									
PN:PN	MOS	15-Nov-22		TSN 0				Component DISCARD	
SN:UNKNOWN	HRS	0		TSN 0				ATA:72	
	ENC	0	10000	TSN 0	(10000) 10725		9608		
725103 NO. 1 ENGINE - LP TURBINE STAGE 2 DISC - DISCARD									
PN:PN	MOS	17-Nov-22		TSN 0				Component DISCARD	
SN:UNKNOWN	HRS	0		TSN 0				ATA:72	
	ENC	0	10000	TSN 0	(10000) 10725		9608		
725103 NO. 2 ENGINE - LP TURBINE STAGE 2 DISC - DISCARD									
PN:PN	MOS	15-Nov-22		TSN 0				Component DISCARD	
SN:UNKNOWN	HRS	0		TSN 0				ATA:72	
	ENC	0	10000	TSN 0	(10000) 10725		9608		

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

StatusReport(Life Limit & Overhaul Items Only)

Model: G650 Serial: 6160 RegNo: OK-EVO HRS: 3046.1 AFL: 1117 As Of: 23-Mar-2026

11-May-2026 07:15 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725105	NO. 1 ENGINE - LP TURBINE STAGE 3 DISC - DISCARD							Component	ATA:72
PN:PN	MOS	17-Nov-22		TSN 0				DISCARD	
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10725		9608		
725105	NO. 2 ENGINE - LP TURBINE STAGE 3 DISC - DISCARD							Component	ATA:72
PN:PN	MOS	15-Nov-22		TSN 0				DISCARD	
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10725		9608		
725107	NO. 1 ENGINE - LP TURBINE SHAFT - DISCARD							Component	ATA:72
PN:PN	MOS	17-Nov-22		TSN 0				DISCARD	
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0	5000	TSN 0	(5000) 5725		4608		
725107	NO. 2 ENGINE - LP TURBINE SHAFT - DISCARD							Component	ATA:72
PN:PN	MOS	15-Nov-22		TSN 0				DISCARD	
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0	5000	TSN 0	(5000) 5725		4608		

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

StatusReport(Life Limit & Overhaul Items Only)

Model: G650 Serial: 6160 RegNo: OK-EVO HRS: 3046.1 AFL: 1117 As Of: 23-Mar-2026

11-May-2026 07:15 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
792106	NO. 1 ENGINE - OIL SYSTEM PRESSURE FILTER ELEMENT - DISCARD							Component	ATA:79
PN:PN	MOS	17-Nov-22		TSN 0				DISCARD	
SN:UNKNOWN	HRS	0	1200 (+50/-50)	TSN 0	(1200) 3251.7	1250	205.6 (+50)		
	ENC	0		TSN 0					
792106	NO. 2 ENGINE - OIL SYSTEM PRESSURE FILTER ELEMENT - DISCARD							Component	ATA:79
PN:PN	MOS	15-Nov-22		TSN 0				DISCARD	
SN:UNKNOWN	HRS	0	1200 (+50/-50)	TSN 0	(1200) 3251.7	1250	205.6 (+50)		
	ENC	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task