



StatusReport(Life Limit & Overhaul Items Only)

560XL - CITATION XL (MSG)

S/N 560XL-5230 OK-HAR

OWNER: AEROPARTNER A.S.
ADDRESS: K LETISTI / HANGAR C PRAGUE 161 00
OFFICE:
FAX:

OPERATOR: AEROPARTNER A.S.
ADDRESS: K LETISTI / HANGAR C PRAGUE 161 00
OFFICE:
FAX:

ANALYST: GUILLAUME DUCLOS
EMAIL: GUILLAUME.DUCLOS@CAMPSYSTEMS.EU

+33-1.55.93.45.84 (DIRECT)
+33-1.55.93.45.80 (MAIN)
WWW.CAMPSYSTEMS.COM

PLEASE REACH OUT TO YOUR ANALYST TO RECORD CHANGES TO ADDRESS, LAST ACTUALS (IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT SERIAL/REGNO: 560XL-5230/OK-HAR MODEL: 560XL - CITATION XL (MSG) MANUFACTURER: TEXTRON AVIATION INC.

CERTIFICATION DATE: 17-FEB-2002

LAST ACTUALS:
9055:06 A/C HRS as of 05-MAY-2026
7284 AFL as of 05-MAY-2026
3985:30 APH as of 30-APR-2026
7418 APS as of 30-APR-2026

APU SERIAL/PART: P-268/3800722-1 MODEL: RE100 (XL) MANUFACTURER: HONEYWELL

INSTALLED ON: 07-AUG-2009

0 APU HRS 2216 A/C HRS
0 APUS

LAST ACTUALS:
3985:30 APU HRS as of 30-APR-2026
7418 APUS as of 30-APR-2026

ENGINE NO. 1 SERIAL/PART: PCE-DB0473/31J1900-01 MODEL: PW545A MANUFACTURER: PRATT & WHITNEY CANADA CORP.

INSTALLED ON: 17-FEB-2002

17 ENG. HRS 17 A/C HRS
ENC

LAST ACTUALS:
9001:44 ENG. HRS as of 05-MAY-2026
7242 ENC as of 05-MAY-2026

ENGINE NO. 2 SERIAL/PART: PCE-DB0472/31J1900-01 MODEL: PW545A MANUFACTURER: PRATT & WHITNEY CANADA CORP.

INSTALLED ON: 17-FEB-2002

17 ENG. HRS 17 A/C HRS
ENC

LAST ACTUALS:
9055:06 ENG. HRS as of 05-MAY-2026
7284 ENC as of 05-MAY-2026



# StatusReport(Life Limit & Overhaul Items Only)

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As Of: 05-May-2026

05-May-2026 04:30 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition	
<b>ATA 23 - COMMUNICATIONS</b>									
23-70-00-9600	DK120 OR DK120/90 COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON BATTERY DISCARD							Component	ATA:23
PN:DK120/90	MOS/MSC	29-Nov-24	DUE	TSN 0	01-Sep-31 (M)		1945 d	DISCARD	
SN:AT208464	HRS	8500:45		TSN 0					
WC#: 23.210	AFL	6890		TSN 0					
Expiry Date: : 01-Sep-31									
PROC. REF: AMM 23-70-00PROC. REF: AMM 23-70-00									
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 1							Component	ATA:25
PN:P01074-207	MOS	21-Sep-23	120	TSN 0	01-Jun-33 (M)		2584 d	RESTORE	
SN:N/A	HRS	8033:12							
WC#: 25.260	AFL	6602							
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00									
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 10							Component	ATA:25
PN:P01074-207	MOS	21-Sep-23	120	TSN 0	01-Jun-33 (M)		2584 d	RESTORE	
SN:N/A	HRS	8033:12							
WC#: 25.260	AFL	6602							
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00									
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 2							Component	ATA:25
PN:P01074-207	MOS	21-Sep-23	120	TSN 0	01-Jun-33 (M)		2584 d	RESTORE	
SN:N/A	HRS	8033:12							
WC#: 25.260	AFL	6602							
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00									
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 3							Component	ATA:25
PN:P01074-207	MOS	21-Sep-23	120	TSN 0	01-Jun-33 (M)		2584 d	RESTORE	
SN:N/A	HRS	8033:12							
WC#: 25.260	AFL	6602							
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00									

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



## StatusReport(Life Limit & Overhaul Items Only)

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As  
Of: 05-May-2026

05-May-2026 04:30 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 4							Component	ATA:25
PN:P01074-207	MOS	21-Sep-23	120	TSN 0	01-Jun-33 (M)		2584 d	RESTORE	
SN:N/A	HRS	8033:12							
WC#: 25.260	AFL	6602							
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00									
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 5							Component	ATA:25
PN:P01074-207	MOS	21-Sep-23	120	TSN 0	01-Jun-33 (M)		2584 d	RESTORE	
SN:UNKNOWN	HRS	8033:12		TSN 0					
WC#: 25.260	AFL	6602		TSN 0					
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00									
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 6							Component	ATA:25
PN:P01074-207	MOS	21-Sep-23	120	TSN 0	01-Jun-33 (M)		2584 d	RESTORE	
SN:N/A	HRS	8033:12							
WC#: 25.260	AFL	6602							
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00									
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 7							Component	ATA:25
PN:P01074-207	MOS	21-Sep-23	120	TSN 0	01-Jun-33 (M)		2584 d	RESTORE	
SN:UNKNOWN	HRS	8033:12		TSN 0					
WC#: 25.260	AFL	6602		TSN 0					
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00									
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 8							Component	ATA:25
PN:P01074-207	MOS	21-Sep-23	120	TSN 0	01-Jun-33 (M)		2584 d	RESTORE	
SN:N/A	HRS	8033:12							
WC#: 25.260	AFL	6602							
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00									
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 9							Component	ATA:25
PN:P01074-207	MOS	21-Sep-23	120	TSN 0	01-Jun-33 (M)		2584 d	RESTORE	
SN:N/A	HRS	8033:12							
WC#: 25.260	AFL	6602							
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00									

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



## StatusReport(Life Limit & Overhaul Items Only)

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As  
Of: 05-May-2026

05-May-2026 04:30 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
25-60-10-9600	EMERGENCY LOCATOR TRANSMITTER BATTERY DISCARD							Component	ATA:25
PN:452-0133	MOS	30-Apr-26	60 (+1m/-1m)	TSN 0	30-Apr-31	31-May-31	1821 d (+31)	DISCARD	
SN:1023942-036	HRS	9045:31		TSN 0					
WC#: 25.020	AFL	7280		TSN 0					
PROC. REF: AMM 25-60-10PROC. REF: AMM 25-60-10									
<b>ATA 26 - FIRE PROTECTION</b>									
26-21-01-9600.1	13083-5 AFT ENGINE FIRE EXTINGUISHER AFT CARTRIDGE SQUIB DISCARD - SERVICE LIFE							Service	ATA:26
PN:13083-5	MOS	07-Feb-26	72 (+1m/-1m)		29-Feb-32	07-Mar-32	2126 d (+7)	SERVICE LIFE LIMIT	
SN:NSN	HRS	9009:21							
	AFL	7262							
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01									
26-21-01-9600.1	13083-5 AFT ENGINE FIRE EXTINGUISHER FORWARD CARTRIDGE SQUIB DISCARD - SERVICE LIFE							Service	ATA:26
PN:13083-5	MOS	07-Feb-26	72 (+1m/-1m)		29-Feb-32	07-Mar-32	2126 d (+7)	SERVICE LIFE LIMIT	
SN:NSN	HRS	9009:21							
	AFL	7262							
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01									
26-21-01-9600.1	13083-5 FORWARD ENGINE FIRE EXTINGUISHER AFT CARTRIDGE SQUIB DISCARD - SERVICE LIFE							Service	ATA:26
PN:13083-5	MOS	30-Apr-26	72 (+1m/-1m)		30-Apr-32	31-May-32	2187 d (+31)	SERVICE LIFE LIMIT	
SN:ESD26B056-001	HRS	9045:31							
	AFL	7280							
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01									
26-21-01-9600.1	13083-5 FORWARD ENGINE FIRE EXTINGUISHER FORWARD CARTRIDGE SQUIB DISCARD - SERVICE LIFE							Service	ATA:26
PN:13083-5	MOS	30-Apr-26	72 (+1m/-1m)		30-Apr-32	31-May-32	2187 d (+31)	SERVICE LIFE LIMIT	
SN:ESD26B056-001	HRS	9045:31							
	AFL	7280							
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01									

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



## StatusReport(Life Limit & Overhaul Items Only)

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As  
Of: 05-May-2026

05-May-2026 04:30 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition
<b>ATA 26 - FIRE PROTECTION</b>								
<b>26-21-01-9601 13083-5 AUXILIARY POWER UNIT FIRE EXTINGUISHER CARTRIDGE SQUIB DISCARD - TOTAL LIFE</b> <span style="float: right;">Service ATA:26</span>								
PN:13083-5	MOS	31-Jan-23	108 (+1m/-1m)		31-Jan-32	29-Feb-32	2097 d (+29)	LIFE LIMIT
SN:ESD22K882-001	HRS							
	AFL							
Manufacture Date:: 31-Jan-23								
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
<b>26-21-01-9601.1 13083-5 AUXILIARY POWER UNIT FIRE EXTINGUISHER CARTRIDGE SQUIB DISCARD - SERVICE LIFE</b> <span style="float: right;">Service ATA:26</span>								
PN:13083-5	MOS	31-Jan-23	72 (+1m/-1m)		31-Jan-29	28-Feb-29	1002 d (+28)	SERVICE LIFE LIMIT
SN:ESD22K882-001	HRS	7738:49						
	AFL	6374						
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
<b>263004 AUXILIARY POWER UNIT FIRE EXTINGUISHER CARTRIDGE SQUIB</b> <span style="float: right;">Component ATA:26</span>								
PN:13083-5	MOS	31-Jan-23	108	TSN 0, TSO 0	31-Oct-31		2005 d	LIFE LIMIT
SN:ESD22K882-001	HRS	7738:49						
WC#: 26.050	AFL	6374						
Manufacture Date:: 31-Oct-22								
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								
<b>263006 FORWARD ENGINE FIRE EXTINGUISHER FORWARD CARTRIDGE SQUIB</b> <span style="float: right;">Component ATA:26</span>								
PN:13083-5	MOS	30-Apr-26	108	TSN 0	28-Feb-35		3221 d	LIFE LIMIT
SN:ESD26B056-001	HRS	9045:31		TSN 0				
WC#: 26.030	AFL	7280		TSN 0				
Manufacture Date:: 01-Feb-26								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>263008 FORWARD ENGINE FIRE EXTINGUISHER AFT CARTRIDGE SQUIB</b> <span style="float: right;">Component ATA:26</span>								
PN:13083-5	MOS	30-Apr-26	108	TSN 2	28-Feb-35		3221 d	LIFE LIMIT
SN:ESD26B056-001	HRS	9045:31		TSN 0				
WC#: 26.030	AFL	7280		TSN 0				
Manufacture Date:: 01-Feb-26								
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



## StatusReport(Life Limit & Overhaul Items Only)

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As  
Of: 05-May-2026

05-May-2026 04:30 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
263010	AFT ENGINE FIRE EXTINGUISHER FORWARD CARTRIDGE SQUIB							Component	ATA:26
PN:13083-5	MOS	07-Feb-26	108	TSN 12	28-Feb-34		2856 d	LIFE LIMIT	
SN:NSN	HRS	9009:21		TSN 0					
WC#: 26.040	AFL	7262		TSN 0					
Manufacture Date:: 28-Feb-25									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
263012	AFT ENGINE FIRE EXTINGUISHER AFT CARTRIDGE SQUIB							Component	ATA:26
PN:13083-5	MOS	07-Feb-26	108	TSN 12	28-Feb-34		2856 d	LIFE LIMIT	
SN:NSN	HRS	9009:21		TSN 0					
WC#: 26.040	AFL	7262		TSN 0					
Manufacture Date:: 28-Feb-25									
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01									
<hr/>									
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>									
31-30-04-9600	DK120 OR DK120/90 FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON BATTERY DISCARD							Component	ATA:31
PN:DK120/90	MOS	29-Nov-24	72 (+1m/-1m)	TSN 0, Adj 2d	31-Dec-30	01-Jan-31	1701 d (+1)	DISCARD	
SN:AT208463	HRS	8500:45		TSN 0					
WC#: 31.100	AFL	6890		TSN 0					
PROC. REF: AMM 31-30-04PROC. REF: AMM 31-30-04									
<hr/>									
<b>ATA 32 - LANDING GEAR</b>									
32-10-00-9601	LEFT MAIN LANDING GEAR TRUNNION SUBASSEMBLY DISCARD							Component	ATA:32
PN:6641630-41	MOS	29-Nov-24		TSN 0				LIFE LIMIT	
SN:34060613	HRS	8500:45		TSN 0					
WC#: 32.030	AFL	6890	6900	TSN 0	13790		6506		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
<hr/>									
32-10-00-9601	RIGHT MAIN LANDING GEAR TRUNNION SUBASSEMBLY DISCARD							Component	ATA:32
PN:6641630-42	MOS	29-Nov-24		TSN 0				LIFE LIMIT	
SN:34173426	HRS	8500:45		TSN 0					
WC#: 32.030	AFL	6890	6900	TSN 0	13790		6506		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



## StatusReport(Life Limit & Overhaul Items Only)

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As  
Of: 05-May-2026

05-May-2026 04:30 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
32-10-00-9602	LEFT MAIN LANDING GEAR TRAILING LINK ASSEMBLY DISCARD							Component	ATA:32
PN:6641648-15	MOS	17-Feb-02						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.120	AFL	0	40300	TSN 12	40288		33004		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
32-10-00-9602	RIGHT MAIN LANDING GEAR TRAILING LINK ASSEMBLY DISCARD							Component	ATA:32
PN:6641648-14	MOS	02-Apr-19		TSR 0				LIFE LIMIT	
SN:N/A	HRS	5066:42		TSR 0					
WC#: 32.120	AFL	4739	40300	TSN 4739, TSR 0	40300		33016		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
32-10-00-9603	LEFT MAIN LANDING GEAR TRAILING LINK SPACER DISCARD							Component	ATA:32
PN:6641533-1	MOS	17-Feb-02						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.050	AFL	0	33300	TSN 12	33288		26004		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
32-10-00-9603	RIGHT MAIN LANDING GEAR TRAILING LINK SPACER DISCARD							Component	ATA:32
PN:6641533-1	MOS	17-Feb-02						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.050	AFL	0	33300	TSN 0	33300		26016		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
32-10-00-9604	LEFT (EXCEPT UPPER CAP) MAIN LANDING GEAR OLEO ASSEMBLY DISCARD							Component	ATA:32
PN:6641615-4	MOS	17-Feb-02						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.040	AFL	0	38000	TSN 3101, Adj 12	34911		27627		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
32-10-00-9604	RIGHT (EXCEPT UPPER CAP) MAIN LANDING GEAR OLEO ASSEMBLY DISCARD							Component	ATA:32
PN:6641615-6	MOS	14-Sep-07						LIFE LIMIT	
SN:081607	HRS	3313							
WC#: 32.040	AFL	3323	38000	TSN 0	41323		34039		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



## StatusReport(Life Limit & Overhaul Items Only)

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As  
Of: 05-May-2026

05-May-2026 04:30 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>32-10-00-9604.1 LEFT UPPER CAP MAIN LANDING GEAR OLEO ASSEMBLY DISCARD</b>								
PN:6641616-4	MOS	16-Oct-15		TSN 0				Component ATA:32 LIFE LIMIT
SN:NOSN	HRS	4863:02		TSN 0				
WC#: 32.060	AFL	4570	14900	TSN 0	19470		12186	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
<b>32-10-00-9604.1 RIGHT UPPER CAP MAIN LANDING GEAR OLEO ASSEMBLY DISCARD</b>								
PN:6641616-4	MOS	14-Sep-07		TSN 0				Component ATA:32 LIFE LIMIT
SN:UNKN	HRS	3313		TSN 0				
WC#: 32.060	AFL	3323	14900	TSN 0	18223		10939	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
<b>32-10-00-9605 LEFT MAIN LANDING GEAR ACTUATOR ASSEMBLY DISCARD</b>								
PN:9912537-5	MOS	06-Apr-23						Component ATA:32 LIFE LIMIT
SN:1970	HRS	7794:51						
WC#: 32.180	AFL	6421	70200	TSO 318	76303 (M)		69019	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
<b>32-10-00-9605 RIGHT MAIN LANDING GEAR ACTUATOR ASSEMBLY DISCARD</b>								
PN:1550000-4	MOS	17-Feb-02						Component ATA:32 LIFE LIMIT
SN:499	HRS	0						
WC#: 32.180	AFL	0	70200	TSN 0	70200		62916	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								
<b>32-20-00-9600 NOSE LANDING GEAR ASSEMBLY DISCARD</b>								
PN:6642614-1	MOS	17-Feb-02						Component ATA:32 LIFE LIMIT
SN:23	HRS	0						
WC#: 32.130	AFL	0	33300	TSN 12	33288		26004	
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								
<b>32-20-00-9601 NOSE LANDING GEAR ACTUATOR DISCARD</b>								
PN:9912491-6	MOS	09-Sep-25						Component ATA:32 LIFE LIMIT
SN:UNKNOWN	HRS	8875:18						
WC#: 32.190	AFL	7163	33300	TSN 5719	34744		27460	
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



## StatusReport(Life Limit & Overhaul Items Only)

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As  
Of: 05-May-2026

05-May-2026 04:30 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
32-30-09-9600		EMERGENCY GEAR EXTENSION / BRAKE PNEUMATIC STORAGE BOTTLE ASSEMBLY DISCARD					Component	ATA:32	
PN:40005347-3 - 9912505-2	MOS	02-Oct-24	288		31-Jan-30		1367 d	LIFE LIMIT	
SN:4755	HRS	8488							
WC#: 32.230	AFL	6881							
Manufacture Date:: 31-Jan-06									
PROC. REF: AMM 32-30-09PROC. REF: AMM 32-30-09									
<b>ATA 35 - OXYGEN</b>									
35-10-00-9600		MC10-16-150, MC10-16-100, OR MLD20-505 COPILOT CREW MASK (ACCOMPLISH SUPPLIER TESTING AND FAULT ISOLATION TASK) RESTORATION					Service	ATA:35	
PN:MC10-16-100	MOS	27-Oct-20	72 (+1m/-1m)		31-Oct-26 (M)	30-Nov-26	179 d (+30)	OVERHAUL	
SN:98728	HRS	5954:16							
	AFL	5277							
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00									
35-10-00-9600		MC10-16-150, MC10-16-100, OR MLD20-505 PILOT CREW MASK (ACCOMPLISH SUPPLIER TESTING AND FAULT ISOLATION TASK) RESTORATION					Service	ATA:35	
PN:MC10-16-100	MOS	29-Nov-24	72 (+1m/-1m)		31-Oct-30 (M)	30-Nov-30	1640 d (+30)	OVERHAUL	
SN:65775	HRS	8500:45							
	AFL	6890							
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00									
35-90-00-9600		OXYGEN BOTTLE ASSEMBLY (DISCARD)					Component	ATA:35	
PN:804882-14	MOS	24-Sep-25	180	TSN 7	29-Feb-40		5048 d	LIFE LIMIT	
SN:C10090775	HRS	8891:48							
WC#: 35.010	AFL	7179							
Manufacture Date:: 28-Feb-25									
PROC. REF: AMM 35-90-00PROC. REF: AMM 35-90-00									

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



## StatusReport(Life Limit & Overhaul Items Only)

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As  
Of: 05-May-2026

05-May-2026 04:30 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition	
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>									
054906 U	APU - REPLACE FUEL NOZZLE ASSEMBLY							Service	ATA:49
	MOS		07-Aug-09					LIFE LIMIT	
	HRS		2216						
WC#: 49.070	APUS		3979	4000	7979		561		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>49-00-00-9600 APU - COMPRESSOR ROTOR DISCARD</b>									
PN:3822523-003	MOS		07-Aug-09					Component LIFE LIMIT	
SN:010350102204	HRS		2216	TSN 0					
WC#: 49.040	APUS		3979	12000	TSN 3979	12000	4582		
PROC. REF: AMM 49-00-00PROC. REF: AMM 49-00-00									
<b>49-00-00-9601 APU - TURBINE ROTOR DISCARD</b>									
PN:3842340-2	MOS		07-Aug-09					Component LIFE LIMIT	
SN:09-156101-01067	HRS		2216	TSN 0					
WC#: 49.050	APUS		3979	4000	TSN 0	7979	561		
PROC. REF: AMM 49-00-00PROC. REF: AMM 49-00-00									
<b>ATA 53 - FUSELAGE</b>									
<b>53-00-00-9600 LEFT NOSE LANDING GEAR TRUNNION SUPPORT ASSEMBLY DISCARD</b>									
PN:6613020-55	MOS		17-Feb-02					Component LIFE LIMIT	
SN:UNKNOWN	HRS		0						
WC#: 53.090	AFL		0	25500	TSN 0	25500	18216		
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00									
<b>53-00-00-9600 RIGHT NOSE LANDING GEAR TRUNNION SUPPORT ASSEMBLY DISCARD</b>									
PN:6613020-56	MOS		17-Feb-02					Component LIFE LIMIT	
SN:UNKNOWN	HRS		0						
WC#: 53.090	AFL		0	25500	TSN 0	25500	18216		
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00									
<b>53-00-00-9601 NOSE LANDING GEAR ACTUATOR FITTING ASSEMBLY DISCARD</b>									
PN:6211190-41	MOS		17-Feb-02					Component LIFE LIMIT	
SN:UNKNOWN	HRS		0						
WC#: 53.100	AFL		0	25500	TSN 0	25500	18216		

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



## StatusReport(Life Limit & Overhaul Items Only)

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As  
Of: 05-May-2026

05-May-2026 04:30 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition	
ATA 53 - FUSELAGE									
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00									
ATA 57 - WINGS									
57-10-00-9600	LEFT MAIN LANDING GEAR FORWARD TRUNNION FITTING DISCARD							Component	ATA:57
PN:6622123-1	MOS		17-Feb-02					LIFE LIMIT	
SN:UNKNOWN	HRS		0						
WC#: 57.070	AFL	0	23800	TSN 0	23800		16516		
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									
57-10-00-9600	RIGHT MAIN LANDING GEAR FORWARD TRUNNION FITTING DISCARD							Component	ATA:57
PN:6622123-2	MOS		17-Feb-02					LIFE LIMIT	
SN:UNKNOWN	HRS		0						
WC#: 57.070	AFL	0	23800	TSN 0	23800		16516		
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									
57-10-00-9601	LEFT MAIN LANDING GEAR AFT TRUNNION FITTING DISCARD							Component	ATA:57
PN:6622124-1	MOS		17-Feb-02					LIFE LIMIT	
SN:UNKNOWN	HRS		0						
WC#: 57.060	AFL	0	23800	TSN 12	23788		16504		
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									
57-10-00-9601	RIGHT MAIN LANDING GEAR AFT TRUNNION FITTING DISCARD							Component	ATA:57
PN:6622124-2	MOS		17-Feb-02					LIFE LIMIT	
SN:UNKNOWN	HRS		0						
WC#: 57.060	AFL	0	23800	TSN 0	23800		16516		
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									
57-10-00-9602	LEFT MAIN LANDING GEAR ACTUATOR FITTING DISCARD							Component	ATA:57
PN:6621125-5	MOS		17-Feb-02					LIFE LIMIT	
SN:UNKNOWN	HRS		0						
WC#: 57.120	AFL	0	23800	TSN 0	23800		16516		
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



## StatusReport(Life Limit & Overhaul Items Only)

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As  
Of: 05-May-2026

05-May-2026 04:30 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition	
ATA 57 - WINGS									
57-10-00-9602	RIGHT MAIN LANDING GEAR ACTUATOR FITTING DISCARD							Component	ATA:57
PN:6621125-6	MOS	17-Feb-02						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 57.120	AFL	0	23800	TSN 0	23800		16516		
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									
57-50-04-9600	LEFT WING LEFT INBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component	ATA:57
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT	
SN:UNKNOWN	HRS	5416							
WC#: 27.130	AFL	4960	5000	TSN 0	9960		2676		
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04									
57-50-04-9600	LEFT WING LEFT OUTBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component	ATA:57
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT	
SN:UNKNOWN	HRS	5416							
WC#: 27.130	AFL	4960	5000	TSN 0	9960		2676		
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04									
57-50-04-9600	LEFT WING RIGHT INBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component	ATA:57
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT	
SN:UNKNOWN	HRS	5416							
WC#: 27.140	AFL	4960	5000	TSN 0	9960		2676		
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04									
57-50-04-9600	LEFT WING RIGHT OUTBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component	ATA:57
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT	
SN:UNKNOWN	HRS	5416							
WC#: 27.140	AFL	4960	5000	TSN 0	9960		2676		
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04									
57-50-04-9600	RIGHT WING LEFT INBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component	ATA:57
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT	
SN:UNKNOWN	HRS	5416							
WC#: 27.150	AFL	4960	5000	TSN 0	9960		2676		
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04									

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



## StatusReport(Life Limit & Overhaul Items Only)

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As  
Of: 05-May-2026

05-May-2026 04:30 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition
<b>ATA 57 - WINGS</b>								
<b>57-50-04-9600 RIGHT WING LEFT OUTBOARD AFT FLAP ROLLER DISCARD (S3049-5F8) Component ATA:57</b>								
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT
SN:UNKNOWN	HRS	5416						
WC#: 27.150	AFL	4960	5000	TSN 0	9960		2676	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
<b>57-50-04-9600 RIGHT WING RIGHT INBOARD AFT FLAP ROLLER DISCARD (S3049-5F8) Component ATA:57</b>								
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT
SN:UNKNOWN	HRS	5416						
WC#: 27.160	AFL	4960	5000	TSN 0	9960		2676	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
<b>57-50-04-9600 RIGHT WING RIGHT OUTBOARD AFT FLAP ROLLER DISCARD (S3049-5F8) Component ATA:57</b>								
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT
SN:UNKNOWN	HRS	5416						
WC#: 27.160	AFL	4960	5000	TSN 0	9960		2676	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
<b>57-50-04-9600.1 LEFT WING LEFT INBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8) Component ATA:57</b>								
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT
SN:UNKNOWN	HRS	5416						
WC#: 27.280	AFL	4960	5000	TSN 0	9960		2676	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
<b>57-50-04-9600.1 LEFT WING LEFT OUTBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8) Component ATA:57</b>								
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT
SN:UNKNOWN	HRS	5416						
WC#: 27.280	AFL	4960	5000	TSN 0	9960		2676	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
<b>57-50-04-9600.1 LEFT WING RIGHT INBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8) Component ATA:57</b>								
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT
SN:UNKNOWN	HRS	5416						
WC#: 27.290	AFL	4960	5000	TSN 0	9960		2676	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



## StatusReport(Life Limit & Overhaul Items Only)

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As  
Of: 05-May-2026

05-May-2026 04:30 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition
<b>ATA 57 - WINGS</b>								
57-50-04-9600.1 LEFT WING RIGHT OUTBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)								Component ATA:57
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT
SN:UNKNOWN	HRS	5416						
WC#: 27.290	AFL	4960	5000	TSN 0	9960		2676	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
<hr/>								
57-50-04-9600.1 RIGHT WING LEFT INBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)								Component ATA:57
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT
SN:UNKNOWN	HRS	5416						
WC#: 27.300	AFL	4960	5000	TSN 0	9960		2676	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
<hr/>								
57-50-04-9600.1 RIGHT WING LEFT OUTBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)								Component ATA:57
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT
SN:UNKNOWN	HRS	5416						
WC#: 27.300	AFL	4960	5000	TSN 0	9960		2676	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
<hr/>								
57-50-04-9600.1 RIGHT WING RIGHT INBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)								Component ATA:57
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT
SN:UNKNOWN	HRS	5416						
WC#: 27.310	AFL	4960	5000	TSN 0	9960		2676	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
<hr/>								
57-50-04-9600.1 RIGHT WING RIGHT OUTBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)								Component ATA:57
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT
SN:UNKNOWN	HRS	5416						
WC#: 27.310	AFL	4960	5000	TSN 0	9960		2676	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04								
<hr/>								
<b>ATA 71 - POWER PLANT</b>								
71-22-00-9600 LEFT AFT ENGINE ISOLATOR MOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHING FUNCTIONAL CHECK) RESTORATION								Component ATA:71
PN:LM451-SA2	MOS	17-Feb-02						ENGINE OVERHAUL
SN:LK0506	HRS	0	10000	TSN 0, Adj 17	10017		961:54	

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



## StatusReport(Life Limit & Overhaul Items Only)

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As  
Of: 05-May-2026

05-May-2026 04:30 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition	
ATA 71 - POWER PLANT									
WC#: 71.010	AFL	0		TSN 0					
PROC. REF: AMM 71-22-00PROC. REF: AMM 71-22-00									
<hr/>									
71-22-00-9600	LEFT BOTTOM FORWARD ENGINE ISOLATOR MOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHING FUNCTIONAL CHECK) RESTORATION							Component	ATA:71
PN:LM451-SA4	MOS	17-Feb-02						ENGINE OVERHAUL	
SN:LKO998	HRS	0	10000	TSN 0, Adj 17	10017		961:54		
WC#: 71.030	AFL	0		TSN 0					
PROC. REF: AMM 71-22-00PROC. REF: AMM 71-22-00									
<hr/>									
71-22-00-9600	LEFT UPPER FORWARD ENGINE ISOLATOR MOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHING FUNCTIONAL CHECK) RESTORATION							Component	ATA:71
PN:LM451-SA4	MOS	17-Feb-02						ENGINE OVERHAUL	
SN:LKO952	HRS	0	10000	TSN 0, Adj 17	10017		961:54		
WC#: 71.020	AFL	0		TSN 0					
PROC. REF: AMM 71-22-00PROC. REF: AMM 71-22-00									
<hr/>									
71-22-00-9600	RIGHT AFT ENGINE ISOLATOR MOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHING FUNCTIONAL CHECK) RESTORATION							Component	ATA:71
PN:LM451-SA2	MOS	17-Feb-02						ENGINE OVERHAUL	
SN:LK0491	HRS	0	10000	TSN 0, Adj 17	10017		961:54		
WC#: 71.010	AFL	0		TSN 0					
PROC. REF: AMM 71-22-00PROC. REF: AMM 71-22-00									
<hr/>									
71-22-00-9600	RIGHT BOTTOM FORWARD ENGINE ISOLATOR MOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHING FUNCTIONAL CHECK) RESTORATION							Component	ATA:71
PN:LM451-SA4	MOS	17-Feb-02						ENGINE OVERHAUL	
SN:LK1013	HRS	0	10000	TSN 0, Adj 17	10017		961:54		
WC#: 71.030	AFL	0		TSN 0					
PROC. REF: AMM 71-22-00PROC. REF: AMM 71-22-00									
<hr/>									
71-22-00-9600	RIGHT UPPER FORWARD ENGINE ISOLATOR MOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHING FUNCTIONAL CHECK) RESTORATION							Component	ATA:71
PN:LM451-SA4	MOS	17-Feb-02						ENGINE OVERHAUL	
SN:LKO992	HRS	0	10000	TSN 0, Adj 17	10017		961:54		
WC#: 71.020	AFL	0		TSN 0					
PROC. REF: AMM 71-22-00PROC. REF: AMM 71-22-00									

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



## StatusReport(Life Limit & Overhaul Items Only)

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As  
Of: 05-May-2026

05-May-2026 04:30 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition	
ATA 71 - POWER PLANT									
ATA 72 - ENGINE									
723010	NO. 1 ENGINE - LP COMPRESSOR FAN ROTOR							Component	ATA:72
PN:30J2091-01	MOS		17-Feb-02					LIFE LIMIT	
SN:A0010P1W	HRS		0						
	ENC	0		TSN 0, Adj -10	(15000) 15042 (M)		7758		
	ACCCYC	0	15000	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723010	NO. 2 ENGINE - LP COMPRESSOR FAN ROTOR							Component	ATA:72
PN:30J2091-01	MOS		17-Feb-02					LIFE LIMIT	
SN:A0010M7D	HRS		0						
	ENC	0		TSN 0, Adj -10	(15000) 15000 (M)		7716		
	ACCCYC	0	15000	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723020	NO. 1 ENGINE - LP COMPRESSOR BOOST ROTOR							Component	ATA:72
PN:30J2210-01	MOS		17-Feb-02					LIFE LIMIT	
SN:A0010Y04	HRS		0						
	ENC	0		TSN 0, Adj -10	(13500) 13542 (M)		6258		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723020	NO. 2 ENGINE - LP COMPRESSOR BOOST ROTOR							Component	ATA:72
PN:30J2210-01	MOS		17-Feb-02					LIFE LIMIT	
SN:A0010Y01	HRS		0						
	ENC	0		TSN 0, Adj -10	(13500) 13500 (M)		6216		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



## StatusReport(Life Limit & Overhaul Items Only)

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As  
Of: 05-May-2026

05-May-2026 04:30 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition	
<b>ATA 72 - ENGINE</b>									
723025	<b>NO. 1 ENGINE - LP COMPRESSOR SHAFT</b>							Component	ATA:72
PN:PN	MOS/MSC	17-Feb-02	H/T	TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
723025	<b>NO. 2 ENGINE - LP COMPRESSOR SHAFT</b>							Component	ATA:72
PN:PN	MOS/MSC	17-Feb-02	H/T	TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
723030	<b>NO. 1 ENGINE - 1ST STAGE HP COMPRESSOR ROTOR</b>							Component	ATA:72
PN:30J2081-01	MOS	17-Feb-02						LIFE LIMIT	
SN:A0010AE8	HRS	0							
	ENC	0		TSN 0, Adj -10	(13500) 13542 (M)		6258		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
723030	<b>NO. 2 ENGINE - 1ST STAGE HP COMPRESSOR ROTOR</b>							Component	ATA:72
PN:30J2081-01	MOS	17-Feb-02						LIFE LIMIT	
SN:A0010AEB	HRS	0							
	ENC	0		TSN 0, Adj -10	(13500) 13500 (M)		6216		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
723040	<b>NO. 1 ENGINE - 2ND STAGE HP COMPRESSOR ROTOR</b>							Component	ATA:72
PN:30J2122-01	MOS	17-Feb-02						LIFE LIMIT	
SN:A0010E8L	HRS	0							
	ENC	0		TSN 0, Adj -10	(13500) 13542 (M)		6258		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



## StatusReport(Life Limit & Overhaul Items Only)

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As  
Of: 05-May-2026

05-May-2026 04:30 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition	
<b>ATA 72 - ENGINE</b>									
<b>723040</b>	<b>NO. 2 ENGINE - 2ND STAGE HP COMPRESSOR ROTOR</b>							<b>Component</b>	<b>ATA:72</b>
PN:30J2122-01	MOS	17-Feb-02						LIFE LIMIT	
SN:A0010E8N	HRS	0							
	ENC	0		TSN 0, Adj -10	(13500) 13500 (M)		6216		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
<b>723060</b>	<b>NO. 1 ENGINE - CENTRIFUGAL IMPELLER</b>							<b>Component</b>	<b>ATA:72</b>
PN:30J1450-01	MOS	17-Feb-02						LIFE LIMIT	
SN:A000XRMC	HRS	0							
	ENC	0		TSN 0, Adj -10	(13500) 13542 (M)		6258		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
<b>723060</b>	<b>NO. 2 ENGINE - CENTRIFUGAL IMPELLER</b>							<b>Component</b>	<b>ATA:72</b>
PN:30J1450-01	MOS	17-Feb-02						LIFE LIMIT	
SN:A0010D6W	HRS	0							
	ENC	0		TSN 0, Adj -10	(13500) 13500 (M)		6216		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
<b>725010</b>	<b>NO. 1 ENGINE - 1ST-STAGE TURBINE DISK</b>							<b>Component</b>	<b>ATA:72</b>
PN:30J1551-01	MOS	17-Feb-02						LIFE LIMIT	
SN:A0010EDP	HRS	0							
	ENC	0		TSN 0, Adj -10	(13500) 13542 (M)		6258		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



## StatusReport(Life Limit & Overhaul Items Only)

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As  
Of: 05-May-2026

05-May-2026 04:30 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition	
ATA 72 - ENGINE									
725010	NO. 2 ENGINE - 1ST-STAGE TURBINE DISK							Component	ATA:72
PN:30J1551-01	MOS	17-Feb-02						LIFE LIMIT	
SN:A0010YTH	HRS	0							
	ENC	0		TSN 0, Adj -10	(13500) 13500 (M)		6216		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725020	NO. 1 ENGINE - 2ND-STAGE TURBINE DISK							Component	ATA:72
PN:30H3152	MOS	17-Feb-02						LIFE LIMIT	
SN:68B490	HRS	0							
	ENC	0		TSN 0, Adj -10	(13500) 13542 (M)		6258		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725020	NO. 2 ENGINE - 2ND-STAGE TURBINE DISK							Component	ATA:72
PN:30H3152	MOS	17-Feb-02						LIFE LIMIT	
SN:68B448	HRS	0							
	ENC	0		TSN 0, Adj -10	(13500) 13500 (M)		6216		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725030	NO. 1 ENGINE - 3RD-STAGE TURBINE DISK							Component	ATA:72
PN:30H3153	MOS	17-Feb-02						LIFE LIMIT	
SN:67B887	HRS	0							
	ENC	0		TSN 0, Adj -10	(13500) 13542 (M)		6258		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



## StatusReport(Life Limit & Overhaul Items Only)

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As  
Of: 05-May-2026

05-May-2026 04:30 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition	
ATA 72 - ENGINE									
725030	NO. 2 ENGINE - 3RD-STAGE TURBINE DISK							Component	ATA:72
PN:30H3153	MOS	17-Feb-02						LIFE LIMIT	
SN:67B893	HRS	0							
	ENC	0		TSN 0, Adj -10	(13500) 13500 (M)		6216		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725040	NO. 1 ENGINE - 4TH-STAGE TURBINE DISK							Component	ATA:72
PN:30H3154	MOS	17-Feb-02						LIFE LIMIT	
SN:68B156	HRS	0							
	ENC	0		TSN 0, Adj -10	(13500) 13542 (M)		6258		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725040	NO. 2 ENGINE - 4TH-STAGE TURBINE DISK							Component	ATA:72
PN:30H3154	MOS	17-Feb-02						LIFE LIMIT	
SN:68B155	HRS	0							
	ENC	0		TSN 0, Adj -10	(13500) 13500 (M)		6216		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



## StatusReport(Life Limit & Overhaul Items Only)

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As  
Of: 05-May-2026

05-May-2026 04:30 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining ^	Disposition
<b>ATA 79 - OIL</b>								
79-10-00-901	NO. 1 ENGINE - ENGINE OVERHAUL							Service ATA:79
	MOS	02-Apr-19						ENGINE OVERHAUL
	HRS	5066:42	5000 (+25/-25)		(10066:42) 10120:04	10091:42	1064:58 (+25)	
	ENC	4739						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>ATA 79 - OIL</b>								
79-10-00-901	NO. 2 ENGINE - ENGINE OVERHAUL							Service ATA:79
	MOS	02-Apr-19						ENGINE OVERHAUL
	HRS	5066:42	5000 (+25/-25)		(10066:42) 10066:42	10091:42	1011:36 (+25)	
	ENC	4739						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>ATA 80 - STARTING</b>								
80-10-00-9600	LEFT ENGINE STARTER - GENERATOR (BEARINGS DISCARD AND ARMATURE FUNCTIONAL CHECK) RESTORATION							Component ATA:80
PN:9912499-6/300SGL138Q-4	MOS	01-May-25		TSO 0				OVERHAUL
SN:S00536	HRS	8639:48	1000 (+25/-25)	TSO 0	9639:48	9664:48	584:42 (+25)	
WC#: 80.010	AFL	6990		TSO 0				
PROC. REF: AMM 80-10-00PROC. REF: AMM 80-10-00								
<b>ATA 80 - STARTING</b>								
80-10-00-9600	RIGHT ENGINE STARTER - GENERATOR (BEARINGS DISCARD AND ARMATURE FUNCTIONAL CHECK) RESTORATION							Component ATA:80
PN:300SGL138Q-4 - 9912499-6	MOS	19-Dec-25		TSO 0				OVERHAUL
SN:4981XL	HRS	8969:45	1000 (+25/-25)	TSO 0	9969:45	9994:45	914:39 (+25)	
WC#: 80.010	AFL	7239		TSO 0				
PROC. REF: AMM 80-10-00PROC. REF: AMM 80-10-00								
<b>ATA 80 - STARTING</b>								
80-11-00-9600	AUXILIARY POWER UNIT STARTER - GENERATOR (BEARINGS DISCARD AND ARMATURE FUNCTIONAL CHECK) RESTORATION							Component ATA:80
PN:300SGL138Q-6	MOS	05-Jun-24		TSO 0				OVERHAUL
SN:S00077	HRS	8285:35		TSO 0				
WC#: 80.020	AFL	6733		TSO 0				
	APH	3667:48	1000 (+25/-25)	TSO 0, Adj 7:06	4674:54	4699:54	689:24 (+25)	
PROC. REF: AMM 80-11-00PROC. REF: AMM 80-11-00								

^ - Component service life remaining is based on Accumulated Total Cycles as determined by CAMP's implementation of the low-cycle fatigue formula and is not endorsed by Pratt & Whitney Canada

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task