



Status Report

560XL - CITATION XL
(MSG)

S/N 560XL-5230 OK-HAR

OWNER: AEROPARTNER A.S.
ADDRESS: K LETISTI / HANGAR C
PRAGUE 161 00

OPERATOR: AEROPARTNER A.S.
ADDRESS: K LETISTI / HANGAR C
PRAGUE 161 00

OFFICE:
FAX:

OFFICE:
FAX:

ANALYST: GUILLAUME DUCLOS
EMAIL: GUILLAUME.DUCLOS@CAMPSYSTEMS.EU

+33-1.55.93.45.84 (DIRECT)
+33-1.55.93.45.80 (MAIN)
WWW.CAMPSYSTEMS.COM

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT SERIAL/REGNO: 560XL-5230/OK-HAR MODEL: 560XL - CITATION XL (MSG) MANUFACTURER: TEXTRON AVIATION INC.

CERTIFICATION DATE: 17-FEB-2002

LAST ACTUALS:
9055:06 A/C HRS as of 05-MAY-2026
7284 AFL as of 05-MAY-2026
3985:30 APH as of 30-APR-2026
7418 APS as of 30-APR-2026

APU SERIAL/PART: P-268/3800722-1 MODEL: RE100 (XL) MANUFACTURER: HONEYWELL

INSTALLED ON: 07-AUG-2009
0 APU HRS 2216 A/C HRS
0 APUS

LAST ACTUALS:
3985:30 APU HRS as of 30-APR-2026
7418 APUS as of 30-APR-2026

ENGINE NO. 1 SERIAL/PART: PCE-DB0473/31J1900-01 MODEL: PW545A MANUFACTURER: PRATT & WHITNEY CANADA CORP.

INSTALLED ON: 17-FEB-2002
17 ENG. HRS 17 A/C HRS
ENC

LAST ACTUALS:
9001:44 ENG. HRS as of 05-MAY-2026
7242 ENC as of 05-MAY-2026

ENGINE NO. 2 SERIAL/PART: PCE-DB0472/31J1900-01 MODEL: PW545A MANUFACTURER: PRATT & WHITNEY CANADA CORP.

INSTALLED ON: 17-FEB-2002
17 ENG. HRS 17 A/C HRS
ENC

LAST ACTUALS:
9055:06 ENG. HRS as of 05-MAY-2026
7284 ENC as of 05-MAY-2026



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA GENERAL									
1 ^U	MAIN BONDING WIRE VISUAL INSPECTION							Service	ATA:--
	MOS		12		31-May-26 (M)		26 d		
	HRS								
	AFL								
35 ^U	FTLB CHECK							Service	ATA:--
	MOS	07-Apr-26	1		31-May-26		26 d		
	HRS	9033:43							
	AFL	7275							
CAMO ^U	AMP ANNUAL CHECK							Service	ATA:--
	DAYS	07-Jan-26	365		07-Jan-27		247 d		
	HRS	8981:14							
	AFL	7250							
CAMP ^U	OIL CONSUMPTION CHECK							Service	ATA:--
	MOS	07-Apr-26	2		30-Jun-26		56 d		
	HRS	9033:43	100		9133:43		78:37		
	AFL	7275							
COMPANY ^U	CTU PAYMENT							Component	ATA:--
PN:PN	MOS	30-Jan-26	12		30-Jan-27 (M)		270 d		
SN:UNKNOWN	HRS								
	AFL								
IFR CHECK ^U	RADIO AND RADIONAVIGATION EQUIPMENT SENSITIVITY CHECK (IFR CHECK)							Service	ATA:--
	MOS	30-Apr-26	12		30-Apr-27		360 d		
	HRS	9045:31							
	AFL	7280							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA GENERAL									
USER ^U	AV8 CORROSION INHIBITOR APPLICATION							Service	ATA:--
	MOS	01-May-25	6		30-Nov-25		OVD		
	HRS	8639:48							
	AFL	6990							
ATA 00 - INFORMATION									
A56E-140702 ^U	APU - REVIEW CAMP CHANGE FORM - HONEYWELL, RE100[XL] MAINTENANCE MANUAL TEMPORARY REVISION NO. 49-28 DATED 7 MAY 2014							Service	ATA:00
	MOS/MSC	11-Jul-14	-					REQUIREMENT CHANGE FORMS	
	HRS								
	APUS								
PROC. REF: RCF A56EPROC. REF: RCF A56E									
A56E-141231 ^U	APU - REVIEW CAMP CHANGE FORM - HONEYWELL, RE100[XL] MAINTENANCE MANUAL REVISION NO. 3 DATED 22 OCT 2014							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	APUS								
PROC. REF: RCF A56EPROC. REF: RCF A56E									
A56E-150105 ^U	APU - REVIEW HONEYWELL, RE100[XL] MM REVISION NO. 3 DATED 22 OCT 2014 - CAMP CHANGE FORM							Service	ATA:00
	MOS/MSC	02-Jun-15	-					REQUIREMENT CHANGE FORMS	
	HRS								
	APUS								
PROC. REF: RCF A56EPROC. REF: RCF A56E									
A56E-150522 ^U	APU - REVIEW HONEYWELL, RE100(XL) MM (P/N 49-25-85), TR 49-30 DATED APR 10/2015 - CAMP CHANGE FORM							Service	ATA:00
	MOS/MSC	02-Jun-15	-					REQUIREMENT CHANGE FORMS	
	HRS								
	APUS								
PROC. REF: RCF A56EPROC. REF: RCF A56E									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
A56E-150523C ^U	APU - REVIEW HONEYWELL, RE100(XL) MM (P/N 49-25-85), TR 49-29 DATED APR 10/2015 - REVISION SUMMARY CHANGE FORM CORRECTION							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	APUS							
PROC. REF: RCF A56EPROC. REF: RCF A56E								
A56E-161116	APU - REVIEW HONEYWELL RE100 (XL) MM TR 49-31							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	APUS							
PROC. REF: RCF A56E-161116PROC. REF: RCF A56E-161116								
A56E-170404	APU - REVIEW HONEYWELL RE100(XL) MM REV 4							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	APUS							
PROC. REF: RCF A56EPROC. REF: RCF A56E								
A56E-180112	APU - REVIEW HONEYWELL RE100[XL] APU-49 SIL REV 10							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	APUS							
PROC. REF: RCF APU-SIL-49PROC. REF: RCF APU-SIL-49								
A56E-181018	APU - REVIEW HONEYWELL RE100[XL] MM TR 49-33							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	APUS							
PROC. REF: RCF A56EPROC. REF: RCF A56E								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
A56E-190125	APU - REVIEW OF AUDIT SUMMARY CHANGE FORM - TASK CODE NUMBER CHANGE							Service ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	APUS							
PROC. REF: RCF A56EPROC. REF: RCF A56E								
A56E-191015	APU - REVIEW HONEYWELL RE100 (XL) MM TR 49-34							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	APUS							
PROC. REF: RCF A56EPROC. REF: RCF A56E								
A56E-200514	APU - REVIEW HONEYWELL RE100(XL) MM REV 5							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	APUS							
PROC. REF: RCF A56EPROC. REF: RCF A56E								
A56E-210504	APU - REVIEW OF AUDIT SUMMARY CHANGE FORM - TOLERANCE CHANGE							Service ATA:00
	MOS/MSC		-		TAC 0			
	HRS				TAC 0			
	APUS				TAC 0			
PROC. REF: RCF A56EPROC. REF: RCF A56E								
A56E-210621	APU - REVIEW HONEYWELL RE100(XL) MM REV 6							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	APUS							
PROC. REF: RCF A56EPROC. REF: RCF A56E								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
A56E-220602	APU - REVIEW REVISION SUMMARY CHANGE FOR FOR HONEYWELL SERVICE INFORMATION LETTER APU-49, REVISION 12							Service	ATA:00
	MOS/MSC		-	TAC	0			REQUIREMENT CHANGE FORMS	
	HRS			TAC	0				
	APUS			TAC	0				
PROC. REF: RCF A56EPROC. REF: RCF A56E									
A56E-220608	APU - REVIEW AUDIT SUMMARY CHANGE FORM FOR TOLERANCE CHANGE ON TURBINE & COMPRESSOR ROTORS							Service	ATA:00
	MOS/MSC		-	TAC	0			AUDIT SUMMARY CHANGE FORM	
	HRS			TAC	0				
	APUS			TAC	0				
PROC. REF: RCF A56EPROC. REF: RCF A56E									
A56E-231123	APU - REVIEW HONEYWELL SERVICE INFORMATION LETTER APU-49, REVISION 13 - SPECTROMETRIC OIL AND FILTER ANALYSIS PROGRAM (SOAP)							Service	ATA:00
	MOS/MSC	EFF	-	TAC	0			REQUIREMENT CHANGE FORMS	
	HRS			TAC	0				
	APUS			TAC	0				
PROC. REF: RCF A56EPROC. REF: RCF A56E									
A56E-250212	APU - REVIEW HONEYWELL SERVICE INFORMATION LETTER (SIL) SIL NO. APU-49 REV 14							Service	ATA:00
	MOS/MSC		-	TAC	0			REQUIREMENT CHANGE FORMS	
	HRS			TAC	0				
	APUS			TAC	0				
PROC. REF: RCF A56EPROC. REF: RCF A56E									
A56E-260210	APU - TASK AUDIT TO DIFFERENTIATE INSPECTION REQUIREMENTS FOR THE CESSNA MODEL 560 XL SERIAL NUMBERS RANGES 5001 TO 6500, AND 6501 & ON.							Service	ATA:00
	MOS/MSC		-	TAC	0			AUDIT SUMMARY CHANGE FORM	
	HRS			TAC	0				
	APUS			TAC	0				
PROC. REF: RCF A56EPROC. REF: RCF A56E									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
A56E-260320	APU - REVIEW HONEYWELL RE100 (XL) MAINTENANCE MANUAL (MM) 49-25-85 REV 07							Service	ATA:00
	MOS/MSC		-	TAC 0			NEW REQMT	REQUIREMENT CHANGE FORMS	
	HRS			TAC 0					
	APUS			TAC 0					
PROC. REF: RCF A56EPROC. REF: RCF A56E									
C56E-111110 ^U	REVIEW CITATION MODEL 560XL MAINTENANCE MANUAL CHAPTER 5, REVISION 31, DATED 1 OCT 2011 - CAMP CHANGE FORM							Service	ATA:00
	MOS/MSC	09-Jan-12	-					REQUIREMENT CHANGE FORMS	
	HRS	4210:59							
	AFL	4009							
PROC. REF: RCF C56EPROC. REF: RCF C56E									
C56E-120502 ^U	REVIEW CITATION MODEL 560XL MAINTENANCE MANUAL, CHAPTER 5, REVISION 32, DATED 1 APRIL 2012 - CAMP CHANGE FORM							Service	ATA:00
	MOS/MSC	05-May-12	-					REQUIREMENT CHANGE FORMS	
	HRS	4272:33							
	AFL	4072							
PROC. REF: RCF C56EPROC. REF: RCF C56E									
C56E-120803 ^U	REVIEW MM CHAPTER 5 REVISION 33, DATED 01-JULY-2012 AND MM CHAPTER 4 REVISION 13, DATED 23-APRIL-2012 - CAMP CHANGE FORM							Service	ATA:00
	MOS/MSC	10-Sep-12	-					REQUIREMENT CHANGE FORMS	
	HRS	4325:32							
	AFL	4113							
PROC. REF: RCF C56EPROC. REF: RCF C56E									
C56E-121108 ^U	REVIEW CITATION MODEL 560XL CHAPTER 5 REVISION 34, DATED 1 OCTOBER 2012 - CAMP CHANGE FORM							Service	ATA:00
	MOS/MSC	04-Feb-13	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF C56EPROC. REF: RCF C56E									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
C56E-130516	U	REVIEW	CAMP CHANGE FORM - CITATION 560XL ,XLS, XLS+ CHAPTER 5 MAINTENANCE MANUAL REVISION 35, DATED 1 APRIL 2013				Service	ATA:00
	MOS/MSC	04-Jun-13	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								
C56E-140313	U	REVIEW	CAMP CHANGE FORM - MAINTENANCE MANUAL CHAPTER 5, REVISION 36, 1 JAN 2014				Service	ATA:00
	MOS/MSC	25-Mar-14	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								
C56E-141020	U	REVIEW	CAMP CHANGE FORM - CITATION 560XL/XLS/XLS+ CHAPTER 5 REVISION 37, DATED SEP 1/2014.				Service	ATA:00
	MOS/MSC	07-Nov-14	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								
C56E-150218	U	REVIEW	CAMP CHANGE FORM - CITATION 560XL/XLS/XLS+ CHAPTER 5 REVISION 38, DATED JAN 1/2015.				Service	ATA:00
	MOS/MSC	25-Feb-15	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								
C56E-151015	U	REVIEW	CAMP CHANGE FORM - 560XL AMM REVISION 39 DATED 1 JULY 2015				Service	ATA:00
	MOS/MSC	18-Nov-15	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
C56E-160401	REVIEW CESSNA EXCEL 560XL/XLS/XLS+ TLMC REV 40							Service ATA:00
	MOS/MSC	25-Nov-16	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								
C56E-160701	REVIEW CESSNA EXCEL 560XL/XLS/XLS+ TLMC REV 41							Service ATA:00
	MOS/MSC	25-Nov-16	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								
C56E-170401	REVIEW CESSNA CITATION EXCEL 560XL/XLS/XLS+ TLMC REVISION 42							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								
C56E-170601	REVIEW CESSNA CITATION EXCEL 560XL/XLS/XLS+ TLMC REVISION 43							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								
C56E-171001	REVIEW CESSNA CITATION EXCEL 560XL/XLS/XLS+ TLMC REV 44							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
C56E-180618 ^S	REVIEW OF AUDIT SUMMARY CHANGE FORM - DESCRIPTION CHANGES							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								
C56E-180927	REVIEW CESSNA CITATION EXCEL 560XL/XLS/XLS+ ALS (CH4) REV 15							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								
C56E-181001	REVIEW CESSNA CITATION EXCEL 560XL/XLS/XLS+ TLMC (CH5) REV 45							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								
C56E-181121	REVIEW OF AUDIT SUMMARY CHANGE FORM - DESCRIPTION CHANGES							Service ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								
C56E-181210	REVIEW OF AUDIT SUMMARY CHANGE FORM - DESCRIPTION CHANGE							Service ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
C56E-190110	REVIEW OF AUDIT SUMMARY CHANGE FORM - TASK CODE CHANGE							Service	ATA:00
	MOS/MSC	17-Feb-02	-	TAC 0				AUDIT SUMMARY CHANGE FORM	
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: RCF C56EPROC. REF: RCF C56E									
C56E-190111	REVIEW OF AUDIT SUMMARY CHANGE FORM - TASK CODE 273020 REQUIREMENT CHANGE							Service	ATA:00
	MOS/MSC		-	TAC 0				AUDIT SUMMARY CHANGE FORM	
	HRS			TAC 0					
	AFL			TAC 0					
PROC. REF: RCF 05-00-00PROC. REF: RCF 05-00-00									
C56E-191028	REVIEW OF AUDIT SUMMARY CHANGE FORM - DESCRIPTION CHANGE TASK NUMBER 26-22-00-2200 POSITION COCKPIT							Service	ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM	
	HRS								
	AFL								
PROC. REF: RCF C56EPROC. REF: RCF C56E									
C56E-200224	REVIEW OF AUDIT SUMMARY CHANGE FORM - DESCRIPTION CHANGES							Service	ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM	
	HRS								
	AFL								
PROC. REF: RCF C56EPROC. REF: RCF C56E									
C56E-200521	REVIEW OF AUDIT SUMMARY CHANGE FORM - UPDATING STANDBY BATTERY ITEM CODES							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF C56EPROC. REF: RCF C56E									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
C56E-200916	REVIEW CESSNA CITATION EXCEL 560XL/XLS/XLS+ REVIEW OF ITEM CODES 34-90-10-7200 AND 34-90-12-7200							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								
C56E-201030	CITATION EXCEL 560XL/XLS/XLS+ REVIEW OF STANDBY BATTERY PACKS (REPLACES AUDIT SUMMARY CHANGE FORM C56E-200521)							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								
C56E-210209	REVIEW OF AUDIT SUMMARY CHANGE FORM - AUDIT OF ITEM CODES 28-00-02-2200 AND 28-00-02-2201							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								
C56E-210720A	REVIEW CESSNA CITATION EXCEL 560XL/XLS/XLS+ AMM TMDAS 20210044; 20210051; 20210052, DATED 2021-07-20							Service ATA:00
	MOS/MSC	17-Feb-02	-	TAC 0				REQUIREMENT CHANGE FORMS
	HRS	0		TAC 0				
	AFL	0		TAC 0				
PROC. REF: RCF C56EPROC. REF: RCF C56E								
C56E-210720B	REVIEW CESSNA CITATION EXCEL 560XL/XLS/XLS+ TLMC TMDAS 20210045-20210050, DATED 07/20/2021							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
C56E-230301	REVIEW OF CITATION EXCEL 560XL-XLS/XLS+ TIME LIMITS AND MAINTENANCE CHECKS (TLMC) CH 5 REV 48, DATED MARCH 1, 2023							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF C56EPROC. REF: RCF C56E									
C56E-231113	REVIEW OF AUDIT SUMMARY CHANGE FORM - TASK CODE CHANGE FOR 055005							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF C56EPROC. REF: RCF C56E									
C56E-240104	REVIEW OF AUDIT SUMMARY CHANGE FORM - AUDIT OF ITEM CODE 055010							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF C56EPROC. REF: RCF C56E									
C56E-240703A	REVIEW OF CITATION EXCEL 560XL-XLS/XLS+ AIRWORTHINESS LIMITATIONS (ALS) CH 4 REV 17, DATED JULY 3, 2024							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT SUMMARY CHANGE FORM	
	HRS								
	AFL								
PROC. REF: RCF C56EPROC. REF: RCF C56E									
C56E-240703B	REVIEW OF CITATION EXCEL 560XL-XLS/XLS+ TIME LIMITS AND MAINTENANCE CHECKS (TLMC) CH 5 REV 49, DATED JULY 3, 2024							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT SUMMARY CHANGE FORM	
	HRS								
	AFL								
PROC. REF: RCF C56EPROC. REF: RCF C56E									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
C56E-240822	REVIEW OF AUDIT SUMMARY CHANGE FORM - AUDIT OF ITEM CODE 24-32-00-7204							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT SUMMARY CHANGE FORM	
	HRS								
	AFL								
PROC. REF: RCF C56EPROC. REF: RCF C56E									
C56E-240903	REVIEW OF AUDIT SUMMARY CHANGE FORM - AUDIT OF ITEM CODES 24-32-00-7205 AND 24-32-00-9600							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT SUMMARY CHANGE FORM	
	HRS								
	AFL								
PROC. REF: RCF C56EPROC. REF: RCF C56E									
C56E-241112	REVIEW OF AUDIT SUMMARY CHANGE FORM - AUDIT OF DISCARD TASKS							Service	ATA:00
	MOS/MSC	EFF	-	TAC 0				REQUIREMENT SUMMARY CHANGE FORM	
	HRS			TAC 0					
	AFL			TAC 0					
C56E-241219	REVIEW OF AUDIT SUMMARY CHANGE FORM - AUDIT OF ITEM CODE 26-21-00-7100							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT SUMMARY CHANGE FORM	
	HRS								
	AFL								
PROC. REF: RCF C56EPROC. REF: RCF C56E									
C56E-250428	REVIEW OF AUDIT SUMMARY CHANGE FORM - AUDIT OF ITEM CODE 26-21-01-9600.1, 26-21-01-9602, 26-21-01-9602.1, AND 055017							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT SUMMARY CHANGE FORM	
	HRS								
	AFL								
PROC. REF: RCF C56EPROC. REF: RCF C56E									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
C56E-250707	REVIEW OF AUDIT SUMMARY CHANGE FORM - AUDIT OF ITEM CODE 5-12-20							Service ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								
C56E-250715	REVIEW OF CITATION EXCEL 560XL-XLS/XLS+ TIME LIMITS AND MAINTENANCE CHECKS (TLMC) CH 5 REV 50, DATED JULY 15, 2025							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF C56EPROC. REF: RCF C56E								
E56E-120128 ^U	NO. 1 ENGINE - REVIEW PW545A EMM - TR 05-19 - CAMP CHANGE FORM							Service ATA:00
	MOS/MSC	26-Apr-13	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-120128 ^U	NO. 2 ENGINE - REVIEW PW545A EMM - TR 05-19 - CAMP CHANGE FORM							Service ATA:00
	MOS/MSC	26-Apr-13	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-121120 ^U	NO. 1 ENGINE - REVIEW CAMP CHANGE FORM - MAINTENANCE MANUAL REVISION 35 FOR THE PW545A ENGINE, DATED AUGUST 31, 2012							Service ATA:00
	MOS/MSC	26-Apr-13	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
E56E-121120 ^U	NO. 2 ENGINE - REVIEW	CAMP CHANGE FORM - MAINTENANCE MANUAL REVISION 35 FOR THE PW545A ENGINE, DATED AUGUST 31, 2012							Service ATA:00
	MOS/MSC	26-Apr-13	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
PROC. REF: RCF E56E PROC. REF: RCF E56E									
E56E-131010 ^U	NO. 1 ENGINE - REVIEW	CAMP CHANGE FORM - PWC, PW545A MAINTENANCE MANUAL REVISION 36 DATED JUNE 10/2013							Service ATA:00
	MOS/MSC	28-Nov-13	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
PROC. REF: RCF E56E PROC. REF: RCF E56E									
E56E-131010 ^U	NO. 2 ENGINE - REVIEW	CAMP CHANGE FORM - PWC, PW545A MAINTENANCE MANUAL REVISION 36 DATED JUNE 10/2013							Service ATA:00
	MOS/MSC	28-Nov-13	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
PROC. REF: RCF E56E PROC. REF: RCF E56E									
E56E-140620 ^U	NO. 1 ENGINE - REVIEW	CAMP CHANGE FORM - PW545A ENGINE MAINTENANCE MANUAL(P/N 30J1272) REV 37 DATED APRIL 28/2014							Service ATA:00
	MOS/MSC	11-Jul-14	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
PROC. REF: RCF E56E PROC. REF: RCF E56E									
E56E-140620 ^U	NO. 2 ENGINE - REVIEW	CAMP CHANGE FORM - PW545A ENGINE MAINTENANCE MANUAL(P/N 30J1272) REV 37 DATED APRIL 28/2014							Service ATA:00
	MOS/MSC	11-Jul-14	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
PROC. REF: RCF E56E PROC. REF: RCF E56E									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E56E-150527 ^U	NO. 1 ENGINE - REVIEW	CAMP CHANGE FORM - PWC, PW545A (PN 30J1272), ENGINE MAINTENANCE MANUAL, REV. 39.0, DATED MAY 04/2015						Service ATA:00
	MOS/MSC	02-Jun-15	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56E PROC. REF: RCF E56E								
E56E-150527 ^U	NO. 2 ENGINE - REVIEW	CAMP CHANGE FORM - PWC, PW545A (PN 30J1272), ENGINE MAINTENANCE MANUAL, REV. 39.0, DATED MAY 04/2015						Service ATA:00
	MOS/MSC	02-Jun-15	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56E PROC. REF: RCF E56E								
E56E-150713 ^U	NO. 1 ENGINE - REVIEW	CAMP CHANGE FORM - PWC, PW545A ENGINE MAINTENANCE MANUAL (P/N 30J1272), REVISION 39.1, DATED JUN 19/2015						Service ATA:00
	MOS/MSC	31-Aug-15	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56E PROC. REF: RCF E56E								
E56E-150713 ^U	NO. 2 ENGINE - REVIEW	CAMP CHANGE FORM - PWC, PW545A ENGINE MAINTENANCE MANUAL (P/N 30J1272), REVISION 39.1, DATED JUN 19/2015						Service ATA:00
	MOS/MSC	31-Aug-15	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56E PROC. REF: RCF E56E								
E56E-150721 ^U	NO. 1 ENGINE - REVIEW	CAMP CHANGE FORM - PWC, PW545A ENGINE MAINTENANCE MANUAL (P/N 30J1272), REVISION 40.0, DATED JUL 13/2015						Service ATA:00
	MOS/MSC	31-Aug-15	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56E PROC. REF: RCF E56E								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E56E-150721 ^U	NO. 2 ENGINE - REVIEW CAMP CHANGE FORM - PWC, PW545A ENGINE MAINTENANCE MANUAL (P/N 30J1272), REVISION 40.0, DATED JUL 13/2015						Service	ATA:00
	MOS/MSC	31-Aug-15	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-150826	NO. 1 ENGINE - REVIEW PW545A EMM REV 40.1						Service	ATA:00
	MOS/MSC	31-Aug-15	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-150826	NO. 2 ENGINE - REVIEW PW545A EMM REV 40.1						Service	ATA:00
	MOS/MSC	31-Aug-15	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-151116	NO. 1 ENGINE - REVIEW PW545A EMM REV 41.0						Service	ATA:00
	MOS/MSC	18-Nov-15	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-151116	NO. 2 ENGINE - REVIEW PW545A EMM REV 41.0						Service	ATA:00
	MOS/MSC	18-Nov-15	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
E56E-160418	NO. 1 ENGINE - REVIEW PW545A (P/N 30J1272), ADD HP TURBINE BLADE - CAMP CHANGE FORM							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
PROC. REF: RCF E56EPROC. REF: RCF E56E									
E56E-160418	NO. 2 ENGINE - REVIEW PW545A (P/N 30J1272), ADD HP TURBINE BLADE - CAMP CHANGE FORM							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
PROC. REF: RCF E56EPROC. REF: RCF E56E									
E56E-160530	NO. 1 ENGINE - REVIEW PW545A EMM REV 42.0							Service	ATA:00
	MOS/MSC	19-Jul-16	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
PROC. REF: RCF E56EPROC. REF: RCF E56E									
E56E-160530	NO. 2 ENGINE - REVIEW PW545A EMM REV 42.0							Service	ATA:00
	MOS/MSC	19-Jul-16	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
PROC. REF: RCF E56EPROC. REF: RCF E56E									
E56E-161031	NO. 1 ENGINE - REVIEW PW545A EMM REV 43.0							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
PROC. REF: RCF E56EPROC. REF: RCF E56E									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E56E-161031	NO. 2 ENGINE - REVIEW PW545A EMM REV 43.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-161213	NO. 1 ENGINE - REVIEW PW545A EMM REV 43.1							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-161213	NO. 2 ENGINE - REVIEW PW545A EMM REV 43.1							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-170529	NO. 1 ENGINE - REVIEW PW545A EMM REV 44.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-170529	NO. 2 ENGINE - REVIEW PW545A EMM REV 44.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E56E-180921	NO. 1 ENGINE - REVIEW PW545A EMM REV 47.1							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-180921	NO. 2 ENGINE - REVIEW PW545A EMM REV 47.1							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-190325	NO. 1 ENGINE - REVIEW PW545A EMM REV 48.2 AND 48.1							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-190325	NO. 2 ENGINE - REVIEW PW545A EMM REV 48.2 AND 48.1							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-190415	NO. 1 ENGINE - REVIEW PW545A EMM REV 48.2 AND 48.1 **AUDIT**							Service ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E56E-190415	NO. 2 ENGINE - REVIEW PW545A EMM REV 48.2 AND 48.1 **AUDIT**							Service ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-190916	NO. 1 ENGINE - REVIEW PW545A EMM REV 50.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-190916	NO. 2 ENGINE - REVIEW PW545A EMM REV 50.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-200511	NO. 1 ENGINE - REVIEW PW545A EMM REV 51.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-200511	NO. 2 ENGINE - REVIEW PW545A EMM REV 51.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E56E-200914	NO. 1 ENGINE - REVIEW PW545A EMM REV 52.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-200914	NO. 2 ENGINE - REVIEW PW545A EMM REV 52.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-210426	NO. 1 ENGINE - REVIEW PW545A EMM REV 53.0							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-210426	NO. 2 ENGINE - REVIEW PW545A EMM REV 53.0							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-210817	NO. 1 ENGINE - REVIEW PW545A EMM REV 53.0 TASK AUDIT CHANGES - ADDED EXTENDED HSI INTERVAL							Service ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E56E-210817	NO. 2 ENGINE - REVIEW PW545A EMM REV 53.0 TASK AUDIT CHANGES - ADDED EXTENDED HSI INTERVAL							Service ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-210913	NO. 1 ENGINE - REVIEW PW545A EMM REV 54.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-210913	NO. 2 ENGINE - REVIEW PW545A EMM REV 54.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-220425	NO. 1 ENGINE - REVIEW PW545A EMM REV 55.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56E, RCF E53EPROC. REF: RCF E56E, RCF E53E								
E56E-220425	NO. 2 ENGINE - REVIEW PW545A EMM REV 55.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56E, RCF E53EPROC. REF: RCF E56E, RCF E53E								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E56E-221024	NO. 1 ENGINE - REVIEW PW545A EMM REV 56.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-221024	NO. 2 ENGINE - REVIEW PW545A EMM REV 56.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-230424	NO. 1 ENGINE - REVIEW PW545A EMM REV 57.0							Service ATA:00
	MOS/MSC	EFF	-	TAC 0				REQUIREMENT CHANGE FORMS
	HRS			TAC 0				
	ENC			TAC 0				
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-230424	NO. 2 ENGINE - REVIEW PW545A EMM REV 57.0							Service ATA:00
	MOS/MSC	EFF	-	TAC 0				REQUIREMENT CHANGE FORMS
	HRS			TAC 0				
	ENC			TAC 0				
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-231023	NO. 1 ENGINE - REVIEW PW545A EMM REV 58.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E56E-231023	NO. 2 ENGINE - REVIEW PW545A EMM REV 58.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-231106	NO. 1 ENGINE - REVIEW PW545A EMM REV 59.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-231106	NO. 2 ENGINE - REVIEW PW545A EMM REV 59.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-240422	NO. 1 ENGINE - REVIEW PW545A EMM REV 60.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-240422	NO. 2 ENGINE - REVIEW PW545A EMM REV 60.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E56E-241021	NO. 1 ENGINE - REVIEW PW545A EMM REV 62.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-241021	NO. 2 ENGINE - REVIEW PW545A EMM REV 62.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-250205	NO. 1 ENGINE - REVIEW PW545A EMM REV 62.0 AUDIT							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
E56E-250205	NO. 2 ENGINE - REVIEW PW545A EMM REV 62.0 AUDIT							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E56EPROC. REF: RCF E56E								
ATA 04 - LIMITATIONS								
4-12-MD	INSPECTION DOCUMENT MD							Package ATA:04
	MOS	09-Sep-25	120		30-Sep-35		3435 d	
	HRS	8875:18	2400		11275:18		2220:12	
	AFL	7163						
PROC. REF: ALS 4-12-MD, AMM GENERIC 1PROC. REF: ALS 4-12-MD, AMM GENERIC 1								

PKG:163

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 04 - LIMITATIONS									
4-12-ME	INSPECTION DOCUMENT ME							Package	ATA:04
	MOS	17-Feb-02						AIRWORTHINESS	
	HRS	0	15000		15000		5944:54		
	AFL	0							
								PKG:164	
PROC. REF: ALS 4-12-ME, AMM GENERIC 1PROC. REF: ALS 4-12-ME, AMM GENERIC 1									
4-12-MF	INSPECTION DOCUMENT MF							Package	ATA:04
	MOS	01-May-25						AIRWORTHINESS	
	HRS	8639:48	1400		10039:48		984:42		
	AFL	6990							
								PKG:165	
PROC. REF: ALS 4-12-MF, AMM GENERIC 1PROC. REF: ALS 4-12-MF, AMM GENERIC 1									
4-12-MJ	INSPECTION DOCUMENT MJ							Package	ATA:04
	MOS	17-Feb-02						AIRWORTHINESS	
	HRS	0	13000		13000		3944:54		
	AFL	0							
								PKG:169	
PROC. REF: ALS 4-12-MJ, AMM GENERIC 1PROC. REF: ALS 4-12-MJ, AMM GENERIC 1									
4-12-ML	INSPECTION DOCUMENT ML							Package	ATA:04
	MOS	17-Feb-02						AIRWORTHINESS	
	HRS	0	T:11500		11500		2444:54		
	AFL	0							
								PKG:171	
PROC. REF: ALS 4-12-ML, AMM GENERIC 1PROC. REF: ALS 4-12-ML, AMM GENERIC 1									
4-12-MM	INSPECTION DOCUMENT MM							Package	ATA:04
	MOS	17-Feb-02						AIRWORTHINESS	
	HRS	0	T:11000		11000		1944:54		
	AFL	0							
								PKG:172	
PROC. REF: ALS 4-12-MM, AMM GENERIC 1PROC. REF: ALS 4-12-MM, AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 04 - LIMITATIONS									
4-12-MN	INSPECTION DOCUMENT MN							Package	ATA:04
	MOS	09-Sep-25						AIRWORTHINESS	
	HRS	8875:18	3400		12275:18		3220:12		
	AFL	7163							
								PKG:173	
PROC. REF: ALS 4-12-MN, AMM GENERIC 1PROC. REF: ALS 4-12-MN, AMM GENERIC 1									
4-12-MO	INSPECTION DOCUMENT MO							Package	ATA:04
	MOS	17-Feb-02						AIRWORTHINESS	
	HRS	0	T:12500		12500		3444:54		
	AFL	0							
								PKG:174	
PROC. REF: ALS 4-12-MO, AMM GENERIC 1PROC. REF: ALS 4-12-MO, AMM GENERIC 1									
4-12-MV	INSPECTION DOCUMENT MV							Package	ATA:04
	MOS	30-Apr-26	24		30-Apr-28		726 d	AIRWORTHINESS	
	HRS	9045:31							
	AFL	7280							
								PKG:532	
PROC. REF: ALS 4-12-MVPROC. REF: ALS 4-12-MV									
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
055000	NO. 1 ENGINE - FOD							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									
055000	NO. 2 ENGINE - FOD							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
055005	NO. 1 ENGINE - BIRD STRIKE							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									
055005	NO. 2 ENGINE - BIRD STRIKE							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									
055010	NO. 1 ENGINE - ENGINE WINDMILLING IN FLIGHT							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00, EMM 05-50-00PROC. REF: EMM 05-50-00, EMM 05-50-00									
055010	NO. 2 ENGINE - ENGINE WINDMILLING IN FLIGHT							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00, EMM 05-50-00PROC. REF: EMM 05-50-00, EMM 05-50-00									
055015	NO. 1 ENGINE - LIGHTNING STRIKE							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									
055015	NO. 2 ENGINE - LIGHTNING STRIKE							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
055020	NO. 1 ENGINE - FUEL FILTER IMPENDING BYPASS							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									
055020	NO. 2 ENGINE - FUEL FILTER IMPENDING BYPASS							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									
055025	NO. 1 ENGINE - ENGINE EXPOSED TO FIRE EXTINGUISHING AGENT							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									
055025	NO. 2 ENGINE - ENGINE EXPOSED TO FIRE EXTINGUISHING AGENT							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									
055030	NO. 1 ENGINE - INCORRECT ENGINE SHUTDOWN ON THE GROUND							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									
055030	NO. 2 ENGINE - INCORRECT ENGINE SHUTDOWN ON THE GROUND							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
055035	NO. 1 ENGINE - HEAVY LANDING							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									
055035	NO. 2 ENGINE - HEAVY LANDING							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									
055040	NO. 1 ENGINE - SUSTAINED RUNNING AT AN OIL TEMPERATURE OUTSIDE OF LIMITS							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									
055040	NO. 2 ENGINE - SUSTAINED RUNNING AT AN OIL TEMPERATURE OUTSIDE OF LIMITS							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									
055045	NO. 1 ENGINE - ITT SPIKE ON ENGINE START DUE TO A FROZEN FAN							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									
055045	NO. 2 ENGINE - ITT SPIKE ON ENGINE START DUE TO A FROZEN FAN							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
055050	NO. 1 ENGINE - LOOSE HIGH PRESSURE COMPRESSOR CASE BOLTS							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									
055050	NO. 2 ENGINE - LOOSE HIGH PRESSURE COMPRESSOR CASE BOLTS							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									
055055	NO. 1 ENGINE - DATA COLLECTION UNIT (DCU) INOPERATIVE							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									
055055	NO. 2 ENGINE - DATA COLLECTION UNIT (DCU) INOPERATIVE							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									
055060	NO. 1 ENGINE - AIRCRAFT FLOWN THROUGH A CLOUD OF VOLCANIC ASH							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									
055060	NO. 2 ENGINE - AIRCRAFT FLOWN THROUGH A CLOUD OF VOLCANIC ASH							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
055065	NO. 1 ENGINE - STARTER GENERATOR FAIL INDICATION							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									
055065	NO. 2 ENGINE - STARTER GENERATOR FAIL INDICATION							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									
055070	NO. 1 ENGINE - HYDRAULIC PUMP UNSCHEDULED REMOVAL							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									
055070	NO. 2 ENGINE - HYDRAULIC PUMP UNSCHEDULED REMOVAL							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									
055075	NO. 1 ENGINE - FUEL CONTAMINATION							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									
055075	NO. 2 ENGINE - FUEL CONTAMINATION							Service	ATA:05
	MOS/MSC	17-Feb-02	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	ENC	0		TAC 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
PROC. REF: EMM 05-50-00PROC. REF: EMM 05-50-00									
055601	U	INSPECT WINDSHIELD SURFACE RE-SEAL						Service	ATA:05
	MOS/MSC	17-Feb-02	O/C						
	HRS	0		TAC 17					
	AFL	0							
055602	U	INSPECT HUMP SEAL REPAIR						Service	ATA:05
	MOS/MSC	17-Feb-02	O/C						
	HRS	0		TAC 17					
	AFL	0							
057120		NO. 1 ENGINE - INSPECTION LOW UTILIZATION						Service	ATA:05
	MOS	02-Apr-19	T:120 (+1m)		30-Apr-29	02-May-29	1091 d (+2)		
	HRS	5066:42							
	ENC	4739							
PROC. REF: EMM 05-20-00PROC. REF: EMM 05-20-00									
057120		NO. 2 ENGINE - INSPECTION LOW UTILIZATION						Service	ATA:05
	MOS	02-Apr-19	T:120 (+1m)		30-Apr-29	02-May-29	1091 d (+2)		
	HRS	5066:42							
	ENC	4739							
PROC. REF: EMM 05-20-00PROC. REF: EMM 05-20-00									
057159		NO. 1 ENGINE - MINOR INSPECTION						Package	ATA:05
	MOS	01-May-25							
	HRS	8586:26	800		(9386:26) 9439:48		384:42		
	ENC	6948							
PROC. REF: EMM 05-20-00PROC. REF: EMM 05-20-00									

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
057159	NO. 2 ENGINE - MINOR INSPECTION							Package	ATA:05
	MOS	01-May-25							
	HRS	8639:48	800		(9439:48) 9439:48		384:42		
	ENC	6990							
PROC. REF: EMM 05-20-00PROC. REF: EMM 05-20-00								PKG:2	
5-12-01	INSPECTION DOCUMENT 1							Package	ATA:05
	MOS	30-Apr-26	12 (+1m/-1m)		30-Apr-27	31-May-27	360 d (+31)		
	HRS	9045:31							
	AFL	7280							
PROC. REF: TLMC 5-12-01PROC. REF: TLMC 5-12-01								PKG:509	
5-12-02	INSPECTION DOCUMENT 2							Package	ATA:05
	MOS/MSC	26-Aug-22	N/A						
	HRS	7617:20							
	AFL	6282							
PROC. REF: TLMC 5-12-02PROC. REF: TLMC 5-12-02								PKG:510	
5-12-03	INSPECTION DOCUMENT 3							Package	ATA:05
	MOS	01-May-25	24 (+1m/-1m)	Adj -1d	30-Apr-27	31-May-27	360 d (+31)		
	HRS	8639:48							
	AFL	6990							
PROC. REF: TLMC 5-12-03PROC. REF: TLMC 5-12-03								PKG:511	
5-12-06	INSPECTION DOCUMENT 6							Package	ATA:05
	MOS	06-Apr-23	48 (+1m/-1m)	Adj 24d	30-Apr-27	31-May-27	360 d (+31)		
	HRS	7794:51							
	AFL	6421							
PROC. REF: TLMC 5-12-06PROC. REF: TLMC 5-12-06								PKG:513	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-07	INSPECTION DOCUMENT 7							Package	ATA:05
	MOS	31-Jan-23							
	HRS	7738:49	1600 (+25/-25)		9338:49	9363:49	283:43 (+25)		
	AFL	6374							
								PKG:514	
PROC. REF: TLMC 5-12-07PROC. REF: TLMC 5-12-07									
5-12-08	INSPECTION DOCUMENT 8							Package	ATA:05
	MOS	16-Dec-21							
	HRS	7027:20	2400 (+25/-25)		9427:20	9452:20	372:14 (+25)		
	AFL	5862							
								PKG:515	
PROC. REF: TLMC 5-12-08PROC. REF: TLMC 5-12-08									
5-12-11	INSPECTION DOCUMENT 11							Package	ATA:05
	MOS	01-May-25	24 (+1m/-1m)	Adj -1d	30-Apr-27	31-May-27	360 d (+31)		
	HRS	8639:48							
	AFL	6990							
								PKG:516	
PROC. REF: TLMC 5-12-11PROC. REF: TLMC 5-12-11									
5-12-12	INSPECTION DOCUMENT 12							Package	ATA:05
	MOS	28-Nov-25	60 (+1m/-1m)	Adj -28d	31-Oct-30	30-Nov-30	1640 d (+30)		
	HRS	8954:30							
	AFL	7225							
								PKG:517	
PROC. REF: TLMC 5-12-12PROC. REF: TLMC 5-12-12									
5-12-13	INSPECTION DOCUMENT 13							Package	ATA:05
	MOS	29-Jan-21	72 (+1m/-1m)	Adj 2d	31-Jan-27	28-Feb-27	271 d (+28)		
	HRS	6128:04							
	AFL	5353							
								PKG:518	
PROC. REF: TLMC 5-12-13PROC. REF: TLMC 5-12-13									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-16	INSPECTION DOCUMENT 16							Package	ATA:05
	MOS	31-Jan-23	96 (+1m/-1m)		31-Jan-31	28-Feb-31	1732 d (+28)		
	HRS	7738:49							
	AFL	6374							
								PKG:519	
PROC. REF: TLMC 5-12-16PROC. REF: TLMC 5-12-16									
5-12-17	INSPECTION DOCUMENT 17							Package	ATA:05
	MOS	04-Aug-22							
	HRS	7551:21	1600 (+25/-25)	Adj 2:55	9154:16	9179:16	99:10 (+25)		
	AFL	6241							
								PKG:520	
PROC. REF: TLMC 5-12-17PROC. REF: TLMC 5-12-17									
5-12-19	INSPECTION DOCUMENT 19							Package	ATA:05
	MOS	26-Jun-25							
	HRS	8753:50	400 (+25/-25)		9153:50	9178:50	98:44 (+25)		
	AFL	7069							
								PKG:522	
PROC. REF: TLMC 5-12-19PROC. REF: TLMC 5-12-19									
5-12-21	INSPECTION DOCUMENT 21							Package	ATA:05
	MOS	07-Feb-26	6 (+1m/-1m)		31-Aug-26	07-Sep-26	118 d (+7)		
	HRS	9009:21	300 (+25/-25)		9309:21	9334:21	254:15 (+25)		
	AFL	7262							
								PKG:524	
PROC. REF: TLMC 5-12-21PROC. REF: TLMC 5-12-21									
5-12-22	INSPECTION DOCUMENT 22							Package	ATA:05
	MOS	13-Jul-23							
	HRS	7964:02	6600 (+25/-25)		14564:02	14589:02	5508:56 (+25)		
	AFL	6561							
								PKG:525	
PROC. REF: TLMC 5-12-22PROC. REF: TLMC 5-12-22									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-25	INSPECTION DOCUMENT 25							Package	ATA:05
	MOS	29-Jun-23							
	HRS	7939:57	7200 (+25/-25)		15139:57	15164:57	6084:51 (+25)		
	AFL	6534							
								PKG:526	
PROC. REF: TLMC 5-12-25PROC. REF: TLMC 5-12-25									
E56E-250421	NO. 1 ENGINE - REVIEW PW545A EMM REV 63.0							Service	ATA:05
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
PROC. REF: RCF E56EPROC. REF: RCF E56E									
E56E-250421	NO. 2 ENGINE - REVIEW PW545A EMM REV 63.0							Service	ATA:05
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
PROC. REF: RCF E56EPROC. REF: RCF E56E									
ATA 08 - LEVELING AND WEIGHING									
08-10-00 ^U	WEIGHT AND BALANCE							Service	ATA:08
	MOS	06-Apr-23	48		06-Apr-27		336 d		
	HRS	7794:51							
	AFL	6421							
08-10-00M ^U	AIRCRAFT WEIGHT AND BALANCE - MEDICAL							Service	ATA:08
	MOS	06-Apr-23	48		06-Apr-27		336 d		
	HRS	7794:51							
	AFL	6421							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 12 - SERVICING									
12-20-21-1600	S	WATER SEPARATOR (CLEANING) RESTORATION						Service	ATA:12
	MOS	31-Jan-23							
	HRS	7738:49	1600 (+25/-25)						
	AFL	6374							
PKG:514									
PROC. REF: AMM 12-20-21PROC. REF: AMM 12-20-21									
12-20-21-1601	S	OZONE CONVERTERS (CLEANING) RESTORATION						Service	ATA:12
	MOS	13-Jul-23							
	HRS	7964:02	6600 (+25/-25)						
	AFL	6561							
PKG:525									
PROC. REF: AMM 12-20-21PROC. REF: AMM 12-20-21									
12-20-27-6400	S	FLAP ROLLER LUBRICATION						Service	ATA:12
	MOS	30-Apr-26	12 (+1m/-1m)						
	HRS	9045:31							
	AFL	7280							
PKG:509									
PROC. REF: AMM 12-20-27PROC. REF: AMM 12-20-27									
12-20-27-6401	S	TRIM ACTUATORS LUBRICATION						Service	ATA:12
	MOS	30-Apr-26	12 (+1m/-1m)						
	HRS	9045:31							
	AFL	7280							
PKG:509									
PROC. REF: AMM 12-20-27PROC. REF: AMM 12-20-27									
12-20-27-6403	S	HORIZONTAL STABILIZER SCISSOR FITTING BOLTS AND AFT PIVOT BOLTS LUBRICATION						Service	ATA:12
	MOS	01-May-25	24 (+1m/-1m)						
	HRS	8639:48							
	AFL	6990							
PKG:511									
PROC. REF: AMM 12-20-27PROC. REF: AMM 12-20-27									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 12 - SERVICING									
12-20-32-6100	S	SHIMMY DAMPER SERVICING						Service	ATA:12
	MOS	30-Apr-26	12 (+1m/-1m)						
	HRS	9045:31							
	AFL	7280							
								PKG:509	
PROC. REF: AMM 12-20-32PROC. REF: AMM 12-20-32									
12-20-32-6400	S	LANDING GEAR AND LANDING GEAR DOORS LUBRICATION						Service	ATA:12
	MOS	30-Apr-26	12 (+1m/-1m)						
	HRS	9045:31							
	AFL	7280							
								PKG:509	
PROC. REF: AMM 12-20-32PROC. REF: AMM 12-20-32									
12-20-52-6400	S	CABIN DOOR HINGE LUBRICATION						Service	ATA:12
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
								PKG:513	
PROC. REF: AMM 12-20-52PROC. REF: AMM 12-20-52									
12-20-52-6401	S	DOOR KEYED CAM LOCK LUBRICATION						Service	ATA:12
	MOS	30-Apr-26	12 (+1m/-1m)						
	HRS	9045:31							
	AFL	7280							
								PKG:509	
PROC. REF: AMM 12-20-52PROC. REF: AMM 12-20-52									
12-20-78-6400	S	THRUST REVERSER GUIDE ROD (D-5100NS AEROSOL SPRAY METHOD) LUBRICATION						Service	ATA:12
	MOS	26-Jun-25							
	HRS	8753:50	400 (+25/-25)						
	AFL	7069							
								PKG:522	
PROC. REF: AMM 12-20-78PROC. REF: AMM 12-20-78									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 12 - SERVICING									
12-20-78-6401	S	THRUST REVERSER PIVOT POINT (WC-393 METHOD) LUBRICATION (AIRPLANES -5001 AND ON)							Service ATA:12
	MOS	26-Jun-25							
	HRS	8753:50	400 (+25/-25)						
	AFL	7069							
								PKG:522	
PROC. REF: AMM 12-20-78PROC. REF: AMM 12-20-78									
12-20-78-6402	S	THRUST REVERSER PIVOT POINT (C-5A ANTI-SEIZE METHOD) LUBRICATION (AIRPLANES -5001 AND ON)							Service ATA:12
	MOS	26-Aug-22							
	HRS	7617:20	800 (+25/-25)						
	AFL	6282							
								PKG:510	
PROC. REF: AMM 12-20-78PROC. REF: AMM 12-20-78									
12-26-00-6001		15 DAY HIGH EXPOSURE AREA WASH							Service ATA:12
	DAYS/MS	EFF	A/R		TAC 0				
	HRS	EFF			TAC 0				
	AFL	EFF			TAC 0				
PROC. REF: AMM 12-26-00PROC. REF: AMM 12-26-00									
12-26-00-6002		45 DAY MEDIUM EXPOSURE AREA WASH							Service ATA:12
	DAYS/MS	EFF	A/R		TAC 0				
	HRS	EFF			TAC 0				
	AFL	EFF			TAC 0				
PROC. REF: AMM 12-26-00PROC. REF: AMM 12-26-00									
12-26-00-6003		90 DAY LOW EXPOSURE AREA WASH							Service ATA:12
	DAYS/MS	EFF	A/R		TAC 0				
	HRS	EFF			TAC 0				
	AFL	EFF			TAC 0				
PROC. REF: AMM 12-26-00PROC. REF: AMM 12-26-00									
ATA 21 - AIR CONDITIONING									
21-22-00-2900	S	CABIN AIR DISTRIBUTION CHECK VALVES (BOREScope) SPECIAL DETAILED INSPECTION							Service ATA:21
	MOS	31-Jan-23	96 (+1m/-1m)						
	HRS	7738:49							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
	AFL	6374						PKG:519
PROC. REF: AMM 21-22-00PROC. REF: AMM 21-22-00								
21-30-00-7200 ^S PRESSURIZATION SYSTEM OPERATIONAL AND FUNCTIONAL CHECK Service ATA:21								
	MOS	01-May-25	24 (+1m/-1m)					
	HRS	8639:48						
	AFL	6990						PKG:511
PROC. REF: AMM 21-30-00PROC. REF: AMM 21-30-00								
21-31-05-7200 ^S CABIN ALTITUDE PRESSURE SWITCH FUNCTIONAL CHECK Service ATA:21								
	MOS	06-Apr-23	48 (+1m/-1m)					
	HRS	7794:51						
	AFL	6421						PKG:513
PROC. REF: AMM 21-31-05, AMM 21-31-05PROC. REF: AMM 21-31-05, AMM 21-31-05								
21-52-00-2100 ^S VAPOR CYCLE COOLING SYSTEM HOUR METER VISUAL CHECK (AIRPLANES INCORPORATING VAPOR CYCLE COOLING WITH 1134104-1 AND -5 COMPRESSOR MOTORS) Service ATA:21								
	MOS/MSC	17-Feb-02	N/A	TAC 0				
	HRS	0		TAC 0				
	AFL	0		TAC 0				PKG:246
PROC. REF: AMM 21-52-00PROC. REF: AMM 21-52-00								
21-52-00-2200 ^S VAPOR CYCLE COOLING SYSTEM 12 MONTH MAINTENANCE (AIRPLANES INCORPORATING VAPOR CYCLE COOLING SYSTEM) Service ATA:21								
	MOS	30-Apr-26	12					
	HRS	9045:31						
	AFL	7280						PKG:509
PROC. REF: AMM 21-52-00PROC. REF: AMM 21-52-00								
211002 EMERGENCY PRESSURIZATION FLOW (UY005) VALVE Component ATA:21								
PN:27441482-06	MOS/MSC	17-Feb-02	O/C					
SN:9AU121	HRS	0		TSN 0				
WC#: 21.010	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 21-12-00PROC. REF: AMM 21-12-00								
211120 LEFT BI LEVEL VALVE Component ATA:21								
PN:1988-00-3	MOS/MSC	17-Feb-02	O/C					
SN:1643A	HRS	0		TSN 0				
WC#: 21.230	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
211120 RIGHT BI LEVEL VALVE Component ATA:21								
PN:1988-00-3	MOS/MSC	17-Feb-02	O/C					
SN:1625A	HRS	0		TSN 0				
WC#: 21.230	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
212200 MOTOR AND BLOWER ASSEMBLY Component ATA:21								
PN:7003-400	MOS/MSC	17-Feb-02	O/C					
SN:300	HRS	0		TSN 0				
WC#: 21.240	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213005 MANUAL TOGGLE VALVE Component ATA:21								
PN:52773-114	MOS/MSC	17-Feb-02	O/C					
SN:974	HRS	0		TSN 0				
WC#: 21.250	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213006 CABIN ALTITUDE (U1005) CONTROLLER Component ATA:21								
PN:52770-114	MOS/MSC	12-Mar-10	O/C					
SN:1510	HRS	3952		TSO 0				
WC#: 21.050	AFL	3799						
PROC. REF: AMM 21-30-00PROC. REF: AMM 21-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
213007	PRIMARY OUTFLOW VALVE							Component	ATA:21
PN:52771-314	MOS/MSC	29-Jul-21	O/C						
SN:805	HRS	6594:04							
WC#: 21.080	AFL	5605							
PROC. REF: AMM 21-30-00PROC. REF: AMM 21-30-00									
213007	SECONDARY OUTFLOW VALVE							Component	ATA:21
PN:52772-114	MOS/MSC	29-Jul-21	O/C						
SN:1128B	HRS	6594:04							
WC#: 21.080	AFL	5605							
PROC. REF: AMM 21-30-00PROC. REF: AMM 21-30-00									
213009	CABIN ALTITUDE (SC037) SWITCH							Component	ATA:21
PN:PN	MOS/MSC	17-Feb-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.060	AFL	0		TSN 0					
PROC. REF: AMM 21-31-05PROC. REF: AMM 21-31-05									
213101	ALT PRESSURE SWITCH							Component	ATA:21
PN:GB300NA161	MOS/MSC	17-Feb-02	O/C						
SN:0117644	HRS	0		TSN 0					
WC#: 21.260	AFL	0		TSN 0					
PROC. REF: AMM 21-31-05PROC. REF: AMM 21-31-05									
215001	ENVIRONMENTAL CONTROL UNIT							Component	ATA:21
PN:2215460-2	MOS/MSC	17-Feb-02	O/C						
SN:352	HRS	0		TSN 0					
WC#: 21.270	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
215004	PAC OVERHEAT SWITCH							Component	ATA:21
PN:927223-2-3	MOS/MSC	01-Jul-12	O/C	TSN 0					
SN:01663	HRS	4294:14		TSN 0					
WC#: 21.270	AFL	4089		TSN 0					
PROC. REF: AMM 21-61-00PROC. REF: AMM 21-61-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
215005	ACM COOLING TURBINE							Component	ATA:21
PN:2206610-1	MOS/MSC	17-Feb-02	O/C						
SN:350	HRS	0		TSN 0					
WC#: 21.120	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
215006	HEAT EXCHANGER							Component	ATA:21
PN:2340594-6	MOS/MSC	17-Feb-02	O/C						
SN:393	HRS	0		TSN 0					
WC#: 21.280	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
215100	WATER SPRAY ECU ASPIRATOR							Component	ATA:21
PN:2215605-1	MOS/MSC	17-Feb-02	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.290	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
215101	WATER SEPARATOR TEMP 1 SENSOR							Component	ATA:21
PN:1E62-1	MOS/MSC	17-Feb-02	O/C						
SN:9AU187	HRS	0		TSN 0					
WC#: 21.290	AFL	0		TSN 0					
PROC. REF: AMM 21-51-00PROC. REF: AMM 21-51-00									
216002	ENVIRONMENTAL TEMP CONTROLLER							Component	ATA:21
PN:1E64-2	MOS/MSC	14-Oct-19	O/C		TSO 3				
SN:2BD46	HRS	5321:40			TSO 0				
WC#: 21.310	AFL	4913							
PROC. REF: AMM 21-61-00PROC. REF: AMM 21-61-00									
216003	NO. 1 CABIN TEMP SENSOR							Component	ATA:21
PN:1E47-1	MOS/MSC	17-Feb-02	O/C						
SN:10AU303	HRS	0		TSN 0					
WC#: 21.320	AFL	0		TSN 0					
PROC. REF: AMM 21-61-00PROC. REF: AMM 21-61-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
216003		NO. 2 CABIN TEMP SENSOR						Component	ATA:21
PN:1E47-1	MOS/MSC	17-Feb-02	O/C						
SN:10AU306	HRS	0		TSN 0					
WC#: 21.320	AFL	0		TSN 0					
PROC. REF: AMM 21-61-00PROC. REF: AMM 21-61-00									
216009		CABIN ZONE TEMPERATURE (UC021) SENSOR						Component	ATA:21
PN:1E46-1	MOS/MSC	17-Feb-02	O/C						
SN:6AU119	HRS	0		TSN 0					
WC#: 21.190	AFL	0		TSN 0					
PROC. REF: AMM 21-61-00PROC. REF: AMM 21-61-00									
216009		COCKPIT ZONE TEMPERATURE (UF029) SENSOR						Component	ATA:21
PN:1E46-1	MOS/MSC	17-Feb-02	O/C						
SN:2AU21	HRS	0		TSN 0					
WC#: 21.190	AFL	0		TSN 0					
PROC. REF: AMM 21-61-00PROC. REF: AMM 21-61-00									
216099		ECU TEMP CONTROL VALVE						Component	ATA:21
PN:27241287-14 - 9912518-2	MOS/MSC	28-Feb-25	O/C	TSO 0					
SN:11BD480F	HRS	8590:01		TSO 0					
WC#: 21.330	AFL	6959		TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
216100		LEFT CABIN TEMPERATURE CONTROL (VT029) VALVE						Component	ATA:21
PN:27241287-14	MOS/MSC	17-Feb-02	O/C						
SN:9AU150	HRS	0		TSN 0					
WC#: 21.040	AFL	0		TSN 0					
PROC. REF: AMM 21-61-00PROC. REF: AMM 21-61-00									
216100		RIGHT COCKPIT TEMPERATURE CONTROL (VT030) VALVE						Component	ATA:21
PN:27241287-14 - 9912518-2	MOS/MSC	27-Feb-15	O/C	TSO 0					
SN:8BD358F	HRS	4675:56		TSO 0					
WC#: 21.040	AFL	4415		TSO 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
PROC. REF: AMM 21-61-00PROC. REF: AMM 21-61-00									
216101	LEFT CABIN DUCT OVERHEAT (SC013) SWITCH							Component	ATA:21
PN:1173T42	MOS/MSC	17-Feb-02	O/C						
SN:2291	HRS	0		TSN 0					
WC#: 21.200	AFL	0		TSN 0					
PROC. REF: AMM 21-61-00PROC. REF: AMM 21-61-00									
216101	RIGHT COCKPIT DUCT OVERHEAT (SF034) SWITCH							Component	ATA:21
PN:1173T42	MOS/MSC	17-Feb-02	O/C						
SN:2312	HRS	0		TSN 0					
WC#: 21.200	AFL	0		TSN 0					
PROC. REF: AMM 21-61-00PROC. REF: AMM 21-61-00									
217001	WATER SEPARATOR							Component	ATA:21
PN:2341316-2	MOS/MSC	02-Apr-19	O/C	TSO 5					
SN:1129	HRS	5066:42		TSO 0					
WC#: 21.210	AFL	4739		TSO 0					
PROC. REF: AMM 21-51-00, AMM 21-51-00PROC. REF: AMM 21-51-00, AMM 21-51-00									
217101	LEFT OZONE CONVERTER							Component	ATA:21
PN:31A437-1	MOS/MSC	17-Feb-02	O/C						
SN:04820924	HRS	0		TSN 0					
WC#: 21.220	AFL	0		TSN 0					
PROC. REF: AMM 21-71-00PROC. REF: AMM 21-71-00									
217101	RIGHT OZONE CONVERTER							Component	ATA:21
PN:31A437-1	MOS/MSC	17-Feb-02	O/C						
SN:04870920	HRS	0		TSN 0					
WC#: 21.220	AFL	0		TSN 0					
PROC. REF: AMM 21-71-00PROC. REF: AMM 21-71-00									
21FO-04XL ^U	REMOTE CABIN TEMP CONTROL FACTORY OPTION							Component	ATA:21
PN:16	MOS/MSC	17-Feb-02	-						
SN:FO	HRS	0							
	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
ATA 22 - AUTO FLIGHT									
221009	AUTOPILOT (PC400) CONTROLLER							Component	ATA:22
PN:7003897-923 - PC-400	MOS/MSC	26-Jan-17	O/C						
SN:03012924	HRS	4967:11							
WC#: 22.040	AFL	4654							
PROC. REF: AMM 22-11-03PROC. REF: AMM 22-11-03									
221010	AILERON DRIVE SERVO							Component	ATA:22
PN:4006719-921	MOS/MSC	18-Apr-13	O/C						
SN:98030513	HRS	4410:34							
WC#: 22.010	AFL	4181							
PROC. REF: AMM 22-11-01PROC. REF: AMM 22-11-01									
221010	ELEVATOR DRIVE SERVO							Component	ATA:22
PN:4006719-906	MOS/MSC	09-Aug-04	O/C						
SN:95077942	HRS	1557		TSO 0					
WC#: 22.020	AFL								
PROC. REF: AMM 22-11-01PROC. REF: AMM 22-11-01									
221010	RUDDER DRIVE SERVO							Component	ATA:22
PN:4006719-910	MOS/MSC	17-Feb-02	O/C						
SN:1085979	HRS	0		TSN 0					
WC#: 22.030	AFL	0		TSN 0					
PROC. REF: AMM 22-11-01PROC. REF: AMM 22-11-01									
ATA 23 - COMMUNICATIONS									
23-10-00-7100 ^S	CREW OXYGEN MASK MICROPHONE AND SWITCH OPERATIONAL CHECK							Service	ATA:23
	MOS	30-Apr-26	12 (+1m/-1m)						
	HRS	9045:31							
	AFL	7280							
PROC. REF: AMM 23-10-00PKG:509									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
23-50-00-7100	S	AUDIO AMPLIFIER EMERGENCY SWITCH OPERATIONAL CHECK (AIRPLANES -5001 THRU -6000)						Service	ATA:23
	MOS	30-Apr-26	12 (+1m/-1m)						
	HRS	9045:31							
	AFL	7280							
								PKG:509	
PROC. REF: AMM 23-50-00PROC. REF: AMM 23-50-00									
23-60-00-7200	S	STATIC DISCHARGING SYSTEM FUNCTIONAL CHECK						Service	ATA:23
	MOS	01-May-25	24 (+1m/-1m)						
	HRS	8639:48							
	AFL	6990							
								PKG:516	
PROC. REF: AMM 23-60-00PROC. REF: AMM 23-60-00									
23-70-00-9600		DK120 OR DK120/90 COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON BATTERY DISCARD						Component	ATA:23
PN:DK120/90	MOS/MSC	29-Nov-24	DUE	TSN 0	01-Sep-31 (M)		1945 d	DISCARD	
SN:AT208464	HRS	8500:45		TSN 0					
WC#: 23.210	AFL	6890		TSN 0					
				Expiry Date: : 01-Sep-31					
PROC. REF: AMM 23-70-00PROC. REF: AMM 23-70-00									
23-90-20-7200		NO. 1 TRANSPONDER FUNCTIONAL CHECK (AIRPLANES -5001 THRU -6000)						Service	ATA:23
PN:7517400-902	MOS	01-May-25	24	Adj -25d	30-Apr-27		360 d		
SN:01096008	HRS	8639:48							
WC#: 23.610	AFL	6990							
				Calibration Date: : 01-May-25					
PROC. REF: AMM 23-90-20PROC. REF: AMM 23-90-20									
23-90-20-7200		NO. 2 TRANSPONDER FUNCTIONAL CHECK (AIRPLANES -5001 THRU -6000)						Service	ATA:23
PN:7517400-902	MOS	01-May-25	24	Adj -25d	30-Apr-27		360 d		
SN:01065523	HRS	8639:48							
WC#: 23.610	AFL	6990							
				Calibration Date: : 01-May-25					
PROC. REF: AMM 23-90-20PROC. REF: AMM 23-90-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
231003	HIGH FREQUENCY RECEIVER/EXCITER							Component	ATA:23
PN:064-01015-00	MOS/MSC	21-Sep-23	O/C						
SN:5428	HRS	8033:12							
WC#: 23.020	AFL	6602							
PROC. REF: AMM 23-11-00PROC. REF: AMM 23-11-00									
231004	HF POWER AMP							Component	ATA:23
PN:064-01017-0001	MOS/MSC	17-Feb-02	O/C						
SN:17040	HRS	0		TSN 0					
WC#: 23.280	AFL	0		TSN 0					
PROC. REF: AMM 23-11-00PROC. REF: AMM 23-11-00									
231007	KHF950 HIGH FREQUENCY (KA594) ADAPTER							Component	ATA:23
PN:071-01268-0001	MOS/MSC	17-Feb-02	O/C						
SN:4416	HRS	0		TSN 0					
WC#: 23.030	AFL	0		TSN 0					
PROC. REF: AMM 23-11-00PROC. REF: AMM 23-11-00									
231011	KHF950 HIGH FREQUENCY (KFS594) CONTROLLER							Component	ATA:23
PN:071-01274-0002	MOS/MSC	17-Feb-02	O/C						
SN:5254	HRS	0		TSN 0					
WC#: 23.010	AFL	0		TSN 0					
PROC. REF: AMM 23-11-00PROC. REF: AMM 23-11-00									
231500	SATELITE SATCOM DATA UNIT							Component	ATA:23
PN:403068A-UAT	MOS/MSC	18-Feb-02	O/C						
SN:399	HRS	19		TSN 0					
WC#: 23.440	AFL								
PROC. REF: AMM 23-15-09PROC. REF: AMM 23-15-09									
231501	FLITEPHONE VI ASSEMBLY ANTENNA							Component	ATA:23
PN:10101-00	MOS/MSC	15-Feb-05	O/C						
SN:OP000237	HRS	1913		TSO 0					
WC#: 23.080	AFL								
PROC. REF: AMM 23-15-00PROC. REF: AMM 23-15-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
231501		NO. 2 SATCOM ANTENNA						Component	ATA:23
PN:10102-000	MOS/MSC	17-Feb-02	O/C						
SN:05251	HRS	0		TSN 0					
WC#: 23.095	AFL	0		TSN 0					
PROC. REF: AMM 23-15-00PROC. REF: AMM 23-15-00									
231502		FLITEPHONE VI RECEIVER TRANSMITTER						Component	ATA:23
PN:403010H	MOS/MSC	17-Feb-02	O/C						
SN:00851176	HRS	0		TSN 0					
WC#: 23.090	AFL	0		TSN 0					
PROC. REF: AMM 23-15-00PROC. REF: AMM 23-15-00									
232003		NO. 1 COMM ANTENNA						Component	ATA:23
PN:S65-8282-1	MOS/MSC	17-Feb-02	O/C						
SN:1043	HRS	0		TSN 0					
WC#: 23.270	AFL	0		TSN 0					
PROC. REF: AMM 23-80-01, AMM 23-20-01PROC. REF: AMM 23-80-01, AMM 23-20-01									
232003		NO. 2 COMM ANTENNA						Component	ATA:23
PN:21-38-1RF/36	MOS/MSC	17-Feb-02	O/C						
SN:8357	HRS	0		TSN 0					
WC#: 23.270	AFL	0		TSN 0					
PROC. REF: AMM 23-80-01, AMM 23-20-01PROC. REF: AMM 23-80-01, AMM 23-20-01									
232008		NO. 1 HONEYWELL PRIMUS II SRZ850 INTEGRATED (RCZ851) COMMUNICATION UNIT						Component	ATA:23
PN:7510700-665 - RCZ-833K	MOS/MSC	02-Jun-17	O/C						
SN:00024924	HRS	5052							
WC#: 23.230	AFL	4732							
PROC. REF: AMM 23-80-01PROC. REF: AMM 23-80-01									
232008		NO. 2 HONEYWELL PRIMUS II SRZ850 INTEGRATED (RCZ851) COMMUNICATION UNIT						Component	ATA:23
PN:7510700-766	MOS/MSC	12-Mar-04	O/C						
SN:01086843	HRS	1200		TSO 1200					
WC#: 23.230	AFL								
PROC. REF: AMM 23-80-01PROC. REF: AMM 23-80-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
232010	NO. 1 COMM TRANSCEIVER							Component	ATA:23
PN:7510763-901	MOS/MSC	17-Feb-02	O/C						
SN:01084262	HRS	0		TSN 0					
WC#: 23.290	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
232010	NO. 2 COMM TRANSCEIVER							Component	ATA:23
PN:7510763-901	MOS/MSC	17-Feb-02	O/C						
SN:01094390	HRS	0		TSN 0					
WC#: 23.290	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
232011	SELCAL DECODER							Component	ATA:23
PN:1200008-000	MOS/MSC	17-Feb-02	O/C						
SN:3257	HRS	0		TSN 0					
WC#: 23.300	AFL	0		TSN 0					
PROC. REF: AMM 23-20-02PROC. REF: AMM 23-20-02									
232013	NO. 1 CLUSTER COMM MODULE							Component	ATA:23
PN:7510784-835	MOS/MSC	17-Feb-02	O/C						
SN:01087233	HRS	0		TSN 0					
WC#: 23.310	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
232013	NO. 2 CLUSTER COMM MODULE							Component	ATA:23
PN:7510784-835	MOS/MSC	17-Feb-02	O/C						
SN:01087271	HRS	0		TSN 0					
WC#: 23.310	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
233003	AUDIO AMPLIFIER							Component	ATA:23
PN:102008-1	MOS/MSC	17-Feb-02	O/C						
SN:-	HRS	0		TSN 0					
WC#: 23.325	AFL	0		TSN 0					
PROC. REF: AMM 23-30-01PROC. REF: AMM 23-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
235001	NO. 1 AUDIO CONTROL PANEL AMPLIFIER							Component	ATA:23
PN:7511001-915	MOS/MSC	05-Mar-10	O/C						
SN:96051866	HRS	3947							
WC#: 23.320	AFL	3797							
PROC. REF: AMM 23-30-01PROC. REF: AMM 23-30-01									
235001	NO. 2 AUDIO CONTROL PANEL AMPLIFIER							Component	ATA:23
PN:7511001-915	MOS/MSC	05-Mar-10	O/C						
SN:01097504	HRS	3947							
WC#: 23.320	AFL	3797							
PROC. REF: AMM 23-30-01PROC. REF: AMM 23-30-01									
237001	COCKPIT VOICE RECORDER							Component	ATA:23
PN:2100-1020-02	MOS/MSC	17-Feb-02	O/C						
SN:000126101	HRS	0		TSN 0					
WC#: 23.200	AFL	0		TSN 0					
PROC. REF: AMM 23-70-00PROC. REF: AMM 23-70-00									
237002	CVR GRAVITY SWITCH							Component	ATA:23
PN:6895D1-X-5-5	MOS/MSC	17-Feb-02	O/C						
SN:3596	HRS	0		TSN 0					
WC#: 23.330	AFL	0		TSN 0					
PROC. REF: AMM 23-70-00PROC. REF: AMM 23-70-00									
237004	CVR CONTROL UNIT							Component	ATA:23
PN:S251-1120-00	MOS/MSC	17-Feb-02	O/C						
SN:000134079	HRS	0		TSN 0					
WC#: 23.190	AFL	0		TSN 0					
PROC. REF: AMM 23-70-00PROC. REF: AMM 23-70-00									
237006	CVR UNDERWATER LOCATOR BEACON							Component	ATA:23
PN:DK120	MOS/MSC	18-Apr-13	O/C		TSN 0				
SN:SD12718	HRS	4410:34			TSN 0				
WC#: 23.210	AFL	4181			TSN 0				
PROC. REF: AMM 23-70-00PROC. REF: AMM 23-70-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
238001	STDBY CONTROL UNIT							Component	ATA:23
PN:7513000-835	MOS/MSC	17-Feb-02	O/C						
SN:01082026	HRS	0		TSN 0					
WC#: 23.340	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
23FO-04XL/T ^U	HF COMM: KHF-950 SM CONTROL HEAD FACTORY OPTION							Component	ATA:23
PN:631T	MOS/MSC	17-Feb-02	-						
SN:FO	HRS	0							
	AFL	0							
<hr/>									
23FO-05XL/C ^U	RECORDER: FLIGHT DATA JAA ALLIEDSIGNAL FACTORY OPTION							Component	ATA:23
PN:634C	MOS/MSC	17-Feb-02	-						
SN:FO	HRS	0							
	AFL	0							
<hr/>									
23FO-07XL ^U	SELCAL: CSD-714 FACTORY OPTION							Component	ATA:23
PN:631Y	MOS/MSC	17-Feb-02	-						
SN:FO	HRS	0							
	AFL	0							
<hr/>									
ATA 24 - ELECTRICAL POWER									
24-32-00-7202 ^S	42 AMP-HOUR CONCORDE LEAD ACID MAIN BATTERY (CAPACITY CHECK) FUNCTIONAL CHECK							Service	ATA:24
PN:S3597-8	MOS	07-Feb-26	12 (+1m/-1m)						
SN:41500622	HRS	9009:21	600 (+25/-25)						
	AFL	7262							
PROC. REF: AMM 24-32-00PROC. REF: AMM 24-32-00									
PKG:524									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
24-32-00-7203 ^S	NO. 1 L3 COM PS-835D STANDBY BATTERY PACK (CAPACITY CHECK) FUNCTIONAL CHECK							Service	ATA:24
PN:501-1228-04	MOS	30-Apr-26	12 (+1m/-1m)						
SN:87126	HRS	9045:31							
	AFL	7280							
								PKG:509	
PROC. REF: AMM 24-32-00PROC. REF: AMM 24-32-00									
24-32-00-7203 ^S	NO. 2 L3 COM PS-835D STANDBY BATTERY PACK (CAPACITY CHECK) FUNCTIONAL CHECK							Service	ATA:24
PN:501-1228-04 - PS-835	MOS	30-Apr-26	12 (+1m/-1m)						
SN:12399	HRS	9045:31							
	AFL	7280							
								PKG:509	
PROC. REF: AMM 24-32-00PROC. REF: AMM 24-32-00									
24-32-00-7204 ^S	NO. 1 L3 COM PS-855B STANDBY BATTERY PACK (CAPACITY CHECK) FUNCTIONAL CHECK							Service	ATA:24
PN:501-1228-04	MOS/MSC	30-Apr-26	N/A						
SN:87126	HRS	9045:31							
	AFL	7280							
								PKG:509	
PROC. REF: AMM 24-32-00PROC. REF: AMM 24-32-00									
24-32-00-7204 ^S	NO. 2 L3 COM PS-855B STANDBY BATTERY PACK (CAPACITY CHECK) FUNCTIONAL CHECK							Service	ATA:24
PN:501-1228-04 - PS-835	MOS/MSC	30-Apr-26	N/A						
SN:12399	HRS	9045:31							
	AFL	7280							
								PKG:509	
PROC. REF: AMM 24-32-00PROC. REF: AMM 24-32-00									
24-41-02-7200 ^S	EXTERNAL POWER OVERVOLTAGE SYSTEM FUNCTIONAL CHECK							Service	ATA:24
	MOS	29-Jan-21	72 (+1m/-1m)						
	HRS	6128:04							
	AFL	5353							
								PKG:518	
PROC. REF: AMM 24-41-02PROC. REF: AMM 24-41-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
240001	LEFT POWER CONTROL (UD015) UNIT							Component	ATA:24
PN:91479-1	MOS/MSC	17-Feb-02	O/C						
SN:574	HRS	0		TSN 0					
WC#: 24.030	AFL	0		TSN 0					
PROC. REF: AMM 24-20-01PROC. REF: AMM 24-20-01									
240001	RIGHT POWER CONTROL (UE016) UNIT							Component	ATA:24
PN:91479-1	MOS/MSC	17-Feb-02	O/C						
SN:575	HRS	0		TSN 0					
WC#: 24.030	AFL	0		TSN 0					
PROC. REF: AMM 24-20-01PROC. REF: AMM 24-20-01									
242050	LEFT AC (UD017) GENERATOR							Component	ATA:24
PN:91372-3 - 9914435-8	MOS/MSC	07-Oct-25	O/C	TSO 0					
SN:1170	HRS	8892:26		TSO 0					
WC#: 24.020	AFL	7180		TSO 0					
PROC. REF: AMM 24-20-01PROC. REF: AMM 24-20-01									
242050	RIGHT AC (UE018) GENERATOR							Component	ATA:24
PN:91372-3	MOS/MSC	22-Oct-07	O/C						
SN:634	HRS	3378		TSO 4781					
WC#: 24.020	AFL								
PROC. REF: AMM 24-20-01PROC. REF: AMM 24-20-01									
243003	APU GENERATOR (UT032) CONTROL UNIT							Component	ATA:24
PN:51525-001F	MOS/MSC	17-Feb-02	O/C						
SN:Y1894	HRS	0							
WC#: 24.080	AFL	0							
	APH	0		TSN 0					
	APS	0		TSN 0					
PROC. REF: AMM 24-31-02PROC. REF: AMM 24-31-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
243003	LEFT GENERATOR (UT007) CONTROL UNIT							Component	ATA:24
PN:51525-001F	MOS/MSC	17-Feb-02	O/C						
SN:Y1786	HRS	0		TSN 0					
WC#: 24.070	AFL	0		TSN 0					
PROC. REF: AMM 24-31-01PROC. REF: AMM 24-31-01									
243003	RIGHT GENERATOR (UT008) CONTROL UNIT							Component	ATA:24
PN:51525-001F	MOS/MSC	17-Feb-02	O/C						
SN:Y1729	HRS	0		TSN 0					
WC#: 24.070	AFL	0		TSN 0					
PROC. REF: AMM 24-31-01PROC. REF: AMM 24-31-01									
243004	LEFT DC (EI011) AMMETER							Component	ATA:24
PN:MD144-1	MOS/MSC	17-Feb-02	O/C						
SN:J212362	HRS	0		TSN 0					
WC#: 24.150	AFL	0		TSN 0					
PROC. REF: AMM 24-32-00PROC. REF: AMM 24-32-00									
243004	RIGHT DC (EI010) AMMETER							Component	ATA:24
PN:MD144-1	MOS/MSC	17-Feb-02	O/C						
SN:J212364	HRS	0		TSN 0					
WC#: 24.150	AFL	0		TSN 0					
PROC. REF: AMM 24-32-00PROC. REF: AMM 24-32-00									
243005	DC (EI009) VOLTMETER							Component	ATA:24
PN:C662502-0101	MOS/MSC	17-Feb-02	O/C						
SN:K21257	HRS	0		TSN 0					
WC#: 24.140	AFL	0		TSN 0					
PROC. REF: AMM 24-32-00PROC. REF: AMM 24-32-00									
243007	MAIN SHIP (UY006) BATTERY							Component	ATA:24
PN:S3597-8	MOS/MSC	07-Feb-26	O/C	TSN 0					
SN:41500622	HRS	9009:21		TSN 0					
WC#: 24.040	AFL	7262		TSN 0					
PROC. REF: AMM 24-32-00PROC. REF: AMM 24-32-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
243008	OVERHEAT MONITOR-							Component	ATA:24
PN:1529-1	MOS/MSC	17-Feb-02	O/C						
SN:3616	HRS	0		TSN 0					
WC#: 24.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
243009	BATTERY TEMP INDICATOR							Component	ATA:24
PN:1229-1	MOS/MSC	17-Feb-02	O/C						
SN:2793	HRS	0		TSN 0					
WC#: 24.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
243015	BATTERY DISCONNECT (KY001) RELAY							Component	ATA:24
PN:A876K	MOS/MSC	17-Feb-02	O/C						
SN:CM90988	HRS	0		TSN 0					
WC#: 24.060	AFL	0		TSN 0					
PROC. REF: AMM 24-41-02PROC. REF: AMM 24-41-02									
<hr/>									
243016	OVERVOLTAGE (UZ003) MONITOR-							Component	ATA:24
PN:1645-1-3	MOS/MSC	17-Feb-02	O/C						
SN:2724	HRS	0		TSN 0					
WC#: 24.050	AFL	0		TSN 0					
PROC. REF: AMM 24-41-02PROC. REF: AMM 24-41-02									
<hr/>									
245079	LEFT START CNTL NZ013 PCB							Component	ATA:24
PN:6318324-5	MOS/MSC	17-Feb-02	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.190	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
245079	RIGHT START CNTL NZ012 PCB							Component	ATA:24
PN:6318324-5	MOS/MSC	17-Feb-02	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.190	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
245080	TRIM NZ001 PCB							Component	ATA:24
PN:6518351-7	MOS/MSC	17-Feb-02	O/C						
SN:506	HRS	0		TSN 0					
WC#: 24.200	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245081	PRESS NZ002 PCB							Component	ATA:24
PN:6518352-5	MOS/MSC	17-Feb-02	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.200	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245082	DIMMING NZ023 PCB							Component	ATA:24
PN:6518353-6	MOS/MSC	17-Feb-02	O/C						
SN:354	HRS	0		TSN 0					
WC#: 24.200	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245083	LEFT EEC INTERFACE NZ021 PCB							Component	ATA:24
PN:6618002-3	MOS/MSC	17-Feb-02	O/C						
SN:565	HRS	0		TSN 0					
WC#: 24.210	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245083	RIGHT EEC INTERFACE NZ020 PCB							Component	ATA:24
PN:6618002-3	MOS/MSC	17-Feb-02	O/C						
SN:564	HRS	0		TSN 0					
WC#: 24.210	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245084	LANDING GEAR NZ004 PCB							Component	ATA:24
PN:6618704-6	MOS/MSC	17-Feb-02	O/C						
SN:346	HRS	0		TSN 0					
WC#: 24.220	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
245085	TAIL DEICE NZ005 PCB							Component	ATA:24
PN:6618705-6	MOS/MSC	17-Feb-02	O/C						
SN:332	HRS	0		TSN 0					
WC#: 24.220	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245086	SQUAT SW NZ006 PCB							Component	ATA:24
PN:6618706-1	MOS/MSC	17-Feb-02	O/C						
SN:331	HRS	0		TSN 0					
WC#: 24.230	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245087	CABIN DOOR NZ007 PCB							Component	ATA:24
PN:6618707-16	MOS/MSC	17-Feb-02	O/C						
SN:360	HRS	0		TSN 0					
WC#: 24.230	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245091	NO TAKE-OFF NZ008 PCB							Component	ATA:24
PN:6618708-11	MOS/MSC	17-Feb-02	O/C						
SN:106	HRS	0		TSN 0					
WC#: 24.240	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245092	LEFT FUEL NZ015 PCB							Component	ATA:24
PN:6618714-11	MOS/MSC	17-Feb-02	O/C						
SN:566	HRS	0		TSN 0					
WC#: 24.250	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245092	RIGHT FUEL NZ014 PCB							Component	ATA:24
PN:6618714-11	MOS/MSC	17-Feb-02	O/C						
SN:575	HRS	0		TSN 0					
WC#: 24.250	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
245094	HYD NZ016 PCB							Component	ATA:24
PN:6618716-1	MOS/MSC	17-Feb-02	O/C						
SN:409	HRS	0		TSN 0					
WC#: 24.260	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245095	POS TAIL NZ017 PCB							Component	ATA:24
PN:6618717-11	MOS/MSC	17-Feb-02	O/C						
SN:333	HRS	0		TSN 0					
WC#: 24.260	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245096	LEFT ANTI ICE NZ019 PCB							Component	ATA:24
PN:6618718-1	MOS/MSC	30-Apr-20	O/C	TSO 216					
SN:568	HRS	5575:40		TSO 0					
WC#: 24.270	AFL	5052							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245096	RIGHT ANTI-ICE NZ018 PCB							Component	ATA:24
PN:6618718-1	MOS/MSC	30-Apr-20	O/C	TSO 116					
SN:567	HRS	5575:40		TSO 0					
WC#: 24.270	AFL	5052							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245097	FAN CONTROL NZ022 PCB							Component	ATA:24
PN:6618722-1	MOS/MSC	17-Feb-02	O/C						
SN:331	HRS	0		TSN 0					
WC#: 24.280	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245098	RUDDER BIAS NZ029 PCB							Component	ATA:24
PN:6618812-1	MOS/MSC	17-Feb-02	O/C						
SN:336	HRS	0		TSN 0					
WC#: 24.280	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
245103	APU NZ025 PCB							Component	ATA:24
PN:6618808-16	MOS/MSC	11-Oct-02	O/C						
SN:UNKNOWN	HRS	329		TSN 0					
WC#: 24.290	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
245104	APU NZ026 PCB							Component	ATA:24
PN:6618809-1	MOS/MSC	17-Feb-02	O/C						
SN:267	HRS	0		TSN 0					
WC#: 24.290	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
24FO-01XL/N ^U	BATTERY: SEALED LEAD ACID FACTORY OPTION							Component	ATA:24
PN:186N	MOS/MSC	17-Feb-02	-						
SN:FO	HRS	0							
	AFL	0							
<hr/>									
ATA 25 - EQUIPMENT/FURNISHINGS									
25-11-01-2200 ^S	CREW SEATS DETAILED INSPECTION							Service	ATA:25
	MOS	16-Dec-21							
	HRS	7027:20	2400 (+25/-25)						
	AFL	5862							
PROC. REF: AMM 25-11-01PROC. REF: AMM 25-11-01									
<hr/>									
25-21-01-2200 ^S	PASSENGER SEATS AND FORWARD AND AFT SIDE-FACING SEATS DETAILED INSPECTION							Service	ATA:25
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
PROC. REF: AMM 25-21-01PROC. REF: AMM 25-21-01									

PKG:515

PKG:513

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-60-00-2200	FIRST AID KIT DETAILED INSPECTION							Service	ATA:25
PN:PN UNKNOWN	MOS	30-Apr-26	12 (+1m/-1m)		30-Apr-27	31-May-27	360 d (+31)		
SN:041207018	HRS	9045:31							
	AFL	7280							
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								PKG:509	
25-60-00-2201 ^S	SMOKE GOGGLES DETAILED INSPECTION							Service	ATA:25
	MOS	30-Apr-26	12 (+1m/-1m)						
	HRS	9045:31							
	AFL	7280							
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								PKG:509	
25-60-00-2202 ^S	P01074-207, P01074-207W LIFE VEST POUCH DETAILED INSPECTION							Service	ATA:25
	MOS	27-Oct-20	60 (+1m/-1m)						
	HRS	5954:16							
	AFL	5277							
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								PKG:517	
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 1							Component	ATA:25
PN:P01074-207	MOS	21-Sep-23	120	TSN 0	01-Jun-33 (M)		2584 d	RESTORE	
SN:N/A	HRS	8033:12							
WC#: 25.260	AFL	6602							
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00									
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 10							Component	ATA:25
PN:P01074-207	MOS	21-Sep-23	120	TSN 0	01-Jun-33 (M)		2584 d	RESTORE	
SN:N/A	HRS	8033:12							
WC#: 25.260	AFL	6602							
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 2							Component	ATA:25
PN:P01074-207	MOS	21-Sep-23	120	TSN 0	01-Jun-33 (M)		2584 d	RESTORE	
SN:N/A	HRS	8033:12							
WC#: 25.260	AFL	6602							
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00									
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 3							Component	ATA:25
PN:P01074-207	MOS	21-Sep-23	120	TSN 0	01-Jun-33 (M)		2584 d	RESTORE	
SN:N/A	HRS	8033:12							
WC#: 25.260	AFL	6602							
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00									
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 4							Component	ATA:25
PN:P01074-207	MOS	21-Sep-23	120	TSN 0	01-Jun-33 (M)		2584 d	RESTORE	
SN:N/A	HRS	8033:12							
WC#: 25.260	AFL	6602							
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00									
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 5							Component	ATA:25
PN:P01074-207	MOS	21-Sep-23	120	TSN 0	01-Jun-33 (M)		2584 d	RESTORE	
SN:UNKNOWN	HRS	8033:12		TSN 0					
WC#: 25.260	AFL	6602		TSN 0					
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00									
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 6							Component	ATA:25
PN:P01074-207	MOS	21-Sep-23	120	TSN 0	01-Jun-33 (M)		2584 d	RESTORE	
SN:N/A	HRS	8033:12							
WC#: 25.260	AFL	6602							
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00									
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 7							Component	ATA:25
PN:P01074-207	MOS	21-Sep-23	120	TSN 0	01-Jun-33 (M)		2584 d	RESTORE	
SN:UNKNOWN	HRS	8033:12		TSN 0					
WC#: 25.260	AFL	6602		TSN 0					
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 8							Component	ATA:25
PN:P01074-207	MOS	21-Sep-23	120	TSN 0	01-Jun-33 (M)		2584 d	RESTORE	
SN:N/A	HRS	8033:12							
WC#: 25.260	AFL	6602							
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00									
25-60-00-9600	P01074-207 LIFE VEST (ACCOMPLISH SUPPLIER 120 MONTH MAINTENANCE INSPECTION) RESTORATION - NO. 9							Component	ATA:25
PN:P01074-207	MOS	21-Sep-23	120	TSN 0	01-Jun-33 (M)		2584 d	RESTORE	
SN:N/A	HRS	8033:12							
WC#: 25.260	AFL	6602							
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00									
25-60-00-9602 ^S	CREW FLASHLIGHT D-CELL BATTERY DISCARD							Service	ATA:25
	MOS	30-Apr-26	12 (+1m/-1m)						
	HRS	9045:31							
	AFL	7280							
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00									
25-60-10-7202	ARTEX C406-2 EMERGENCY LOCATOR TRANSMITTER SYSTEM DETAILED INSPECTION AND FUNCTIONAL TEST (AIRPLANES -5501 THRU -5564 AND AIRPLANES -5002 THRU -5372 INCORPORATING SB560XL-25-11)							Service	ATA:25
PN:453-5000-(999)	MOS	30-Apr-26	12	Adj -24d	30-Apr-27		360 d		
SN:170-14578	HRS	9045:31							
WC#: 25.220	AFL	7280							
PROC. REF: AMM 25-60-10PROC. REF: AMM 25-60-10									
25-60-10-9600	EMERGENCY LOCATOR TRANSMITTER BATTERY DISCARD							Component	ATA:25
PN:452-0133	MOS	30-Apr-26	60 (+1m/-1m)	TSN 0	30-Apr-31	31-May-31	1821 d (+31)	DISCARD	
SN:1023942-036	HRS	9045:31		TSN 0					
WC#: 25.020	AFL	7280		TSN 0					
PROC. REF: AMM 25-60-10PROC. REF: AMM 25-60-10									

PKG:509

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
251007	NO. 1 PBE							Component	ATA:25
PN:DP3113(A)	MOS/MSC	23-Feb-21	120 / O/C	TSN 0	28-Feb-31		1760 d		
SN:E2004424	HRS	6183:30							
WC#: 25.060	AFL	5385							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
252003	TEMPERATURE PROBE							Component	ATA:25
PN:102DB1AG	MOS/MSC	17-Feb-02	O/C						
SN:A40578	HRS	0		TSN 0					
WC#: 25.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
256001 ^U	NO. 11 LIFE JACKET							Component	ATA:25
PN:P01074-207	MOS	21-Sep-23	120	TSN 0	30-Sep-33		2705 d		
SN:N/A	HRS	8033:12							
	AFL	6602							
<hr/>									
256002	EMERGENCY LOCATOR TRANSMITTER							Component	ATA:25
PN:453-5000-(999)	MOS/MSC	10-Oct-11	O/C	TSN 0					
SN:170-14578	HRS	4149:35		TSN 0					
WC#: 25.020	AFL	3962		TSN 0					
PROC. REF: AMM 25-61-04, AMM 25-61-05, AMM 25-61-06PROC. REF: AMM 25-61-04, AMM 25-61-05, AMM 25-61-06									
<hr/>									
256004	ELT ANTENNA							Component	ATA:25
PN:110-328-01	MOS/MSC	17-Feb-02	O/C						
SN:2830	HRS	0		TSN 0					
WC#: 25.030	AFL	0		TSN 0					
PROC. REF: AMM 25-61-04, AMM 25-61-05, AMM 25-61-06PROC. REF: AMM 25-61-04, AMM 25-61-05, AMM 25-61-06									
<hr/>									
256007	DIGITAL INTERFACE UNIT							Component	ATA:25
PN:453-6500	MOS/MSC	17-Feb-02	O/C						
SN:01214	HRS	0		TSN 0					
WC#: 25.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
256063	FIRST AID KIT							Component	ATA:25
PN:PN UNKNOWN	MOS/MSC	17-Feb-02	H/T	TSN 0					
SN:041207018	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<hr/>									
25FO-03XL ^U	PLUMBING: EXTERNAL SERV TOILET FACTORY OPTION							Component	ATA:25
PN:130	MOS/MSC	17-Feb-02	-						
SN:FO	HRS	0							
	AFL	0							
<hr/>									
25FO-07XL ^U	ELT: ARTEX 110-406 FACTORY OPTION							Component	ATA:25
PN:175D	MOS/MSC	17-Feb-02	-						
SN:FO	HRS	0							
	AFL	0							
<hr/>									
25FO-12XL/A ^U	PEDESTAL: DOUBLE-WIDE FACTORY OPTION							Component	ATA:25
PN:649A	MOS/MSC	17-Feb-02	-						
SN:FO	HRS	0							
	AFL	0							
<hr/>									
ATA 26 - FIRE PROTECTION									
26-11-00-7200 ^S	OPTIONAL BAGGAGE COMPARTMENT AND LAVATORY SMOKE DETECTION SYSTEM FUNCTIONAL CHECK							Service	ATA:26
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
PROC. REF: AMM 26-11-00PROC. REF: AMM 26-11-00									
PKG:513									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-21-00-2200^S ENGINE FIRE EXTINGUISHER WIRING DETAILED INSPECTION								
	MOS	30-Apr-26	24					Service ATA:26 AIRWORTHINESS
	HRS	9045:31						
	AFL	7280						
								PKG:532
PROC. REF: AMM 26-21-00PROC. REF: AMM 26-21-00								
26-21-00-7100^S ENGINE FIRE EXTINGUISHING SYSTEM FUNCTIONAL CHECK								
	MOS	06-Apr-23	48 (+1m/-1m)					Service ATA:26
	HRS	7794:51						
	AFL	6421						
								PKG:513
PROC. REF: AMM 26-21-00, AMM 26-21-00PROC. REF: AMM 26-21-00, AMM 26-21-00								
26-21-01-7100 AFT ENGINE FIRE EXTINGUISHER BOTTLE LOW PRESSURE SWITCH OPERATIONAL CHECK								
PN:30400037-1	MOS	07-Feb-26	60		28-Feb-31		1760 d	Service ATA:26
SN:56968B1	HRS	9009:21						
	AFL	7262						
				HydroCheck Date: : 07-Feb-26				
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
26-21-01-7100 FWD ENGINE FIRE EXTINGUISHER BOTTLE LOW PRESSURE SWITCH OPERATIONAL CHECK								
PN:30400037-1	MOS	30-Apr-26	60		30-Apr-31		1821 d	Service ATA:26
SN:58836B1	HRS	9045:31						
	AFL	7280						
				HydroCheck Date: : 30-Apr-26				
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
26-21-01-7800 AFT ENGINE FIRE EXTINGUISHER BOTTLE (HYDROSTATIC TEST) RESTORATION								
PN:30400037-1	MOS	07-Feb-26	60		28-Feb-31		1760 d	Service ATA:26
SN:56968B1	HRS	9009:21						
WC#: 26.320	AFL	7262						
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-21-01-7800	FORWARD ENGINE FIRE EXTINGUISHER BOTTLE (HYDROSTATIC TEST) RESTORATION							Service	ATA:26
PN:30400037-1	MOS	30-Apr-26	60		30-Apr-31		1821 d		
SN:58836B1	HRS	9045:31							
WC#: 26.320	AFL	7280							
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01									
26-21-01-9600.1	13083-5 AFT ENGINE FIRE EXTINGUISHER AFT CARTRIDGE SQUIB DISCARD - SERVICE LIFE							Service	ATA:26
PN:13083-5	MOS	07-Feb-26	72 (+1m/-1m)		29-Feb-32	07-Mar-32	2126 d (+7)	SERVICE LIFE LIMIT	
SN:NSN	HRS	9009:21							
	AFL	7262							
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01									
26-21-01-9600.1	13083-5 AFT ENGINE FIRE EXTINGUISHER FORWARD CARTRIDGE SQUIB DISCARD - SERVICE LIFE							Service	ATA:26
PN:13083-5	MOS	07-Feb-26	72 (+1m/-1m)		29-Feb-32	07-Mar-32	2126 d (+7)	SERVICE LIFE LIMIT	
SN:NSN	HRS	9009:21							
	AFL	7262							
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01									
26-21-01-9600.1	13083-5 FORWARD ENGINE FIRE EXTINGUISHER AFT CARTRIDGE SQUIB DISCARD - SERVICE LIFE							Service	ATA:26
PN:13083-5	MOS	30-Apr-26	72 (+1m/-1m)		30-Apr-32	31-May-32	2187 d (+31)	SERVICE LIFE LIMIT	
SN:ESD26B056-001	HRS	9045:31							
	AFL	7280							
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01									
26-21-01-9600.1	13083-5 FORWARD ENGINE FIRE EXTINGUISHER FORWARD CARTRIDGE SQUIB DISCARD - SERVICE LIFE							Service	ATA:26
PN:13083-5	MOS	30-Apr-26	72 (+1m/-1m)		30-Apr-32	31-May-32	2187 d (+31)	SERVICE LIFE LIMIT	
SN:ESD26B056-001	HRS	9045:31							
	AFL	7280							
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01									
26-21-01-9601	13083-5 AUXILIARY POWER UNIT FIRE EXTINGUISHER CARTRIDGE SQUIB DISCARD - TOTAL LIFE							Service	ATA:26
PN:13083-5	MOS	31-Jan-23	108 (+1m/-1m)		31-Jan-32	29-Feb-32	2097 d (+29)	LIFE LIMIT	
SN:ESD22K882-001	HRS								
	AFL								

Manufacture Date:: 31-Jan-23

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
26-21-01-9601.1 13083-5 AUXILIARY POWER UNIT FIRE EXTINGUISHER CARTRIDGE SQUIB DISCARD - SERVICE LIFE Service ATA:26								
PN:13083-5	MOS	31-Jan-23	72 (+1m/-1m)		31-Jan-29	28-Feb-29	1002 d (+28)	SERVICE LIFE LIMIT
SN:ESD22K882-001	HRS	7738:49						
	AFL	6374						
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
26-21-01-9603 AE13083-5 AUXILIARY POWER UNIT FIRE EXTINGUISHER CARTRIDGE SQUIB DISCARD - TOTAL LIFE Service ATA:26								
PN:13083-5	MOS/MSC		N/A					N/A BY PART NUMBER
SN:ESD22K882-001	HRS							
	AFL							
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
26-21-01-9603.1 AE13083-5 AUXILIARY POWER UNIT FIRE EXTINGUISHER CARTRIDGE SQUIB DISCARD - SERVICE LIFE Service ATA:26								
PN:13083-5	MOS/MSC		N/A					N/A BY PART NUMBER
SN:ESD22K882-001	HRS							
	AFL							
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
26-22-00-2200 CABIN PORTABLE FIRE EXTINGUISHER (HALON AND NON-HALON) DETAILED AND (WEIGHT) FUNCTIONAL CHECK Service ATA:26								
PN:339TS	MOS	09-Sep-25	12		30-Sep-26		148 d	
SN:I-62288945	HRS	8875:18						
WC#: 26.080	AFL	7163						
PROC. REF: AMM 26-22-00PROC. REF: AMM 26-22-00								
26-22-00-2200 COCKPIT PORTABLE FIRE EXTINGUISHER (HALON AND NON-HALON) DETAILED AND (WEIGHT) FUNCTIONAL CHECK Service ATA:26								
PN:339TS	MOS	09-Sep-25	12		30-Sep-26		148 d	
SN:I-62288946	HRS	8875:18						
WC#: 26.080	AFL	7163						
PROC. REF: AMM 26-22-00PROC. REF: AMM 26-22-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-22-00-7800 CABIN PORTABLE FIRE EXTINGUISHER (HALON)(HYDROSTATIC TEST) FUNCTIONAL CHECK Service ATA:26								
PN:339TS	MOS	09-Sep-25	144		30-Sep-37		4166 d	HYDROSTATIC TEST
SN:I-62288945	HRS	8875:18						
WC#: 26.290	AFL	7163						
PROC. REF: AMM 26-22-00PROC. REF: AMM 26-22-00								
26-22-00-7800 COCKPIT PORTABLE FIRE EXTINGUISHER (HALON)(HYDROSTATIC TEST) FUNCTIONAL CHECK Service ATA:26								
PN:339TS	MOS	09-Sep-25	144		30-Sep-37		4166 d	HYDROSTATIC TEST
SN:I-62288946	HRS	8875:18						
WC#: 26.290	AFL	7163						
PROC. REF: AMM 26-22-00PROC. REF: AMM 26-22-00								
26-23-00-2200 ^S AUXILIARY POWER UNIT FIRE EXTINGUISHER WIRING DETAILED INSPECTION Service ATA:26								
	MOS	30-Apr-26	24					AIRWORTHINESS
	HRS	9045:31						
	AFL	7280						
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								
26-23-00-7100 ^S AUXILIARY POWER UNIT FIRE EXTINGUISHING SYSTEM OPERATIONAL AND FUNCTIONAL CHECK Service ATA:26								
	MOS	06-Apr-23	48 (+1m/-1m)					
	HRS	7794:51						
	AFL	6421						
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								
26-23-00-7101 AUXILIARY POWER UNIT FIRE EXTINGUISHER BOTTLE LOW PRESSURE SWITCH OPERATIONAL CHECK Service ATA:26								
PN:30100033-7	MOS	30-Nov-22	60		30-Nov-27		574 d	
SN:52717A1	HRS							
	AFL							
HydroCheck Date: : 30-Nov-22								
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-23-00-7800		APU FIRE EXTINGUISHER BOTTLE (HYDROSTATIC TEST) RESTORATION							Service ATA:26
PN:30100033-7	MOS	31-Jan-23	60		31-Jan-28		636 d		
SN:52717A1	HRS	7738:49							
WC#: 26.300	AFL	6374							
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00									
261002		LEFT ENGINE FIRE DETECT (UT021) CONTROL UNIT							Component ATA:26
PN:9912036-11	MOS/MSC	17-Oct-24	O/C	TSN 0					
SN:242609	HRS	8490:59		TSN 0					
WC#: 26.020	AFL	6883		TSN 0					
PROC. REF: AMM 26-11-02PROC. REF: AMM 26-11-02									
261002		RIGHT ENGINE FIRE DETECT (UT020) CONTROL UNIT							Component ATA:26
PN:377-02838	MOS/MSC	17-Feb-02	O/C						
SN:0135005	HRS	0		TSN 0					
WC#: 26.020	AFL	0		TSN 0					
PROC. REF: AMM 26-11-02PROC. REF: AMM 26-11-02									
262001		AFT ENGINE FIRE BOTTLE							Component ATA:26
PN:30400037-1	MOS/MSC	07-Feb-26	O/C	TSO 0					
SN:56968B1	HRS	9009:21		TSO 0					
WC#: 26.040	AFL	7262		TSO 0					
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01									
262001		APU FIRE BOTTLE							Component ATA:26
PN:30100033-7	MOS/MSC	31-Jan-23	O/C	TSO 0					
SN:52717A1	HRS	7738:49		TSO 0					
WC#: 26.050	AFL	6374							
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00									
262001		FORWARD ENGINE FIRE BOTTLE							Component ATA:26
PN:30400037-1	MOS/MSC	30-Apr-26	O/C	TSO 0					
SN:58836B1	HRS	9045:31		TSO 0					
WC#: 26.030	AFL	7280		TSO 0					
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
262002 CABIN PORTABLE FIRE EXTINGUISHER Component ATA:26								
PN:339TS	MOS/MSC	09-Sep-25	O/C	TSN 0				
SN:I-62288945	HRS	8875:18		TSN 0				
WC#: 26.070	AFL	7163		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
262002 COCKPIT PORTABLE FIRE EXTINGUISHER Component ATA:26								
PN:339TS	MOS/MSC	09-Sep-25	O/C	TSN 0				
SN:I-62288946	HRS	8875:18		TSN 0				
WC#: 26.060	AFL	7163		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
263004 AUXILIARY POWER UNIT FIRE EXTINGUISHER CARTRIDGE SQUIB Component ATA:26								
PN:13083-5	MOS	31-Jan-23	108	TSN 0, TSO 0	31-Oct-31		2005 d	LIFE LIMIT
SN:ESD22K882-001	HRS	7738:49						
WC#: 26.050	AFL	6374						
Manufacture Date:: 31-Oct-22								
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								
263006 FORWARD ENGINE FIRE EXTINGUISHER FORWARD CARTRIDGE SQUIB Component ATA:26								
PN:13083-5	MOS	30-Apr-26	108	TSN 0	28-Feb-35		3221 d	LIFE LIMIT
SN:ESD26B056-001	HRS	9045:31		TSN 0				
WC#: 26.030	AFL	7280		TSN 0				
Manufacture Date:: 01-Feb-26								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
263008 FORWARD ENGINE FIRE EXTINGUISHER AFT CARTRIDGE SQUIB Component ATA:26								
PN:13083-5	MOS	30-Apr-26	108	TSN 2	28-Feb-35		3221 d	LIFE LIMIT
SN:ESD26B056-001	HRS	9045:31		TSN 0				
WC#: 26.030	AFL	7280		TSN 0				
Manufacture Date:: 01-Feb-26								
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
263010	AFT ENGINE FIRE EXTINGUISHER FORWARD CARTRIDGE SQUIB							Component	ATA:26
PN:13083-5	MOS	07-Feb-26	108	TSN 12	28-Feb-34		2856 d	LIFE LIMIT	
SN:NSN	HRS	9009:21		TSN 0					
WC#: 26.040	AFL	7262		TSN 0					
Manufacture Date:: 28-Feb-25									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
263012	AFT ENGINE FIRE EXTINGUISHER AFT CARTRIDGE SQUIB							Component	ATA:26
PN:13083-5	MOS	07-Feb-26	108	TSN 12	28-Feb-34		2856 d	LIFE LIMIT	
SN:NSN	HRS	9009:21		TSN 0					
WC#: 26.040	AFL	7262		TSN 0					
Manufacture Date:: 28-Feb-25									
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01									
<hr/>									
A262003 ^U	RESTORATION CABIN PORTABLE HALON FIRE EXTINGUISHER (INTERNAL INSPECTION)							Service	ATA:26
	MOS	09-Sep-25	72		30-Sep-31		1974 d		
	HRS	8875:18							
WC#: 26.260	AFL	7163							
<hr/>									
A262003 ^U	RESTORATION COCKPIT PORTABLE HALON FIRE EXTINGUISHER (INTERNAL INSPECTION)							Service	ATA:26
	MOS	09-Sep-25	72		30-Sep-31		1974 d		
	HRS	8875:18							
WC#: 26.260	AFL	7163							
<hr/>									
ATA 27 - FLIGHT CONTROLS									
27-10-00-2201 ^S	AILERON WING CABLE DETAILED INSPECTION (AIRPLANES -5556 AND ON, AND AIRPLANES -5002 THRU -5555 INCORPORATING SB560XL-27-22)							Service	ATA:27
	MOS	16-Dec-21							
	HRS	7027:20	2400 (+25/-25)						
	AFL	5862							
PKG:515									
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-10-00-2202	S	AILERON TRIM ACTUATOR DETAILED INSPECTION						Service	ATA:27
	MOS	30-Apr-26	12 (+1m/-1m)						
	HRS	9045:31							
	AFL	7280							
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								PKG:509	
27-10-00-2203	S	AILERON AND AILERON TRIM DETAILED INSPECTION AND FUNCTIONAL CHECK						Service	ATA:27
	MOS	16-Dec-21							
	HRS	7027:20	2400 (+25/-25)						
	AFL	5862							
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								PKG:515	
27-10-00-7201	S	AILERON TRIM TAB AND PUSHROD (FREE PLAY) FUNCTIONAL CHECK						Service	ATA:27
	MOS	31-Jan-23							
	HRS	7738:49	1600 (+25/-25)						
	AFL	6374							
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								PKG:514	
27-20-00-2200	S	RUDDER BIAS CABLE ASSEMBLY DETAILED INSPECTION						Service	ATA:27
	MOS	16-Dec-21							
	HRS	7027:20	2400 (+25/-25)						
	AFL	5862							
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:515	
27-20-00-2201	S	RUDDER TRIM ACTUATOR DETAILED INSPECTION						Service	ATA:27
	MOS	30-Apr-26	12 (+1m/-1m)						
	HRS	9045:31							
	AFL	7280							
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:509	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-20-00-2202	S	RUDDER AND RUDDER TRIM DETAILED INSPECTION AND FUNCTIONAL CHECK						Service	ATA:27
	MOS	16-Dec-21							
	HRS	7027:20	2400 (+25/-25)						
	AFL	5862							
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:515	
27-20-00-7201	S	RUDDER TRIM ACTUATOR AND PUSHROD (FREE PLAY)FUNCTIONAL CHECK						Service	ATA:27
	MOS	31-Jan-23							
	HRS	7738:49	1600 (+25/-25)						
	AFL	6374							
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:514	
27-31-00-2200	S	ELEVATOR AND TRIM TAB SYSTEM DETAILED INSPECTION						Service	ATA:27
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
PROC. REF: AMM 27-31-00PROC. REF: AMM 27-31-00								PKG:513	
27-31-00-2201	S	ELEVATOR AND ELEVATOR TRIM DETAILED INSPECTION AND FUNCTIONAL CHECK						Service	ATA:27
	MOS	16-Dec-21							
	HRS	7027:20	2400 (+25/-25)						
	AFL	5862							
PROC. REF: AMM 27-31-00PROC. REF: AMM 27-31-00								PKG:515	
27-31-00-7201	S	ELEVATOR TRIM TAB AND PUSHROD (FREE PLAY)FUNCTIONAL CHECK						Service	ATA:27
	MOS	31-Jan-23							
	HRS	7738:49	1600 (+25/-25)						
	AFL	6374							
PROC. REF: AMM 27-31-00PROC. REF: AMM 27-31-00								PKG:514	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-40-00-7200	S	TWO-POSITION HORIZONTAL STABILIZER FUNCTIONAL CHECK						Service	ATA:27
	MOS	11-Jan-22							
	HRS	7088:02	2400 (+25/-25)						
	AFL	5898							
								PKG:515	
PROC. REF: AMM 27-40-00PROC. REF: AMM 27-40-00									
27-51-00-2200	S	FLAP CABLES DETAILED INSPECTION AND FUNCTIONAL CHECK						Service	ATA:27
	MOS	16-Dec-21							
	HRS	7027:20	2400 (+25/-25)						
	AFL	5862							
								PKG:515	
PROC. REF: AMM 27-51-00PROC. REF: AMM 27-51-00									
27-71-00-7100	S	CONTROL (GUST) LOCK SYSTEM OPERATIONAL CHECK						Service	ATA:27
	MOS	30-Apr-26	12 (+1m/-1m)						
	HRS	9045:31							
	AFL	7280							
								PKG:509	
PROC. REF: AMM 27-71-00PROC. REF: AMM 27-71-00									
272001	RUDDER BIAS SHUTOFF VALVE						Component	ATA:27	
PN:5307-1	MOS/MSC	23-Sep-24	O/C	TSO 0					
SN:2151C	HRS	8471:35		TSO 0					
WC#: 27.020	AFL	6870		TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
272002	LEFT STICK SHAKER (MC001) UNIT						Component	ATA:27	
PN:201	MOS/MSC	17-Feb-02	O/C						
SN:5013	HRS	0		TSN 0					
WC#: 27.050	AFL	0		TSN 0					
PROC. REF: AMM 27-33-00PROC. REF: AMM 27-33-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
272002 RIGHT STICK SHAKER (MF004) UNIT Component ATA:27								
PN:201	MOS/MSC	17-Feb-02	O/C					
SN:5017	HRS	0		TSN 0				
WC#: 27.050	AFL	0		TSN 0				
PROC. REF: AMM 27-33-00PROC. REF: AMM 27-33-00								
272003 RUDDER BIAS ACTUATOR Component ATA:27								
PN:6660613-12	MOS/MSC	17-Feb-02	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.240	AFL	0		TSN 0				
PROC. REF: AMM 27-20-05PROC. REF: AMM 27-20-05								
273004 SERVO ACTUATOR Component ATA:27								
PN:44430-3739	MOS/MSC	17-Feb-02	O/C					
SN:T347	HRS	0		TSN 0				
WC#: 27.250	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
273020 AFT ELEVATOR TRIM CABLE ASSEMBLY Component ATA:27								
PN:6660003-1	MOS/MSC	30-Jan-15	O/C	TSN 0				
SN:NOSN	HRS	4675:30		TSN 0				
	AFL	4392		TSN 0				
PROC. REF: AMM 27-32-02PROC. REF: AMM 27-32-02								
273201 ELEV TRIM SWITCH Component ATA:27								
PN:8-405-04	MOS/MSC	17-Feb-02	O/C					
SN:B52857	HRS	0		TSN 0				
WC#: 27.250	AFL	0		TSN 0				
PROC. REF: AMM 27-32-01, AMM 27-32-01PROC. REF: AMM 27-32-01, AMM 27-32-01								
274000 HORIZONTAL STABILIZER ACTUATOR Component ATA:27								
PN:41011680-107	MOS/MSC	17-Feb-02	O/C					
SN:261	HRS	0		TSN 0				
WC#: 27.060	AFL	0		TSN 0				
PROC. REF: AMM 27-40-00PROC. REF: AMM 27-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
274013	HORIZONTAL STABILIZER ISOLATION (UY015) VALVE							Component	ATA:27
PN:13027-4	MOS/MSC	17-Feb-02	O/C						
SN:4677	HRS	0							
WC#: 27.090	AFL	0		TSN 0					
PROC. REF: AMM 27-40-00, AMM 27-40-00PROC. REF: AMM 27-40-00, AMM 27-40-00									
274044	HORIZONTAL STAB VALVE ASSY							Component	ATA:27
PN:65680	MOS/MSC	17-Feb-02	O/C						
SN:3833	HRS	0		TSN 0					
WC#: 27.270	AFL	0		TSN 0					
PROC. REF: AMM 27-40-00, AMM 27-40-00PROC. REF: AMM 27-40-00, AMM 27-40-00									
275001	FLAP CONTROL (UY024) VALVE							Component	ATA:27
PN:66720	MOS/MSC	17-Feb-02	O/C						
SN:2476	HRS	0		TSN 0					
WC#: 27.110	AFL	0		TSN 0					
PROC. REF: AMM 27-51-04, AMM 27-51-04PROC. REF: AMM 27-51-04, AMM 27-51-04									
275003	LEFT FLAP ACTUATOR							Component	ATA:27
PN:1535000-1	MOS/MSC	17-Feb-02	O/C						
SN:1402	HRS	0		TSN 0					
WC#: 27.120	AFL	0		TSN 0					
PROC. REF: AMM 27-51-04PROC. REF: AMM 27-51-04									
275003	RIGHT FLAP ACTUATOR							Component	ATA:27
PN:1535000-1	MOS/MSC	17-Feb-02	O/C						
SN:1466	HRS	0		TSN 0					
WC#: 27.120	AFL	0		TSN 0					
PROC. REF: AMM 27-51-04PROC. REF: AMM 27-51-04									
276001	LEFT SPEED BRAKE ACTUATOR							Component	ATA:27
PN:1535500-1	MOS/MSC	17-Feb-02	O/C						
SN:1964	HRS	0		TSN 0					
WC#: 27.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
276001	RIGHT SPEED BRAKE ACTUATOR							Component	ATA:27
PN:1535500-1	MOS/MSC	17-Feb-02	O/C						
SN:1949	HRS	0		TSN 0					
WC#: 27.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
276002	SPEED BRAKE CONTROL VALVE							Component	ATA:27
PN:66720	MOS/MSC	17-Feb-02	O/C						
SN:2455	HRS	0		TSN 0					
WC#: 27.180	AFL	0		TSN 0					
PROC. REF: AMM 27-61-05PROC. REF: AMM 27-61-05									
<hr/>									
276003	SPEED BRAKE SAFETY VALVE							Component	ATA:27
PN:68930	MOS/MSC	17-Feb-02	O/C						
SN:1121	HRS	0		TSN 0					
WC#: 27.320	AFL	0		TSN 0					
PROC. REF: AMM 27-61-05PROC. REF: AMM 27-61-05									
<hr/>									
ATA 28 - FUEL									
28-11-04-2200 ^S	FUEL FILLER CAP DETAILED INSPECTION AND LUBRICATION							Service	ATA:28
	MOS	30-Apr-26	12 (+1m/-1m)						
	HRS	9045:31							
	AFL	7280							
PROC. REF: AMM 28-11-04PROC. REF: AMM 28-11-04									
<hr/>									
28-42-00-7100 ^S	FUEL LOW LEVEL FLOAT SWITCH OPERATIONAL CHECK							Service	ATA:28
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
PROC. REF: AMM 28-42-00PROC. REF: AMM 28-42-00									

PKG:509

PKG:513

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
280003	LEFT FUEL RELIEF VALVE ASSY							Component	ATA:28
PN:840203-105	MOS/MSC	17-Feb-02	O/C						
SN:2384XP	HRS	0		TSN 0					
WC#: 28.460	AFL	0		TSN 0					
PROC. REF: AMM 28-11-08PROC. REF: AMM 28-11-08									
280003	RIGHT FUEL RELIEF VALVE ASSY							Component	ATA:28
PN:840203-105	MOS/MSC	17-Feb-02	O/C						
SN:2274XP	HRS	0		TSN 0					
WC#: 28.460	AFL	0		TSN 0					
PROC. REF: AMM 28-11-08PROC. REF: AMM 28-11-08									
280004	LEFT HIGH LVL FUEL VALVE							Component	ATA:28
PN:61087	MOS/MSC	17-Feb-02	O/C						
SN:2970	HRS	0		TSN 0					
WC#: 28.470	AFL	0		TSN 0					
PROC. REF: AMM 28-22-00PROC. REF: AMM 28-22-00									
280004	RIGHT HIGH LVL FUEL VALVE							Component	ATA:28
PN:61087	MOS/MSC	17-Feb-02	O/C						
SN:2924	HRS	0		TSN 0					
WC#: 28.470	AFL	0		TSN 0					
PROC. REF: AMM 28-22-00PROC. REF: AMM 28-22-00									
281101	LEFT FUEL VENT FLOAT VALVE							Component	ATA:28
PN:60221-4	MOS/MSC	17-Feb-02	O/C						
SN:613	HRS	0		TSN 0					
WC#: 28.150	AFL	0		TSN 0					
PROC. REF: AMM 28-11-03PROC. REF: AMM 28-11-03									
281101	RIGHT FUEL VENT FLOAT VALVE							Component	ATA:28
PN:60221-4	MOS/MSC	17-Feb-02	O/C						
SN:618	HRS	0		TSN 0					
WC#: 28.150	AFL	0		TSN 0					
PROC. REF: AMM 28-11-03PROC. REF: AMM 28-11-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282011	LEFT AFT SCAVENGE FUEL EJECTOR PUMP							Component	ATA:28
PN:2950024-101	MOS/MSC	17-Feb-02	O/C						
SN:1520	HRS	0		TSN 0					
WC#: 28.260	AFL	0		TSN 0					
PROC. REF: AMM 28-21-03PROC. REF: AMM 28-21-03									
282011	LEFT FORWARD SCAVENGE FUEL EJECTOR PUMP							Component	ATA:28
PN:2950024-101	MOS/MSC	17-Feb-02	O/C						
SN:1517	HRS	0		TSN 0					
WC#: 28.240	AFL	0		TSN 0					
PROC. REF: AMM 28-21-03PROC. REF: AMM 28-21-03									
282011	LEFT MID SCAVENGE FUEL EJECTOR PUMP							Component	ATA:28
PN:2950024-101	MOS/MSC	17-Feb-02	O/C						
SN:1521	HRS	0		TSN 0					
WC#: 28.250	AFL	0		TSN 0					
PROC. REF: AMM 28-21-03PROC. REF: AMM 28-21-03									
282011	RIGHT AFT SCAVENGE FUEL EJECTOR PUMP							Component	ATA:28
PN:2950024-101	MOS/MSC	17-Feb-02	O/C						
SN:1524	HRS	0		TSN 0					
WC#: 28.260	AFL	0		TSN 0					
PROC. REF: AMM 28-21-03PROC. REF: AMM 28-21-03									
282011	RIGHT FORWARD SCAVENGE FUEL EJECTOR PUMP							Component	ATA:28
PN:2950024-101	MOS/MSC	17-Feb-02	O/C						
SN:1497	HRS	0		TSN 0					
WC#: 28.240	AFL	0		TSN 0					
PROC. REF: AMM 28-21-03PROC. REF: AMM 28-21-03									
282011	RIGHT MID SCAVENGE FUEL EJECTOR PUMP							Component	ATA:28
PN:2950024-101	MOS/MSC	17-Feb-02	O/C						
SN:1523	HRS	0		TSN 0					
WC#: 28.250	AFL	0		TSN 0					
PROC. REF: AMM 28-21-03PROC. REF: AMM 28-21-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282012	LEFT FUEL BOOST CARTRIDGE							Component	ATA:28
PN:LR55505	MOS/MSC	17-Feb-02	O/C						
SN:B601	HRS	0		TSN 0					
WC#: 28.480	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
282012	LEFT WING BOOST FUEL ELECTRIC PUMP							Component	ATA:28
PN:LR55540	MOS/MSC	17-Feb-02	O/C						
SN:B589	HRS	0		TSN 0					
WC#: 28.230	AFL	0		TSN 0					
PROC. REF: AMM 28-21-01PROC. REF: AMM 28-21-01									
<hr/>									
282012	RIGHT FUEL BOOST CARTRIDGE							Component	ATA:28
PN:LR55505	MOS/MSC	17-Feb-02	O/C						
SN:B528	HRS	0		TSN 0					
WC#: 28.480	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
282012	RIGHT WING BOOST FUEL ELECTRIC PUMP							Component	ATA:28
PN:LR55540	MOS/MSC	17-Feb-02	O/C						
SN:B551	HRS	0		TSN 0					
WC#: 28.230	AFL	0		TSN 0					
PROC. REF: AMM 28-21-01PROC. REF: AMM 28-21-01									
<hr/>									
282013	LEFT WING PRIMARY MOTIVE FLOW EJECTOR PUMP							Component	ATA:28
PN:2950023-101	MOS/MSC	17-Feb-02	O/C						
SN:515	HRS	0		TSN 0					
WC#: 28.220	AFL	0		TSN 0					
PROC. REF: AMM 28-21-02PROC. REF: AMM 28-21-02									
<hr/>									
282013	RIGHT WING PRIMARY MOTIVE FLOW EJECTOR PUMP							Component	ATA:28
PN:2950023-101	MOS/MSC	17-Feb-02	O/C						
SN:513	HRS	0		TSN 0					
WC#: 28.220	AFL	0		TSN 0					
PROC. REF: AMM 28-21-02PROC. REF: AMM 28-21-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282014	FUEL CROSSFEED ACTUATOR							Component	ATA:28
PN:MA20A1029-1	MOS/MSC	17-Feb-02	O/C						
SN:U06984	HRS	0		TSN 0					
WC#: 28.490	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
282100	LEFT WING SINGLE PT REFUEL/DEFUEL SHUTOFF VALVE							Component	ATA:28
PN:80002-101	MOS/MSC	17-Feb-02	O/C						
SN:1207	HRS	0		TSN 0					
WC#: 28.350	AFL	0		TSN 0					
PROC. REF: AMM 28-22-00PROC. REF: AMM 28-22-00									
<hr/>									
282100	RIGHT WING SINGLE PT REFUEL/DEFUEL SHUTOFF VALVE							Component	ATA:28
PN:80002-101	MOS/MSC	17-Feb-02	O/C						
SN:1208	HRS	0		TSN 0					
WC#: 28.350	AFL	0		TSN 0					
PROC. REF: AMM 28-22-00PROC. REF: AMM 28-22-00									
<hr/>									
282106	FUEL CROSSFEED VALVE							Component	ATA:28
PN:125838AW	MOS/MSC	17-Feb-02	O/C						
SN:U06198	HRS	0		TSN 0					
WC#: 28.300	AFL	0		TSN 0					
PROC. REF: AMM 28-21-06PROC. REF: AMM 28-21-06									
<hr/>									
282108	LEFT MOTIVE FLOW SHUTOFF (UY009) VALVE							Component	ATA:28
PN:4151	MOS/MSC	17-Feb-02	O/C						
SN:443	HRS	0		TSN 0					
WC#: 28.310	AFL	0		TSN 0					
PROC. REF: AMM 28-21-06PROC. REF: AMM 28-21-06									
<hr/>									
282108	RIGHT MOTIVE FLOW SHUTOFF (UY008) VALVE							Component	ATA:28
PN:4151	MOS/MSC	17-Feb-02	O/C						
SN:447	HRS	0		TSN 0					
WC#: 28.310	AFL	0		TSN 0					
PROC. REF: AMM 28-21-06PROC. REF: AMM 28-21-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282118	LEFT FUEL SHUT-OFF VALVE							Component	ATA:28
PN:71498	MOS/MSC	17-Feb-02	O/C						
SN:940	HRS	0		TSN 0					
WC#: 28.500	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
282118	RIGHT FUEL SHUT-OFF VALVE							Component	ATA:28
PN:71498	MOS/MSC	17-Feb-02	O/C						
SN:793	HRS	0		TSN 0					
WC#: 28.500	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
282200	LEFT LOW LEVEL VALVE ASSY							Component	ATA:28
PN:726400-1	MOS/MSC	17-Feb-02	O/C						
SN:463	HRS	0		TSN 0					
WC#: 28.510	AFL	0		TSN 0					
PROC. REF: AMM 28-22-00PROC. REF: AMM 28-22-00									
<hr/>									
282200	RIGHT LOW LEVEL VALVE ASSY							Component	ATA:28
PN:726400-1	MOS/MSC	17-Feb-02	O/C						
SN:462	HRS	0		TSN 0					
WC#: 28.510	AFL	0		TSN 0					
PROC. REF: AMM 28-22-00PROC. REF: AMM 28-22-00									
<hr/>									
282201	VALVE-REFUEL/DEFUEL							Component	ATA:28
PN:9036-351-2	MOS/MSC	17-Feb-02	O/C						
SN:631	HRS	0		TSN 0					
WC#: 28.520	AFL	0		TSN 0					
PROC. REF: AMM 28-22-00PROC. REF: AMM 28-22-00									
<hr/>									
282202	LEFT FUEL VALVE ASSY							Component	ATA:28
PN:750800-2	MOS/MSC	17-Feb-02	O/C						
SN:631E	HRS	0		TSN 0					
WC#: 28.530	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282202		RIGHT FUEL VALVE ASSY					Component		ATA:28
PN:750800-2	MOS/MSC	17-Feb-02	O/C						
SN:613E	HRS	0		TSN 0					
WC#: 28.530	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
284011		FUEL TEMPERATURE (EI014) INDICATOR					Component		ATA:28
PN:10583N01T00 - 9914095-30	MOS/MSC	02-Oct-24	O/C		TSO 0				
SN:B138	HRS	8488		TSO 0					
WC#: 28.280	AFL	6881		TSO 0					
PROC. REF: AMM 28-21-05PROC. REF: AMM 28-21-05									
<hr/>									
284012		LEFT LOW FUEL LEVEL SENSOR					Component		ATA:28
PN:GIF5400-43	MOS/MSC	17-Feb-02	O/C						
SN:829	HRS	0		TSN 0					
WC#: 28.540	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
284012		RIGHT LOW FUEL LEVEL SENSOR					Component		ATA:28
PN:GIF5400-43	MOS/MSC	10-Oct-08	O/C						
SN:2933	HRS	3689		TSN 0					
WC#: 28.540	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
284013		LEFT WING FUEL QTY W0 PROBE					Component		ATA:28
PN:10634T07Y00	MOS/MSC	17-Feb-02	O/C						
SN:1006	HRS	0		TSN 0					
WC#: 28.360	AFL	0		TSN 0					
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00									
<hr/>									
284013		RIGHT WING FUEL QTY W0 PROBE					Component		ATA:28
PN:10634T07Y00	MOS/MSC	17-Feb-02	O/C						
SN:983	HRS	0		TSN 0					
WC#: 28.360	AFL	0		TSN 0					
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284014	LEFT WING FUEL QTY W1 PROBE							Component	ATA:28
PN:10634T02Y00	MOS/MSC	17-Feb-02	O/C						
SN:1003	HRS	0		TSN 0					
WC#: 28.370	AFL	0		TSN 0					
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00									
284014	RIGHT WING FUEL QTY W1 PROBE							Component	ATA:28
PN:10634T02Y00	MOS/MSC	17-Feb-02	O/C						
SN:968	HRS	0		TSN 0					
WC#: 28.370	AFL	0		TSN 0					
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00									
284015	LEFT WING FUEL QTY W2 PROBE							Component	ATA:28
PN:10634T03Y00	MOS/MSC	17-Feb-02	O/C						
SN:956	HRS	0		TSN 0					
WC#: 28.380	AFL	0		TSN 0					
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00									
284015	RIGHT WING FUEL QTY W2 PROBE							Component	ATA:28
PN:10634T03Y00	MOS/MSC	17-Feb-02	O/C						
SN:975	HRS	0		TSN 0					
WC#: 28.380	AFL	0		TSN 0					
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00									
284016	LEFT WING FUEL QTY W3 PROBE							Component	ATA:28
PN:10634T04Y00	MOS/MSC	17-Feb-02	O/C						
SN:B1108	HRS	0		TSN 0					
WC#: 28.390	AFL	0		TSN 0					
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00									
284016	RIGHT WING FUEL QTY W3 PROBE							Component	ATA:28
PN:10634T04Y00	MOS/MSC	17-Feb-02	O/C						
SN:B1123	HRS	0		TSN 0					
WC#: 28.390	AFL	0		TSN 0					
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284017 LEFT WING FUEL QTY W4 PROBE								Component ATA:28
PN:10634T05Y00	MOS/MSC	17-Feb-02	O/C					
SN:B1098	HRS	0		TSN 0				
WC#: 28.400	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00								
284017 RIGHT WING FUEL QTY W4 PROBE								Component ATA:28
PN:10634T05Y00	MOS/MSC	17-Feb-02	O/C					
SN:B1102	HRS	0		TSN 0				
WC#: 28.400	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00								
284018 LEFT WING FUEL QTY W5 PROBE								Component ATA:28
PN:10634T01Y00	MOS/MSC	17-Feb-02	O/C					
SN:B1102	HRS	0		TSN 0				
WC#: 28.410	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00								
284018 RIGHT WING FUEL QTY W5 PROBE								Component ATA:28
PN:10634T01Y00	MOS/MSC	17-Feb-02	O/C					
SN:B1111	HRS	0		TSN 0				
WC#: 28.410	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00								
284019 LEFT WING FUEL QTY W6 PROBE								Component ATA:28
PN:10634T06Y00	MOS/MSC	07-Nov-06	O/C					
SN:1658	HRS	2893		TSO 0				
WC#: 28.420	AFL							
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00								
284019 RIGHT WING FUEL QTY W6 PROBE								Component ATA:28
PN:10634T06Y00	MOS/MSC	17-Feb-02	O/C					
SN:B1125	HRS	0		TSN 0				
WC#: 28.420	AFL	0		TSN 0				
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284196	FUEL QUANTITY SIGNAL CONDITIONER							Component	ATA:28
PN:10635B01Y01	MOS/MSC	17-Feb-02	O/C						
SN:01090807	HRS	0		TSN 0					
WC#: 28.440	AFL	0		TSN 0					
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00									
ATA 29 - HYDRAULIC POWER									
29-11-04-9600 ^S	HYDRAULIC SYSTEM FILTERS DISCARD							Service	ATA:29
	MOS	29-Jan-21	72 (+1m/-1m)						
	HRS	6128:04							
	AFL	5353							
PROC. REF: AMM 29-11-04PROC. REF: AMM 29-11-04									
PKG:518									
291001 HYDRAULIC RESERVOIR									
PN:7470	MOS/MSC	17-Feb-02	O/C					Component ATA:29	
SN:330	HRS	0		TSN 0					
WC#: 29.010	AFL	0		TSN 0					
PROC. REF: AMM 29-11-01PROC. REF: AMM 29-11-01									
291002 LEFT HYDRAULIC PUMP									
PN:24195-LAA	MOS/MSC	17-Feb-02	O/C					Component ATA:29	
SN:3568	HRS	0		TSN 0					
WC#: 29.050	AFL	0		TSN 0					
PROC. REF: AMM 29-11-03PROC. REF: AMM 29-11-03									
291002 RIGHT HYDRAULIC PUMP									
PN:24195-LAA	MOS/MSC	17-Feb-02	O/C					Component ATA:29	
SN:3594	HRS	0		TSN 0					
WC#: 29.050	AFL	0		TSN 0					
PROC. REF: AMM 29-11-03PROC. REF: AMM 29-11-03									
291005 LEFT HYDRAULIC FLOW SWITCH									
PN:3520020100-4	MOS/MSC	17-Feb-02	O/C					Component ATA:29	
SN:5423	HRS	0		TSN 0					
WC#: 29.070	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
PROC. REF: AMM 29-11-04PROC. REF: AMM 29-11-04								
291005 RIGHT HYDRAULIC FLOW SWITCH Component ATA:29								
PN:3520020100-4	MOS/MSC	17-Feb-02	O/C					
SN:5429	HRS	0		TSN 0				
WC#: 29.070	AFL	0		TSN 0				
PROC. REF: AMM 29-11-04PROC. REF: AMM 29-11-04								
291008 SPEED BRAKE THERMAL RELIEF VALVE Component ATA:29								
PN:OAS5322-3-1700	MOS/MSC	17-Feb-02	O/C					
SN:1082	HRS	0		TSN 0				
WC#: 29.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
291009 HYD RELIEF VALVE Component ATA:29								
PN:4614	MOS/MSC	17-Feb-02	O/C					
SN:2180A	HRS	0		TSN 0				
WC#: 29.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
291010 HYD PRESS SWITCH Component ATA:29								
PN:1106P59	MOS/MSC	17-Feb-02	O/C					
SN:3875	HRS	0		TSN 0				
WC#: 29.190	AFL	0		TSN 0				
PROC. REF: AMM 29-11-06PROC. REF: AMM 29-11-06								
291012 HYD BYPASS VALVE Component ATA:29								
PN:61510-1	MOS/MSC	17-Feb-02	O/C					
SN:1913A	HRS	0		TSN 0				
WC#: 29.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
291013	LEFT FIREWALL HYD SHUTOFF VALVE							Component	ATA:29
PN:AV24B1325C5	MOS/MSC	17-Feb-02	O/C						
SN:U03861	HRS	0		TSN 0					
WC#: 29.060	AFL	0		TSN 0					
PROC. REF: AMM 29-11-02, AMM 29-11-02PROC. REF: AMM 29-11-02, AMM 29-11-02									
<hr/>									
291013	RIGHT FIREWALL HYD SHUTOFF VALVE							Component	ATA:29
PN:AV24B1325C5	MOS/MSC	17-Feb-02	O/C						
SN:U03851	HRS	0		TSN 0					
WC#: 29.060	AFL	0		TSN 0					
PROC. REF: AMM 29-11-02, AMM 29-11-02PROC. REF: AMM 29-11-02, AMM 29-11-02									
<hr/>									
ATA 30 - ICE AND RAIN PROTECTION									
30-11-00-7100 ^S	BLEED AIR ANTI-ICE SYSTEMS OPERATIONAL CHECK							Service	ATA:30
	MOS	30-Apr-26	12 (+1m/-1m)						
	HRS	9045:31							
	AFL	7280							
PROC. REF: AMM 30-11-00PROC. REF: AMM 30-11-00									
<hr/>									
30-12-00-7200 ^{U S}	HORIZONTAL STABILIZER DEICE SYSTEM FUNCTIONAL CHECK							Service	ATA:30
	MOS	30-Apr-26	12 (+1m/-1m)						
	HRS	9045:31							
	AFL	7280							
PKG:509									
<hr/>									
30-12-01 ^U	GOODRICH DEICE BOOT – SURFACE CARE							Service	ATA:30
	MOS	05-Jun-24	6		28-Feb-26 (M)		OVD		
	HRS	8285:35							
	AFL	6733							
	APH								
	APS								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301001 LEFT WING ANTI-ICE BLEED AIR UNDER TEMP SL013 SWITCH Component ATA:30								
PN:1173T42-4	MOS/MSC	17-Feb-02	O/C					
SN:1691	HRS	0		TSN 0				
WC#: 30.010	AFL	0		TSN 0				
PROC. REF: AMM 30-11-00PROC. REF: AMM 30-11-00								
301001 RIGHT WING ANTI-ICE BLEED AIR UNDER TEMP SR016 SWITCH Component ATA:30								
PN:1173T42-4	MOS/MSC	17-Feb-02	O/C					
SN:1672	HRS	0		TSN 0				
WC#: 30.010	AFL	0		TSN 0				
PROC. REF: AMM 30-11-00PROC. REF: AMM 30-11-00								
301002 ISOLATION VALVE Component ATA:30								
PN:2602-36	MOS/MSC	10-Oct-08	O/C					
SN:1761	HRS	3689		TSN 0				
WC#: 30.160	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301008 LEFT DEICE TAIL VALVE Component ATA:30								
PN:3D2353-06	MOS/MSC	01-Dec-22	O/C		TSO 0			
SN:N083493	HRS	7719:41			TSO 0			
WC#: 30.170	AFL	6358						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301008 RIGHT DEICE TAIL VALVE Component ATA:30								
PN:3D2353-06	MOS/MSC	17-Feb-02	O/C					
SN:N19003	HRS	0		TSN 0				
WC#: 30.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301020 WINDSHIELD RAIN REMOVAL MN001 FAN Component ATA:30								
PN:011598-501	MOS/MSC	17-Feb-02	O/C					
SN:C01380180	HRS	0		TSN 0				
WC#: 30.140	AFL	0		TSN 0				
PROC. REF: AMM 30-40-00PROC. REF: AMM 30-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301137 LEFT WING INLET ANTI-ICE PRESSURE REG SHUTOFF VD001 VALVE Component ATA:30								
PN:1962-00-7	MOS/MSC	17-Feb-02	O/C					
SN:1217	HRS	0		TSN 0				
WC#: 30.100	AFL	0		TSN 0				
PROC. REF: AMM 30-11-00PROC. REF: AMM 30-11-00								
301137 RIGHT WING INLET ANTI-ICE PRESSURE REG SHUTOFF VE002 VALVE Component ATA:30								
PN:1962-00-7	MOS/MSC	17-Feb-02	O/C					
SN:1208	HRS	0		TSN 0				
WC#: 30.100	AFL	0		TSN 0				
PROC. REF: AMM 30-11-00PROC. REF: AMM 30-11-00								
301201 LEFT TAIL DEICE PRESSURE SV005 SWITCH Component ATA:30								
PN:1106P55-1	MOS/MSC	17-Feb-02	O/C					
SN:1760	HRS	0		TSN 0				
WC#: 30.090	AFL	0		TSN 0				
PROC. REF: AMM 30-12-02PROC. REF: AMM 30-12-02								
301201 RIGHT TAIL DEICE PRESSURE SV004 SWITCH Component ATA:30								
PN:1106P55-1	MOS/MSC	17-Feb-02	O/C					
SN:1770	HRS	0		TSN 0				
WC#: 30.090	AFL	0		TSN 0				
PROC. REF: AMM 30-12-02PROC. REF: AMM 30-12-02								
301202 LEFT HORIZ STAB DEICE BOOT Component ATA:30								
PN:P29S4D5280-11	MOS/MSC	16-Oct-15	O/C	TSN 0				
SN:NCV7550	HRS	4863:02		TSN 0				
WC#: 30.070	AFL	4570		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301202 RIGHT HORIZ STAB DEICE BOOT Component ATA:30								
PN:P29S4D5280-12	MOS/MSC	01-May-25	O/C	TSN 0				
SN:NHL4840	HRS	8639:48		TSN 0				
WC#: 30.070	AFL	6690		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
302005	NO. 1 ENGINE - ANTI-ICING VALVE							Component	ATA:30
PN:540-0406-5 - 31J2879-05	MOS/MSC	22-Oct-14	O/C	TSO 0					
SN:4565	HRS	4666:49		TSO 0					
	ENC	4385		TSO 0					
PROC. REF: EMM 75-10-01PROC. REF: EMM 75-10-01									
302005	NO. 2 ENGINE - ANTI-ICING VALVE							Component	ATA:30
PN:540-0406-5 - 31J2879-05	MOS/MSC	04-Aug-25	O/C	TSO 0					
SN:5257	HRS	8837:58		TSO 0					
	ENC	7135		TSO 0					
PROC. REF: EMM 75-10-01PROC. REF: EMM 75-10-01									
302101	LEFT PRESSURE REG VALVE							Component	ATA:30
PN:1946-00-19 - 9912495-4	MOS/MSC	10-Aug-14	O/C	TSO 0					
SN:3591	HRS	4625:18		TSO 0					
WC#: 30.190	AFL	4351		TSO 0					
PROC. REF: AMM 30-21-00PROC. REF: AMM 30-21-00									
302101	RIGHT PRESSURE REG VALVE							Component	ATA:30
PN:1946-00-19	MOS/MSC	17-Feb-02	O/C						
SN:2618	HRS	0		TSN 0					
WC#: 30.190	AFL	0		TSN 0					
PROC. REF: AMM 30-21-00PROC. REF: AMM 30-21-00									
302104	LEFT NACELLE INLET SWITCH							Component	ATA:30
PN:1173T0759	MOS/MSC	14-Oct-14	O/C						
SN:2384	HRS	4665:13							
WC#: 30.105	AFL	4383							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
302104	RIGHT NACELLE INLET SWITCH							Component	ATA:30
PN:1173T0759	MOS/MSC	17-Feb-02	O/C						
SN:1387	HRS	0		TSN 0					
WC#: 30.105	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
303001	LEFT PITOT TUBE							Component	ATA:30
PN:PH1100-1-VCW	MOS/MSC	20-Oct-09	O/C						
SN:907305	HRS	3887		TSN 0					
WC#: 30.210	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
303001	RIGHT PITOT TUBE							Component	ATA:30
PN:PH1100-1-VCW	MOS/MSC	05-Sep-08	O/C						
SN:982705	HRS	3665		TSN 0					
WC#: 30.210	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
303001	STANDBY PITOT TUBE							Component	ATA:30
PN:PH1100-1-RCDW	MOS/MSC	25-Jul-14	O/C	TSN 0					
SN:2156808	HRS	4622:25		TSN 0					
WC#: 30.220	AFL	4349		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
304100	LEFT WINDSHIELD CONTROLLER							Component	ATA:30
PN:856-1-1	MOS/MSC	17-Feb-02	O/C						
SN:0033076	HRS	0		TSN 0					
WC#: 30.230	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
304100	RIGHT WINDSHIELD CONTROLLER							Component	ATA:30
PN:856-1-1	MOS/MSC	17-Feb-02	O/C						
SN:0140045	HRS	0		TSN 0					
WC#: 30.230	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
31-20-01-9600 ^S	DIGITAL CLOCK AA LONG LIFE BATTERY DISCARD							Service	ATA:31
	MOS	30-Apr-26	12 (+1m/-1m)						
	HRS	9045:31							
	AFL	7280							
								PKG:509	
PROC. REF: AMM 31-20-01PROC. REF: AMM 31-20-01									
31-30-04-9600	DK120 OR DK120/90 FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON BATTERY DISCARD							Component	ATA:31
PN:DK120/90	MOS	29-Nov-24	72 (+1m/-1m)	TSN 0, Adj 2d	31-Dec-30	01-Jan-31	1701 d (+1)	DISCARD	
SN:AT208463	HRS	8500:45		TSN 0					
WC#: 31.100	AFL	6890		TSN 0					
PROC. REF: AMM 31-30-04PROC. REF: AMM 31-30-04									
312001	LEFT HAND DIGITAL CLOCK							Component	ATA:31
PN:M877A5V	MOS/MSC	10-Oct-11	O/C	TSN 0					
SN:19756	HRS	4149:35		TSN 0					
WC#: 31.010	AFL	3962		TSN 0					
PROC. REF: AMM 31-20-01PROC. REF: AMM 31-20-01									
312001	RIGHT HAND DIGITAL CLOCK							Component	ATA:31
PN:M877A5V	MOS/MSC	17-Feb-02	O/C						
SN:12958	HRS	0		TSN 0					
WC#: 31.010	AFL	0		TSN 0					
PROC. REF: AMM 31-20-01PROC. REF: AMM 31-20-01									
313001	FDR ACCELEROMETER							Component	ATA:31
PN:3001-01-101-3	MOS/MSC	17-Feb-02	O/C						
SN:08013331	HRS	0		TSN 0					
WC#: 31.040	AFL	0		TSN 0					
PROC. REF: AMM 31-30-01, AMM 31-30-02PROC. REF: AMM 31-30-01, AMM 31-30-02									
313002	FDR MFDAU UNIT							Component	ATA:31
PN:2231230-5A	MOS/MSC	17-Feb-06	O/C						
SN:199	HRS	2526		TSO 747					
WC#: 31.080	AFL								
PROC. REF: AMM 31-30-02PROC. REF: AMM 31-30-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
313003	LEFT ENGINE ACCELEROMETER							Component	ATA:31
PN:6222SM15	MOS/MSC	17-Feb-02	O/C						
SN:18137	HRS	0		TSN 0					
WC#: 31.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
313003	RIGHT ENGINE ACCELEROMETER							Component	ATA:31
PN:6222SM15	MOS/MSC	17-Feb-02	O/C						
SN:18245	HRS	0		TSN 0					
WC#: 31.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
313006	FLIGHT DATA RECORDER							Component	ATA:31
PN:980-4700-025	MOS/MSC	16-May-06	O/C						
SN:SSFDR08293	HRS	2677		TSO 2677					
WC#: 31.030	AFL								
PROC. REF: AMM 31-30-01, AMM 31-30-02, AMM 31-30-03PROC. REF: AMM 31-30-01, AMM 31-30-02, AMM 31-30-03									
313006A ^U	FLIGHT DATA RECORDER ANNUAL READOUT							Service	ATA:31
	MOS	29-Nov-24	24		30-Nov-26		209 d		
	HRS	8500:45							
	AFL	6890							
313007	FDR UNDERWATER LOCATOR BEACON							Component	ATA:31
PN:DK120	MOS/MSC	19-Apr-12	O/C	TSN 0					
SN:SD03137	HRS	4270:15		TSN 0					
WC#: 31.100	AFL	4068		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
313008	FDR IMPACT SWITCH							Component	ATA:31
PN:6895-D-1-X-5-5	MOS/MSC	17-Feb-02	O/C						
SN:3484	HRS	0		TSN 0					
WC#: 31.040	AFL	0		TSN 0					
PROC. REF: AMM 31-30-01, AMM 31-30-02PROC. REF: AMM 31-30-01, AMM 31-30-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
315001	FDR FAIL ANNUNCIATOR							Component	ATA:31
PN:1304-1-12	MOS/MSC	17-Feb-02	O/C						
SN:0139013	HRS	0		TSN 0					
WC#: 31.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
315101	LEFT WARNING GEN/MIXER UNIT							Component	ATA:31
PN:1287-1-2	MOS/MSC	17-Feb-02	O/C						
SN:0120307	HRS	0		TSN 0					
WC#: 31.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
315101	RIGHT WARNING GEN/MIXER UNIT							Component	ATA:31
PN:1287-1-2	MOS/MSC	17-Feb-02	O/C						
SN:0120306	HRS	0		TSN 0					
WC#: 31.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
316001	TILT INDICATOR							Component	ATA:31
PN:3001J72	MOS/MSC	17-Feb-02	O/C						
SN:22009	HRS	0		TSN 0					
WC#: 31.120	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 32 - LANDING GEAR									
32-00-00-2101 ^S	LANDING GEAR DOORS GENERAL VISUAL INSPECTION							Service	ATA:32
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
PROC. REF: AMM 32-00-00PROC. REF: AMM 32-00-00									

PKG:513

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-00-00-7100	S	LANDING GEAR SYSTEM GENERAL VISUAL INSPECTION, OPERATIONAL CHECK AND FUNCTIONAL CHECK							Service ATA:32
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
								PKG:513	
PROC. REF: AMM 32-00-00PROC. REF: AMM 32-00-00									
32-10-00-2200	S	MAIN LANDING GEAR DETAILED INSPECTION							Service ATA:32
	MOS	16-Dec-21							
	HRS	7027:20	2400 (+25/-25)						
	AFL	5862							
								PKG:515	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
32-10-00-2201		MAIN LANDING GEAR ACTUATOR ROD END DETAILED INSPECTION (AIRPLANES OPERATING IN SEVERE CORROSION ENVIRONMENTS)							Service ATA:32
	MOS	EFF	48		31-Jul-28 *		818 d	SEVERE CORROSION ZONE	
	HRS								
	AFL								
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
32-10-00-9600	S	MAIN LANDING GEAR OLEO BREATHER VENT DISCARD							Service ATA:32
	MOS	30-Apr-26	12 (+1m/-1m)						
	HRS	9045:31							
	AFL	7280							
								PKG:509	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
32-10-00-9601		LEFT MAIN LANDING GEAR TRUNNION SUBASSEMBLY DISCARD							Component ATA:32
PN:6641630-41	MOS	29-Nov-24		TSN 0				LIFE LIMIT	
SN:34060613	HRS	8500:45		TSN 0					
WC#: 32.030	AFL	6890	6900	TSN 0	13790		6506		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10-00-9601	RIGHT MAIN LANDING GEAR TRUNNION SUBASSEMBLY DISCARD							Component	ATA:32
PN:6641630-42	MOS	29-Nov-24		TSN 0				LIFE LIMIT	
SN:34173426	HRS	8500:45		TSN 0					
WC#: 32.030	AFL	6890	6900	TSN 0	13790		6506		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
32-10-00-9602	LEFT MAIN LANDING GEARTRAILING LINK ASSEMBLY DISCARD							Component	ATA:32
PN:6641648-15	MOS	17-Feb-02						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.120	AFL	0	40300	TSN 12	40288		33004		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
32-10-00-9602	RIGHT MAIN LANDING GEARTRAILING LINK ASSEMBLY DISCARD							Component	ATA:32
PN:6641648-14	MOS	02-Apr-19		TSR 0				LIFE LIMIT	
SN:N/A	HRS	5066:42		TSR 0					
WC#: 32.120	AFL	4739	40300	TSN 4739, TSR 0	40300		33016		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
32-10-00-9603	LEFT MAIN LANDING GEAR TRAILING LINK SPACER DISCARD							Component	ATA:32
PN:6641533-1	MOS	17-Feb-02						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.050	AFL	0	33300	TSN 12	33288		26004		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
32-10-00-9603	RIGHT MAIN LANDING GEAR TRAILING LINK SPACER DISCARD							Component	ATA:32
PN:6641533-1	MOS	17-Feb-02						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.050	AFL	0	33300	TSN 0	33300		26016		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
32-10-00-9604	LEFT (EXCEPT UPPER CAP) MAIN LANDING GEAR OLEO ASSEMBLY DISCARD							Component	ATA:32
PN:6641615-4	MOS	17-Feb-02						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.040	AFL	0	38000	TSN 3101, Adj 12	34911		27627		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10-00-9604	RIGHT (EXCEPT UPPER CAP) MAIN LANDING GEAR OLEO ASSEMBLY DISCARD							Component	ATA:32
PN:6641615-6	MOS	14-Sep-07						LIFE LIMIT	
SN:081607	HRS	3313							
WC#: 32.040	AFL	3323	38000	TSN 0	41323		34039		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
32-10-00-9604.1	LEFT UPPER CAP MAIN LANDING GEAR OLEO ASSEMBLY DISCARD							Component	ATA:32
PN:6641616-4	MOS	16-Oct-15		TSN 0				LIFE LIMIT	
SN:NOSN	HRS	4863:02		TSN 0					
WC#: 32.060	AFL	4570	14900	TSN 0	19470		12186		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
32-10-00-9604.1	RIGHT UPPER CAP MAIN LANDING GEAR OLEO ASSEMBLY DISCARD							Component	ATA:32
PN:6641616-4	MOS	14-Sep-07		TSN 0				LIFE LIMIT	
SN:UNKN	HRS	3313		TSN 0					
WC#: 32.060	AFL	3323	14900	TSN 0	18223		10939		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
32-10-00-9605	LEFT MAIN LANDING GEAR ACTUATOR ASSEMBLY DISCARD							Component	ATA:32
PN:9912537-5	MOS	06-Apr-23						LIFE LIMIT	
SN:1970	HRS	7794:51							
WC#: 32.180	AFL	6421	70200	TSO 318	76303 (M)		69019		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
32-10-00-9605	RIGHT MAIN LANDING GEAR ACTUATOR ASSEMBLY DISCARD							Component	ATA:32
PN:1550000-4	MOS	17-Feb-02						LIFE LIMIT	
SN:499	HRS	0							
WC#: 32.180	AFL	0	70200	TSN 0	70200		62916		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
32-20-00-2200 ^S	NOSE LANDING GEAR DETAILED INSPECTION							Service	ATA:32
	MOS	16-Dec-21							
	HRS	7027:20	2400 (+25/-25)						
	AFL	5862							

PKG:515

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								
32-20-00-9600 NOSE LANDING GEAR ASSEMBLY DISCARD Component ATA:32								
PN:6642614-1	MOS	17-Feb-02						LIFE LIMIT
SN:23	HRS	0						
WC#: 32.130	AFL	0	33300	TSN 12	33288		26004	
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								
32-20-00-9601 NOSE LANDING GEAR ACTUATOR DISCARD Component ATA:32								
PN:9912491-6	MOS	09-Sep-25						LIFE LIMIT
SN:UNKNOWN	HRS	8875:18						
WC#: 32.190	AFL	7163	33300	TSN 5719	34744		27460	
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								
32-30-09-7800 EMERGENCY GEAR EXTENSION/BRAKE PNEUMATIC STORAGE BOTTLE(HYDROSTATIC TEST) RESTORATION Service ATA:32								
PN:40005347-3 - 9912505-2	MOS	02-Oct-24	36		31-Jul-27		452 d	
SN:4755	HRS	8488						
WC#: 32.780	AFL	6881						
HydroCheck Date: : 31-Jul-24								
PROC. REF: AMM 32-30-09PROC. REF: AMM 32-30-09								
32-30-09-9600 EMERGENCY GEAR EXTENSION / BRAKE PNEUMATIC STORAGE BOTTLE ASSEMBLY DISCARD Component ATA:32								
PN:40005347-3 - 9912505-2	MOS	02-Oct-24	288		31-Jan-30		1367 d	LIFE LIMIT
SN:4755	HRS	8488						
WC#: 32.230	AFL	6881						
Manufacture Date:: 31-Jan-06								
PROC. REF: AMM 32-30-09PROC. REF: AMM 32-30-09								
32-40-00-2200 LEFT MAIN LANDING GEAR BRAKES DETAILED INSPECTION, MAIN LANDING GEAR AXLE GENERAL VISUAL INSPECTION, AND FUNCTIONAL (WEAR PIN) CHECK Service ATA:32								
PN:3-1571-6T1	MOS/MSC		WHL/C					
SN:D0614	HRS							
	AFL							
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-40-00-2200	RIGHT MAIN LANDING GEAR BRAKES DETAILED INSPECTION, MAIN LANDING GEAR AXLE GENERAL VISUAL INSPECTION, AND FUNCTIONAL (WEAR PIN) CHECK							Service	ATA:32
PN:3-1571-6T1	MOS/MSC		WHL/C						
SN:D0613	HRS								
WC#: 32.760	AFL								
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00									
32-40-00-2201 ^S	MAIN LANDING GEAR BRAKE MASTER CYLINDER DETAILED INSPECTION (AIRPLANES -5001 THRU -5500)							Service	ATA:32
	MOS	31-Jan-23							
	HRS	7738:49	1600 (+25/-25)						
	AFL	6374							
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00									
32-40-00-2202 ^S	EMERGENCY BRAKE SYSTEM DETAILED INSPECTION							Service	ATA:32
	MOS	16-Dec-21							
	HRS	7027:20	2400 (+25/-25)						
	AFL	5862							
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00									
32-40-00-2203	NOSE LANDING GEAR AXLE GENERAL VISUAL INSPECTION							Service	ATA:32
	MOS/MSC	17-Feb-02	WHL/C	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00									
32-40-00-7100 ^S	EMERGENCY BRAKE SYSTEM OPERATIONAL CHECK							Service	ATA:32
	MOS	16-Dec-21							
	HRS	7027:20	2400 (+25/-25)						
	AFL	5862							
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-40-00-7200 ^U LEFT BRAKE ASSEMBLY (WEAR PIN) FUNCTIONAL CHECK Service ATA:32								
PN:3-1571-6T1	MOS/MSC		WHL/C					
SN:D0614	HRS							
WC#: 32.555	AFL							
32-40-00-7200 ^U RIGHT BRAKE ASSEMBLY (WEAR PIN) FUNCTIONAL CHECK Service ATA:32								
PN:3-1571-6T1	MOS/MSC		WHL/C					
SN:D0613	HRS							
	AFL							
32-40-00-9600 ^S BRAKE SYSTEM FILTERS DISCARD (AIRPLANES -5001 THRU -5500) Service ATA:32								
	MOS	16-Dec-21						
	HRS	7027:20	2400 (+25/-25)					
	AFL	5862						
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00								PKG:515
32-41-00-2101 OPTIONAL NOSE WHEEL SPIN UP GENERAL INSPECTION Service ATA:32								
PN:3-1418	MOS/MSC	04-Aug-22	WHL/C					
SN:5844	HRS							
	AFL							
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-41-00-2200 LEFT MAIN LANDING GEAR WHEEL AND TIRE DETAILED INSPECTION Service ATA:32								
PN:3-1571-6T1	MOS/MSC	30-Apr-26	24 / WHL/C		30-Apr-28		726 d	
SN:D0614	HRS	9045:31						
	AFL	7280						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-41-00-2200 RIGHT MAIN LANDING GEAR WHEEL AND TIRE DETAILED INSPECTION Service ATA:32								
PN:3-1571-6T1	MOS/MSC	30-Apr-26	24 / WHL/C		30-Apr-28		726 d	
SN:D0613	HRS	9045:31						
	AFL	7280						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-41-00-2800 NOSE LANDING GEAR WHEEL (EDDY CURRENT) SPECIAL DETAILED INSPECTION								Service ATA:32
PN:3-1418	MOS/MSC	30-Apr-26	A/R					
SN:5844	HRS	9045:31						
WC#: 32.840	AFL	7280						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-41-00-2801 LEFT MAIN LANDING GEAR WHEEL (EDDY CURRENT) SPECIAL DETAILED INSPECTION								Service ATA:32
PN:3-1571-6T1	MOS/MSC		A/R					
SN:D0614	HRS							
WC#: 32.840	AFL							
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-41-00-2801 RIGHT MAIN LANDING GEAR WHEEL (EDDY CURRENT) SPECIAL DETAILED INSPECTION								Service ATA:32
PN:3-1571-6T1	MOS/MSC		A/R					
SN:D0613	HRS							
WC#: 32.840	AFL							
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-41-00-7200 OPTIONAL NOSE WHEEL SPIN UP FUNCTIONAL CHECK								Service ATA:32
PN:3-1418	MOS/MSC	04-Aug-22	WHL/C					
SN:5844	HRS							
	AFL							
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-50-00-2200 ^S STEERING SYSTEM DETAILED INSPECTION								Service ATA:32
	MOS	06-Apr-23	48 (+1m/-1m)					
	HRS	7794:51						
	AFL	6421						
PROC. REF: AMM 32-50-00PROC. REF: AMM 32-50-00								
32-50-00-7200 ^S STEERING CABLE SYSTEM FUNCTIONAL CHECK								Service ATA:32
	MOS	06-Apr-23	48 (+1m/-1m)					
	HRS	7794:51						
	AFL	6421						
PROC. REF: AMM 32-50-00PROC. REF: AMM 32-50-00								

PKG:513

PKG:513

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-50-00PROC. REF: AMM 32-50-00								
322002 NOSE GEAR SHIMMY DAMPER Component ATA:32								
PN:5543001-12	MOS/MSC	17-Jul-25	O/C	TSO 0				
SN:663-12X	HRS	8802:19		TSO 0				
WC#: 32.140	AFL	7104		TSO 0				
PROC. REF: AMM 32-20-01PROC. REF: AMM 32-20-01								
322007 NOSE GEAR TRUNNION Component ATA:32								
PN:6642611-9	MOS/MSC	17-Feb-02	O/C					
SN:UNKNOWN	HRS	0						
WC#: 32.480	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
323004 LEFT UPLOCK ACTUATOR Component ATA:32								
PN:5527504-3	MOS/MSC	17-Feb-02	O/C					
SN:2264	HRS	0						
WC#: 32.150	AFL	0		TSN 0				
PROC. REF: AMM 32-30-05PROC. REF: AMM 32-30-05								
323004 NOSE UPLOCK ACTUATOR Component ATA:32								
PN:5527504-3	MOS/MSC	17-Feb-02	O/C					
SN:2241	HRS	0						
WC#: 32.160	AFL	0		TSN 0				
PROC. REF: AMM 32-30-05PROC. REF: AMM 32-30-05								
323004 RIGHT UPLOCK ACTUATOR Component ATA:32								
PN:5527504-3	MOS/MSC	17-Feb-02	O/C					
SN:2260	HRS	0						
WC#: 32.150	AFL	0		TSN 0				
PROC. REF: AMM 32-30-05PROC. REF: AMM 32-30-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
323005	PRESSURE EMER GEAR GAUGE							Component	ATA:32
PN:19940929-1	MOS/MSC	17-Feb-02	O/C						
SN:008690	HRS	0		TSN 0					
WC#: 32.490	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
323007	LANDING GEAR CONTROL (VY047) VALVE							Component	ATA:32
PN:71839-1	MOS/MSC	17-Feb-02	O/C						
SN:309	HRS	0							
WC#: 32.240	AFL	0		TSN 0					
PROC. REF: AMM 32-30-02PROC. REF: AMM 32-30-02									
<hr/>									
323008	DUMP VALVE							Component	ATA:32
PN:OAS5319-1	MOS/MSC	17-Feb-02	O/C						
SN:1146	HRS	0		TSN 0					
WC#: 32.170	AFL	0		TSN 0					
PROC. REF: AMM 32-30-06PROC. REF: AMM 32-30-06									
<hr/>									
323009	LANDING GEAR CONTROL							Component	ATA:32
PN:049801-001	MOS/MSC	17-Feb-02	O/C						
SN:184	HRS	0							
WC#: 32.500	AFL	0		TSN 0					
PROC. REF: AMM 32-30-01PROC. REF: AMM 32-30-01									
<hr/>									
324001	LEFT MAIN WHEEL ASSEMBLY							Component	ATA:32
PN:3-1571-6T1	MOS/MSC	30-Apr-26	O/C		TSN 0				
SN:D0614	HRS	9045:31			TSN 0				
WC#: 32.390	AFL	7280			TSN 0				
PROC. REF: AMM 32-41-02PROC. REF: AMM 32-41-02									
<hr/>									
324001	RIGHT MAIN WHEEL ASSEMBLY							Component	ATA:32
PN:3-1571-6T1	MOS/MSC	30-Apr-26	O/C		TSN 0				
SN:D0613	HRS	9045:31			TSN 0				
WC#: 32.400	AFL	7280			TSN 0				
PROC. REF: AMM 32-41-02PROC. REF: AMM 32-41-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324002 NOSE WHEEL ASSEMBLY Component ATA:32								
PN:3-1418	MOS/MSC	05-Nov-15	O/C	TSO 11				
SN:5844	HRS	4871:04		TSO 195:34				
WC#: 32.410	AFL	4576		TSO 184				
PROC. REF: AMM 32-41-01PROC. REF: AMM 32-41-01								
324003 LEFT MAIN BRAKE ASSEMBLY Component ATA:32								
PN:2-1601-1	MOS/MSC	21-Sep-23	O/C	TSO 0				
SN:2052	HRS	8033:12		TSO 0				
WC#: 32.260	AFL	6602						
PROC. REF: AMM 32-42-01PROC. REF: AMM 32-42-01								
324004 RIGHT MAIN BRAKE ASSEMBLY Component ATA:32								
PN:2-1601-1	MOS/MSC	21-Sep-23	O/C	TSO 0				
SN:1762	HRS	8033:12		TSO 0				
WC#: 32.260	AFL	6602						
PROC. REF: AMM 32-42-01PROC. REF: AMM 32-42-01								
324005 LEFT MAIN TIRE Component ATA:32								
PN:M13702	MOS/MSC	30-Apr-26	O/C	TSN 0				
SN:5341T147	HRS	9045:31		TSN 0				
WC#: 32.390	AFL	7280		TSN 0				
PROC. REF: AMM 32-41-02PROC. REF: AMM 32-41-02								
324005 RIGHT MAIN TIRE Component ATA:32								
PN:M13702	MOS/MSC	30-Apr-26	O/C	TSN 0				
SN:2220T177	HRS	9045:31		TSN 0				
WC#: 32.400	AFL	7280		TSN 0				
PROC. REF: AMM 32-41-02PROC. REF: AMM 32-41-02								
324006 NOSE TIRE Component ATA:32								
PN:31-613-8	MOS/MSC	30-Apr-26	O/C	TSN 0				
SN:5343T00388	HRS	9045:31		TSN 0				
WC#: 32.410	AFL	7280		TSN 0				
PROC. REF: AMM 32-41-01PROC. REF: AMM 32-41-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324009	POWER BRAKE VALVE							Component	ATA:32
PN:32-077-1	MOS/MSC	04-Aug-21	O/C	TSN 0					
SN:278	HRS	6603:37		TSN 0					
WC#: 32.270	AFL	5611							
PROC. REF: AMM 32-44-20PROC. REF: AMM 32-44-20									
324010	LEFT EXTEND/RETRACT VALVE							Component	ATA:32
PN:98120	MOS/MSC	17-Feb-02	O/C						
SN:1897	HRS	0							
WC#: 32.510	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
324010	NOSE EXTEND/RETRACT VALVE							Component	ATA:32
PN:98120	MOS/MSC	30-Jan-15	O/C	TSO 5					
SN:5068A	HRS	4675:30		TSO 0					
WC#: 32.520	AFL	4392		TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
324010	RIGHT EXTEND/RETRACT VALVE							Component	ATA:32
PN:98120	MOS/MSC	17-Feb-02	O/C						
SN:1909	HRS	0							
WC#: 32.510	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
324011	LEFT (PILOT SIDE) MASTER BRAKE CYLINDER							Component	ATA:32
PN:98281-3	MOS/MSC	17-Feb-02	O/C						
SN:636	HRS	0							
WC#: 32.320	AFL	0		TSN 0					
PROC. REF: AMM 32-42-02PROC. REF: AMM 32-42-02									
324011	RIGHT (PILOT SIDE) MASTER BRAKE CYLINDER							Component	ATA:32
PN:98281-3	MOS/MSC	17-Feb-02	O/C						
SN:635	HRS	0							
WC#: 32.320	AFL	0		TSN 0					
PROC. REF: AMM 32-42-02PROC. REF: AMM 32-42-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324012 LEFT (COPILOT SIDE) MASTER BRAKE CYLINDER Component ATA:32								
PN:98281-4	MOS/MSC	17-Feb-02	O/C					
SN:664	HRS	0						
WC#: 32.330	AFL	0		TSN 0				
PROC. REF: AMM 32-42-02PROC. REF: AMM 32-42-02								
324012 RIGHT (COPILOT SIDE) MASTER BRAKE CYLINDER Component ATA:32								
PN:98281-4	MOS/MSC	17-Feb-02	O/C					
SN:656	HRS	0						
WC#: 32.330	AFL	0		TSN 0				
PROC. REF: AMM 32-42-02PROC. REF: AMM 32-42-02								
324014 EMERGENCY AIR BRAKE CONTROL VALVE Component ATA:32								
PN:65830-4	MOS/MSC	17-Feb-02	O/C					
SN:636	HRS	0		TSN 0				
WC#: 32.370	AFL	0		TSN 0				
PROC. REF: AMM 32-42-09PROC. REF: AMM 32-42-09								
324015 LEFT BRAKE SHUTTLE VALVE Component ATA:32								
PN:211-114	MOS/MSC	20-Dec-05	O/C					
SN:UNKNOWN	HRS	2464						
WC#: 32.530	AFL	2695		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324015 RIGHT BRAKE SHUTTLE VALVE Component ATA:32								
PN:211-114	MOS/MSC	17-Feb-02	O/C					
SN:UNKNOWN	HRS	0						
WC#: 32.530	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324019 BRAKE PRESS PUMP ASSEMBLY Component ATA:32								
PN:640931	MOS/MSC	17-Feb-02	O/C					
SN:5743	HRS	0		TSN 0				
WC#: 32.350	AFL	0		TSN 0				
PROC. REF: AMM 32-44-20PROC. REF: AMM 32-44-20								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324020 ANTISKID CONTROL (UY009) VALVE Component ATA:32								
PN:39-837	MOS/MSC	17-Feb-02	O/C					
SN:401	HRS	0						
WC#: 32.280	AFL	0		TSN 0				
PROC. REF: AMM 32-44-20PROC. REF: AMM 32-44-20								
324022 ANTISKID DIGITAL CONTROL Component ATA:32								
PN:42-985-2	MOS/MSC	16-Dec-21	O/C					
SN:346	HRS	7027:20						
WC#: 32.540	AFL	5862						
PROC. REF: AMM 32-42-08PROC. REF: AMM 32-42-08								
324023 POWER BRAKE ACCUMULATOR Component ATA:32								
PN:57C57652	MOS/MSC	17-Feb-02	O/C					
SN:1613	HRS	0		TSN 0				
WC#: 32.290	AFL	0		TSN 0				
PROC. REF: AMM 32-44-20PROC. REF: AMM 32-44-20								
324024 LEFT WHEEL TRANSDUCER Component ATA:32								
PN:40-955	MOS/MSC	17-Feb-02	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.250	AFL	0		TSN 0				
PROC. REF: AMM 32-42-07PROC. REF: AMM 32-42-07								
324024 RIGHT WHEEL TRANSDUCER Component ATA:32								
PN:40-955	MOS/MSC	17-Feb-02	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.250	AFL	0		TSN 0				
PROC. REF: AMM 32-42-07PROC. REF: AMM 32-42-07								
324025 PRESSURE (SN011) SWITCH Component ATA:32								
PN:GPP1250-52	MOS/MSC	17-Feb-02	O/C					
SN:132348	HRS	0						
WC#: 32.360	AFL	0		TSN 0				
PROC. REF: AMM 32-42-06PROC. REF: AMM 32-42-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324026	POWER PACK MOTOR							Component	ATA:32
PN:MP50B1	MOS/MSC	17-Feb-02	O/C						
SN:2136	HRS	0		TSN 0					
WC#: 32.550	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
324027	ANTISKID FAULT DISPLAY							Component	ATA:32
PN:42-92750	MOS/MSC	17-Feb-02	O/C						
SN:935A	HRS	0		TSN 0					
WC#: 32.550	AFL	0		TSN 0					
PROC. REF: AMM 32-42-00PROC. REF: AMM 32-42-00									
324101	PARKING BRAKE VALVE							Component	ATA:32
PN:95905	MOS/MSC	26-Aug-05	O/C						
SN:1398A	HRS	2353		TSO 0					
WC#: 32.380	AFL								
PROC. REF: AMM 32-42-03PROC. REF: AMM 32-42-03									
324153	PRESS ANTISKID BRK SWITCH							Component	ATA:32
PN:GPP1250-73	MOS/MSC	17-Feb-02	O/C						
SN:0129023	HRS	0							
WC#: 32.580	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
324200	ANTISKID PRESSURE GAUGE							Component	ATA:32
PN:19940929-1	MOS/MSC	17-Feb-02	O/C						
SN:9478	HRS	0		TSN 0					
WC#: 32.560	AFL	0		TSN 0					
PROC. REF: AMM 32-42-06PROC. REF: AMM 32-42-06									
324206	ANTISKID HYD RELIEF VALVE							Component	ATA:32
PN:1785-2	MOS/MSC	17-Feb-02	O/C						
SN:286	HRS	0		TSN 0					
WC#: 32.580	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
326005	LEFT MAIN GEAR UP & LOCKED (S3) SWITCH							Component	ATA:32
PN:65-430087	MOS/MSC	17-Feb-02	O/C						
SN:UNKNOWN	HRS	0							
WC#: 32.450	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 32 - LANDING GEAR									
326005	NOSE GEAR UP & LOCKED (SN001) SWITCH							Component	ATA:32
PN:65-430087	MOS/MSC	17-Feb-02	O/C						
SN:UNKNOWN	HRS	0							
WC#: 32.460	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 32 - LANDING GEAR									
326005	RIGHT MAIN GEAR UP & LOCKED (S3) SWITCH							Component	ATA:32
PN:65-430087	MOS/MSC	17-Feb-02	O/C						
SN:UNKNOWN	HRS	0							
WC#: 32.450	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 32 - LANDING GEAR									
32FO-03XL/B ^U	CONTROL: LND GEAR RH PANEL FACTORY OPTION							Component	ATA:32
PN:33B	MOS/MSC	17-Feb-02	-						
SN:FO	HRS	0							
	AFL	0							
ATA 33 - LIGHTS									
33-40-00-7200 ^S	TAIL LIGHT NAVIGATION ASSEMBLY (NAV-LED 72 SEGMENT) FUNCTIONAL CHECK							Service	ATA:33
	MOS	01-May-25	24 (+1m/-1m)						
	HRS	8639:48							
	AFL	6990							
PROC. REF: AMM 33-40-00PROC. REF: AMM 33-40-00									
PKG:511									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-50-00-7100 ^S EMERGENCY LIGHTING SYSTEM OPERATIONAL CHECK Service ATA:33								
	MOS	01-May-25	24 (+1m/-1m)					
	HRS	8639:48						
	AFL	6990						
								PKG:511
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00								
33-50-00-7200 ^S EMERGENCY LIGHTING BATTERY PACK(S) (CAPACITY CHECK) FUNCTIONAL CHECK Service ATA:33								
	MOS	30-Apr-26	12 (+1m/-1m)					
	HRS	9045:31						
	AFL	7280						
								PKG:509
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00								
33-50-00-9600 AFT EMERGENCY LIGHTING BATTERY PACK RESTORATION Service ATA:33								
PN:9913-1	MOS	01-May-25	48 (+1m/-1m)		31-May-29	01-Jun-29	1122 d (+1)	
SN:2988	HRS	8639:48						
	AFL	6690						
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00								
33-50-00-9600 FORWARD EMERGENCY LIGHTING BATTERY PACK RESTORATION Service ATA:33								
PN:9913-1	MOS	01-May-25	48 (+1m/-1m)		31-May-29	01-Jun-29	1122 d (+1)	
SN:1598	HRS	8639:48						
	AFL	6690						
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00								
331001 CENTER 5 VDC UN004 DIMMER POWER SUPPLY Component ATA:33								
PN:273-1	MOS/MSC	17-Feb-02	O/C					
SN:0137249	HRS	0		TSN 0				
WC#: 33.010	AFL	0		TSN 0				
PROC. REF: AMM 33-10-01PROC. REF: AMM 33-10-01								
331001 LEFT 5 VDC UN002 DIMMER POWER SUPPLY Component ATA:33								
PN:273-1	MOS/MSC	17-Feb-02	O/C					
SN:0137207	HRS	0		TSN 0				
WC#: 33.010	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
PROC. REF: AMM 33-10-01PROC. REF: AMM 33-10-01									
331001	RIGHT 5 VDC UN006 DIMMER POWER SUPPLY							Component	ATA:33
PN:273-1	MOS/MSC	17-Feb-02	O/C						
SN:0137250	HRS	0		TSN 0					
WC#: 33.010	AFL	0		TSN 0					
PROC. REF: AMM 33-10-01PROC. REF: AMM 33-10-01									
331011	EL PANEL INVERTER							Component	ATA:33
PN:EM2044-1	MOS/MSC	17-Feb-02	O/C						
SN:3510A	HRS	0		TSN 0					
WC#: 33.180	AFL	0		TSN 0					
PROC. REF: AMM 33-10-01PROC. REF: AMM 33-10-01									
332001	LEFT NO. 1 LIGHT POWER SUPPLY							Component	ATA:33
PN:AL750PS	MOS/MSC	17-Feb-02	O/C						
SN:14267	HRS	0		TSN 0					
WC#: 33.190	AFL	0		TSN 0					
PROC. REF: AMM 33-20-01PROC. REF: AMM 33-20-01									
332001	LEFT NO. 2 LIGHT POWER SUPPLY							Component	ATA:33
PN:AL750PS	MOS/MSC	26-Aug-22	O/C	TSN 0					
SN:4392	HRS	7617:20		TSN 0					
WC#: 33.190	AFL	6282							
PROC. REF: AMM 33-20-01PROC. REF: AMM 33-20-01									
332001	LEFT NO. 3 LIGHT POWER SUPPLY							Component	ATA:33
PN:AL750PS	MOS/MSC	17-Feb-02	O/C						
SN:14275	HRS	0		TSN 0					
WC#: 33.200	AFL	0		TSN 0					
PROC. REF: AMM 33-20-01PROC. REF: AMM 33-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
332001	LEFT NO. 4 LIGHT POWER SUPPLY							Component	ATA:33
PN:AL750PS	MOS/MSC	17-Feb-02	O/C						
SN:14271	HRS	0		TSN 0					
WC#: 33.200	AFL	0		TSN 0					
PROC. REF: AMM 33-20-01PROC. REF: AMM 33-20-01									
332001	LEFT NO. 5 LIGHT POWER SUPPLY							Component	ATA:33
PN:AL750PS	MOS/MSC	17-Feb-02	O/C						
SN:14268	HRS	0		TSN 0					
WC#: 33.210	AFL	0		TSN 0					
PROC. REF: AMM 33-20-01PROC. REF: AMM 33-20-01									
332001	LEFT NO. 6 LIGHT POWER SUPPLY							Component	ATA:33
PN:AL750PS	MOS/MSC	17-Feb-02	O/C						
SN:14266	HRS	0		TSN 0					
WC#: 33.210	AFL	0		TSN 0					
PROC. REF: AMM 33-20-01PROC. REF: AMM 33-20-01									
332001	LEFT NO. 7 LIGHT POWER SUPPLY							Component	ATA:33
PN:AL750PS	MOS/MSC	17-Feb-02	O/C						
SN:14270	HRS	0		TSN 0					
WC#: 33.220	AFL	0		TSN 0					
PROC. REF: AMM 33-20-01PROC. REF: AMM 33-20-01									
332001	LEFT NO. 8 LIGHT POWER SUPPLY							Component	ATA:33
PN:AL750PS	MOS/MSC	17-Feb-02	O/C						
SN:14274	HRS	0		TSN 0					
WC#: 33.220	AFL	0		TSN 0					
PROC. REF: AMM 33-20-01PROC. REF: AMM 33-20-01									
332001	LEFT NO. 9 LIGHT POWER SUPPLY							Component	ATA:33
PN:AL750PS	MOS/MSC	17-Feb-02	O/C						
SN:14276	HRS	0		TSN 0					
WC#: 33.230	AFL	0		TSN 0					
PROC. REF: AMM 33-20-01PROC. REF: AMM 33-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
332001	RIGHT NO. 1 LIGHT POWER SUPPLY							Component	ATA:33
PN:AL750PS	MOS/MSC	02-Jan-26	O/C	TSN 0					
SN:4907	HRS	8978:30		TSN 0					
WC#: 33.230	AFL	7248		TSN 0					
PROC. REF: AMM 33-20-01PROC. REF: AMM 33-20-01									
332001	RIGHT NO. 10 LIGHT POWER SUPPLY							Component	ATA:33
PN:AL750PS	MOS/MSC	19-Jan-16	O/C	TSN 0					
SN:26847	HRS	4904:40		TSN 0					
WC#: 33.280	AFL	4604		TSN 0					
PROC. REF: AMM 33-20-01PROC. REF: AMM 33-20-01									
332001	RIGHT NO. 2 LIGHT POWER SUPPLY							Component	ATA:33
PN:AL750PS	MOS/MSC	17-Feb-02	O/C						
SN:14272	HRS	0		TSN 0					
WC#: 33.240	AFL	0		TSN 0					
PROC. REF: AMM 33-20-01PROC. REF: AMM 33-20-01									
332001	RIGHT NO. 3 LIGHT POWER SUPPLY							Component	ATA:33
PN:AL750PS	MOS/MSC	17-Feb-02	O/C						
SN:14264	HRS	0		TSN 0					
WC#: 33.240	AFL	0		TSN 0					
PROC. REF: AMM 33-20-01PROC. REF: AMM 33-20-01									
332001	RIGHT NO. 4 LIGHT POWER SUPPLY							Component	ATA:33
PN:AL750PS	MOS/MSC	17-Feb-02	O/C						
SN:14283	HRS	0		TSN 0					
WC#: 33.250	AFL	0		TSN 0					
PROC. REF: AMM 33-20-01PROC. REF: AMM 33-20-01									
332001	RIGHT NO. 5 LIGHT POWER SUPPLY							Component	ATA:33
PN:AL750PS	MOS/MSC	17-Feb-02	O/C						
SN:14281	HRS	0		TSN 0					
WC#: 33.250	AFL	0		TSN 0					
PROC. REF: AMM 33-20-01PROC. REF: AMM 33-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
332001	RIGHT NO. 6 LIGHT POWER SUPPLY							Component	ATA:33
PN:AL750PS	MOS/MSC	17-Feb-02	O/C						
SN:14284	HRS	0		TSN 0					
WC#: 33.260	AFL	0		TSN 0					
PROC. REF: AMM 33-20-01PROC. REF: AMM 33-20-01									
332001	RIGHT NO. 7 LIGHT POWER SUPPLY							Component	ATA:33
PN:AL750PS	MOS/MSC	17-Feb-02	O/C						
SN:14290	HRS	0		TSN 0					
WC#: 33.260	AFL	0		TSN 0					
PROC. REF: AMM 33-20-01PROC. REF: AMM 33-20-01									
332001	RIGHT NO. 8 LIGHT POWER SUPPLY							Component	ATA:33
PN:AL750PS	MOS/MSC	17-Feb-02	O/C						
SN:14285	HRS	0		TSN 0					
WC#: 33.270	AFL	0		TSN 0					
PROC. REF: AMM 33-20-01PROC. REF: AMM 33-20-01									
332001	RIGHT NO. 9 LIGHT POWER SUPPLY							Component	ATA:33
PN:AL750PS	MOS/MSC	17-Feb-02	O/C						
SN:14273	HRS	0		TSN 0					
WC#: 33.270	AFL	0		TSN 0					
PROC. REF: AMM 33-20-01PROC. REF: AMM 33-20-01									
332002	GLARESHIELD INVERTER							Component	ATA:33
PN:6900173	MOS/MSC	17-Feb-02	O/C						
SN:3677	HRS	0		TSN 0					
WC#: 33.290	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
334002	EMPENNAGE LIGHT ASSY							Component	ATA:33
PN:01-0790044-37	MOS/MSC	17-Feb-02	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 33.310	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
334006	LEFT STROBE POWER SUPPLY							Component	ATA:33
PN:01-0771120-00	MOS/MSC	09-Sep-25	O/C	TSN 0					
SN:20672330001	HRS	8875:18		TSN 0					
WC#: 33.320	AFL	7163		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
334006	RIGHT STROBE POWER SUPPLY							Component	ATA:33
PN:01-0771120-00	MOS/MSC	21-Sep-23	O/C	TSN 0					
SN:14253300005	HRS	8033:12		TSN 0					
WC#: 33.320	AFL	6602							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
335001	AFT EMERGENCY LIGHTING UC020 BATTERY PACK							Component	ATA:33
PN:9913-1	MOS/MSC	01-May-25	O/C	TSO 0					
SN:2988	HRS	8639:48		TSO 0					
WC#: 33.170	AFL	6690		TSO 0					
PROC. REF: AMM 33-50-01PROC. REF: AMM 33-50-01									
335001	FORWARD EMERGENCY LIGHTING UC019 BATTERY PACK							Component	ATA:33
PN:9913-1	MOS/MSC	01-May-25	O/C	TSO 0					
SN:1598	HRS	8639:48		TSO 0					
WC#: 33.170	AFL	6690		TSO 0					
PROC. REF: AMM 33-50-01PROC. REF: AMM 33-50-01									
ATA 34 - NAVIGATION									
34-90-10-7200	NO. 2 (CO-PILOT) PITOT-STATIC SYSTEM FUNCTIONAL CHECK(AIRPLANES -5001 THRU -6000)							Service	ATA:34
PN:7014700-914 - AZ-850	MOS	24-Oct-25	24		31-Oct-27		544 d		
SN:01034820	HRS	8920:30							
WC#: 34.585	AFL	7200							
Calibration Date: : 24-Oct-25									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-90-10-7200		NO.1 (PILOT) PITOT-STATIC SYSTEM FUNCTIONAL CHECK(AIRPLANES -5001 THRU -6000)							Service ATA:34
PN:7014700-914 - AZ-850	MOS	24-Oct-25	24		31-Oct-27		544 d		
SN:01115684	HRS	8920:30							
WC#: 34.585	AFL	7200							
Calibration Date: : 24-Oct-25									
<hr/>									
34-USER-02 ^U		COMPASS SWING							Service ATA:34
	MOS	30-Apr-26	12		30-Apr-27		360 d		
	HRS	9045:31							
	AFL	7280							
<hr/>									
341009		SAFE FLIGHT AOA UF004 SENSOR							Component ATA:34
PN:C-12717-1	MOS/MSC	17-Feb-02	O/C						
SN:718	HRS	0		TSN 0					
WC#: 34.110	AFL	0		TSN 0					
PROC. REF: AMM 34-14-01PROC. REF: AMM 34-14-01									
<hr/>									
341010		SAFE FLIGHT AOA EI001 INDICATOR							Component ATA:34
PN:C12705-1	MOS/MSC	17-Feb-02	O/C						
SN:564	HRS	0		TSN 0					
WC#: 34.090	AFL	0		TSN 0					
PROC. REF: AMM 34-14-01PROC. REF: AMM 34-14-01									
<hr/>									
341011		SAFE FLIGHT AOA UC009 COMPUTER							Component ATA:34
PN:C13006-2	MOS/MSC	17-Feb-02	O/C						
SN:618	HRS	0		TSN 0					
WC#: 34.100	AFL	0		TSN 0					
PROC. REF: AMM 34-14-01PROC. REF: AMM 34-14-01									
<hr/>									
341014		SAFE FLIGHT AOA FI003 INDEXER							Component ATA:34
PN:C12763-1	MOS/MSC	17-Feb-02	O/C						
SN:451	HRS	0		TSN 0					
WC#: 34.110	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 34-14-01PROC. REF: AMM 34-14-01								
341016 SECONDARY ADU Component ATA:34								
PN:27101-01-01	MOS/MSC	17-Feb-02	O/C					
SN:M010193	HRS	0		TSN 0				
WC#: 34.205	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
341017 MEGGITT SECONDARY FLIGHT (EI016) DISPLAY Component ATA:34								
PN:38102-00-01	MOS/MSC	03-Feb-22	O/C		TSO 0			
SN:M010017	HRS	7108:09		TSO 0				
WC#: 34.180	AFL	5910						
PROC. REF: AMM 34-22-01PROC. REF: AMM 34-22-01								
341025 RAM AIR TEMP DISPLAY Component ATA:34								
PN:65018-005	MOS/MSC	29-Apr-05	O/C					
SN:115572	HRS	2059		TSN 0				
WC#: 34.215	AFL							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
341101 DIFFERENTIAL PRESSURE SWITCH Component ATA:34								
PN:D45C-24	MOS/MSC	14-Sep-22	O/C		TSN 0			
SN:2282	HRS	7675:50		TSN 0				
WC#: 34.225	AFL	6326						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
341107 NO. 1 (PILOT) AIR DATA COMPUTER Component ATA:34								
PN:7014700-914 - AZ-850	MOS/MSC	24-Oct-25	O/C					
SN:01115684	HRS	8920:30						
WC#: 34.070	AFL	7200						
PROC. REF: AMM GENERIC 1, AMM 34-11-05PROC. REF: AMM GENERIC 1, AMM 34-11-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341107	NO. 2 (COPILOT) AIR DATA COMPUTER							Component	ATA:34
PN:7014700-914 - AZ-850	MOS/MSC		24-Oct-25	O/C					
SN:01034820	HRS		8920:30						
WC#: 34.070	AFL		7200						
PROC. REF: AMM GENERIC 1, AMM 34-11-05PROC. REF: AMM GENERIC 1, AMM 34-11-05									
<hr/>									
342001	STANDBY MAGNETIC COMPASS							Component	ATA:34
PN:C660501-0301	MOS/MSC		04-Jul-19	O/C	TSN 0				
SN:N/A	HRS		5142:51		TSN 0				
WC#: 34.150	AFL		4804						
PROC. REF: AMM 34-24-01PROC. REF: AMM 34-24-01									
<hr/>									
342023	RADAR CONTROLLER							Component	ATA:34
PN:7008471-407	MOS/MSC		17-Feb-02	O/C					
SN:01106361	HRS		0		TSN 0				
WC#: 34.235	AFL		0		TSN 0				
PROC. REF: AMM 34-41-01PROC. REF: AMM 34-41-01									
<hr/>									
342050	LEFT FLUX DETECTOR							Component	ATA:34
PN:2594484	MOS/MSC		10-Sep-08	O/C					
SN:04076508	HRS		3665		TSO 0				
WC#: 34.245	AFL								
PROC. REF: AMM 34-21-05PROC. REF: AMM 34-21-05									
<hr/>									
342050	RIGHT FLUX DETECTOR							Component	ATA:34
PN:2594484	MOS/MSC		17-Feb-02	O/C					
SN:1094865	HRS		0		TSN 0				
WC#: 34.245	AFL		0		TSN 0				
PROC. REF: AMM 34-21-05PROC. REF: AMM 34-21-05									
<hr/>									
342053	AERONETICS HSI-15 STANDBY HORIZONTAL SITUATION INDICATOR							Component	ATA:34
PN:520-3151-003	MOS/MSC		17-Feb-02	O/C					
SN:20627	HRS		0		TSN 0				
WC#: 34.220	AFL		0		TSN 0				
PROC. REF: AMM 34-23-01PROC. REF: AMM 34-23-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342064	NO. 1 STANDBY BATTERY PACK							Component	ATA:34
PN:501-1228-04	MOS/MSC	29-Nov-24	O/C	TSO 0					
SN:87126	HRS	8500:45		TSO 0					
WC#: 34.590	AFL	6890		TSO 0					
PROC. REF: AMM 24-32-00PROC. REF: AMM 24-32-00									
342065	NO. 2 STANDBY BATTERY PACK							Component	ATA:34
PN:501-1228-04 - PS-835	MOS/MSC	28-Aug-24	O/C	TSO 0					
SN:12399	HRS	8432:06		TSO 0					
WC#: 34.255	AFL	6840		TSO 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
342069	HONEYWELL PRIMUS 1000 EFIS MC800 MULTIFUNCTION DISPLAY CONTROLLER							Component	ATA:34
PN:7007062-941	MOS/MSC	17-Feb-02	O/C						
SN:02012696	HRS	0		TSN 0					
WC#: 34.280	AFL	0		TSN 0					
PROC. REF: AMM 34-25-01PROC. REF: AMM 34-25-01									
342072	MEGGITT STATIC CONVERTER							Component	ATA:34
PN:501-1318-01	MOS/MSC	02-Apr-19	O/C	TSR 0					
SN:5084	HRS	5066:42		TSN 5066:42, TSR 0					
WC#: 34.190	AFL	4739		TSN 4739, TSR 0					
PROC. REF: AMM 34-22-01PROC. REF: AMM 34-22-01									
342082	LEFT LITEF LCR-93 AHRS TRAY							Component	ATA:34
PN:140691	MOS/MSC	17-Feb-02	O/C						
SN:1610	HRS	0		TSN 0					
WC#: 34.275	AFL	0		TSN 0					
PROC. REF: AMM 34-21-01PROC. REF: AMM 34-21-01									
342082	RIGHT LITEF LCR-93 AHRS TRAY							Component	ATA:34
PN:140691	MOS/MSC	17-Feb-02	O/C						
SN:1686	HRS	0		TSN 0					
WC#: 34.275	AFL	0		TSN 0					
PROC. REF: AMM 34-21-01PROC. REF: AMM 34-21-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342083	LEFT AHRS COMPUTER							Component	ATA:34
PN:142185-1100	MOS/MSC	26-Jun-24	O/C						
SN:1169	HRS	8299:39							
WC#: 34.285	AFL	6744							
PROC. REF: AMM 34-21-01, AMM 34-21-05PROC. REF: AMM 34-21-01, AMM 34-21-05									
342083	RIGHT AHRS COMPUTER							Component	ATA:34
PN:142185-1100	MOS/MSC	26-Jun-24	O/C						
SN:2009	HRS	8299:39							
WC#: 34.285	AFL	6744							
PROC. REF: AMM 34-21-01, AMM 34-21-05PROC. REF: AMM 34-21-01, AMM 34-21-05									
342104	LEFT MSU CALIBRATION PROM UNIT							Component	ATA:34
PN:124282	MOS/MSC	17-Feb-02	O/C						
SN:2707	HRS	0		TSN 0					
WC#: 34.295	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
342104	RIGHT MSU CALIBRATION PROM UNIT							Component	ATA:34
PN:124282	MOS/MSC	17-Feb-02	O/C						
SN:2710	HRS	0		TSN 0					
WC#: 34.295	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
342500	HONEYWELL PRIMUS 1000 EFIS RI553 REMOTE INSTRUMENT CONTROLLER							Component	ATA:34
PN:7016954-907	MOS/MSC	15-Mar-22	O/C						
SN:97080608	HRS	7177:32							
WC#: 34.250	AFL	5963							
PROC. REF: AMM 34-25-01, AMM 34-26-00PROC. REF: AMM 34-25-01, AMM 34-26-00									
342502	HONEYWELL PRIMUS 1000 EFIS BL871 BEZEL CONTROLLER							Component	ATA:34
PN:7014332-841	MOS/MSC	23-Jul-21	O/C	TSO 0					
SN:96040880	HRS	6578:19		TSO 0					
WC#: 34.300	AFL	5595							
PROC. REF: AMM 34-25-01PROC. REF: AMM 34-25-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342503	COPILOT FLT DISPLAY CONTROLLER							Component	ATA:34
PN:7014331-931	MOS/MSC	17-Feb-02	O/C						
SN:01104314	HRS	0		TSN 0					
WC#: 34.305	AFL	0		TSN 0					
PROC. REF: AMM 34-25-01PROC. REF: AMM 34-25-01									
342503	PILOT HONEYWELL PRIMUS 1000 EFIS BL870 BEZEL CONTROLLER							Component	ATA:34
PN:7014331-931	MOS/MSC	17-Feb-02	O/C						
SN:01104320	HRS	0		TSN 0					
WC#: 34.300	AFL	0		TSN 0					
PROC. REF: AMM 34-25-01PROC. REF: AMM 34-25-01									
342504	COPILOT HONEYWELL PRIMUS 1000 EFIS DC550 DISPLAY CONTROLLER							Component	ATA:34
PN:7016986-621	MOS/MSC	17-Feb-02	O/C						
SN:01053638	HRS	0		TSN 0					
WC#: 34.240	AFL	0		TSN 0					
PROC. REF: AMM 34-26-00PROC. REF: AMM 34-26-00									
342504	PILOT HONEYWELL PRIMUS 1000 EFIS DC550 DISPLAY CONTROLLER							Component	ATA:34
PN:7016986-621	MOS/MSC	17-Feb-02	O/C						
SN:01043622	HRS	0		TSN 0					
WC#: 34.240	AFL	0		TSN 0					
PROC. REF: AMM 34-26-00PROC. REF: AMM 34-26-00									
342505	NO.1 HONEYWELL PRIMUS 1000 EFIS IC600/IC615 INTEGRATED AVIONICS COMPUTER							Component	ATA:34
PN:7017000-82358	MOS/MSC	27-Aug-19	O/C	TSO 5					
SN:01094977	HRS	5252:35		TSO 0					
WC#: 34.230	AFL	4867							
PROC. REF: AMM 34-26-00PROC. REF: AMM 34-26-00									
342505	NO.2 HONEYWELL PRIMUS 1000 EFIS IC600/IC615 INTEGRATED AVIONICS COMPUTER							Component	ATA:34
PN:7017000-83358	MOS/MSC	15-Feb-05	O/C						
SN:01095012	HRS	1913		TSO 0					
WC#: 34.230	AFL								
PROC. REF: AMM 34-26-00PROC. REF: AMM 34-26-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342506	HONEYWELL PRIMUS 1000 EFIS MS560 MODE SELECTOR UNIT							Component	ATA:34
PN:7018341-803	MOS/MSC	20-Dec-05	O/C						
SN:01102017	HRS	2464		TSO 2464					
WC#: 34.260	AFL								
PROC. REF: AMM 34-25-01, AMM 34-26-00PROC. REF: AMM 34-25-01, AMM 34-26-00									
342509	COPILOT HONEYWELL PRIMUS 1000 EFIS DU870 MULTIFUNCTION DISPLAY UNIT							Component	ATA:34
PN:7014300-901	MOS/MSC	16-Sep-20	O/C	TSO 0					
SN:0712G845	HRS	5885:50		TSO 0					
WC#: 34.290	AFL	5235							
PROC. REF: AMM 34-25-01PROC. REF: AMM 34-25-01									
342509	PILOT HONEYWELL PRIMUS 1000 EFIS DU870 MULTIFUNCTION DISPLAY UNIT							Component	ATA:34
PN:7014300-901	MOS/MSC	04-Jul-19	O/C						
SN:0111A595	HRS	5142:51							
WC#: 34.290	AFL	4804							
PROC. REF: AMM 34-25-01PROC. REF: AMM 34-25-01									
342510	CENTER ELECTRONIC DISPLAY UNIT							Component	ATA:34
PN:7014300-901	MOS/MSC	24-Jul-23	O/C						
SN:0209C033	HRS	7966:01							
WC#: 34.325	AFL	6563							
PROC. REF: AMM 34-26-00PROC. REF: AMM 34-26-00									
343001	GLIDESLOPE ANTENNA COUPLER							Component	ATA:34
PN:C1503	MOS/MSC	17-Feb-02	O/C						
SN:1073256	HRS	0		TSN 0					
WC#: 34.370	AFL	0		TSN 0					
PROC. REF: AMM 34-31-01PROC. REF: AMM 34-31-01									
343002	MARKER BEACON ANTENNA COUPLER							Component	ATA:34
PN:C1509	MOS/MSC	17-Feb-02	O/C						
SN:1065199	HRS	0		TSN 0					
WC#: 34.380	AFL	0		TSN 0					
PROC. REF: AMM 34-31-01, AMM 34-31-01PROC. REF: AMM 34-31-01, AMM 34-31-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
344005	RADAR TRANSCEIVER							Component	ATA:34
PN:7021450-801	MOS/MSC	17-Feb-02	O/C						
SN:01093524	HRS	0		TSN 0					
WC#: 34.345	AFL	0		TSN 0					
PROC. REF: AMM 34-41-01PROC. REF: AMM 34-41-01									
344022	RADIO ALTIMETER ALT-55B TRANSCEIVER							Component	ATA:34
PN:622-2855-011	MOS/MSC	17-Feb-02	O/C						
SN:H28C	HRS	0		TSN 0					
WC#: 34.020	AFL	0		TSN 0					
PROC. REF: AMM 34-12-01, AMM 34-12-02PROC. REF: AMM 34-12-01, AMM 34-12-02									
344023	AFT RADIO ALT RECEIVER ANTENNA							Component	ATA:34
PN:S67-2002	MOS/MSC	17-Feb-02	O/C						
SN:23938	HRS	0		TSN 0					
WC#: 34.060	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
344023	FORWARD RADIO ALT TRANSMITTER ANTENNA							Component	ATA:34
PN:S67-2002	MOS/MSC	17-Feb-02	O/C						
SN:23933	HRS	0		TSN 0					
WC#: 34.060	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
344024	EGPWS COMPUTER							Component	ATA:34
PN:965-0976-040-213-213	MOS/MSC	28-Jul-04	O/C						
SN:14742	HRS	1503		TSO 737					
WC#: 34.355	AFL								
PROC. REF: AMM 34-41-02, AMM 34-41-02PROC. REF: AMM 34-41-02, AMM 34-41-02									
345004	LEFT NO. 1 XPNDR BOTTOM ANTENNA							Component	ATA:34
PN:DMNI50-2-2	MOS/MSC	17-Feb-02	O/C						
SN:82712	HRS	0		TSN 0					
WC#: 34.365	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345004	RIGHT NO. 2 XPNDR BOTTOM ANTENNA							Component	ATA:34
PN:DMNI50-2-2	MOS/MSC	17-Feb-02	O/C						
SN:82726	HRS	0		TSN 0					
WC#: 34.365	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
345005	LEFT NO. 1 TOP TRANSPONDER DIVERSITY ANTENNA							Component	ATA:34
PN:DMNI50-2-2	MOS/MSC	17-Feb-02	O/C						
SN:81652	HRS	0		TSN 0					
WC#: 34.490	AFL	0		TSN 0					
PROC. REF: AMM 34-53-07PROC. REF: AMM 34-53-07									
345005	RIGHT NO. 2 TOP TRANSPONDER DIVERSITY ANTENNA							Component	ATA:34
PN:DMNI50-2-2	MOS/MSC	17-Feb-02	O/C						
SN:81483	HRS	0		TSN 0					
WC#: 34.490	AFL	0		TSN 0					
PROC. REF: AMM 34-53-07PROC. REF: AMM 34-53-07									
345007	NO.1 DISTANCE MEASURING EQUIPMENT (DME) ANTENNA							Component	ATA:34
PN:DMNI50-2-2	MOS/MSC	17-Feb-02	O/C						
SN:82720	HRS	0		TSN 0					
WC#: 34.470	AFL	0		TSN 0					
PROC. REF: AMM 34-53-01, AMM 34-53-01PROC. REF: AMM 34-53-01, AMM 34-53-01									
345007	NO.2 DISTANCE MEASURING EQUIPMENT (DME) ANTENNA							Component	ATA:34
PN:DMNI50-2-2	MOS/MSC	17-Feb-02	O/C						
SN:69594	HRS	0		TSN 0					
WC#: 34.470	AFL	0		TSN 0					
PROC. REF: AMM 34-53-01, AMM 34-53-01PROC. REF: AMM 34-53-01, AMM 34-53-01									
345011	NO. 1 ADF RECEIVER MODULE							Component	ATA:34
PN:7510114-901	MOS/MSC	17-Feb-02	O/C						
SN:01105190	HRS	0		TSN 0					
WC#: 34.375	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345011	NO. 2 ADF RECEIVER MODULE							Component	ATA:34
PN:7510112-901	MOS/MSC	17-Feb-02	O/C						
SN:01090510	HRS	0		TSN 0					
WC#: 34.375	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
345014	NO. 1 ADF ANTENNA							Component	ATA:34
PN:7510300-901	MOS/MSC	15-Jul-15	O/C	TSN 7					
SN:1406M810	HRS	4814:23		TSN 0					
WC#: 34.385	AFL	4528		TSN 0					
PROC. REF: AMM 34-51-01PROC. REF: AMM 34-51-01									
345017	MARKER BEACON ANTENNA							Component	ATA:34
PN:31-10-01	MOS/MSC	17-Feb-02	O/C						
SN:4105	HRS	0		TSN 0					
WC#: 34.380	AFL	0		TSN 0					
PROC. REF: AMM 34-31-01, AMM 34-31-01PROC. REF: AMM 34-31-01, AMM 34-31-01									
345018	GLIDESLOPE ANTENNA							Component	ATA:34
PN:RGS10-48	MOS/MSC	17-Feb-02	O/C						
SN:A7940	HRS	0		TSN 0					
WC#: 34.370	AFL	0		TSN 0					
PROC. REF: AMM 34-31-01PROC. REF: AMM 34-31-01									
345029	NO. 1 NAV CLUSTER MODULE							Component	ATA:34
PN:7510164-921	MOS/MSC	17-Feb-02	O/C						
SN:01096291	HRS	0		TSN 0					
WC#: 34.395	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
345029	NO. 2 NAV CLUSTER MODULE							Component	ATA:34
PN:7510164-921	MOS/MSC	17-Feb-02	O/C						
SN:01096304	HRS	0		TSN 0					
WC#: 34.395	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345032	NO. 1 VHF NAV RECEIVER							Component	ATA:34
PN:7510134-931	MOS/MSC	17-Feb-02	O/C						
SN:01106495	HRS	0		TSN 0					
WC#: 34.405	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
345032	NO. 2 VHF NAV RECEIVER							Component	ATA:34
PN:7510134-931	MOS/MSC	17-Feb-02	O/C						
SN:01106454	HRS	0		TSN 0					
WC#: 34.405	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
345034	NO. 1 ATC TRANSPONDER							Component	ATA:34
PN:7517400-902	MOS/MSC	17-Feb-02	O/C						
SN:01096008	HRS	0		TSN 0					
WC#: 34.440	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
345034	NO. 2 ATC TRANSPONDER							Component	ATA:34
PN:7517400-902	MOS/MSC	17-Feb-02	O/C						
SN:01065523	HRS	0		TSN 0					
WC#: 34.440	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
345036	NO. 1 DME INTERROGATOR							Component	ATA:34
PN:7510184-902	MOS/MSC	17-Feb-02	O/C						
SN:01106043	HRS	0		TSN 0					
WC#: 34.415	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
345036	NO. 2 DME INTERROGATOR							Component	ATA:34
PN:7510184-902	MOS/MSC	17-Feb-02	O/C						
SN:01095934	HRS	0		TSN 0					
WC#: 34.415	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345038	NO. 1 INTEGRATED NAV UNIT							Component	ATA:34
PN:7510100-731	MOS/MSC	15-Mar-22	O/C						
SN:00034235	HRS	7177:32							
WC#: 34.425	AFL	5963							
PROC. REF: AMM 34-52-01PROC. REF: AMM 34-52-01									
345038	NO. 2 INTEGRATED NAV UNIT							Component	ATA:34
PN:7510100-733	MOS/MSC	26-Sep-23	O/C	TSO 0					
SN:96102408	HRS	8033:54		TSO 0					
WC#: 34.425	AFL	6603							
PROC. REF: AMM 34-52-01PROC. REF: AMM 34-52-01									
345077	DATA TRANSFER UNIT							Component	ATA:34
PN:1408-00-1	MOS/MSC	21-Sep-23	O/C	TSN 0					
SN:5247	HRS	8033:12		TSN 0					
WC#: 34.435	AFL	6602							
PROC. REF: AMM 34-60-01, AMM 34-60-02PROC. REF: AMM 34-60-01, AMM 34-60-02									
345079	NO. 1 GPS FLT MGMT COMPUTER							Component	ATA:34
PN:S3100-608	MOS/MSC	21-Sep-23	O/C	TSN 0					
SN:1447	HRS	8033:12		TSN 0					
WC#: 34.445	AFL	6602							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
345079	NO. 2 GPS FLT MGMT COMPUTER							Component	ATA:34
PN:S3100-608	MOS/MSC	21-Sep-23	O/C	TSN 0					
SN:1446	HRS	8033:12		TSN 0					
WC#: 34.445	AFL	6602							
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
345079-01 ^U	FMS 1 – INTERNAL BATTERY REPLACEMENT							Service	ATA:34
	MOS	21-Sep-23	24 (+1m)		21-Oct-25 (M)	21-Nov-25	OVD		
	HRS	8033:12							
	AFL	6602							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345079-02 ^U	FMS 2 – INTERNAL BATTERY REPLACEMENT							Service	ATA:34
	MOS	21-Sep-23	24 (+1m)		21-Oct-25 (M)	21-Nov-25	OVD		
	HRS	8033:12							
	AFL	6602							
<hr/>									
345088	NO. 1 RADIO MANAGEMENT UNIT							Component	ATA:34
PN:7013270-973	MOS/MSC	02-Apr-19	O/C						
SN:12048263	HRS	5066:42							
WC#: 34.455	AFL	4739							
PROC. REF: AMM 23-80-01PROC. REF: AMM 23-80-01									
<hr/>									
345088	NO. 2 RADIO MANAGEMENT UNIT							Component	ATA:34
PN:7013270-973	MOS/MSC	02-Apr-19	O/C						
SN:07035700	HRS	5066:42							
WC#: 34.455	AFL	4739							
PROC. REF: AMM 23-80-01PROC. REF: AMM 23-80-01									
<hr/>									
345093	NO.1 GPS ANTENNA							Component	ATA:34
PN:10706	MOS/MSC	21-Sep-23	O/C	TSN 0					
SN:13022	HRS	8033:12		TSN 0					
WC#: 34.500	AFL	6602							
PROC. REF: AMM 34-54-01, AMM 34-60-02PROC. REF: AMM 34-54-01, AMM 34-60-02									
<hr/>									
345093	NO.2 GPS ANTENNA							Component	ATA:34
PN:10706	MOS/MSC	21-Sep-23	O/C	TSN 0					
SN:13026	HRS	8033:12		TSN 0					
WC#: 34.500	AFL	6602							
PROC. REF: AMM 34-54-01, AMM 34-60-02PROC. REF: AMM 34-54-01, AMM 34-60-02									
<hr/>									
345201	LEFT NAV ANTENNA							Component	ATA:34
PN:C1120-200G/S-L	MOS/MSC	29-Jan-21	O/C	TSN 0					
SN:K050004	HRS	6128:04		TSN 0					
WC#: 34.475	AFL	5353							
PROC. REF: AMM 34-52-04PROC. REF: AMM 34-52-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345201	RIGHT NAV ANTENNA							Component	ATA:34
PN:C1120-200G/S-L	MOS/MSC	29-Jan-21	O/C	TSN 0					
SN:K050004	HRS	6128:04		TSN 0					
WC#: 34.475	AFL	5353							
PROC. REF: AMM 34-52-04PROC. REF: AMM 34-52-04									
<hr/>									
345301	LEFT DME INDICATOR							Component	ATA:34
PN:7513006-911	MOS/MSC	17-Feb-02	O/C						
SN:01092313	HRS	0		TSN 0					
WC#: 34.485	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<hr/>									
345301	RIGHT DME INDICATOR							Component	ATA:34
PN:7513006-911	MOS/MSC	17-Feb-02	O/C						
SN:01092317	HRS	0		TSN 0					
WC#: 34.485	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
<hr/>									
346001	TCAS PROCESSOR							Component	ATA:34
PN:066-01146-2221	MOS/MSC	14-Dec-15	O/C						
SN:TPU67B-C40575	HRS	4899:21							
WC#: 34.495	AFL	4602							
PROC. REF: AMM 34-44-00, AMM 34-44-01, AMM 34-44-01, AMM 34-44-06PROC. REF: AMM 34-44-00, AMM 34-44-01, AMM 34-44-01, AMM 34-44-06									
<hr/>									
346002	BOTTOM TCAS ANTENNA							Component	ATA:34
PN:071-01548-0100	MOS/MSC	17-Feb-02	O/C						
SN:10377	HRS	0		TSN 0					
WC#: 34.505	AFL	0		TSN 0					
PROC. REF: AMM 34-44-01, AMM 34-44-00, AMM 34-44-06PROC. REF: AMM 34-44-01, AMM 34-44-00, AMM 34-44-06									
<hr/>									
346002	TOP TCAS ANTENNA							Component	ATA:34
PN:071-01548-0200	MOS/MSC	10-Sep-08	O/C						
SN:587-10818	HRS	3665		TSN 0					
WC#: 34.505	AFL								
PROC. REF: AMM 34-44-01, AMM 34-44-00, AMM 34-44-06PROC. REF: AMM 34-44-01, AMM 34-44-00, AMM 34-44-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
346012	TCAS II MODULE							Component	ATA:34
PN:071-00097-1000	MOS/MSC	17-Feb-02	O/C						
SN:3319	HRS	0		TSN 0					
WC#: 34.495	AFL	0		TSN 0					
PROC. REF: AMM 34-44-01, AMM 34-44-01PROC. REF: AMM 34-44-01, AMM 34-44-01									
<hr/>									
34FO-06XL/K ^U	FMS: 2ND UNS-1CSP FACTORY OPTION							Component	ATA:34
PN:696N	MOS/MSC	17-Feb-02	-						
SN:FO	HRS	0							
	AFL	0							
<hr/>									
34FO-06XL/P ^U	DTU: PERMANENT UNS-1CSP FACTORY OPTION							Component	ATA:34
PN:696P	MOS/MSC	17-Feb-02	-						
SN:FO	HRS	0							
	AFL	0							
<hr/>									
34FO-08XL/B ^U	TCAS II: TPU-67A FACTORY OPTION							Component	ATA:34
PN:635B	MOS/MSC	17-Feb-02	-						
SN:FO	HRS	0							
	AFL	0							
<hr/>									
34FO-12XL/B ^U	EGPWS: WINDSHEAR COMPUTER FACTORY OPTION							Component	ATA:34
PN:691B	MOS/MSC	17-Feb-02	-						
SN:FO	HRS	0							
	AFL	0							
<hr/>									
ATA 35 - OXYGEN									
35-10-00-2200 ^S	CREW MASKS AND STOWAGE BOXES DETAILED INSPECTION							Service	ATA:35
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							

PKG:513

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00									
35-10-00-9600	MC10-16-150, MC10-16-100, OR MLD20-505 COPILOT CREW MASK (ACCOMPLISH SUPPLIER TESTING AND FAULT ISOLATION TASK) RESTORATION							Service	ATA:35
PN:MC10-16-100	MOS	27-Oct-20	72 (+1m/-1m)		31-Oct-26 (M)	30-Nov-26	179 d (+30)	OVERHAUL	
SN:98728	HRS	5954:16							
	AFL	5277							
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00									
35-10-00-9600	MC10-16-150, MC10-16-100, OR MLD20-505 PILOT CREW MASK (ACCOMPLISH SUPPLIER TESTING AND FAULT ISOLATION TASK) RESTORATION							Service	ATA:35
PN:MC10-16-100	MOS	29-Nov-24	72 (+1m/-1m)		31-Oct-30 (M)	30-Nov-30	1640 d (+30)	OVERHAUL	
SN:65775	HRS	8500:45							
	AFL	6890							
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00									
35-20-00-2200 ^S	PASSENGER DROP BOXES AND MASK ASSEMBLY DETAILED INSPECTION							Service	ATA:35
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
PROC. REF: AMM 35-20-00PROC. REF: AMM 35-20-00									
35-20-00-7100 ^S	PASSENGER OXYGEN SYSTEM OPERATIONAL CHECK							Service	ATA:35
	MOS	01-May-25	24 (+1m/-1m)						
	HRS	8639:48							
	AFL	6990							
PROC. REF: AMM 35-20-00PROC. REF: AMM 35-20-00									
35-20-00-7200 ^S	PASSENGER OXYGEN SYSTEM FUNCTIONAL CHECK							Service	ATA:35
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
PROC. REF: AMM 35-20-00PROC. REF: AMM 35-20-00									

PKG:513

PKG:511

PKG:513

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-30-00-2200	S	OPTIONAL PROTECTIVE BREATHING EQUIPMENT DETAILED INSPECTION						Service	ATA:35
	MOS	30-Apr-26	12 (+1m/-1m)						
	HRS	9045:31							
	AFL	7280							
PROC. REF: AMM 35-30-00PROC. REF: AMM 35-30-00								PKG:509	
35-90-00-7800		OXYGEN BOTTLE ASSEMBLY (HYDROSTATIC TEST) RESTORATION(DOT-SP 8162)						Service	ATA:35
PN:804882-14	MOS	30-Apr-26	60		30-Apr-31		1821 d		
SN:C10090775	HRS	9045:31							
WC#: 35.140	AFL	7280							
HydroCheck Date: : 30-Apr-26									
PROC. REF: AMM 35-90-00PROC. REF: AMM 35-90-00									
35-90-00-9600		OXYGEN BOTTLE ASSEMBLY (DISCARD)						Component	ATA:35
PN:804882-14	MOS	24-Sep-25	180	TSN 7	29-Feb-40		5048 d	LIFE LIMIT	
SN:C10090775	HRS	8891:48							
WC#: 35.010	AFL	7179							
Manufacture Date:: 28-Feb-25									
PROC. REF: AMM 35-90-00PROC. REF: AMM 35-90-00									
350010	U	RESTORATION (HYDROSTATIC TEST) PORTABLE OXYGEN (DOT-3AA) CYLINDER						Service	ATA:35
PN:9914067-47	MOS	20-Apr-21	60		30-Apr-26		OVD		
SN:P06020408	HRS								
WC#: 35.190	AFL								
HydroCheck Date: : 20-Apr-21									
351001		OXYGEN PRESSURE (EI002) GAGE						Component	ATA:35
PN:C668512-0101	MOS/MSC	03-Oct-23	O/C	TSO 0					
SN:E0510600	HRS	8048:36		TSO 0					
WC#: 35.040	AFL	6610		TSO 0					
PROC. REF: AMM 35-01-02PROC. REF: AMM 35-01-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
351007	OXYGEN REGULATOR							Component	ATA:35
PN:804881-01	MOS/MSC	17-Feb-02	O/C	TSN 0					
SN:471	HRS	0		TSN 0					
WC#: 35.070	AFL	0		TSN 0					
PROC. REF: AMM 35-01-01PROC. REF: AMM 35-01-01									
351008	PASSENGER OXYGEN CONTROL VALVE							Component	ATA:35
PN:P21006	MOS/MSC	17-Feb-02	O/C						
SN:1541	HRS	0		TSN 0					
WC#: 35.050	AFL	0		TSN 0					
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01									
351010 ^U	PORTABLE OXYGEN (DOT-3AA) CYLINDER							Component	ATA:35
PN:9914067-47	MOS/MSC	26-Jan-17	O/C	TSO 0					
SN:P06020408	HRS	4967:11		TSO 0					
WC#: 35.180	AFL	4654		TSO 0					
351012	COPILOT OXYGEN MASK							Component	ATA:35
PN:MC10-16-100	MOS/MSC	27-Oct-20	H/T	TSO 0					
SN:98728	HRS	5954:16							
WC#: 35.020	AFL	5277							
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00									
351012	PILOT OXYGEN MASK							Component	ATA:35
PN:MC10-16-100	MOS/MSC	29-Nov-24	H/T	TSO 0, Adj -58d					
SN:65775	HRS	8500:45		TSO 0					
WC#: 35.020	AFL	6890		TSO 0					
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00									
352001	PASSENGER OXYGEN ALTITUDE PRESSURE SWITCH							Component	ATA:35
PN:P24032	MOS/MSC	17-Feb-02	O/C						
SN:417	HRS	0		TSN 0					
WC#: 35.060	AFL	0		TSN 0					
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35FO-02XL/C ^U	OXY SYSTEM: 76 CU FT FACTORY OPTION							Component	ATA:35
PN:66C	MOS/MSC	17-Feb-02	-						
SN:FO	HRS	0							
	AFL	0							
ATA 36 - PNEUMATIC									
36-11-03-2100 ^S	PRECOOLER HEAT EXCHANGER GENERAL VISUAL INSPECTION							Service	ATA:36
	MOS	30-Apr-26	12 (+1m/-1m)						
	HRS	9045:31							
	AFL	7280							
PROC. REF: AMM 36-11-03PROC. REF: AMM 36-11-03								PKG:509	
36-12-00-2200 ^S	AUXILIARY POWER UNIT BLEED AIR CHECK VALVE DETAILED INSPECTION							Service	ATA:36
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
PROC. REF: AMM 36-12-00PROC. REF: AMM 36-12-00								PKG:513	
36-15-00-1700 ^S	PARTICULATE TRAP (CLEANING) RESTORATION							Service	ATA:36
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
PROC. REF: AMM 36-15-00PROC. REF: AMM 36-15-00								PKG:513	
361010	DOOR SOLENOID VALVE							Component	ATA:36
PN:5035-00-1	MOS/MSC	17-Feb-02	O/C						
SN:478	HRS	0		TSN 0					
WC#: 36.070	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
361011 LEFT HEAT EXCHANGER ACTUATOR Component ATA:36								
PN:1E50-2	MOS/MSC	17-Feb-02	O/C					
SN:8AU229	HRS	0		TSN 0				
WC#: 36.080	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
361011 RIGHT HEAT EXCHANGER ACTUATOR Component ATA:36								
PN:1E50-2	MOS/MSC	17-Feb-02	O/C					
SN:5AU122	HRS	0		TSN 0				
WC#: 36.080	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
361100 LEFT BLEED AIR TEMPERATURE (ST021) SWITCH Component ATA:36								
PN:1173T0635	MOS/MSC	17-Feb-02	O/C					
SN:3135	HRS	0		TSN 0				
WC#: 36.030	AFL	0		TSN 0				
PROC. REF: AMM 36-11-00PROC. REF: AMM 36-11-00								
361100 RIGHT BLEED AIR TEMPERATURE (ST020) SWITCH Component ATA:36								
PN:1173T0635	MOS/MSC	17-Feb-02	O/C					
SN:3114	HRS	0		TSN 0				
WC#: 36.030	AFL	0		TSN 0				
PROC. REF: AMM 36-11-00PROC. REF: AMM 36-11-00								
361101 LEFT BLEED AIR OVERTEMP (ST017) SWITCH Component ATA:36								
PN:1173T181-2	MOS/MSC	17-Feb-02	O/C					
SN:1410	HRS	0		TSN 0				
WC#: 36.010	AFL	0		TSN 0				
PROC. REF: AMM 36-11-00PROC. REF: AMM 36-11-00								
361101 RIGHT BLEED AIR OVERTEMP (ST014) SWITCH Component ATA:36								
PN:1173T181-2	MOS/MSC	17-Feb-02	O/C					
SN:1419	HRS	0		TSN 0				
WC#: 36.010	AFL	0		TSN 0				
PROC. REF: AMM 36-11-00PROC. REF: AMM 36-11-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
361102 LEFT BLEED AIR MANIFOLD TEMPERATURE (TT001) SENSOR Component ATA:36								
PN:1E51-1	MOS/MSC	17-Feb-02	O/C					
SN:11AU353	HRS	0		TSN 0				
WC#: 36.020	AFL	0		TSN 0				
PROC. REF: AMM 36-11-00PROC. REF: AMM 36-11-00								
361102 RIGHT BLEED AIR MANIFOLD TEMPERATURE (TT002) SENSOR Component ATA:36								
PN:1E51-1	MOS/MSC	17-Feb-02	O/C					
SN:11AU358	HRS	0		TSN 0				
WC#: 36.020	AFL	0		TSN 0				
PROC. REF: AMM 36-11-00PROC. REF: AMM 36-11-00								
361103 LEFT HEAT B/A EXCHANGER Component ATA:36								
PN:9912486-2	MOS/MSC	30-Apr-26	O/C	TSN 0				
SN:S4883HX-08365	HRS	9045:31		TSN 0				
WC#: 36.100	AFL	7280		TSN 0				
PROC. REF: AMM 36-11-01PROC. REF: AMM 36-11-01								
361103 RIGHT HEAT B/A EXCHANGER Component ATA:36								
PN:9912486-2	MOS/MSC	30-Apr-26	O/C	TSN 0				
SN:S4883HX-08603	HRS	9045:31		TSN 0				
WC#: 36.100	AFL	7280		TSN 0				
PROC. REF: AMM 36-11-01PROC. REF: AMM 36-11-01								
361104 LEFT PRECOOLER VD003 VALVE Component ATA:36								
PN:1407-10	MOS/MSC	17-Feb-02	O/C					
SN:380A	HRS	0		TSN 0				
WC#: 36.110	AFL	0		TSN 0				
PROC. REF: AMM 36-11-01PROC. REF: AMM 36-11-01								
361104 RIGHT PRECOOLER VD003 VALVE Component ATA:36								
PN:1407-10	MOS/MSC	17-Feb-02	O/C					
SN:491A	HRS	0		TSN 0				
WC#: 36.110	AFL	0		TSN 0				
PROC. REF: AMM 36-11-01PROC. REF: AMM 36-11-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
361208	APU-CHECK VALVE							Component	ATA:36
PN:8C210	MOS/MSC	17-Feb-02	O/C						
SN:3048	HRS	0		TSN 0					
WC#: 36.160	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
ATA 36 - PNEUMATIC									
361208	RUDDER BIAS CHECK VALVE							Component	ATA:36
PN:8C210	MOS/MSC	17-Feb-02	O/C						
SN:3046	HRS	0		TSN 0					
WC#: 36.120	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
ATA 36 - PNEUMATIC									
361500	NO. 1 B/A CHECK VALVE							Component	ATA:36
PN:8C210	MOS/MSC	17-Feb-02	O/C						
SN:3043	HRS	0		TSN 0					
WC#: 36.130	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
ATA 36 - PNEUMATIC									
361500	NO. 2 B/A CHECK VALVE							Component	ATA:36
PN:8C210	MOS/MSC	17-Feb-02	O/C						
SN:3041	HRS	0		TSN 0					
WC#: 36.130	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
ATA 36 - PNEUMATIC									
361534	SERVICE AIR REGULATOR							Component	ATA:36
PN:1H75-18	MOS/MSC	17-Feb-02	O/C						
SN:10AU121	HRS	0		TSN 0					
WC#: 36.140	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
ATA 38 - WATER/WASTE									
38-30-02-2200 ^S	EXTERNALLY SERVICEABLE TOILET SYSTEM DETAILED INSPECTION							Service	ATA:38
	MOS	01-May-25	24 (+1m/-1m)						
	HRS	8639:48							
	AFL	6990							

PKG:511

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 38 - WATER/WASTE									
PROC. REF: AMM 38-30-02PROC. REF: AMM 38-30-02									
ATA 49 - AIRBORNE AUXILIARY POWER									
054906 ^U	APU - REPLACE FUEL NOZZLE ASSEMBLY							Service	ATA:49
	MOS	07-Aug-09						LIFE LIMIT	
	HRS	2216							
WC#: 49.070	APUS	3979	4000		7979		561		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
49-00-00-2100 ^S	AUXILIARY POWER UNIT GENERAL VISUAL INSPECTION AND OPERATIONAL CHECK							Service	ATA:49
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
PROC. REF: AMM 49-00-00, AMM 49-00-00PROC. REF: AMM 49-00-00, AMM 49-00-00									
49-00-00-2103 ^S	AUXILIARY POWER UNIT CONTAINMENT BOX ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:49
	MOS	29-Jan-21	72 (+1m/-1m)						
	HRS	6128:04							
	AFL	5353							
PROC. REF: AMM 49-00-00PROC. REF: AMM 49-00-00									
49-00-00-9600	APU - COMPRESSOR ROTOR DISCARD							Component	ATA:49
PN:3822523-003	MOS	07-Aug-09						LIFE LIMIT	
SN:010350102204	HRS	2216		TSN 0					
WC#: 49.040	APUS	3979	12000	TSN 3979	12000		4582		
PROC. REF: AMM 49-00-00PROC. REF: AMM 49-00-00									
49-00-00-9601	APU - TURBINE ROTOR DISCARD							Component	ATA:49
PN:3842340-2	MOS	07-Aug-09						LIFE LIMIT	
SN:09-156101-01067	HRS	2216		TSN 0					
WC#: 49.050	APUS	3979	4000	TSN 0	7979		561		
PROC. REF: AMM 49-00-00PROC. REF: AMM 49-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 49 - AIRBORNE AUXILIARY POWER									
49-10-00-9600	APU - OIL FILTER DISCARD							Service	ATA:49
	MOS/MSC	17-Feb-02	N/A	TAC 0					
	HRS	0		TAC 0					
	APUS	0		TAC 0					
PROC. REF: MM 49-90-04, MM 49-10-00PROC. REF: MM 49-90-04, MM 49-10-00									
49-10-00-9601	APU - OIL DISCARD							Service	ATA:49
	MOS/MSC	17-Feb-02	N/A	TAC 0					
	HRS	0		TAC 0					
	APUS	0		TAC 0					
PROC. REF: MM 49-10-00PROC. REF: MM 49-10-00									
49-30-00-9600	APU - FUEL FILTER DISCARD							Component	ATA:49
PN:3882440-1	MOS	01-May-25	24 (+1m)	TSN 0, Adj -33d	31-Mar-27	29-Apr-27	330 d (+29)		
SN:UNKNOWN	HRS	3820:12	900 (+45)	TSN 0	4720:12	4765:12	734:42 (+45)		
WC#: 49.230	APUS	7412		TSN 0					
PROC. REF: AMM 49-30-00, MM 49-30-03PROC. REF: AMM 49-30-00, MM 49-30-03									
49-40-00-2200	APU - IGNITER PLUG DETAILED INSPECTION							Service	ATA:49
PN:304634-2	MOS	01-May-25	24 (+1m)	Adj -30d	30-Apr-27	01-May-27	360 d (+1)		
SN:UNKNOWN	HRS	3820:12	900 (+45)		4720:12	4765:12	734:42 (+45)		
WC#: 49.210	APUS	7412							
PROC. REF: AMM 49-40-00, MM 49-40-02PROC. REF: AMM 49-40-00, MM 49-40-02									
49-40-00-7200	APU - IGNITER PLUG FUNCTIONAL CHECK							Service	ATA:49
	MOS/MSC	17-Feb-02	N/A	TAC 0					
	HRS	0		TAC 0					
	APUS	0		TAC 0					
PROC. REF: MM 49-40-02PROC. REF: MM 49-40-02									
49-70-01-2200	APU - MAGNETIC CHIP DETECTOR DETAILED INSPECTION							Service	ATA:49
PN:PN	MOS	30-Apr-26	12 (+1m)	Adj -24d	30-Apr-27	06-May-27	360 d (+6)		
SN:UNKNOWN	HRS	3985:30	450 (+45)		4435:30	4480:30	450 (+45)		
WC#: 49.190	APUS	7418							
PROC. REF: AMM 49-70-01, MM 49-90-02PROC. REF: AMM 49-70-01, MM 49-90-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 49 - AIRBORNE AUXILIARY POWER									
49-90-00-9600	APU - OIL DISCARD							Service	ATA:49
	MOS	01-May-25	24 (+1m)	Adj -33d	31-Mar-27	29-Apr-27	330 d (+29)		
	HRS	3820:12	900 (+45)		4720:12	4765:12	734:42 (+45)		
WC#: 49.030	APUS	7412							
PROC. REF: AMM 49-90-00, MM 49-90-04, MM 49-10-00PROC. REF: AMM 49-90-00, MM 49-90-04, MM 49-10-00									
<hr/>									
49-90-00-9600	APU - OIL FILTER DISCARD							Service	ATA:49
	MOS	01-May-25	24 (+1m)	Adj -33d	31-Mar-27	29-Apr-27	330 d (+29)		
	HRS	3820:12	900 (+45)		4720:12	4765:12	734:42 (+45)		
WC#: 49.060	APUS	7412							
PROC. REF: AMM 49-90-00, MM 49-90-04, MM 49-10-00PROC. REF: AMM 49-90-00, MM 49-90-04, MM 49-10-00									
<hr/>									
490001	APU - APU ELECTRONIC CONTROL							Component	ATA:49
PN:2119552-2	MOS/MSC	07-Aug-09	O/C						
SN:91H0110	HRS	2216		TSO 2216					
WC#: 49.020	APUS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
490003	APU - BLEED AIR SHUTOFF VALVE							Component	ATA:49
PN:50230-8 - 9914047-1	MOS/MSC	28-Feb-25	O/C	TSO 0					
SN:0550E	HRS			TSO 0					
WC#: 49.080	APUS			TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
490004	APU - DC AMMETER							Component	ATA:49
PN:MD144-3	MOS/MSC	07-Aug-09	O/C						
SN:K21307	HRS	2216		TSO 2216					
WC#: 49.090	APUS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
490005	APU - OVERHEAT DETECTOR							Component	ATA:49
PN:3001-212-1004/455-9	MOS/MSC	07-Aug-09	O/C						
SN:204011	HRS	2216		TSO 2216					
WC#: 49.100	APUS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 49 - AIRBORNE AUXILIARY POWER									
490006	APU - HOURMETER							Component	ATA:49
PN:C664503-0104	MOS/MSC	17-Feb-02	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 49.110	APUS	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
493000	APU - FUEL CONTROL ASSEMBLY							Component	ATA:49
PN:3883900-1	MOS/MSC	07-Aug-09	O/C						
SN:0100328	HRS	2216		TSO 2216					
WC#: 49.130	APUS								
<hr/>									
493001	APU - TEE-FLOW DIVIDER VALVE							Component	ATA:49
PN:3883921-2	MOS/MSC	07-Aug-09	O/C						
SN:NSN	HRS	2216		TSO 2216					
WC#: 49.200	APUS								
PROC. REF: AMM 49-30-00PROC. REF: AMM 49-30-00									
<hr/>									
493002	APU - FUEL SHUT-OFF VALVE							Component	ATA:49
PN:PN	MOS/MSC	17-Feb-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 49.010	APUS	0		TSN 0					
<hr/>									
494000	APU - ELECTRICAL IGNITER LEAD							Component	ATA:49
PN:3888302-20	MOS/MSC	07-Aug-09	O/C						
SN:NSN	HRS	2216		TSO 2216					
WC#: 49.160	APUS								
<hr/>									
494001	APU - IGNITER PLUG							Component	ATA:49
PN:304634-2	MOS/MSC	07-Aug-09	O/C						
SN:UNKNOWN	HRS	2216		TSO 2216					
WC#: 49.150	APUS								
PROC. REF: AMM 49-40-00PROC. REF: AMM 49-40-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 49 - AIRBORNE AUXILIARY POWER									
494002	APU - IGNITION UNIT							Component	ATA:49
PN:3888000-7	MOS/MSC	07-Aug-09	O/C						
SN:010218023240	HRS	2216		TSO 2216					
WC#: 49.140	APUS								
ATA 49 - AIRBORNE AUXILIARY POWER									
497006	APU - RPM/MAX INDICATOR							Component	ATA:49
PN:M453	MOS/MSC	17-Feb-02	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 49.220	APUS	0		TSN 0					
ATA 49 - AIRBORNE AUXILIARY POWER									
499000	APU - LOW OIL PRESSURE SWITCH							Component	ATA:49
PN:3876351-1	MOS/MSC	17-Feb-02	O/C						
SN:010922700388	HRS	0		TSN 0					
WC#: 49.260	APUS	0		TSN 0					
ATA 49 - AIRBORNE AUXILIARY POWER									
499001	APU - LUBE PUMP ASSEMBLY							Component	ATA:49
PN:3881825-1	MOS/MSC	07-Aug-09	O/C						
SN:P405	HRS	2216		TSO 2216					
WC#: 49.240	APUS								
ATA 49 - AIRBORNE AUXILIARY POWER									
499002	APU - OIL LEVEL SWITCH							Component	ATA:49
PN:3876318-1	MOS/MSC	07-Aug-09	O/C						
SN:NSN	HRS	2216		TSO 2216					
WC#: 49.280	APUS								
ATA 49 - AIRBORNE AUXILIARY POWER									
499015	APU - CHIP DETECTOR							Component	ATA:49
PN:PN	MOS/MSC	18-Oct-13	O/C		TSN 0				
SN:UNKNOWN	HRS				TSN 0				
WC#: 49.180	APUS				TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
49APU1	APU							Component ATA:49
PN:3800722-1	MOS/MSC	07-Aug-09	E/C					
SN:P-268	HRS							
WC#: 49.APU1	AFL							
	APH	2216		TSO 2216				
ATA 49 - AIRBORNE AUXILIARY POWER								
49FO-01XL/G ^U	AUXILIARY POWER UNIT FACTORY OPTION							Component ATA:49
PN:46G	MOS/MSC	17-Feb-02	-					
SN:FO	HRS	0						
	AFL	0						
ATA 52 - DOORS								
52-10-00-2100 ^S	CABIN DOOR SEALS GENERAL VISUAL INSPECTION							Service ATA:52
	MOS	30-Apr-26	12 (+1m/-1m)					
	HRS	9045:31						
	AFL	7280						
								PKG:509
PROC. REF: AMM 52-10-00PROC. REF: AMM 52-10-00								
52-10-00-2200 ^S	CABIN DOOR ASSEMBLY INTERNAL DETAILED INSPECTION							Service ATA:52
	MOS	06-Apr-23	48 (+1m/-1m)					
	HRS	7794:51						
	AFL	6421						
								PKG:513
PROC. REF: AMM 52-10-00PROC. REF: AMM 52-10-00								
52-10-00-2200-ME ^S	CABIN DOOR ASSEMBLY DETAILED INSPECTION							Service ATA:52
	MOS	17-Feb-02		TAC 0				AIRWORTHINESS
	HRS	0	15000	TAC 0				
WC#: 53.070	AFL	0		TAC 0				
								PKG:164
PROC. REF: AMM 52-10-00PROC. REF: AMM 52-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-20-00-2200	S	EMERGENCY EXIT DOOR ASSEMBLY DETAILED INSPECTION AND OPERATIONAL CHECK						Service	ATA:52
	MOS	01-May-25	24 (+1m/-1m)						
	HRS	8639:48							
	AFL	6990							
								PKG:511	
PROC. REF: AMM 52-20-00PROC. REF: AMM 52-20-00									
52-20-00-2200-ME	S	EMERGENCY EXIT DOOR ASSEMBLY DETAILED INSPECTION						Service	ATA:52
	MOS	17-Feb-02		TAC 0				AIRWORTHINESS	
	HRS	0	15000	TAC 0					
WC#: 53.080	AFL	0		TAC 0					
								PKG:164	
PROC. REF: AMM 52-20-00PROC. REF: AMM 52-20-00									
52-20-00-2201	S	EMERGENCY EXIT DOOR INTERNAL DETAILED INSPECTION						Service	ATA:52
	MOS	31-Jan-23	96 (+1m/-1m)						
	HRS	7738:49							
	AFL	6374							
								PKG:519	
PROC. REF: AMM 52-20-00PROC. REF: AMM 52-20-00									
52-30-00-2200	S	BAGGAGE DOOR ASSEMBLY DETAILED INSPECTION						Service	ATA:52
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
								PKG:513	
PROC. REF: AMM 52-30-00PROC. REF: AMM 52-30-00									
521003	ACOUSTIC LOWER FWD SEAL						Component	ATA:52	
PN:9522-13	MOS/MSC	19-Dec-25	O/C	TSN 0					
SN:UNKNOWN	HRS	8969:45		TSN 0					
WC#: 52.120	AFL	7239		TSN 0					
PROC. REF: AMM 52-10-04PROC. REF: AMM 52-10-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
521004	ACOUSTIC UPPER SEAL							Component	ATA:52
PN:9522-11	MOS/MSC	19-Dec-25	O/C	TSN 0					
SN:UNKNOWN	HRS	8969:45		TSN 0					
WC#: 52.120	AFL	7239		TSN 0					
PROC. REF: AMM 52-10-04PROC. REF: AMM 52-10-04									
521005	ACOUSTIC LOWER AFT SEAL							Component	ATA:52
PN:9522-15	MOS/MSC	19-Dec-25	O/C	TSN 0					
SN:UNKNOWN	HRS	8969:45		TSN 0					
WC#: 52.120	AFL	7239		TSN 0					
PROC. REF: AMM 52-10-04PROC. REF: AMM 52-10-04									
523006	LOWER BAGGAGE DOOR SEAL							Component	ATA:52
PN:R860007	MOS/MSC	29-Feb-24	O/C	TSN 0					
SN:NSN	HRS	8178:09		TSN 0					
WC#: 52.040	AFL	6672		TSN 0					
PROC. REF: AMM 52-30-01PROC. REF: AMM 52-30-01									
527000	EMERGENCY EXIT SWITCH							Component	ATA:52
PN:8-405-04	MOS/MSC	17-Feb-02	O/C						
SN:B52860	HRS	0		TSN 0					
WC#: 52.130	AFL	0		TSN 0					
PROC. REF: AMM 52-20-00PROC. REF: AMM 52-20-00									
ATA 53 - FUSELAGE									
53-00-00-2100 ^S	FUSELAGE FAIRING INTERNAL ZONAL GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00									
PKG:513									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00-00-2101 ^S	FUSELAGE AND FAIRING EXTERNAL ZONAL GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								PKG:513	
<hr/>									
53-00-00-2102 ^S	COMMUNICATION AND NAVIGATION ANTENNA MOUNTING CORROSION GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
PROC. REF: TLMC 5-12-06PROC. REF: TLMC 5-12-06								PKG:513	
<hr/>									
53-00-00-2201 ^S	FORWARD AND AFT LOWER FAIRING EXTERNAL L/HIRF DETAILED INSPECTION							Service	ATA:53
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								PKG:513	
<hr/>									
53-00-00-9600	LEFT NOSE LANDING GEAR TRUNNION SUPPORT ASSEMBLY DISCARD							Component	ATA:53
PN:6613020-55	MOS	17-Feb-02						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 53.090	AFL	0	25500	TSN 0	25500		18216		
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00									
<hr/>									
53-00-00-9600	RIGHT NOSE LANDING GEAR TRUNNION SUPPORT ASSEMBLY DISCARD							Component	ATA:53
PN:6613020-56	MOS	17-Feb-02						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 53.090	AFL	0	25500	TSN 0	25500		18216		
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00-00-9601	NOSE LANDING GEAR ACTUATOR FITTING ASSEMBLY DISCARD							Component	ATA:53
PN:6211190-41	MOS	17-Feb-02						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 53.100	AFL	0	25500	TSN 0	25500		18216		
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00									
53-10-00-2100 ^S	NOSE LANDING GEAR WHEEL WELL AND DOOR INTERNAL ZONAL GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00									
53-10-00-2101 ^S	NOSE SECTION INTERNAL ZONAL GENERAL VISUAL INSPECTION AND RESTORATION							Service	ATA:53
	MOS	29-Jan-21	72 (+1m/-1m)						
	HRS	6128:04							
	AFL	5353							
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00									
53-10-00-2102 ^S	NOSE AVIONICS COMPONENTS WIRING AND BULKHEAD CONNECTORS STANDALONE EZAGENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	29-Jan-21	72 (+1m/-1m)						
	HRS	6128:04							
	AFL	5353							
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00									
53-10-00-2103 ^S	NOSE AVIONICS L/HIRF STANDALONE GENERAL VISUAL INSPECTION (AIRPLANES -5001THRU -6000)							Service	ATA:53
	MOS	29-Jan-21	72 (+1m/-1m)						
	HRS	6128:04							
	AFL	5353							
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-00-2200	S	NOSE LANDING GEAR AND WHEEL WELL STRUCTURE AND CORROSION GENERAL VISUAL AND DETAILED INSPECTION					Service	ATA:53	
	MOS	30-Apr-26	12 (+1m/-1m)					CPCP	
	HRS	9045:31							
	AFL	7280							
								PKG:509	
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00									
53-10-00-2201	S	NOSE STRUCTURE INTERNAL DETAILED INSPECTION					Service	ATA:53	
	MOS	31-Jan-23	96 (+1m/-1m)						
	HRS	7738:49							
	AFL	6374							
								PKG:519	
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00									
53-10-00-2202	S	NOSE NON-METALLIC STRUCTURE (RADOME, DOOR DRIP CAPS) INTERNAL DETAILED INSPECTION					Service	ATA:53	
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
								PKG:513	
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00									
53-10-00-2203	S	RADOME DIVERTER STRIPS L/HIRF DETAILED INSPECTION					Service	ATA:53	
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
								PKG:513	
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00									
53-10-11-2200	S	LOWER AFT CABIN INTERNAL (BELOW EXTERNALLY SERVICED TOILET) STRUCTURAL AND CORROSION (BOREScope) SPECIAL DETAILED INSPECTION					Service	ATA:53	
	MOS	30-Apr-26	12 (+1m/-1m)					CPCP	
	HRS	9045:31							
	AFL	7280							
								PKG:509	
PROC. REF: AMM 53-10-11PROC. REF: AMM 53-10-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-11-2201	S	AFT CABIN LOWER SKIN (BELOW DROP AISLE) INTERNAL STRUCTURAL AND CORROSION DETAILED INSPECTION					Service	ATA:53	
	MOS	30-Apr-26	12 (+1m/-1m)					CPCP	
	HRS	9045:31							
	AFL	7280							
								PKG:509	
PROC. REF: AMM 53-10-11 PROC. REF: AMM 53-10-11									
<hr/>									
53-10-11-2202	S	LOWER AFT CABIN INTERNAL (BELOW CARRY-OUT TOILET) STRUCTURAL AND CORROSION DETAILED INSPECTION (IF INSTALLED)					Service	ATA:53	
	MOS	30-Apr-26	12 (+1m/-1m)					CPCP	
	HRS	9045:31							
	AFL	7280							
								PKG:509	
PROC. REF: AMM 53-10-11 PROC. REF: AMM 53-10-11									
<hr/>									
53-10-11-2501	S	INSPECT FORWARD PRESSURE BULKHEAD (EDDY CURRENT) SPECIAL DETAILED INSPECTION					Service	ATA:53	
	MOS	09-Sep-25	120						
	HRS	8875:18	2400						
WC#: 53.350	AFL	7163							
								PKG:163	
PROC. REF: AMM 53-10-11 PROC. REF: AMM 53-10-11									
<hr/>									
53-10-11-2502	S	AFT PRESSURE BULKHEAD GENERAL VISUAL INSPECTION					Service	ATA:53	
	MOS	17-Feb-02		TAC 0				AIRWORTHINESS	
	HRS	0	15000	TAC 0					
WC#: 53.340	AFL	0		TAC 0					
								PKG:164	
PROC. REF: AMM 53-10-11 PROC. REF: AMM 53-10-11									
<hr/>									
53-10-12-2100	S	BAGGAGE DOOR AND FORWARD TAILCONE INTERNAL ZONAL GENERAL VISUAL INSPECTION					Service	ATA:53	
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
								PKG:513	
PROC. REF: AMM 53-10-12 PROC. REF: AMM 53-10-12									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-12-2101	S	TAILCONE EXTERNAL ZONAL GENERAL VISUAL INSPECTION						Service	ATA:53
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
								PKG:513	
PROC. REF: AMM 53-10-12PROC. REF: AMM 53-10-12									
53-10-12-2102	S	AUXILIARY POWER UNIT ENCLOSURE AND STINGER INTERNAL ZONAL GENERAL VISUAL INSPECTION AND RESTORATION						Service	ATA:53
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
								PKG:513	
PROC. REF: AMM 53-10-12PROC. REF: AMM 53-10-12									
53-10-12-2103	S	FORWARD TAILCONE AVIONICS COMPONENTS, WIRE BUNDLES AND CONNECTORSSTANDALONE EZAP GENERAL VISUAL INSPECTION						Service	ATA:53
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
								PKG:513	
PROC. REF: AMM 53-10-12PROC. REF: AMM 53-10-12									
53-10-12-2104	S	AUXILIARY POWER UNIT GENERATOR POWER FEEDER CABLES STANDALONE EZAPGENERAL VISUAL INSPECTION						Service	ATA:53
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
								PKG:513	
PROC. REF: AMM 53-10-12PROC. REF: AMM 53-10-12									
53-10-12-2200	S	AUXILIARY POWER UNIT GENERATOR, AUXILIARY POWER UNIT GENERATOR CONTROL UNIT, AND LEFT / RIGHT ENGINEGENERATOR CONTROL UNIT L/HIRF DETAILED INSPECTION						Service	ATA:53
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
								PKG:513	
PROC. REF: AMM 53-10-12PROC. REF: AMM 53-10-12									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-00-2100	S	COCKPIT INTERNAL (BELOW FLOORLINE) ZONAL GENERAL VISUAL INSPECTION AND RESTORATION					Service	ATA:53	
	MOS	29-Jan-21	72 (+1m/-1m)						
	HRS	6128:04							
	AFL	5353							
								PKG:518	
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00									
53-20-00-2101	S	COCKPIT INTERNAL (ABOVE FLOORLINE) ZONAL GENERAL VISUAL INSPECTION AND RESTORATION					Service	ATA:53	
	MOS	31-Jan-23	96 (+1m/-1m)						
	HRS	7738:49							
	AFL	6374							
								PKG:519	
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00									
53-20-00-2102	S	COCKPIT WIRE BUNDLES STANDALONE EZAP GENERAL VISUAL INSPECTION					Service	ATA:53	
	MOS	29-Jan-21	72 (+1m/-1m)						
	HRS	6128:04							
	AFL	5353							
								PKG:518	
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00									
53-20-00-2103	S	COCKPIT AVIONICS COMPONENTS AND WIRE BUNDLES STANDALONE EZAP GENERALVISUAL INSPECTION					Service	ATA:53	
	MOS	31-Jan-23	96 (+1m/-1m)						
	HRS	7738:49							
	AFL	6374							
								PKG:519	
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00									
53-20-00-2104	S	COCKPIT AVIONICS CONTROL HEAD L/HIRF STANDALONE GENERAL VISUAL INSPECTION					Service	ATA:53	
	MOS	31-Jan-23	96 (+1m/-1m)						
	HRS	7738:49							
	AFL	6374							
								PKG:519	
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-30-00-2100	S	CABIN INTERNAL	ZONAL GENERAL VISUAL INSPECTION AND RESTORATION					Service ATA:53
	MOS	31-Jan-23	96 (+1m/-1m)					
	HRS	7738:49						
	AFL	6374						
								PKG:519
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00								
53-30-00-2101	S	FORWARD CABIN (BELOW FLOORLINE)	INTERNAL GENERAL VISUAL INSPECTION AND RESTORATION					Service ATA:53
	MOS	31-Jan-23	96 (+1m/-1m)					
	HRS	7738:49						
	AFL	6374						
								PKG:519
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00								
53-30-00-2200	S	ELEVATOR AND ELEVATOR TRIM CONTROL SYSTEM SUPPORT	STRUCTURAL DETAILED INSPECTION					Service ATA:53
	MOS	06-Apr-23	48 (+1m/-1m)					
	HRS	7794:51						
	AFL	6421						
								PKG:513
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00								
53-30-01-2100	S	UPPER FUSELAGE SKIN FROM RIGHT STRINGER 13 TO LEFT STRINGER 13	GENERAL VISUAL INSPECTION					Service ATA:53
	MOS	17-Feb-02		TAC 0				AIRWORTHINESS
	HRS	0	13000	TAC 0				
WC#: 53.010	AFL	0		TAC 0				
								PKG:169
PROC. REF: AMM 53-30-01PROC. REF: AMM 53-30-01								
53-30-01-2101	S	LOWER FUSELAGE SKIN FROM RIGHT STRINGER 13 TO LEFT STRINGER 13	GENERAL VISUAL INSPECTION					Service ATA:53
	MOS	17-Feb-02		TAC 0				AIRWORTHINESS
	HRS	0	15000	TAC 0				
WC#: 53.020	AFL	0		TAC 0				
								PKG:164
PROC. REF: AMM 53-30-01PROC. REF: AMM 53-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-01-2500 ^S	FUSELAGE EXTERNAL SURFACE (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service	ATA:53
	MOS	29-Jun-23							
	HRS	7939:57	7200 (+25/-25)						
	AFL	6534							
								PKG:526	
PROC. REF: AMM 53-30-01PROC. REF: AMM 53-30-01									
53-30-01-2501 ^S	UPPER FUSELAGE SKIN SPLICE AT BL 0.00 (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service	ATA:53
	MOS	17-Feb-02		TAC 0				AIRWORTHINESS	
	HRS	0	15000	TAC 0					
WC#: 53.030	AFL	0		TAC 0					
								PKG:164	
PROC. REF: AMM 53-30-01PROC. REF: AMM 53-30-01									
53-30-01-2502 ^S	LOWER FUSELAGE SKIN SPLICES AT STRINGERS 13R AND 13L (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service	ATA:53
	MOS	17-Feb-02		TAC 0				AIRWORTHINESS	
	HRS	0	15000	TAC 0					
WC#: 53.040	AFL	0		TAC 0					
								PKG:164	
PROC. REF: AMM 53-30-01PROC. REF: AMM 53-30-01									
53-31-00-2200 ^S	COMPOSITE VENTRAL STRAKE DETAILED INSPECTION							Service	ATA:53
	MOS	31-Jan-23	96 (+1m/-1m)						
	HRS	7738:49							
	AFL	6374							
								PKG:519	
PROC. REF: AMM 53-31-00PROC. REF: AMM 53-31-00									
531201	RADOME ASSEMBLY							Component	ATA:53
PN:6613101-233	MOS/MSC	29-Apr-22	O/C						
SN:29816200	HRS	7251:45							
WC#: 53.310	AFL	6027							
PROC. REF: AMM 53-10-10PROC. REF: AMM 53-10-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
54-50-01-2100 ^S	ENGINES COWLINGS AND PYLONS INTERNAL AND EXTERNAL ZONAL GENERAL VISUAL INSPECTION AND RESTORATION							Service	ATA:54
	MOS	01-May-25	24 (+1m/-1m)						
	HRS	8639:48							
	AFL	6990							
								PKG:511	
PROC. REF: AMM 54-50-01PROC. REF: AMM 54-50-01									
54-50-01-2101 ^S	ENGINE COWLING, ENGINE PYLON FIREWALL GENERAL VISUAL INSPECTION							Service	ATA:54
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
								PKG:513	
PROC. REF: AMM 54-50-01PROC. REF: AMM 54-50-01									
54-50-10-2100 ^S	ACCOMPLISH AFT ENGINE BEAM GENERAL VISUAL INSPECTION (AIRPLANES -5001 THRU -5060)							Service	ATA:54
	MOS/MSC	17-Feb-02	N/A	TAC 0					
	HRS	0		TAC 0					
WC#: 71.120	AFL	0		TAC 0					
								PKG:161	
PROC. REF: AMM 54-50-10, AMM 54-50-10PROC. REF: AMM 54-50-10, AMM 54-50-10									
54-50-10-2500 ^S	FORWARD ENGINE BEAM UPPER ANGLES, HORIZONTAL CAP FLANGE AT BL 30.5 THRU BL 42.0 (EDDY CURRENT) SPECIAL DETAILED INSPECTION (AIRPLANES -5001 THRU -5060)							Service	ATA:54
	MOS	17-Feb-02		TAC 0				AIRWORTHINESS	
	HRS	0	13000	TAC 0					
WC#: 71.040	AFL	0		TAC 0					
								PKG:89,169	
PROC. REF: AMM 54-50-10PROC. REF: AMM 54-50-10									
ATA 55 - STABILIZERS									
55-00-00-2200 ^S	EMPENNAGE COVE STRUCTURE AND CORROSION DETAILED INSPECTION							Service	ATA:55
	MOS	30-Apr-26	12 (+1m/-1m)					CPCP	
	HRS	9045:31							
	AFL	7280							
								PKG:509	
PROC. REF: AMM 55-00-00PROC. REF: AMM 55-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10-00-2100	S	EMPENNAGE EXTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:55
	MOS	29-Jan-21	72 (+1m/-1m)						
	HRS	6128:04							
	AFL	5353							
								PKG:518	
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00									
55-10-00-2101	S	HORIZONTAL STABILIZER SURFACES INTERNAL ZONAL GENERAL VISUAL INSPECTION							Service ATA:55
	MOS	31-Jan-23	96 (+1m/-1m)						
	HRS	7738:49							
	AFL	6374							
								PKG:519	
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00									
55-10-00-2200	S	HORIZONTAL STABILIZER POSITION SWITCHES L/HIRF DETAILED INSPECTION							Service ATA:55
	MOS	29-Jan-21	72 (+1m/-1m)						
	HRS	6128:04							
	AFL	5353							
								PKG:518	
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00									
55-10-00-2201	S	FLUX DETECTORS L/HIRF DETAILED INSPECTION							Service ATA:55
	MOS	29-Jan-21	72 (+1m/-1m)						
	HRS	6128:04							
	AFL	5353							
								PKG:518	
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00									
55-10-00-2900	S	INTERNAL HORIZONTAL STABILIZER (BORESCOPE) SPECIAL DETAILED INSPECTION							Service ATA:55
	MOS	31-Jan-23	96 (+1m/-1m)						
	HRS	7738:49							
	AFL	6374							
								PKG:519	
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-20-00-2200	S	ELEVATOR ASSEMBLY DETAILED INSPECTION						Service	ATA:55
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
								PKG:513	
PROC. REF: AMM 55-20-00PROC. REF: AMM 55-20-00									
55-30-00-2102	S	VERTICAL STABILIZER INTERNAL ZONAL GENERAL VISUAL INSPECTION						Service	ATA:55
	MOS	31-Jan-23	96 (+1m/-1m)						
	HRS	7738:49							
	AFL	6374							
								PKG:519	
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00									
55-30-00-2200	S	RUDDER AND RUDDER TRIM CONTROL SYSTEM STRUCTURAL SUPPORT DETAILED INSPECTION						Service	ATA:55
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
								PKG:513	
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00									
55-30-00-2201	S	VERTICAL STABILIZER PIVOT FITTING DETAILED INSPECTION						Service	ATA:55
	MOS	04-Aug-22							
	HRS	7551:21	1600 (+25/-25)						
	AFL	6241							
								PKG:520	
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00									
55-30-00-2500	S	VERTICAL STABILIZER REAR SPAR CAP AT WL 146 (EDDY CURRENT) SPECIAL DETAILED INSPECTION (AIRPLANES -5001 THRU -5020)						Service	ATA:55
	MOS/MSC	17-Feb-02	N/A	TAC 0					
	HRS	0		TAC 0					
WC#: 55.030	AFL	0		TAC 0					
								PKG:166	
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30-00-2501 ^S	VERTICAL STABILIZER REAR SPAR NESTED ANGLE AT WL 146 (EDDY CURRENT) SPECIAL DETAILED INSPECTION (AIRPLANES -5001 THRU -5020)							Service	ATA:55
	MOS/MSC	17-Feb-02	N/A	TAC 0					
	HRS	0		TAC 0					
WC#: 55.040	AFL	0		TAC 0					
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00								PKG:167	
55-30-00-2502 ^S	VERTICAL STABILIZER REAR SPAR STRAP AT WL 146.00 (EDDY CURRENT) SPECIAL DETAILED INSPECTION (AIRPLANES -5001 THRU -5020)							Service	ATA:55
	MOS/MSC	17-Feb-02	N/A	TAC 0					
	HRS	0		TAC 0					
WC#: 55.050	AFL	0		TAC 0					
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00								PKG:168	
55-30-00-2503 ^S	VERTICAL STABILIZER FORWARD SPAR STRAP AT WL 150 (EDDY CURRENT) SPECIAL DETAILED INSPECTION (AIRPLANES -5001 THRU -5020)							Service	ATA:55
	MOS/MSC	17-Feb-02	N/A	TAC 0					
	HRS	0		TAC 0					
WC#: 55.010	AFL	0		TAC 0					
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00								PKG:170	
55-30-00-2900 ^S	VERTICAL (STABILIZER AREAS WITH LIMITED ACCESS) (BORESCOPE) INTERNAL SPECIALDETAILED INSPECTION							Service	ATA:55
	MOS	31-Jan-23	96 (+1m/-1m)						
	HRS	7738:49							
	AFL	6374							
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00								PKG:519	
55-40-00-2200 ^S	RUDDER AND RUDDER TRIM TAB DETAILED INSPECTION							Service	ATA:55
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
PROC. REF: AMM 55-40-00PROC. REF: AMM 55-40-00								PKG:513	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
551001	HORIZONTAL STABILIZER ASSEMBLY							Component	ATA:55
PN:PN	MOS/MSC	17-Feb-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
ATA 56 - WINDOWS									
56-11-00-2200 ^S	HEATED WINDSHIELD ASSEMBLY HUMP SEAL DETAILED INSPECTION							Service	ATA:56
	MOS	30-Apr-26	12 (+1m/-1m)						
	HRS	9045:31							
	AFL	7280							
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00									
56-11-00-2201 ^S	COCKPIT OPENABLE AFT SIDE WINDOW HINGE AND LATCH DETAILED INSPECTION							Service	ATA:56
	MOS	31-Jan-23							
	HRS	7738:49	1600 (+25/-25)						
	AFL	6374							
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00									
56-11-00-2202 ^S	WINDSHIELD DETAILED INSPECTION							Service	ATA:56
	MOS	01-May-25	24 (+1m/-1m)						
	HRS	8639:48							
	AFL	6990							
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00									
56-11-00-2203 ^S	WINDSHIELD RETAINER DETAILED INSPECTION							Service	ATA:56
	MOS	31-Jan-23	96 (+1m/-1m)						
	HRS	7738:49							
	AFL	6374							
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00									

PKG:509

PKG:514

PKG:511

PKG:519

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
56-11-00-2204 ^S	COCKPIT AND OPENABLE SIDE WINDOW INTERNAL STRUCTURE DETAILED INSPECTION							Service	ATA:56
	MOS	31-Jan-23	96 (+1m/-1m)						
	HRS	7738:49							
	AFL	6374							
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00								PKG:519	
56-11-00-2207 ^S	OPENABLE SIDE COCKPIT WINDOWS (TRANSPARENCY) DETAILED INSPECTION							Service	ATA:56
	MOS	01-May-25	48 (+1m/-1m)						
	HRS	8639:48							
	AFL	6690							
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00								PKG:513	
56-11-00-7200 ^S	HEATED WINDSHIELD ASSEMBLY FASTENER TORQUE FUNCTIONAL CHECK							Service	ATA:56
	MOS	16-Dec-21							
	HRS	7027:20	2400 (+25/-25)						
	AFL	5862							
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00								PKG:515	
56-11-00-7201 ^S	WINDSHIELD SURFACE SEAL (MIST SPRAY) FUNCTIONAL CHECK							Service	ATA:56
	MOS	30-Apr-26	12 (+1m/-1m)						
	HRS	9045:31							
	AFL	7280							
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00								PKG:509	
561001	LEFT MAIN WINDSHIELD ASSY, (LH)							Component	ATA:56
PN:NP139731-1	MOS/MSC	05-Sep-08	O/C						
SN:08142H6579	HRS	3665		TSN 0					
WC#: 56.010	AFL								
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
561001	RIGHT MAIN WINDSHIELD ASSEMBLY, (RH)							Component	ATA:56
PN:NP139731-2	MOS/MSC	30-Apr-08	O/C						
SN:08029H1852	HRS	3567		TSN 0					
WC#: 56.010	AFL								
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00									
561004	LEFT ELECTRICALLY HEATED COCKPIT FORWARD SIDE WINDOW							Component	ATA:56
PN:NP139722-5	MOS/MSC	17-Feb-02	O/C						
SN:01267H8886	HRS	0		TSN 0					
WC#: 56.020	AFL	0		TSN 0					
PROC. REF: AMM 56-12-00PROC. REF: AMM 56-12-00									
561004	RIGHT ELECTRICALLY HEATED COCKPIT FORWARD SIDE WINDOW							Component	ATA:56
PN:NP139722-6	MOS/MSC	17-Feb-02	O/C						
SN:01249H7359	HRS	0		TSN 0					
WC#: 56.020	AFL	0		TSN 0					
PROC. REF: AMM 56-12-00PROC. REF: AMM 56-12-00									
561005	LEFT OPENABLE COCKPIT AFT SIDE WINDOW							Component	ATA:56
PN:NP139703-3	MOS/MSC	17-Feb-02	O/C						
SN:731	HRS	0		TSN 0					
WC#: 56.030	AFL	0		TSN 0					
PROC. REF: AMM 56-13-00PROC. REF: AMM 56-13-00									
561005	RIGHT OPENABLE COCKPIT AFT SIDE WINDOW							Component	ATA:56
PN:NP139703-4	MOS/MSC	17-Feb-02	O/C						
SN:732	HRS	0		TSN 0					
WC#: 56.030	AFL	0		TSN 0					
PROC. REF: AMM 56-13-00PROC. REF: AMM 56-13-00									
562001	LEFT NO. 2 CABIN WINDOW							Component	ATA:56
PN:167400-03	MOS/MSC	17-Feb-02	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.060	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
562001	LEFT NO. 3 CABIN WINDOW							Component	ATA:56
PN:167400-03	MOS/MSC	17-Feb-02	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.070	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00									
562001	LEFT NO. 4 CABIN WINDOW							Component	ATA:56
PN:167400-03	MOS/MSC	17-Feb-02	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.080	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00									
562001	LEFT NO. 5 CABIN WINDOW							Component	ATA:56
PN:167400-03	MOS/MSC	17-Feb-02	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.090	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00									
562001	LEFT NO. 6 CABIN WINDOW							Component	ATA:56
PN:167400-03	MOS/MSC	17-Feb-02	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.100	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00									
562001	LEFT NO. 7 CABIN WINDOW							Component	ATA:56
PN:167400-03	MOS/MSC	17-Feb-02	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.110	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00									
562001	RIGHT NO. 1 EMERGENCY DOOR WINDOW							Component	ATA:56
PN:167400-03	MOS/MSC	17-Feb-02	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.050	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
562001	RIGHT NO. 2 CABIN WINDOW							Component	ATA:56
PN:167400-03	MOS/MSC	17-Feb-02	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.060	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00									
562001	RIGHT NO. 3 CABIN WINDOW							Component	ATA:56
PN:167400-03	MOS/MSC	17-Feb-02	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.070	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00									
562001	RIGHT NO. 4 CABIN WINDOW							Component	ATA:56
PN:167400-03	MOS/MSC	17-Feb-02	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.080	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00									
562001	RIGHT NO. 5 CABIN WINDOW							Component	ATA:56
PN:167400-03	MOS/MSC	17-Feb-02	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.090	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00									
562001	RIGHT NO. 6 CABIN WINDOW							Component	ATA:56
PN:167400-03	MOS/MSC	17-Feb-02	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.100	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00									
562001	RIGHT NO. 7 CABIN WINDOW							Component	ATA:56
PN:167400-03	MOS/MSC	17-Feb-02	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.110	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00PROC. REF: AMM 56-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-00-00-2100	S	WING EXTERNAL ZONAL GENERAL VISUAL INSPECTION						Service ATA:57
	MOS	06-Apr-23	48 (+1m/-1m)					
	HRS	7794:51						
	AFL	6421						
								PKG:513
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
57-00-00-2101	S	WING INTERNAL ZONAL GENERAL VISUAL INSPECTION						Service ATA:57
	MOS	06-Apr-23	48 (+1m/-1m)					
	HRS	7794:51						
	AFL	6421						
								PKG:513
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
57-00-00-2102	S	WING FUEL PROBE WIRING HARNESS STANDALONE EZAP GENERAL VISUAL INSPECTION						Service ATA:57
	MOS	06-Apr-23	48 (+1m/-1m)					
	HRS	7794:51						
	AFL	6421						
								PKG:513
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
57-00-00-2200	S	WING COVE AND REAR SPAR STRUCTURE AND CORROSION DETAILED INSPECTION						Service ATA:57
	MOS	30-Apr-26	12 (+1m/-1m)					CPCP
	HRS	9045:31						
	AFL	7280						
								PKG:509
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
57-10-00-2100	S	LEFT AND RIGHT MAIN LANDING GEAR WHEEL WELL AND DOOR INTERNAL ZONAL GENERALVISUAL INSPECTION						Service ATA:57
	MOS	06-Apr-23	48 (+1m/-1m)					
	HRS	7794:51						
	AFL	6421						
								PKG:513
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-00-2101	S	LEFT AND RIGHT WING FORWARD SPAR (FORWARD SIDE) AND WING TIP INTERNALSTANDALONE GENERAL VISUAL INSPECTION							Service ATA:57
	MOS	31-Jan-23	96 (+1m/-1m)						
	HRS	7738:49							
	AFL	6374							
								PKG:519	
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									
57-10-00-2200	S	MAIN LANDING GEAR AND WHEEL WELL STRUCTURE AND CORROSION DETAILED GENERAL VISUAL INSPECTION							Service ATA:57
	MOS	30-Apr-26	12 (+1m/-1m)					CPCP	
	HRS	9045:31							
	AFL	7280							
								PKG:509	
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									
57-10-00-2500	S	LOWER WING MAIN SPAR LOWER SKIN SPLICE AT WS 22.50 (EDDY CURRENT AND ULTRASONIC) SPECIAL DETAILED INSPECTION							Service ATA:57
	MOS	01-May-25						AIRWORTHINESS	
	HRS	8639:48	1400						
	AFL	6990							
								PKG:165	
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									
57-10-00-2501	S	LOWER WING MAIN SPAR SKIN SPLICE FLANGE AT WS 11.50 (EDDY CURRENT AND ULTRASONIC) SPECIAL DETAILED INSPECTION							Service ATA:57
	MOS	17-Feb-02		TAC 0				AIRWORTHINESS	
	HRS	0	T:11500	TAC 0					
	AFL	0		TAC 0					
								PKG:171	
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									
57-10-00-2502	S	LOWER WING MAIN SPAR AT WS 114.57 (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service ATA:57
	MOS	17-Feb-02		TAC 0				AIRWORTHINESS	
	HRS	0	T:11000	TAC 0					
WC#: 57.030	AFL	0		TAC 0					
								PKG:172	
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-00-2503 ^S	LOWER WING MAIN SPAR AT WS 131.07 (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service	ATA:57
	MOS	09-Sep-25						AIRWORTHINESS	
	HRS	8875:18	3400						
WC#: 57.040	AFL	7163							
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00								PKG:173	
57-10-00-2504 ^S	LOWER WING MAIN SPAR AT WS 149.57 (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service	ATA:57
	MOS	17-Feb-02		TAC 0				AIRWORTHINESS	
	HRS	0	T:12500	TAC 0					
WC#: 57.050	AFL	0		TAC 0					
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00								PKG:174	
57-10-00-9600	LEFT MAIN LANDING GEAR FORWARD TRUNNION FITTING DISCARD							Component	ATA:57
PN:6622123-1	MOS	17-Feb-02						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 57.070	AFL	0	23800	TSN 0	23800		16516		
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									
57-10-00-9600	RIGHT MAIN LANDING GEAR FORWARD TRUNNION FITTING DISCARD							Component	ATA:57
PN:6622123-2	MOS	17-Feb-02						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 57.070	AFL	0	23800	TSN 0	23800		16516		
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									
57-10-00-9601	LEFT MAIN LANDING GEAR AFT TRUNNION FITTING DISCARD							Component	ATA:57
PN:6622124-1	MOS	17-Feb-02						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 57.060	AFL	0	23800	TSN 12	23788		16504		
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-00-9601	RIGHT MAIN LANDING GEAR AFT TRUNNION FITTING DISCARD							Component	ATA:57
PN:6622124-2	MOS	17-Feb-02						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 57.060	AFL	0	23800	TSN 0	23800		16516		
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									
57-10-00-9602	LEFT MAIN LANDING GEAR ACTUATOR FITTING DISCARD							Component	ATA:57
PN:6621125-5	MOS	17-Feb-02						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 57.120	AFL	0	23800	TSN 0	23800		16516		
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									
57-10-00-9602	RIGHT MAIN LANDING GEAR ACTUATOR FITTING DISCARD							Component	ATA:57
PN:6621125-6	MOS	17-Feb-02						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 57.120	AFL	0	23800	TSN 0	23800		16516		
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									
57-30-01-2100 ^S	WING TIP INTERNAL ZONAL GENERAL VISUAL INSPECTION AND RESTORATION							Service	ATA:57
	MOS	31-Jan-23	96 (+1m/-1m)						
	HRS	7738:49							
	AFL	6374							
PROC. REF: AMM 57-30-01PROC. REF: AMM 57-30-01									
57-50-00-2200 ^S	SPEED BRAKE PANELS AND ATTACHMENT FITTINGS DETAILED INSPECTION							Service	ATA:57
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
PROC. REF: AMM 57-50-00PROC. REF: AMM 57-50-00									

PKG:519

PKG:513

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-50-03-2200 ^S	AILERON, AILERON TRIM TAB AND HINGE BRACKETS DETAILED INSPECTION							Service	ATA:57
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
								PKG:513	
PROC. REF: AMM 57-50-03PROC. REF: AMM 57-50-03									
57-50-04-2900 ^S	INBOARD AND OUTBOARD FLAPS DETAILED INSPECTION							Service	ATA:57
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
								PKG:513	
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04									
57-50-04-9600	LEFT WING LEFT INBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component	ATA:57
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT	
SN:UNKNOWN	HRS	5416							
WC#: 27.130	AFL	4960	5000	TSN 0	9960		2676		
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04									
57-50-04-9600	LEFT WING LEFT OUTBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component	ATA:57
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT	
SN:UNKNOWN	HRS	5416							
WC#: 27.130	AFL	4960	5000	TSN 0	9960		2676		
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04									
57-50-04-9600	LEFT WING RIGHT INBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component	ATA:57
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT	
SN:UNKNOWN	HRS	5416							
WC#: 27.140	AFL	4960	5000	TSN 0	9960		2676		
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-50-04-9600	LEFT WING RIGHT OUTBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component	ATA:57
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT	
SN:UNKNOWN	HRS	5416							
WC#: 27.140	AFL	4960	5000	TSN 0	9960		2676		
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04									
57-50-04-9600	RIGHT WING LEFT INBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component	ATA:57
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT	
SN:UNKNOWN	HRS	5416							
WC#: 27.150	AFL	4960	5000	TSN 0	9960		2676		
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04									
57-50-04-9600	RIGHT WING LEFT OUTBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component	ATA:57
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT	
SN:UNKNOWN	HRS	5416							
WC#: 27.150	AFL	4960	5000	TSN 0	9960		2676		
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04									
57-50-04-9600	RIGHT WING RIGHT INBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component	ATA:57
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT	
SN:UNKNOWN	HRS	5416							
WC#: 27.160	AFL	4960	5000	TSN 0	9960		2676		
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04									
57-50-04-9600	RIGHT WING RIGHT OUTBOARD AFT FLAP ROLLER DISCARD (S3049-5F8)							Component	ATA:57
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT	
SN:UNKNOWN	HRS	5416							
WC#: 27.160	AFL	4960	5000	TSN 0	9960		2676		
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04									
57-50-04-9600.1	LEFT WING LEFT INBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component	ATA:57
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT	
SN:UNKNOWN	HRS	5416							
WC#: 27.280	AFL	4960	5000	TSN 0	9960		2676		
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-50-04-9600.1	LEFT WING LEFT OUTBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component	ATA:57
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT	
SN:UNKNOWN	HRS	5416							
WC#: 27.280	AFL	4960	5000	TSN 0	9960		2676		
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04									
57-50-04-9600.1	LEFT WING RIGHT INBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component	ATA:57
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT	
SN:UNKNOWN	HRS	5416							
WC#: 27.290	AFL	4960	5000	TSN 0	9960		2676		
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04									
57-50-04-9600.1	LEFT WING RIGHT OUTBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component	ATA:57
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT	
SN:UNKNOWN	HRS	5416							
WC#: 27.290	AFL	4960	5000	TSN 0	9960		2676		
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04									
57-50-04-9600.1	RIGHT WING LEFT INBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component	ATA:57
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT	
SN:UNKNOWN	HRS	5416							
WC#: 27.300	AFL	4960	5000	TSN 0	9960		2676		
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04									
57-50-04-9600.1	RIGHT WING LEFT OUTBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component	ATA:57
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT	
SN:UNKNOWN	HRS	5416							
WC#: 27.300	AFL	4960	5000	TSN 0	9960		2676		
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04									
57-50-04-9600.1	RIGHT WING RIGHT INBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component	ATA:57
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT	
SN:UNKNOWN	HRS	5416							
WC#: 27.310	AFL	4960	5000	TSN 0	9960		2676		
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-50-04-9600.1	RIGHT WING RIGHT OUTBOARD FORWARD FLAP ROLLER DISCARD (S3049-5F8)							Component	ATA:57
PN:S3049-5F8	MOS	13-Dec-19						LIFE LIMIT	
SN:UNKNOWN	HRS	5416							
WC#: 27.310	AFL	4960	5000	TSN 0	9960		2676		
PROC. REF: AMM 57-50-04PROC. REF: AMM 57-50-04									
<hr/>									
57-60-00-2200 ^S	AILERON, AILERON WING SECTORS AND AILERON TRIM COMPONENTS STRUCTURE DETAILED INSPECTION							Service	ATA:57
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
PROC. REF: AMM 57-60-00PROC. REF: AMM 57-60-00									
<hr/>									
ATA 71 - POWER PLANT									
71-00-00-2100 ^S	ENGINE FIRE DETECTION ELEMENT STANDALONE EZAP GENERAL VISUAL INSPECTION							Service	ATA:71
	MOS	01-May-25	24 (+1m/-1m)						
	HRS	8639:48							
	AFL	6990							
PROC. REF: AMM 71-00-00PROC. REF: AMM 71-00-00									
<hr/>									
71-00-00-2200 ^S	ENGINE STARTER GENERATOR, ALTERNATOR, ALTERNATOR PCU, FULL AUTHORITY DIGITAL ELECTRONIC CONTROL L/HIRF DETAILED INSPECTION							Service	ATA:71
	MOS	01-May-25	24 (+1m/-1m)						
	HRS	8639:48							
	AFL	6990							
PROC. REF: AMM 71-00-00PROC. REF: AMM 71-00-00									
<hr/>									
71-00-00-2201 ^S	ENGINE COWLING L/HIRF DETAILED INSPECTION							Service	ATA:71
	MOS	06-Apr-23	48 (+1m/-1m)						
	HRS	7794:51							
	AFL	6421							
PROC. REF: AMM 71-00-00PROC. REF: AMM 71-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-22-00-9600		LEFT AFT ENGINE ISOLATOR MOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHING FUNCTIONAL CHECK) RESTORATION					Component	ATA:71	
PN:LM451-SA2	MOS	17-Feb-02						ENGINE OVERHAUL	
SN:LK0506	HRS	0	10000	TSN 0, Adj 17	10017		961:54		
WC#: 71.010	AFL	0		TSN 0					
PROC. REF: AMM 71-22-00PROC. REF: AMM 71-22-00									
71-22-00-9600		LEFT BOTTOM FORWARD ENGINE ISOLATOR MOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHING FUNCTIONAL CHECK) RESTORATION					Component	ATA:71	
PN:LM451-SA4	MOS	17-Feb-02						ENGINE OVERHAUL	
SN:LK0998	HRS	0	10000	TSN 0, Adj 17	10017		961:54		
WC#: 71.030	AFL	0		TSN 0					
PROC. REF: AMM 71-22-00PROC. REF: AMM 71-22-00									
71-22-00-9600		LEFT UPPER FORWARD ENGINE ISOLATOR MOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHING FUNCTIONAL CHECK) RESTORATION					Component	ATA:71	
PN:LM451-SA4	MOS	17-Feb-02						ENGINE OVERHAUL	
SN:LK0952	HRS	0	10000	TSN 0, Adj 17	10017		961:54		
WC#: 71.020	AFL	0		TSN 0					
PROC. REF: AMM 71-22-00PROC. REF: AMM 71-22-00									
71-22-00-9600		RIGHT AFT ENGINE ISOLATOR MOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHING FUNCTIONAL CHECK) RESTORATION					Component	ATA:71	
PN:LM451-SA2	MOS	17-Feb-02						ENGINE OVERHAUL	
SN:LK0491	HRS	0	10000	TSN 0, Adj 17	10017		961:54		
WC#: 71.010	AFL	0		TSN 0					
PROC. REF: AMM 71-22-00PROC. REF: AMM 71-22-00									
71-22-00-9600		RIGHT BOTTOM FORWARD ENGINE ISOLATOR MOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHING FUNCTIONAL CHECK) RESTORATION					Component	ATA:71	
PN:LM451-SA4	MOS	17-Feb-02						ENGINE OVERHAUL	
SN:LK1013	HRS	0	10000	TSN 0, Adj 17	10017		961:54		
WC#: 71.030	AFL	0		TSN 0					
PROC. REF: AMM 71-22-00PROC. REF: AMM 71-22-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-22-00-9600	RIGHT UPPER FORWARD ENGINE ISOLATORMOUNT (METAL PARTS DETAILED INSPECTION AND SPECIAL DETAILED INSPECTION AND HOUSING BUSHINGFUNCTIONAL CHECK) RESTORATION							Component	ATA:71
PN:LM451-SA4	MOS	17-Feb-02						ENGINE OVERHAUL	
SN:LKO992	HRS	0	10000	TSN 0, Adj 17	10017		961:54		
WC#: 71.020	AFL	0		TSN 0					
PROC. REF: AMM 71-22-00PROC. REF: AMM 71-22-00									
71-71-00-2100 ^S	ENGINE DRAINS GENERAL VISUAL INSPECTION							Service	ATA:71
	MOS	16-Dec-21							
	HRS	7027:20	2400 (+25/-25)						
	AFL	5862							
PROC. REF: AMM 71-71-00PROC. REF: AMM 71-71-00									
710010	NO. 1 ENGINE - COMPRESSOR DESALINATION WASH							Service	ATA:71
	MOS/MSC	17-Apr-24	A/R						
	HRS								
	ENC								
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00									
710010	NO. 2 ENGINE - COMPRESSOR DESALINATION WASH							Service	ATA:71
	MOS/MSC	17-Apr-24	A/R						
	HRS								
	ENC								
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00									
710020	NO. 1 ENGINE - PERFORMANCE RECOVERY WASH							Service	ATA:71
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00									
710020	NO. 2 ENGINE - PERFORMANCE RECOVERY WASH							Service	ATA:71
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					

PKG:515

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00									
712005	ENG VIBRATION MONITOR-							Component	ATA:71
PN:2789	MOS/MSC	17-Feb-02	O/C						
SN:090130	HRS	0		TSN 0					
WC#: 71.060	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
71EN1	NO. 1 ENGINE							Component	ATA:71
PN:31J1900-01	MOS/MSC	17-Feb-02	E/C						
SN:PCE-DB0473	HRS	17							
WC#: 71.EN1	AFL								
71EN2	NO. 2 ENGINE							Component	ATA:71
PN:31J1900-01	MOS/MSC	17-Feb-02	E/C						
SN:PCE-DB0472	HRS	17							
WC#: 71.EN2	AFL								
ATA 72 - ENGINE									
72-31-00-201	NO. 1 ENGINE - LP COMPRESSOR SECTION - ENGINE MOUNT GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY AND CONDITION OF THE ENGINE MOUNT							Service	ATA:72
	MOS	01-May-25							
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)		
	ENC	6948							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-31-00-201	NO. 2 ENGINE - LP COMPRESSOR SECTION - ENGINE MOUNT GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY AND CONDITION OF THE ENGINE MOUNT							Service	ATA:72
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-31-00-202	NO. 1 ENGINE - LP COMPRESSOR SECTION - EXTERNAL ENGINE GENERAL VISUAL INSPECTION: DO AN INSPECTION FOR FUEL AND OIL LEAKS, CORROSION, CRACKS AND SIGNS OF DAMAGE							Service	ATA:72
	MOS	01-May-25							
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)		
	ENC	6948							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-31-00-202	NO. 2 ENGINE - LP COMPRESSOR SECTION - EXTERNAL ENGINE GENERAL VISUAL INSPECTION: DO AN INSPECTION FOR FUEL AND OIL LEAKS, CORROSION, CRACKS AND SIGNS OF DAMAGE							Service	ATA:72
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-31-00-203	NO. 1 ENGINE - LP COMPRESSOR SECTION - COMPRESSOR INLET GENERAL VISUAL INSPECTION: DO AN INSPECTION OF THE COMPRESSOR INLET FAN, FAN EXIT STATOR VANES, ABRADABLE FAN SEAL FOR CLEANLINESS, DAMAGE, CORROSION, EROSION AND FOD							Service	ATA:72
	MOS	01-May-25							
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)		
	ENC	6948							
PROC. REF: EMM 05-20-00PROC. REF: EMM 05-20-00									
72-31-00-203	NO. 1 ENGINE - LP COMPRESSOR SECTION - EXAMINE THE BOTTOM CENTER AREA OF THE FAN CASE FOR ICE. MAKE SURE THE FAN ROTATES FREELY							Service	ATA:72
	MOS/MSC	20-Jun-23	A/R						
	HRS	7866:50							
	ENC	6479							
PROC. REF: EMM 72-30-02PROC. REF: EMM 72-30-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-31-00-203	NO. 2 ENGINE - LP COMPRESSOR SECTION - COMPRESSOR INLET GENERAL VISUAL INSPECTION: DO AN INSPECTION OF THE COMPRESSOR INLET FAN, FAN EXIT STATOR VANES, ABRADABLE FAN SEAL FOR CLEANLINESS, DAMAGE, CORROSION, EROSION AND FOD							Service	ATA:72
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
PROC. REF: EMM 05-20-00PROC. REF: EMM 05-20-00									
72-31-00-203	NO. 2 ENGINE - LP COMPRESSOR SECTION - EXAMINE THE BOTTOM CENTER AREA OF THE FAN CASE FOR ICE. MAKE SURE THE FAN ROTATES FREELY							Service	ATA:72
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 72-30-02PROC. REF: EMM 72-30-02									
72-31-00-901	NO. 1 ENGINE - LP COMPRESSOR SECTION - LOW PRESSURE COMPRESSOR SECTION (ENGINE TBO) RESTORATION							Service	ATA:72
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-31-00-901	NO. 2 ENGINE - LP COMPRESSOR SECTION - LOW PRESSURE COMPRESSOR SECTION (ENGINE TBO) RESTORATION							Service	ATA:72
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-32-00-201	NO. 1 ENGINE - HP COMPRESSOR SECTION - COMPRESSOR SECTION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service	ATA:72
	MOS	31-Jan-23							
	HRS	7685:27	2750 (+50)		(10435:27) 10488:49	10485:27	1433:43 (+50)		
	ENC	6332							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-32-00-201	NO. 2 ENGINE - HP COMPRESSOR SECTION - COMPRESSOR SECTION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service	ATA:72
	MOS	31-Jan-23							
	HRS	7738:49	2750 (+50)		(10488:49) 10488:49	10538:49	1433:43 (+50)		
	ENC	6374							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-32-00-901	NO. 1 ENGINE - HP COMPRESSOR SECTION - HIGH PRESSURE COMPRESSOR SECTION (ENGINE TBO) RESTORATION							Service	ATA:72
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-32-00-901	NO. 2 ENGINE - HP COMPRESSOR SECTION - HIGH PRESSURE COMPRESSOR SECTION (ENGINE TBO) RESTORATION							Service	ATA:72
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-40-00-201	NO. 1 ENGINE - COMBUSTION SECTION - COMBUSTION SECTION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service	ATA:72
	MOS	31-Jan-23							
	HRS	7685:27	2750 (+50)		(10435:27) 10488:49	10485:27	1433:43 (+50)		
	ENC	6332							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-40-00-201	NO. 2 ENGINE - COMBUSTION SECTION - COMBUSTION SECTION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service	ATA:72
	MOS	31-Jan-23							
	HRS	7738:49	2750 (+50)		(10488:49) 10488:49	10538:49	1433:43 (+50)		
	ENC	6374							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-40-00-901	NO. 1 ENGINE - COMBUSTION SECTION -COMBUSTION SECTION (ENGINE TBO) RESTORATION							Service ATA:72
	MOS			TAC 0				
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-40-00-901	NO. 2 ENGINE - COMBUSTION SECTION -COMBUSTION SECTION (ENGINE TBO) RESTORATION							Service ATA:72
	MOS			TAC 0				
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-50-00-201	NO. 1 ENGINE - TURBINE SECTION - TURBINE SECTION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:72
	MOS	31-Jan-23						
	HRS	7685:27	2750 (+50)		(10435:27) 10488:49	10485:27	1433:43 (+50)	
	ENC	6332						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-50-00-201	NO. 2 ENGINE - TURBINE SECTION - TURBINE SECTION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service ATA:72
	MOS	31-Jan-23						
	HRS	7738:49	2750 (+50)		(10488:49) 10488:49	10538:49	1433:43 (+50)	
	ENC	6374						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-50-00-701	NO. 1 ENGINE - DO A FIVE POINT PERFORMANCE UNCAPPED CALIBRATION RUN							Service ATA:72
	MOS	01-May-25						
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)	
	ENC	6948						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-50-00-701	NO. 2 ENGINE - DO A FIVE POINT PERFORMANCE UNCAPPED CALIBRATION RUN							Service	ATA:72
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00									
72-50-00-702	NO. 1 ENGINE - TURBINE SECTION - ACCELERATION/DECELERATION FUNCTIONAL CHECK							Service	ATA:72
	MOS	01-May-25							
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)		
	ENC	6948							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-50-00-702	NO. 2 ENGINE - TURBINE SECTION - ACCELERATION/DECELERATION FUNCTIONAL CHECK							Service	ATA:72
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-50-00-901	NO. 1 ENGINE - TURBINE SECTION - TURBINE SECTION (ENGINE TBO) RESTORATION							Service	ATA:72
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-50-00-901	NO. 2 ENGINE - TURBINE SECTION - TURBINE SECTION (ENGINE TBO) RESTORATION							Service	ATA:72
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-60-00-201	NO. 1 ENGINE - ACCESSORY GEARBOX - ENGINE ACCESSORY GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY OF INSTALLATION AND GENERAL CONDITION OF ACCESSORIES AND GEARBOX							Service	ATA:72
	MOS	01-May-25							
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)		
	ENC	6948							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-60-00-201	NO. 2 ENGINE - ACCESSORY GEARBOX - ENGINE ACCESSORY GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY OF INSTALLATION AND GENERAL CONDITION OF ACCESSORIES AND GEARBOX							Service	ATA:72
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-60-00-901	NO. 1 ENGINE - ACCESSORY GEARBOX - ACCESSORY GEARBOX (ENGINE TBO) RESTORATION							Service	ATA:72
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-60-00-901	NO. 2 ENGINE - ACCESSORY GEARBOX - ACCESSORY GEARBOX (ENGINE TBO) RESTORATION							Service	ATA:72
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-00-201	NO. 1 ENGINE - BYPASS SECTION - BYPASS DUCTS AND FAIRINGS GENERAL VISUAL INSPECTION: DO A CHECK FOR CLEANLINESS AND FOD. DO AN INSPECTION FOR CRACKS IN THE OUTER BYPASS DUCT, REAR BYPASS DUCT, STRUTS AND FAIRING							Service	ATA:72
	MOS	01-May-25							
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)		
	ENC	6948							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-70-00-201	NO. 2 ENGINE - BYPASS SECTION - BYPASS DUCTS AND FAIRINGS GENERAL VISUAL INSPECTION: DO A CHECK FOR CLEANLINESS AND FOD. DO AN INSPECTION FOR CRACKS IN THE OUTER BYPASS DUCT, REAR BYPASS DUCT, STRUTS AND FAIRING							Service	ATA:72
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-00-202	NO. 1 ENGINE - BYPASS SECTION - BYPASS SECTION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service	ATA:72
	MOS	31-Jan-23							
	HRS	7685:27	2750 (+50)		(10435:27) 10488:49	10485:27	1433:43 (+50)		
	ENC	6332							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-00-202	NO. 2 ENGINE - BYPASS SECTION - BYPASS SECTION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service	ATA:72
	MOS	31-Jan-23							
	HRS	7738:49	2750 (+50)		(10488:49) 10488:49	10538:49	1433:43 (+50)		
	ENC	6374							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-00-901	NO. 1 ENGINE - BYPASS SECTION - BYPASS SECTION (ENGINE TBO) RESTORATION							Service	ATA:72
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
72-70-00-901	NO. 2 ENGINE - BYPASS SECTION - BYPASS SECTION (ENGINE TBO) RESTORATION							Service	ATA:72
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720003	NO. 1 ENGINE - BORESCOPE INSPECTION RETAINING BOLTS AT THE GAS GENERATOR CASE TO INTERMEDIATE CASE FLANGE							Service	ATA:72
	MOS	31-Jan-23							
	HRS	7685:27	2500 (+50)		(10185:27) 10238:49	10235:27	1183:43 (+50)		
	ENC	6332							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
720003	NO. 2 ENGINE - BORESCOPE INSPECTION RETAINING BOLTS AT THE GAS GENERATOR CASE TO INTERMEDIATE CASE FLANGE							Service	ATA:72
	MOS	31-Jan-23							
	HRS	7738:49	2500 (+50)		(10238:49) 10238:49	10288:49	1183:43 (+50)		
	ENC	6374							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
720075	NO. 1 ENGINE - LP COMPRESSOR SHAFT - DISCARD AT SCHEDULED OVERHAUL							Service	ATA:72
PN:PN	MOS/MSC	17-Feb-02	A/R	TAC 0					
SN:UNKNOWN	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720075	NO. 2 ENGINE - LP COMPRESSOR SHAFT - DISCARD AT SCHEDULED OVERHAUL							Service	ATA:72
PN:PN	MOS/MSC	17-Feb-02	A/R	TAC 0					
SN:UNKNOWN	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720080	NO. 1 ENGINE - DISCARD HP TURBINE NUT AND KEYWASHER							Service	ATA:72
	MOS	17-Feb-02		TAC 0					
	HRS	0	5500 (+50)	TAC 0	(10066:42) 10120:04 (M)	10116:42	1064:58 (+50)		
	ENC	0		TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720080	NO. 2 ENGINE - DISCARD HP TURBINE NUT AND KEYWASHER							Service	ATA:72
	MOS	17-Feb-02		TAC 0					
	HRS	0	5500 (+50)	TAC 0	(10066:42) 10066:42 (M)	10116:42	1011:36 (+50)		
	ENC	0		TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
721010 NO. 1 ENGINE - ACCESS GEARBOX SHAFT Component ATA:72									
PN:30J2201-01	MOS/MSC	17-Feb-02	O/C						
SN:A00104P9	HRS	0		TSN 17					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
721010 NO. 2 ENGINE - ACCESS GEARBOX SHAFT Component ATA:72									
PN:30J2201-01	MOS/MSC	17-Feb-02	O/C						
SN:A00104PF	HRS	0		TSN 17					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
722001 NO. 1 ENGINE - OIL PUMP ASSEMBLY Component ATA:72									
PN:30J3365-03	MOS/MSC	21-Sep-15	O/C	TSO 0					
SN:EC01A000A567	HRS	4852:01		TSO 0					
	ENC	4563		TSO 0					
PROC. REF: EMM 79-20-02PROC. REF: EMM 79-20-02									
722001 NO. 2 ENGINE - OIL PUMP ASSEMBLY Component ATA:72									
PN:30J2106-01	MOS/MSC	17-Feb-02	O/C						
SN:45A386	HRS	0		TSN 17					
	ENC	0		TSN 0					
PROC. REF: EMM 79-20-02PROC. REF: EMM 79-20-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723010	NO. 1 ENGINE - LP COMPRESSOR FAN ROTOR							Component	ATA:72
PN:30J2091-01	MOS		17-Feb-02					LIFE LIMIT	
SN:A0010P1W	HRS		0						
	ENC	0		TSN 0, Adj -10	(15000) 15042 (M)		7758		
	ACCCYC	0	15000	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
723010	NO. 2 ENGINE - LP COMPRESSOR FAN ROTOR							Component	ATA:72
PN:30J2091-01	MOS		17-Feb-02					LIFE LIMIT	
SN:A0010M7D	HRS		0						
	ENC	0		TSN 0, Adj -10	(15000) 15000 (M)		7716		
	ACCCYC	0	15000	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
723020	NO. 1 ENGINE - LP COMPRESSOR BOOST ROTOR							Component	ATA:72
PN:30J2210-01	MOS		17-Feb-02					LIFE LIMIT	
SN:A0010Y04	HRS		0						
	ENC	0		TSN 0, Adj -10	(13500) 13542 (M)		6258		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
723020	NO. 2 ENGINE - LP COMPRESSOR BOOST ROTOR							Component	ATA:72
PN:30J2210-01	MOS		17-Feb-02					LIFE LIMIT	
SN:A0010Y01	HRS		0						
	ENC	0		TSN 0, Adj -10	(13500) 13500 (M)		6216		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
723025	NO. 1 ENGINE - LP COMPRESSOR SHAFT							Component	ATA:72
PN:PN	MOS/MSC		17-Feb-02	H/T	TSN 0			LIFE LIMIT	
SN:UNKNOWN	HRS		0		TSN 0				
	ENC	0			TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723025	NO. 2 ENGINE - LP COMPRESSOR SHAFT							Component	ATA:72
PN:PN	MOS/MSC	17-Feb-02	H/T	TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723030	NO. 1 ENGINE - 1ST STAGE HP COMPRESSOR ROTOR							Component	ATA:72
PN:30J2081-01	MOS	17-Feb-02						LIFE LIMIT	
SN:A0010AE8	HRS	0							
	ENC	0		TSN 0, Adj -10	(13500) 13542 (M)		6258		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723030	NO. 2 ENGINE - 1ST STAGE HP COMPRESSOR ROTOR							Component	ATA:72
PN:30J2081-01	MOS	17-Feb-02						LIFE LIMIT	
SN:A0010AEB	HRS	0							
	ENC	0		TSN 0, Adj -10	(13500) 13500 (M)		6216		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723040	NO. 1 ENGINE - 2ND STAGE HP COMPRESSOR ROTOR							Component	ATA:72
PN:30J2122-01	MOS	17-Feb-02						LIFE LIMIT	
SN:A0010E8L	HRS	0							
	ENC	0		TSN 0, Adj -10	(13500) 13542 (M)		6258		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723040	NO. 2 ENGINE - 2ND STAGE HP COMPRESSOR ROTOR							Component	ATA:72
PN:30J2122-01	MOS	17-Feb-02						LIFE LIMIT	
SN:A0010E8N	HRS	0							
	ENC	0		TSN 0, Adj -10	(13500) 13500 (M)		6216		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
723060	NO. 1 ENGINE - CENTRIFUGAL IMPELLER							Component	ATA:72
PN:30J1450-01	MOS	17-Feb-02						LIFE LIMIT	
SN:A000XRMC	HRS	0							
	ENC	0		TSN 0, Adj -10	(13500) 13542 (M)		6258		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
723060	NO. 2 ENGINE - CENTRIFUGAL IMPELLER							Component	ATA:72
PN:30J1450-01	MOS	17-Feb-02						LIFE LIMIT	
SN:A0010D6W	HRS	0							
	ENC	0		TSN 0, Adj -10	(13500) 13500 (M)		6216		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
724001	NO. 1 ENGINE - INNER COMBUSTION CHAMBER LINER							Component	ATA:72
PN:30J2034-01	MOS/MSC	17-Feb-02	O/C						
SN:A000WYC5	HRS	0		TSN 17					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
724001	NO. 2 ENGINE - INNER COMBUSTION CHAMBER LINER							Component	ATA:72
PN:30J2136-01	MOS/MSC	12-Aug-11	O/C	TSO 0					
SN:A0010FDR	HRS	4149:18		TSO 0					
	ENC	3962		TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 1 ENGINE - 1ST-STAGE TURBINE DISK							Component	ATA:72
PN:30J1551-01	MOS	17-Feb-02						LIFE LIMIT	
SN:A0010EDP	HRS	0							
	ENC	0		TSN 0, Adj -10	(13500) 13542 (M)		6258		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 72 - ENGINE									
725010	NO. 2 ENGINE - 1ST-STAGE TURBINE DISK							Component	ATA:72
PN:30J1551-01	MOS	17-Feb-02						LIFE LIMIT	
SN:A0010YTH	HRS	0							
	ENC	0		TSN 0, Adj -10	(13500) 13500 (M)		6216		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 72 - ENGINE									
725020	NO. 1 ENGINE - 2ND-STAGE TURBINE DISK							Component	ATA:72
PN:30H3152	MOS	17-Feb-02						LIFE LIMIT	
SN:68B490	HRS	0							
	ENC	0		TSN 0, Adj -10	(13500) 13542 (M)		6258		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 72 - ENGINE									
725020	NO. 2 ENGINE - 2ND-STAGE TURBINE DISK							Component	ATA:72
PN:30H3152	MOS	17-Feb-02						LIFE LIMIT	
SN:68B448	HRS	0							
	ENC	0		TSN 0, Adj -10	(13500) 13500 (M)		6216		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725030	NO. 1 ENGINE - 3RD-STAGE TURBINE DISK							Component	ATA:72
PN:30H3153	MOS	17-Feb-02						LIFE LIMIT	
SN:67B887	HRS	0							
	ENC	0		TSN 0, Adj -10	(13500) 13542 (M)		6258		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 72 - ENGINE									
725030	NO. 2 ENGINE - 3RD-STAGE TURBINE DISK							Component	ATA:72
PN:30H3153	MOS	17-Feb-02						LIFE LIMIT	
SN:67B893	HRS	0							
	ENC	0		TSN 0, Adj -10	(13500) 13500 (M)		6216		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 72 - ENGINE									
725040	NO. 1 ENGINE - 4TH-STAGE TURBINE DISK							Component	ATA:72
PN:30H3154	MOS	17-Feb-02						LIFE LIMIT	
SN:68B156	HRS	0							
	ENC	0		TSN 0, Adj -10	(13500) 13542 (M)		6258		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 72 - ENGINE									
725040	NO. 2 ENGINE - 4TH-STAGE TURBINE DISK							Component	ATA:72
PN:30H3154	MOS	17-Feb-02						LIFE LIMIT	
SN:68B155	HRS	0							
	ENC	0		TSN 0, Adj -10	(13500) 13500 (M)		6216		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-00-201	NO. 1 ENGINE - HOT SECTION INSPECTION							Service	ATA:73
	MOS	31-Jan-23							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
	HRS	7685:27	2750 (+50)		(10435:27) 10488:49	10485:27	1433:43 (+50)		
	ENC	6332							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
73-10-00-201	NO. 2 ENGINE - HOT SECTION INSPECTION							Service	ATA:73
	MOS	31-Jan-23							
	HRS	7738:49	2750 (+50)		(10488:49) 10488:49	10538:49	1433:43 (+50)		
	ENC	6374							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
73-10-00-202	NO. 1 ENGINE - FUEL DISTRIBUTION - EXTERNAL TUBING GENERAL VISUAL INSPECTION: EXAMINE FOR SIGNS OF WEAR, CHAFING, CRACKS, LEAKS AND CORROSION							Service	ATA:73
	MOS	01-May-25							
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)		
	ENC	6948							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-202	NO. 2 ENGINE - FUEL DISTRIBUTION - EXTERNAL TUBING GENERAL VISUAL INSPECTION: EXAMINE FOR SIGNS OF WEAR, CHAFING, CRACKS, LEAKS AND CORROSION							Service	ATA:73
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-204	NO. 1 ENGINE - FUEL DISTRIBUTION - FUEL METERING AND CONTROL COMPONENTS GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY, LEAKAGE (NO LEAKAGE PERMITTED) AND GENERAL CONDITION							Service	ATA:73
	MOS	01-May-25							
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)		
	ENC	6948							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-00-204	NO. 2 ENGINE - FUEL DISTRIBUTION - FUEL METERING AND CONTROL COMPONENTS GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY, LEAKAGE (NO LEAKAGE PERMITTED) AND GENERAL CONDITION							Service	ATA:73
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
73-10-00-205	NO. 1 ENGINE - FUEL DISTRIBUTION - FUEL OIL HEAT EXCHANGER GENERAL VISUAL INSPECTION: DO AN INSPECTION FOR SECURITY, LEAKAGE AND GENERAL CONDITION							Service	ATA:73
	MOS	01-May-25							
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)		
	ENC	6948							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
73-10-00-205	NO. 2 ENGINE - FUEL DISTRIBUTION - FUEL OIL HEAT EXCHANGER GENERAL VISUAL INSPECTION: DO AN INSPECTION FOR SECURITY, LEAKAGE AND GENERAL CONDITION							Service	ATA:73
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
73-10-00-206	NO. 1 ENGINE - FUEL DISTRIBUTION - FUEL FILTER ELEMENT DETAILED INSPECTION: DO AN INSPECTION FOR FOREIGN MATERIAL AND DAMAGE							Service	ATA:73
	MOS	01-May-25							
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)		
	ENC	6948							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-00-206	NO. 2 ENGINE - FUEL DISTRIBUTION - FUEL FILTER ELEMENT DETAILED INSPECTION: DO AN INSPECTION FOR FOREIGN MATERIAL AND DAMAGE							Service	ATA:73
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-207	NO. 1 ENGINE - FUEL DISTRIBUTION - EMERGENCY FUEL SHUTOFF SYSTEM DETAILED INSPECTION: DO AN INSPECTION THROUGH HOLE IN THE EXHAUST CONE AND CHECK FOR SECURITY OF CONTROL LEVER, SIGNS OF OIL LEAKS OR CARBON AT NO.5 BEARING AREA							Service	ATA:73
	MOS	01-May-25							
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)		
	ENC	6948							
PROC. REF: EMM 72-00-00, EMM 73-10-07PROC. REF: EMM 72-00-00, EMM 73-10-07									
73-10-00-207	NO. 2 ENGINE - FUEL DISTRIBUTION - EMERGENCY FUEL SHUTOFF SYSTEM DETAILED INSPECTION: DO AN INSPECTION THROUGH HOLE IN THE EXHAUST CONE AND CHECK FOR SECURITY OF CONTROL LEVER, SIGNS OF OIL LEAKS OR CARBON AT NO.5 BEARING AREA							Service	ATA:73
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
PROC. REF: EMM 72-00-00, EMM 73-10-07PROC. REF: EMM 72-00-00, EMM 73-10-07									
73-10-00-701	NO. 1 ENGINE - FUEL DISTRIBUTION - EMERGENCY FUEL SHUTOFF SYSTEM OPERATIONAL CHECK: REMOVAL/ADJUSTMENT & INSTALLATION							Service	ATA:73
	MOS	31-Jan-23							
	HRS	7685:27	2750 (+50)		(10435:27) 10488:49	10485:27	1433:43 (+50)		
	ENC	6332							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-00-701	NO. 2 ENGINE - FUEL DISTRIBUTION - EMERGENCY FUEL SHUTOFF SYSTEM OPERATIONAL CHECK: REMOVAL/ADJUSTMENT & INSTALLATION							Service	ATA:73
	MOS	31-Jan-23							
	HRS	7738:49	2750 (+50)		(10488:49) 10488:49	10538:49	1433:43 (+50)		
	ENC	6374							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-901 NO. 1 ENGINE - INSTALL NEW FUEL FILTER ELEMENT Service ATA:73									
	MOS	01-May-25							
	HRS	8586:26	1200 (+25/-25)	Adj -5:56	(9780:30) 9833:52	9805:30	778:46 (+25)		
	ENC	6648							
PROC. REF: EMM 73-10-05PROC. REF: EMM 73-10-05									
73-10-00-901 NO. 2 ENGINE - INSTALL NEW FUEL FILTER ELEMENT Service ATA:73									
	MOS	01-May-25							
	HRS	8639:48	1200 (+25/-25)		(9839:48) 9839:48	9864:48	784:42 (+25)		
	ENC	6690							
PROC. REF: EMM 73-10-05PROC. REF: EMM 73-10-05									
73-10-00-902 NO. 1 ENGINE - FUEL DISTRIBUTION - FUEL DISTRIBUTION (ENGINE TBO) RESTORATION Service ATA:73									
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-10-00-902 NO. 2 ENGINE - FUEL DISTRIBUTION - FUEL DISTRIBUTION (ENGINE TBO) RESTORATION Service ATA:73									
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-20-00-201	NO. 1 ENGINE - FUEL CONTROLLING - ENGINE WIRING HARNESS GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY OF ALL CLAMPS AND BRACKETS. EXAMINE THE CABLES FOR SIGN OF WEAR, FRAYING, CHAFING AND CRACKS.DO A CHECK FOR SECURITY OF ALL WIRING HARNESS CONNECTORS. EXAMINE THE OUTER SURFACES FOR CRACKS AND CORROSION. EXAMINE THE CONTROL LINKAGE AND ROD END BEARINGS FOR FREEDOM OF MOVEMENT.							Service	ATA:73
	MOS	01-May-25							
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)		
	ENC	6948							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-20-00-201	NO. 2 ENGINE - FUEL CONTROLLING - ENGINE WIRING HARNESS GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY OF ALL CLAMPS AND BRACKETS. EXAMINE THE CABLES FOR SIGN OF WEAR, FRAYING, CHAFING AND CRACKS.DO A CHECK FOR SECURITY OF ALL WIRING HARNESS CONNECTORS. EXAMINE THE OUTER SURFACES FOR CRACKS AND CORROSION. EXAMINE THE CONTROL LINKAGE AND ROD END BEARINGS FOR FREEDOM OF MOVEMENT.							Service	ATA:73
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-20-00-901	NO. 1 ENGINE - FUEL CONTROLLING - ENGINE WIRING HARNESS (CLEANING) RESTORATION: DISCONNECT EACH WIRING HARNESS CONNECTOR, CLEAN, INSPECT AND CONNECT AGAIN. DO THE NECESSARY ENGINE CHECKS AFTER WIRING HARNESS REPLACEMENT							Service	ATA:73
	MOS	01-May-25							
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)		
	ENC	6948							
PROC. REF: EMM 73-20-02, EMM 73-20-02PROC. REF: EMM 73-20-02, EMM 73-20-02									
73-20-00-901	NO. 2 ENGINE - FUEL CONTROLLING - ENGINE WIRING HARNESS (CLEANING) RESTORATION: DISCONNECT EACH WIRING HARNESS CONNECTOR, CLEAN, INSPECT AND CONNECT AGAIN. DO THE NECESSARY ENGINE CHECKS AFTER WIRING HARNESS REPLACEMENT							Service	ATA:73
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
PROC. REF: EMM 73-20-02, EMM 73-20-02PROC. REF: EMM 73-20-02, EMM 73-20-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-20-00-902	NO. 1 ENGINE - FUEL CONTROLLING - FUEL CONTROLLING (ENGINE TBO) RESTORATION							Service	ATA:73
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-20-00-902	NO. 2 ENGINE - FUEL CONTROLLING - FUEL CONTROLLING (ENGINE TBO) RESTORATION							Service	ATA:73
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731002	NO. 1 ENGINE - FLOW DIVIDER VALVE							Component	ATA:73
PN:819710-2	MOS/MSC	17-Feb-02	O/C						
SN:F53658	HRS	0		TSN 17					
	ENC	0		TSN 0					
PROC. REF: EMM 73-10-03PROC. REF: EMM 73-10-03									
731002	NO. 2 ENGINE - FLOW DIVIDER VALVE							Component	ATA:73
PN:819710-2	MOS/MSC	17-Feb-02	O/C						
SN:F53657	HRS	0		TSN 17					
	ENC	0		TSN 0					
PROC. REF: EMM 73-10-03PROC. REF: EMM 73-10-03									
731004	NO. 1 ENGINE - INSPECT FUEL MANIFOLD							Service	ATA:73
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731004	NO. 2 ENGINE - INSPECT FUEL MANIFOLD							Service	ATA:73
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731015	NO. 1 ENGINE - INSPECT AND FUNCTIONAL TEST FUEL FILTER DIFFERENTIAL PRESSURE SWITCH							Service	ATA:73
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731015	NO. 2 ENGINE - INSPECT AND FUNCTIONAL TEST FUEL FILTER DIFFERENTIAL PRESSURE SWITCH							Service	ATA:73
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731025	NO. 1 ENGINE - OVERHAUL OR REFURBISH FLOW DIVIDER							Service	ATA:73
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731025	NO. 2 ENGINE - OVERHAUL OR REFURBISH FLOW DIVIDER							Service	ATA:73
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731090	NO. 1 ENGINE - FUEL SYSTEM - FUEL FLOW DIVIDER VALVE: SECURITY, LEAKAGE AND GENERAL CONDITION							Service	ATA:73
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731090	NO. 2 ENGINE - FUEL SYSTEM - FUEL FLOW DIVIDER VALVE: SECURITY, LEAKAGE AND GENERAL CONDITION							Service	ATA:73
	MOS/MSC	17-Feb-02	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731105	NO. 1 ENGINE - FUEL SHUT-OFF CABLE - DO AN INSPECTION							Service	ATA:73
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731105	NO. 2 ENGINE - FUEL SHUT-OFF CABLE - DO AN INSPECTION							Service	ATA:73
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731125	NO. 1 ENGINE - INSPECT FUEL SHUT-OFF VALVE							Service	ATA:73
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731125	NO. 2 ENGINE - INSPECT FUEL SHUT-OFF VALVE							Service ATA:73
	MOS			TAC 0				
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731150 NO. 1 ENGINE - OVERHAUL/REFURBISH FUEL NOZZLES								
	MOS			TAC 0				Service ATA:73
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731150 NO. 2 ENGINE - OVERHAUL/REFURBISH FUEL NOZZLES								
	MOS			TAC 0				Service ATA:73
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732001 NO. 1 ENGINE - HYDROMECHANICAL FUEL CONTROL								
PN:1012635-5	MOS/MSC	08-Oct-11	N/A	TSO 0				Component ATA:73
SN:F53617	HRS	4149:35		TSN 4149:35, TSO 0				
	ENC	3962		TSN 3962, TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732001 NO. 2 ENGINE - HYDROMECHANICAL FUEL CONTROL								
PN:1012635-5	MOS/MSC	08-Oct-11	N/A	TSO 0				Component ATA:73
SN:F52129	HRS	4149:35		TSN 4149:35, TSO 0				
	ENC	3962		TSN 3962, TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
732003	NO. 1 ENGINE - INSPECT EEC							Service ATA:73
	MOS			TAC 0				
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 73 - ENGINE FUEL AND CONTROL								
732003	NO. 2 ENGINE - INSPECT EEC							Service ATA:73
	MOS			TAC 0				
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 73 - ENGINE FUEL AND CONTROL								
732005	NO. 1 ENGINE - OVERHAUL FUEL CONTROL UNIT AND PUMP							Service ATA:73
	MOS			TAC 0				
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 73 - ENGINE FUEL AND CONTROL								
732005	NO. 2 ENGINE - OVERHAUL FUEL CONTROL UNIT AND PUMP							Service ATA:73
	MOS			TAC 0				
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 73 - ENGINE FUEL AND CONTROL								
732010	NO. 1 ENGINE - INSPECT TO SENSOR							Service ATA:73
	MOS			TAC 0				
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)	
	ENC			TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
732010	NO. 2 ENGINE - INSPECT T0 SENSOR							Service	ATA:73
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
732015	NO. 1 ENGINE - INSPECT T1 FCU SENSOR							Service	ATA:73
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
732015	NO. 2 ENGINE - INSPECT T1 FCU SENSOR							Service	ATA:73
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
733001	LEFT FUEL FLOW TRANSMITTER							Component	ATA:73
PN:9-231-28	MOS/MSC	17-Feb-02	O/C						
SN:L8271	HRS	0		TSN 0					
WC#: 73.020	AFL	0		TSN 0					
PROC. REF: AMM 73-30-00PROC. REF: AMM 73-30-00									
733001	RIGHT FUEL FLOW TRANSMITTER							Component	ATA:73
PN:9-231-28	MOS/MSC	16-May-06	O/C						
SN:5497	HRS	2677		TSO 0					
WC#: 73.020	AFL								
PROC. REF: AMM 73-30-00PROC. REF: AMM 73-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
733004	LEFT FUEL PRESSURE SWITCH							Component	ATA:73
PN:6057-3	MOS/MSC	17-Feb-02	O/C						
SN:1654	HRS	0		TSN 0					
WC#: 73.010	AFL	0		TSN 0					
PROC. REF: AMM 73-30-02PROC. REF: AMM 73-30-02									
<hr/>									
733004	RIGHT FUEL PRESSURE SWITCH							Component	ATA:73
PN:6057-3	MOS/MSC	17-Feb-02	O/C						
SN:1656	HRS	0		TSN 0					
WC#: 73.010	AFL	0		TSN 0					
PROC. REF: AMM 73-30-02PROC. REF: AMM 73-30-02									
<hr/>									
ATA 74 - IGNITION									
74-20-00-201	NO. 1 ENGINE - IGNITION - IGNITION EXCITER GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY AND GENERAL CONDITION							Service	ATA:74
	MOS	01-May-25							
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)		
	ENC	6948							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
74-20-00-201	NO. 2 ENGINE - IGNITION - IGNITION EXCITER GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY AND GENERAL CONDITION							Service	ATA:74
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
74-20-00-203	NO. 1 ENGINE - IGNITION - IGNITERS (TIP MEASUREMENT) FUNCTIONAL CHECK (POST-SB30340): DO A CHECK FOR CLEANLINESS AND MEASURE EROSION							Service	ATA:74
	MOS	01-May-25							
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)		
	ENC	6948							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
74-20-00-203	NO. 2 ENGINE - IGNITION - IGNITERS (TIP MEASUREMENT) FUNCTIONAL CHECK (POST-SB30340): DO A CHECK FOR CLEANLINESS AND MEASURE EROSION							Service	ATA:74
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
74-20-00-205	NO. 1 ENGINE - IGNITION - IGNITION CABLES GENERAL VISUAL INSPECTION: DO A CHECK FOR CHAFING, WEAR AND SECURITY							Service	ATA:74
	MOS	01-May-25							
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)		
	ENC	6948							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
74-20-00-205	NO. 2 ENGINE - IGNITION - IGNITION CABLES GENERAL VISUAL INSPECTION: DO A CHECK FOR CHAFING, WEAR AND SECURITY							Service	ATA:74
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
74-20-00-206	NO. 1 ENGINE - IGNITION - IGNITION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service	ATA:74
	MOS	31-Jan-23							
	HRS	7685:27	2750 (+50)		(10435:27) 10488:49	10485:27	1433:43 (+50)		
	ENC	6332							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
74-20-00-206	NO. 2 ENGINE - IGNITION - IGNITION (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service	ATA:74
	MOS	31-Jan-23							
	HRS	7738:49	2750 (+50)		(10488:49) 10488:49	10538:49	1433:43 (+50)		
	ENC	6374							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
74-20-00-701	NO. 1 ENGINE - IGNITION - IGNITERS OPERATIONAL CHECK: DO AN OPERATIONAL TEST							Service	ATA:74
	MOS	01-May-25							
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)		
	ENC	6948							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
74-20-00-701	NO. 2 ENGINE - IGNITION - IGNITERS OPERATIONAL CHECK: DO AN OPERATIONAL TEST							Service	ATA:74
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
74-20-00-901	NO. 1 ENGINE - IGNITION - IGNITION (ENGINE TBO) RESTORATION							Service	ATA:74
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
74-20-00-901	NO. 2 ENGINE - IGNITION - IGNITION (ENGINE TBO) RESTORATION							Service	ATA:74
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
741000	NO. 1 ENGINE - CLEAN AND INSPECT IGNITION EXCITER BOX							Service	ATA:74
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
741000	NO. 2 ENGINE - CLEAN AND INSPECT IGNITION EXCITER BOX							Service	ATA:74
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
741001	NO. 1 ENGINE - IGNITION EXCITER							Component	ATA:74
PN:31J2807-07	MOS/MSC	11-Mar-25	O/C	TSN 0					
SN:NNA07267677	HRS	8551:45		TSN 0					
	ENC	6926		TSN 0					
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01									
741001	NO. 2 ENGINE - IGNITION EXCITER							Component	ATA:74
PN:31J2807-07	MOS/MSC	26-Jan-17	O/C	TSO 0					
SN:NN03106725	HRS	4967:11		TSO 0					
	ENC	4654		TSO 0					
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01									
741015	NO. 1 ENGINE - CLEAN AND INSPECT IGNITION PLUGS							Service	ATA:74
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
741015	NO. 2 ENGINE - CLEAN AND INSPECT IGNITION PLUGS							Service	ATA:74
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
742001	NO. 1 ENGINE - INBOARD IGNITER							Component	ATA:74
PN:502600-1 - 30J2825-01	MOS/MSC	01-May-25	O/C	TSN 0					
SN:NNA25070047	HRS	8586:26		TSN 0					
	ENC	6648		TSN 0					
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01									
742001	NO. 1 ENGINE - OUTBOARD IGNITER							Component	ATA:74
PN:30J2825-01	MOS/MSC	11-Mar-25	O/C	TSN 0					
SN:NNA23320084	HRS	8551:45		TSN 0					
	ENC	6926		TSN 0					
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01									
742001	NO. 2 ENGINE - INBOARD IGNITER							Component	ATA:74
PN:502600-1 - 30J2825-01	MOS/MSC	01-May-25	O/C	TSN 0					
SN:NNA25070011	HRS	8639:48		TSN 0					
	ENC	6690		TSN 0					
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01									
742001	NO. 2 ENGINE - OUTBOARD IGNITER							Component	ATA:74
PN:502600-1 - 30J2825-01	MOS/MSC	29-Jul-21	O/C	TSN 0					
SN:19520016	HRS	6594:04		TSN 0					
	ENC	5605							
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01									
742002	NO. 1 ENGINE - SHORT IGNITER LEAD							Component	ATA:74
PN:508122-1	MOS/MSC	23-Jul-10	O/C	TSN 0					
SN:NNA08188013	HRS	3995		TSN 0					
	ENC	3837							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
742002	NO. 2 ENGINE - SHORT IGNITER LEAD							Component	ATA:74
PN:508122-1	MOS/MSC	23-Jul-10	O/C	TSN 0					
SN:NNA08136246	HRS	3995		TSN 0					
	ENC	3837							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
742003	NO. 1 ENGINE - LONG IGNITER LEAD							Component	ATA:74
PN:508122-2	MOS/MSC	23-Jul-10	O/C	TSN 0					
SN:NSN	HRS	3995:13		TSN 0					
	ENC	3837		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
742003	NO. 2 ENGINE - LONG IGNITER LEAD							Component	ATA:74
PN:30J4167	MOS/MSC	28-Aug-20	O/C	TSN 0					
SN:NNAS18260010	HRS	5845:50		TSN 0					
	ENC	5208							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
ATA 75 - AIR									
75-10-00-201	NO. 1 ENGINE - AIR SYSTEM - ANTI-ICE VALVE AND P3 ANTI-ICE TUBE (LEAK CHECK) GENERAL VISUAL INSPECTION: DO A CHECK FOR LEAKAGE AT P3 AIR SUPPLY TO BLEED VALVE, ANT-ICE VALVE, ANTI-ICE AIR TUBE AND FCU.							Service	ATA:75
	MOS	01-May-25							
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)		
	ENC	6948							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
75-10-00-201	NO. 2 ENGINE - AIR SYSTEM - ANTI-ICE VALVE AND P3 ANTI-ICE TUBE (LEAK CHECK) GENERAL VISUAL INSPECTION: DO A CHECK FOR LEAKAGE AT P3 AIR SUPPLY TO BLEED VALVE, ANT-ICE VALVE, ANTI-ICE AIR TUBE AND FCU.							Service	ATA:75
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
75-10-00-202	NO. 1 ENGINE - CHECK/REPLACE P3 BELLOWS SEAL BETWEEN CABIN BLEED AIR TUBES AND COVERS (3 PLACES)							Service	ATA:75
	MOS	01-May-25							
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)		
	ENC	6948							
PROC. REF: EMM 72-30-05PROC. REF: EMM 72-30-05									
75-10-00-202	NO. 2 ENGINE - CHECK/REPLACE P3 BELLOWS SEAL BETWEEN CABIN BLEED AIR TUBES AND COVERS (3 PLACES)							Service	ATA:75
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
PROC. REF: EMM 72-30-05PROC. REF: EMM 72-30-05									
75-10-00-203	NO. 1 ENGINE - AIR SYSTEM - BLEED OFF VALVE GENERAL VISUAL INSPECTION: EXAMINE THE TORQUE MOTOR ELECTRICAL CONNECTION FOR SECURITY, FRAYING AND CORROSION							Service	ATA:75
	MOS	01-May-25							
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)		
	ENC	6948							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
75-10-00-203	NO. 1 ENGINE - AIR SYSTEM - DO A BORESCOPE INSPECTION OF THE COMBUSTION LINER AND HP TURBINE VANE RING							Service	ATA:75
	MOS	01-May-25							
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)		
	ENC	6948							
PROC. REF: EMM 72-40-01PROC. REF: EMM 72-40-01									
75-10-00-203	NO. 1 ENGINE - REPLACE INTERCOMPRESSOR BLEED VALVE SERVO VALVE							Service	ATA:75
	MOS/MSC	19-Mar-14	-						
	HRS	4566:55							
	ENC	4303							
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
75-10-00-203	NO. 2 ENGINE - AIR SYSTEM - BLEED OFF VALVE GENERAL VISUAL INSPECTION: EXAMINE THE TORQUE MOTOR ELECTRICAL CONNECTION FOR SECURITY, FRAYING AND CORROSION							Service	ATA:75
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
75-10-00-203	NO. 2 ENGINE - AIR SYSTEM - DO A BORESCOPE INSPECTION OF THE COMBUSTION LINER AND HP TURBINE VANE RING							Service	ATA:75
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
PROC. REF: EMM 72-40-01PROC. REF: EMM 72-40-01									
75-10-00-203	NO. 2 ENGINE - REPLACE INTERCOMPRESSOR BLEED VALVE SERVO VALVE							Service	ATA:75
	MOS/MSC	19-Mar-14	-						
	HRS	4566:55							
	ENC	4303							
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01									
75-10-00-204	NO. 1 ENGINE - AIR SYSTEM - AIR SYSTEM (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service	ATA:75
	MOS	31-Jan-23							
	HRS	7685:27	2750 (+50)		(10435:27) 10488:49	10485:27	1433:43 (+50)		
	ENC	6332							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
75-10-00-204	NO. 2 ENGINE - AIR SYSTEM - AIR SYSTEM (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service	ATA:75
	MOS	31-Jan-23							
	HRS	7738:49	2750 (+50)		(10488:49) 10488:49	10538:49	1433:43 (+50)		
	ENC	6374							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
75-10-00-901	NO. 1 ENGINE - AIR SYSTEM - AIR SYSTEM (ENGINE TBO) RESTORATION							Service	ATA:75
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
75-10-00-901	NO. 2 ENGINE - AIR SYSTEM - AIR SYSTEM (ENGINE TBO) RESTORATION							Service	ATA:75
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
750100	NO. 1 ENGINE - OVERHAUL OR REFURBISH ANTI-ICING VALVE							Service	ATA:75
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
750100	NO. 2 ENGINE - OVERHAUL OR REFURBISH ANTI-ICING VALVE							Service	ATA:75
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
751003	NO. 1 ENGINE - COMPRESSOR BLEED VALVE ASSY							Component	ATA:75
PN:30J2207-01	MOS/MSC	17-Feb-02	O/C						
SN:44A913	HRS	0		TSN 17					
	ENC	0		TSN 0					
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
751003	NO. 2 ENGINE - COMPRESSOR BLEED VALVE ASSY							Component	ATA:75
PN:30J2207-01	MOS/MSC		17-Feb-02	O/C					
SN:44A907	HRS		0		TSN 17				
	ENC		0		TSN 0				
PROC. REF: EMM 75-30-01PROC. REF: EMM 75-30-01									
751004	NO. 1 ENGINE - INTERCOMPRESSOR BLEED VALVE SERVO VALVE							Component	ATA:75
PN:30J3490-01	MOS/MSC		19-Mar-14	O/C	TSN 0				
SN:TR7102	HRS		4566:55		TSN 0				
	ENC		4303		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
751004	NO. 2 ENGINE - INTERCOMPRESSOR BLEED VALVE SERVO VALVE							Component	ATA:75
PN:30J3490-01	MOS/MSC		19-Mar-14	O/C	TSN 0				
SN:TR7091	HRS		4566:55		TSN 0				
	ENC		4303		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
751005	NO. 1 ENGINE - LINEAR TRANSDUCER							Component	ATA:75
PN:31J2071-01	MOS/MSC		17-Feb-02	O/C					
SN:1580	HRS		0		TSN 17				
	ENC		0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
751005	NO. 2 ENGINE - LINEAR TRANSDUCER							Component	ATA:75
PN:31J2071-01	MOS/MSC		17-Feb-02	O/C					
SN:1575	HRS		0		TSN 17				
	ENC		0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
751050	NO. 1 ENGINE - INSPECT LINEAR VARIABLE DIFFERENTIAL TRANSFORMER							Service	ATA:75
	MOS				TAC 0				
	HRS	EFF	5500 (+50)		(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC				TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
751050	NO. 2 ENGINE - INSPECT LINEAR VARIABLE DIFFERENTIAL TRANSFORMER							Service	ATA:75
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
753000	NO. 1 ENGINE - REPLACE BOV TORQUE MOTOR							Service	ATA:75
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
753000	NO. 2 ENGINE - REPLACE BOV TORQUE MOTOR							Service	ATA:75
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
753001	NO. 1 ENGINE - INSPECT P3 AIR INERTIAL SEPARATOR							Service	ATA:75
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
753001	NO. 2 ENGINE - INSPECT P3 AIR INERTIAL SEPARATOR							Service	ATA:75
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
753005	NO. 1 ENGINE - INSPECT COMPRESSOR AIR BLEED VALVE							Service	ATA:75
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
753005	NO. 2 ENGINE - INSPECT COMPRESSOR AIR BLEED VALVE							Service	ATA:75
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 76 - ENGINE CONTROLS									
76-10-00-7201 ^S	FUEL CONTROL UNIT THROTTLE LEVER CUTOFF FUNCTIONAL CHECK (AIRPLANES -5197 THRU-6000, AND AIRPLANES -5001 THRU -5196 INCORPORATING SB560XL-76-03)							Service	ATA:76
	MOS	26-Jun-25							
	HRS	8753:50	400 (+25/-25)						
	AFL	7069							
								PKG:522	
PROC. REF: AMM 76-10-00PROC. REF: AMM 76-10-00									
761001	LEFT THROTTLE DETENT VALVE							Component	ATA:76
PN:5303-2A	MOS/MSC	17-Feb-02	O/C						
SN:2148	HRS	0		TSN 0					
WC#: 76.010	AFL	0		TSN 0					
PROC. REF: AMM 76-11-02PROC. REF: AMM 76-11-02									
761001	NO. 1 ENGINE - ELECTRONIC ENGINE CONTROL							Component	ATA:76
PN:817962-8-010	MOS/MSC	09-Sep-25	O/C						
SN:00121200	HRS	8821:56							
	ENC	7121							
PROC. REF: EMM 73-20-03PROC. REF: EMM 73-20-03									
761001	NO. 2 ENGINE - ELECTRONIC ENGINE CONTROL							Component	ATA:76
PN:817962-8-010	MOS/MSC	17-Feb-02	O/C						
SN:01089635	HRS	0		TSN 17					
	ENC	0		TSN 0					
PROC. REF: EMM 73-20-03PROC. REF: EMM 73-20-03									
761001	RIGHT THROTTLE DETENT VALVE							Component	ATA:76
PN:5303-2A	MOS/MSC	17-Feb-02	O/C						
SN:2149	HRS	0		TSN 0					
WC#: 76.010	AFL	0		TSN 0					
PROC. REF: AMM 76-11-02PROC. REF: AMM 76-11-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
77-10-00-201	NO. 1 ENGINE - ENGINE INDICATING (N1, N2, AND ITT) - ENGINE WIRING HARNESS GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY OF ALL CLAMPS AND BRACKETS, CABLES FOR SIGNS OF WEAR, FRAYING, CHAFING AND CRACKS DO A CHECK FOR SECURITY OF ALL WIRING HARNESS CONNECTORS. EXAMINE THE OUTER SURFACES FOR CRACKS AND CORROSION							Service	ATA:77
	MOS	01-May-25							
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)		
	ENC	6948							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
77-10-00-201	NO. 2 ENGINE - ENGINE INDICATING (N1, N2, AND ITT) - ENGINE WIRING HARNESS GENERAL VISUAL INSPECTION: DO A CHECK FOR SECURITY OF ALL CLAMPS AND BRACKETS, CABLES FOR SIGNS OF WEAR, FRAYING, CHAFING AND CRACKS DO A CHECK FOR SECURITY OF ALL WIRING HARNESS CONNECTORS. EXAMINE THE OUTER SURFACES FOR CRACKS AND CORROSION							Service	ATA:77
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
77-10-00-202	NO. 1 ENGINE - ENGINE INDICATING (N1, N2, AND ITT) - ENGINE INDICATING SPEED SENSOR (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service	ATA:77
	MOS	31-Jan-23							
	HRS	7685:27	2750 (+50)		(10435:27) 10488:49	10485:27	1433:43 (+50)		
	ENC	6332							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
77-10-00-202	NO. 2 ENGINE - ENGINE INDICATING (N1, N2, AND ITT) - ENGINE INDICATING SPEED SENSOR (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service	ATA:77
	MOS	31-Jan-23							
	HRS	7738:49	2750 (+50)		(10488:49) 10488:49	10538:49	1433:43 (+50)		
	ENC	6374							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
77-10-00-901	NO. 1 ENGINE - ENGINE INDICATING (N1, N2, AND ITT) - ENGINE WIRING HARNESS (CLEANING) RESTORATION: DISCONNECT EACH WIRING HARNESS CONNECTOR, CLEAN, INSPECT AND CONNECT AGAIN. DO THE NECESSARY ENGINE CHECKS AFTER THE REPLACEMENT OF WIRINGHARNESS							Service	ATA:77
	MOS	01-May-25							
	HRS	8586:26	800		(9386:26) 9439:48		384:42		
	ENC	6948							
PROC. REF: EMM 73-20-02, EMM 73-20-02PROC. REF: EMM 73-20-02, EMM 73-20-02									
77-10-00-901	NO. 2 ENGINE - ENGINE INDICATING (N1, N2, AND ITT) - ENGINE WIRING HARNESS (CLEANING) RESTORATION: DISCONNECT EACH WIRING HARNESS CONNECTOR, CLEAN, INSPECT AND CONNECT AGAIN. DO THE NECESSARY ENGINE CHECKS AFTER THE REPLACEMENT OF WIRINGHARNESS							Service	ATA:77
	MOS	01-May-25							
	HRS	8639:48	800		(9439:48) 9439:48		384:42		
	ENC	6990							
PROC. REF: EMM 73-20-02, EMM 73-20-02PROC. REF: EMM 73-20-02, EMM 73-20-02									
77-10-00-902	NO. 1 ENGINE - ENGINE INDICATING (N1, N2, AND ITT) - ENGINE INDICATING SPEED SENSOR SYSTEM (ENGINE TBO) RESTORATION							Service	ATA:77
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
77-10-00-902	NO. 2 ENGINE - ENGINE INDICATING (N1, N2, AND ITT) - ENGINE INDICATING SPEED SENSOR SYSTEM (ENGINE TBO) RESTORATION							Service	ATA:77
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
77-20-02	NO. 1 ENGINE - INSPECT AND FUNCTIONAL CHECK T6 HARNESS AND THERMOCOUPLES							Service	ATA:77
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC			TAC 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
77-20-02	NO. 2 ENGINE - INSPECT AND FUNCTIONAL CHECK T6 HARNESS AND THERMOCOUPLES							Service	ATA:77
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
771004	NO. 1 ENGINE - SPEED N1 SENSOR							Component	ATA:77
PN:31J2072-01	MOS/MSC	17-Feb-02	O/C						
SN:CH796	HRS	0		TSN 17					
	ENC	0		TSN 0					
PROC. REF: EMM 77-10-01PROC. REF: EMM 77-10-01									
771004	NO. 2 ENGINE - SPEED N1 SENSOR							Component	ATA:77
PN:31J2072-01	MOS/MSC	17-Feb-02	O/C						
SN:CH803	HRS	0		TSN 17					
	ENC	0		TSN 0					
PROC. REF: EMM 77-10-01PROC. REF: EMM 77-10-01									
771005	NO. 1 ENGINE - SPEED N2 SENSOR							Component	ATA:77
PN:31J2073-01	MOS/MSC	17-Feb-02	O/C						
SN:CH1680	HRS	0		TSN 17					
	ENC	0		TSN 0					
PROC. REF: EMM 77-10-01PROC. REF: EMM 77-10-01									
771005	NO. 2 ENGINE - SPEED N2 SENSOR							Component	ATA:77
PN:31J2073-01	MOS/MSC	17-Feb-02	O/C						
SN:CH1656	HRS	0		TSN 17					
	ENC	0		TSN 0					
PROC. REF: EMM 77-10-01PROC. REF: EMM 77-10-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
771008	FUEL QUANTITY FLOW INDICATOR							Component	ATA:77
PN:10638N01M01 - 9912497-3	MOS/MSC	26-Jan-17	O/C	TSO 0					
SN:9904562A	HRS	4967:11		TSO 0					
WC#: 28.430	AFL	4654		TSO 0					
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00									
771014	NO. 1 ENGINE - INSPECT N1 SPEED SENSOR							Service	ATA:77
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
771014	NO. 2 ENGINE - INSPECT N1 SPEED SENSOR							Service	ATA:77
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
771015	NO. 1 ENGINE - INSPECT N2 SPEED SENSOR							Service	ATA:77
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
771015	NO. 2 ENGINE - INSPECT N2 SPEED SENSOR							Service	ATA:77
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
772001	NO. 1 ENGINE - TEMPERATURE SENSOR							Component	ATA:77
PN:31J2113-03	MOS/MSC		17-Feb-02	O/C					
SN:RTH9456	HRS		0		TSN 17				
	ENC		0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
772001	NO. 2 ENGINE - TEMPERATURE SENSOR							Component	ATA:77
PN:31J2113-03	MOS/MSC		17-Feb-02	O/C					
SN:RTH9669	HRS		0		TSN 17				
	ENC		0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
772010	NO. 1 ENGINE - INSPECT AND FUNCTIONAL CHECK T1 HARNESS							Service	ATA:77
	MOS				TAC 0				
	HRS	EFF	5500 (+50)		TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)	
	ENC				TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
772010	NO. 2 ENGINE - INSPECT AND FUNCTIONAL CHECK T1 HARNESS							Service	ATA:77
	MOS				TAC 0				
	HRS	EFF	5500 (+50)		TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)	
	ENC				TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
774002	N1 SPEED/ITT TEMP INDICATOR							Component	ATA:77
PN:10636N04M00	MOS/MSC		17-Jun-21	O/C	TSO 0				
SN:01090734AB	HRS		6454:44		TSO 0				
WC#: 77.010	AFL		5518						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
774003	N2/OIL PRESS/OIL TEMP INDICATOR							Component	ATA:77
PN:9912497-9	MOS/MSC		24-Sep-25	O/C	TSO 0				
SN:9808535A	HRS		8891:48		TSO 0				
WC#: 77.010	AFL		7179		TSO 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
774040	NO. 1 ENGINE - DATA COLLECTION UNIT - DOWNLOAD DATA							Service	ATA:77
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
774040	NO. 2 ENGINE - DATA COLLECTION UNIT - DOWNLOAD DATA							Service	ATA:77
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 78 - EXHAUST									
78-10-00-201	NO. 1 ENGINE - ENGINE EXHAUST - EXHAUST AND MIXER: GVI OBVIOUS SIGNS OF DAMAGE OR LOOSE DEBRIS							Service	ATA:78
	MOS/MSC	17-Feb-02	BF/F	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
78-10-00-201	NO. 1 ENGINE - ENGINE EXHAUST - TURBINE EXHAUST CASE AND MIXER (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service	ATA:78
	MOS	31-Jan-23							
	HRS	7685:27	2750 (+50)		(10435:27) 10488:49	10485:27	1433:43 (+50)		
	ENC	6332							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
78-10-00-201	NO. 2 ENGINE - ENGINE EXHAUST - EXHAUST AND MIXER: GVI OBVIOUS SIGNS OF DAMAGE OR LOOSE DEBRIS							Service	ATA:78
	MOS/MSC	17-Feb-02	BF/F	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
78-10-00-201	NO. 2 ENGINE - ENGINE EXHAUST - TURBINE EXHAUST CASE AND MIXER (ENGINE HSI) SPECIAL DETAILED INSPECTION							Service	ATA:78
	MOS	31-Jan-23							
	HRS	7738:49	2750 (+50)		(10488:49) 10488:49	10538:49	1433:43 (+50)		
	ENC	6374							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
78-10-00-202	NO. 1 ENGINE - ENGINE EXHAUST - EMERGENCY FUEL SHUT OFF LEVER AND CABLE DETAILED INSPECTION: DO AN INSPECTION THROUGH HOLE IN THE EXHAUST CONE FOR SECURITY OF CONTROL LEVER, SIGNS OF OIL LEAKS OR CARBON AT NO.5 BEARING AREA, EXAMINE THE CABLE AND LINKAGES							Service	ATA:78
	MOS	21-Sep-23							
	HRS	7979:50	1600 (+25/-25)		(9579:50) 9633:12	9604:50	578:06 (+25)		
	ENC	6560							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
78-10-00-202	NO. 2 ENGINE - ENGINE EXHAUST - EMERGENCY FUEL SHUT OFF LEVER AND CABLE DETAILED INSPECTION: DO AN INSPECTION THROUGH HOLE IN THE EXHAUST CONE FOR SECURITY OF CONTROL LEVER, SIGNS OF OIL LEAKS OR CARBON AT NO.5 BEARING AREA, EXAMINE THE CABLE AND LINKAGES							Service	ATA:78
	MOS	21-Sep-23							
	HRS	8033:12	1600 (+25/-25)		(9633:12) 9633:12	9658:12	578:06 (+25)		
	ENC	6602							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
78-10-00-901	NO. 1 ENGINE - ENGINE EXHAUST - TURBINE EXHAUST CASE AND MIXER (ENGINE TBO) RESTORATION							Service	ATA:78
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
78-10-00-901	NO. 2 ENGINE - ENGINE EXHAUST - TURBINE EXHAUST CASE AND MIXER (ENGINE TBO) RESTORATION							Service	ATA:78
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
78-31-00-2200	S	THRUST REVERSER ASSEMBLY DETAILED INSPECTION						Service	ATA:78
	MOS	31-Jan-23							
	HRS	7738:49	1600 (+25/-25)						
	AFL	6374							
PKG:514									
PROC. REF: AMM 78-31-00PROC. REF: AMM 78-31-00									
78-31-00-7200	S	THRUST REVERSER ASSEMBLY FUNCTIONAL CHECK AND OPERATIONAL CHECK						Service	ATA:78
	MOS	31-Jan-23							
	HRS	7738:49	1600 (+25/-25)						
	AFL	6374							
PKG:514									
PROC. REF: AMM 78-31-00PROC. REF: AMM 78-31-00									
783001	LEFT ENGINE THRUST REVERSER ASSEMBLY						Component	ATA:78	
PN:64ND-78002-3	MOS/MSC	17-Feb-02	O/C						
SN:465	HRS	0							
WC#: 78.010	AFL	0		TSN 0					
PROC. REF: AMM 78-31-00PROC. REF: AMM 78-31-00									
783001	RIGHT ENGINE THRUST REVERSER ASSEMBLY						Component	ATA:78	
PN:64ND-78002-4	MOS/MSC	17-Feb-02	O/C						
SN:466	HRS	0							
WC#: 78.010	AFL	0		TSN 0					
PROC. REF: AMM 78-31-00PROC. REF: AMM 78-31-00									
783002	LEFT THRUST REVERSER VALVE						Component	ATA:78	
PN:65680	MOS/MSC	17-Feb-02	O/C						
SN:3686	HRS	0							
WC#: 78.020	AFL	0		TSN 0					
PROC. REF: AMM 78-31-01PROC. REF: AMM 78-31-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
783002	RIGHT THRUST REVERSER VALVE							Component	ATA:78
PN:65680	MOS/MSC	17-Feb-02	O/C						
SN:3624	HRS	0							
WC#: 78.020	AFL	0		TSN 0					
PROC. REF: AMM 78-31-01PROC. REF: AMM 78-31-01									
783010	LEFT INBOARD THRUST REVERSER ACTUATOR							Component	ATA:78
PN:64ND-78204-5	MOS/MSC	17-Feb-02	O/C						
SN:UNKNOWN	HRS	0							
WC#: 78.030	AFL	0		TSN 0					
PROC. REF: AMM 78-31-01PROC. REF: AMM 78-31-01									
783010	LEFT OUTBOARD THRUST REVERSER ACTUATOR							Component	ATA:78
PN:2564000-7	MOS/MSC	19-Mar-14	O/C	TSO 0					
SN:2563	HRS	4566:55		TSO 0					
WC#: 78.030	AFL	4303		TSO 0					
PROC. REF: AMM 78-31-01PROC. REF: AMM 78-31-01									
783010	RIGHT INBOARD THRUST REVERSER ACTUATOR							Component	ATA:78
PN:64ND-78204-5	MOS/MSC	17-Feb-02	O/C						
SN:UNKNOWN	HRS	0							
WC#: 78.040	AFL	0		TSN 0					
PROC. REF: AMM 78-31-01PROC. REF: AMM 78-31-01									
783010	RIGHT OUTBOARD THRUST REVERSER ACTUATOR							Component	ATA:78
PN:64ND-78204-5	MOS/MSC	17-Feb-02	O/C						
SN:UNKNOWN	HRS	0							
WC#: 78.040	AFL	0		TSN 0					
PROC. REF: AMM 78-31-01PROC. REF: AMM 78-31-01									
783101	LEFT ARM PRESSURE SWITCH							Component	ATA:78
PN:6607A7-45	MOS/MSC	17-Feb-02	O/C						
SN:B017627	HRS	0		TSN 0					
WC#: 78.060	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
783101	RIGHT ARM PRESSURE SWITCH							Component	ATA:78
PN:6607A7-45	MOS/MSC	17-Feb-02	O/C						
SN:B006804	HRS	0		TSN 0					
WC#: 78.060	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
783102	LEFT THRUST REVERSER ISOLATION VALVE							Component	ATA:78
PN:13027-4	MOS/MSC	17-Feb-02	O/C						
SN:4475	HRS	0							
WC#: 78.070	AFL	0		TSN 0					
PROC. REF: AMM 78-31-01PROC. REF: AMM 78-31-01									
783102	RIGHT THRUST REVERSER ISOLATION VALVE							Component	ATA:78
PN:13027-4	MOS/MSC	17-Feb-02	O/C						
SN:4455	HRS	0							
WC#: 78.070	AFL	0		TSN 0					
PROC. REF: AMM 78-31-01PROC. REF: AMM 78-31-01									
783103	LEFT INBOARD STOW LIMIT SWITCH							Component	ATA:78
PN:53ND78304-1	MOS/MSC	12-Oct-02	O/C						
SN:UNKNOWN	HRS	329							
WC#: 78.080	AFL	302		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
783103	LEFT OUTBOARD STOW LIMIT SWITCH							Component	ATA:78
PN:53ND78304-1	MOS/MSC	17-Feb-02	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 78.080	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
783103	RIGHT INBOARD STOW LIMIT SWITCH							Component	ATA:78
PN:53ND78304-1	MOS/MSC	12-Oct-02	O/C						
SN:UNKNOWN	HRS	329							
WC#: 78.090	AFL	302		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
783103	RIGHT OUTBOARD STOW LIMIT SWITCH							Component	ATA:78
PN:53ND78304-1	MOS/MSC	17-Feb-02	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 78.090	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
ATA 78 - EXHAUST									
783104	LEFT DEPLOY LIMIT SWITCH							Component	ATA:78
PN:53ND78304-5	MOS/MSC	12-Oct-02	O/C						
SN:UNKNOWN	HRS	329							
WC#: 78.100	AFL	302		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
ATA 78 - EXHAUST									
783104	RIGHT DEPLOY LIMIT SWITCH							Component	ATA:78
PN:53ND78304-5	MOS/MSC	12-Oct-02	O/C						
SN:UNKNOWN	HRS	329							
WC#: 78.100	AFL	302		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
ATA 79 - OIL									
79-10-00-201	NO. 1 ENGINE - OIL SYSTEM - EXTERNAL OIL TUBE GENERAL VISUAL INSPECTION: EXAMINE FOR SIGNS OF WEAR, CHAFING, CRACKS, LEAKS AND CORROSION							Service	ATA:79
	MOS	01-May-25							
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)		
	ENC	6948							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 79 - OIL									
79-10-00-201	NO. 2 ENGINE - OIL SYSTEM - EXTERNAL OIL TUBE GENERAL VISUAL INSPECTION: EXAMINE FOR SIGNS OF WEAR, CHAFING, CRACKS, LEAKS AND CORROSION							Service	ATA:79
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
79-10-00-202	NO. 1 ENGINE - OIL SYSTEM - FUEL OIL HEAT EXCHANGER GENERAL VISUAL INSPECTION: DO AN INSPECTION FOR SECURITY, LEAKAGE AND GENERAL CONDITION. NO LEAKAGE PERMITTED							Service	ATA:79
	MOS	01-May-25							
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)		
	ENC	6948							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
79-10-00-202	NO. 2 ENGINE - OIL SYSTEM - FUEL OIL HEAT EXCHANGER GENERAL VISUAL INSPECTION: DO AN INSPECTION FOR SECURITY, LEAKAGE AND GENERAL CONDITION. NO LEAKAGE PERMITTED							Service	ATA:79
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
79-10-00-203	NO. 1 ENGINE - OIL SYSTEM - ACCESSORY GEAR BOX PAD SEAL GENERAL VISUAL INSPECTION: EXAMINE THE PAD SEALS FOR OIL LEAKS							Service	ATA:79
	MOS	01-May-25							
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)		
	ENC	6948							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
79-10-00-203	NO. 2 ENGINE - OIL SYSTEM - ACCESSORY GEAR BOX PAD SEAL GENERAL VISUAL INSPECTION: EXAMINE THE PAD SEALS FOR OIL LEAKS							Service	ATA:79
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
79-10-00-204	NO. 1 ENGINE - OIL SYSTEM - EXTERNAL ENGINE GENERAL VISUAL INSPECTION: EXAMINE FOR FUEL AND OIL LEAKS, CORROSION, CRACKS AND SIGNS OF DAMAGE							Service	ATA:79
	MOS	01-May-25							
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)		
	ENC	6948							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
79-10-00-204	NO. 2 ENGINE - OIL SYSTEM - EXTERNAL ENGINE GENERAL VISUAL INSPECTION: EXAMINE FOR FUEL AND OIL LEAKS, CORROSION, CRACKS AND SIGNS OF DAMAGE							Service	ATA:79
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
79-10-00-205	NO. 1 ENGINE - OIL SYSTEM - OIL FILTER DETAILED INSPECTION: REMOVE AND DO A CHECK FOR FOREIGN MATERIAL AND DAMAGE							Service	ATA:79
	MOS	01-May-25							
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)		
	ENC	6948							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
79-10-00-205	NO. 2 ENGINE - OIL SYSTEM - OIL FILTER DETAILED INSPECTION: REMOVE AND DO A CHECK FOR FOREIGN MATERIAL AND DAMAGE							Service	ATA:79
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
79-10-00-206	NO. 1 ENGINE - OIL SYSTEM - OIL SPECIAL DETAILED INSPECTION: DO A CHECK FOR OIL LEVEL WITH THE OUTBOARD SIGHT GLASS							Service	ATA:79
	MOS/MSC	17-Feb-02	BF/F	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
79-10-00-206	NO. 1 ENGINE - OIL SYSTEM - OIL SPECIAL DETAILED INSPECTION: DO A CHECK FOR OIL LEVEL WITH THE OUTBOARD SIGHT GLASS. MONITOR THE OIL QUALITY ON CONDITION AND DO ANALYSIS PERIODICALLY AS OBSERVATIONS WARRANT.							Service	ATA:79
	MOS	01-May-25							
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)		
	ENC	6948							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
79-10-00-206	NO. 2 ENGINE - OIL SYSTEM - OIL SPECIAL DETAILED INSPECTION: DO A CHECK FOR OIL LEVEL WITH THE OUTBOARD SIGHT GLASS							Service	ATA:79
	MOS/MSC	17-Feb-02	BF/F	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
79-10-00-206	NO. 2 ENGINE - OIL SYSTEM - OIL SPECIAL DETAILED INSPECTION: DO A CHECK FOR OIL LEVEL WITH THE OUTBOARD SIGHT GLASS. MONITOR THE OIL QUALITY ON CONDITION AND DO ANALYSIS PERIODICALLY AS OBSERVATIONS WARRANT.							Service	ATA:79
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
79-10-00-207	NO. 1 ENGINE - OIL SYSTEM - IMPENDING BYPASS VALVE INDICATOR GENERAL VISUAL INSPECTION: DO A CHECK OF AIRCRAFT COCKPIT INDICATOR LAMP							Service	ATA:79
	MOS/MSC	31-Jan-23	N/A						
	HRS	7685:27							
	ENC	6332							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
79-10-00-207	NO. 2 ENGINE - OIL SYSTEM - IMPENDING BYPASS VALVE INDICATOR GENERAL VISUAL INSPECTION: DO A CHECK OF AIRCRAFT COCKPIT INDICATOR LAMP							Service	ATA:79
	MOS/MSC	31-Jan-23	N/A						
	HRS	7738:49							
	ENC	6374							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
79-10-00-208 ^U	NO. 1 ENGINE - OIL SYSTEM - MAGNETIC CHIP DETECTOR/COLLECTOR GENERAL VISUAL INSPECTION: REMOVE AND DO A CHECK FOR METALLIC DEBRIS							Service	ATA:79
	MOS	01-May-25							
	HRS	8586:26	800 (+25/-25)		(9386:26) 9439:48	9411:26	384:42 (+25)		
	ENC	6948							
79-10-00-208 ^U	NO. 2 ENGINE - OIL SYSTEM - MAGNETIC CHIP DETECTOR/COLLECTOR GENERAL VISUAL INSPECTION: REMOVE AND DO A CHECK FOR METALLIC DEBRIS							Service	ATA:79
	MOS	01-May-25							
	HRS	8639:48	800 (+25/-25)		(9439:48) 9439:48	9464:48	384:42 (+25)		
	ENC	6990							
79-10-00-901	NO. 1 ENGINE - ENGINE OVERHAUL							Service	ATA:79
	MOS	02-Apr-19						ENGINE OVERHAUL	
	HRS	5066:42	5000 (+25/-25)		(10066:42) 10120:04	10091:42	1064:58 (+25)		
	ENC	4739							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
79-10-00-901	NO. 2 ENGINE - ENGINE OVERHAUL							Service	ATA:79
	MOS	02-Apr-19						ENGINE OVERHAUL	
	HRS	5066:42	5000 (+25/-25)		(10066:42) 10066:42	10091:42	1011:36 (+25)		
	ENC	4739							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
79-10-00-902	NO. 1 ENGINE - INSTALL NEW OIL FILTER ELEMENT							Service	ATA:79
PN:31J1700-01	MOS	29-Nov-24							
SN:UNKNOWN	HRS	8447:23	1200 (+25/-25)		(9647:23) 9700:45	9672:23	645:39 (+25)		
	ENC	6848							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
79-10-00-902	NO. 2 ENGINE - INSTALL NEW OIL FILTER ELEMENT							Service	ATA:79
PN:31J1700-01	MOS	29-Nov-24							
SN:UNKNOWN	HRS	8500:45	1200 (+25/-25)		(9700:45) 9700:45	9725:45	645:39 (+25)		
	ENC	6890							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
79-USER-01 ^{U S}	NO. 1 ENGINE - ANALYSE OIL							Service	ATA:79
	MOS	01-May-25	12					CUSTOMER CODE	
	HRS	8586:26	600						
	ENC	6948							
PKG:2									
79-USER-01 ^{U S}	NO. 2 ENGINE - ANALYSE OIL							Service	ATA:79
	MOS	01-May-25	12					CUSTOMER CODE	
	HRS	8639:48	600						
	ENC	6990							
PKG:2									
790010	NO. 1 ENGINE - OIL FILTER ELEMENT							Component	ATA:79
PN:31J1700-01	MOS/MSC	25-Jun-22	O/C	TSN 0					
SN:UNKNOWN	HRS	7380:30		TSN 0					
	ENC	6133							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
790010	NO. 2 ENGINE - OIL FILTER ELEMENT							Component	ATA:79
PN:31J1700-01	MOS/MSC	25-Jun-22	O/C	TSN 0					
SN:UNKNOWN	HRS	7380:30		TSN 0					
	ENC	6133							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
790020	NO. 1 ENGINE - CHANGE OIL							Service	ATA:79
	MOS/MSC	10-Oct-11	A/R						
	HRS	4149:35							
	ENC	3962							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
790020	NO. 2 ENGINE - CHANGE OIL							Service	ATA:79
	MOS/MSC	10-Oct-11	A/R						
	HRS	4149:35							
	ENC	3962							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
790030 ^U	NO. 1 ENGINE - MONITOR OIL QUALITY							Service	ATA:79
	MOS/MSC	17-Feb-02	O/C	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
790030 ^U	NO. 2 ENGINE - MONITOR OIL QUALITY							Service	ATA:79
	MOS/MSC	17-Feb-02	O/C	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
792010	NO. 1 ENGINE - INSPECT AND FUNCTIONAL TEST OIL FILTER DIFFERENTIAL PRESSURE SWITCH							Service	ATA:79
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
792010	NO. 2 ENGINE - INSPECT AND FUNCTIONAL TEST OIL FILTER DIFFERENTIAL PRESSURE SWITCH							Service	ATA:79
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
793001	NO. 1 ENGINE - OIL SYSTEM - MAGNETIC CHIP DETECTOR/COLLECTOR GENERAL VISUAL INSPECTION: REMOVE AND DO A CHECK FOR METALLIC DEBRIS							Service	ATA:79
	MOS			TAC 0					
	HRS	EFF	800 (+25/-25)	TAC 0	(10066:42) 10120:04 * (M)	10091:42	1064:58 (+25)		
	ENC			TAC 0					
PROC. REF: EMM 79-30-01PROC. REF: EMM 79-30-01									
793001	NO. 2 ENGINE - OIL SYSTEM - MAGNETIC CHIP DETECTOR/COLLECTOR GENERAL VISUAL INSPECTION: REMOVE AND DO A CHECK FOR METALLIC DEBRIS							Service	ATA:79
	MOS			TAC 0					
	HRS	EFF	800 (+25/-25)	TAC 0	(10066:42) 10066:42 * (M)	10091:42	1011:36 (+25)		
	ENC			TAC 0					
PROC. REF: EMM 79-30-01PROC. REF: EMM 79-30-01									
793002	LEFT OIL TEMP XMTR SENSOR							Component	ATA:79
PN:102-00083	MOS/MSC	17-Feb-02	O/C						
SN:3754	HRS	0		TSN 0					
WC#: 79.010	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
793002	RIGHT OIL TEMP XMTR SENSOR							Component	ATA:79
PN:102-00083	MOS/MSC	17-Feb-02	O/C						
SN:3723	HRS	0		TSN 0					
WC#: 79.010	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1									
793003	NO. 1 ENGINE - FUEL OIL HEAT EXCHANGER							Component	ATA:79
PN:31J2955-02	MOS/MSC	17-Feb-02	O/C						
SN:M52068	HRS	0		TSN 17					
	ENC	0		TSN 0					
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
793003	NO. 2 ENGINE - FUEL OIL HEAT EXCHANGER							Component	ATA:79
PN:31J2955-02	MOS/MSC		17-Feb-02	O/C					
SN:M51812	HRS		0		TSN 17				
	ENC		0		TSN 0				
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02									
793005	NO. 1 ENGINE - OVERHAUL OR REFURBISH OIL TANK FILLER CAP							Service	ATA:79
	MOS				TAC 0				
	HRS	EFF	5500 (+50)		(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC				TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
793005	NO. 2 ENGINE - OVERHAUL OR REFURBISH OIL TANK FILLER CAP							Service	ATA:79
	MOS				TAC 0				
	HRS	EFF	5500 (+50)		(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC				TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
793010	NO. 1 ENGINE - OVERHAUL/REFURBISH FUEL TO OIL HEAT EXCHANGER							Service	ATA:79
	MOS				TAC 0				
	HRS	EFF	5500 (+50)		(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC				TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
793010	NO. 2 ENGINE - OVERHAUL/REFURBISH FUEL TO OIL HEAT EXCHANGER							Service	ATA:79
	MOS				TAC 0				
	HRS	EFF	5500 (+50)		(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC				TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
793021	NO. 1 ENGINE - INSPECT OIL LEVEL INDICATOR (SIGHT GLASS)							Service	ATA:79
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10120:04 * (M)	10116:42	1064:58 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
793021	NO. 2 ENGINE - INSPECT OIL LEVEL INDICATOR (SIGHT GLASS)							Service	ATA:79
	MOS			TAC 0					
	HRS	EFF	5500 (+50)	TAC 0	(10066:42) 10066:42 * (M)	10116:42	1011:36 (+50)		
	ENC			TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
793102	LEFT ENGINE OIL TRANSMITTER							Component	ATA:79
PN:APTE-237D-1000-250D	MOS/MSC	17-Feb-02	O/C						
SN:66019932	HRS	0		TSN 0					
WC#: 79.020	AFL	0		TSN 0					
PROC. REF: AMM 79-31-01PROC. REF: AMM 79-31-01									
793102	RIGHT ENGINE OIL TRANSMITTER							Component	ATA:79
PN:APTE-237D-1000-250D	MOS/MSC	17-Feb-02	O/C						
SN:66079450	HRS	0		TSN 0					
WC#: 79.020	AFL	0		TSN 0					
PROC. REF: AMM 79-31-01PROC. REF: AMM 79-31-01									
793117	LEFT OIL PRESSURE SWITCH							Component	ATA:79
PN:1153P0098-01	MOS/MSC	17-Feb-02	O/C						
SN:593	HRS	0		TSN 0					
WC#: 79.030	AFL	0		TSN 0					
PROC. REF: AMM 79-31-01PROC. REF: AMM 79-31-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 560XL - CITATION XL (MSG) Serial: 560XL-5230 RegNo: OK-HAR HRS: 9055:06 AFL: 7284 As
Of: 05-May-2026

05-May-2026 04:26 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
793117	RIGHT OIL PRESSURE SWITCH							Component	ATA:79
PN:1153P0098-01	MOS/MSC	17-Feb-02	O/C						
SN:590	HRS	0		TSN 0					
WC#: 79.030	AFL	0		TSN 0					
PROC. REF: AMM 79-31-01PROC. REF: AMM 79-31-01									
ATA 80 - STARTING									
80-10-00-9600	LEFT ENGINE STARTER - GENERATOR (BEARINGS DISCARD AND ARMATURE FUNCTIONAL CHECK) RESTORATION							Component	ATA:80
PN:9912499-6/300SGL138Q-4	MOS	01-May-25		TSO 0				OVERHAUL	
SN:S00536	HRS	8639:48	1000 (+25/-25)	TSO 0	9639:48	9664:48	584:42 (+25)		
WC#: 80.010	AFL	6990		TSO 0					
PROC. REF: AMM 80-10-00PROC. REF: AMM 80-10-00									
80-10-00-9600	RIGHT ENGINE STARTER - GENERATOR (BEARINGS DISCARD AND ARMATURE FUNCTIONAL CHECK) RESTORATION							Component	ATA:80
PN:300SGL138Q-4 - 9912499-6	MOS	19-Dec-25		TSO 0				OVERHAUL	
SN:4981XL	HRS	8969:45	1000 (+25/-25)	TSO 0	9969:45	9994:45	914:39 (+25)		
WC#: 80.010	AFL	7239		TSO 0					
PROC. REF: AMM 80-10-00PROC. REF: AMM 80-10-00									
80-11-00-2200	AUXILIARY POWER UNIT STARTER - GENERATOR DETAILED INSPECTION							Service	ATA:80
PN:300SGL138Q-6	MOS	05-Jun-24							
SN:S00077	HRS	8285:35							
WC#: 80.050	AFL	6733							
	APH	3667:48	500 (+25/-25)		4167:48	4192:48	182:18 (+25)		
PROC. REF: AMM 80-11-00PROC. REF: AMM 80-11-00									
80-11-00-9600	AUXILIARY POWER UNIT STARTER - GENERATOR (BEARINGS DISCARD AND ARMATURE FUNCTIONAL CHECK) RESTORATION							Component	ATA:80
PN:300SGL138Q-6	MOS	05-Jun-24		TSO 0				OVERHAUL	
SN:S00077	HRS	8285:35		TSO 0					
WC#: 80.020	AFL	6733		TSO 0					
	APH	3667:48	1000 (+25/-25)	TSO 0, Adj 7:06	4674:54	4699:54	689:24 (+25)		
PROC. REF: AMM 80-11-00PROC. REF: AMM 80-11-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task