

Total projection: 2-Oct-2027 / Hrs 3217:17 / Ldg 1,567 / APUH / APUS

Company

Owner: Eclair s.r.o.
Operator:

Major Assemblies

Airframe	Global 6000	9799	01-Oct-2026	2857:17 Hrs	1,387 Ldg	Hrs(APU)	Start(APU)
Eng 1	BR700-710A2-20	22729	01-Oct-2026	2857:17 Hrs	1,387 Enc		
Eng 2	BR700-710A2-20	22728	01-Oct-2026	2857:17 Hrs	1,387 Enc		
APU 1	RE220[GX]	P-927	24-Sep-2026	Hrs	APUS		

Additional Information

Program Type: Standard, Earliest due: 26 DAYS, 143 HRS, 24 LDG, 147 APUHRS, General Categories: HASC,RVSM,EMM,Standard

Cost:
Man Hrs: 103.95+Analyst: Robert Peterson rpeterson@jetsupport.com

Task No	Description			CW	REQ	TOL	Categories	Time
SEQ	PN/SN						DUE	Remaining
Update Nav Database					RE (Due)		Custom	
 34 A/F	Expiration Date 28-Oct-2026		Mos	27-Sep-2026			[28-Oct-2026]	26 Days
			Hrs	2857:17				
			Ldg	1,387				
100-CUS-01 SVS Database Update					RE (Due)		Custom	
 100 A/F	Expiration Date 28-Oct-2026		Mos	27-Sep-2026			[28-Oct-2026]	26 Days
			Hrs	2857:17				
			Ldg	1,387				
APU hours Download APU hours					RE		≈19-Nov-2026	
 45 A/F			Mos	15-Sep-2026				
			Hrs	2856:37				
			Ldg	1,386		25	1,411	24 Ldg
PKG-15M 15 Months Inspection Package					RE			
 5 A/F			Mos	02-Oct-2025		15	-/+ 3m 24-Dec-2026	83 Days (+90)
			Hrs	2500:46				
			Ldg	1,245				
52-31-09-101** Detailed Inspection of the Baggage Door Seal					RE		AWL - CMR, MRB - Systems/Powerplant	
 52 A/F	PKG-15M		Mos	02-Oct-2025		15	-/+ 3m 24-Dec-2026	83 Days (+90)
			Hrs	2500:46				
			Ldg	1,245				
Alias1:523000-201								
Interior Care - Sidepanels Interior Care - Sidepanels					RE		Custom	
 0 A/F			Mos	11-Jan-2026		12	11-Jan-2027	3.4 Months
			Hrs	2640:17				
			Ldg	1,295				
24-32-01-203 Restoration of the Avionics Battery					RE		MRB - Systems/Powerplant	
 24 A/F	GL511-2201-5 0905200281165 Restored Date 22-May-2026 Alias1:243000-205		Mos	27-May-2026		8	22-Jan-2027	3.7 Months
			Hrs	2787:20				
			Ldg	1,342				
350010-702B Nebulizer - Overhaul					RE		Custom	
 35 A/F	No.2		Mos	29-Nov-2024		36	22-Jan-2027	3.7 Months
			Hrs	2212:22				
			Ldg	1,116				
O2C33K08-01-144 10843-001-25 Overhaul Date 22-Jan-2024								

Total projection: 2-Oct-2027 / Hrs 3217:17 / Ldg 1,567 / APUH / APUS

Global 6000 OKGRX,SN 9799

Task No SEQ PN/SN	Description		CW	REQ	TOL	Categories DUE	Time Remaining
Interior Care - Seats 0 A/F	Interior Care - Seats			RE		Custom	
		Mos	29-Jul-2026	6		29-Jan-2027	4 Months
		Hrs	2819:48				
		Ldg	1,368				
Emergency Locator Transmitter (ELT) Battery - Discard 25 A/F 452-0133 393542-018 Expiration Date 01-Feb-2027 Alias1:25-61-01-201,256100-202 (UPDATE NOTE: See WO 607331)	Emergency Locator Transmitter (ELT) Battery - Discard			RE (Due)		MRB - Systems/Powerplant	
		Mos	01-Feb-2022			01-Feb-2027	4.1 Months
		Hrs	1177:39				
		Ldg	625				
PKG-1000H 5 A/F	1000 Hours Inspection Package			RE			≈22-Feb-2027
		Mos	23-Feb-2024				
		Hrs	1968:58	1,000	-/+50	3000	142:43 Hrs (+50)
		Ldg	973				
PKG-1500H 5 A/F	1500 Hours Inspection Package			RE			≈22-Feb-2027
		Mos	11-Oct-2022				
		Hrs	1470:11	1,500	-/+50	3000	142:43 Hrs (+50)
		Ldg	771				
PKG-3000H 5 A/F	3000 Hours Inspection Package			RE			≈22-Feb-2027
		Mos					
		Hrs		3,000	-/+50	3000	142:43 Hrs (+50)
		Ldg					
21-31-00-101**	Operational Test of the Emergency Depressurization Function			RE		AWL - CMR, MRB - Systems/Powerplant	≈22-Feb-2027
21 A/F Alias1:213000-204	PKG-1500H	Mos	11-Oct-2022				
		Hrs	1470:11	1,500	-/+50	3000	142:43 Hrs (+50)
		Ldg	771				
21-31-09-101*	Functional Test of the Safety Valves			RE		AWL - CMR, MRB - Systems/Powerplant	≈22-Feb-2027
21 A/F Alias1:213000-202	PKG-3000H	Mos					
		Hrs		3,000	-/+50	3000	142:43 Hrs (+50)
		Ldg					
21-52-00-101**	Operational Test of the Manual Mode of the Air Conditioning System			RE		AWL - CMR, MRB - Systems/Powerplant	≈22-Feb-2027
21 A/F Alias1:216000-203	PKG-1500H	Mos	11-Oct-2022				
		Hrs	1470:11	1,500	-/+50	3000	142:43 Hrs (+50)
		Ldg	771				
21-53-05-101**	Operational Test of the Ram Air Valve			RE		AWL - CMR, MRB - Systems/Powerplant	≈22-Feb-2027
21 A/F Alias1:215000-202	PKG-1500H	Mos	11-Oct-2022				
		Hrs	1470:11	1,500	-/+50	3000	142:43 Hrs (+50)
		Ldg	771				
21-60-00-101**	Operational Test of the Auxiliary Pressurization Function			RE		AWL - CMR, MRB - Systems/Powerplant	≈22-Feb-2027
21 A/F Alias1:216000-202	PKG-1500H	Mos	11-Oct-2022				
		Hrs	1470:11	1,500	-/+50	3000	142:43 Hrs (+50)
		Ldg	771				
27-11-25-102**	Functional Test of the Aileron PCU Bungee			RE		AWL - CMR, MRB - Systems/Powerplant	≈22-Feb-2027
27 A/F Alias1:271100-210	PKG-3000H	Mos					
		Hrs		3,000	-/+50	3000	142:43 Hrs (+50)
		Ldg					

Task No SEQ PN/SN	Description	CW	REQ	TOL	Categories DUE	Time Remaining
27-21-09-101**	Operational Test of the Rudder Power-Control Unit (PCU) Input Limiters		RE		AWL - CMR, MRB - Systems/Powerplant	≈22-Feb-2027
27 A/F		Mos				
		Hrs	3,000	-/+50	3000	142:43 Hrs (+50)
Ref.:272100-212		Ldg				
27-21-13-101**	Functional Test of the Rudder Power-Control Units (PCU)		RE		AWL - CMR	≈22-Feb-2027
27 A/F		Mos				
		Hrs	3,000	-/+50	3000	142:43 Hrs (+50)
		Ldg				
27-52-57-101*	Detailed Inspection of the Flap Rollers		RE		AWL - CMR, MRB - Systems/Powerplant	≈22-Feb-2027
27 A/F	PKG-3000H	Mos				
		Hrs	3,000	-/+50	3000	142:43 Hrs (+50)
Alias1:275000-209		Ldg				
27-53-09-101**	Functional Test of the Slat Actuators and Interconnect Pin		RE		AWL - CMR, MRB - Systems/Powerplant	≈22-Feb-2027
27 A/F	PKG-3000H	Mos				
		Hrs	3,000	-/+50	3000	142:43 Hrs (+50)
Alias1:275000-208		Ldg				
27-60-00-101**	Operational Test of the Spoiler Power-Control Units (PCU)		RE		AWL - CMR	≈22-Feb-2027
27 A/F		Mos	11-Oct-2022			
		Hrs	1470:11	1,500	-/+50	3000
		Ldg	771			142:43 Hrs (+50)
29-12-33-101**	Operational Test of the Hydraulic Firewall Shutoff Valve		RE		AWL - CMR, MRB - Systems/Powerplant	≈22-Feb-2027
29 A/F	PKG-1500H	Mos	11-Oct-2022			
		Hrs	1470:11	1,500		3000
Alias1:291200-202		Ldg	771			142:43 Hrs
29-13-00-101*	Operational (Internal Leak) Test of the No. 3 Hydraulic System		RE		AWL - CMR	≈22-Feb-2027
29 A/F		Mos	11-Oct-2022			
		Hrs	1470:11	1,500	-/+50	3000
		Ldg	771			142:43 Hrs (+50)
32-31-09-101**	Visual Check of the Landing-Gear Electronic Control Unit (LG ECU)		RE		AWL - CMR	≈22-Feb-2027
32 A/F		Mos				
		Hrs	3,000	-/+50	3000	142:43 Hrs (+50)
		Ldg				
72-31-02-203 Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant No.1		T		MRB - Systems/Powerplant	≈22-Feb-2027
72 ENG1		Mos				
FW33513		Hrs	3,000	-/+100,10%	3000	142:43 Hrs (+300)
202542RGE98803		Enc	1,500		1,500	113 Enc
Alias1:723100-206						
72-31-02-203 Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant No.1		T		MRB - Systems/Powerplant	≈22-Feb-2027
72 ENG2		Mos				
FW33513		Hrs	3,000	-/+100,10%	3000	142:43 Hrs (+300)
202542RGE98736		Enc	1,500		1,500	113 Enc
Alias1:723100-206						
72-31-02-203 Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant No.10		T		MRB - Systems/Powerplant	≈22-Feb-2027
72 ENG1		Mos				
FW33513		Hrs	3,000	-/+100,10%	3000	142:43 Hrs (+300)
202542RGE98844		Enc	1,500		1,500	113 Enc
Alias1:723100-206						

Task No		Description	CW	REQ	TOL	Categories	Time
SEQ	PN/SN					DUE	Remaining
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG2	No.10					
	FW33513						
	202542RGE98751						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG1	No.11					
	FW33513						
	202542RGE98814						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG2	No.11					
	FW33513						
	202542RGE98747						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG1	No.12					
	FW33513						
	202542RGE98845						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG2	No.12					
	FW33513						
	202542RGE98796						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG1	No.13					
	FW33513						
	202542RGE98807						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG2	No.13					
	FW33513						
	202542RGE90213						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG1	No.14					
	FW33513						
	202542RGE98776						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG2	No.14					
	FW33513						
	202542RGE98764						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG1	No.15					
	FW33513						
	202542RGE98829						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc

Task No		Description	CW	REQ	TOL	Categories	Time
SEQ	PN/SN					DUE	Remaining
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG2	No.15					
	FW33513						
	202542RGE98825						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG1	No.16					
	FW33513						
	202542RGE98802						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG2	No.16					
	FW33513						
	202542RGE98786						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG1	No.17					
	FW33513						
	202542RGE98850						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG2	No.17					
	FW33513						
	202542RGE98771						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG1	No.18					
	FW33513						
	202542RGE98820						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG2	No.18					
	FW33513						
	202542RGE89069						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG1	No.19					
	FW33513						
	202542RGE98819						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG2	No.19					
	FW33513						
	202542RGE98787						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG1	No.2					
	FW33513						
	202542RGE98816						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc

Task No		Description	CW	REQ	TOL	Categories	Time
SEQ	PN/SN					DUE	Remaining
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG2	No.2	Mos				
	FW33513		Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
	202542RGE98784		Enc	1,500		1,500	113 Enc
	Alias1:723100-206						
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG1	No.20	Mos				
	FW33513		Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
	202542RGE98818		Enc	1,500		1,500	113 Enc
	Alias1:723100-206						
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG2	No.20	Mos				
	FW33513		Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
	202542RGE98755		Enc	1,500		1,500	113 Enc
	Alias1:723100-206						
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG1	No.21	Mos				
	FW33513		Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
	202542RGE98805		Enc	1,500		1,500	113 Enc
	Alias1:723100-206						
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG2	No.21	Mos				
	FW33513		Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
	202542RGE98688		Enc	1,500		1,500	113 Enc
	Alias1:723100-206						
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG1	No.22	Mos				
	FW33513		Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
	202542RGE98804		Enc	1,500		1,500	113 Enc
	Alias1:723100-206						
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG2	No.22	Mos				
	FW33513		Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
	202542RGE98798		Enc	1,500		1,500	113 Enc
	Alias1:723100-206						
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG1	No.23	Mos				
	FW33513		Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
	202542RGE98830		Enc	1,500		1,500	113 Enc
	Alias1:723100-206						
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG2	No.23	Mos				
	FW33513		Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
	202542RGE98464		Enc	1,500		1,500	113 Enc
	Alias1:723100-206						
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG1	No.24	Mos				
	FW33513		Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
	202542RGE98821		Enc	1,500		1,500	113 Enc
	Alias1:723100-206						

Task No		Description	CW	REQ	TOL	Categories	Time
SEQ	PN/SN					DUE	Remaining
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG2	No.24					
	FW33513						
	202542RGE98710						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG1	No.3					
	FW33513						
	202542RGE98823						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG2	No.3					
	FW33513						
	202542RGE98677						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG1	No.4					
	FW33513						
	202542RGE98809						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG2	No.4					
	FW33513						
	202542RGE98735						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG1	No.5					
	FW33513						
	202542RGE98847						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG2	No.5					
	FW33513						
	202542RGE93768						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG1	No.6					
	FW33513						
	202542RGE98854						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG2	No.6					
	FW33513						
	202542RGE98842						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc
72-31-02-203	Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant		T		MRB - Systems/Powerplant	≈22-Feb-2027
	72 ENG1	No.7					
	FW33513						
	202542RGE98801						
	Alias1:723100-206						
			Mos				
			Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
			Enc	1,500		1,500	113 Enc

Task No	Description	CW	REQ	TOL	Categories	Time
SEQ PN/SN					DUE	Remaining
72-31-02-203 Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant				MRB - Systems/Powerplant	≈22-Feb-2027
72 ENG2	No.7	Mos				
FW33513		Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
202542RGE98800		Enc	1,500		1,500	113 Enc
Alias1:723100-206						
72-31-02-203 Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant				MRB - Systems/Powerplant	≈22-Feb-2027
72 ENG1	No.8	Mos				
FW33513		Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
202542RGE98843		Enc	1,500		1,500	113 Enc
Alias1:723100-206						
72-31-02-203 Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant				MRB - Systems/Powerplant	≈22-Feb-2027
72 ENG2	No.8	Mos				
FW33513		Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
202542RGE98780		Enc	1,500		1,500	113 Enc
Alias1:723100-206						
72-31-02-203 Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant				MRB - Systems/Powerplant	≈22-Feb-2027
72 ENG1	No.9	Mos				
FW33513		Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
202542RGE98849		Enc	1,500		1,500	113 Enc
Alias1:723100-206						
72-31-02-203 Option 2A	Restoration of the LP Compressor Fan Blades - Refurbish the Dry film Lubricant				MRB - Systems/Powerplant	≈22-Feb-2027
72 ENG2	No.9	Mos				
FW33513		Hrs	3,000	-/+ 100,10%	3000	142:43 Hrs (+300)
202542RGE98766		Enc	1,500		1,500	113 Enc
Alias1:723100-206						
79-21-02-201	Discard the Pressure Filter Element				MRB - Systems/Powerplant	≈22-Feb-2027
79 ENG2	PKG-1000H	Mos	23-Feb-2024			
		Hrs	1968:58	1,000	-/+50	3000
MSG-3:790000-202		Enc	973			142:43 Hrs (+50)
05-00-03	Airworthiness Review Certificate Renewal/Extension				National Regulation	
5 A/F		Mos	28-Feb-2026	12	28-Feb-2027	5 Months
Expiration Date 28-Feb-2027		Hrs				
		Ldg				
34-11-00-101*	Functional Test of the Air Data Computer , RVSM Qualified A/C				RE AWL - CMR, AWL - RVSM, RVSM	
34 A/F	No.1	Mos	29-Nov-2024	24	-/+3m	28-Feb-2027
822-2504-003		Hrs	2212:22			5 Months (+89 Days)
4GPVRD		Ldg	1,116			
34-11-00-101*	Functional Test of the Air Data Computer , RVSM Qualified A/C				RE AWL - CMR, AWL - RVSM, RVSM	
34 A/F	No.2	Mos	29-Nov-2024	24	-/+3m	28-Feb-2027
822-2504-003		Hrs	2212:22			5 Months (+89 Days)
48647X		Ldg	1,116			
34-11-00-101*	Functional Test of the Air Data Computer , RVSM Qualified A/C				RE AWL - CMR, AWL - RVSM, RVSM	
34 A/F	No.3	Mos	29-Nov-2024	24	-/+3m	28-Feb-2027
822-2504-003		Hrs	2212:22			5 Months (+89 Days)
4864F7		Ldg	1,116			
34-11-00-202	Functional Test of the Pitot-Static Systems				MRB - Systems/Powerplant	
34 A/F		Mos	29-Nov-2024	24	-/+3m	28-Feb-2027
		Hrs	2212:22			5 Months (+89 Days)
Alias1:341100-202		Ldg	1,116			

Task No	Description	CW	REQ	TOL	Categories	Time
SEQ PN/SN					DUE	Remaining
25-60-00-209	Detailed Inspection of the Crew Protective Breathing Equipment (PBE)		RE		MRB - Systems/Powerplant	≈13-Mar-2027
 25 A/F	PKG-1000H	Mos	23-Feb-2024			
		Hrs	1968:58	1,000	-/+50	3018:58
	Alias1:256000-210	Ldg	973			161:41 Hrs (+50)
	Cartridge, Power Device - Discard		RE		MRB - Systems/Powerplant	
26 A/F	Aft - APU	Mos	01-Apr-2017	120	01-Apr-2027	6 Months
GK774-0026-1		Hrs				
AEO1901		Ldg				
Manufactured Date 01-Apr-2017						
Alias1:26-21-05-201,262000-202						
	Cartridge, Power Device - Discard		RE		MRB - Systems/Powerplant	
26 A/F	Aft - Left	Mos	01-Apr-2017	120	01-Apr-2027	6 Months
GK774-0026-1		Hrs				
AEO1858		Ldg				
Manufactured Date 01-Apr-2017						
Alias1:26-21-05-201,262000-202						
	Cartridge, Power Device - Discard		RE		MRB - Systems/Powerplant	
26 A/F	Aft - Right	Mos	01-Apr-2017	120	01-Apr-2027	6 Months
GK774-0026-1		Hrs				
AEO1874		Ldg				
Manufactured Date 01-Apr-2017						
Alias1:26-21-05-201,262000-202						
	Cartridge, Power Device - Discard		RE		MRB - Systems/Powerplant	
26 A/F	Fwd - APU	Mos	01-Apr-2017	120	01-Apr-2027	6 Months
GK774-0026-1		Hrs				
AEO1857		Ldg				
Manufactured Date 01-Apr-2017						
Alias1:26-21-05-201,262000-202						
	Cartridge, Power Device - Discard		RE		MRB - Systems/Powerplant	
26 A/F	Fwd - Left	Mos	01-Apr-2017	120	01-Apr-2027	6 Months
GK774-0026-1		Hrs				
AEO1808		Ldg				
Manufactured Date 01-Apr-2017						
Alias1:26-21-05-201,262000-202						
	Cartridge, Power Device - Discard		RE		MRB - Systems/Powerplant	
26 A/F	Fwd - Right	Mos	01-Apr-2017	120	01-Apr-2027	6 Months
GK774-0026-1		Hrs				
AEO1844		Ldg				
Manufactured Date 01-Apr-2017						
Alias1:26-21-05-201,262000-202						
35-11-01-202	Functional Test (Hydrostatic) of the Oxygen Storage Cylinder and the Regulator Assembly		RE		MRB - Systems/Powerplant	
 35 A/F	Left Inboard	Mos	19-Apr-2022	60	14-Apr-2027	6.5 Months
GC481-0090-5		Hrs	1279:12			
C17110198		Ldg	660			
Hydrostatic Tested Date 14-Apr-2022						
Alias1:351000-201						
35-11-01-202	Functional Test (Hydrostatic) of the Oxygen Storage Cylinder and the Regulator Assembly		RE		MRB - Systems/Powerplant	
 35 A/F	Left Outboard	Mos	19-Apr-2022	60	14-Apr-2027	6.5 Months
GC481-0090-5		Hrs	1279:12			
C16080882		Ldg	660			
Hydrostatic Tested Date 14-Apr-2022						
Alias1:351000-201						

Task No	Description			CW	REQ	TOL	Categories	Time
SEQ	PN/SN						DUE	Remaining
35-11-01-202	Functional Test (Hydrostatic) of the Oxygen Storage Cylinder and the Regulator Assembly						RE	MRB - Systems/Powerplant
	35 A/F	Right Inboard		Mos	19-Apr-2022	60	14-Apr-2027	6.5 Months
	GC481-0090-5			Hrs	1279:12			
	C15090608			Ldg	660			
	Hydrostatic Tested Date 14-Apr-2022							
	Alias1:351000-201							
35-11-01-202	Functional Test (Hydrostatic) of the Oxygen Storage Cylinder and the Regulator Assembly						RE	MRB - Systems/Powerplant
	35 A/F	Right Outboard		Mos	19-Apr-2022	60	14-Apr-2027	6.5 Months
	GC481-0090-5			Hrs	1279:12			
	C15090607			Ldg	660			
	Hydrostatic Tested Date 14-Apr-2022							
	Alias1:351000-201							
24-32-09-203	Restoration of the APU Battery						RE	MRB - Systems/Powerplant
	24 A/F			Mos	28-Aug-2026	8	18-Apr-2027	6.6 Months
	GL511-2301-5			Hrs	2839:15			
	090520029DF2			Ldg	1,377			
	Restored Date 18-Aug-2026							
	Alias1:243000-206							
32-11-00-201	Lubrication of the Main Landing Gear (MLG) and Components						RE	MRB - Systems/Powerplant
	32 A/F			Mos	27-May-2026			≈26-Apr-2027
				Hrs	2787:20	250	-/+10%	3062:20 205:03 Hrs (+25)
	Alias1:320000-201			Ldg	1,342			
32-12-00-201	Lubrication of the Main Landing Gear (MLG) Doors						RE	MRB - Systems/Powerplant
	32 A/F			Mos	27-May-2026			≈26-Apr-2027
				Hrs	2787:20	250	-/+10%	3062:20 205:03 Hrs (+25)
	Alias1:320000-205			Ldg	1,342			
32-21-00-201	Lubrication of the Nose Landing Gear (NLG) and Components						RE	MRB - Systems/Powerplant
	32 A/F			Mos	27-May-2026			≈26-Apr-2027
	GW318-2000-1			Hrs	2787:20	250	-/+10%	3062:20 205:03 Hrs (+25)
	S0000VLN4			Ldg	1,342			
	Alias1:320000-203,325000-201							
32-22-00-201	Lubrication of the Nose Landing Gear (NLG) Doors						RE	MRB - Systems/Powerplant
	32 A/F			Mos	27-May-2026			≈26-Apr-2027
				Hrs	2787:20	250	-/+10%	3062:20 205:03 Hrs (+25)
	Alias1:320000-206			Ldg	1,342			
31-33-00-301	Download of the Quick Access Recorder (Post SB 700-31-6001)						RE	Optional
	31 A/F			Mos	27-May-2026			≈21-May-2027
				Hrs	2787:20	300		3087:20 230:03 Hrs
	AMTOSS:31-33-00-970-801			Ldg	1,342			
251034	Defibrillator Battery - Scrap						RE (Due)	Custom
	25 A/F			Mos	21-Mar-2022		31-May-2027	8 Months
	M5070A			Hrs	1248:18			
	00340P			Ldg	650			
	Expiration Date 31-May-2027							
	Nose Landing Gear (NLG) Retraction Actuator Ball						RE	Time Limits - Supplementary Limitations
	32 A/F			Mos	26-Jun-2017	120	26-Jun-2027	8.9 Months
	22407-1			Hrs	0			
	NSN			Ldg	0			
	TLMC:32-33-01-111*							

Total projection: 2-Oct-2027 / Hrs 3217:17 / Ldg 1,567 / APUH / APUS

Global 6000 OKGRX,SN 9799

Task No SEQ PN/SN	Description			CW	REQ	TOL	Categories DUE	Time Remaining
	Nose Landing Gear (NLG) Retraction Actuator End Plate				RE		Time Limits - Supplementary Limitations	
32 A/F		Mos	26-Jun-2017	120			26-Jun-2027	8.9 Months
22194-1		Hrs		0				
NSN		Ldg		0				
TLMC:32-33-01-111*								
	Nose Landing Gear (NLG) Retraction Actuator Sleeve				RE		Time Limits - Supplementary Limitations	
32 A/F		Mos	26-Jun-2017	120			26-Jun-2027	8.9 Months
22195-1		Hrs		0				
NSN		Ldg		0				
TLMC:32-33-01-111*								
	Nose Landing Gear (NLG) Retraction Actuator Spacer				RE		Time Limits - Supplementary Limitations	
32 A/F		Mos	26-Jun-2017	120			26-Jun-2027	8.9 Months
22193-1		Hrs		0				
NSN		Ldg		0				
TLMC:32-33-01-111*								
2020-03-21 Par. (k)	Main Landing Gear (MLG) - Trailing Arm Assemblies - Replace the Primer and Paint and Apply the Corrosion Preventive Compound (Terminating Action)				T		Mandatory	
32 A/F		Mos		120			[26-Jun-2027]	8.9 Months
		Hrs						
		Ldg						
32-33-01-111*	Restoration of the Nose Landing Gear (NLG) Shock-Strut Assembly to Retraction-Actuator Main-Fitting Joint (A/C 9640 and Subs and A/C Post SB 700-32-6011 PART C)				RE		Time Limits - Supplementary Limitations	
32 A/F		Mos	26-Jun-2017	120			26-Jun-2027	8.9 Months
		Hrs						
AMTOSS/NDT No.:32-21-01-610-801		Ldg						
CF-2019-33R1 Part IV	Landing Gear - Trailing Arm Assembly Axle Bore Corrosion - Primer and Paint Replacement on the MLG Trailing Arm Assembly Axle Bore Inner Diameter				T		Mandatory	
32 A/F		Mos		120			[26-Jun-2027]	8.9 Months
		Hrs						
		Ldg						
35-11-50-605	Restoration Protective Breathing Equipment PBE (STLMC)				RE		STLMC	
35 A/F	Aft - Wardrobe	Mos	26-Jun-2017	120			26-Jun-2027	8.9 Months
MR-10037N		Hrs						
E1612115		Ldg						
350010-701B	Nebulizer - Overhaul				RE		Custom	
35 A/F	No.1	Mos	29-Nov-2024	36			11-Jul-2027	9.4 Months
O2C33K08-01-144		Hrs	2212:22					
11570-001-71		Ldg	1,116					
Overhaul Date 11-Jul-2024								
	First Aid Kit				RE (Due)		Custom	
25 A/F		Mos	06-Oct-2025				[18-Jul-2027]	9.6 Months
unknown		Hrs						
075344		Ldg						
Expiration Date 18-Jul-2027								
Alias1:25-60-50								
251031	Defibrillator Electrode Pad - Scrap				RE (Due)		Custom	
25 A/F	No.1	Mos	02-Oct-2025				18-Jul-2027	9.6 Months
D0000001316		Hrs	2500:46					
N/A		Ldg	1,245					
Expiration Date 18-Jul-2027								

Total projection: 2-Oct-2027 / Hrs 3217:17 / Ldg 1,567 / APUH / APUS

Global 6000 OKGRX,SN 9799

Task No		Description				CW	REQ	TOL	Categories	Time
SEQ	PN/SN								DUE	Remaining
251032		Defibrillator Electrode Pad - Scrap							RE (Due)	Custom
	25 A/F	No.2			Mos	02-Oct-2025			18-Jul-2027	9.6 Months
	D0000001316				Hrs	2500:46				
	N/A				Ldg	1,245				
	Expiration Date 18-Jul-2027									
25-60-00-603		Life Vest - Restoration							RE (Due)	STLMC, BCCM
	25 A/F				Mos	01-Aug-2017			01-Aug-2027	10.1 Months
	Expiration Date 01-Aug-2027									
25-60-00-603		Life Vest - Restoration							RE (Due)	STLMC, BCCM
	25 A/F	Divan - Aft			Mos	01-Aug-2017			01-Aug-2027	10.1 Months
	63600-191				Hrs					
	L3842100				Ldg					
	Expiration Date 01-Aug-2027									
25-60-00-603		Life Vest - Restoration							RE (Due)	STLMC, BCCM
	25 A/F	Divan - Fwd			Mos	01-Aug-2017			01-Aug-2027	10.1 Months
	63600-191				Hrs					
	L3842101				Ldg					
	Expiration Date 01-Aug-2027									
25-60-00-603		Life Vest - Restoration							RE (Due)	STLMC, BCCM
	25 A/F	No.1			Mos	01-Aug-2017			01-Aug-2027	10.1 Months
	63600-191				Hrs					
	L3835824				Ldg					
	Expiration Date 01-Aug-2027									
25-60-00-603		Life Vest - Restoration							RE (Due)	STLMC, BCCM
	25 A/F	No.10			Mos	01-Aug-2017			01-Aug-2027	10.1 Months
	63600-191				Hrs					
	L3842092				Ldg					
	Expiration Date 01-Aug-2027									
25-60-00-603		Life Vest - Restoration							RE (Due)	STLMC, BCCM
	25 A/F	No.11			Mos	01-Aug-2017			01-Aug-2027	10.1 Months
	63600-191				Hrs					
	L3842094				Ldg					
	Expiration Date 01-Aug-2027									
25-60-00-603		Life Vest - Restoration							RE (Due)	STLMC, BCCM
	25 A/F	No.12			Mos	01-Aug-2017			01-Aug-2027	10.1 Months
	63600-191				Hrs					
	L3842095				Ldg					
	Expiration Date 01-Aug-2027									
25-60-00-603		Life Vest - Restoration							RE (Due)	STLMC, BCCM
	25 A/F	No.2			Mos	01-Aug-2017			01-Aug-2027	10.1 Months
	63600-191				Hrs					
	L3835825				Ldg					
	Expiration Date 01-Aug-2027									

Total projection: 2-Oct-2027 / Hrs 3217:17 / Ldg 1,567 / APUH / APUS

Global 6000 OKGRX,SN 9799

Task No	Description			CW	REQ	TOL	Categories	Time
SEQ	PN/SN						DUE	Remaining
25-60-00-603	Life Vest - Restoration							
 25 A/F	No.3							
63600-191				Mos	01-Aug-2017		STLMC, BCCM	10.1 Months
L3835826				Hrs			01-Aug-2027	
Expiration Date 01-Aug-2027				Ldg				
25-60-00-603	Life Vest - Restoration							
 25 A/F	No.4							
63600-191				Mos	01-Aug-2017		STLMC, BCCM	10.1 Months
L3835827				Hrs			01-Aug-2027	
Expiration Date 01-Aug-2027				Ldg				
25-60-00-603	Life Vest - Restoration							
 25 A/F	No.5							
63600-191				Mos	01-Aug-2017		STLMC, BCCM	10.1 Months
L3842087				Hrs			01-Aug-2027	
Expiration Date 01-Aug-2027				Ldg				
25-60-00-603	Life Vest - Restoration							
 25 A/F	No.6							
63600-191				Mos	01-Aug-2017		STLMC, BCCM	10.1 Months
L3842088				Hrs			01-Aug-2027	
Expiration Date 01-Aug-2027				Ldg				
25-60-00-603	Life Vest - Restoration							
 25 A/F	No.7							
63600-191				Mos	01-Aug-2017		STLMC, BCCM	10.1 Months
L3842089				Hrs			01-Aug-2027	
Expiration Date 01-Aug-2027				Ldg				
25-60-00-603	Life Vest - Restoration							
 25 A/F	No.8							
63600-191				Mos	01-Aug-2017		STLMC, BCCM	10.1 Months
L3842090				Hrs			01-Aug-2027	
Expiration Date 01-Aug-2027				Ldg				
25-60-00-603	Life Vest - Restoration							
 25 A/F	No.9							
63600-191				Mos	01-Aug-2017		STLMC, BCCM	10.1 Months
L3842091				Hrs			01-Aug-2027	
Expiration Date 01-Aug-2027				Ldg				
 25 A/F	Crew Protective Breathing Equipment (PBE) - Discard							
Unknown	Copilot							
Unknown				Mos			RE	
Manufactured Date 01-Sep-2017				Hrs	0		MRB - Systems/Powerplant	
MRB:25-60-00-203				Ldg			01-Sep-2027	11.1 Months
 25 A/F	Crew Protective Breathing Equipment (PBE) - Discard							
MR-10042N	Pilot							
E1612558				Mos	26-Jun-2017		RE	
Manufactured Date 01-Sep-2017				Hrs	0		MRB - Systems/Powerplant	
MRB:25-60-00-203				Ldg	0		01-Sep-2027	11.1 Months

Task No	Description			CW	REQ	TOL	Categories	Time
SEQ PN/SN							DUE	Remaining
25-CARS-625-12(A)	Perform ELT Check						RE	National Regulation
 25 A/F			Mos	18-Sep-2026	12		18-Sep-2027	11.7 Months
			Hrs	2856:37				
			Ldg	1,386				
 GRX-WP-018 / OKGRX-07-2026 START 27-SEP-2026								
26-21-50-601	Fire Extinguisher 1.2 Kg - Detailed Inspection						RE	STLMC, BCCM
 26 A/F	Aft - Right		Mos	18-Sep-2026	12		18-Sep-2027	11.7 Months
P3APP003010D			Hrs	2856:37				
093629			Ldg	1,386				
 GRX-WP-018 / OKGRX-07-2026 START 27-SEP-2026								
26-21-50-601	Fire Extinguisher 4.1 Kg - Detailed Inspection						RE	STLMC, BCCM
 26 A/F	Aft - Wardrobe		Mos	18-Sep-2026	12		18-Sep-2027	11.7 Months
125H673			Hrs	2856:37				
I-71307203			Ldg	1,386				
 GRX-WP-018 / OKGRX-07-2026 START 27-SEP-2026								
26-23-00-201	Functional Test of the Flight Compartment Extinguisher (Weight Test)						RE	MRB - Systems/Powerplant
 26 A/F			Mos	18-Sep-2026	12		18-Sep-2027	11.7 Months
P3APP003010D			Hrs	2856:37				
093254			Ldg	1,386				
Alias1:256000-205								
 GRX-WP-018 / OKGRX-07-2026 START 27-SEP-2026								
30-41-00-202	Functional Test of the Windshield Rain-Repellant Layer						RE	MRB - Systems/Powerplant
 30 A/F	Left		Mos	18-Sep-2026	12		18-Sep-2027	11.7 Months
GC331-0001-13			Hrs	2856:37	500	-/+50,10%	3406:37	549:20 Hrs (+50)
3529			Ldg	1,386				
Alias1:304100-201								
 GRX-WP-018 / OKGRX-07-2026 START 27-SEP-2026								
30-41-00-202	Functional Test of the Windshield Rain-Repellant Layer						RE	MRB - Systems/Powerplant
 30 A/F	Right		Mos	18-Sep-2026	12		18-Sep-2027	11.7 Months
GC331-0001-14			Hrs	2856:37	500	-/+50,10%	3356:37	499:20 Hrs (+50)
4114			Ldg	1,386				
Alias1:304100-201								
 GRX-WP-018 / OKGRX-07-2026 START 27-SEP-2026								
34 A/F	Standby Compass - Compensating Swing						RE	National Regulation
			Mos	18-Sep-2026	12		18-Sep-2027	11.7 Months
			Hrs	2856:37				
			Ldg	1,386				
 GRX-WP-018 / OKGRX-07-2026 START 27-SEP-2026								
34 A/F	VHF Navigation System - Functional Check						RE	National Regulation
			Mos	18-Sep-2026	12		18-Sep-2027	11.7 Months
			Hrs	2856:37				
			Ldg	1,386				
 GRX-WP-018 / OKGRX-07-2026 START 27-SEP-2026								
 35 A/F	Protective Breathing Equipment (PBE) (STLMC)						RE (Due)	STLMC
MR-10037N	Aft - Wardrobe		Mos	26-Jun-2017			01-Oct-2027	12.1 Months
E1612115			Hrs	0				
Expiration Date 01-Oct-2027			Ldg	0				
Alias 3:35-11-50-606, Alias1:35-11-50								

Total projection: 2-Oct-2027 / Hrs 3217:17 / Ldg 1,567 / APUH / APUS

Global 6000 OKGRX,SN 9799

Task No		Description		CW	REQ	TOL	Categories	Time
SEQ	PN/SN						DUE	Remaining
34-12-03-720-801		Integrated Standby Indicator Test					RE	National Regulation
	34 A/F		Mos	02-Oct-2025	24		02-Oct-2027	12.2 Months
			Hrs	2500:46				
			Ldg	1,245				
34-44-00-710-802		Altimeter Devices Check					RE	Custom
	34 A/F		Mos	02-Oct-2025	24		02-Oct-2027	12.2 Months
			Hrs	2500:46				
			Ldg	1,245				
34-54-00-720-803		ATC Transponders Test					RE	Custom
	34 A/F		Mos	02-Oct-2025	24		02-Oct-2027	12.2 Months
			Hrs	2500:46				
			Ldg	1,245				