



VOYAGE 590

Standard Specification

SPECIFICATIONS

LOA:	17.72 m	58'3"
LWL:	17.61 m	57'9"
BOA:	8.66 m	28'5"
Displacement:	25,000 kg	55,115 lbs
Draft:	1.59 m	5'2"
Height Overall:	6.61 m	21'5"
Height Waterline:	5.0 m	16'5"
Mast Height of DWL:	27.29 m	89'64"
Power:	2 x 56kw (75hp) shaft drive	
Cruising Speed:	9 knots	
Fuel:	950 L	250 Gal
Water:	950 L	250 Gal
Passengers:	12	

HULL, DECK AND BULKHEADS

- Antifouling over epoxy-based osmosis barrier
- Closed cell PVC foam core, vacuum bonded for stiffness, strength, and minimal weight
- Forward watertight compartments with horizontal bulkheads
- Vacuumed closed cell core construction using multi layers of Quadriaxial glass roving using highest grade of polyester resins.
- Polyester white gelcoat molded finish
- Low aspect reinforced keels.
- Reinforced fitting areas for cleats and chain plates
- Spade rudders with stainless steel rudder shafts

DECK LAYOUT

Cockpit/Aft Deck

- Seating and dinning for 12
- GRP Cockpit table with storage below
- Acrylic Corian type work surfaces with storage space above & below
- Prep-basin with pressurized hot and cold water
- Built-in Stainless Steel propane BBQ into the countertop
- Cupboard space
- VITRIFRIGO drawer fridge
- Sliding glass side windows for rain protection
- Dive/snorkel gear lockers in cockpit floor

Cockpit/Forward Deck

- Front door access to salon
- Acrylic type table/counter
- Upholstered seating & sunbeds
- Front window electric, lifts up
- Stainless Steel rail
- Storage lockers

VOYAGE Yachts

This document is not contractual. All Prices, descriptions, illustration, etc. are only indicative. We reserve the right to modify or improve our product without notice.

peter@voyagecharters.com



VOYAGE 590

Standard Specification

Flybridge

- Access from Port and Starboard
- Upholstered seating for 8 & large sunbed
- Stainless Steel grab rails
- Table with cooler box
- Sheet & utility compartment
- Helm Station starboard, double helmsman seat, instrument console, windshield, S/S steering wheel

ACCOMMODATION

Main Salon

- Acrylic Corian type surfaces
- Synthetic hardwearing furniture
- Flooring in hard wearing Vinyl
- Headliner with ambient lighting
- Faux leather upholstered settee
- Storage under seat & table
- Saloon coffee table with seating for 6
- Standing height throughout 2.1 to 1.9 m
- 110v outlets: 4
- Double USB outlets: 2

Galley

- Acrylic Corian type work surfaces
- Synthetic hardwearing furniture
- Flooring in hard wearing Vinyl
- Galley front facing window opening to forward cockpit bar seating
- Gourmet propane Stainless-Steel oven
- Gourmet propane Stainless Steel cooktop
- Cutlery and crockery drawers
- Headliner with ambient lighting
- Large, recessed drip-tray for galley sink
- Large working areas
- Pressurized hot and cold water
- Waste chute with cover and large bin
- Large Stainless-Steel sink
- Double VITRIFRIGO Drawer refrigerator 24V
- Double VITRIFRIGO Drawer Freezer 24V
- 110V outlets: 4

Cabins en suite

- Acrylic Corian type surfaces
- Synthetic hardwearing furniture
- Ultra Suede Headliner with Ambient lighting
- Cabin and reading lights
- Super Queen size bunk with split mattresses
- Double Drawers under the bunk
- Bag storage under the bunk
- Hanging and storage wardrobes
- Mirrors, full length
- Electric Marine toilet
- Separate shower with pressurized hot and cold water
- Stainless steel towel rails: 1
- Stainless steel towel hooks: 4
- Vanity above wash basin with mirror
- Washbasin in the cabin pressurized hot and cold fresh water
- 110V outlets 2
- USB outlets: 2

VOYAGE Yachts

This document is not contractual. All Prices, descriptions, illustration, etc. are only indicative. We reserve the right to modify or improve our product without notice.

peter@voyagecharters.com



VOYAGE 590

Standard Specification

COMFORT AND LIFESTYLE

- Large Acrylic Corian type counter surfaces
- Synthetic hard-wearing furniture
- Flooring in hard wearing Vinyl
- Comfortable upholstery in 4 areas
- Uninterrupted free flow throughout
- Similar sized cabins
- Upholstered Wall- and Headliners
- Storage for drinks glasses, coffee machine, blender

ENGINE EQUIPMENT

- YANMAR 75HP Diesels
- Duplex stainless steel prop shafts with stern tubes
- Fixed, 3-Blade propellers

ELECTRICS

- 240V/120V AC/60Hz supply.
- 50A/240V shore power socket
- Battery isolator switches
- BLUE SEA circuit breaker panel for AC & DC
- Forward, Fly bridge and Aft Cockpit lights 10
- VICTRON 5 kW inverter charger
- 24V house bank 600-amp hour (14Kw)
- Saloon & deck lights, gauges are controlled by digital switching

INSTRUMENTATION

- B&G Autopilot with 24V Whitlock Rotary Drive
- B&G Tri data & Wind
- B&G 9" Chart plotter
- Compass
- B&G VHF Radio

PLUMBING

- Automatic electric bilge pumps with high-level alarms: 4
- Black water systems and holding tanks: 2
- Water Heaters 60 liters (16USG) each (hot water system)
- Grey water systems for basins and showers
- Pressurized hot and cold freshwater system with 2 pumps
- Fresh water tanks, 950 liters total (250 USG) 2
- Deck wash, freshwater, Faucets Forward and Aft for deck wash-down
- Deck wash pump system for saltwater chain-locker wash down
- Manual bilge pumps operable from the cockpit
- Hot and cold deck shower, Port and Starboard
- Self-draining cockpits Forward and Aft



VOYAGE 590

Standard Specification

DECK FITTINGS

Hatches and Windows

- Rear Aluminum framed sliding door with tinted toughened glass
- Forward hatch type door with tinted toughened glass
- Tinted toughened glass forward and side windows
- Tinted toughened glass hull windows in each cabin
- LEWMAR Hatches: 13
- LEWMAR Port lights: 10
- OCEAN AIR Sky hatch screens: 6
- OCEAN AIR Port-light screens: 10

Stainless Steel (Grade 316)

- Bow pulpits with seat
- Folded pad eyes for safety harnesses
- Stanchions and stanchion bases
- Double guard wires
- Grab rails throughout the vessel
- Stern push pits with brackets for MOB safety equipment
- Swim ladders

Deck Equipment

- ANDERSEN 58ST Sheet winch, electric: 2
- ANDERSEN 58ST Main Halyard winch, electric: 1
- HARKEN Black Magic blocks
- Stainless Steel mooring cleats: 11
- HARKEN tracks and cars
- SPINLOCK Jammers & organizers
- Trampolines

Rigging

- 7/8th fractional rig
- Anodized aluminum mast, boom, cross beam
- Mast supported by single spreaders, intermediate and cap shrouds
- Double purchase main halyard
- Color coded sheets and control lines
- Mainsheet system
- Lazy jacks
- Luff pendants
- Reefing lines
- All lines lead to the helm station for ease of control
- Deck flood light & spreader lights
- Navigation lights and VHF antenna



VOYAGE 590

Standard Specification

Sails

- HARKEN Batt car system for Mainsail
- Mainsail Stowage Pack with lazy jacks
- PROFURL Electric Genoa Roller Furler
- ULLMAN Fully battened main, 3 reef points, High Aspect, Cross cut Dacron with laminated leech
- ULLMAN Furling Genoa with foam luff and UV cover, high modulus crosscut Dacron
- Sheets and Control lines

Mooring Gear and Ground Tackle

- LOFRANS 24V windlass
- Anchor bridle with thimbles for anchoring
- Anchor chain 12 mm, 80 m galvanized and 60 m nylon anchor rode
- DELTA anchor, 60 kg
- Two anchor rollers, one with tipper
- Dock lines and fenders

Delivered Ex-Factory Cape Town