

HELP 1/2023

REFERENZEN

SCHOCKRAUMMANAGEMENT AUF EINER KLEINEN NOTFALLSTATION – DIE GRÖSSE SPIELT DOCH KEINE ROLLE!

Dirk Becker

DGU (2016). (Hrsg.). S3 – Leitlinie Polytrauma / Schwerverletzten-Behandlung. Berlin: Deutsche Gesellschaft für Unfallchirurgie

Helm, M. & Kulla, M. (2012). Schockraummanagement. Seite 699-704. In Fleischmann, Th. (Hrsg.). Klinische Notfallmedizin. München: Elsevier GmbH

Meier, K. (2005). Notfallstationen: strukturelle und organisatorische Empfehlungen für die Qualitätssicherung. Schweizer Ärztezeitung, 2005;86; Nr.32/33; Seite 1918-1928

Sieber, R. (2018). Erstellung von Notfallstationen – Empfehlung der Schweizerischen Gesellschaft für Notfall- und Rettungsmedizin (SGNOR) zu den baulichen Aspekten von Notfallstationen. Bern: SGNOR. Abgerufen am 31.01.2023 unter:
https://www.sgnor.ch/fileadmin/user_upload/Arch_ED_Plannung._V3.8_25.09.2018.pdf

SCHWERES TRAUMA IM ALTER

Thomas Dreher-Hummel

Bach, J. A., Leskovan, J. J., Scharschmidt, T., Boulger, C., Papadimos, T. J., Russell, S., . . . Stawicki, S. P. (2017). The right team at the right time – Multidisciplinary approach to multi-trauma patient with orthopedic injuries. *Int J Crit Illn Inj Sci*, 7(1), 32–37. doi:10.4103/ijciis.ljciis_5_17

Banerjee, J., Baxter, M., Coats, T., Edwards, A., Griffiths, R., Kumar, D., . . . Woodford, M. (2017). Major Trauma in Older People TARN the Trauma Audit & Research Network. Retrieved from <https://www.tarn.ac.uk/content/downloads/3793/Major%20Trauma%20in%20Older%20People%202017.pdf>

Braude, P., Carter, B., Parry, F., Ibitoye, S., Rickard, F., Walton, B., . . . Shipway, D. (2022). Predicting 1 year mortality after traumatic injury using the Clinical Frailty Scale. *J Am Geriatr Soc*, 70(1), 158–167. doi:10.1111/jgs.17472

Brown, E., Tohira, H., Bailey, P., Fatovich, D., Pereira, G., & Finn, J. (2019). Older age is associated with a reduced likelihood of ambulance transport to a trauma centre after major trauma in Perth. *Emerg Med Australas*, 31(5), 763–771. doi:10.1111/1742-6723.13244

Carter, B., Short, R., Bouamra, O., Parry, F., Shipway, D., Thompson, J., . . . Braude, P. (2022). A national study of 23 major trauma centres to investigate the effect of frailty on clinical outcomes in older people admitted with serious injury in England (FiTR 1): a multicentre observational study. *Lancet Healthy Longev*, 3(8), e540–e548. doi:10.1016/s2666-7568(22)00122-2

Caterino, J. M., Brown, N. V., Hamilton, M. W., Ichwan, B., Khaliqdina, S., Evans, D. C., . . . Shah, M. N. (2016). Effect of Geriatric-Specific Trauma Triage Criteria on Outcomes in Injured Older Adults: A Statewide Retrospective Cohort Study. *J Am Geriatr Soc*, 64(10), 1944–1951. doi:10.1111/jgs.14376

- Chang, D. C., Bass, R. R., Cornwell, E. E., & Mackenzie, E. J. (2008). Undertriage of elderly trauma patients to state-designated trauma centers. *Arch Surg*, 143(8), 776–781; discussion 782. doi:10.1001/archsurg.143.8.776
- Clegg, A., Young, J., Iliffe, S., Rikkert, M. O., & Rockwood, K. (2013). Frailty in elderly people. *Lancet*, 381(9868), 752–762. doi:10.1016/s0140-6736(12)62167-9
- Cox, S., Morrison, C., Cameron, P., & Smith, K. (2014). Advancing age and trauma: triage destination compliance and mortality in Victoria, Australia. *Injury*, 45(9), 1312–1319. doi:10.1016/j.injury.2014.02.028
- Elliott, A., Phelps, K., Regen, E., & Conroy, S. P. (2017). Identifying frailty in the Emergency Department—feasibility study. *Age And Ageing*, 46(5), 840–845. doi:10.1093/ageing/afx089
- Hammouda, N., Carpenter, C. R., Hung, W. W., Lesser, A., Nyamu, S., Liu, S., . . . Goldberg, E. M. (2021). Moving the needle on fall prevention: A Geriatric Emergency Care Applied Research (GEAR) Network scoping review and consensus statement. *Acad Emerg Med*, 28(11), 1214–1227. doi:10.1111/acem.14279
- Heffernan, D. S., Thakkar, R. K., Monaghan, S. F., Ravindran, R., Adams, C. A., Jr., Kozloff, M. S., . . . Cioffi, W. G. (2010). Normal presenting vital signs are unreliable in geriatric blunt trauma victims. *J Trauma*, 69(4), 813–820. doi:10.1097/TA.0b013e3181f41af8
- Hullick, C., Carpenter, C. R., Critchlow, R., Burkett, E., Arendts, G., Nagaraj, G., & Rosen, T. (2017). Abuse of the older person: Is this the case you missed last shift? *Emerg Med Australas*, 29(2), 223–228. doi:10.1111/1742-6723.12756
- Kabell Nissen, S., Rueegg, M., Carpenter, C. R., Kaeppli, T., Busch, J. M., Fournaise, A., . . . Nickel, C. H. (2022). Prognosis for older people at presentation to emergency department based on frailty and aggregated vital signs. *J Am Geriatr Soc*. doi:10.1111/jgs.18170
- Kaeppli, T., Rueegg, M., Dreher-Hummel, T., Brabrand, M., Kabell-Nissen, S., Carpenter, C. R., . . . Nickel, C. H. (2020). Validation of the Clinical Frailty Scale for Prediction of Thirty-Day Mortality in the Emergency Department. *Annals of Emergency Medicine*, 76(3), 291–300. doi:10.1016/j.annemergmed.2020.03.028
- Kehoe, A., Rennie, S., & Smith, J. E. (2015). Glasgow Coma Scale is unreliable for the prediction of severe head injury in elderly trauma patients. *Emerg Med J*, 32(8), 613–615. doi:10.1136/emermed-2013-203488
- Kim, S. Y., Hong, K. J., Shin, S. D., Ro, Y. S., Ahn, K. O., Kim, Y. J., & Lee, E. J. (2016). Validation of the Shock Index, Modified Shock Index, and Age Shock Index for Predicting Mortality of Geriatric Trauma Patients in Emergency Departments. *J Korean Med Sci*, 31(12), 2026–2032. doi:10.3346/jkms.2016.31.12.2026
- Lenartowicz, M., Parkovnick, M., McFarlan, A., Haas, B., Straus, S. E., Nathens, A. B., & Wong, C. L. (2012). An evaluation of a proactive geriatric trauma consultation service. *Ann Surg*, 256(6), 1098–1101. doi:10.1097/SLA.0b013e318270f27a
- Llompert-Pou, J. A., Pérez-Bárcena, J., Chico-Fernández, M., Sánchez-Casado, M., & Raurich, J. M. (2017). Severe trauma in the geriatric population. *World J Crit Care Med*, 6(2), 99–106. doi:10.5492/wjccm.v6.i2.99
- Lohman, M. C., Crow, R. S., DiMilia, P. R., Nicklett, E. J., Bruce, M. L., & Batsis, J. A. (2017). Operationalisation and validation of the Stopping Elderly Accidents, Deaths, and Injuries (STEADI) fall risk algorithm in a nationally representative sample. *J Epidemiol Community Health*, 71(12), 1191–1197. doi:10.1136/jech-2017-209769

Maschmann, C., Jeppesen, E., Rubin, M. A., & Barfod, C. (2019). New clinical guidelines on the spinal stabilisation of adult trauma patients – consensus and evidence based. *Scand J Trauma Resusc Emerg Med*, 27(1), 77. doi:10.1186/s13049-019-0655-x

Mohanty, K., Musso, D., Powell, J. N., Kortbeek, J. B., & Kirkpatrick, A. W. (2005). Emergent management of pelvic ring injuries: an update. *Can J Surg*, 48(1), 49–56.

Nakamura, Y., Daya, M., Bulger, E. M., Schreiber, M., Mackersie, R., Hsia, R. Y., . . . Newgard, C. D. (2012). Evaluating age in the field triage of injured persons. *Ann Emerg Med*, 60(3), 335–345. doi:10.1016/j.annemergmed.2012.04.006

Newgard, C. D., Lin, A., Eckstrom, E., Caughey, A., Malveau, S., Griffiths, D., . . . Bulger, E. (2019). Comorbidities, anticoagulants, and geriatric-specific physiology for the field triage of injured older adults. *J Trauma Acute Care Surg*, 86(5), 829–837. doi:10.1097/ta.0000000000002195

O'Connell, K. M., Quistberg, D. A., Tessler, R., Robinson, B. R. H., Cuschieri, J., Maier, R. V., . . . Arbabi, S. (2018). Decreased Risk of Delirium With Use of Regional Analgesia in Geriatric Trauma Patients With Multiple Rib Fractures. *Ann Surg*, 268(3), 534–540. doi:10.1097/sla.0000000000002929

Rockwood, K., Song, X., MacKnight, C., Bergman, H., Hogan, D. B., McDowell, I., & Mitnitski, A. (2005). A global clinical measure of fitness and frailty in elderly people. *Canadian Medical Association Journal*, 173(5), 489–495. doi:10.1503/cmaj.050051

Rueegg, M., Nissen, S. K., Brabrand, M., Kaeppli, T., Dreher, T., Carpenter, C. R., . . . Nickel, C. H. (2022). The clinical frailty scale predicts 1-year mortality in emergency department patients aged 65 years and older. *Acad Emerg Med*, 29(5), 572–580. doi:10.1111/acem.14460

Schlanger, L. E., Bailey, J. L., & Sands, J. M. (2010). Electrolytes in the aging. *Adv Chronic Kidney Dis*, 17(4), 308–319. doi:10.1053/j.ackd.2010.03.008

Theou, O., Squires, E., Mallery, K., Lee, J. S., Fay, S., Goldstein, J., . . . Rockwood, K. (2018). What do we know about frailty in the acute care setting? A scoping review. *BMC Geriatrics*, 18(1), 139–139. doi:10.1186/s12877-018-0823-2

Vilpert, S. (2013). *Konsultationen in Schweizer Notfallstationen (Obsan Bulletin 3/2013)*. Retrieved from: https://www.obsan.admin.ch/sites/default/files/obsan_bulletin_2013-03_d.pdf

«BREAKING BAD NEWS» IN DER PÄDIATRIE – MITTEILEN LEBENSVERÄNDERNDER INFORMATIONEN **Dr. med. Hans-Ulrich Bender**

Baile, W. F., Buckman, R., Lenzi, R., Glober, G., Beale, E. A., & Kudelka, A. P. (2000). SPIKES-A six-step protocol for delivering bad news: Application to the patient with cancer. *The Oncologist*, 5(4), 302–311. <https://doi.org/10.1634/theoncologist.5-4-302>

Beale, E. A., Baile, W. F., & Aaron, J. (2005). Silence is not golden: Communicating with children dying from cancer. *Journal of Clinical Oncology: Official Journal of the American Society of Clinical Oncology*, 23(15), 3629–3631. <https://doi.org/10.1200/JCO.2005.11.015>

Brouwer, M. A., Maeckelberghe, E. L. M., van der Heide, A., Hein, I. M., & Verhagen, E. A. A. E. (2021). Breaking bad news: What parents would like you to know. *Archives of Disease in Childhood*, 106(3), 276–281. <https://doi.org/10.1136/archdischild-2019-318398>

Buckman, R. (1992). *How To Break Bad News: A Guide for Health Care Professionals*. University of Toronto Press. <https://doi.org/10.3138/9781487596989>

- Dubé, C. E., LaMonica, A., Boyle, W., Fuller, B., & Burkholder, G. J. (2003). Self-Assessment of Communication Skills Preparedness: Adult Versus Pediatric Skills. *Ambulatory Pediatrics*, 3(3), 137–141. [https://doi.org/10.1367/1539-4409\(2003\)003<0137:SOCSPA>2.0.CO;2](https://doi.org/10.1367/1539-4409(2003)003<0137:SOCSPA>2.0.CO;2)
- Fallowfield, L., & Jenkins, V. (2004). Communicating sad, bad, and difficult news in medicine. *Lancet* (London, England), 363(9405), 312–319. [https://doi.org/10.1016/S0140-6736\(03\)15392-5](https://doi.org/10.1016/S0140-6736(03)15392-5)
- Mack, J. W., & Joffe, S. (2014). Communicating About Prognosis: Ethical Responsibilities of Pediatricians and Parents. *Pediatrics*, 133(Supplement_1), S24–S30. <https://doi.org/10.1542/peds.2013-3608E>
- Oken, D. (1961). What to tell cancer patients. A study of medical attitudes. *JAMA*, 175, 1120–1128. <https://doi.org/10.1001/jama.1961.03040130004002>
- Rosen, S., & Tesser, A. (1970). On Reluctance to Communicate Undesirable Information: The MUM Effect. *Sociometry*, 33(3), 253. <https://doi.org/10.2307/2786156>
- Schweizerische Akademie Der Medizinischen Wissenschaften (SAMW) & Verbindung Der Schweizer Ärztinnen Und Ärzte (FMH). (2020). Rechtliche Grundlagen im medizinischen Alltag. Ein Leitfaden für die Praxis. <https://doi.org/10.5281/ZENODO.3635309>
- Sisk, B. A., Bluebond-Langner, M., Wiener, L., Mack, J., & Wolfe, J. (2016). Prognostic Disclosures to Children: A Historical Perspective. *Pediatrics*, 138(3), e20161278. <https://doi.org/10.1542/peds.2016-1278>
- Tesser, A., & Rosen, S. (1975). The Reluctance to Transmit Bad News. In *Advances in Experimental Social Psychology* (Bd. 8, S. 193–232). Elsevier. [https://doi.org/10.1016/S0065-2601\(08\)60251-8](https://doi.org/10.1016/S0065-2601(08)60251-8)
- Wolfe, A. D., Friedrich, S. A., Wish, J., Kilgore-Carlin, J., Plotkin, J. A., & Hoover-Regan, M. (2014). Sharing Life-Altering Information: Development of Pediatric Hospital Guidelines and Team Training. *Journal of Palliative Medicine*, 17(9), 1011–1018. <https://doi.org/10.1089/jpm.2013.0620>

DIE «IMMOBILISIERUNG» VON PATIENT:INNEN NACH EINEM TRAUMA – ZEIT FÜR VERÄNDERUNGEN

Dr. med. Christian Maschmann

- American Academy of Orthopaedic Surgeons. (1971). *Emergency Care and Transportation of the Sick and Injured* (Committee on Injuries, Ed.; 1st Edition). The Academy.
- Asha, S. E., Curtis, K., Healy, G., Neuhaus, L., Tzannes, A., & Wright, K. (2021). Neurologic outcomes following the introduction of a policy for using soft cervical collars in suspected traumatic cervical spine injury: A retrospective chart review. *EMA - Emergency Medicine Australasia*, 33(1), 19–24. <https://doi.org/10.1111/1742-6723.13646>
- ATLS Subcommittee, American College of Surgeons' Committee on Trauma, & International ATLS working group. (2018). Spine and spinal cord trauma. In C. Merrick (Ed.), *Advanced trauma life support (ATLS®): the tenth edition* (10th ed., pp. 128–147). American College of Surgeons.
- Bjørnshave Noe, B., Mikkelsen, E., Hansen, R., Thygesen, M., & Hagen, E. (2015). Incidence of traumatic spinal cord injury in Denmark, 1990–2012: a hospital-based study. *Spinal Cord*, 53, 436–440. <https://doi.org/10.1038/sc.2014.181>
- Deutsche Gesellschaft für Unfallchirurgie. (2016). S3-Guideline Polytrauma / Schwerverletzten-Behandlung. In AWMF online. <https://www.awmf.org/leitlinien/detail/II/012-019.html>
- Geisler, W. O., Wynne-Jones, M., & Jousse, A. T. (1966). Early management of the patient with trauma to the spinal cord. *Medical Services Journal, Canada*, 22(7), 512–523.

Hauswald, M., Ong, G., Tandberg, D., Omal, Z., & Mbbs, ; (1998). Out-of-hospital Spinal Immobilization: Its Effect on Neurologic Injury. *ACADEMIC EMERGENCY MEDICINE* MAR, 5(3), 214–219.
https://www.wildmedcenter.com/uploads/5/9/8/2/5982510/hauswald_1998.pdf

Haut, E. R., Kalish, B. T., Efron, D. T., Haider, A. H., Stevens, K. A., Kieninger, A. N., Cornwell, E. E., & Chang, D. C. (2010). Spine Immobilization in Penetrating Trauma: More Harm Than Good? *The Journal of Trauma: Injury, Infection, and Critical Care*, 68(1), 115–121.
<https://doi.org/10.1097/TA.0b013e3181c9ee58>

Hood, N., & Considine, J. (2015). Spinal immobilisation in pre-hospital and emergency care: A systematic review of the literature. *Australasian Emergency Nursing Journal*, 18, 118–137.
<https://doi.org/10.1016/j.aenj.2015.03.003>

Horodyski, M., DiPaola, C. P., Conrad, B. P., & Rehtine, G. R. (2011). Cervical Collars are Insufficient for Immobilizing an Unstable Cervical Spine Injury. *The Journal of Emergency Medicine*, 41(5), 513–519.
<https://doi.org/10.1016/j.jemermed.2011.02.001>

Hübner, A. (2019, August 23). Neues zur Wirbelsäulen-Immobilisation – dasFOAM Think Tank.
<https://dasfoam.org/2019/08/23/neues-zur-wirbelsaeulen-immobilisation/>

Maschmann, C., Jeppesen, E., Rubin, M. A., & Barfod, C. (2019). New clinical guidelines on the spinal stabilisation of adult trauma patients – consensus and evidence based. *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine*, 27(1), 77. <https://doi.org/10.1186/s13049-019-0655-x>

Maschmann, C., Jeppesen, E., Rubin, M. A., Barfod, C., & National arbejdsgruppe for udarbejdelse af NKR for spinal stabilisering af voksne traumepatienter i Danmark. (2018). National Klinisk Retningslinje (NKR) for spinal stabilisering af voksne traumepatienter i Danmark (National Clinical Guideline for the Spinal Stabilisation of adult trauma patients in Denmark). Danish Board of Health.
https://s3.amazonaws.com/files.magicapp.org/guideline/d7a7720b-c6b9-4bd2-af1d-eb6439f0e8e7/published_guideline_2840-2_1.pdf

National Association of Emergency Technicians NAEMT. (2020). PHTLS 9E: Prehospital Trauma Life Support (9th ed.). Jones & Bartlett Learning, LLC. https://books.google.ch/books?id=6o_JvAEACAAJ

NHS Foundation Trust. (2020). SECamb introduces new spinal care guidelines – NHS South East Coast Ambulance Service. <https://www.secamb.nhs.uk/secamb-introduces-new-spinal-care-guidelines/>

Thompson, L., Shaw, G., Bates, C., Hawkins, C., McClelland, G., & Mcmeekin, P. (2021). To collar or not to collar. Views of pre-hospital emergency care providers on immobilisation without cervical collars: a focus group study. *British Paramedic Journal*, 6(1), 38–45.
<https://doi.org/10.29045/14784726.2021.6.6.1.38>

Yli-Hankala, A., Chew, M. S., Olkkola, K. T., Rehn, M., Sverrisson, K., & Møller, M. H. (2021). Clinical practice guideline on spinal stabilisation of adult trauma patients: Endorsement by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. In *Acta Anaesthesiologica Scandinavica* (Vol. 65, Issue 7, pp. 986–987). John Wiley and Sons Inc. <https://doi.org/10.1111/aas.13933>

CLINICAL ASSESSMENT DES BEWEGUNGSAPPARATS

Linda Polier

Amboss. (2020). Orthopädische Untersuchungszeichen. Abgerufen am 13.01.2023 von
https://www.amboss.com/de/wissen/Orthopädische_Untersuchungszeichen

Eigenmann, D., Ruprecht, M., Salzmann, M., Staudacher, D. & Vosseler B. (2020). Clinical Assessment wertet unseren Beruf auf. *Krankenpflege*, 6, 20–23.

https://www.fhsg.ch/fileadmin/Dateiliste/3_forschung_dienstleistung/institute/ipw/Publikationen/Clinical_Assessment.pdf

Füessl, H.S., & Middeke, M. (2014). Anamnese und klinische Untersuchung. Stuttgart: Georg Thieme Verlag.

Klopfstein, U. (2019). Untersuchung des Bewegungsapparates. Bern, Unterrichtsunterlagen Fachkurs Clinical Assessment BFH.

Klopfstein, U., Schnabel, E., Zweifel, A. (2019). Clinical Assessment, Checklisten/Handbuch. Bern, Unterrichtsunterlagen Fachkurs Clinical Assessment BFH.

Lohse, A. W. & Neurath, M. F., (2018). Checkliste Anamnese und klinische Untersuchung. Stuttgart: Georg Thieme Verlag.