

# SLIMLINE CONTINUOUS OVERSHOT

DESCRIPTION

Slimline Continuous Overshot is primarily used to retrieve parted CT strings or fish of an extended length.

Slimline Continuous Overshot has been designed to minimise wall thickness and also offer maximum strength, providing a solution to latch Coiled Tubing through the most challenging of well-bore restrictions. The tool features a shear release mechanism which allows the operator to over-pull and release from the fish should the retrieval operation be unsuccessful.

FEATURES

- Slimline design to pass through tight restrictions
- Shear release feature allows fine control over predetermined release force
- Tool can be configured with or without a pack-off assembly
- High tensile rating in comparison to tool diameter
- Designed to accommodate oval Coiled Tubing
- Extension available to maximise swallow when deployed with Coiled Tubing
- Available with a range of OD's to suit customer needs
- Simple, robust design ensuring ease of operation for the user
- Hexagonal flats for safe make-up & break out
- Connections to suit customer requirements

OD in – [mm]	Maximum Range in – [mm]
2,125 - [53,975]	1,55 - [39,37]
2,625 - [66,675]	1,8 - [45,72]
2,75 - [69,85]	2,03 - [51,562]
3,125 - [79,375]	2,425 - [61,595]
3,625 - [92,075]	2,925 - [74,295]

