










SPIERINGS KRANEN BV
Merwedestraat 15
5347 KZ OSS
Nederland
Tel. (31) 412-626964
Fax. (31) 412-645299




SPIERINGS FOLDING CRANE Type SK477-AT4



Total weight 48000 kg

changes reserved by manufacturer

Max. outrigger loading : 300 kN
 Outrigger foot : 750x600 mm²
 Pressure under foot: : 0,67 N/mm²
 Jib can be unfolded trough (360°)
 Luffing the fib 30° can be controlled from the crane cab


SPIERINGS HYDRAULIC FOLDING CRANE SK477—AT4








LOAD SPECIFICATION SPIERINGS FOLDING CRANE SK477-AT4



Drive train SPIERINGS SK477-AT4



Axles 2, 3 and 4 : GINAF axles with DAF drive components

Axle 1 : GINAF axle, not driven

Suspension: hydro-pneumatic on all axles, stroke ram 160 mm

Max. speed carrier : 80 km/h

Min. speed carrier (engine at 1000 rpm) : 1,8 km/h



Mervedestraat 15
5347 KZ Oss NL
Tel. +31-412-626964
Fax +31-412-645299

SPIERINGS HYDRAULIC FOLDING CRANE Typ SK477-AT4

Subject to modifications