

Shaolin 11.2% GR

HERBICIDE



For Algae and Aquatic Plant Control in Quiescent, Slow Moving, and Flowing Water Aquatic Sites.

ACTIVE INGREDIENT:	WT. BY %
Mono(N,N-dimethylalkylamine) salt of endothall*	11.2%
OTHER INGREDIENTS:	88.8%
TOTAL:	100.0%
*7-oxabicyclo [2.2.1]heptane-2,3-dicarboxylic acid equivalent 4.89%	

KEEP OUT OF REACH OF CHILDREN DANGER/PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you **DO NOT** understand this label, find someone to explain it to you in detail.)

FIRST AID
<p>IF IN EYES: • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. IF SWALLOWED: • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • DO NOT induce vomiting unless told to do so by a poison control center or doctor. • DO NOT give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice. IF INHALED: • Move person to fresh air. • If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor treatment advice.</p>
NOTE TO PHYSICIAN
<p>Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. Symptoms may develop gradually. Severe damage may be caused by apparently trivial contact and healing may be delayed. Medical supervision should be continued until healing is complete.</p>
HOTLINE NUMBERS
<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency information concerning this product, call your poison control center at 1-800-222-1222. For general information about this product, contact the National Pesticides Information Center (NPIC) at 1-800-858-7378, Monday through Friday, 8 AM to 12 PM PST, or at http://npic.orst.edu.</p>

See label booklet for complete Precautionary Statements, Directions For Use, and Storage and Disposal.

Manufactured For:

Sharda USA LLC 

7217 Lancaster Pike, Suite A
Hockessin, Delaware 19707

EPA Reg. No. 83529-310

EPA Est. No. **(DI)** 05905-IA-001; **(SC)** 39578-TX-001; **(MC)** 89332-GA-001; **(AG)** 72159-GA-001;
(TX) 07401-TX-001

The EPA Establishment Number is identified by the circled letters above that match the first two letters in the batch number.

Net Weight: **20 lbs.**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Corrosive. Causes irreversible eye damage. May be fatal if swallowed. **DO NOT** get in eyes, or on clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Mixers, loaders, applicators, and other handlers must wear:

- Long-sleeved shirt and long pants,
- Shoes plus socks,
- Waterproof gloves,
- Protective eyewear,
- A minimum of a NIOSH-approved particulate filtering facepiece respirator with any N, R, or P filters; OR a NIOSH-approved powered air-purifying respirator with HE filters, and
- Chemical-resistant apron when mixing, loading, or cleaning equipment.

Exception: During application, the respirator need not be worn, provided that the pesticide is applied in a manner (including direct metering or subsurface release from the rear of a vessel that is moving into the wind) such that the applicator will have no contact with the pesticide.

Respirator fit testing, medical qualification, and training

Using a program that conforms to OSHA's requirements (see 29 CFR Part 1910.134), employers must verify that any handler who uses a respirator is:

- Fit-test and fit-checked,
- Trained, and
- Examined by a qualified medical practitioner to ensure physical ability to safely wear the style of respirator to be worn. A qualified medical practitioner is a physician or other licensed health care professional who will evaluate the ability of a worker to wear a respirator. The initial evaluation consists of a questionnaire that asks about medical conditions (such as a health condition) that would be problematic for respirator use. If concerns are identified, then additional evaluations, such as a physical exam, might be necessary. The initial evaluation must be done before respirator use begins. Handlers must be reexamined by a qualified medical practitioner if their health status or respirator style or use-conditions change.

Upon request by local/state/federal/tribal enforcement personnel, employers must provide documentation demonstrating how they have complied with these requirements.

USER SAFETY REQUIREMENTS

Follow the manufacturers' instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. **DO NOT** reuse them.

ENGINEERING CONTROLS

When mixers and loaders use a closed system designed by the manufacturer to enclose the pesticide to prevent it from contacting handlers or other people AND the system is functioning properly and is used and maintained in accordance with the manufacturers written operating instructions, the handlers need not wear a respirator, provided the required respirator is immediately available for use in an emergency such as a spill or equipment breakdown.

USER SAFETY RECOMMENDATIONS

User should:

- Wash hands thoroughly after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

DO NOT contaminate water by cleaning of equipment or disposal of equipment wash waters or rinsate. This pesticide is toxic to mammals. **DO NOT** apply directly to water except as specified on this label. Treatment of algae and aquatic plants can result in oxygen loss from decomposition of dead algae and plants. This loss can cause fish suffocation. Water bodies containing very high algae or plant density must be treated in sections to prevent suffocation of fish.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PRODUCT INFORMATION

Shaolin 11.2% GR is a granular aquatic herbicide which is effective against a broad range of aquatic plants. Dosage rates indicated for the application of **Shaolin 11.2% GR** are measured in parts per million (ppm) of endothall acid.

Precautions:

- When used as directed, phytotoxicity is not expected on plants or crops irrigated with **Shaolin 11.2% GR** treated water, however, all species and cultivars (varieties) have not been tested.
- Contact with desirable plants or crops may result in injury.
- Contact of granules directly with non-target plants or crops may result in injury.
- Fish may be killed by dosages in excess of 0.3 parts per million (ppm).

Restrictions:

- This product is not for residential use.
- **DO NOT** apply product with aerial application equipment.
- **DO NOT** use **Shaolin 11.2% GR** treated water for chemigation as interactions between **Shaolin 11.2% GR** and other pesticides and fertilizers are not known.
- **DO NOT** use **Shaolin 11.2% GR** in brackish or saltwater.
- **DO NOT** use **Shaolin 11.2% GR** in waters containing Koi or hybrid goldfish.
- **DO NOT** treat more than 10% of the area at one time with doses in excess of 1 ppm in slow moving or quiescent waters.
- Waters treated with this product may be hazardous to aquatic organisms. Treatment of aquatic weeds and algae can result in oxygen loss from decomposition of dead biomass. This oxygen loss can cause fish and invertebrate suffocation. To minimize this hazard, **DO NOT** treat more than 10% of the water body to avoid depletion of oxygen due to decaying vegetation.
- **DO NOT** apply more than the maximum single application rate within a 14-day interval. Begin treatment along the shore and proceed outward in bands to allow fish to move into untreated areas. Consult with the state or local agency with primary responsibility for regulating pesticides before applying to public water to determine if a permit is required.

HERBICIDE RESISTANCE MANAGEMENT

Shaolin 11.2% GR contains endothal (Group 31 Herbicide). Herbicide resistance is defined as the inherited ability of a plant to survive and reproduce following exposure to a dose of herbicide normally lethal to the wild type. In a plant, resistance may be naturally occurring or induced by such techniques as genetic engineering or selection of variants produced by tissue culture or mutagenesis. Any weed population may contain or develop plants that are naturally resistant to **Shaolin 11.2% GR** and other Group 31 herbicides. Weed species with acquired resistance to Group 31 herbicides may eventually dominate the weed population if Group 31 herbicides are used repeatedly in the same body of water or in successive years as the primary method of control for targeted species. This may result in partial or total loss of control of those species by **Shaolin 11.2% GR** or other Group 31 herbicides.

APPLICATION INSTRUCTIONS

Shaolin 11.2% GR is a contact herbicide for algae and aquatic plant control in quiescent, slow moving, and flowing water Aquatic Sites. Consequently, this product is to be applied when target plants are present. Apply **Shaolin 11.2% GR** as evenly as possible over areas to be treated.

Drinking Water (Potable Water)

Consult with appropriate State or local water authorities before applying this product to public waters. State or local agencies may require permits.

The drinking water (potable water) restrictions on this label are to ensure that consumption of water by the public is allowed only when the concentration of endothal acid in the water is less than the MCL (Maximum Contamination Level) of 0.1 ppm. Applicators must consider the unique characteristics of the treated waters to ensure that endothal acid concentrations in potable drinking water **DO NOT** exceed 0.1 ppm at the time of consumption.

For Lakes, Ponds, and other Quiescent Water Bodies

For **Shaolin 11.2% GR** applications, the drinking water setback distance from functioning potable water intakes in the treated water body must be greater than or equal to 600 feet. **Note:** Existing potable water intakes that are no longer in use, such as those replaced by a connection to a municipal water system or a potable water well, are not considered to be functioning potable water intakes.

For Flowing Water Bodies

Applicator is responsible to ensure that treated water exceeding the MCL of 0.1 ppm does not enter potable water intakes. For **Shaolin 11.2% GR** applications, potable water intakes must be closed when treated water exceeding the MCL of 0.1 ppm is present at the intake. In the event the water intake cannot be closed (when treated water is present that exceeds 0.1 ppm), treatments must only be made downstream from the intake in order to ensure **Shaolin 11.2% GR** treated water above 0.1 ppm does not enter the potable water system.

QUIESCENT, SLOW-MOVING, OR FLOWING WATER TREATMENTS

Algae Control

Shaolin 11.2% GR is effective on a broad range of planktonic, filamentous, and branched algae. Note: susceptibility of algae may vary due to subspecies, strains or environmental conditions. Apply at rates of 0.05 to 0.3 ppm (3.06 - 16.35 lbs. per acre-foot) on light to moderate infestation of planktonic and filamentous algae. Apply higher labeled rates for branched algae species. Repeat applications when algae reappear and reach treatment levels. Dosages may be increased (from 0.3 to 3.0 ppm) where greater longevity of control is desired or to improve efficacy on species that prove difficult to control. Due to potential fish toxicity, it is suggested that applications above 0.3 ppm be made only by commercial applicators as marginal or sectional treatments.

Submerged Aquatic Plants

Apply **Shaolin 11.2% GR** at 0.5 to 5.0 ppm (27.6 lbs. to 276 lbs. per acre-foot) for control of submerged aquatic plants. Due to potential fish toxicity, **Shaolin 11.2% GR** use for submerged aquatic plant control is suggested to be made only by commercial applicators as marginal or sectional treatments.

Plants Controlled and Shaolin 11.2% GR Dosage Rates for Applications to Quiescent, Slow Moving, or Flowing Water

Algae or Plant	APPLICATION RATE	
	Endothall Acid Rate (ppm)	Shaolin 11.2% GR (lbs. per Acre-ft.)
Algae Planktonic, Filamentous, Branched (Use in California limited to <i>Cladophora</i> , <i>Pithophora</i> , <i>Spirogyra</i> , <i>Chara</i>)	0.05 - 3.0 ^D	3.06 - 165.6
Fanwort, (<i>Cabomba caroliniana</i>) ^{A,B,C}	2 - 5	110.4 - 276.1
Brazilian Elodea, <i>Egeria densa</i>	2 - 5	110.4 - 276.1
Elodea, <i>Elodea canadensis</i> ^C	2 - 5	110.4 - 276.1
Hydrilla (<i>Hydrilla verticillata</i>)	1 - 5	55.21 - 276.1
Hygrophila (<i>Hygrophila polysperma</i>) ^{A,C}	2 - 5	110.4 - 276.1
Eelgrass, <i>Vallisneria americana</i> ^F	2 - 5	110.4 - 276.1
Coontail (<i>Ceratophyllum</i> spp.) ^F	1.5 - 2.5	82.82 - 138.05
Horned Pondweed (<i>Zannichellia palustris</i>) ^F	1.5 - 2.5	82.82 - 138.05
Milfoil (<i>Myriophyllum</i> spp.) ^F	1.5 - 2.5	82.82 - 138.05
Sago Pondweed (<i>Stuckenia pectinata</i>) ^F	1.0 - 2.5	55.21 - 138.05
Naiad (<i>Najas</i> spp.) ^F	1.5 - 2.5	82.82 - 138.05
Pondweed (<i>Potamogeton</i> spp.) ^F	0.75 - 2.5	41.92 - 138.05
Including:		
American (<i>P. nodosus</i>)	1.5 - 2.5	82.82 - 138.05
Largeleaf, Bass Weed (<i>P. amplifolius</i>)	1.5 - 2.5	82.82 - 138.05
Curlyleaf (<i>P. crispus</i>)	0.75 - 1.5	41.92 - 82.82
Flatstem (<i>P. zosteriformis</i>)	1.5 - 2.5	82.82 - 138.05
Floating-leaf (<i>P. natans</i>)	1.0 - 2.5	55.21 - 138.05
Illinois (<i>P. illinoensis</i>)	1.25 - 2.5	69.52 - 138.05
Narrowleaf (<i>P. pusillus</i>)	1.0 - 2.5	55.21 - 138.05
Threadleaf (<i>P. filiformis</i>)	1.5 - 2.5	82.82 - 138.05
Variable Leaf (<i>P. diversifolius</i>)	1.0 - 2.5	55.21 - 138.05
Water Stargrass (<i>Heteranthera</i> spp.) ^{A,C}	1.5 - 2.5	82.82 - 138.05

^ANot for this use in California.

^BSuppression only.

^CNot for this use in New York.

^DSee specific use instructions under **Algae Control**.

Restriction for Flowing Waters used for Irrigation of Food Crops: DO NOT apply more than 30 ppm per growing season, not to exceed 5 ppm per application. **DO NOT** apply more than a total of 5 ppm within a 7-day interval. **Note:** There is no pre-harvest interval (PHI) for crops irrigated with treated water. The following charts indicate the quantity of Shaolin 11.2% GR to be applied.

Pounds of Shaolin 11.2% GR to Treat 1 Acre-Foot of Water

	Rate (ppm)							
	0.05	0.1	0.3	0.5	1.0	2.0	3.0	5.0
1 acre ft.	Lbs./A-ft.							
	3.06	5.11	16.35	27.6	55.21	110.43	165.64	276.07

Ounces of Shaolin 11.2% GR to Treat 1,000 Square Feet per Foot of Depth

	Rate (ppm)							
	0.05	0.1	0.3	0.5	1.0	2.0	3.0	5.0
1,000 ft. ²	Oz./1,000 ft. ²							
	1.02	1.94	5.93	10.22	20.45	40.9	61.35	102.25

PONDS AND SMALL LAKES WITH LITTLE TO NO OUTFLOW

The following directions are intended for ponds and small lakes with minimal outflows to ensure adequate contact time with the weeds.

Apply **Shaolin 11.2% GR** directly to the perimeter or in multiple locations around the perimeter of the water body. This will allow for rapid mixing throughout the water body as well as the water column.

For best results, apply in early Spring when weeds are actively growing with a minimum of 24 hours contact time.

Apply **Shaolin 11.2% GR** at the below rate.

Plants Controlled and Shaolin 11.2% GR Dosage Rates for Surface or Injected Applications in Ponds and Small Lakes

Algae or Plant	Application Rate (lbs. per Acre-ft.)	Concentration (ppm)
Algae: Planktonic and Filamentous (Use in California limited to <i>Cladophora</i> , <i>Pithophora</i> , <i>Spirogyra</i> , <i>Chara</i>)	15.3	0.25
Algae: Branched (<i>Chara</i> , <i>Nitella</i>)	30.6	0.5
Aquatic Plants: Elodea (<i>Egeria densa</i>) Coontail (<i>Ceratophyllum</i> spp.) ^f Eelgrass (<i>Vallisneria Americana</i>) ^c Elodea (<i>Elodea Canadensis</i>) ^f Fanwort (<i>Cabomba caroliniana</i>) ^{A,B,C} Water Stargrass (<i>Heteranthera</i> spp.) ^{A,C} Horned Pondweed (<i>Zannichellia palustris</i>) ^f Hydrilla (<i>Hydrilla verticillata</i>) Milfoil (<i>Myriophyllum</i> spp.) ^f Naiad (<i>Najas</i> spp.) ^f Sago Pondweed (<i>Stuckenia pectinate</i>) ^f Pondweed (<i>Potamogeton</i> spp.) ^f	30.6	0.5
^A Not for this use in California. ^B Suppression only. ^C Not for this use in New York.		

The following chart exemplifies the quantity of **Shaolin 11.2% GR** to be applied. Examples of **Shaolin 11.2% GR** required for Treatment, Average Depth 4 ft. (1.75 ppm).

Algae or Plants	Amount of Shaolin 11.2% GR to Treat 1/2 Acre-ft.	Amount of Shaolin 11.2% GR to Treat 1 Acre
Planktonic and Filamentous Algae	30.6 lbs.	61.3 lbs.
Branched Algae and Aquatic Plants	61.3 lbs.	122.7 lbs.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in the original container. **DO NOT** store in a manner where cross-contamination with other pesticides, fertilizers, food, or feed could occur.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING:

Non-refillable Plastic Containers (Capacity Equal to or more than 50 Pounds): Non-refillable container. **DO NOT** reuse or refill this container. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank. Hold container upside down over application equipment or a mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration. **DO NOT** burn, unless allowed by State and local ordinances.

Non-refillable Paper or Plastic Bags, Fiber Sacks including Flexible Intermediate Bulk Containers (FIBC) or Fiber Drums with Liners: Non-refillable container. **DO NOT** reuse or refill this container. Completely empty paper or plastic bag, fiber sack or drum liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application or manufacturing equipment. Then offer for recycling if available or dispose of empty paper or plastic bag, fiber sack or fiber drum and liner in a sanitary landfill, or by incineration. **DO NOT** burn, unless allowed by State and local ordinances.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Sharda USA LLC or Seller. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Sharda USA LLC and Seller harmless for any claims relating to such factors.

Sharda USA LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under conditions not reasonably foreseeable to or beyond the control of Seller or Sharda USA LLC and Buyer and User assume the risk of any such use. To the extent consistent with applicable law, SHARDA USA LLC MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, neither Sharda USA LLC nor Seller shall be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SHARDA USA LLC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SHARDA USA LLC OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

Sharda USA LLC and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Sharda USA LLC.

All trademarks are the property of their respective owners.

ENDOTHALL GROUP 31 HERBICIDE

Shaolin 11.2% GR

For Algae and Aquatic Plant Control in Quiescent, Slow Moving, and Flowing Water Aquatic Sites.

ACTIVE INGREDIENT:	WT. BY %
Mono(N,N-dimethylalkylamine) salt of endothall*	11.2%
OTHER INGREDIENTS:	88.8%
TOTAL:	100.0%

*7-oxabicyclo [2.2.1]heptane-2,3-dicarboxylic acid equivalent 4.89%

KEEP OUT OF REACH OF CHILDREN DANGER/PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you **DO NOT** understand this label, find someone to explain it to you in detail.)

FIRST AID	
IF IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by a poison control center or doctor. DO NOT give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor treatment advice.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. Symptoms may develop gradually. Severe damage may be caused by apparently trivial contact and healing may be delayed. Medical supervision should be continued until healing is complete.

HOTLINE NUMBERS

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency information concerning this product, call your poison control center at 1-800-222-1222. For general information about this product, contact the National Pesticides Information Center (NPIC) at 1-800-858-7378, Monday through Friday, 8 AM to 12 PM PST, or at <http://npic.orst.edu>.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Corrosive. Causes irreversible eye damage. May be fatal if swallowed. **DO NOT** get in eyes, or on clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

DO NOT contaminate water by cleaning of equipment or disposal of equipment wash waters or rinsate. This pesticide is toxic to mammals. **DO NOT** apply directly to water except as specified on this label. Treatment of algae and aquatic plants can result in oxygen loss from decomposition of dead algae and plants. This loss can cause fish suffocation. Water bodies containing very high algae or plant density must be treated in sections to prevent suffocation of fish.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in the original container. **DO NOT** store in a manner where cross-contamination with other pesticides, fertilizers, food, or feed could occur.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING:

Non-refillable Plastic Containers (Capacity Equal to or more than 50 Pounds): Non-refillable container. **DO NOT** reuse or refill this container. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank. Hold container upside down over application equipment or a mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration. **DO NOT** burn, unless allowed by State and local ordinances.

Non-refillable Paper or Plastic Bags, Fiber Sacks including Flexible Intermediate Bulk Containers (FIBC) or Fiber Drums with Liners: Non-refillable container. **DO NOT** reuse or refill this container. Completely empty paper or plastic bag, fiber sack or drum liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application or manufacturing equipment. Then offer for recycling if available or dispose of empty paper or plastic bag, fiber sack or fiber drum and liner in a sanitary landfill, or by incineration. **DO NOT** burn, unless allowed by State and local ordinances.

See label booklet for complete Precautionary Statements, Directions For Use, and Storage and Disposal.

Manufactured For: Sharda USA LLC, 7217 Lancaster Pike, Suite A, Hockessin, Delaware 19707

EPA Reg. No. 83529-310

EPA Est. No. (D) 05905-IA-001; (SC) 39578-TX-001; (MC) 89332-GA-001; (AG) 72159-GA-001; (TX) 07401-TX-001

The EPA Establishment Number is identified by the circled letters above that match the first two letters in the batch number.

Net Weight: **20 lbs.**

OPEN HERE