

# Western Pacific Products, Inc.


*Anything In Or On Your Tank – Ready to Ship*

*Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide*


## Wet-R-Dri VALVE

TTMA STYLE

LIGHTWEIGHT  
COMPACT  
VERSATILE



STANDARD



DETENT

The Betts Wet-R-Dri Valve is designed for handling liquid, gaseous or dry products, and is available in a variety of sizes and models. This space saving valve is lightweight, easily maintained, and has a positive stop in the open and closed position. The detent model has a detent spring and ball which assist in holding the disc in the open and closed position.

Size	Standard Model		Detent Model		Standard Material		Max. Working Pressure	Temperature Range
	Assembly No.		Assembly No.		Body	Disc		
2"	WD200 AL B	2.4	WD201 AL B	2.4	Aluminum	Buna-N	75 PSI	See Chart Below
	WD200 GI B	4.6	WD201 GI B	4.6	Grey Iron			
3"	WD300 AL B	3.6	WD301 AL B	3.6	Aluminum	Buna-N	75 PSI	
	WD300 GI B	6.9	WD301 GI B	6.9	Grey Iron			
4"	WD400 AL V	4.5	WD401 AL V	4.5	Aluminum	Viton	75 PSI	
	WD400 GI V	8.3	WD401 GI V	8.3	Grey Iron			
5"	WD500 AL V	7.9	WD501 AL V	7.9	Aluminum	Viton	50 PSI	
6"	WD600 AL U	11.8	WD601 AL U	11.8	Aluminum	Urethane	50 PSI	
8"	WD800 AL U	17.3	WD801 AL U	17.3	Aluminum	Urethane	50 PSI	

NOTES: Standard drilling fits TTMA recommended standards.

Valves are available with the following options: Stainless steel liners and shafts, grease fittings installed in the drive and bearing shafts, and "E" Coating of aluminum valves (recommended for aluminum valves used in water service).

For repair kit, see Section 20, Page 5B.

### Dimensions

Size	A	B	C	I.D.	O.D.	B.C.	Holes
2"	6 <sup>3</sup> / <sub>4</sub>	4 <sup>1</sup> / <sub>4</sub>	1 <sup>1</sup> / <sub>8</sub>	2 <sup>1</sup> / <sub>4</sub>	3 <sup>3</sup> / <sub>4</sub>	3 <sup>3</sup> / <sub>4</sub>	6 - <sup>7</sup> / <sub>16</sub>
3"	6 <sup>3</sup> / <sub>4</sub>	4 <sup>5</sup> / <sub>8</sub>	1 <sup>1</sup> / <sub>8</sub>	3 <sup>3</sup> / <sub>8</sub>	5 <sup>5</sup> / <sub>8</sub>	4 <sup>7</sup> / <sub>8</sub>	8 - <sup>7</sup> / <sub>16</sub>
4"	6 <sup>3</sup> / <sub>4</sub>	5 <sup>1</sup> / <sub>8</sub>	1 <sup>1</sup> / <sub>8</sub>	4 <sup>3</sup> / <sub>8</sub>	6 <sup>5</sup> / <sub>8</sub>	5 <sup>7</sup> / <sub>8</sub>	8 - <sup>7</sup> / <sub>16</sub>
5"	6 <sup>3</sup> / <sub>4</sub>	6 <sup>3</sup> / <sub>8</sub>	2 <sup>1</sup> / <sub>8</sub>	5 <sup>7</sup> / <sub>16</sub>	7 <sup>5</sup> / <sub>8</sub>	7	12 - <sup>7</sup> / <sub>16</sub>
6"	12	7	2 <sup>1</sup> / <sub>8</sub>	6 <sup>1</sup> / <sub>8</sub>	8 <sup>5</sup> / <sub>8</sub>	8 <sup>1</sup> / <sub>8</sub>	12 - <sup>7</sup> / <sub>16</sub>
8"	12	8	2 <sup>1</sup> / <sub>2</sub>	8	10 <sup>7</sup> / <sub>8</sub>	10 <sup>1</sup> / <sub>8</sub>	16 - <sup>7</sup> / <sub>16</sub>

### Suffix for Disc Material

Buna-N		Viton	Urethane		EPDM
Black	White		Black	White	
B	WB	V	U	WU	E
-40°F	-40°F	-0°F	-40°F	-40°F	-50°F
+200°F	+200°F	+400°F	+200°F	+200°F	+300°F

NOTE: Temperature ranges based on published information and may vary due to actual operating conditions.

### INSTALLATION:

The Wet-R-Dri Valve may be mounted in any position with handle located for easy operation. Valve, as assembled, opens by turning handle <sup>1</sup>/<sub>4</sub> turn counter clockwise (right hand operation). If clockwise rotation is desired (left hand operation) please specify. Care should be taken when mounting valve to be sure the I.D. of adjoining flanges or pipe is large enough to allow disc of valve to open freely. We suggest using our accompanying flanges and adapters shown in Section 20, Page 5A.

**Betts**™ INDUSTRIES, INC.  
WARREN, PA.

**800-677-3711**

Signal Hill, (L.A.) CA  
(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA  
(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX  
(817) 740-8077 • (817) 740-1332

Portland, OR  
(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com


# Western Pacific Products, Inc.

*Anything In Or On Your Tank – Ready to Ship*


*Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide*

PARTS LIST

## Wet-R-Dri VALVE



STANDARD MODEL



DETENT MODEL

No.	Description	Material	2" Size	3" Size	4" Size	5" Size	6" Size	8" Size
			Part No.					
1	Disc	Buna-N	WD101-2 BN	WD101-3 BN	WD101-4 BN	WD101-5 BN	WD101-6 BN	WD101-8 BN
		Viton	WD101-2 VT	WD101-3 VT	WD101-4 VT	WD101-5 VT	WD101-6 VT	WD101-8 VT
		Urethane	WD101-2 PY	WD101-3 PY	WD101-4 PY	WD101-5 PY	WD101-6 PY	WD101-8 PY
		EPDM	WD101-2 EP	WD101-3 EP	WD101-4 EP	WD101-5 EP	WD101-6 EP	WD101-8 EP
2	Handle	Mall. "E" Coated	25884EY	25884EY	25884EY	25884EY	25933AL	25933AL
	Cap Screw	Steel Zinc Plt.	9Q5813	9Q5813	9Q5813	9Q5813	9Q5898	9Q5898
	Hex. Nut	Steel Zinc Plt.	9Q5808	9Q5808	9Q5808	9Q5808	9Q5808	9Q5808
4	Drive Shaft	Steel	27053MS	27050MS	27050MS	27051MS	16229MS	16229MS002
5	Drive Shaft	Steel	27053MS001	27050MS001	27050MS001	27051MS001	16229MS	16229MS002
6	O-Ring	To match Disc Mat'l.	17889**	17889**	17889**	17889**	18831**	18831**
7	Bearing Shaft	Steel	16006MS	15913MS	15913MS	15913MS	16230MS	16230MS002
8	O-Ring	To match Disc Mat'l.	17781**	18141**	18141**	18141**	18831**	18831**
9	Driv-Lok-Pin	Steel Zinc Plt.	9Q4893	9Q4893	9Q4893	9Q4925	9Q4926	9Q4938
10	Detent Ball	440 Stainless	9Z4856	9Z4856	9Z4856	9Z4856	9Z4856	9Z4856
11	Detent Spring	304 Stainless	15229SL	15229SL	15229SL	15229SL	15229SL	15229SL
12	Ret. Screw	304 Stainless	9Q5838	9Q5838	9Q5838	9Q5838	9Q5838	9Q5838

\*\* O-Ring material suffix to match Disc suffix (i.e.-17889VT)

**WARNING** Use only genuine BETTS INDUSTRIES INC. replacement parts. Use of substitute parts can impair the proper functioning of the Wet-R-Dri Valve.

Printed in U.S.A.

**800-677-3711**

**Signal Hill, (L.A.) CA**

(562) 490-0030 • Fax (562) 490-0091

**West Sacramento, CA**

(916) 371-1622 • Fax (916) 371-4792

**Dallas/Fort Worth, TX**

(817) 740-8077 • (817) 740-1332

**Portland, OR**

(503) 221-0335 • Fax (503) 221-0911

[www.tankparts.com](http://www.tankparts.com)

1-107


# Western Pacific Products, Inc.

*Anything In Or On Your Tank – Ready to Ship*


*Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide*

## Wet-R-Dri VALVE

LIGHTWEIGHT  
COMPACT  
VERSATILE



LOCKING



METERING

The Betts Wet-R-Dri Valve is designed for handling liquid, gaseous or dry products, and is available in a variety of sizes and models. This space saving valve is lightweight, easily maintained, and has a positive stop in the open and closed position. The Locking model has a 2 notch indexing plate which locks disc in the open or closed positions. The Metering model has a 10 notch indexing plate which allows disc to be positioned in 10 various positions.

Size	Locking Model		Metering Model		Standard Material		Max. Working Pressure	Temperature Range
	Assembly No.	Wt.	Assembly No.	Wt.	Body	Disc		
2"	WD202 AL B	3.3	WD204 AL B	3.1	Aluminum	Buna-N	75 PSI	See Chart Below
	WD202 GI B	5.5	WD204 GI B	5.3	Grey Iron			
3"	WD302 AL B	4.5	WD304 AL B	4.3	Aluminum	Buna-N	75 PSI	
	WD302 GI B	7.8	WD304 GI B	7.6	Grey Iron			
4"	WD402 AL V	5.4	WD404 AL V	5.2	Aluminum	Viton	75 PSI	
	WD402 GI V	9.2	WD404 GI V	9.0	Grey Iron			
5"	WD502 AL V	8.8	WD504 AL V	8.6	Aluminum	Viton	50 PSI	
6"	WD602 AL U	12.4	WD604 AL U	12.2	Aluminum	Urethane	50 PSI	
8"	WD802 AL U	17.9	WD804 AL U	17.7	Aluminum	Urethane	50 PSI	

NOTES: Standard drilling fits TTMA recommended standards.

Valves are available with the following options: Stainless steel liners and shafts, grease fittings installed in the drive and bearing shafts, and "E" Coating of aluminum valves (recommended for aluminum valves used in water service).

For repair kit, see Section 20, Page 5B.

### Dimensions

Size	A	B	C	I.D.	O.D.	B.C.	Holes
2"	10 $\frac{1}{8}$	4 $\frac{1}{4}$	1 $\frac{1}{8}$	2 $\frac{1}{4}$	3 $\frac{3}{4}$	3 $\frac{3}{4}$	6- $\frac{7}{16}$
3"	10 $\frac{1}{8}$	4 $\frac{5}{8}$	1 $\frac{1}{8}$	3 $\frac{3}{8}$	5 $\frac{5}{8}$	4 $\frac{7}{8}$	8- $\frac{7}{16}$
4"	10 $\frac{1}{8}$	5 $\frac{1}{8}$	1 $\frac{1}{8}$	4 $\frac{3}{8}$	6 $\frac{5}{8}$	5 $\frac{7}{8}$	8- $\frac{7}{16}$
5"	10 $\frac{1}{8}$	6 $\frac{3}{8}$	2 $\frac{1}{8}$	5 $\frac{7}{16}$	7 $\frac{5}{8}$	7	12- $\frac{7}{16}$
6"	12	7	2 $\frac{1}{8}$	6 $\frac{1}{8}$	8 $\frac{5}{8}$	8 $\frac{1}{8}$	12- $\frac{7}{16}$
8"	12	8	2 $\frac{1}{2}$	8	10 $\frac{7}{8}$	10 $\frac{1}{8}$	16- $\frac{7}{16}$

### Suffix for Disc Material

Buna-N		Viton	Urethane		EPDM
Black	White		Black	White	
B	WB	V	U	WU	E
-40°F	-40°F	-0°F	-40°F	-40°F	-50°F
+200°F	+200°F	+400°F	+200°F	+200°F	+300°F

NOTE: Temperature ranges based on published information and may vary due to actual operating conditions.

### INSTALLATION:

The Wet-R-Dri Valve may be mounted in any position with handle located for easy operation. Valve, as assembled, opens by turning handle  $\frac{1}{4}$  turn counter clockwise (right hand operation). If clockwise rotation is desired (left hand operation) please specify. Care should be taken when mounting valve to be sure the I.D. of adjoining flanges or pipe is large enough to allow disc of valve to open freely. We suggest using our accompanying flanges and adapters shown in Section 20, Page 5A.

**Betts**<sup>™</sup> INDUSTRIES, INC.  
WARREN, PA.

**800-677-3711**

Signal Hill, (L.A.) CA  
(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA  
(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX  
(817) 740-8077 • (817) 740-1332

Portland, OR  
(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com



# Western Pacific Products, Inc.

*Anything In Or On Your Tank – Ready to Ship*

*Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide*

## PARTS LIST

## Wet-R-Dri VALVE



No.	Description	Material	2" Size	3" Size	4" Size	5" Size	6" Size	8" Size
			Part No.					
1	Disc	Buna-N	WD101-2 BN	WD101-3 BN	WD101-4 BN	WD101-5 BN	WD101-6 BN	WD101-8 BN
		Viton	WD101-2 VT	WD101-3 VT	WD101-4 VT	WD101-5 VT	WD101-6 VT	WD101-8 VT
		Urethane	WD101-2 PY	WD101-3 PY	WD101-4 PY	WD101-5 PY	WD101-6 PY	WD101-8 PY
		EPDM	WD101-2 EP	WD101-3 EP	WD101-4 EP	WD101-5 EP	WD101-6 EP	WD101-8 EP
2	Handle Assy.	Alum. "E" Coated	26284AL	26284AL	26284AL	26284AL	26287AL	26287AL
2a	Handle Assy.	Alum. "E" Coated	26075AL	26075AL	26075AL	26075AL	26077AL	26077AL
	Handle/Grip	Alum. "E" Coated	25815ALEY	25815ALEY	25815ALEY	25815ALEY	25802ALEY	25802ALEY
	Spring	302 Stainless	16365SL	16365SL	16365SL	16365SL	16365SL	16365SL
	Plunger-Metering	Steel	16969MS	16969MS	16969MS	16969MS	17020MS	17020MS
	Plunger-Locking	Steel	16385MS	16385MS	16385MS	16385MS	16400MS	16400MS
	Chain Link	Steel	924915	924915	924915	924915	924915	924915
	Cap Screw	Alum. or Steel	9Q5897	9Q5897	9Q5897	9Q5897	9Q5898	9Q5898
	Hex. Nut	Steel Zinc Plt.	9Q5808	9Q5808	9Q5808	9Q5808	9Q5808	9Q5808
4	Indexing Plate	Steel "E" Coated	17012EY	17012EY	17012EY	17012EY	17016EY	17016EY
4a	Indexing Plate	Steel "E" Coated	16358EY	16358EY	16358EY	16358EY	16668EY	16668EY
5	Cap Screw	Stainless	9Q5884	9Q5884	9Q5884	9Q5884	9Q5884	9Q5884
6	Drive Shaft	Steel	27053MS	27050MS	27050MS	27051MS	16229MS	16229MS002
8	O-Ring	To match Disc Mat'l.	17889**	17889**	17889**	17889**	18831**	18831**
9	Bearing Shaft	Steel	16006MS	15913MS	15913MS	15913MS	16230MS	16230MS
10	O-Ring	To match Disc Mat'l.	17781**	18141**	18141**	18141**	18831**	18831**
11	Driv-Lok-Pin	Steel Zinc Plt.	9Q4893	9Q4893	9Q4893	9Q4925	9Q4926	9Q4938

\*\* O-ring material suffix to match Disc suffix (i.e.-17889VT)

**WARNING** Use only genuine BETTS INDUSTRIES INC. replacement parts. Use of substitute parts can impair the proper functioning of this product.

## 800-677-3711

**Signal Hill, (L.A.) CA**

(562) 490-0030 • Fax (562) 490-0091

**West Sacramento, CA**

(916) 371-1622 • Fax (916) 371-4792

**Dallas/Fort Worth, TX**

(817) 740-8077 • (817) 740-1332

**Portland, OR**

(503) 221-0335 • Fax (503) 221-0911

[www.tankparts.com](http://www.tankparts.com)

1-109


# Western Pacific Products, Inc.

*Anything In Or On Your Tank – Ready to Ship*

*Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide*


## Wet-R-Dri VALVE

LIGHTWEIGHT  
COMPACT  
VERSATILE



LOCKING TYPE SPRING LOADED

TTMA STYLE



SPRING LOADED

The Betts Wet-R-Dri Valve is designed for handling liquid, gaseous or dry products, and is available in a variety of sizes and models. This space saving valve is lightweight, easily maintained, and has a positive stop in the open and closed position. Both spring loaded valves provide an immediate and positive shut off. The locking type permits valve to be mechanically held open while the spring loaded type can be used for remote operation or as a dead man valve.

Size	Locking-Spring Loaded Assembly No.	Wt.	Spring Loaded Assembly No.	Wt.	Standard Material		Max. Working Pressure	Temperature Range
					Body	Disc		
2"	WD203 AL B	5.5	WD205 AL B	4.4	Aluminum	Buna-N	75 PSI	See Chart Below
	WD203 GI B	7.7	WD205 GI B	6.6	Grey Iron			
3"	WD303 AL B	6.7	WD305 AL B	5.6	Aluminum	Buna-N	75 PSI	
	WD303 GI B	10.0	WD305 GI B	8.9	Grey Iron			
4"	WD403 AL V	7.6	WD405 AL V	6.5	Aluminum	Viton	75 PSI	
	WD403 GI V	11.4	WD405 GI V	10.3	Grey Iron			
5"	WD503 AL V	11.0	WD505 AL V	9.9	Aluminum	Viton	50 PSI	

NOTES: Standard drilling fits TTMA recommended standards.

Valves are available with the following options: Stainless steel liners and shafts, grease fittings installed in the drive and bearing shafts, and "E" Coating of aluminum valves (recommended for aluminum valves used in water service).

For repair kit, see Section 20, Page 5B.

### Dimensions

Size	A	A <sub>1</sub>	B	C	I.D.	O.D.	B.C.	Holes
2"	6 $\frac{3}{4}$	10 $\frac{1}{8}$	6	1 $\frac{1}{8}$	2 $\frac{1}{4}$	3 $\frac{3}{4}$	3 $\frac{3}{4}$	6- $\frac{7}{16}$
3"	6 $\frac{3}{4}$	10 $\frac{1}{8}$	6 $\frac{1}{4}$	1 $\frac{1}{8}$	3 $\frac{3}{8}$	5 $\frac{5}{8}$	4 $\frac{7}{8}$	8- $\frac{7}{16}$
4"	6 $\frac{3}{4}$	10 $\frac{1}{8}$	6 $\frac{3}{4}$	1 $\frac{1}{8}$	4 $\frac{3}{8}$	6 $\frac{5}{8}$	5 $\frac{7}{8}$	8- $\frac{7}{16}$
5"	6 $\frac{3}{4}$	10 $\frac{1}{8}$	8	2 $\frac{1}{8}$	5 $\frac{7}{16}$	7 $\frac{3}{8}$	7	12- $\frac{7}{16}$

### Suffix for Disc Material

Buna-N		Viton	Urethane		EPDM
Black	White		Black	White	
B	WB	V	U	WU	E
-40°F	-40°F	-0°F	-40°F	-40°F	-50°F
+200°F	+200°F	+400°F	+200°F	+200°F	+300°F

NOTE: Temperature ranges based on published information and may vary due to actual operating conditions.

### INSTALLATION:

The Wet-R-Dri Valve may be mounted in any position with handle located for easy operation. Valve, as assembled, opens by turning handle  $\frac{1}{4}$  turn counter clockwise (right hand operation). If clockwise rotation is desired (left hand operation) please specify. Care should be taken when mounting valve to be sure the I.D. of adjoining flanges or pipe is large enough to allow disc of valve to open freely. We suggest using our accompanying flanges and adapters shown in Section 20, Page 5A.

**Betts**<sup>™</sup> INDUSTRIES, INC.  
WARREN, PA.

**800-677-3711**

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com


1-110

# Western Pacific Products, Inc.

*Anything In Or On Your Tank – Ready to Ship*


*Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide*

## PARTS LIST



LOCKING TYPE  
SPRING LOADED MODEL

## Wet-R-Dri VALVE



SPRING LOADED MODEL

No.	Description	Material	2" Size	3" Size	4" Size	5" Size
			Part No.	Part No.	Part No.	Part No.
1	Disc	Buna-N	WD101-2 BN	WD101-3 BN	WD101-4 BN	WD101-5 BN
		Viton	WD101-2 VT	WD101-3 VT	WD101-4 VT	WD101-5 VT
		Urethane	WD101-2 PY	WD101-3 PY	WD101-4 PY	WD101-5 PY
		EPDM	WD101-2 EP	WD101-3 EP	WD101-4 EP	WD101-5 EP
2	Handle	Mall. "E" Coated	25884EY	25884EY	25884EY	25884EY
2a	Handle Assy.	Alum. "E" Coated	26075AL	26075AL	26075AL	26075AL
4	Screws	Stainless	9Q5837	9Q5837	9Q5837	9Q5837
5	Cover Plate	Aluminum	16929AL	16929AL	16929AL	16929AL
5a	Cover Plate	Steel	16961MS	16961MS	16961MS	16961MS
6	Gasket	Cork-Neoprene	17427CN	17427CN	17427CN	17427CN
7	Cap Screw	Steel	9Q5848	9Q5848	9Q5848	9Q5848
8	Spring Adapter	304 Stainless	16934SL	16934SL	16934SL	16934SL
9	Washer	Teflon	17418TF	17418TF	17418TF	17418TF
10	Spring	Steel "E" Coated	16945EY	16945EY	16945EY	16945EY
11	O-Ring	Buna-N	18831BN	18831BN	18831BN	18831BN
12	Stop Plate	304 Stainless	16928SL	16928SL	16928SL	16928SL
13	Housing	Aluminum	26190AL	26190AL	26190AL	26190AL
14	Drive Shaft	Steel	27053MS	27050MS	27050MS	27051MS
15	O-Ring	To match Disc Mat'l.	17889**	17889**	17889**	17889**
16	Bearing Shaft	Steel	16006MS	15913MS	15913MS	15913MS
17	O-Ring	To match Disc Mat'l.	17781**	18141**	18141**	18141**
18	Driv-Lok-Pin	Steel Zinc Plt.	9Q4893	9Q4893	9Q4893	9Q4925
19	Gasket	Cork-Neoprene	18308CN	18308CN	18308CN	18308CN

\*\*O-Ring material suffix to match Disc suffix (i.e.-17889VT)

**WARNING** Use only genuine BETTS INDUSTRIES INC. replacement parts. Use of substitute parts can impair the proper functioning of the Wet-R-Dri Valve.

### 800-677-3711

**Signal Hill, (L.A.) CA**

(562) 490-0030 • Fax (562) 490-0091

**West Sacramento, CA**

(916) 371-1622 • Fax (916) 371-4792

**Dallas/Fort Worth, TX**

(817) 740-8077 • (817) 740-1332

**Portland, OR**

(503) 221-0335 • Fax (503) 221-0911

[www.tankparts.com](http://www.tankparts.com)

1-111

# Western Pacific Products, Inc.


*Anything In Or On Your Tank – Ready to Ship*

*Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide*

## Wet-R-Dri VALVE

TTMA STYLE

**LIGHTWEIGHT**  
**COMPACT**  
**VERSATILE**



The Betts Wet-R-Dri Valve is designed for handling liquid, gaseous or dry products, and is available in a variety of sizes and models. This space saving valve is lightweight, easily maintained, and has a positive stop in the open and closed position. The air operated valve is opened and closed by air. The air-spring operated valve can be sold as either an air to open, spring return valve or as an air to close spring to open valve. Please specify.

Size	Air Actuated Model	Wt.	Air-Spring Model	Wt.	Standard Material		Max. Working Pressure	Temperature Range
	Assembly No.		Assembly No.		Body	Disc		
2"	WD217 AL B	5.9	WD219 AL B	6.4	Aluminum	Buna-N	75 PSI	See Chart Below
	WD217 GI B	8.1	WD219 GI B	8.6	Grey Iron			
3"	WD317 AL B	7.1	WD319 AL B	7.6	Aluminum	Buna-N	75 PSI	
	WD317 GI B	10.4	WD319 GI B	10.9	Grey Iron			
4"	WD417 AL V	8.0	WD419 AL V	8.5	Aluminum	Viton	75 PSI	
	WD417 GI V	11.8	WD419 GI V	12.3	Grey Iron			
5"	WD517 AL V	11.4	WD519 AL V	11.9	Aluminum	Viton	50 PSI	
6"	WD617 AL U	15.3	WD619 AL U	15.8	Aluminum	Urethane	50 PSI	
8"	WD817 AL U	20.8	WD819 AL U	21.3	Aluminum	Urethane	50 PSI	

NOTES: Standard drilling fits TTMA recommended standards. Valves are available with the following options: Stainless steel liners and shafts, and "E" Coating of aluminum Valves (recommended for aluminum valves used in water service).

For repair kit, see Section 20, Page 5B.

### Dimensions

Size	A	B	C	I.D.	O.D.	B.C.	Holes
2"	13 <sup>5</sup> / <sub>16</sub>	5 <sup>13</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>8</sub>	2 <sup>1</sup> / <sub>4</sub>	3 <sup>3</sup> / <sub>4</sub>	3 <sup>3</sup> / <sub>4</sub>	6 - <sup>7</sup> / <sub>16</sub>
3"	13 <sup>5</sup> / <sub>16</sub>	6 <sup>5</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>8</sub>	3 <sup>3</sup> / <sub>8</sub>	5 <sup>5</sup> / <sub>8</sub>	4 <sup>7</sup> / <sub>8</sub>	8 - <sup>7</sup> / <sub>16</sub>
4"	13 <sup>5</sup> / <sub>16</sub>	6 <sup>11</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>8</sub>	4 <sup>3</sup> / <sub>8</sub>	6 <sup>5</sup> / <sub>8</sub>	5 <sup>7</sup> / <sub>8</sub>	8 - <sup>7</sup> / <sub>16</sub>
5"	13 <sup>5</sup> / <sub>16</sub>	7 <sup>7</sup> / <sub>8</sub>	2 <sup>1</sup> / <sub>8</sub>	5 <sup>1</sup> / <sub>16</sub>	7 <sup>5</sup> / <sub>8</sub>	7	12 - <sup>7</sup> / <sub>16</sub>
6"	13 <sup>5</sup> / <sub>16</sub>	8 <sup>7</sup> / <sub>16</sub>	2 <sup>1</sup> / <sub>8</sub>	6 <sup>1</sup> / <sub>8</sub>	8 <sup>5</sup> / <sub>8</sub>	8 <sup>1</sup> / <sub>8</sub>	12 - <sup>7</sup> / <sub>16</sub>
8"	13 <sup>5</sup> / <sub>16</sub>	9 <sup>3</sup> / <sub>8</sub>	2 <sup>1</sup> / <sub>2</sub>	8	10 <sup>7</sup> / <sub>8</sub>	10 <sup>1</sup> / <sub>8</sub>	16 - <sup>7</sup> / <sub>16</sub>

### Suffix for Disc Material

Buna-N		Viton	Urethane		EPDM
Black	White		Black	White	
B	WB	V	U	WU	E
-40°F	-40°F	-0°F	-40°F	-40°F	-50°F
+200°F	+200°F	+400°F	+200°F	+200°F	+300°F

NOTE: Temperature ranges based on published information and may vary due to actual operating conditions.

### INSTALLATION:

The Wet-R-Dri Valve may be mounted in any position.

Care should be taken when mounting valve to be sure the I.D. of adjoining flanges or pipe is large enough to allow disc of valve to open freely. We suggest using our accompanying flanges and adapters shown in Section 20, page 5A.

**Betts**™  
INDUSTRIES, INC.  
WARREN, PA.

**800-677-3711**

Signal Hill, (L.A.) CA  
(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA  
(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX  
(817) 740-8077 • (817) 740-1332

Portland, OR  
(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

1-112

# Western Pacific Products, Inc.


*Anything In Or On Your Tank – Ready to Ship*

*Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide*




## PARTS LIST

### Wet-R-Dri VALVE

AIR TO OPEN OR CLOSE – SPRING RETURN SHOWN



† PART REQ'D ON SPRING RETURN MODELS ONLY  
 †† PART REQ'D ON DOUBLE ACTING MODELS ONLY



**WARNING** Use only genuine BETTS INDUSTRIES INC. replacement parts. Use of substitute parts can impair the proper functioning of this product.

**800-677-3711**

**Signal Hill, (L.A.) CA**

(562) 490-0030 • Fax (562) 490-0091

**West Sacramento, CA**

(916) 371-1622 • Fax (916) 371-4792

**Dallas/Fort Worth, TX**

(817) 740-8077 • (817) 740-1332

**Portland, OR**

(503) 221-0335 • Fax (503) 221-0911

[www.tankparts.com](http://www.tankparts.com)

1-113

# Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

## PARTS LIST

### Wet-R-Dri VALVE

#### ACTUATOR ONLY PART NOS.

2" Thru 5" Spring Return Act.	Part No. 46495AL
2" Thru 5" Double Acting Act.	Part No. 46504AL
6" & 8" Spring Return Act.	Part No. 46496AL
6" & 8" Double Acting Act.	Part No. 46519AL

#### INDICATOR PIN ASSEMBLY PART NO.

2" Thru 5" Part No. 19531AL
6" & 8" Part No. 19532AL

No.	Description	Req'd.	Size	Material	Part No.
1	Mtg. End Plate	1	2"Thru 8"	Aluminum	19243ALEY
2	O-Ring	2	2"Thru 8"	Buna N	17666BN
3	Piston Seal	As Req'd.	2"Thru 8"	Buna N	17669BN
†4	Piston	1	2"Thru 8"	Aluminum	19437AL
††4a	Piston	1	2"Thru 8"	Aluminum	19285AL
†5	Spring	1	2"Thru 8"	316 Stnls	19413SS
6	Cylinder	1	2"Thru 8"	Aluminum	19240AL
7	Stop Tube	1	2"Thru 8"	Aluminum	19241AL
8	Housing	1	2"Thru 5"	Aluminum	35390ALEY
		1	6" & 8"	Aluminum	35400ALEY
9	Clevis	1	2"Thru 5"	17-4 Stnls	19237SL
		1	6" & 8"	17-4 Stnls	19238SL
10	Button Head S.C.S.	2	2"Thru 8"	Steel	905940
11	Hex Jam Nut	2	2"Thru 8"	Steel Zinc Plt	905910
12	O-Ring	1	2"Thru 8"	Buna N	17781BN
13	Shaft	1	2"Thru 8"	304 Stnls	19239SL
14	O-Ring	1	2"Thru 8"	Buna N	19350BN
15	Washer	1	2"Thru 8"	Aluminum	19268AL
16	End Cap	1	2"Thru 8"	Aluminum	19244ALEY
17	1/4 Lockwasher	4	2"Thru 8"	Steel	905845
18	Hex. Hd. Bolt	4	2"Thru 8"	Steel Zinc Plt	905938
19	Retaining Ring	2	2"Thru 8"	Steel Plated	904932
20	Bearing	2	2"Thru 8"	Bronze	924870
21	Clevis Pin	1	2"Thru 8"	Steel Plated	904729
22	Cover Plate	1	2"Thru 8"	Aluminum	19490ALEY
23	Hex. Hd. Bolt	4	2"Thru 8"	Steel Zinc Plt	905849
23a	1/4 Star Washer	4	2"Thru 8"	Steel Zinc Plt	905923
24	Gasket	1	2"Thru 8"	Cork-Neoprene	19269CN
26	O-Ring	1	2"Thru 8"	Buna N	18066BN
††27	Socket Hd. Screw	1	2"Thru 8"	Steel	905798
†28	1/8 Pipe Plug	1	2"Thru 8"	Steel	9V4915
A1	Plug	1	2"Thru 8"	Aluminum	19489AL
A2	O-Ring	1	2"Thru 8"	Buna N	19357BN
A3	O-Ring	1	2"Thru 8"	Buna N	19505BN

\* \* O-Ring material suffix to match Disc suffix (i.e.-18831VT)

† PART REQ'D ON SPRING RETURN MODELS ONLY

†† PART REQ'D ON DOUBLE ACTING MODELS ONLY

No.	Description	Req'd.	Size	Material	Part No.
A4	Indicator Pin	1	2"Thru 5"	316 Stnls	19528SL
			6" & 8"	316 Stnls	19529SS
A5	Spirol Pin	1	2"Thru 8"	304 Stnls	9Q8601
A6	1/2 Star Washer	1	2"Thru 8"	410 Stnls	9Q5916
A7	Breather	1	2"Thru 8"	Brass	9Z4895
31	Cap Screw	2	2"Thru 8"	Steel	9Q5856
32	Gasket	1	2", 3" & 4"	Cork-Neoprene	18308CN
			5", 6" & 8"	Cork-Neoprene	19351CN
33	O-Ring	1	2"Thru 5"	To match Disc Mat'l.	17889 * *
			6"		18831 * *
		2	8"		18831 * *
34	Drive Shaft	1	2"	Steel	27053MS
			3" & 4"	Steel	27050MS
			5"	Steel	27051MS001
			6"	Steel	16229MS
			8"	Steel	16229MS002
35	Disc	1	2"	*Specify Material see Section 20 Page 4C	WD101-2 *
			3"		WD101-3 *
			4"		WD101-4 *
			5"		WD101-5 *
			6"		WD101-6 *
			8"		WD101-8 *
36	O-Ring	1	2"	To match Disc Mat'l.	17781 * *
			3"Thru 5"		18141 * *
			6" & 8"		18831 * *
36a	O-Ring	1	8"		18831 * *
37	Bearing Shaft	1	2"	Steel	16006MS
			3"Thru 5"	Steel	15913MS
			6"	Steel	16230MS
			8"	Steel	16230MS002
38	Driv-Lok Pin	2	2"Thru 5"	Steel Zinc Plt	9Q4893
			6"	Steel Zinc Plt	9Q4926
			8"	Steel Zinc Plt	9Q4938
39	Grease Fitting	1	8"	Steel	9Z3058

**WARNING** Use only genuine BETTS INDUSTRIES INC. replacement parts. Use of substitute parts can impair the proper functioning of this product.

## 800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

1-114

# Western Pacific Products, Inc.

*Anything In Or On Your Tank – Ready to Ship*

*Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide*

**PARTS LIST**

## WET-R-DRI VALVE

### Repair Kit

For WD Valve Size	Repair Kit Part No.	Suffix: <b>BN</b> Buna-N Disc <b>PY</b> Urethane Disc <b>VT</b> Viton Disc <b>EP</b> EPDM Disc
2"	WD18402 BN WD18402 VT	
3"	WD18403 BN WD18403 VT	REPAIR KITS CONSIST OF:  1 Disc 2 Drive Shaft O-Rings 1 Bearing Shaft O-Ring 2 Drive Lock Pins 2 Flange Gaskets 1 Sec. 20, Page 1A & B
4"	WD18404 VT	
5"	WD18405 VT	
6"	WD18406 PY WD18406 VT	
8"	WD18408 PY WD18408 VT	
All Detent	WD18400 SL	Detent Repair Kit ( For all sizes detent models )  Consists Of: 1 Detent Ball           WD109 SL 1 Detent Spring        WD110 SL 1 Retaining Screw     WD111 SL

For Detent model valves a Detent Repair Kit is required in addition to the appropriate size valve repair kit.

**800-677-3711**

**Signal Hill, (L.A.) CA**

(562) 490-0030 • Fax (562) 490-0091

**West Sacramento, CA**

(916) 371-1622 • Fax (916) 371-4792

**Dallas/Fort Worth, TX**

(817) 740-8077 • (817) 740-1332

**Portland, OR**

(503) 221-0335 • Fax (503) 221-0911

[www.tankparts.com](http://www.tankparts.com)

1-115


# Western Pacific Products, Inc.

*Anything In Or On Your Tank – Ready to Ship*

*Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide*

Rev. 0, January 2003

## 4-AWD-174540 4" WET & DRY VALVE



SECTION A-A

ITEM	PART NUMBER	DESCRIPTION	QTY.
1	4-700-206	BODY (ALUMINUM)	1
2	4-700-540	DISC (VITON) <sup>1</sup>	1
3	2-3-500/99-OS	O-RING (BUNA) <sup>1</sup>	2
4	4-700-ORING	O-RING (BUNA) <sup>1</sup>	2
5	4-700-TSTEM	STEM (TOP)	1
6	4-700-BSTEM	STEM (BOTTOM)	1
7	4-700-HDL-C	HANDLE	1
8	C-3/8-BB	BEARING	1
9	4-700-SPRING	SPRING	1

ITEM	PART NUMBER	DESCRIPTION	QTY.
10	S-7/16X1/2-CSS	SCREW (SET)	1
11	Z-3/16X1-DPIN	DRIVE PIN	2
12	Z-5/16-18X1-1/2	SCREW (HEX HEAD)	1
13	Z-5/16-HEX-NUT	NUT (HEX)	1
14	4-700-GSKT	GASKET (SOLD SEPERATELY)	1

REPAIR KITS		
PART NUMBER	DESCRIPTION	QTY.
A-700-540	VALVE REPAIR KIT	N/A

1 - Included in A-700-540

**CIVACON™**

**800-677-3711**

**Signal Hill, (L.A.) CA**

(562) 490-0030 • Fax (562) 490-0091

**West Sacramento, CA**

(916) 371-1622 • Fax (916) 371-4792

**Dallas/Fort Worth, TX**

(817) 740-8077 • (817) 740-1332

**Portland, OR**

(503) 221-0335 • Fax (503) 221-0911

[www.tankparts.com](http://www.tankparts.com)

1-116



# Western Pacific Products, Inc.

*Anything In Or On Your Tank – Ready to Ship*

*Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide*

Rev. 0, January 2003

## 4-AWD-174540L 4" WET & DRY VALVE



SECTION A-A

ITEM	PART NUMBER	DESCRIPTION	QTY.
1	4-700-206-L10	BODY (ALUMINUM)	1
2	4-700-540	DISC (VITON) <sup>1</sup>	1
3	2-3-500/99-OS	O-RING (BUNA) <sup>1</sup>	2
4	4-700-ORING	O-RING (BUNA) <sup>1</sup>	2
5	4-700-TSTEM	STEM (TOP)	1
6	4-700-BSTEM	STEM (BOTTOM)	1
7	4-700-HDL-C	HANDLE	1
8	Z-1/4-20X3/4	SCREW (HEX HEAD)	2

ITEM	PART NUMBER	DESCRIPTION	QTY.
9	Z-3/16X1-DPIN	DRIVE PIN	2
10	S-7/16X1/2-CSS	SCREW (SET)	1
11	700-STL-HP-10	PLATE	1
12	4-700-GSKT	GASKET (SOLD SEPERATELY)	1

REPAIR KITS		
PART NUMBER	DESCRIPTION	QTY.
A-700-540	VALVE REPAIR KIT	N/A

1 - Included in A-700-540

**CIVAcon™**

**800-677-3711**

**Signal Hill, (L.A.) CA**

(562) 490-0030 • Fax (562) 490-0091

**West Sacramento, CA**

(916) 371-1622 • Fax (916) 371-4792

**Dallas/Fort Worth, TX**

(817) 740-8077 • (817) 740-1332

**Portland, OR**

(503) 221-0335 • Fax (503) 221-0911

[www.tankparts.com](http://www.tankparts.com)

1-117


# Western Pacific Products, Inc.

*Anything In Or On Your Tank – Ready to Ship*

*Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide*

Rev. 0, January 2003

## 4-AWD-174700 4" WET & DRY VALVE



SECTION A-A

ITEM	PART NUMBER	DESCRIPTION	QTY.
1	4-700-206	BODY (ALUMINUM)	1
2	4-700-700	DISC (BUNA) <sup>1</sup>	1
3	2-3-500/99-OS	O-RING (BUNA) <sup>1</sup>	2
4	4-700-ORING	O-RING (BUNA) <sup>1</sup>	2
5	4-700-TSTEM	STEM (TOP)	1
6	4-700-BSTEM	STEM (BOTTOM)	1
7	4-700-HDL-C	HANDLE	1
8	C-3/8-BB	BEARING	1
9	4-700-SPRING	SPRING	1

ITEM	PART NUMBER	DESCRIPTION	QTY.
10	S-7/16X1/2-CSS	SCREW (SET)	1
11	Z-3/16X1-DPIN	DRIVE PIN	2
12	Z-5/16-18X1-1/2	SCREW (HEX HEAD)	1
13	Z-5/16-HEX-NUT	NUT (HEX)	1
14	4-700-GSKT	GASKET (SOLD SEPERATELY)	1

REPAIR KITS		
PART NUMBER	DESCRIPTION	QTY.
A-700-700	VALVE REPAIR KIT	N/A

1 - Included in A-700-700

**CIVACON™**

**800-677-3711**

**Signal Hill, (L.A.) CA**

(562) 490-0030 • Fax (562) 490-0091

**West Sacramento, CA**

(916) 371-1622 • Fax (916) 371-4792

**Dallas/Fort Worth, TX**

(817) 740-8077 • (817) 740-1332

**Portland, OR**

(503) 221-0335 • Fax (503) 221-0911

[www.tankparts.com](http://www.tankparts.com)

1-118



# Western Pacific Products, Inc.

*Anything In Or On Your Tank – Ready to Ship*

*Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide*

Rev. 0, January 2003

## 4-AWD-174700L 4" WET & DRY VALVE



SECTION A-A

ITEM	PART NUMBER	DESCRIPTION	QTY.
1	4-700-206-L10	BODY (ALUMINUM)	1
2	4-700-700	DISC (BUNA) <sup>1</sup>	1
3	2-3-500/99-OS	O-RING (BUNA) <sup>1</sup>	2
4	4-700-ORING	O-RING (BUNA) <sup>1</sup>	2
5	4-700-TSTEM	STEM (TOP)	1
6	4-700-BSTEM	STEM (BOTTOM)	1
7	4-700-HDL-C	HANDLE	1
8	Z-1/4-20X3/4	SCREW (HEX HEAD)	2

ITEM	PART NUMBER	DESCRIPTION	QTY.
9	Z-3/16X1-DPIN	DRIVE PIN	2
10	S-7/16X1/2-CSS	SCREW (SET)	1
11	700-STL-HP-10	PLATE	1
12	4-700-GSKT	GASKET (SOLD SEPERATELY)	1

REPAIR KITS		
PART NUMBER	DESCRIPTION	QTY.
A-700-700	VALVE REPAIR KIT	N/A

1 - Included in A-700-700

**CIVAcon™**

**800-677-3711**

**Signal Hill, (L.A.) CA**

(562) 490-0030 • Fax (562) 490-0091

**West Sacramento, CA**

(916) 371-1622 • Fax (916) 371-4792

**Dallas/Fort Worth, TX**

(817) 740-8077 • (817) 740-1332

**Portland, OR**

(503) 221-0335 • Fax (503) 221-0911

[www.tankparts.com](http://www.tankparts.com)

**1-119**


# Western Pacific Products, Inc.

*Anything In Or On Your Tank – Ready to Ship*

*Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide*

Rev. 0, January 2003

## 4-PWD-274540 4" WET & DRY VALVE



ITEM	PART NUMBER	DESCRIPTION	QTY.
1	4-700-307	BODY (NYLON)	1
2	4-700-540	DISC (VITON) <sup>1</sup>	1
3	2-3-500/99-OS	O-RING (BUNA) <sup>1</sup>	2
4	4-700-ORING	O-RING (BUNA) <sup>1</sup>	2
5	4-700-TSTEM	STEM (TOP)	1
6	4-700-BSTEM	STEM (BOTTOM)	1
7	4-700-HDL-C	HANDLE	1
8	C-3/8-BB	BEARING	1
9	4-700-SPRING	SPRING	1

ITEM	PART NUMBER	DESCRIPTION	QTY.
10	S-7/16X1/2-CSS	SCREW (SET)	1
11	Z-3/16X1-DPIN	DRIVE PIN	2
12	Z-5/16-18X1-1/2	SCREW (HEX HEAD)	1
13	Z-5/16-HEX-NUT	NUT (HEX)	1
14	4-700-GSKT	GASKET (SOLD SEPERATELY)	1

REPAIR KITS		
PART NUMBER	DESCRIPTION	QTY.
A-700-540	VALVE REPAIR KIT	N/A

1 - Included in A-700-700

**CIVACON™**

**800-677-3711**

**Signal Hill, (L.A.) CA**

(562) 490-0030 • Fax (562) 490-0091

**West Sacramento, CA**

(916) 371-1622 • Fax (916) 371-4792

**Dallas/Fort Worth, TX**

(817) 740-8077 • (817) 740-1332

**Portland, OR**

(503) 221-0335 • Fax (503) 221-0911

[www.tankparts.com](http://www.tankparts.com)

1-120


# Western Pacific Products, Inc.

*Anything In Or On Your Tank – Ready to Ship*

*Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide*

Rev. 0, January 2003

## 4-PWD-274700 4" WET & DRY VALVE



SECTION A-A

ITEM	PART NUMBER	DESCRIPTION	QTY.
1	4-700-307	BODY (NYLON)	1
2	4-700-700	DISC (BUNA) <sup>1</sup>	1
3	2-3-500/99-OS	O-RING (BUNA) <sup>1</sup>	2
4	4-700-ORING	O-RING (BUNA) <sup>1</sup>	2
5	4-700-TSTEM	STEM (TOP)	1
6	4-700-BSTEM	STEM (BOTTOM)	1
7	4-700-HDL-C	HANDLE	1
8	C-3/8-BB	BEARING	1
9	4-700-SPRING	SPRING	1

ITEM	PART NUMBER	DESCRIPTION	QTY.
10	S-7/16X1/2-CSS	SCREW (SET)	1
11	Z-3/16X1-DPIN	DRIVE PIN	2
12	Z-5/16-18X1-1/2	SCREW (HEX HEAD)	1
13	Z-5/16-HEX-NUT	NUT (HEX)	1
14	4-700-GSKT	GASKET (SOLD SEPERATELY)	1

REPAIR KITS		
PART NUMBER	DESCRIPTION	QTY.
A-700-700	VALVE REPAIR KIT	N/A

1 - Included in A-700-700



**800-677-3711**

**Signal Hill, (L.A.) CA**

(562) 490-0030 • Fax (562) 490-0091

**West Sacramento, CA**

(916) 371-1622 • Fax (916) 371-4792

**Dallas/Fort Worth, TX**

(817) 740-8077 • (817) 740-1332

**Portland, OR**

(503) 221-0335 • Fax (503) 221-0911

[www.tankparts.com](http://www.tankparts.com)

1-121