

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

heavy duty vehicular lamps and lighting systems

Betts™

Quality
SINCE 1901



CATALOG 2001

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-1

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

INDEX

LAMPS • ACCESSORIES • PARTS

ABS STICKER	50
ACCESSORIES	50-51
ARMOR GUARD	61
BACK-UP LAMPS	22
BRACKETS	60-61
BSXL WIRE	58
CABINET, METER & DOME LAMPS.....	26-27
CABLE	58
CABLE ENTRANCE FITTINGS	55
CABLE PLUGS	59
CERTIFICATE HOLDERS	48
CHOKE SEALS	55
CIRCUIT SAVER	36
CLEARANCE & SIDE MARKER LAMPS	8-12
COMPONENT PARTS	52-61
DOME LAMPS	26-27
FLASHERS	36
FLOOD LAMPS	28-30
GASKETS	52
HALOGEN BEACONS & STROBES	23-25
IDENTIFICATION / BAR LAMPS	13-14
JUNCTION BOXES	33-35
LENS	49
LICENSE LAMPS	14-20
LICENSE PLATE BRACKETS	61
MAINTENANCE PAPER HOLDER	48
MODULES - 40 & 45 SERIES	38-45
MOUNTING BRACKETS	60-61
NOSE BOXES	37
NYLON FITTINGS	56-57
O-RINGS	52
PEDESTAL MOUNT LAMPS	29-30
PIGTAILS	53
PLUG & SEAL INFORMATION.....	3-7
PLUG CHECKER	48
PLUG SCRUBBER.....	51
PLUGS, 6 & 7 POLE	50
REFLECTORS	52
REGISTRATION HOLDER	48
REMOTE TESTER	47
SCHOOL BUS LAMPS.....	31-33
SEALED BEAM FLOOD, SPOT & WORK LAMPS	28-30
SEALED BEAM BULBS	52
SHOCK-STOPPER SOCKET	53
SMART-SPLICE	46
SOCKETS - BULB	53
SOCKETS - 6 & 7 POLE	50
SOLID WIRING INFORMATION	2
SPOT LAMPS.....	28-30
STOP, TURN, TAIL & LICENSE LAMPS	15-21
STROBES	23-25
SWITCHES	61
TECHNICAL INFORMATION	62-64
TERMINAL DISCS & HARDWARE	55
TRACTOR MODULES	41
TUBING	57
WIRE CONNECTORS	46
WIRE PULLING LUBRICANT	51
WORK LAMPS	28-30

All Betts products, where applicable, conform to F.M.V.S.S. number 108

Betts quality lamps and lighting systems feature these exclusive advantages:


- ★ Sealed yet bulb replaceable!
- ★ A full line of lamps and junction boxes that have ample room for splices in a dry environment.
- ★ Controlled O. D. on stranded wire and cable for positive sealing.
- ★ Lowest voltage drop in the industry!
- ★ Choke seal entrances available in all heavy wall lamps and junction boxes.
- ★ All lamps and junction box lenses and covers are sealed with "O" rings.
- ★ All 4" and 7" lamps are equipped with shock mount bulb sockets for superior vibration dampening and shock resistance.
- ★ The only lighting system where add ons or repairs can be made without jeopardizing the integrity of the system.
- ★ Only bulbs require occasional replacement.

Snap Seal lenses are a Betts exclusive

To Remove: Place one hand over face of lens at pry point to avoid possibility of injury due to lens breakage. Insert screwdriver fully under lens flange. Pry off carefully at several points if necessary.

To Replace: Tilt lens slightly and hand press into lamp housing for a water-tight O-ring seal. "Snap Seal" O-rings are factory lubricated. When additional lubrication is needed, use a petroleum jelly only, such as Vaseline.

CAUTION. Use Betts "Snap Seal" O-rings only, to assure designed tolerance between lens, O-ring and lamp housing. Keep groove retaining O-ring clean to assure proper sealing.



Six Digit Part Numbering System

This catalog uses a six digit part numbering system. Use these numbers when ordering. The old part numbers are shown in parenthesis following each lamp or part description. These numbers, as shown below, may be helpful in identifying lamps, lens or functions.

EXAMPLE: New Number 200012 - Old Number (200-05132)

Basic Model No.	Function	Lens Shape	Lens Color, etc.	Lens Material
② ① ①	① ⑤	①	③	②
Model	Clearance	Shallow Lens	Amber	Lexan Lens
01-Stop or Turn 02-Stop, Turn or Tail 03-License, Stop, Tail 04-Back-Up 05-Clearance or Marker 06-Dome 07-Flood 08-Junction Box 09-Identification Bar 10-2 Lens Clearance 11-2 Lens Directional 12-Gauge Holder	13-Power Unit 14-Pattern Light 15-Nose Box 16-Marker & Side Turn 17-Strobe Lamp 18-Beacon Lamp 19-Switch 20-Special Purpose 21-Identification & License 22-License & Tail 23-Tail 24-Halogen Beacon 25-School Bus Warning	1-Shallow 2-Deep 3-Cover 4-Circuit Breaker Cover 5-Switch Cover 6-High Hat Lens	0-Split Color 1-Clear 2-Red 3-Amber 5-Blue 6-6-Way Plug 7-7-Way Plug	2-Lexan 3-Glass

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

Betts Lighting Systems “CONSTANTLY EVOLVING BUT NEVER CHANGING”



Sealed, bulb replaceable lighting systems have been our past, present and will continue to be our future lighting system goals. The Betts original Piped-Sealed System is still in use today along with Betts Solid Wiring and, most recently, Betts Plug & Seal Systemmaximum versatility and convenience.

Betts **Piped- Sealed** LIGHTING SYSTEM

1 Betts Piped-Sealed Lighting System is a completely sealed wiring system making use of heavy walled polyethylene tubing, threaded lamp entries, threaded cable entrance fittings and either threaded or hose barbed tubing fittings.


Betts **SOLID WIRING** Lighting SYSTEMS

2 A continuous wiring system with no external wire splices or plugs. This circumvents corrosion and disconnects. PVC jacketed cable is used throughout this system. The 105° celsius rated outer jacket resists salt, abrasion and physical abuse. All cable includes a ground wire for common grounding of the entire system. Each of the color coded conductors also come with a PVC jacket rated at 105° celsius. See page 2.



THE ULTIMATE LIGHTING SYSTEM

3 An additional approach to a sealed lighting system with the above mentioned cable specifications and dry environment connections, **plus** the advantage of faster installations. Betts male and female 2 & 4 conductor plugs use a sealed, lock together system that really works. See page 3.



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR


(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide



NO MORE BAD GROUNDING

All dual function lamps are common grounded.

NO PLACE FOR CORROSION

Entire system is sealed...TIGHT!

NO MORE LEAKAGE

Designed water-proof to stay water-proof.

NO MORE DISCONNECTS

No quick connections to pull apart.

*the lighting system so TIGHT...
there's no place for trouble to START!*

A READY TO INSTALL KIT WITH NO EXTERNAL WIRE SPLICES

A ready-to install rear lighting system designed to seal out trouble due to corrosion, road shock and vibration...yet is easy and low cost to maintain. Lamps have heavy duty thermoplastic bodies. They are bulb replaceable and feature the Shock-Stopper bulb suspension. All lenses are made of a lens grade polycarbonate material and are sealed to the lamp by the Betts Snap-Seal system. Patented watertight Choke-Seals and threaded cable entrance fittings assure a dry environment for connections. All necessary mounting hardware is included.

CUSTOM ENGINEERED KITS

All Solid Wiring Kits, except for our 900016, are engineered by Betts to customer specifications. Both complete trailer or rear kits are available. Kits will be quoted when design is established. Call our lamp sales engineering department for your unique design.



PART NO. 900016
INCLUDES:

- (4) 450045 stop, turn, tail or clearance lamps with 8 feet of 3 conductor cable installed in rear.
- (1) 470042 surface mount junction box with (1) 920420, (4) 920413 Choke Seals, and (1) 920402 cable entrance fitting.
- (1) 240008 license lamp with 4 feet of BSXL wire installed.



Betts
CHOKE SEAL

PATENTED

NO TAPPING REQUIRED ■ SEALS CABLE AT 8 POINTS ■ CAN NOT LOOSEN ■ FITS MANY WALL THICKNESSES

These EPDM seals are used as water-tight entrance grommets. Part No. 920413 will accommodate 2, 3 and 4 conductor jacketed cable. Part No. 920420 will accommodate up to four individual primary wires. After installing in a lamp or junction box, pierce the Choke Seal diaphragm (DO NOT DRILL) and insert wire. Use wire pulling lubricant, Part No. 920019, before inserting cable. Both seals require a 9/16" diameter hole. Betts patented Choke Seals are standard on all Solid Wiring and Plug & Seal lamp kits.



PART NO. 920413
Push-in type for use with Betts 2, 3 or 4 conductor cable.



PART NO. 920420
Push-in type with 4 holes. For use with individual wires up to 12 gauge.

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-4

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide



all the advantages of the Solid Wiring system plus ... the easy installation and service of plug-together units

The **Betts** Plug & Seal Lighting System offers lamps and junction boxes prewired with a flexible jacketed cable which includes a ground wire for common grounding. The wires inside the cable are protected by a PVC insulation and further protected by a super tough PVC outer jacket that resists salt, abrasion, and physical abuse.

Betts Plug & Seal Lighting System features replaceable molded plug pigtails that provide a sealed connection and offer field serviceability not afforded or offered by any other system on the market.

Should the **Betts** Plug & Seal Lighting System suffer damage from tire blowouts or accidents, the damaged pigtail can be completely replaced without jeopardizing the integrity of the system. Other systems require cutting into the harness to remove the damaged section and splicing on a new section. Poor splices can and will result in lighting problems.


It all adds up to an exclusive, high integrity lighting system. A lighting system that is easy to maintain at a cost you can live with. Bulb replaceable lighting systems cost less per mile to maintain.

NOTE: To replace the bulb, grasp the base of the J-slotted Shock-Stopper socket with one hand, push the bulb down and turn counter clockwise to remove.

NOTE: Heat shrink tubing can be applied to the plugs for additional sealing.



"Ready-to-Install" kits can be engineered by Betts to customer specifications. Information on pages 4, 5, 6, & 7 will also allow for the purchase of individual components to be put together as a kit in your facility.



- 1 SHOCK-STOPPER**
Protects the bulb from road shock and vibration.
Enables bulb to reach its rated life.
- 2 BULB REPLACEABLE**
Uses a standard J-slot bulb.
- 3 NO BAD GROUNDING**
System uses common grounding.
- 4 NO CORROSION**
Super-tight seals & plugs keep moisture out.
- 5 FAST LOW COST SERVICE**
Snap-Seal lens make service easy.
- 6 LOCK & SEAL PLUGS**
Molded to tough PVC jacketed cable.

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship


Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide



PLUG & SEAL HARNESSES

THE ULTIMATE LIGHTING SYSTEM

Betts harness units are designed to speed installation and service while maintaining a sealed lighting system with dry environment connections. Male and female 2 and 4 conductor plugs use a sealed lock together system that really works. Remember, most service problems can be resolved for the cost of a bulb... not an expensive lamp unit.



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

PLUG & SEAL HARNESSSES




THE ULTIMATE LIGHTING SYSTEM

PART NO.

910100

A **ROADSIDE HARNESS**

10 foot lead of 5 conductor cable molded into a junction that has 4 drops consisting of; #1 - 2 conductor plug wired for clearance, #2 - 4 conductor plug wired as turn/tail, #3 - 2 conductor plug wired as backup, and #4 - 4 conductor plug wired as stop/tail. #1, 2 & 3 have 6" length of cable. #4 - 14".



910101


B **CURBSIDE HARNESS**

10 foot lead of 5 conductor cable molded into a junction that has 4 drops consisting of; #1 - 2 conductor plug wired for clearance, #2 - 4 conductor plug wired as turn/tail, #3 - 2 conductor plug wired as backup, and #4 - 4 conductor plug wired as stop/tail. #1, 2 & 3 have 6" length of cable. #4 - 14".

910102

B **CURBSIDE HARNESS**

8 foot lead of 4 conductor cable molded into a junction that has 4 drops consisting of; #1 - 2 conductor plug wired for clearance, #2, #3 #4 - 4 conductor plugs wired as stop/turn/tail. (Lamps will be wired for stop or turn functions.) #1 - 4 have 6" length of cable.



910103

Same as 910102 but with 25 foot lead of 4 conductor cable.

910104

A **ROADSIDE HARNESS**

8 foot lead of 4 conductor cable molded into a junction that has 4 drops consisting of; #1 - 2 conductor plug wired for clearance, #2, #3 #4 - 4 conductor plugs wired as stop/turn/tail. (Lamps will be wired for stop or turn functions.) #1 - 4 have 6" length of cable.


910105

Same as 910104 but with 25 foot lead of 4 conductor cable.

910106

B **CURBSIDE HARNESS**

8 foot lead of 4 conductor cable molded into a junction that has 3 drops consisting of; #1 - 2 conductor plug wired for clearance, #2 and #3, - 4 conductor plugs wired as stop/turn/tail. (Lamps will be wired for stop or turn functions.) #1 - 3 have 6" length of cable.



910107

Same as 910106 but with 25 foot lead of 4 conductor cable.

910108

A **ROADSIDE HARNESS**

8 foot lead of 4 conductor cable molded into a junction that has 3 drops consisting of; #1 - 2 conductor plug wired for clearance, #2 and #3, - 4 conductor plugs wired as stop/turn/tail. (Lamps will be wired for stop or turn functions.) #1 - 3 have 6" length of cable.

910109

Same as 910108 but with 25 foot lead of 4 conductor cable.

910110

C **MAIN HARNESS: 50'**

50 foot lead of 7 conductor cable with a junction molded in the center with (2) - 4 conductor drops consisting of #1 drop wired for roadside turn/clearance and #2 wired for curbside turn and clearance. #1 & 2 have 4 foot length of cable.



910114

Same as 910110 but with ABS cable.

910111

D **TWO CONDUCTOR "Y" HARNESS**

96 inch lead of 2 conductor cable molded into a junction with (2) - 6 inch 2 conductor drops wired for clearance/side marker.



910115

E **ID BAR HARNESS**

216 inch lead of 2 conductor cable with 2 "Y" harnesses that provide three two conductor drops to plug in individual lights to make an ID bar light.



910116

C **MAIN HARNESS: 60'**

60 foot lead of 7 conductor cable with a junction molded 33 feet from the front with (2) - 4 conductor drops consisting of #1 drop wired for roadside turn/clearance and #2 wired for curbside turn and clearance and 27 feet of cable to the rear. #1 & 2 have 1.5 foot length of cable.



910117

Same as 910116 but with ABS 7 conductor cable.

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide



STOP, TAIL, TURN & LICENSE LAMPS

All lamps are equipped with PVC jacketed cable and a molded 4 conductor male plug. Wiring conforms to FMVSS standards. All Lenses are red and all lamps are provided with double contact bulbs and sockets. Cable entry is located on the side of most lamp bodies for easy plug-in to the lamp system. Note: Amber turns and clear back-ups are available upon request.



4 IN. MALE PLUG/4 COND. CABLE		12 IN. MALE PLUG/4 COND. CABLE	
ROAD SIDE	CURB SIDE	ROAD SIDE	CURB SIDE
 <p>PART NO. 400111 TURN/TAIL 400113 STOP/TAIL</p>	<p>PART NO. 400110 TURN/TAIL 400112 STOP/TAIL</p>	 <p>PART NO. 400101 TURN/TAIL 400103 STOP/TAIL</p>	<p>PART NO. 400100 TURN/TAIL 400102 STOP/TAIL</p>
 <p>PART NO. 400115 TURN/TAIL 400117 STOP/TAIL</p>	<p>PART NO. 400114 TURN/TAIL 400116 STOP/TAIL</p>	<p>PART NO. 400105 TURN/TAIL 400107 STOP/TAIL</p>	<p>PART NO. 400104 TURN/TAIL 400106 STOP/TAIL</p>
 <p>PART NO. 400118 TURN/TAIL/LIC 400119 STOP/TAIL/LIC</p>	<p>_____</p>	<p>PART NO. 400108 TURN/TAIL/LIC 400109 STOP/TAIL/LIC</p>	<p>_____</p>
 <p>PART NO. 450083 TURN/TAIL 450085 STOP/TAIL</p>	<p>PART NO. 450082 TURN/TAIL 450084 STOP/TAIL</p>	<p>PART NO. 450073 TURN/TAIL 450075 STOP/TAIL</p>	<p>PART NO. 450072 TURN/TAIL 450074 STOP/TAIL</p>
 <p>PART NO. 450087 TURN/TAIL 450089 STOP/TAIL</p>	<p>PART NO. 450086 TURN/TAIL 450088 STOP/TAIL</p>	<p>PART NO. 450077 TURN/TAIL 450079 STOP/TAIL</p>	<p>PART NO. 450076 TURN/TAIL 450078 STOP/TAIL</p>
 <p>PART NO. 450080 TURN/TAIL/LIC 450081 STOP/TAIL/LIC</p>	<p>_____</p>	<p>PART NO. 450090 TURN/TAIL/LIC 450091 STOP/TAIL/LIC</p>	<p>_____</p>

800-677-3711

Signal Hill, (L.A.) CA
(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA
(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX
(817) 740-8077 • (817) 740-1332

Portland, OR
(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

CLEAR/MARK, SIDE TURN & JUNCTION BOX



All lamps are equipped with PVC jacketed cable and a molded 2 or 4 conductor male plug. Cable entry is located in the rear of lamp bodies for easy plug-in to the lamp system. See page 14 for I.D. lamps with 18 feet of cable that can be connected thru the junction box.

4 IN. MALE PLUG/ 2 COND. CABLE

PART NO.

211014 Clear/Marker - Red
211015 Clear/Marker - Amber

12 IN. MALE PLUG/ 2 COND. CABLE

PART NO.

211016 Clear/Marker - Red
211017 Clear/Marker - Amber

PART NO.

560043 Clear/Marker - Red
560044 Clear/Marker - Amber

PART NO.

560047 Clear/Marker - Red
560048 Clear/Marker - Amber

PART NO.

560045 Clear/Marker - Red
560046 Clear/Marker - Amber

PART NO.

560049 Clear/Marker - Red
560050 Clear/Marker - Amber

PART NO.

650019 Clear/Marker - Red
650020 Clear/Marker - Amber

PART NO.

650021 Clear/Marker - Red
650022 Clear/Marker - Amber

PART NO.

770024 Arrow Turn/Amber

PART NO.

770026 Arrow Turn/Amber

4 IN. MALE PLUG/ 4 COND. CABLE

PART NO.

730009 Oval Side Turn/Marker - Amber (Curbside) D.C.
730010 Oval Side Turn/Marker - Amber (Roadside) D.C.

12 IN. MALE PLUG/ 4 COND. CABLE

PART NO.

730016 Oval Side Turn/Marker - Amber (Curbside) D.C.
730017 Oval Side Turn/Marker - Amber (Roadside) D.C.

PART NO.

351046

4x8 Junction Box with cable fittings and Choke Seals
Junction box is provided with (2) 920217 and (1) 920218 cable entrance fittings. Also (3) 920413 and (1) 920420 cable Choke Seals.

NOTE: See page 33 for complete parts breakdown.



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide


CLEARANCE & SIDE MARKER LAMPS



Features polycarbonate deep lens and flat back body. Uses a 67 s.c. bulb and a 920053 red or 920054 amber lens. Mounting gasket and screws included. Surface mount.

PART NO. COMBINATION CLEARANCE & SIDE MARKER


- 240004** Red, aluminum body (20B-05222)
240005 Amber, aluminum body (20B-05232)



Threaded entry model lamp with polycarbonate lens. Uses a 67 s.c. bulb and 920053 red or 920054 amber lens. Has a 1/4" N.P.T. threaded entry. Mounting gasket and screws included. Surface mount.

PART NO. COMBINATION CLEARANCE & SIDE MARKER


- 240011** Red, aluminum body (20-05222)
240012 Amber, aluminum body (20-05232)



Features polycarbonate shallow lens. Uses s.c. bulb socket 920125. Uses a 67 s.c. bulb and a 920109 red or 920110 amber lens. Provided with a 1/4" N.P.T. rear entry. Mounting gasket and screws included. Surface mount.

PART NO. COMBINATION CLEARANCE & SIDE MARKER


- 500012** Red, aluminum body (50-05122)
500013 Amber, aluminum body (50-05132)



Features polycarbonate deep lens and s.c. bulb socket 920127. Uses a 67 s.c. bulb and a 920116 red or 920117 amber lens. Provided with a 1/4" N.P.T. rear entry. Mounting gasket and screws included. Surface mount.

PART NO. COMBINATION CLEARANCE & SIDE MARKER

- 500014** Red, aluminum body (50-05222)
500015 Amber, aluminum body (50-05232)



A special purpose lamp featuring polycarbonate deep lens and d.c. bulb socket 920126. Uses a 1157 d.c. bulb and a 920116 red or 920117 amber lens. Provided with a 1/4" N.P.T. rear entry. Mounting gasket and screws included. Surface mount.

- 500018** Red, aluminum body (50-20222)
500019 Amber, aluminum body (50-20232)

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com


8-10

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

CLEARANCE & SIDE MARKER LAMPS




Features polycarbonate shallow lens and s.c. shock mount bulb socket 920367. Uses a 67 s.c. bulb and 920109 red or 920110 amber lens. Mounting gasket and screws included. Body must be drilled and tapped for wire entry unless otherwise stated. See page 60 for mounting bracket. Recess mount.

- PART NO. COMBINATION CLEARANCE & SIDE MARKER**
- 560002** Red, aluminum body (56-05122)
 - 560003** Amber, aluminum body (56-05132)
 - 560019** Red, Valox body (56V-05122)
 - 560020** Amber, Valox body (56V-05132)
 - 560028** Red, Valox body with (1) 920413 choke seal installed (56VG-05122)
 - 560029** Amber, Valox body with (1) 920413 choke seal installed (56VG-05132)



Valox Shown



Features polycarbonate deep lens and s.c. shock mount bulb socket 920104. Uses a 67 s.c. bulb and 920116 red or 920117 amber lens. Mounting gasket and screws included. Body must be drilled and tapped for wire entry unless otherwise stated. See page 60 for mounting bracket. Recess mount.


- PART NO. COMBINATION CLEARANCE & SIDE MARKER**
- 560004** Red, aluminum body (56-05222)
 - 560005** Red, Valox body (56V-05222)
 - 560006** Amber, aluminum body (56-05232)
 - 560007** Amber, Valox body (56V-05232)
 - 560030** Red, Valox body with (1) 920413 choke seal installed (56VG-05222)
 - 560031** Amber, Valox body with (1) 920413 choke seal installed (56VG-05232)



Valox Shown

A special purpose lamp with all the features of lamp above but is equipped with a double contact shock mount bulb socket 920103. Uses a 1157 d.c. bulb.

- 560015** Red, aluminum body (56-20222)
- 560016** Amber, aluminum body (56-20232)
- 560023** Red, Valox body (56V-20222)
- 560024** Amber, Valox body (56V-20232)
- 560032** Red, Valox body with (1) 920413 choke seal installed (56VG-20222)
- 560033** Amber, Valox body with (1) 920413 choke seal installed (56VG-20232)



Features (2) polycarbonate lens with (2) s.c. shock mount sockets 920367. Uses (2) 67 s.c. bulbs and (2) 920109 red or (2) 920110 amber lens. Body must be drilled and tapped for wire entry. Mounting gasket and screws included. Surface mount.

- PART NO. COMBINATION CLEARANCE & SIDE MARKER**
- 560011** Red, aluminum body (56-10122)
 - 560012** Amber, aluminum body (56-10132)



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-11

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship


Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

CLEARANCE & SIDE MARKER LAMPS



Features polycarbonate shallow lens and s.c. shock mount bulb socket 920367. Uses a 67 s.c. bulb and 920109 red or 920110 amber lens. Mounting gasket and screws included. Body must be drilled and tapped for wire entry. Surface mount.

PART NO. COMBINATION CLEARANCE & SIDE MARKER
570001 Red, aluminum body (57-05122)
570002 Amber, aluminum body (57-05132)




Features polycarbonate deep lens and s.c. shock mount bulb socket 920104. Uses a 67 s.c. bulb and 920116 red or 920117 amber lens. Mounting gasket and screws included. Body must be drilled and tapped for wire entry. Surface mount.

PART NO. COMBINATION CLEARANCE & SIDE MARKER
570003 Red, aluminum body (57-05222)
570004 Amber, aluminum body (57-05232)


A special purpose lamp with all the features of lamp above but is equipped with a double contact shock mount bulb socket 920103. Uses a 1157 d.c. bulb.

570014 Red, aluminum body (57-20222)
570015 Amber, aluminum body (57-20232)




Features polycarbonate shallow lens and s.c. bulb socket 920125. Uses a 67 s.c. bulb and 920109 red or 920110 amber lens. Provided with a 1/4" N.P.T. threaded entry. Mounting gasket and screws included. Recess mount.

PART NO. CLEARANCE OR SIDE MARKER
600011 Red, aluminum body (60-05122)
600012 Amber, aluminum body (60-05132)



Features polycarbonate shallow lens, Valox body and shock mounted bulb socket. Uses a 168 s.c. bulb and 920228 red or 920229 amber lens. Provided with (1) or (2) 920413 watertight choke seals. Mounting screws included. See page 60 for mounting bracket. Recess mount.

CLEARANCE OR SIDE MARKER
PART NO. TWO SIDE ENTRANCES
650001 Red, Valox body (65A-05122)
650002 Amber, Valox body (65A-05132)
ONE REAR ENTRANCE
650007 Red, Valox body (65D-05122)
650008 Amber, Valox body (65D-05132)



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911


www.tankparts.com

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide


CLEARANCE & SIDE MARKER LAMPS



A conventional grommet entry lamp with polycarbonate shallow lens. Uses a 67 s.c. bulb and 920109 red or 920110 amber lens. Mounting gasket and screws included. Surface mount.




PART NO. COMBINATION CLEARANCE & SIDE MARKER
100011 Red, aluminum body (100-05122)
100012 Amber, aluminum body (100-05132)



A low profile lamp with polycarbonate lens that can be used horizontally or vertically. Uses a 67 s.c. bulb and 920049 red or 920050 amber lens. Mounting gasket and screws included. Surface mount.


CLEARANCE OR SIDE MARKER

PART NO. ONE 1/8" N.P.T. END ENTRANCE
200011 Red, aluminum body (200-05122)
200012 Amber, aluminum body (200-05132)



TWO 1/8" N.P.T. END ENTRANCES

PART NO.
210001 Red, aluminum body (210-05122)
210002 Amber, aluminum body (210-05132)




ONE 1/4" N.P.T. REAR ENTRANCE

PART NO.
211001 Red, aluminum body (211-05122)
211002 Amber, aluminum body (211-05132)



TWO 1/4" N.P.T. REAR ENTRANCES

PART NO.
212001 Red, aluminum body (212-05122)
212002 Amber, aluminum body (212-05132)



A conventional grommet entry lamp with polycarbonate lens that can be used horizontally or vertically. Supplied with a 920011 body grommet and 6" pigtail installed in rear. Uses a 67 s.c. bulb and 920049 red or 920050 amber lens. Mounting gasket and screws included. Surface mount.



PART NO. CLEARANCE OR SIDE MARKER
213001 Red, aluminum body (213-05122)
213002 Amber, aluminum body (213-05132)

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911


www.tankparts.com

Western Pacific Products, Inc.


Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

CLEARANCE & SIDE MARKER LAMPS



Features polycarbonate REFLEX lens, tough Valox body with bulb replaceable shock-mount socket and brass inserts with machine screws for positive connections. Can be mounted horizontally or vertically. Uses a 168 s.c. bulb and 920058 red or 920059 amber lens. Mounting gasket and screws included. Surface mount.



COMBINATION CLEARANCE & SIDE MARKER


PART NO. ONE 1/4" N.P.T. END ENTRANCE

200017 Red, Valox body (200V-05122)
200018 Amber, Valox body (200V-05132)




TWO 1/4" N.P.T. END ENTRANCES

210005 Red, Valox body (210V-05122)
210006 Amber, Valox body (210V-05132)



ONE 1/4" N.P.T. REAR ENTRANCE

211005 Red, Valox body (211V-05122)
211006 Amber, Valox body (211V-05132)




TWO 1/4" N.P.T. REAR ENTRANCES

212003 Red, Valox body (212V-05122)
212004 Amber, Valox body (212V-05132)



Features polycarbonate reflex shallow lens, tough Valox body with bulb replaceable shock-mount socket, brass inserts with machine screws for positive connections. Uses s.c. bulb 168, 920058 red or 920059 amber lens. Supplied with rear entry choke seal 920088, 6 inches of black BSXL leadwire, groundwire & screw, mounting gasket and mounting screws. Surface mount.



PART NO. COMBINATION CLEARANCE & SIDE MARKER (S.C.)

215001 Red, Valox body (215V-05122)
215002 Amber, Valox body (215V-05132)

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-14

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

CLEARANCE & SIDE MARKER LAMPS


Junction box style lamps with polycarbonate lens, Valox bodies and painted steel frame 920380. Shallow lens style uses (3) 920109 red or (3) 920110 amber lens, (3) s.c. shock mount bulb sockets 920367 and (3) 67 s.c. bulbs. Deep lens style uses (3) 920116 red or (3) 920117 amber lens, (3) s.c. shock mount bulb sockets 920104 and (3) 67 s.c. bulbs. Furnished with 3/8" N.P.T. wire entrance on side.



PART NO.

- 560038** Red shallow lens, Valox body (56V-09122)
- 560039** Amber shallow lens, Valox body (56V-09132)

- 560040** Red deep lens, Valox body (56V-09222)
- 560041** Amber deep lens, Valox body (56V-09232)




Junction box style lamps with polycarbonate lens and aluminum bodies. Shallow lens style uses (3) 920109 red or (3) 920110 amber lens, (3) s.c. shock mount bulb sockets 920367 and (3) 67 s.c. bulbs. Deep lens style uses (3) 920116 red or (3) 920117 amber lens, (3) s.c. shock mount bulb sockets 920104 and (3) 67 s.c. bulbs. Furnished with 1/4" N.P.T. wire entrance on side. Mounting gaskets and screws included. Surface mount.



PART NO.

- 570008** Red shallow lens, aluminum body (57-09122)
- 570009** Amber shallow lens, aluminum body (57-09132)
- 570010** Red deep lens, aluminum body (57-09222)
- 570011** Amber deep lens, aluminum body (57-09232)



Features polycarbonate shallow lens, a painted steel frame 920069 or non-painted aluminum frame 920068, (3) recessed mounted lights with (3) s.c. shock mounted bulb sockets. Uses (3) 168 s.c. bulbs and (3) 920228 red or (3) 920229 amber lens. Cable entrance is provided with 920413 choke seal installed.




ALUMINUM FRAME

PART NO.

- 650009** Red, Valox body (65A-09122)
- 650010** Amber, Valox body (65A-09132)

STEEL FRAME

- 650011** Red, Valox body (65S-09122)
- 650012** Amber, Valox body (65S-09132)



NOTE: All I.D./Bar Lamps have bulbs on standard 6" centers

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-15

Western Pacific Products, Inc.


Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

IDENTIFICATION / BAR LAMPS




Low profile Identification Bar Lamp with polycarbonate shallow lens. Uses 67 s.c. bulbs and 920049 red or 920050 amber lens. Furnished with 1/8" N.P.T. wire entrance on ends or 1/4" N.P.T. wire entrance in rear. Mounting gaskets and screws included. Surface mount.



- PART NO. ONE END ENTRANCE**
200013 Red, aluminum body (200-09122)
200014 Amber, aluminum body (200-09132)
- 200015** Red, aluminum body with 18' of 2 cond. cable (200G-09122)
200016 Amber, aluminum body with 18' of 2 cond. cable (200G-09132)
- TWO END ENTRANCES**
210003 Red, aluminum body (210-09122)
210004 Amber, aluminum body (210-09132)
- ONE REAR ENTRANCE**
211003 Red, aluminum body (211-09122)
211004 Amber, aluminum body (211-09132)
- TWO REAR ENTRANCES**
214001 Red, aluminum body (214-09122)
214002 Amber, aluminum body (214-09132)



New S200 series Valox lamp unit featuring polycarbonate reflectorized lens, shock-mounted wedge base bulb, built-in cable grippers and brass inserts with machine screws for positive connections. Uses 168 s.c. bulbs and 920058 red or 920059 amber lens. Furnished with 1/4" N.P.T. wire entrance as standard. Mounting gaskets and screws included. Surface mount.



- PART NO. ONE END ENTRANCE**
200019 Red, Valox body (200V-09122)
200020 Amber, Valox body (200V-09132)
200021 Red, Valox body with 18' of 2 cond. cable (200VG-09122)
200022 Amber, Valox body with 18' of 2 cond. cable (200VG-09132)
- TWO END ENTRANCES**
210007 Red, Valox body (210V-09122)
210008 Amber, Valox body (210V-09132)
- ONE REAR ENTRANCE**
211007 Red, Valox body (211V-09122)
211008 Amber, Valox body (211V-09132)
211009 Red, Valox body with 18' of 2 cond. cable (211VG-09122)
211010 Amber, Valox body with 18' of 2 cond. cable (211VG-09132)
- TWO REAR ENTRANCES**
214003 Red, Valox body (214V-09122)
214004 Amber, Valox body (214V-09132)

NOTE: All I.D./Bar Lamps have bulbs on standard 6" centers

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com


8-16

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide


LICENSE LAMPS



PART NO.
240001
240002
240009

Threaded entry model lamp with polycarbonate lens. Uses a 67 s.c. bulb and 920055 silver lens. Furnished with 1/4" N.P.T. wire entrance. Mounting gasket and screws included. Surface mount.


Silver, aluminum body (20-03212)
 Silver, aluminum body with (1)920088 choke seal installed (20A-03212)
 Silver, aluminum body with 4ft. of 2 cond. cable and #68 N.I.D.C. bulb (20G-03212)



PART NO.
240003
240008

Features polycarbonate deep lens and flat back aluminum body. Uses a 67 s.c. bulb and 920055 silver lens. Mounting gasket and screws included. Surface mount.


Silver, aluminum body (20B-03212)
 Silver, aluminum body with 4ft. of BSXL wire installed (20BG-03212)



PART NO.
240010

A grommet entry lamp with polycarbonate lens and 12 ga. painted steel license plate bracket. Lamp 240002 comes mounted to 920062 license plate bracket. Uses a 67 s.c. bulb and 920055 silver lens.


Silver, aluminum body (26716-MS)



PART NO.
400041
400061
400068
400088

Features polycarbonate deep lens and d.c. shock-mount bulb socket 920459. Uses a 1157 d.c. bulb and 920141 red lens. Mounting gasket and screws included. Body must be drilled and tapped for wire entry unless otherwise stated. See page 60 for mounting bracket. Recess mount.

ST/T OR CLEARANCE AND LICENSE (D.C.)
 Red, Valox body (40V-03222)
 Red, Valox body with (3) 920413 choke seals installed (40VG-03222)
 Red, Valox body (replaces 70-03222)
 Red, Valox body with chassis ground



PART NO.
450007
450013
450017
450023
450030
450043
450046
450056
450059

Features polycarbonate deep lens and d.c. shock-mount bulb socket 920459. Uses a 1157 d.c. bulb and 920141 red lens. Mounting gasket and screws included. Body must be drilled and tapped for wire entry unless otherwise stated. See page 60 for mounting bracket. Recess mount.

ST/T OR CLEARANCE AND LICENSE (D.C.)
 Red, aluminum body (45-03222)
 Red, aluminum body with 18" pigtail installed (45A-03222)
 Red, aluminum body with (1)920413 choke seal and 8 ft. of 3 cond. cable installed (45AG-03222)
 Red, aluminum body with 1/4"-20, stud mounts (45S-03222)
 Red, Valox body (45V-03222)
 Red, Valox body with 18" pigtail installed (45VA-03222)
 Red, Valox body with (1)920413 choke seal and 8 ft. of 3 cond. cable installed (45VAG-03222)
 Red, Valox body with (3) 920413 choke seals installed (45VG-03222)
 Red, Valox body, with 1/4"-20 stud mounts (45VS-03222)



Valox Shown

NOTE: Mounting instructions provided with all license lamps.



2-1/4" x 20 studs 2" centers

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-17

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

LICENSE LAMPS




PART NO.
470022

Features polycarbonate deep lens and d.c. shock-mount bulb socket 920459. Uses a 1157 d.c. bulb and 920141 red lens. Mounting gasket and screws included. Body must be drilled and tapped for wire entry. Surface mount.

ST/T OR CLEARANCE AND LICENSE (D.C.)

Red, Valox body (47V-03222)




500021

Threaded entry model with polycarbonate deep lens and a s.c. socket 920127. Uses a 67 s.c. bulb and 920113 red lens. Furnished with a 1/4" N.P.T. wire entry. Mounting gasket and screws included. Surface mount.

LICENSE (S.C.)

Red, aluminum body




560017
560025
560034

Features polycarbonate deep lens and a s.c. shock-mount socket 920104. Uses a 67 s.c. bulb and 920113 red lens. Mounting gasket and screws included. Body must be drilled and tapped for wire entry unless otherwise stated. Recess mount.

LICENSE (S.C.)

Red, aluminum body
Red, Valox body
Red, Valox body with (1)920413 choke seal installed




570016

Features polycarbonate deep lens and a s.c. shock-mount socket 920104. Uses a 67 s.c. bulb and 920113 red lens. Mounting gasket and screws included. Body must be drilled and tapped for wire entry. Surface mount.

LICENSE (S.C.)

Red, aluminum body



NOTE: Mounting instructions provided with all license lamps.

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com


8-18

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

STOP, TURN, TAIL LAMPS



Features polycarbonate shallow lens and shock-mount bulb socket 920460 for s.c. or 920459 for d.c. Uses s.c. bulb 1156 or d.c. bulb 1157 and 920134 red or 920135 amber lens. Mounting gasket and screws included. Body must be drilled and tapped for wire entry unless otherwise stated. See page 60 for mounting bracket. Recess mount.

PART NO.

TURN (S.C.)

- 400037** Amber, Valox body (40V-01132)
- 400056** Amber, Valox body with (3) 920413 choke seals installed (40VG-01132)
- 400065** Amber, Valox body (replaces 70-01132)*
- 400083** Amber, Valox body with chassis ground

STOP OR TURN (S.C.)


- 400036** Red, Valox body (40V-01122)
- 400055** Red, Valox body with (3) 920413 choke seals installed (40VG-01122)
- 400064** Red, Valox body (replaces 70-01122)*
- 400082** Red, Valox body with chassis ground

STOP, TURN, TAIL OR CLEARANCE (D.C.)

- 400039** Red, Valox body (40V-02122)
- 400053** Red, Valox body with 18" pigtailed installed (40VA-02122)
- 400059** Red, Valox body with (3) 920413 choke seals installed (40VG-02122)
- 400066** Red, Valox body (replaces 70-02122)*
- 400086** Red, Valox body with chassis ground
- 400093** Red, Valox body with chassis ground and 18" pigtailed installed



* Replacement lamps for (70's) come standard with 1/4" N.P.T. 920088 choke seal in rear and chassis ground



Features polycarbonate deep lens and shock-mount bulb socket 920460 for s.c. or 920459 for d.c.. Uses s.c. bulb 1156 or d.c. bulb 1157 and 920144 red or 920145 amber lens. Mounting gasket and screws included. Body must be drilled and tapped for wire entry unless otherwise stated. See page 60 for mounting bracket. Recess mount.

PART NO.

TURN (S.C.)

- 400058** Amber, Valox body with (3) 920413 choke seals installed (40VG-01232)
- 400070** Amber, Valox body (40V-01232)
- 400085** Amber, Valox body with chassis ground

STOP OR TURN (S.C.)

- 400038** Red, Valox body (40V-01222)
- 400057** Red, Valox body with (3) 920413 choke seals installed (40VG-01222)
- 400084** Red, Valox body with chassis ground

STOP, TURN, TAIL OR CLEARANCE (D.C.)

- 400040** Red, Valox body (40V-02222)
- 400060** Red, Valox body with (3) 920413 choke seals installed (40VG-02222)
- 400067** Red, Valox body (replaces 70-02222)*
- 400087** Red, Valox body with chassis ground



* Replacement lamps for (70's) come standard with 1/4" N.P.T. 920088 choke seal in rear and chassis ground

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-19

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide


STOP, TURN, TAIL & LICENSE LAMPS



Features polycarbonate deep lens and shock-mount bulb socket 920459. Uses d.c. bulb 1157 and 920141 red lens. Gasket, screws and mounting instructions included. Body must be drilled and tapped for wire entry unless otherwise stated. See page 60 for mounting bracket. Recess mount.

PART NO. ST/T OR CLEARANCE AND LICENSE (D.C.)

- 400041** Red, Valox body (40V-03222)
- 400061** Red, Valox body with (3) 920413 choke seals installed (40VG-03222)
- 400068** Red, Valox body (replaces 70-03222)*
- 400088** Red, Valox body with chassis ground



NOTE: Mounting Instructions provided with all license lamps.




Valox Shown

Features polycarbonate shallow lens and shock-mount bulb socket 920460 for s.c. or 920459 for d.c. Uses s.c. bulb 1156 or d.c. bulb 1157 and 920134 red or 920135 amber lens. Mounting gasket and screws included. Body must be drilled and tapped for wire entry unless otherwise stated. See page 60 for mounting bracket. Recess mount.

PART NO. TURN (S.C.)

- 450002** Amber, aluminum body (45-01132)
- 450021** Amber, aluminum body with 18" pigtail installed (45B-01132)
- 450025** Amber, Valox body (45V-01132)
- 450048** Amber, Valox body with 18" pigtail installed (45VB-01132)
- 450051** Amber, Valox body with (3)920413 choke seals installed (45VG-01132)
- 450065** Amber, Valox body with 8 ft. of 2 cond. cable installed (45VAG-01132)



STOP, TURN, TAIL OR CLEARANCE (D.C.)

STOP OR TURN (S.C.)

- 450001** Red, aluminum body (45-01122)
- 450015** Red, aluminum body with 8 ft. of 2 cond. cable installed (45AG-01122)
- 450020** Red, aluminum body with 18" pigtail installed (45B-01122)
- 450024** Red, Valox body (45V-01122)
- 450047** Red, Valox body with 18" pigtail installed (45VB-01122)
- 450050** Red, Valox body with (3)920413 choke seals installed (45VG-01122)
- 450064** Red, Valox body with 8 ft. of 2 cond. cable installed (45VAG-01122)


- 450005** Red, aluminum body (45-02122)
- 450012** Red, aluminum body with 18" pigtail installed (45A-02122)
- 450016** Red, aluminum body with 8 ft. of 3 cond. cable installed (45AG-02122)
- 450022** Red, aluminum body with 1/4"-20, stud mount (45S-02122)
- 450028** Red, Valox body (45V-02122)
- 450042** Red, Valox body with 18" pigtail installed (45VA-02122)
- 450045** Red, Valox body with 8 ft. of 3 cond. cable installed (45VAG-02122)
- 450054** Red, Valox body with (3)920413 choke seals installed (45VG-02122)
- 450058** Red, Valox body with 1/4"-20, stud mounts (45VS-02122)



No more replacing of expensive throw-away lamps. The new Smart 45 is a permanent lamp with replaceable bulb. It replaces most 4" throw-away lamp units. Features include a 6" three conductor cable lead with molded plug, new Shock Stopper bulb socket, black thermoplastic body and replaceable component parts. See supplement No. 3

PART NO. ST/T OR CLEARANCE (D.C.)

- 450069** Red, with black Valox body.



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911


www.tankparts.com

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

STOP, TURN, TAIL & LICENSE LAMPS



PART NO. TURN (S.C.)

- 450004** Amber, aluminum body (45-01232)
- 450027** Amber, Valox body (45V-01232)
- 450053** Amber, Valox body with (3)920413 choke seals installed (45VG-01232)

STOP OR TURN (S. C.)

- 450003** Red, aluminum body (45-01222)
- 450026** Red, Valox body (45V-01222)
- 450052** Red, Valox body with (3)920413 choke seals installed (45VG-01222)


STOP, TURN, TAIL OR CLEARANCE (D.C.)

- 450006** Red, aluminum body (45-02222)
- 450029** Red, Valox body (45V-02222)
- 450055** Red, Valox body with (3)920413 choke seals installed (45VG-02222)

Features polycarbonate deep lens and shock-mount bulb socket 920460 for s.c. or 920459 for d.c. Uses s.c. bulb 1156 or d.c. bulb 1157 and 920144 red or 920145 amber lens. Mounting gasket and screws included. Body must be drilled and tapped for wire entry unless otherwise stated. See page 60 for mounting bracket. Recess mount.



Valox Shown



PART NO. ST/T OR CLEARANCE AND LICENSE (D.C.)


- 450007** Red, aluminum body (45-03222)
- 450013** Red, aluminum body with 18" pigtail installed (45A-03222)
- 450017** Red, aluminum body with 8 ft. of 3 cond. cable installed (45AG-03222)
- 450023** Red, aluminum body with 1/4"-20, stud mounts (45S-03222)
- 450030** Red, Valox body (45V-03222)
- 450046** Red, Valox body with 8 ft. of 3 cond. cable installed (45VAG-03222)
- 450056** Red, Valox body with (3)920413 choke seals installed (45VG-03222)
- 450059** Red, Valox body with 1/4"-20, stud mounts (45VS-03222)

Features polycarbonate deep lens and shock-mount bulb socket 920459. Uses d.c. bulb 1157 and 920141 red lens. Mounting gasket, screws and mounting instructions included. Body must be drilled and tapped for wire entry unless otherwise stated. See page 60 for mounting bracket. Recess mount.



Valox Shown

NOTE: Mounting instructions provided with all license lamps.



PART NO. TURN (S.C.)

- 470017** Amber, Valox body (47V-01132)

STOP OR TURN (S.C.)

- 470016** Red, Valox body (47V-01122)

STOP, TURN, TAIL OR CLEARANCE (D.C.)

- 470020** Red, Valox body (47V-02122)

Features polycarbonate shallow lens and shock-mount bulb socket 920460 for s.c. or 920459 for d.c. Uses s.c. bulb 1156 or d.c. bulb 1157 and 920134 red or 920135 amber lens. Mounting gasket and screws included. Body must be drilled and tapped for wire entry. Surface mount.



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship


Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

STOP, TURN, TAIL & LICENSE LAMPS




- PART NO.** **TURN (S.C.)**
470019 Amber, Valox body (47V-01232)
STOP OR TURN (S.C.)
470018 Red, Valox body (47V-01222)
STOP, TURN, TAIL OR CLEARANCE (D.C.)
470021 Red, Valox body (47V-02222)

Features polycarbonate deep lens and shock-mount bulb socket 920460 for s.c. or 920459 for d.c. Uses s.c. bulb 1156 or d.c. bulb 1157 and 920144 red or 920145 amber lens. Mounting gasket and screws included. Body must be drilled and tapped for wire entry. Surface mount.




- PART NO.** **ST/T OR CLEARANCE AND LICENSE (D.C.)**
470022 Red, Valox body (47V-03222)

Features polycarbonate deep lens and shock-mount bulb socket 920459. Uses d.c. bulb 1157 and 920141 red lens. Gasket, screws and mounting instructions included. Body must be drilled and tapped for wire entry. Surface mount.



- PART NO.** **TURN (S.C.)**
730003 Amber, with a 920413 cable choke seal
730013 Amber, with a 920420 wire choke seal
STOP OR TURN (S.C.)
730002 Red, with a 920413 cable choke seal
730012 Red, with a 920420 wire choke seal
SIDE TURN/MARKER (D.C.)
730005 Amber, with a 920413 cable choke seal
730015 Amber, with a 920420 wire choke seal
730007 Amber, plug-in replacement lamp w/3 cond. female plug
STOP, TURN, TAIL OR CLEARANCE (D.C.)
730001 Red, with a 920413 cable choke seal
730011 Red, with a 920420 wire choke seal
730006 Red, plug-in replacement lamp w/3 cond. female plug

Features a tough nylon body with a high profile polycarbonate lens that provides a full 180 degrees of illumination. A unique cam lock retainer design makes for fast and easy lamp installation. Uses s.c. shock-mount bulb socket 920460 or a 920459 for d.c., s.c. bulb 1156 or d.c. bulb 1157. Red lens is a 920454, amber is 920464. See catalog supplement no. (6) for further details. Recess mount.



See page 60 for mounting brackets

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911


www.tankparts.com

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship


Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

STOP, TURN & TAIL LAMPS




77 series 7" lamps feature polycarbonate lens and shock-mount bulb socket. Uses s.c. bulb socket 920460 or d.c. bulb socket 920459, s.c. bulb 1156 or d.c. 1157 and 920152 red or 920153 amber lens. Body must be drilled and tapped for wire entry unless otherwise stated. Mounting gasket and screws included. See page 60 for mounting bracket. Recess mount.

- PART NO.** **TURN (S.C.)**
770002 Amber, Valox body (77V-01132)
770005 Amber, Valox body with 12 ft. of 2 cond. cable installed (77VAG-01132)
STOP OR TURN (S.C.)
770001 Red, Valox body (77V-01122)
770004 Red, Valox body with 12 ft. of 2 cond. cable installed (77VAG-01122)
770023 Red, Valox body with 12 ft. of 2 cond. cable installed, stud mount (77VSAG-01122)
STOP, TURN, TAIL OR CLEARANCE (D.C.)
770003 Red, Valox body (77V-02122)
770006 Red, Valox body with 12 ft. of 3 cond. cable installed (77VAG-02122)



77 series 7" lamps feature polycarbonate lens and shock-mount socket. Uses s.c. bulb socket 920460, s.c. bulb 1156 and arrow turn lens 920156 red or 920157 amber. Body must be drilled and tapped for wire entry unless otherwise stated. Mounting gasket and screws included. See page 60 for mounting bracket. Recess mount.

- PART NO.** **TURN (S.C.)**
770007 Red (Arrow), Valox body with 12 ft. of 2 cond. cable installed (77VAGT-01122)
770008 Amber (Arrow), Valox body with 12 ft. of 2 cond. cable installed (77VAGT-01132)
770019 Red (Arrow), Valox body with 1/4"-20 stud mounts and 12 ft. of 2 cond. cable installed (77VSAGT-01122)
770020 Amber (Arrow), Valox body with 1/4"-20 stud mounts and 12 ft. of 2 cond. cable installed (77VSAGT-01132)
770021 Red (Arrow), Valox body (77VT-01122)
770022 Amber (Arrow), Valox body (77VT-01132)




Pedestal mount lamp featuring polycarbonate shallow lens and shock-mount bulb socket. Includes a 13/16" stud mount, hardware and 18" pigtail with ground wire. Uses s.c. bulb socket 920015 or d.c. bulb socket 920013, s.c. bulb 1156 or d.c. bulb 1157 and a 920134 red or 920135 amber lens.

- PART NO.** **TURN (S.C.)**
800012 Amber, aluminum body (80-01132)
STOP OR TURN (S.C.)
800011 Red, aluminum body (80-01122)
STOP, TAIL, TURN OR CLEARANCE (D.C.)
800013 Red, aluminum body (80-02122)



NOTE: See page 54 for parts breakdown



Pedestal mount lamp featuring polycarbonate shallow lens and shock-mount bulb socket. Includes a 9/16" diameter stud mount, hardware and an 18" pigtail with ground wire. Uses s.c. socket 920015 or d.c. socket 920013, s.c. bulb 1156 or d.c. bulb 1157 and lens 920134 red or 920135 amber.

- PART NO.** **TURN (S.C.)**
810012 Amber, aluminum body (81-01132)
STOP OR TURN (S.C.)
810011 Red, aluminum body (81-01122)
STOP, TAIL, TURN OR CLEARANCE (D.C.)
810013 Red, aluminum body (81-02122)



NOTE: See page 54 for parts breakdown

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-23

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship


Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

BACK UP LAMPS



PART NO.
400043
400063
400075
400089


Back-up lamp featuring polycarbonate shallow lens and shock-mount bulb socket. Uses s.c. bulb socket 920460, s.c. bulb 1156 and a 920139 clear lens. Body must be drilled and tapped for wire entry unless otherwise stated. Mounting gasket and screws included. Recess mount.



Valox Shown


PART NO.
450008
450018
450032
450057
450067

Back-up lamp featuring polycarbonate shallow lens and shock-mount bulb socket. Uses s.c. bulb socket 920460, s.c. bulb 1156 and a 920139 clear lens. Body must be drilled and tapped for wire entry unless otherwise stated. Mounting gasket and screws included. Recess mount.




PART NO.
470024

Back-up lamp featuring polycarbonate shallow lens and shock-mount bulb socket. Uses s.c. bulb socket 920460, s.c. bulb 1156 and a 920139 clear lens. Body must be drilled and tapped for wire entry unless otherwise stated. Mounting gasket and screws included. Surface mount.



PART NO.
500011


Back-up lamp with threaded entry and polycarbonate deep lens. Uses s.c. bulb socket 920125, s.c. bulb 1156 and 920112 clear lens. Has a standard 1/4" N.P.T. wire entrance. Mounting gasket and screws included. Surface mount.



Valox Shown

PART NO.
560001
560027
560037

Back-up lamp featuring polycarbonate deep lens and shock-mount socket. Uses shock-mount bulb socket 920367, s.c. bulb 1156 and 920112 clear lens. Body must be drilled and tapped for wire entry unless otherwise stated. Mounting gasket and screws included. Recess mount.




NOTE: Two Betts back-up lamps are required per vehicle to be in conformance with F.M.V.S.S.108.

PART NO.
730004
730008
730014

Back-up lamp featuring a tough nylon body with a high profile polycarbonate lens that provides a full 180° of illumination. A unique cam lock retainer design makes for fast and easy lamp installation. Uses s.c. shock-mount bulb socket 920460 and a s.c. bulb 1156. Back-up lens number is 920497. Recess mount.

Back-up, with a 920413 cable choke seal
 Back-up, plug-in replacement lamps w/3 cond. female plug
 Back-up, with a 920420 wire choke seal



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911


www.tankparts.com

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship


Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

HALOGEN BEACONS & STROBES




Strobe featuring high impact Valox housing and polycarbonate lens. The Xenon flash tube with a life of 10 million flashes produces an (8) joule output per flash. Has a flash rate of 70 flashes per minute and an effective candle power of 102 with clear lens. Consumes 1 amp at 12 volts. Mounting gasket, screws and 8" pigtails included.

- PART NO. RECESS MOUNT (PERMANENT)**
400046 With 920140 deep clear lens (40V-17212)
400047 With 920144 deep red lens (40V-17222)
400048 With 920145 deep amber lens (40V-17232)
400049 With 920388 deep blue lens (40V-17252)




Strobe featuring high impact Valox housing and polycarbonate lens. The Xenon flash tube with a life of 10 million flashes produces an (8) joule output per flash. Has a flash rate of 70 flashes per minute and an effective candle power of 102 with clear lens. Consumes 1 amp at 12 volts. Mounting gasket, screws and 8" pigtails included.

- PART NO. RECESS MOUNT (PERMANENT)**
450035 With 920140 deep clear lens (45V-17212)
450036 With 920144 deep red lens (45V-17222)
450037 With 920145 deep amber lens (45V-17232)
450038 With 920388 deep blue lens (45V-17252)



Strobe featuring high impact Valox housing and polycarbonate lens. The Xenon flash tube with a life of 10 million flashes produces an (8) joule output per flash. Has a flash rate of 70 flashes per minute and an effective candle power of 102 with clear lens. Consumes 1 amp at 12 volts. Mounting gasket, screws and 8" pigtails included.

- PART NO. SURFACE MOUNT (PERMANENT)**
470028 With 920140 deep clear lens (47V-17212)
470029 With 920144 deep red lens (47V-17222)
470030 With 920145 deep amber lens (47V-17232)
470031 With 920388 deep blue lens (47V-17252)



Strobe featuring high impact Valox housing and polycarbonate lens. The Xenon flash tube with a life of 10 million flashes produces an (8) joule output per flash. Has a flash rate of 70 flashes per minute and an effective candle power of 102 with clear lens. Consumes 1 amp at 12 volts. Includes suction gasket, magnet, 8 ft. of wire and cigarette lighter adapter.

- PART NO. SURFACE MOUNT (TEMPORARY)**
470047 With 920140 deep clear lens (47VT-17212)
470048 With 920144 deep red lens (47VT-17222)
470049 With 920145 deep amber lens (47VT-17232)
470050 With 920388 deep blue lens (47VT-17252)



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-25

Western Pacific Products, Inc.


Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

HALOGEN BEACONS & STROBES




Strobe featuring high impact Valox housing and polycarbonate lens. The Xenon flash tube with a life of 10 million flashes produces an (8) joule output per flash. Has a flash rate of 70 flashes per minute and an effective candle power of 102 with clear lens. Consumes 1 amp at 12 volts. Mounting gasket and screws included.



- PART NO.** **ROOF MOUNT (PERMANENT)**
470032 With 920136 red high hat lens (47V-17622)
470033 With 920137 amber high hat lens (47V-17632)
470034 With 920138 blue high hat lens (47V-17652)
470065 With 920409 clear high hat lens (47V-17612)




Strobe featuring high impact Valox housing and polycarbonate lens. The Xenon flash tube with a life of 10 million flashes produces an (8) joule output per flash. Has a flash rate of 70 flashes per minute and an effective candle power of 102 with clear lens. Consumes 1 amp at 12 volts. Includes suction gasket, magnet, 8 ft. of wire and cigarette lighter adapter.



- PART NO.** **ROOF MOUNT (TEMPORARY)**
470051 With 920136 red high hat lens (47VT-17622)
470052 With 920137 amber high hat lens (47VT-17632)
470053 With 920138 blue high hat lens (47VT-17652)
470066 With 920409 clear high hat lens (47VT-17612)




Halogen beacons may be used in place of strobes for many applications. Halogen beacons feature tough Valox housing and polycarbonate deep lens. Simplified circuitry along with good shock resistance insures less maintenance. Halogen bulbs are field replaceable. Mounting gasket, screws and 8" pigtails included.



- PART NO.** **RECESS MOUNT (PERMANENT)**
400050 With 920144 deep red lens (40V-24222)
400051 With 920145 deep amber lens (40V-24232)
400052 With 920388 deep blue lens (40V-24252)
400073 With 920140 deep clear lens (40V-24212)



Halogen beacons may be used in place of strobes for many applications. Halogen beacons feature tough Valox housing and polycarbonate deep lens. Simplified circuitry along with good shock resistance insures less maintenance. Halogen bulbs are field replaceable. Mounting gasket, screws and 8" pigtails included.



- PART NO.** **RECESS MOUNT (PERMANENT)**
450039 With 920144 deep red lens (45V-24222)
450040 With 920145 deep amber lens (45V-24232)
450041 With 920388 deep blue lens (45V-24252)
450066 With 920140 deep clear lens (45V-24212)

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com


8-26

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship


Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

HALOGEN BEACONS & STROBES




Halogen beacons may be used in place of strobes for many applications. Halogen beacons feature tough Valox housings and polycarbonate high hat lens. Simplified circuitry along with good shock resistance insures less maintenance. Halogen bulbs are field replaceable. Mounting gasket, screws and 8" pigtails included.

- PART NO. SURFACE MOUNT (PERMANENT)**
470035 With 920144 deep red lens (47V-24222)
470036 With 920145 deep amber lens (47V-24232)
470037 With 920388 deep blue lens (47V-24252)
470067 With 920140 deep clear lens (47V-24212)




Halogen beacons may be used in place of strobes for many applications. Halogen beacons feature tough Valox housings and polycarbonate high hat lens. Simplified circuitry along with good shock resistance insures less maintenance. Halogen bulbs are field replaceable. Includes suction gasket, magnet, 8 ft. of wire and cigarette lighter adapter.

- PART NO. SURFACE MOUNT (TEMPORARY)**
470054 With 920144 deep red lens (47VT-24222)
470055 With 920145 deep amber lens (47VT-24232)
470056 With 920388 deep blue lens (47VT-24252)
470068 With 920140 deep clear lens (47VT-24212)



Halogen beacons may be used in place of strobes for many applications. Halogen beacons feature tough Valox housings and polycarbonate high hat lens. Simplified circuitry along with good shock resistance insures less maintenance. Halogen bulbs are field replaceable. Mounting gasket, screws and 8" pigtails included.

- PART NO. ROOF MOUNT (PERMANENT)**
470038 With 920136 red high hat lens (47V-24622)
470039 With 920137 amber high hat lens (47V-24632)
470040 With 920138 blue high hat lens (47V-24652)
470069 With 920409 clear high hat lens (47V-24612)



Halogen beacons may be used in place of strobes for many applications. Halogen beacons feature tough Valox housings and polycarbonate high hat lens. Simplified circuitry along with good shock resistance insures less maintenance. Halogen bulbs are field replaceable. Includes suction gasket, magnet, 8 ft. of wire and cigarette lighter adapter.

- PART NO. ROOF MOUNT (TEMPORARY)**
470057 With 920136 red high hat lens (47VT-24622)
470058 With 920137 amber high hat lens (47VT-24632)
470059 With 920138 blue high hat lens (47VT-24652)
470070 With 920409 clear high hat lens (47VT-24612)



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-27

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship


Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

CABINET, METER AND DOME LAMPS




PART NO.
820011 Clear, aluminum body (PS-06112)

Low profile dome or cabinet light with 3 amp toggle switch and polycarbonate shallow lens. Uses s.c. socket 920014, s.c. bulb 1141, 920133 clear lens and 920077 toggle switch. Mounting screws included. Surface mount.




PART NO.
240003 Silver, aluminum body (20B-03212)

Features polycarbonate deep lens and flat back aluminum body. Uses s.c. bulb 67 and a 920055 silver lens. Mounting gasket and screws included. Surface mount.




PART NO.
470013 Clear, Valox body (47V-06112)

Dome or cabinet light with polycarbonate shallow lens, s.c. shock-mount bulb socket 920460 and 20 amp toggle switch 920038. Uses s.c. bulb 1141 and 920133 clear lens. Mounting gasket and screws included. Body must be drilled and tapped for wire entry. Surface mount.




PART NO.
470043 Clear, Valox body (47V-06212)

Dome or cabinet light with polycarbonate deep lens, s.c. shock-mount bulb socket 920460 and 20 amp toggle switch 920038. Uses s.c. bulb 1141 and 920140 clear lens. Mounting gasket and screws included. Body must be drilled and tapped for wire entry. Surface mount.




PART NO.
500016 Clear, aluminum body (50-06112)

Threaded entry model dome or cabinet lamp with polycarbonate shallow lens. Uses s.c. bulb socket 920125, s.c. bulb 67 and 920115 clear lens. Furnished with 1/4" N.P.T. wire entrance. Mounting gasket and screws included. Surface mount.



PART NO.
500017 Clear, aluminum body (50-06212)

Threaded entry model dome or cabinet lamp with polycarbonate deep lens. Uses s.c. bulb socket 920125, s.c. bulb 1141 and 920111 clear lens. Furnished with 1/4" N.P.T. wire entrance. Mounting gasket and screws included. Surface mount.



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com


8-28

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

CABINET, METER AND DOME LAMPS



NOTE: See page 11 for aluminum dimensions.


PART NO.
200023
200024

Dome or cabinet lamp featuring polycarbonate shallow lens with aluminum or Valox body. Aluminum body features a 1/8" N.P.T. wire entrance on one end and uses a 67 bulb and a 920048 clear lens. Valox body features a 1/4" N.P.T. wire entrance on one end and uses a 168 bulb and a 920057 clear lens. Mounting gasket and screws included. Surface mount.



Valox Shown

Clear, aluminum body (200-06112)
Clear, Valox body (200V-06112)



NOTE: See page 11 for aluminum dimensions.


PART NO.
210009
210010

Dome or cabinet lamp featuring polycarbonate shallow lens with aluminum or Valox body. Aluminum body features a 1/8" N.P.T. wire entrance on two ends and uses a 67 bulb and a 920048 clear lens. Valox body features a 1/4" N.P.T. wire entrance on two ends and uses a 168 bulb and a 920057 clear lens. Mounting gasket and screws included. Surface mount.



Valox Shown

Clear, aluminum body (210-06112)
Clear, Valox body (210V-06112)



NOTE: See page 9 for shallow lens dimensions.

PART NO.
560008
560036


Dome or cabinet lamp featuring polycarbonate shallow lens with s.c. shock-mount bulb socket 920367. Uses s.c. 67 bulb with the 920115 shallow, clear lens or a s.c. 1141 bulb with the 920111 deep, clear lens. Body must be drilled and tapped for wire entry. Mounting gasket and screws included. Recess mount.



SHALLOW LENS
Clear, aluminum body (56-06112)
Clear, Valox body (56V-06112)

560009

DEEP LENS
Clear, aluminum body (56-06212)



NOTE: See page 10 for shallow lens dimensions.

PART NO.
570005

Dome or cabinet lamp featuring polycarbonate lens with s.c. shock-mount bulb socket 920367. Uses s.c. 67 bulb with the 920115 shallow, clear lens or a s.c. 1141 bulb with the 920111 deep, clear lens. Body must be drilled and tapped for wire entry. Mounting gasket and screws included. Surface mount.



SHALLOW LENS
Clear, aluminum body without switch (57-06112)

570006

DEEP LENS
Clear, aluminum body with (920078) 3 amp switch (57-06212)

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-29

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide


SEALED BEAM FLOOD, SPOT & WORK LAMPS



PART NO.
400044
400092

Sealed beam flood lamp features par 36 sealed beam bulb retained by EPDM retaining ring. Retaining ring uses a molded in o-ring which is received by the groove in housing for a secure waterproof assembly. Uses a clear (flood) 4466 sealed beam bulb and 920234 retaining ring. Body must be drilled and tapped for wire entry. Mounting gasket and screws included. Recess mount.


Clear, Valox body (40V-07113)
Clear, Valox body with chassis ground



PART NO.
400072
400094

Sealed beam flood lamp features par 36 sealed beam bulb retained by EPDM retaining ring. A new style retaining ring 920071 has the ability to hold the sealed beam bulb plus retaining a 920143 clear shallow polycarbonate lens that protects the bulb from breakage. Uses a clear (flood) 4466 sealed beam bulb and 920071 retaining ring. Body must be drilled and tapped for wire entry. Mounting gasket and screws included. Recess mount.


Clear, Valox body (40V-07113)
Clear, Valox body with chassis ground



PART NO.
450010
450033

Sealed beam flood lamp features par 36 sealed beam bulb retained by EPDM retaining ring. Retaining ring uses a molded in o-ring which is received by the groove in housing for a secure waterproof assembly. Uses a clear (flood) 4466 sealed beam bulb and 920234 retaining ring. Body must be drilled and tapped for wire entry. Mounting gasket and screws included. Recess mount.


Clear, aluminum body (45-07113)
Clear, Valox body (45V-07113)



PART NO.
450062
450063

Sealed beam flood lamp features par 36 sealed beam bulb retained by PDM retaining ring. A new style retaining ring 920071 has the ability to hold the sealed beam bulb plus retaining a 920143 clear shallow polycarbonate lens that protects the bulb from breakage. Uses a clear (flood) 4466 sealed beam bulb and 920071 retaining ring. Body must be drilled and tapped for wire entry. Mounting gasket and screws included. Recess mount.


Clear, aluminum body (45-07113)
Clear, Valox body (45V-07113)



PART NO.
470025

Sealed beam flood lamp features par 36 sealed beam bulb retained by EPDM retaining ring. Retaining ring uses a molded in o-ring which is received by the groove in housing for a secure waterproof assembly. Uses a clear (flood) 4466 sealed beam bulb and 920234 retaining ring. Body must be drilled and tapped for wire entry. Mounting gasket and screws included. Surface mount.

Clear, Valox body (47V-07113)



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com


8-30

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

SEALED BEAM FLOOD, SPOT & WORK LAMPS




PART NO. **INCANDESCENT FLOOD WITH (1) LEAD WIRE**
315001 Clear, aluminum body (305-07113) (shown)
315003 Clear, aluminum body with 920039, 20 amp toggle switch (305B-07113)

315005 **HALOGEN SPOT WITH (1) LEAD WIRE**
315007 Clear, aluminum body (305D-07113)
Clear, aluminum body with 920039, 20 amp toggle switch (305F-07113)

325001 **INCANDESCENT FLOOD WITH (2) LEAD WIRES**
325003 Clear, aluminum body (305-07113)
Clear, aluminum body with 920039, 20 amp toggle switch (305B-07113)

325005 **HALOGEN SPOT WITH (2) LEAD WIRES**
325007 Clear, aluminum body (305D-07113)
Clear, aluminum body with 920039, 20 amp toggle switch (305F-07113)



PART NO. **INCANDESCENT FLOOD WITH (1) LEAD WIRE**
315009 Clear, aluminum body (305-07713)
315010 Clear, aluminum body with 920039, 20 amp toggle switch (305B-07713)

315011 **HALOGEN SPOT WITH (1) LEAD WIRE**
315012 Clear, aluminum body (305D-07713)
Clear, aluminum body with 920039, 20 amp toggle switch (305F-07713)

325009 **INCANDESCENT FLOOD WITH (2) LEAD WIRES**
325010 Clear, aluminum body (305-07713) (shown)
Clear, aluminum body with 920039, 20 amp toggle switch (305B-07713)

325011 **HALOGEN SPOT WITH (2) LEAD WIRES**
325012 Clear, aluminum body (305D-07713)
Clear, aluminum body with 920039, 20 amp toggle switch (305F-07713)



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-31

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

SEALED BEAM FLOOD, SPOT & WORK LAMPS



PART NO.
800014
800015
800018


Pedestal mount sealed beam lamp has a 9/16" or 13/16" mounting stud. Uses a clear (flood) sealed beam bulb 4466 or an amber (fog) 4415A with a 920234 retaining ring. Mounting hardware is included. Provided with an 18" BSXL abrasion resistant pigtail.

WITH 13/16" MOUNTING STUD

Clear, aluminum body (80-07113)
Amber, aluminum body (80-07133)
Clear, aluminum body with 920039, 20 amp toggle switch (80B-07113)

WITH 9/16" MOUNTING STUD

800016 Clear, aluminum body (80A-07113)
800017 Amber, aluminum body (80A-07133)



PART NO.
800019
800020
800023
800021
800022


Pedestal mount sealed beam lamp has a 9/16" or 13/16" mounting stud. Uses a clear (flood) sealed beam bulb 4466 or an amber (fog) 4415A with a 920071 extended retaining ring and shallow, clear lens 920143. Mounting hardware is included. Provided with an 18" BSXL abrasion resistant pigtail.

WITH 13/16" MOUNTING STUD

Clear, aluminum body (80-07713)
Amber, aluminum body (80-07733)
Clear, aluminum body with 920039, 20 amp toggle switch (80B-07713)

WITH 9/16" MOUNTING STUD

800021 Clear, aluminum body (80A-07713)
800022 Amber, aluminum body (80A-07733)



PART NO.
805001
805002
805003

A par 36 sealed beam lamp with adjustable pedestal mount and heavy duty 9/16" stud. Uses a 920234 retaining ring and clear (flood) 4466, amber (fog) 4415A or a clear halogen (spot) H7616 sealed beam bulb. Mounting hardware included. Provided with an 18" BSXL abrasion resistant pigtail.

PAINTED

Clear, aluminum body (805-07113)
Amber, aluminum body (805-07133)
Clear, aluminum body with 920039, 20 amp toggle switch (805A-07113)

805005 Clear, aluminum body with 1/4" N.P.T. rear entry (805B-07113)

805006 Amber, aluminum body with 1/4" N.P.T. rear entry (805B-07133)

PAINTED - HALOGEN SPOT


805021 Clear, aluminum body
805022 Clear, aluminum body with 920039, 20 amp toggle switch

CHROMED

805004 Clear, aluminum body with 920039, 20 amp toggle switch (805AC-07113)
805007 Clear, aluminum body with 920420 in rear (805BC-07113)
805008 Amber, aluminum body with 920420 in rear (805BC-07133)
805009 Clear, aluminum body (805C-07113)
805010 Amber, aluminum body (805C-07133)

CHROMED - HALOGEN SPOT

805023 Clear, aluminum body with 920039, 20 amp toggle switch
805024 Clear, aluminum body



PART NO.
805011
805012
805013
805014
805015

A par 36 sealed beam lamp with adjustable pedestal mount and heavy duty 9/16" stud. A new style retaining ring 920071 has the ability to hold the sealed beam plus retain a 920143 clear shallow polycarbonate lens that protects the bulb from breakage. Uses a clear (flood) 4466, amber (fog) 4415A or a clear halogen (spot) H7616 sealed beam bulb. Mounting hardware included. Provided with an 18" BSXL abrasion resistant pigtail.

PAINTED

Clear, aluminum body (805-07713)
Amber, aluminum body (805-07733)
Clear, aluminum body with 920039 switch (805A-07713)
Clear, aluminum body with 920420 in rear (805B-07713)
Amber, aluminum body with 920420 in rear (805B-07733)

PAINTED - HALOGEN SPOT


805025 Clear, aluminum body
805026 Clear, aluminum body with 920039, 20 amp toggle switch

CHROMED

805016 Clear, aluminum body with 920039 switch (805AC-07713)
805017 Clear, aluminum body with 920420 in rear (805BC-07713)
805018 Amber, aluminum body with 920420 in rear (805BC-07733)
805019 Clear, aluminum body (805C-07713)
805020 Amber, aluminum body (805C-07733)

CHROMED - HALOGEN SPOT

805027 Clear, aluminum body with 920039, 20 amp toggle switch
805028 Clear, aluminum body



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911


www.tankparts.com

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship


Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

SCHOOL BUS LAMPS



Features polycarbonate shallow lens with black Valox body. Equipped with a d.c. shock-mount bulb socket 920459, d.c. bulb 1157 and 920134 red lens. Provided with 1/4" x 20 mounting studs, mounting gasket and mounting hardware. Has a 920420 choke seal with 18" BSXL leadwires installed in rear.

PART NO. 460001 **STOP, TURN, TAIL OR CLEARANCE (D.C.)**
460004 Red, Valox body, stud mount (45VSBG-02122)
 Red, Valox body, recessed (45VVBG-02122)




Features polycarbonate deep lens with black Valox body. Equipped with a d.c. shock-mount bulb socket 920459, d.c. bulb 1157 and 920141 red lens. Mounting gasket and screws included. Has a 920420 choke seal with 18" BSXL leadwires installed in rear. Recess mount.

PART NO. 460002 **ST/T OR CLEARANCE AND LICENSE (D.C.)**
460005 Red, Valox body, recessed (45VVBG-03222)
 Red, Valox body, stud mount (45VSBG-03222)




NOTE: Mounting instructions provided with all license lamps.



Features polycarbonate shallow lens with black Valox body. Equipped with a d.c. shock-mount bulb socket 920459, d.c. bulb 1157 and 920134 red lens. Mounting gasket and screws included. Has a 920420 choke seal with 18" BSXL leadwires installed in rear. Surface mount.

PART NO. 480012 **STOP, TURN, TAIL OR CLEARANCE (D.C.)**
 Red, Valox body (47VVBG-02122)



Features polycarbonate deep lens with black Valox body. Equipped with a d.c. shock-mount bulb socket 920459, d.c. bulb 1157 and 920141 red lens. Mounting gasket and screws included. Has a 920420 choke seal with 18" BSXL leadwires installed in rear. Surface mount.

PART NO. 480013 **ST/T OR CLEARANCE AND LICENSE (D.C.)**
 Red, Valox body (47VVBG-03222)



NOTE: Mounting instructions provided with all license lamps.

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship


Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

SCHOOL BUS LAMPS




7" school bus lamp features polycarbonate shallow lens, black Valox flangless body and shock-mount bulb socket. Provided with internal mounting holes. Uses s.c. bulb socket 920460 or d.c. bulb socket 920459, s.c. bulb 1156 or d.c. bulb 1157, 920152 red, 920153 amber or 920151 clear lens. Has a 920420 choke seal with 18" BSXL leadwire installed in rear. Mounting gasket and screws included. Surface mount.

- PART NO.** **TURN (S.C.)**
780021 Amber, Valox body (77L-01132)
STOP OR TURN (S.C.)
780023 Red, Valox body (77L-01122)
SPECIAL PURPOSE (S.C.)
780017 Clear, Valox body (77L-20112)
STOP, TURN, TAIL OR CLEARANCE (D.C.)
780030 Red, Valox body (77L-02122)




7" school bus lamp features polycarbonate shallow lens, black Valox body and shock-mount bulb socket. Uses s.c. bulb socket 920460 or d.c. bulb socket 920459, s.c. bulb 1156 or d.c. bulb 1157, 920152 red, 920153 amber or 920151 clear lens. Has a 920420 choke seal with 18" BSXL leadwire installed in rear. Mounting gasket and screws included. Recess mount.

- PART NO.** **TURN (S.C.)**
780027 Amber, Valox body (77BG-01132)
STOP OR TURN (S.C.)
780026 Red, Valox body (77BG-01122)
STOP, TURN, TAIL OR CLEARANCE (D.C.)
780028 Red, Valox body (77BG-02122)
SPECIAL PURPOSE (S.C.)
780029 Clear, Valox body (77BG-20112)




7" school bus lamp features polycarbonate shallow arrow lens and black Valox flangless body. Provided with internal mounting holes. Uses s.c. shock-mount bulb socket 920460 with s.c. bulb 1156, 920156 red or 920157 amber arrow lens. Has a 920420 choke seal with 18" BSXL leadwire installed in rear. Mounting gasket and screws included. Surface mount.

- PART NO.** **TURN (S.C.)**
780018 Red (arrow), Valox body (77LT-01122)
780022 Amber (arrow), Valox body (77LT-01132)



7" school bus lamp features polycarbonate shallow arrow lens and black Valox body. Uses s.c. shock-mount bulb socket 920460 with s.c. bulb 1156 and 920156 red or 920157 amber arrow lens. Has a 920420 choke seal with 18" BSXL leadwire installed in rear. Mounting gasket and screws included. Recess mount.

- PART NO.** **TURN (S.C.)**
780019 Red (arrow), Valox body (77BTG-01122)
780020 Amber (arrow), Valox body (77BTG-01132)



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com


8-34

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship


Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

SCHOOL BUS LAMPS




PART NO. WARNING
780013 Red, Valox body (77BG-25122)
780014 Amber, Valox body (77BG-25132)

These 7" school bus warning lamps feature polycarbonate shallow pillow block lens and black Valox bodies. Provided with a sealed beam bulb adapter 920070 that retains and offers a shock resistance for a par 46 sealed beam bulb 4636. Uses a 920154 red or 920155 amber lens. Mounting gasket and screws included. Recess mount.




PART NO. WARNING
780024 Red, Valox body (77L-25122)
780025 Amber, Valox body (77L-25132)

7" school bus warning lamp features polycarbonate shallow pillow block lens and black Valox flangless body. Provided with internal mounting holes. Sealed beam bulb adapter 920070 retains and offers shock resistance for a par 46 sealed beam bulb 4636. Uses 920154 red or 920155 amber lens. Mounting gasket, screws and 920443 retainer clips included. Surface mount.




PART NO. COMBINATION CLEARANCE & SIDE MARKER (S.C.)
225001 Red, Valox body (225V-05122)
225002 Amber, Valox body (225V-05132)

Features polycarbonate reflex shallow lens, black Valox body with bulb replaceable shock-mount socket, brass inserts with machine screws for positive connections. Uses s.c. bulb 168, 920058 red or 920059 amber lens. Supplied with rear entry choke seal 920088, 6 inches of black BSXL leadwire, groundwire & screw, mounting gasket and screws. Surface mount.



CUSTOM DRILLING
 Specify drilling size and location desired. Cable entrance fittings are 3/8", 1/2" & 3/4" N.P.T. Choke Seals require 9/16" holes.



PART NO.
351044 Complete unit - drilled and tapped
351045 Complete unit - undrilled
920102 Seal ring only - gasket style
920209 Circuit bridge
920411 Sq. head plug 3/8" N.P.T.
920412 Sq. head plug 1/2" N.P.T.
920414 Hardware package
920444 Sq. head plug 3/4" N.P.T.
920449 Fasteners (4)
920450 Cover, fastener & o-ring
920600 O-ring for new style covers

JUNCTION BOXES

Features 18 brass circuit studs in a moisture and corrosion free environment. Entry on all 4 sides using 4 - 920413 Choke Seals and 1 - 920402 cable entrance fitting. Also includes 1 - 920412 1/2" N.P.T. square head pipe plug and stud hardware package 920414. May also be ordered custom drilled/tapped to specifications. See catalog supplement No. 1.



DRI-SEAL
 CIRCUIT BOX

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-35

Western Pacific Products, Inc.


Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

JUNCTION BOXES




Junction boxes feature a polycarbonate shallow clear lens 920143. They are available with or without a 7 pole terminal disc with hardware. Boxes must be drilled and tapped unless otherwise stated. Mounting gasket and screws included. Recess or surface mount available.



PART NO. **RECESS MOUNT - WITHOUT TERMINAL DISC**
400045 Clear, Valox body (40V-08112)
400095 Clear, Valox body with chassis ground



400054 Clear, Valox body (40VA-08112)
400096 Clear, Valox body with chassis ground



RECESS MOUNT - WITHOUT TERMINAL DISC
450011 Clear, aluminum body (45-08112)
450034 Clear, Valox body (45V-08112)


RECESS MOUNT - WITH TERMINAL DISC
450014 Clear, aluminum body (45A-08112)
450044 Clear, Valox body (45VA-08112)

Valox shown




470026 **SURFACE MOUNT - WITHOUT TERMINAL DISC**
 Clear, Valox body (47V-08112)

470041 **SURFACE MOUNT - WITH TERMINAL DISC**
 Clear, Valox body (47VA-08112)



Ready to install junction boxes with 7 pole terminal disc assembly. Features a body choice of heavy duty die cast aluminum or Valox and a polycarbonate shallow clear lens 920143. Boxes are drilled and tapped with entry fittings installed. Fittings include (1) cable entrance fitting 920402, (4) 1 hole cable choke seals 920413 and (1) 4 hole wire choke seal 920420. Mounting gasket and screws included. Recess mount.



PART NO.
450019 Clear, aluminum body (45AG-08112)
450061 Clear, Valox body (45VAG-08112)


Valox shown



Ready to install junction boxes with 7 pole terminal disc assembly. Features a heavy duty Valox body and a polycarbonate shallow clear lens 920143. Boxes are drilled and tapped with entry fittings installed. Mounting gasket and screws included. Surface mount.

PART NO.
470042 Clear, Valox body with (1) cable entrance fitting 920402, (1) four hole wire choke seal 920420 and (4) one hole cable choke seals 920413 (47VAG-08112)

470046 Clear, Valox body with (1) cable entrance shrink fitting 920326 and (2) one hole cable choke seals 920413 (47VG-08112)



800-677-3711

Signal Hill, (L.A.) CA
 (562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA
 (916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX
 (817) 740-8077 • (817) 740-1332

Portland, OR
 (503) 221-0335 • Fax (503) 221-0911


www.tankparts.com

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

JUNCTION BOXES




PART NO.

470063

For use with non-piped conventional wiring. Ready to install junction boxes with 7 pole terminal disc assembly. Provided with a polycarbonate shallow clear lens 920143. Models are drilled and tapped with entry fittings installed. Mounting gasket and screws included. Surface mount.

Clear, Valox body with (1) cable entrance fitting 920402 and (5) four hole wire choke seals 920420 (47VB-08112)



PART NO.

560010

Junction boxes feature a body choice of heavy duty die cast aluminum or Valox and a polycarbonate shallow clear lens 920115. They are available with or without a 4 pole terminal disc with hardware. Body must be drilled and tapped for wire entry. Mounting gasket and screws included. Recess mount.

WITHOUT TERMINAL DISC

Clear, aluminum body (56-08112)

560022

Clear, Valox body (56V-08112)


WITH TERMINAL DISC

560018

Clear, aluminum body (56A-08112)

560026

Clear, Valox body (56VA-08112)



PART NO.

570007

Junction boxes feature a heavy duty die cast aluminum body and a polycarbonate shallow clear lens 920115. They are available with or without a 4 pole terminal disc with hardware. Body must be drilled and tapped for wire entry unless otherwise stated. Mounting gasket and screws included. Surface mount.

WITHOUT TERMINAL DISC

Clear, aluminum body (57-08112)



WITH TERMINAL DISC

570017

Clear, aluminum body (57A-08112)

570018

Clear, aluminum body with (1) cable entrance fitting 920217 and (2) cable choke seals 920413 installed (57B-08112)



PART NO.

300011

This is a heavy duty aluminum junction box with 16 brass circuit studs. It is completely sealed and has 12 wire entrances distributed on 4 sides. The clear SNAP-SEAL polycarbonate cover enables easy access for circuit checking. Sealed entries include (1) cable entrance fitting 920402, (1) 1/2" N.P.T. plastic plug, (10) one hole cable choke seals 920413. A 16 pole hardware package is included. Surface mount.

Clear, aluminum body (35181AL)



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-37

Western Pacific Products, Inc.


Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

CIRCUIT SAVERS & FLASHERS



Betts circuit saver protects flasher circuits when extra lamp loads are used. It also extends switch life. Lamp loads of up to (24) 32 c.p. bulbs or 60 amps for both 4 and 7 wire 12 volt systems can be handled. Contains high quality Palladium relay contacts and has positive or negative ground. The Valox housing uses a clear 920143 shallow polycarbonate lens and is prewired with 12" pigtails. Mounting gasket, screws and wiring diagram are included. Surface mount.




PART NO. **FOR 12 VOLT SYSTEMS**
920065 Clear, Valox body (27018)

FLASHERS



A high capacity flasher that can flash a maximum lamp load and hold a constant flash rate regardless of voltage variations or number of lamps, plus, the actuator signal switch receives less than one amp. Other features include instant start and immunity to motor transient noise. Wiring diagram included. Surface mount.




PART NO. **INTERIOR USE ONLY - STANDARD FLASHER**
920382 For 12 volt systems (B-1) - 8 wires
920406 For 24 volt systems - 8 wires

920455 **INTERIOR USE ONLY - ALTERNATING FLASHER** For 12 volt systems - 4 wires
920456 For 24 volt systems - 4 wires



A high capacity flasher that can flash a maximum lamp load and hold a constant flash rate regardless of voltage variations or number of lamps, plus, the actuator signal switch receives less than one amp. Other features include instant start and immunity to motor transient noise. 12" pigtail included. Wiring diagram included. Surface mount.



PART NO. **VAPOR PROOF FOR EXTERIOR USE - STANDARD FLASHER**
920457 For 12 volt systems - 8 wires
920458 For 24 volt systems - 8 wires

920383 **VAPOR PROOF FOR EXTERIOR USE - ALTERNATING FLASHER** For 12 volt systems (B1-A) - 4 wires
920407 For 24 volt systems - 4 wires

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com


8-38

Western Pacific Products, Inc.


Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide


NOSE BOXES



PART NO.
400078 Without socket (40-153)






400079 With 6-way socket
400080 With 7-way socket



PART NO.
300012 [A] 7 split pin nonmetallic socket (920427)
300013 7 solid pin nonmetallic socket with 20 amp circuit breakers (920426)
300015 7 split pin aluminum socket with 20 amp circuit breakers (920589)
300016 [B] solid pin aluminum ABS socket (920554)

These new Betts heavy-duty nose boxes come completely sealed ready for installation. The 7-way socket comes with or without circuit breakers and is prewired to a 7-pole terminal disc. Machined glad hand side blocks 920042 are standard and replaceable. Its existing trailer mounting brackets.



ABS heavy duty dual socket nose box ready for installation. Comes with ABS socket 920554 and standard socket 920427. Standard socket is prewired to a 7 pole terminal disc. A red and white jumper wire is wired from disc to disc to provide a ground and alternate ABS power source based on the trailer wiring.

PART NO.
300014



Note: See supplement No. 9 for more information

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com


8-39

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

MODULES 40 SERIES



Two lamp modules, completely sealed, with no external splices, ready to install. Box frames available in aluminum or painted steel. Lamp bodies are (40 series) Valox with shock-mount bulb sockets 920460 s.c. or 920459 d.c. Uses s.c. bulb 1156 or d.c. bulb 1157 for class "A" lamps and s.c. bulb 168 for Valox side marker lamp. Provided with a 920420 choke seal installed for dry wire entrance.

PART NO. 2-LAMP ALUMINUM (frame only 920327)

- 410013** Left turn & stop/tail (A412-L)
- 410015** Right turn & stop/tail(A412-R)
- 410029** Left turn/clearance & stop/tail (A422-L)
- 410031** Right turn/clearance & stop/tail (A422-R)

2-LAMP STEEL (frame only 920328)


- 430011** Left turn & stop/tail (S412-L)
- 430013** Right turn & stop/tail (S412-R)
- 430027** Left turn/clearance & stop/tail (S422-L)
- 430029** Right turn/clearance & stop/tail (S422-R)

2-LAMP ALUMINUM WITH S200V MARKER (frame only 920329)

- 410014** Left turn, stop/tail & marker (A412-LM)
- 410016** Right turn, stop/tail & marker (A412-RM)
- 410030** Left turn/clearance, stop/tail & marker (A422-LM)
- 410032** Right turn/clearance, stop/tail & marker (A422-RM)

2-LAMP STEEL WITH S200V MARKER (frame only 920330)

- 430012** Left turn, stop/tail & marker (S412-LM)
- 430014** Right turn, stop/tail & marker (S412-RM)
- 430028** Left turn/clearance, stop/tail & marker (S422-LM)
- 430030** Right turn/clearance, stop/tail & marker (S422-RM)



Three lamp modules, completely sealed, with no external splices, ready to install. Box frames available in aluminum or painted steel. Lamp bodies are (40 series) Valox with shock-mount bulb sockets 920460 s.c. or 920459 d.c. Uses s.c. bulb 1156 or d.c. bulb 1157 for class "A" lamps and s.c. bulb 168 for Valox side marker lamp. Provided with 920420 choke seals installed for dry wire entrances.

PART NO. 3-LAMP ALUMINUM (frame only 920331)

- 410021** Left turn/clearance & (2) stop/tail (A4222-L)
- 410023** Right turn/clearance & (2) stop/tail (A4222-R)

3-LAMP STEEL (frame only 920332)

- 430019** Left turn/clearance & (2) stop/tail (S4222-L)
- 430021** Right turn/clearance & (2) stop/tail (S4222-R)

3-LAMP ALUMINUM WITH S200V MARKER (frame only 920333)

- 410022** Left turn/clearance, (2) stop/tail & marker (A4222-LM)
- 410024** Right turn/clearance, (2) stop/tail & marker (A4222-RM)

3-LAMP STEEL WITH S200V MARKER (frame only 920334)

- 430020** Left turn/clearance, (2) stop/tail & marker (S4222-LM)
- 430022** Right turn/clearance, (2) stop/tail & marker (S4222-RM)

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-40

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

40 SERIES MODULES

Three lamp modules, including back-up, with no external splices, completely sealed, ready to install. Box frames available in aluminum or painted steel. Lamp bodies are (40 series) Valox with shock-mount bulb sockets 920460 s.c. or 920459 d.c.. Uses a s.c. bulb 1156 or d.c. bulb 1157 for class "A" lamp and s.c. bulb 168 for Valox side marker lamp. Provided with 920420 choke seals installed for dry wire entrances.

PART NO. 3-LAMP ALUMINUM (frame only 920331)

- 410001** Left turn, stop/tail & back-up (A4121-L)
- 410003** Right turn, stop/tail & back-up (A4121-R)
- 410017** Left turn/clearance, stop/tail & back-up (A4221-L)
- 410019** Right turn/clearance, stop/tail & back-up (A4221-R)

3-LAMP STEEL (frame only 920332)


- 430001** Left turn, stop/tail & back-up (S4121-L)
- 430003** Right turn, stop/tail & back-up (S4121-R)
- 430015** Left turn/clearance, stop/tail & back-up (S4221-L)
- 430017** Right turn/clearance, stop/tail & back-up (S4221-R)

3-LAMP ALUMINUM W/S200V MKR. (frame only 920333)

- 410002** Left turn, stop/tail & back-up, with marker (A4121-LM)
- 410004** Right turn, stop/tail & back-up with marker (A4121-RM)
- 410018** Left turn/clearance, stop/tail & back-up, with marker (A4221-LM)
- 410020** Right turn/clearance, stop/tail & back-up, with marker (A4221-RM)

3-LAMP STEEL W/S200V MKR. (frame only 920334)

- 430002** Left turn, stop/tail & back-up, with marker (S4121-LM)
- 430004** Right turn, stop/tail & back-up, with marker (S4121-RM)
- 430016** Left turn/clearance, stop/tail & back-up, with marker (S4221-LM)
- 430018** Right turn/clearance, stop/tail & back-up, with marker (S4221-RM)



Two lamp modules, and junction box, with no external splices, completely sealed, ready to install. Box frames available in aluminum or painted steel. Lamp bodies are (40 series) Valox shock-mount bulb sockets 920460 s.c. or 920459 d.c.. Uses s.c. bulb 1156 or d.c. bulb 1157 for class "A" lamps and s.c. bulb 168 for Valox side marker lamp. Provided with 920420 choke seals installed for dry wire entrances.

PART NO. 2-LAMP ALUMINUM (frame only 920331)

- 410009** Left turn, stop/tail & junction box (A412JJ-L)
- 410011** Right turn, stop/tail & junction box (A412JJ-R)
- 410025** Left turn/clearance, stop/tail & junction box (A422JJ-L)
- 410027** Right turn/clearance, stop/tail & junction box (A422JJ-R)

2-LAMP STEEL (frame only 920332)



- 430009** Left turn, stop/tail & junction box (S412JJ-L)
- 430010** Right turn, stop/tail & junction box (S412JJ-R)
- 430023** Left turn/clearance, stop/tail & junction box (S422JJ-L)
- 430025** Right turn/clearance, stop/tail & junction box (S422JJ-R)

2-LAMP ALUMINUM W/S200V MKR. (frame only 920333)

- 410010** Left turn, stop/tail & junction box, with marker (A412JJ-LM)
- 410012** Right turn, stop/tail & junction box, with marker (A412JJ-RM)
- 410026** Left turn/clearance, stop/tail & junction box, with marker (A422JJ-LM)
- 410028** Right turn/clearance, stop/tail & junction box, with marker (A422JJ-RM)

2-LAMP STEEL W/S200V MKR. (frame only 920334)

- 430024** Left turn, stop/tail & junction box, with marker (S422JJ-LM)
- 430026** Right turn, stop/tail & junction box, with marker (S422JJ-RM)



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-41

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

MODULES 40 SERIES




Four lamp modules, including back-up, with no external splices, completely sealed, ready to install. Box frames available in aluminum or painted steel. Lamp bodies are (40 series) Valox with shock-mount bulb sockets 920460 s.c. or 920459 d.c.. Uses s.c. bulb 1156 or d.c. bulb 1157 for class "A" lamps and s.c. bulb 168 for Valox side marker lamp. Provided with 920420 choke seals installed for dry wire entrances.

PART NO. 4-LAMP ALUMINUM (frame only 920335)
410005 Left turn, (2) stop/tail & back-up (A41221-L)
410007 Right turn, (2) stop/tail & back-up (A41221-R)



PART NO. 4-LAMP STEEL (frame only 920336)
430005 Left turn, (2) stop/tail & back-up (S41221-L)
430007 Right turn, (2) stop/tail & back-up (S41221-R)



PART NO. 4-LAMP ALUMINUM WITH S200V MARKER (frame only 920337)
410006 Left turn, (2) stop/tail, back-up & marker (A41221-LM)
410008 Right turn, (2) stop/tail, back-up & marker (A41221-RM)

PART NO. 4-LAMP STEEL WITH S200V MARKER (frame only 920338)
430006 Left turn, (2) stop/tail, back-up & marker (S41221-LM)
430008 Right turn, (2) stop/tail, back-up & marker (S41221-RM)




Two and three lamp modules, completely sealed, with no external splices, ready to install. Flat or angle frames in painted steel. Lamp bodies are (40 series) Valox with shock-mount bulb socket 920460 s.c. or 920459 d.c. Uses s.c. bulb 1156 or d.c. bulb 1157. Provided with 920420 choke seals installed for dry wire entrances.

PART NO. 2-LAMP FLAT STEEL (frame only 920339)
430031 Left turn & stop/tail (SF412-L)
430032 Right turn & stop/tail (SF412-R)



PART NO. 3-LAMP FLAT STEEL (frame only 920340)
430033 Left turn/clearance, stop/tail & back-up (SF4221-L)
430034 Right turn/clearance, stop/tail & back-up (SF4221-R)



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-42

Western Pacific Products, Inc.


Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

40 SERIES MODULES


PART NO. **2-LAMP ANGLE STEEL** (frame only 920342)
430037 Left turn & stop/tail (SL412-L)
430038 Right turn & stop/tail (SL412-R)

3-LAMP ANGLE STEEL (frame only 920343)
430035 Left turn, stop/tail & back-up (SL4121-L)
430036 Right turn, stop/tail & back-up (SL4121-R)




Betts rear tractor modules feature 12 gauge painted angle steel frames, polycarbonate lens and shock mounted, double contact, class "A" lamps. Units are completely sealed from module to cab and include 14 ft. of 4 or 5 cond. cable.


PART NO. **2-LAMP ANGLE STEEL** (frame only 920345)
430079 (2) Stop/tail/turn (T-4202)



3-LAMP ANGLE STEEL (frame only 920346)
430080 (2) Stop/tail/turn & back-up (T-42B2)



3-LAMP ANGLE STEEL (frame only 920347)
430082 (2) Stop/tail/turn & license (T-42L2)



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911


www.tankparts.com

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

MODULES COMPACT 45 SERIES





Two lamp modules, completely sealed, with no external splices, ready to install. Box frames available in aluminum or painted steel. Lamp bodies are (45 series) Valox with shock-mount bulb sockets 920460 s.c. or 920459 d.c. Uses s.c. bulb 1156 or d.c. bulb 1157 for class "A" lamps and s.c. bulb 168 for Valox side marker lamp. Provided with 920420 choke seal installed for dry wire entrance.

PART NO. 2-LAMP ALUMINUM (frame only 920349)
410033 Left turn & stop/tail (A512-L)
410034 Right turn & stop/tail (A512-R)
410035 Left turn/clearance & stop/tail (A522-L)
410036 Right turn/clearance & stop/tail (A522-R)

2-LAMP STEEL (frame only 920350)
430039 Left turn & stop/tail (S512-L)
430040 Right turn & stop/tail (S512-R)
430041 Left turn/clearance & stop/tail (S522-L)
430042 Right turn/clearance & stop/tail (S522-R)

2-LAMP ALUMINUM WITH S200V MARKER (frame only 920351)
410037 Left turn, stop/tail & marker (A512-LM)
410038 Right turn, stop/tail & marker (A512-RM)
410039 Left turn/clearance, stop/tail & marker (A522-LM)
410040 Right turn/clearance, stop/tail & marker (A522-RM)

2-LAMP STEEL WITH S200V MARKER (frame only 920352)
430043 Left turn, stop/tail & marker (S512-LM)
430044 Right turn, stop/tail & marker (S512-RM)
430045 Left turn/clearance, stop/tail & marker (S522-LM)
430046 Right turn/clearance, stop/tail & marker (S522-RM)



Three lamp modules, completely sealed, with no external splices, ready to install. Box frames available in aluminum or painted steel. Lamp bodies are (45 series) Valox with shock-mount bulb sockets 920460 s.c. or 920459 d.c. Uses s.c. bulb 1156 or d.c. bulb 1157 for class "A" lamps and s.c. bulb 168 for Valox side marker lamp. Provided with 920420 choke seals installed for dry wire entrances.

PART NO. 3-LAMP ALUMINUM (frame only 920353)
410057 Left turn/clearance & (2) stop/tail (A5222-L)
410058 Right turn/clearance & (2) stop/tail (A5222-R)

3-LAMP STEEL (frame only 920354)
430063 Left turn/clearance & (2) stop/tail (S5222-L)
430064 Right turn/clearance & (2) stop/tail (S5222-R)

3-LAMP ALUMINUM WITH S200V MARKER (frame only 920355)
410059 Left turn/clearance, (2) stop/tail & marker (A5222-LM)
410060 Right turn/clearance, (2) stop/tail & marker (A5222-RM)

3-LAMP STEEL WITH S200V MARKER (frame only 920356)
430065 Left turn/clearance, (2) stop/tail & marker (S5222-LM)
430066 Right turn/clearance, (2) stop/tail & marker (S5222-RM)

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

COMPACT 45 SERIES MODULES


Three lamp modules, including back-up, with no external splices, completely sealed, ready to install. Box frames available in aluminum or painted steel. Lamp bodies are (45 series) Valox with shock-mount bulb sockets 920460 s.c. or 920459 d.c. Uses s.c. bulb 1156 or d.c. bulb 1157 for class "A" lamp and s.c. bulb 168 for Valox side marker lamp. Provided with 920420 choke seals installed for dry wire entrances.

- PART NO. 3-LAMP ALUMINUM** (frame only 920353)
410041 Left turn, stop/tail & back-up (A5121-L)
410042 Right turn, stop/tail & back-up (A5121-R)
410043 Left turn/clearance, stop/tail & back-up (A5221-L)
410044 Right turn/clearance, stop/tail & back-up (A5221-R)

- 3-LAMP STEEL** (frame only 920354)
430047 Left turn, stop/tail & back-up (S5121-L)
430048 Right turn, stop/tail & back-up (S5121-R)
430049 Left turn/clearance, stop/tail & back-up (S5221-L)
430050 Right turn/clearance, stop/tail & back-up (S5221-R)

- 3-LAMP ALUMINUM WITH S200V MARKER** (frame only 920355)
410045 Left turn, stop/tail, back-up & marker (A5121-LM)
410046 Right turn, stop/tail, back-up & marker (A5121-RM)
410047 Left turn/clearance, stop/tail, back-up & marker (A5221-LM)
410048 Right turn/clearance, stop/tail, back-up & marker (A5221-RM)

- 3-LAMP STEEL WITH S200V MARKER** (frame only 920356)
430051 Left turn, stop/tail, back-up & marker (S5121-LM)
430052 Right turn, stop/tail, back-up & marker (S5121-RM)
430053 Left turn/clearance, stop/tail, back-up & marker (S5221-LM)
430054 Right turn/clearance, stop/tail, back-up & marker (S5221-RM)




Two lamp modules, and junction box, with no external splices, completely sealed, ready to install. Box frames available in aluminum or painted steel. Lamp bodies are (45 series) Valox with shock-mount bulb sockets 920460 s.c. or 920459 d.c. Uses s.c. bulb 1156 or d.c. bulb 1157 for class "A" lamps and s.c. bulb 168 for Valox side marker lamp. Provided with 920420 choke seals installed for dry wire entrances.

- PART NO. 2-LAMP ALUMINUM** (frame only 920353)
410049 Left turn, stop/tail & junction box (A512JJ-L)
410050 Right turn, stop/tail & junction box (A512JJ-R)
410051 Left turn/clearance, stop/tail & junction box (A522JJ-L)
410052 Right turn/clearance, stop/tail & junction box (A522JJ-R)

- 2-LAMP STEEL** (frame only 920354)
430055 Left turn, stop/tail & junction box (S512JJ-L)
430056 Right turn, stop/tail & junction box (S512JJ-R)
430057 Left turn/clearance, stop/tail & junction box (S522JJ-L)
430058 Right turn/clearance, stop/tail & junction box (S522JJ-R)

- 2-LAMP ALUMINUM WITH S200V MARKER** (frame only 920355)
410053 Left turn, stop/tail, junction box & marker (A512JJ-LM)
410054 Right turn, stop/tail, junction box & marker (A512JJ-RM)
410055 Left turn/clearance, stop/tail, junction box & marker (A522JJ-LM)
410056 Right turn/clearance, stop/tail, junction box & marker (A522JJ-RM)

- 2-LAMP STEEL WITH S200V MARKER** (frame only 920356)
430061 Left turn/clearance, stop/tail, junction box & marker (S522JJ-LM)
430062 Right turn/clearance, stop/tail, junction box & marker (S522JJ-RM)



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com


8-45

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship



Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

MODULES COMPACT 45 SERIES



Four lamp modules, including back-up, with no external splices, completely sealed, ready to install. Box frames available in aluminum or painted steel. Lamp bodies are (45 series) Valox with shock-mount bulb sockets 920460 s.c. or 920459 d.c. Uses s.c. bulb 1156 or d.c. bulb 1157 for class "A" lamps and s.c. bulb 168 for Valox side marker lamp. Provided with 920420 choke seals installed for dry wire entrances.

- PART NO.** **4-LAMP ALUMINUM** (frame only 920357)
410061 Left turn, (2) stop/tail & back-up (A51221-L)
410062 Right turn, (2) stop/tail & back-up (A51221-R)
- 4-LAMP STEEL** (frame only 920358)
430067 Left turn, (2) stop/tail & back-up (S51221-L)
430068 Right turn, (2) stop/tail & back-up (S51221-R)
- 4-LAMP ALUMINUM WITH S200V MARKER** (frame only 920359)
410063 Left turn, (2) stop/tail, back-up & marker (A51221-LM)
410064 Right turn, (2) stop/tail, back-up & marker (A51221-RM)
- 4-LAMP STEEL FRAME WITH S200V MARKER** (frame only 920360)
430069 Left turn, (2) stop/tail, back-up & marker (S51221-LM)
430070 Right turn, (2) stop/tail, back-up & marker (S51221-RM)



Two and three lamp modules, completely sealed, with no external splices, ready to install. Flat or angle frames in painted steel. Lamp bodies are (45 series) Valox with shock-mount bulb socket 920460 s.c. or 920459 d.c. Uses s.c. bulb 1156 or d.c. bulb 1157. Provided with 920420 choke seals installed for dry wire entrances.

- PART NO.** **2-LAMP FLAT STEEL** (frame only 920361)
430071 Left turn & stop/tail (SF512-L)
430072 Right turn & stop/tail (SF512-R)
- 3-LAMP FLAT STEEL** (frame only 920362)
430073 Left turn/clearance, stop/tail & back-up (SF5221-L)
430074 Right turn/clearance, stop/tail & back-up (SF5221-R)
- 2-LAMP ANGLE STEEL** (frame only 920096)
430075 Left turn & stop/tail (SL512-L)
430076 Right turn & stop/tail (SL512-R)
- 3-LAMP ANGLE STEEL** (frame only 920097)
430077 Left turn, stop/tail & back-up (SL5121-L)
430078 Right turn, stop/tail & back-up (SL5121-R)

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

COMBINATION 40/45 SERIES OEM MODULES

OEM or field replacement lamp modules with no external wire splices. Ready to install. Equipped with tough Valox lamps, shock-mounted bulb sockets and 4 conductor pigtails. Frames are welded heavy gauge stainless steel or aluminum. Provided with either mounting holes or mounting studs.

PART NO. STAINLESS STEEL

435001 (LEFT) Outside lamp is a turn/tail/license. Inside lamp is a stop/tail/license. Includes (1) side marker, license mounting hardware and two reflectors. Provided with a 7 foot 4 conductor pigtail and a heavy (4) hole, end mounting plate. Frame only 920363.

435002 (RIGHT) Same as above except outboard lamp is a turn/tail and inboard lamp is a stop/tail. Frame only 920364.

PART NO. ALUMINUM

435003 (LEFT) Outside lamp is a turn/tail/license. Inside lamp is a stop/tail/license. Includes (1) side marker and license mounting hardware. Provided with a 7 foot 4 conductor pigtail and a heavy-duty (6) hole, end mounting plate. Frame only 920365.

435004 (RIGHT) Same as above except outboard lamp is a turn/tail and inboard lamp is a stop/tail. Frame only 920366.

PART NO. STAINLESS STEEL

435005 (LEFT) Outside lamp is a turn/tail. Inside lamp is a stop/tail/license. Includes (1) side marker lamp, (2) reflectors, 10-1/2 feet of 4 conductor cable and (3) mounting studs (1-1/4 x 5/16) with hardware. Frame only 920590.

435006 (RIGHT) Same as above except inboard lamp is a stop/tail. Frame only 920591.





PART NO. STAINLESS STEEL

435009 (LEFT) Outside lamp is a turn/tail/license. Inside lamp is a stop/tail/license. Includes (1) side marker, license mounting hardware and three (3) reflectors. Provided with an 8 foot 4 conductor pigtail and a heavy duty (4) hole mounting channel. Frame only 920595.

435010 (RIGHT) Same as above except outboard lamp is a turn/tail and inboard lamp is a stop/tail only. Frame only 920596.

435011 (LEFT) Same as 435009 except with aluminum frame. Frame only 920597.

435012 (RIGHT) Same as 435010 except with aluminum frame. Frame only 920598.



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-47

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

WIRE CONNECTORS



**NOW IN
2 SIZES**

Betts
**Smart
SPLICE**

*the connector that
seals out trouble
Permanently*

BONDS & ENCAPSULATES

All wire combinations that form the splice from the wire insulation to the stripped and twisted wire ends are encapsulated in the air tight inert sealant material.

RESISTS VIBRATION

After completion of the splice, the sealant material hardens. This, together with the wedge-edge spring, locks the twisted wires into a mechanical and chemically secure unit.

PREVENTS

CAPILLARY ATTRACTION

Wires are sealed, stopping the entrance and passage of moisture through the wire insulation to lamps and other splices.

GUARDS AGAINST SHORT CIRCUITS

The entire wire splice is protected in the hardened sealant material inside the nylon connector housing.

LITTLE OR NO

VOLTAGE DROP

Testing has shown voltage drop is virtually undetectable. Conventional volt meters register NO voltage drop.

The Smart Splice connector is a pressure-type wire connector which is filled with a water resistant sealant. It is manufactured under U.S. patents 5,315,066; 5,202,365; 4,686,272; and 4,764,579. Canadian patent 1,264,611 and European patent 0-209-080. The Smart Splice connector conforms to ANSI/UL Std. 486C-1990.



UL LISTED 146C

WIRE COMBINATIONS (Cu/Cu only)



WIRE RANGE #22 - #8
(BTS2 REF.) 600V
PART NO. 920270, 920395 920396
920504 & 920506

#22 5 to 6	#16 w/#20 2 to 6"	2 #10 w/1 to 2 #14
#20 3 to 6	#16 w/#18 2 to 6"	1 #10 w/1 to 3 #12
#18 2 to 6 solid	#14 w/#22 2 to 6"	2 #10 w/1 #12
#18 2 to 5 stranded	#14 w/#20 2 to 6"	1 #8 stranded w/1
#16 2 to 6 solid	#14 w/#18 2 to 6"	#14 stranded
#16 2 to 5 stranded	#14 w/#16 2 to 6"	1 #8 stranded w/1
#14 2 to 6 solid	#12 w/#22 2 to 6"	#12 stranded
#14 2 to 5 stranded	#12 w/#20 2 to 6"	1 #8 stranded w/1
#12 2 to 5 solid	#12 w/#18 2 to 5"	#10 stranded
#12 2 to 4 stranded	#12 w/#16 2 to 5"	1 #12 w/1 #14 w/1
#10 2 or 3 solid	#12 w/#14 2 to 5"	to 4 #16
#10 2 stranded	1 #10 w/1 to 4 #18	1 #12 w/2 #14 w/1
#20 w/#22 4 to 6"	2 #10 w/1 to 3 #18	or 2 #16
#18 w/#22 3 to 6"	1 #10 w/1 to 4 #16	2 #12 w/1 #14 w/1
#18 w/#20 3 to 6"	2 #10 w/1 to 3 #16	to 3 #16
#16 w/#22 3 to 6"	1 #10 w/1 to 4 #14	

Single #14, #12, #10, #8 and #6 wires can be terminated



WIRE RANGE #14 - #6
(BTS4 REF.) 600V
PART NO. 920400 & 920401

#14 4 to 6	2#12 w/14 3 to 6"	1 #8 w/1 to 4 #10
#12 3 to 5	#10 w/#14 3 to 5"	2 #8 w/1 or 2 #10
#10 2 to 5 solid	#10 w/#12 3 to 5"	1 #6 w/1 to 4 #14
#10 2 to 4 stranded	1 #8 w/1 to 4 #14	1 #6 w/1 to 4 #12
#8 2 to 3 solid	1 #8 w/1 to 4 #12	1 #6 w/1 or 2 #10
#8 2 stranded	2 #8 w/1 to 3 #12	1 #5 w/1 or 2 #8
#8 2 stranded	3 #8 solid w/1 #12	

Single #8, #6, #4, and #2 wires can be terminated.
*Any combination totaling number shown.

CAUTION

Excessive or repeated skin contact with epoxies or water soluble oils, may cause allergic dermatitis in sensitive persons.

FAST & EASY TO USE

- 1** TURN OFF POWER. Strip wires BTS2 - #14 and larger 1/2", #16 and smaller 5/8", BTS4-3/4". Hold wires in a compact bundle with ends of insulation EVEN. Pretwist ALL wire combinations.
- 2** Insert twisted wire bundle at the white spot on the cap seal while twisting the connector. Continue twisting the connector until a firm grip is achieved. (For larger combinations, puncture white spot for ease of insertion. DO NOT PREMIX)
- 3** To fully mix the sealant, make a clock-wise circular motion with the wires or connector. Continue mixing until the sealant takes a gel-like consistency and becomes a uniform green color having NO yellow or blue streaks. At room temperature mixing time is 25 to 35 seconds. After mixing maintain the connector in an upright position for approximately 2 minutes to allow the sealant to flow around the connection. As with all connections, test each conductor for securesness. There should be no exposed conductors or frayed strands.



SPECIFICATIONS

WEDGE-EDGE SPRING

This sharp-edged spring positively holds wires inside the connector in a vise-like-grip.

RECOMMENDED STORAGE

Store at room temperature of between 65°F to 85°F.

VOLTAGE RATING

600V max. for building wire.
1000V max. for a fixture or a sign.

PART NO. RED (BTS2 REF.)

- 920270** Jar of 100 connectors
- 920395** Display with 16 bags and wire rack
- 920396** Bag of 20 connectors
- 920504** Clam shell pack of 4 connectors
- 920506** Carton of 10 clam shell packs

TEMPERATURE RATING

Maximum of 105°C.

NYLON CONSTRUCTION

Shell is constructed of tough nylon to resist cracking, chipping or tearing.

MIXING TIME

When mixed at room temperature, 25 to 35 seconds. Incomplete mixing or mixing in colder temperatures will lengthen curing time.

PART NO. BLUE (BTS4 REF.)

- 920400** Bag of 10 connectors
- 920401** Jar of 40 connectors

NOTE: See inside back cover for illustrations and descriptions.

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-48

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

LIGHTING SYSTEM TESTER




Betts
REMOTE
Trailer Lighting
Tester

One man remote lighting system tester


Checking trailer lighting systems has never been easier. Now, just one person can test all trailer lighting circuits fast and accurately. Just plug in the tester to trailer nose box and walk around the trailer and visually check each circuit as you select them on the hand held remote control. Stop, turn, tail and clearance/markers can be checked out in minutes. Any lamp or function not operating correctly can be noted for repair.

- **Easy to Use**
- **Portable**
- **Compact**
- **Cuts Costs**
- **Fast & Accurate**



TESTING PROCEDURE

Before testing, see note below



- 1 Connect 7 conductor cable to tester and to trailer nose box
- 2 Open receiver case and remove remote control transmitter
- 3 Move receiver toggle switch to its ON position. The power on, light emitting diode (L.E.D.) near the handle will illuminate. This L.E.D. also serves as a battery charge indicator
- 4 Press power button on the remote control transmitter unit to turn it on. The transmitter ON/OFF L.E.D. will light. The receiver L.E.D. in the slot on the face plate should also light, showing the signal is being received.
- 5 Close cover on receiver and secure
- 6 Check circuits by depressing the Index Button on the remote control transmitter. The unit will progress through each circuit. Continue until all circuits are tested. Note lamps or functions not working.
- 7 When testing is completed, turn off the receiver toggle switch and the Power ON/OFF transmitter button. Recharge if needed.

NOTE: A red dip switch is located in the slot on the receiver face plate. All of the white switches are inactive when the unit is purchased. To activate and override a particular function take a pencil, pen, or pointed object and move the required white switch to its opposite position. See label on face plate for switch function.

PART NO.		PART NO.	REPLACEMENTS
920485	Complete	920507	Remote control transmitter
		920508	AC battery charger
		920509	14ft. 7 conductor cable with plugs

CAUTION: Do not attempt to replace the tester battery. When battery fails to recharge, return tester to Betts Industries for service

800-677-3711

Signal Hill, (L.A.) CA
(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA
(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX
(817) 740-8077 • (817) 740-1332

Portland, OR
(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-49

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide


CERTIFICATE HOLDERS/ACCESSORIES



PART NO.
920235

Maintenance paper holder for trucks and trailers. Unit is waterproof and ready to install. The tube is 9-1/2" long, has a 2" inside and a 2-3/8" outside diameter. Comes with (2) removable end caps attached to each other to prevent loss. Mounting bracket and hardware included.


Black (MPH-1)




PART NO.
820012
820013
820014

This paper safe features polycarbonate shallow smoked lens 920142. It is available with or without a stainless steel retainer spring. Mounting screws included. Surface mount.

Valox body with spring (PS-1)
Aluminum body with spring (PS-1A)
Valox body without spring (PS-2)



ACCESSORIES




A one man circuit checker for 7 way plugs. Simply plug checker into 7 way cable and bring into cab. Activate switches for all circuits, the light emitting diode will illuminate when circuit is in proper working order. Faulty wiring, shorts, etc. will be indicated if diodes are dimmer than usual, fail to light or if more than one diode is illuminated simultaneously.

PART NO.
920273 Plug checker (TC2)



PART NO.
920602

BACK UP ALARM
12 volt, 97 D.B.A.



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-50

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

POLYCARBONATE LENSES

<p>20 SERIES 920053 Red 920054 Amber 920055 Silver License 920101 Clear</p> 	<p>40, 45, 47, 70 & 80 SERIES 920133 Clear, shallow (71-112) 920134 Red, shallow (71-122) 920135 Amber, shallow (71-132)</p> 	<p>200 SERIES 920048 Clear (201-112) 920049 Red (201-122) 920050 Amber (201-132)</p> 
<p>50, 56, 57, 60 & 100 SERIES 920109 Red, shallow (51-122) 920110 Amber shallow (51-132)</p> 	<p>920139 Clear, shallow back-up (71BU-112)</p> 	<p>200V SERIES 920057 Clear (221-112) 920058 Red (221-122) 920059 Amber (221-132)</p> 
<p>920115 Clear, shallow (51PSC)</p> 	<p>920142 Smoked, shallow (71PS) 920143 Clear, shallow (71PSC)</p> 	<p>73 SERIES 920454 Red 920464 Amber 920497 Back-up</p> 
<p>920112 Clear, deep back-up (51BU)</p> 	<p>920141 Red, deep license (71L-222)</p> 	<p>77 SERIES 920151 Clear (771-112) 920152 Red (771-122) 920153 Amber (771-132)</p> 
<p>920113 Red, deep license (51L-222) 920114 Amber, deep with window (51L-232)</p> 	<p>920144 Red, deep (71ST-222) 920145 Amber, deep (71ST-232)</p> 	<p>920154 Red (emerg., warning) (771PB-122) 920155 Amber (emerg., warning) (771PB-132)</p> 
<p>920111 Clear, deep (51-212) 920116 Red, deep (51ST-222) 920117 Amber, deep (51ST-232) 920451 Blue, deep (51ST-252)</p> 	<p>47 SERIES STROBE & BEACON High Hat Roof Mounts 920136 Red (71-622) 920137 Amber (71-632) 920138 Blue (71-652) 920409 Clear (71-612)</p> 	<p>920156 Red, arrow turn (771T-122) 920157 Amber, arrow turn (771T-132)</p> 
<p>65 SERIES 920227 Clear (L6-112) 920228 Red (L6-122) 920229 Amber (L6-132)</p> 		

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-51


Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

ACCESSORIES

PLUGS



PART NO.

920422

Plug - 6 pole, aluminum

920424

[A] Plug - 7 pole, aluminum with guard

920425

[B] Plug - 7 pole, aluminum

SOCKETS



PART NO.

920423

Socket - 6 pole aluminum with split pins

920426

[A] Socket - 7 pole nonmetallic, w/20 amp circuit breakers and solid pins

920427

[B] Socket - 7 pole nonmetallic, with split pins

920466

Socket - 7 pole nonmetallic, with solid pins

920554

[C] Socket - ABS aluminum, with solid pins

920589

Socket - 7 pole aluminum, with 20 amp circuit breakers and split pins

PART NO.

920564

A roll of 50 clear film stickers



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-52

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

ACCESSORIES

Excellent for lubricating wire or cable when pushing or pulling through rubber fittings. Also good for lubricating tubing barbs and inside of polyethylene tubing to expedite wire pulling.

PART NO.

920018

Wire pulling lubricant in (1) quart squeeze bottle (15-236)

920019

Wire pulling lubricant in vial (15-236-2X3)



Cleans both male and female ends of all 7 way plug terminals. Rugged stainless steel brushes enclosed in a convenient to carry 6 1/2" long cylinder.

PART NO.

920032

Plug Scrubber (18374)




Ideal for temporary installation of 2 flashing strobe units or one strobe and a spotlight unit. Fits all 12V lighter sockets.

PART NO.

920041

Double adapter unit for cigarette lighter (18943)



Gauge holder with shallow clear polycarbonate lens (920143). Requires a 4-3/4" diameter mounting hole.

PART NO.

400077

Clear, Valox body (40V-12112)



A sealed pilot light unit. Press fits in hole drilled with an "N" drill (.302). Life rating at 14 volts, .08 amps 1500 hours. 12 volts, 12,000 hours.

PART NO.

920090

Indicator or pilot light (41NG3)



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-53


Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

COMPONENT PARTS

REFLECTORS



PART NO.

- 920079** 2-1/4" diameter, center mount, amber (310710)
- 920080** [C] 2-1/4" diameter, center mount, red (310720)
- 920081** [B] 3-1/4" diameter, center mount, amber (313370)
- 920082** 3-1/4" diameter, center mount, red (313320)
- 920083** 1-7/8" x 4-3/8" oval, mounting holes on 3.94" centers, red (314020)
- 920084** [A] 1-7/8" x 4-3/8" oval, mounting holes on 3.94" centers, amber (314010)


SEALED BEAM BULBS



PART NO.

- 4411** Clear, flood, 12v, 2,500 cp, par 36
- 4415A** Amber, 12v, 7,000 cp, par 36
- 4416** Clear, spot, 12v, 35,000 cp, par 36
- 4416A** Amber, 12v, 25,000 cp, par 36
- 4466** Clear, flood, 12v, 1,000 cp, par 36
- 4505** Clear, spot, 24v, 45,000 cp, par 36
- 4593** Clear, flood, 24v, 1,500 cp, par 36
- 4636** Clear, signal, 12v, 90,000 cp, par 46
- H7610** Clear, halogen flood, 12v, 5,200 cp, par 36
- H7616** Clear, halogen spot, 12v, 70,000 cp, par 36


O-RINGS



PART NO.

- 920020** 305 series (16844BN)
- 920051** 200 series (202)
- 920056** 20 series (22)
- 920060** 200V series (222)
- 920102** 4x8 junction box seal ring - gasket style (482)
- 920118** 50, 56, 57, 60, 100 series (52)
- 920146** 40, 45, 47, 70, 80, PS series (72)
- 920158** 77 series (772)
- 920248** 65 series (OR5)
- 920600** 4 x 8 junction box o-ring for new style cover

GASKETS-MOUNTING



PART NO.

- 920016** 100 series (109)
- 920023** 7 way socket (17705CF)
- 920024** 6 way socket (17706CF)
- 920031** 45 stud mount series (18336CF)
- 920052** 200 series (209)
- 920073** [D] 20 series (29)
- 920086** [E] 315 and 325 series (39)
- 920094** 45 series (459)
- 920106** [C] BD56J series (49)
- 920128** 50 & 57 series (59)
- 920132** [B] 56 & 60 series (69)
- 920159** 77 series (79)
- 920165** [A] 40, 47 Valox & 70 series (79)
- 920408** 77 series flangeless (778LF)
- 920503** 40 series black sponge for nose boxes

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-54

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

COMPONENT PARTS

SHOCK-MOUNT SOCKETS

PART NO.

- 920013** [A] Double contact for shallow lens (108LS)
- 920015** Single contact for shallow lens (108S)
- 920103** [B] Double contact for deep lens (48LS)
- 920104** Single contact for deep lens 56 & 57 series lamps (48S with stilts [48LT])
- 920367** Single contact for 56 & 57 series lamps with shallow lens (48S)

SHOCK-STOPPER BULB SOCKETS

Upgrades many existing lamps including Betts models 40, 45, 47, & 77.

- 920459** [C] Double contact
- 920460** [C] Single contact


Note: See catalog supplement 04 for information on shock - stopper sockets.



OTHER SOCKETS

PART NO.


- 920012** [A] Single contact for 200 series lamps (108)
- 920014** [C] Single contact for PS-1D lamp (108-PS-1D)
- 920125** [B] Single contact for 50, 60 & 70 series lamps with shallow lens (58)
- 920126** Double contact for 50 & 70 series lamps with shallow lens (58L)
- 920127** Single contact for 50 series lamps with deep lens (58LT)



PIGTAILS, CONTACTS & GROMMETS

PART NO.

- 920119** [F] 6" brown wire with s.c. button (55)
- 920120** Button only, single contact, for 14 & 16 ga. wire (55A)
- 920121** Button only, single contact, for 12 ga. wire (55A-12)
- 920122** 6" white ground wire with spade and eyelet (55GW)
- 920123** [D] Socket grommet, single contact (56)
- 920124** [C] Pigtail, complete, S.C. (package of 12)
- 920147** [A] Button & wire, D.C. (package of 12 red & 12 brown)
- 920148** Button only, double contact, for 14 & 16 ga. wire (75A)
- 920149** [B] Socket grommet, double contact (76)
- 920150** [E] Pigtail, complete, D.C. (package of 12 red & 12 brown button & wires with 12 grommets)
- 920370** 18" blue BSXL pigtail with spade connector for "F" series lamps (46LW-BLU)
- 920377** 18" white BSXL pigtail with spade connector for "F" series lamps (46LW-WHT)
- 920381** 18" blue BSXL pigtail with s.c. button and grommet



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-55

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

COMPONENT PARTS

GROMMETS



PART NO.

- 920011** Body grommet (106BG)
- 920070** Sealed beam retaining ring, par 46 (27212EP)
- 920071** [E] Extended sealed beam retaining ring with 920143 shallow clear lens, par 36 (27231EP-A)
- 920222** [A] Wire guard for BSXL wire-3/16" I.D., 5/16" hole req., 3/16" wall (G-2752)
- 920223** [B] Wire guard for Betts 3 & 4 cond. cable-7/16" I.D., 11/16" hole req., 3/16" wall (G-2760)
- 920224** [C] Wire guard for Betts 2 cond. cable-5/16" I.D., 9/16" hole req., 1/8" wall (G-2856)
- 920225** Grommet seal for S200 & S200-2 (GR5)
- 920234** [F] Sealed beam retaining ring, par 36 (MG4)
- 920399** [D] Wire guard for Betts 5, 6 & 7 cond. cable-3/4" I.D., 1-1/16" hole req., 3/16" wall (G-2767)

PEDESTAL MOUNT LAMP

COMPONENTS (80, 81, 805 SERIES)



PART NO.

- 4411** Sealed beam, clear, flood, 12v, 2,500 cp, par 36 (805)
- 4415A** Sealed beam, amber, 12v, 7,000 cp, par 36 (805)
- 4416** Sealed beam, clear, spot, 12v, 35,000 cp, par 36 (805)
- 4416A** Sealed beam, clear, spot, 12v, 25,000 cp, par 36 (805)
- 4466** Sealed beam, clear, flood, 12v, 1,000 cp, par 36 (805)
- 4505** Sealed beam, clear, spot, 24v, 45,000 cp, par 36 (805)
- 4593** Sealed beam, clear, flood, 24v, 1,500 cp, par 36 (805)
- H7610** Sealed beam, clear, halogen flood, 12v, 5,200 cp, par 36 (805)
- H7616** Sealed beam, clear, halogen spot, 12v, 70,000 cp, par 36 (805)
- 920013** Socket, double contact (80 & 81)
- 920015** Socket, single contact (80 & 81)
- 920033** Mounting bracket, aluminum (805)
- 920034** Carriage bolt (805)
- 920039** Switch, 20 amp toggle with boot (805)
- 920071** Extended sealed beam retaining ring with 920143 lens (805)
- 920076** Rubber boot for 20 amp toggle switch (805)
- 920166** Washer, lock (80)
- 920167** Nut, lock (80)
- 920168** Washer, flat (80)
- 920171** Cap screw, 1/4" - 20 x 1/2" (805)
- 920173** Nut, hex head, 9/16" (805)
- 920174** Washer, flat, 9/16" (805)
- 920234** Sealed beam retaining ring, par 36 (805)
- 920370** 18" blue BSXL lead wire with spade connector (805)
- 920377** 18" white BSXL lead wire with spade connector (805)
- 920389** Mounting bracket, aluminum, chrome plated (805)
- 920398** Stud, 9/16" (81)

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-56

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide


COMPONENT PARTS

CABLE ENTRANCE FITTINGS

- PART NO.**
920210 Aluminum 3/8" N.P.T., cable O.D. range .125-.187 (CE-1)
920211 Aluminum 3/8" N.P.T., cable O.D. range .187-.312 (CE-2)
920212 [B] Aluminum 1/2" N.P.T., elbow fitting, cable O.D. range .500-.562 (CE-690-1/2)
920213 Aluminum 3/4" N.P.T., elbow fitting, cable O.D. range .500-.625 (CE-690-3/4)
920214 Aluminum 1/2" N.P.T., cable O.D. range .310-.560 (CEA3-5)
920215 [A] Aluminum 3/4" N.P.T., cable O.D. range .500-.750 (CEA6-7)
920216 Plastic 1/2" N.P.T., cable O.D. range .125-.375 (CEP1-2)
920217 Plastic 1/2" N.P.T., cable O.D. range .310-.560 (CEP3-5)
920218 [C] Plastic 3/4" N.P.T., cable O.D. range .500-.750 (CEP6-7)
920402 Plastic 1/2" N.P.T., cable O.D. range .500-.750 (CEP6-7x1/2)




- PART NO.**
920044 [A] One hole, 3/8" N.P.T., for Betts 3 & 4 cond. cable (1RPL)
920045 [B] One hole, 1/4" N.P.T., for Betts 2 cond. cable (1RPS)
920046 One hole, 3/8" N.P.T., for Betts 2 cond. cable (1RPS-1)
920043 [E] One hole, 1/8" N.P.T., for wire (1RP)
920088 [D] Three hole, 1/4" N.P.T., for wire (3RP)
920107 [C] Four hole, 3/8" N.P.T., for wire (4RP)
920413 (F) Push-In choke seal (see page 2)
920420 (G) Push-In choke seal (see page 2)



CHOKE SEALS

CHOKE SEAL TUBE FITTINGS

- PART NO.**
920047 [C] One hole tube fitting for wire (1TP)
920108 [B] Four hole tube fitting for wire (4TP)
920129 [A] Five hole tube fitting for wire (5TP)



JUNCTION BOX DISCS & HARDWARE

- PART NO.**
920264 (A) Terminal disc with hardware, 7 pole (PDJJ)
920268 (B) Terminal disc with hardware, 4 pole (PDJIS)
920265 Hardware package for 7 pole terminal disc (PDJJ-H)
920269 Hardware package for 4 pole terminal disc (PDJIS-H)
920414 Hardware package for 4 x 8 junction box



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-57

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

COMPONENT PARTS



PART NO.


920061 [B] Nose box cover only for circuit breaker style (26664-AL)

920063 [C] Cover only for recessed switches (26742-AL)

920064 [A] Nose box cover only for 6 or 7 way sockets (26779-AL) with "O" ring Snap-Seal feature

920555 Nose box cover only for ABS sockets (Yellow)

920565 Nose box cover, bolted style w/o "O" ring Snap-Seal feature



PART NO.

920177 [A] Grab ring for Betts 3 cond. & 4 cond. cable (9Z9117)

920178 [B] Grab ring for Betts 2 cond. cable (9Z9177)



PART NO.

920209 Circuit bridge (CB1)



PART NO.

920221 Exhaust vent (EV1)



PART NO.

920245 Closed top tube clip for 1/2" I.D. tubing (NB10CTC)

920246 Closed top tube clip for 1/4" I.D. tubing (NB6CTC)

920247 Closed top tube clip for 3/8" I.D. tubing (NB8CTC)



PART NO. NYLON TEES (MALE BRANCH)

920237 3/8" barbs x 1/4" N.P.T. (N6MTB-4)

920238 3/8" barbs x 3/8" N.P.T. (N6MTB-6)

920241 1/2" barbs x 1/4" N.P.T. (N8MTB-4)

920242 1/2" barbs x 3/8" N.P.T. (N8MTB-6)

920243 1/2" barbs x 1/2" N.P.T. (N8MTB-8)



PART NO. NYLON TEE UNIONS

920239 3/8" barbs (N6TUB-6)

920244 1/2" barbs (N8TUB-8)



PART NO. NYLON ELBOW UNIONS

920236 3/8" barbs (N6EUB-6)

920240 1/2" barbs (N8EUB-8)



PART NO. NYLON "Y" FITTINGS

920130 3/8" x 3/8" x 3/8" barbs (64106)

920131 1/2" x 1/2" x 1/2" barbs (64107)

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-58

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

COMPONENT PARTS

PART NO. NYLON PIPE TO BARB FITTINGS/STRAIGHT

920298	1/4" barb x 3/8" N.P.T. (TN-21)
920299	1/4" barb x 1/4" N.P.T. (TN-22)
920300	1/4" barb x 1/4" N.P.T. with seal (TN-22P)
920301	1/4" barb x 3/8" N.P.T. (TN-23)
920302	1/4" barb x 3/8" N.P.T. with seal (TN-23P)
920303	1/4" barb x 1/2" N.P.T. (TN-24)
920304	1/4" barb x 1/2" N.P.T. with seal (TN-24P)
920305	5/16" barb x 1/4" N.P.T. (TN-252)
920306	3/8" barb x 1/8" N.P.T. (TN-31)
920307	3/8" barb x 1/4" N.P.T. (TN-32)
920308	3/8" barb x 1/4" N.P.T. with seal (TN-32P)
920309	3/8" barb x 3/8" N.P.T. (TN-33)
920310	3/8" barb x 3/8" N.P.T. with seal (TN-33P)
920311	3/8" barb x 1/2" N.P.T. (TN-34)
920312	3/8" barb x 1/2" N.P.T. with seal (TN-34P)
920313	1/2" barb x 1/8" N.P.T. (TN-41)
920314	1/2" barb x 1/4" N.P.T. (TN-42)
920315	1/2" barb x 1/4" N.P.T. with seal (TN-42P)



920316	1/2" barb x 3/8" N.P.T. (TN-43)
920317	1/2" barb x 3/8" N.P.T. with seal (TN-43P)
920318	1/2" barb x 1/2" N.P.T. (TN-44)
920319	1/2" barb x 1/2" N.P.T. with seal (TN-44P)
920320	1/2" barb x 3/4" N.P.T. (TN-46)
920321	5/8" barb x 3/8" N.P.T. (TN-53)
920322	5/8" barb x 1/2" N.P.T. (TN-54)
920323	5/8" barb x 3/4" N.P.T. (TN-56)
920324	3/4" barb x 1/2" N.P.T. (TN-64)
920325	3/4" barb x 3/4" N.P.T. (TN-66)
920326	1" barb x 3/4" N.P.T. with heat shrink tubing (TN-86S)

PART NO. NYLON PIPE TO BARB FITTINGS/ELBOW

920275	3/8" barb x 1/8" N.P.T. (TLS-31)
920276	3/8" barb x 1/4" N.P.T. (TLS-32)
920277	3/8" barb x 1/4" N.P.T. with seal (TLS-32P)
920278	3/8" barb x 3/8" N.P.T. (TLS-33)
920279	3/8" barb x 3/8" N.P.T. with seal (TLS-33P)
920280	3/8" barb x 1/2" N.P.T. (TLS-34)
920281	3/8" barb x 1/2" N.P.T. with seal (TLS-34P)
920282	1/2" barb x 1/4" N.P.T. (TLS-42)
920283	1/2" barb x 1/4" N.P.T. with seal (TLS-42P)
920284	1/2" barb x 3/8" N.P.T. (TLS-43)



920285	1/2" barb x 3/8" N.P.T. with seal (TLS-43P)
920286	1/2" barb x 1/2" N.P.T. (TLS-44)
920287	1/2" barb x 1/2" N.P.T. with seal (TLS-44P)
920288	1/2" barb x 3/4" N.P.T. (TLS-46)
920289	5/8" barb x 3/8" N.P.T. (TLS-53)
920290	5/8" barb x 1/2" N.P.T. (TLS-54)
920488	1" barb x 3/4" N.P.T. (TLS-86)

PART NO. NYLON HOSE MENDERS

920291	1/4" barbs (TM-2)
920292	5/16" barbs (TM-25)
920293	3/8" barbs (TM-3)
920294	1/2" barbs (TM-4)
920295	5/8" barbs (TM-5)



920296	3/4" barbs (TM-6)
920297	1" barbs (TM-8)

PART NO. PINCH ON HOSE & TUBING CLAMPS

920249	1" to 1-1/16" (P-1075)
920253	15/16" to 1/2" (P-505) for 1/2" O.D. tubing
920254	1/2" to 17/32" (P-545)
920255	17/32" to 9/16" (P-590)
920256	19/32" to 5/8" (P-635)
920257	5/8" to 21/32" (P-680) for 5/8" O.D. tubing



920258	21/32" to 23/32" (P-725)
920259	23/32" to 3/4" (P-775)
920260	3/4" to 13/16" (P-825)

PART NO. POLYETHYLENE INSTRUMENT GRADE TUBING

920390	1/4" I.D. x 3/8" O.D. - 100' spool (PB-64)
920391	1/4" I.D. x 3/8" O.D. - 500' spool (PB-64)
920392	3/8" I.D. x 1/2" O.D. - 100' spool (PB-86)
920393	3/8" I.D. x 1/2" O.D. - 500' spool (PB-86)
920394	1/2" I.D. x 5/8" O.D. - 100' spool (PB-108)



PART NO. CONVOLUTED TUBING

920025	11/32" I.D. - 250' spool (1783-250)
---------------	-------------------------------------



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-59

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

COMPONENT PARTS

WIRE & CABLE

NOTE: Cable, wire and tubing will expand and contract 2 inches per trailer length.



PART NO. CROSSLINK POLYETHYLENE PRIMARY WIRE, 500 FT. SPOOLS

	10 GAUGE		14 GAUGE
920196	Black (BSXL10BLK)	920202	Black (BSXL14BLK)
920197	Red (BSXL10RED)	920203	Blue (BSXL14BLU)
920198	White (BSXL10WHT)	920204	Brown (BSXL14BRN)
	12 GAUGE	920205	Green (BSXL14GRN)
920199	Black (BSXL12BLK)	920206	Red (BSXL14RED)
920200	Red (BSXL12RED)	920207	White (BSXL14WHT)
920201	White (BSXL12WHT)	920208	Yellow (BSXL14YEL)

CABLE

NOTE: 105° Celsius temperature rating on all cable.



PART NO. 2-CONDUCTOR CABLE W/.295 O.D. 14 GA.

920179	8 feet (Brown/White)	920403	4500 feet (Brown/White)
920180	12 feet (Brown/White)	920566	100 feet (Red/White)
920181	20 feet (Brown/White)	920567	100 feet (Blue/White)
920182	50 feet (Brown/White)	920568	100 feet (Black/White)
920183	100 feet (Brown/White)	920584	4500 feet (Blue/White)
920184	300 feet (Brown/White)	920585	4500 feet (Red/White)
920371	1000 feet (Brown/White)	920586	4500 feet (Black/White)



PART NO. 3-CONDUCTOR CABLE W/.375 O.D. 14 GA. RED, BROWN & WHITE

920185	8 feet (B3P-008)	920190	100 feet (B3P-100)
920187	20 feet (B3P-020)	920191	300 feet (B3P-300)
920188	30 feet (B3P-030)	920372	1000 feet (B3P-1000)
920189	50 feet (B3P-050)	920404	2500 feet (B3P-2500)



PART NO. 4-COND. CABLE W/.375 O.D. 14 GA. RED, BRN, YEL/GRN, 12 GA. WHT.

920192	100 feet (B4P-100)
920373	2500 feet (B4P-2500)
920470	1000 feet (B4P-1000)



PART NO. 4-COND. CABLE W/.375 O.D. 14 GA. RED, BRN, YEL, 12 GA. WHT.

920587	2500 feet
---------------	-----------



PART NO. 4-COND. CABLE W/.375 O.D. 14 GA. RED, BRN, GRN, 12 GA. WHT.

920588	2500 feet
---------------	-----------



PART NO. 5-COND. CABLE W/.520 O.D. 12 GA. RED, YEL, BRN, GRN, 10 GA. WHT.

920193	100 feet (B5P-100)
920374	1000 feet (B5P-1000)



PART NO. 6-COND. CABLE W/.590 O.D. 12 GA. BLK, BRN, GRN, RED, YEL, 10 GA. WHT.

920194	100 feet (B6P-100)
920375	1000 feet (B6P-1000)



PART NO. 7-COND. CABLE W/.690 O.D. 12 GA. BLK, BRN, GRN, RED, YEL, BLU, 10 GA. WHT.

920195	100 feet (B7P-100)
920376	1000 feet (B7P-1000)



PART NO. 7-COND. ABS CABLE W/.690 O.D. 12 GA. BLK, BRN, GRN & YEL, 10 GA. BLUE & RED, WITH 8 GA. WHITE (GREEN OUTER JACKET)

920581	50 feet
920582	100 feet
920583	1000 feet

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-60

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

COMPONENT PARTS

PLUG HARNESS

FOR USE WITH PLUG & SEAL LIGHTING

PART NO. 2 CONDUCTOR

920430 Male plug 18 inch length (Brn, Wht)
920467 Male plug 8 foot length (Brn, Wht)
920476 Male plug 15 foot length (Brn, Wht)
920521 Male plug 10 inch length (Brn, Wht)
920527 Male plug 20 foot length (Blu, Wht)
920552 Male plug 15 foot length (Blk, Wht)

920520 Female plug 10 inch length (Brn, Wht)
920537 Female plug 10 inch length (Blu, Wht)
920538 Female plug 10 inch length (Blk, Wht)
920539 Female plug 10 inch length (Red, Wht)

920431 Female plug 18 inch length (Brn, Wht)
920468 Female plug 8 foot length (Brn, Wht)
920475 Female plug 15 foot length (Brn, Wht)

PART NO. 3 CONDUCTOR RED, BROWN, WHITE

920469 Female plug 8 inch length

PART NO. 4 CONDUCTOR

920531 Male plug 10 inch length (Rd, Wht, Brn, Grn)
920533 Male plug 18 inch length (Rd, Wht, Brn, Grn)
920536 Male plug 33.5 foot length (Rd, Wht, Brn, Grn)
920540 Male plug 10 inch length (Rd, Wht, Brn, Yel)
920542 Male plug 18 inch length (Rd, Wht, Brn, Yel)
920544 Male plug 33.5 foot length (Rd, Wht, Brn, Yel)
920548 Male plug 10 foot length (Rd, Wht, Brn, Grn)
920549 Male plug 10 foot length (Rd, Wht, Brn, Yel)

920541 Female plug 10 inch length (Rd, Wht, Brn, Yel)
920543 Female plug 18 inch length (Rd, Wht, Brn, Yel)
920547 Female plug 10 foot length (Rd, Wht, Brn, Yel)

920532 Female plug 10 inch length (Rd, Wht, Brn, Grn)
920534 Female plug 18 inch length (Rd, Wht, Brn, Grn)
920535 Female plug 10 foot length (Rd, Wht, Brn, Grn)

PART NO. 6 CONDUCTOR Red, White, Brown, Black, Green, Yellow

920492 Male plug 18 inch length
920494 Male plug 10 foot length

920491 Female plug 18 inch length
920493 Female plug 10 foot length

PART NO. JUMPERS: w/male & female plugs

920439 2 conductor, 6 inch length
920562 2 conductor, 24 inch length
920612 2 conductor, 12 inch length



920441 4 conductor, 6 inch length
920610 4 conductor, 24 inch length
920611 4 conductor, 12 inch length

PART NO. SEALER PLUGS

920495 2 conductor, male

PART NO. SHRINK TUBING 4" LENGTH

920446 .75 diameter
920447 1.10 diameter



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-61

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

COMPONENT PARTS

MOUNTING BRACKETS



PART NO.

920067 1 lamp, angle, 65 series - painted steel (65MB)

920089 1 lamp, angle, 40 series - painted steel (40MB)

920095 1 lamp, angle, 45 series - painted steel (45MB)

920160 1 lamp, angle, 77 series - painted steel (77MB)

920161 1 lamp, angle, 77 series - aluminum (77MBA)

920162 1 lamp, angle, 77 series - stainless steel (77MBS)

920378 1 lamp, angle, 56 series - painted steel (56MB)

920379 1 lamp, angle, 56 series - stainless steel (56MBS)



PART NO.

920530 1 lamp, angle, 73 series - aluminum


920550 1 lamp, angle, 73 series - painted steel

920551 1 lamp, angle, 73 series - stainless steel



PART NO.

920342 2 lamp, angle, 40 series - painted steel



PART NO.

920343 3 lamp, angle, 40 series - painted steel



PART NO.

920339 2 lamp, flat, 40 series - painted steel




PART NO.

920340 3 lamp, flat, 40 series - painted steel



PART NO.

920361 2 lamp, flat, 45 series - painted steel



PART NO.

920362 3 lamp, flat, 45 series - painted steel



PART NO.

920096 2 lamp, angle, 45 series - painted steel



PART NO.

920097 3 lamp, angle, 45 series - painted steel

920099 3 lamp, angle, 45 series - aluminum

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-62

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

COMPONENT PARTS

MOUNTING BRACKETS

PART NO.
920068 3 lamp 65 series I.D. bracket - aluminum (27204AL)
920069 3 lamp 65 series I.D. bracket - painted steel (27204MS)



PART NO.
920380 3 lamp 56 series I.D. bracket - painted steel (35206MS)
920546 3 lamp 56 series I.D. bracket - stainless steel



PART NO.
920029 Armor guard for S200 series - stainless steel (17938SS)



PART NO.
920230 License plate bracket - painted steel (LC2)



PART NO.
920062 License plate bracket - painted steel (26717MS)



PART NO.
920231 License plate holder - aluminum (LPH1A)
920232 License plate holder - stainless steel (LPH1S)



SWITCHES & SWITCH COMPONENTS

PART NO.
920026 Push button switch with pigtails - on or off (17839MS)
920030 Push button switch with terminal screws - momentary on (18271MS)



PART NO.
920038 Toggle switch with terminal screws - 20 amp (18812)
920039 Toggle switch with terminal screws - 20 amp with rubber boot (18830)



920077 Toggle switch with pigtails - 3 amp (30TS)
920078 Toggle switch with pigtails - 3 amp with rubber boot (30TSR)

PART NO.
920028 Rubber boot for 920026 & 920030 (17879SR)
920075 Rubber boot for 920077 (30R)
920076 Rubber boot for 920038 (30R-8)



PART NO.
560013 Recessed push button switch - on or off (56-195)
560014 Recessed push button switch - momentary on (56-195M0)

570012 Surface mount push button switch - on or off (57-195)
570013 Surface mount push button switch - momentary on (57-195M0)



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-63

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

TECHNICAL INFORMATION

IMPORTANT NOTE: Every lamp, reflex reflector, and conspicuity treatment must be permanently attached in the location specified below and must comply with all applicable requirements prescribed for it by FMVSS/CMVSS 108. The face of any device on the front/rear and sides should be, respectively perpendicular and parallel to the vehicle's centerline, unless it is photometrically certified at installation angle. No part of the vehicle shall prevent any device from meeting its prescribed requirements unless an auxiliary device meeting all prescribed requirements is installed.

IN CANADA: Manufacturers and importers of vehicles must have the proper certification test records demonstrating compliance of lighting components with all prescribed requirements.

BASIC EQUIPMENT REQUIRED ON ALL TRUCKS, BUSES & MPVs

DESCRIPTION				MANDATORY REQUIREMENTS			
Area	Equipment	SAE Lens Coding	Functional Purpose	Quantity	Color	Location	Height mm(n.) from the ground
1	Headlamps - Lower Beam	(H, HR)	Forward road illumination	Minimum 2	White	On the front - symmetrical as far apart as practicable	560-1370 (22-54)
	Headlamps - Upper Beam	(H, HR)	Forward road illumination	Minimum 2	White	On the front - symmetrical as far apart as practicable	560-1370 (22-54)
	Parking Lamps	(P)	Indicate parked vehicle	Minimum 2	White or Yellow	On the front - symmetrical as far apart as practicable	380-1830 (15-72)
2	Daytime Running Lamps (DRL)	(Y2)	Indicate in use vehicle	Minimum 2	White or Yellow	On the front - symmetrical as far apart as practicable	380 (15) min. Max. depends on type of DRL
	Front Turn Signal/Hazard Warning Lamps	(I)	Indicate direction of turn/identify disabled vehicle	Minimum 2	Yellow	On the front - symmetrical as far apart as practicable	380-2110 (15-83)
3	Front Clearance Lamps	(P2, PC* or P3, PC2*)	Show vehicle's width	Minimum 2	Yellow	At widest point - symmetrical on the front or near the front facing forward	As high as practicable
	Front Identification Lamps (ID)	(P2 or P3)	Indicate presence of a wide vehicle	Exactly 3	Yellow	On the front - center horizontally spaced 150 mm (6 in.) to 300 mm (12 in.) apart	As high as practicable or on top of the cab
4	Front Side Marker Lamps	(P2, PC* P3, PC2*)	Front and rear side marker lamps / side reflex reflector indicate vehicle's presence and length	Minimum 2	Yellow	Each side at front as far forward as practicable	380 (15) minimum
	Front Side Reflex Reflectors	(A)		Minimum 2	Yellow	Each side at front as far forward as practicable facing sideward	380-1530 (15-60)
5	Rear Side Marker Lamps**	(P2, PC* or P3, PC2*)	Rear and rear side marker lamps / side reflex reflector indicate vehicle's presence and length	Minimum 2	Red	Each side at rear as far back as practicable	380 (15) minimum
	Rear Side Reflex Reflectors**	(A)		Minimum 2	Red	Each side at rear as far back as practicable facing sideward	380-1530 (15-60)
6	Rear Clearance Lamps	(P2, PC* or P3, PC2*)	Show vehicle's width MAY NOT be combined with tail lamps	Minimum 2	Red	At widest point - symmetrical on the rear or near the rear facing rearward	As high as practicable may be lower only if rear ID lamps are at the top
7	Rear Identification (ID) Lamps	(P2 or P3)	Indicate presence of a wide vehicle	Exactly 3	Red	On the rear - center horizontally spaced 150mm (6 in.) to 300mm (12 in.) apart facing rearward	At the top may be lower if door header narrower than 25mm
8	Tail Lamps	(T)	Indicate vehicle's presence and width	Minimum 2	Red	On the rear - symmetrical as far apart as practicable	380-1830 (15-72)
	Stop Lamps	(S)	Indicate braking	Minimum 2	Red	On the rear - symmetrical as far apart as practicable	380-1830 (15-72)
	Rear Turn Signal/Hazard Warning Lamps	(I)	Indicate direction of turn/identify disabled vehicle	Minimum 2	Red or yellow	On the rear - symmetrical as far apart as practicable	380-2110 (15-83)
9	Rear Reflex Reflectors	(A)	Show vehicle's presence and width	Minimum 2	Red	On the rear - symmetrical as far apart as practicable	380-1530 (15-60)
	Backup Lamp	(R)	Illuminates ground behind the vehicle and alert road users	Minimum 1	White	Rear	No requirement
10	License Plate Lamp(s)	(L)	Illuminates license plate	Minimum 1	White	On the rear - above or at the sides of license plate	No requirement
11	Center High Mounted Stop Lamp	(U3)	Indicates braking	1	Red	On the rear - centerline of the vehicle	860 (34) minimum


ADDITIONAL EQUIPMENT FOR SPECIFIC VEHICLES

VEHICLES 9.1m (30 ft.) LONG OR LONGER

DESCRIPTION				MANDATORY REQUIREMENTS			
Area	Equipment	SAE Lens Coding	Functional Purpose	Quantity	Color	Location	Height mm(n.) from the ground
12	Intermediate Side Marker Lamps	(P2 or P3)	Indicate presence of a long vehicle	Minimum 2	Yellow	Each side near center	380 (15) minimum
	Intermediate Side Reflex Reflectors	(A)	Indicate presence of a long vehicle	Minimum 2	Yellow	Each side near center facing sideward	380-1530 (15-60)

Truck Tractors

DESCRIPTION		MANDATORY REQUIREMENTS						
Area	Conspicuity Treatment	DOT Coding	Quantity	Color	Location	Height	Options	
13	Rear Upper Body Markings	DOT-C	Exactly 2 pairs of 300mm long strips	White	Rear upper corners of cab facing rearward	As high as practicable excluding fairings		
14	Rear Marking	DOT-C2 DOT-C3 DOT-C4	Exactly 2 sections of min. 600mm each	Red/White	Rear - facing rearward - on fenders, on mud flap brackets, or within 300mm below the top of mud flaps	As horizontal as practicable and not higher than 1525mm from the ground	If mud flaps not used - on the cab or frame mounted brackets	



800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-64

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

TECHNICAL INFORMATION

BASIC EQUIPMENT REQUIRED ON ALL TRAILERS

Area	Equipment	DESCRIPTION		MANDATORY REQUIREMENTS			
		SAE Lens Coding	Functional Purpose	Quantity	Color	Location	Height mm(in.) from the ground
1	Tail Lamps	(T)	Indicate vehicle's presence and width	Minimum 2	Red	On the rear - symmetrical as far apart as practicable	380-1830 (15-72)
	Stop Lamps	(S)	Indicate braking	Minimum 2	Red	On the rear - symmetrical as far apart as practicable	380-1830 (15-72)
	Rear Turn Signal Lamps	(I)	Indicate direction of turn	Minimum 2	Red or Yellow	On the rear - symmetrical as far apart as practicable	380-2110 (15-83)
	Rear Reflex Reflectors	(A)	Indicate vehicle's presence and width	Minimum 2	Red	On the rear - symmetrical as far apart as practicable facing rearward	380-1530 (15-60)
2	License Plate Lamp(s)	(L)	Illuminates license plate	Minimum 1	White	On the rear - above or at the sides of license plate	No requirement
3	Rear Side Marker Lamps	(P2, PC* or P3, PC2*) *photometrically certified at installation angle	Front and rear side marker lamps / side reflex reflectors indicate vehicle's presence and length	Minimum 2	Red	Each side at rear as far back as practicable	380-1530 (15-60) no max. for veh. under 2032mm (80") wide
	Rear Side Reflex Reflectors	(A)		Minimum 2	Red	Each side at rear as far back as practicable facing sideward	380-1530 (15-60)
4	a Front Side Marker Lamps	(P2, PC* or P3, PC2*) *photometrically certified at installation angle	Front and rear side marker lamps / side reflex reflectors indicate vehicle's presence and length	Minimum 2	Yellow	Each side at front as far forward as practicable	380 (15) minimum
	b Front Side Reflex Reflectors	(A)		Minimum 2	Yellow	Each side at front as far forward as practicable facing sideward	380-1530 (15-60)

ADDITIONAL EQUIPMENT FOR TRAILERS EXCEEDING THE FOLLOWING PARAMETERS

Length 9.1m (30 ft.) or longer


Area	Equipment	DESCRIPTION		MANDATORY REQUIREMENTS			
		SAE Lens Coding	Functional Purpose	Quantity	Color	Location	Height mm(in.) from the ground
5	a Intermediate Side Marker Lamps	(P2 or P3)	Indicate presence of a long vehicle	Minimum 2	Yellow	Each side near center facing sideward	380 (15) minimum
	b Intermediate Side Reflex Reflectors	(A)	Indicate presence of a long vehicle	Minimum 2	Yellow	Each side near center facing sideward	380-1530 (15-60)

Width 2032mm (80 in.) or wider

Area	Equipment	DESCRIPTION		MANDATORY REQUIREMENTS			
		SAE Lens Coding	Functional Purpose	Quantity	Color	Location	Height
6	Rear Clearance Lamps	(P2, PC* or P3, PC2*) *photometrically certified at installation angle	Show vehicle's width MAY NOT be combined with tail lamps	Minimum 2	Red	At widest point - symmetrical on the rear or near the rear facing rearward	As high as practicable may be lower only if ID lamps are at the top
7	Rear Identification (ID) Lamps	(P2 or P3)	Indicate presence of a wide vehicle	Exactly 3	Red	On the rear - center horizontally spaced 150mm (6 in.) to 300mm (12 in.) apart facing rearward	At the top - may be lower only if ID lamps are narrower than 25mm
8	Front Clearance Lamps	(P2, PC* or P3, PC2*) *photometrically certified at installation angle	Show vehicle's width	Minimum 2	Yellow	At widest point - symmetrical on the front or near the front facing forward	As high as practicable

Width 2032mm (80 in.) or wider AND GVWR 4536 kg (10,000 lb.) or more

Area	Conspicuity Treatment	DESCRIPTION		MANDATORY REQUIREMENTS			Options
		DOT Coding	Quantity	Color	Location	Height	
9	Rear Upper Body Markings	DOT-C DOT-C2 DOT-C3 DOT-C4	Exactly 2 pairs of 300mm long strips	White	On the rear upper corners facing rearward	At the top	Reflex reflectors may not be required if they are replaced in their required location with conspicuity treatment. Optional in Canada: Rear lower body and side conspicuity treatment may also be solid white, solid yellow, or
10	Bumper Bar Marking		Continuous	Red/White	On the rear bumper bar's horizontal element full width - facing rearward	No requirement	
11	Rear Lower Body Marking		Continuous	Red/White (see options)	On the rear full width of the vehicle facing rearward	As horizontal as practicable and as close as practicable to the range of 375 to 1525mm from the ground	
12	Side Marking		(see location)	Red/White (see options)	Each side - facing sideward continuous, or evenly spaced over minimum of 50% of length starts and ends as close to the front and rear of the vehicle as practicable	As horizontal as practicable and as close as practicable to the range of 375 to 1525mm from the ground	



800-677-3711

Signal Hill, (L.A.) CA
(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA
(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX
(817) 740-8077 • (817) 740-1332

Portland, OR
(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-65


Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

TECHNICAL INFORMATION

BULB AND SEALED BEAM SPECIFICATIONS



BULB NUMBER	FIGURE #	DESIGN VOLTAGE	DESIGN AMPS	CANDLE-POWER	LIFE IN HOURS	DESIGN WATTS	BEAM CANDLE-POWER	APPROX. BEAM PATTERN	BEAM TYPE	NOTES
67	4	13.5	0.59	4	5,000	8		360 Deg.	SPHERICAL	HEAVY DUTY VERSION IS A #97 BULB
68	3	13.5	0.59	4	5,000	8		360 Deg.	SPHERICAL	BASE IS DOUBLE CONTACT NON-INDEXING
168	1	14.0	0.35	3	1,500	5		360 Deg.	SPHERICAL	
464	1	28.0	0.17	3	1,500	5		360 Deg.	SPHERICAL	
795	7	12.8	3.90	108	200	37.5		360 Deg.	SPHERICAL	HALOGEN BULB VERY HIGH TEMP.
904	2	13.5	0.68	4	5,000	9		360 Deg.	SPHERICAL	
1141	5	12.8	1.44	21	1,000	18.5		360 Deg.	SPHERICAL	
1156	5	12.8	2.10	32	1,200	27		360 Deg.	SPHERICAL	HEAVY DUTY VERSION IS A #199 BULB
1157	6	12.8/14.0	2.1/5.9	32/3	1,200/5,000	27/8		360 Deg.	SPHERICAL	HEAVY DUTY VERSION IS A #196 BULB
1251	4	28.0	0.23	3	1,000	6.5		360 Deg.	SPHERICAL	
1252	3	28.0	0.23	3	1,000	6.5		360 Deg.	SPHERICAL	BASE IS DOUBLE CONTACT NON-INDEXING
1662	6	28/28	.93/.34	32/6	400/1,000	26/11		360 Deg.	SPHERICAL	
1665	5	28.0	0.80	21	1,000	22.5		360 Deg.	SPHERICAL	
1683	5	28.0	1.02	32	500	28.3		360 Deg.	SPHERICAL	

SEALED BEAM LAMPS

BULB NUMBER	FIGURE #	DESIGN VOLTAGE	DESIGN AMPS	CANDLE POWER	LIFE IN HOURS	DESIGN WATTS	BEAM CANDLE-POWER	APPROX. BEAM PATTERN	BEAM TYPE	NOTES
H7610	8	12.8	3.90		400	50	5,200	30X25 Deg.	TRAPEZOIDAL	HALOGEN WORK LAMP
H7616	8	12.8	2.93		300	37.5	70,000	7X4 Deg.	RECTANGULAR	HALOGEN SPOT LAMP
4411	8	12.8	2.75		300	35	2,500	30X25 Deg.	TRAPEZOIDAL	WORK LAMP
4415A	8	12.8	2.75		300	35	7,000	40X5 Deg.	RECTANGULAR	LAMP-YELLOW LENS
4416	8	12.8	2.35		300	30	35,000	11X4 Deg.	RECTANGULAR	SPOT OR SIGNAL LAMP
4416A	8	12.8	2.35		300	30	25,000	11X4 Deg.	TRAPEZOIDAL	SIGNAL LAMP, YELLOW LENS COVER
4461	8	12.8	4.69		300	60	6,000	30X25 Deg.	TRAPEZOIDAL	WORK LAMP
4466	8	12.8	4.69		400	60	1,000	80X30 Deg.	RECTANGULAR	FLOOD LAMP
4505	8	28.0	1.79		400	50	45,000	11X5 Deg.	RECTANGULAR	AIRCRAFT NAVIGATION LAMP
4593	8	28.0	1.79		400	50	1,500	80X30 Deg.	RECTANGULAR	AIRCRAFT FLOOD LAMP
4636	9	14.0	6.00		200	80	90,000	9X7.5 Deg.	RECTANGULAR	SIGNAL LAMP

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-66

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

MERCHANDISERS

SMART SPLICE packaging and wall/counter display

SEE PAGE 46 FOR SMART SPLICE INFORMATION

WIRE RANGE #22 - #8



WALL COUNTER DISPLAY

PART NO. 920395

Consists of 16 bags of Smart Splice Connectors, a wire rack and display. Each bag contains 20 connectors. Overall dimensions: 11-1/4"W x 17"H x 5" D.

20 CONNECTOR BAG

PART NO. 920396

A sealed, clear, plastic bag includes instructions and wire size combinations.



4 PACK CLAM SHELL

PART NO. 920504

A clear plastic blister pack has 4 connectors. Great for do-it-yourself users. 4-1/2" x 2-7/8".

WIRE RANGE #14 - #6



10 CONNECTOR BAG

PART NO. 920400



CLAM SHELL CARTON

PART NO. 920506

A display carton of 10 clam-shell blister packs. 6"W x 4-3/4"D x 6"H.

100 CONNECTOR PLASTIC JAR

PART NO. 920270



40 CONNECTOR JAR

PART NO. 920401

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-67

Western Pacific Products, Inc.

Anything In Or On Your Tank – Ready to Ship

Over 8,000 Part Numbers – Over 26,000 Square Feet of Warehouse – We Ship Worldwide

Betts™

BETTS INDUSTRIES INC.

1800 PENNSYLVANIA AVENUE WEST
WARREN, PA 16365

PH: 814-723-1250

FAX: 814-723-7030

E-MAIL: info@bettsind.com

WEB SITE: bettsind.com

DISTRIBUTED BY

PRINTED IN U.S.A.

CATALOG NO. 2001



PRINTED IN USA

800-677-3711

Signal Hill, (L.A.) CA

(562) 490-0030 • Fax (562) 490-0091

West Sacramento, CA

(916) 371-1622 • Fax (916) 371-4792

Dallas/Fort Worth, TX

(817) 740-8077 • (817) 740-1332

Portland, OR

(503) 221-0335 • Fax (503) 221-0911

www.tankparts.com

8-68