

F21 Configuration and Accessories


Mold injection Connector

(IP68 Factory Assembly Only)





Direct Entry Connector MJ-21-A-D01/02/03 MJ-21-A-D01SM MJ-21-A-D02SF MJ-21-A-D03SFM







Side Entry Connector MJ-21-A-S01/02/03 MJ-21-A-S01SM MJ-21-A-S02SF MJ-21-A-S03SFM







Bottom Entry Connector MJ-21-A-B01/02/03 MJ-21-A-B01SM MJ-21-A-B02SF MJ-21-A-B03SFM









End Cap









Jumper MJ-21-A-D-JC




F21 Configuration and Accessories





DIY Snap Connector DIY-SN-FR-21-D-01/02-A







DIY Snap End Cap DIY-SN-END-21-D-01/02







DIY Snap Connector Jumper DIY-SN-FR-21-A-D-JC







DIY Screw Connector DIY-SC-FR-15-D-01/02-A






DIY Screw Connector
DIY-SC-FR-15-B-01/02-A







F21 Configuration and Accessories




DIY Screw Connector DIY-SC-END-15






DIY Screw Extention Connector DIY-SC-EXT-15-A






Waterproof Interrupter






Male Connector SYZ-M12-M-2C-075-W






Female Connector SYZ-M12-F-2C-075-W



1. Aluminum Channel





200.0	550.0	el	500.0	e -	550.0	<u> </u>
04.00		Ø4.00		04.00		Ø4.00
-			2000.0			-


Model	W x H(mm)	Standard Length	Screw Holes	Holes Numbers	Suitable Product
ALC15S01-035		35mm	Ф4.0mm	2	F21,SF21
ALC15S01-100	15.1*24.4	1000mm	Ф4.0mm	2	F21, SF21
ALC15S02-200		2000mm	Ф4.0mm	4	F21, SF21



10.20 11.80 99.52 10.99

Dimension






Surface Mounted

Reccessed


200.0		600.0	* =	200.0
0.00	0 0	0	0° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° °	11
				_



Unit:mm


Model	W x H(mm)	Standard Length	Screw Holes	Holes Numbers	Clips	Suitable Product
ALC15S02-035		35mm	Ф4.0mm	2	1	F21, SF21
ALC15S02-100	21.2*19.6	1000mm	Ф4.0mm	2	5	F21, SF21
ALC15S02-200		2000mm	Ф4.0mm	4	8	F21, SF21






200.0	550.0	= -	500.0		550.0	=1= 200.0 =1
04.00		04.00		Ø4.00		04.00
-			2000.0 —			-

Model	W x H(mm)	Standard Length	Screw Holes	Holes Numbers	Suitable Product
ALC15H01-035		35mm	Ф4.0mm	2	F21, SF21
ALC15H01-100	15.1*31.1	1000mm	Ф4.0mm	2	F21, SF21
ALC15H01-200		2000mm	Ф4.0mm	4	F21, SF21









Model	W x H(mm)	Standard Length	Screw Holes	Holes Numbers	Suitable Product
ALC15V01-035		35mm	Ф4.0mm	2	F21, SF21
ALC15V01-100	13.6*31.5	1000mm	Ф4.0mm	2	F21, SF21
ALC15V01-200		2000mm	Ф4.0mm	4	F21, SF21

200.0










Unit:mm

Model	W x H(mm)	Standard Length	Screw Holes	Holes Numbers	Suitable Product
ALC21S01-035		35mm	Ф4.0mm	2	F21, SF21
ALC21S01-100	13.5*21.5	1000mm	Ф4.0mm	2	F21, SF21
ALC21S01-200		2000mm	Ф4.0mm	4	F21, SF21











35.00

			1-		1000.0	-1
200.0	550.0	+ -	500.0	+ -	550.0	200.0 →
04.00		Ø4.00		04.00		94.00
04.00		04.00		04.00		94.00
			2000.0			_


Model	W x H(mm)	Standard Length	Screw Holes	Holes Numbers	Suitable Product
ALC21C01-035		35mm	Ф4.0mm	4	F21, SF21
ALC21C01-100	29.87*21.5	1000mm	Ф4.0mm	4	F21, SF21
ALC21C01-200		2000mm	Ф4.0mm	8	F21, SF21


2. Flexible Aluminum Channel














Model	W x H(mm)	Standard Length	Screw Holes	Holes Numbers	Suitable Product
ALC15S01FLX-50	15.1*24.4	500mm	Ф4.0mm	2	F21, SF21
ALC15S01FLX-100	10.1 24.4	1000mm	Ф4.0mm	4	F21, SF21

3. Plastic Channel









Surface Mounted


Reccessed





Model	W x H(mm)	Standard Length	Screw Holes	Holes Numbers	Suitable Product
PC15/21S01-T-035	10.6*06.2	35mm	Ф4.0mm	2	F21, SF21
PC15/21S01-T-100	19.6*26.3	1000mm	Ф4.0mm	2	F21, SF21

4. Stainless steel Channel













Model	W x H(mm)	Standard Length	Screw Holes	Holes Numbers	Suitable Product
SSC15S01-05	11.7*23.1	50mm	Ф4.0mm	2	F21, SF21









Model	W x H(mm)	Standard Length	Suitable Product
SSC15 FLX01		100mm	F21, SF21
SSC15FLX03	14.8*26.0	300mm	F21, SF21
SSC15FLX05	14.0 20.0	500mm	F21, SF21
SSC15FLX10		1000mm	F21, SF21

100/300/500/1000

LED linear Flex Packing Details



Standard: Carton (Paper Reel Inside)

Product	Max.Length	Carton Size	Net Weight	Gross Weight
F15/SF15	30m	34*34*18cm	12kg	13.6kg
F16/SF16	20m	34*34*18cm	8.6kg	10.2kg
F17/SF17	20m	34*34*18cm	8.6kg	10.2kg
F18/SF18	20m	34*34*18cm	8.6kg	10.2kg
F21/SF21	20m	34*34*18cm	10.4kg	12.0kg
F10/SF10	30m	34*34*18cm	9.6kg	11.2kg
F09/SF09	35m	34*34*18cm	5.8kg	7.4kg
F08/SF08	30m	34*34*18cm	7.2kg	8.8kg
F06/SF06	30m	34*34*18cm	7.2kg	8.8kg



Custom: Carton (White Box+ Plastic Plate Inside)

Product	Package 1 Dimension	Length	Gross Weight	Package 2 Dimension	Length	Gross Weight
F15/SF15	38*38*3cm	5m	2.5kg	45*55*3cm	10m	5kg
F16/SF16	38*38*3cm	5m	2.6kg	51*61*4cm	10m	5.2kg
F17/SF17	38*38*3cm	5m	2.6kg	51*61*4cm	10m	5.2kg
F18/SF18	38*38*3cm	5m	2.6kg	51*61*4cm	10m	5.2kg
F21/SF21	38*38*3cm	5m	3.1kg	51*61*4cm	10m	6.2kg
F10/SF10	38*38*3cm	5m	2.0kg	45*55*3cm	10m	4kg
F09/SF09	38*38*3cm	5m	1.5kg	45*55*3cm	10m	3kg
F08/SF08	38*38*3cm	5m	1.5kg	45*55*3cm	10m	3kg
F06/SF06	38*38*3cm	5m	1.5kg	45*55*3cm	10m	3kg